

## COMBINED AUTHOR AND TITLE INDEX

## (Volumes 401 to 410, 2010)

## A

- Aburto-Oropeza O, Paredes G, Mascareñas-Osorio I, Sala E (2010) Climatic influence on reef fish recruitment and fisheries. 410:283–287
- Adams AJ, see Mateo I et al. (2010) 402:197–212
- Adamson AA, see Barbour AB et al. (2009) 401:291–294
- Adjeroud M, see Penin L et al. (2010) 408:55–64
- Afanasyev V, see Mackley EK et al. (2010) 406:291–303
- Aguirre-Villaseñor H, see Madrid-Vera J et al. (2010) 403:145–153
- Ainley DG, see Ballard G et al. (2010) 405:287–302
- Airs RL, see Ragni M et al. (2010) 406:57–70
- Alberti J, see Canepuccia AD et al. (2010) 404:151–159
- Alcaraz M, see Almeda R et al. (2010) 410:97–109
- Alcoverro T, see Prado P et al. (2010) 409:229–239
- Alderman R, Gales R, Hobday AJ, Candy SG (2010) Post-fledging survival and dispersal of shy albatross from three breeding colonies in Tasmania. 405:271–285
- Allen CJ, Paterson GLJ, Hawkins LE, Hauton C, Clark PF, Aryuthaka C (2010) Zonation on sandy tropical beaches: a case study using *Dotilla intermedia* (Brachyura: Ocypodidae). 408:97–107
- Almeda R, Calbet A, Alcaraz M, Yebra L, Saiz E (2010) Effects of temperature and food concentration on the survival, development and growth rates of naupliar stages of *Oithona davisae* (Copepoda, Cyclopoida). 410:97–109
- Almeda R, see Pedersen TM et al. (2010) 407:99–110
- Alves-Stanley CD, Worthy GAJ, Bonde RK (2010) Feeding preferences of West Indian manatees in Florida, Belize, and Puerto Rico as indicated by stable isotope analysis. 402:255–267
- Ambe D, see Chow S et al. (2010) 402:233–238
- Amouroux JM, see Jimenez H et al. (2010) 406:211–222
- Anderson JT, see Olafsdottir AH (2010) 403:231–241
- Anderson MJ, see Fukunaga A et al. (2010) 402:123–136
- Anderson TW, see Floyd EY (2010) 407:257–269
- Andersson A, see Dahlgren K et al. (2010) 409:77–94
- Aoyama J, see Chow S et al. (2010) 402:233–238
- Appeldoorn RS, see Mateo I et al. (2010) 402:197–212
- Archer FI, Redfern JV, Gerrodette T, Chivers SJ, Perrin WF (2010) Estimation of relative exposure of dolphins to fishery activity. 410:245–255
- Arendt KE, Nielsen TG, Rysgaard S, Tønnesson K (2009) Differences in plankton community structure along the Godthåbsfjord, from the Greenland Ice Sheet to offshore waters. 401:49–62
- Aritaki M, see Wada T et al. (2010) 407:243–255
- Armitage AR, see Baggett LP et al. (2010) 406:33–45
- Aryuthaka C, see Allen CJ et al. (2010) 408:97–107
- Attrill MJ, see Borg JA et al. (2010) 406:91–104
- Ayvazian S, see Elsdon TS et al. (2010) 408:195–205
- Azumaya T, see Fukuwaka M et al. (2010) 403:219–230
- tity, and their effects on epiphytic algal assemblages: field experiments in subtropical turtlegrass *Thalassia testudinum* meadows. 406:33–45
- Baillleul F, Cotté C, Guinet C (2010) Mesoscale eddies as foraging area of a deep-diving predator, the southern elephant seal. 408:251–264
- Baird AH, see Penin L et al. (2010) 408:55–64
- Balbuena JA, see Higgins RM et al. (2010) 404:197–206
- Ballard G, Dugger KM, Nur N, Ainley DG (2010) Foraging strategies of Adélie penguins: adjusting body condition to cope with environmental variability. 405:287–302
- Båmstedt U, see Dahlgren K et al. (2010) 409:77–94
- Bangi HGP, see Juinio-Meñez MA (2010) 402:137–145
- Barbour AB, Montgomery ML, Adamson AA, Díaz-Ferguson E, Silliman BR (2009) Mangrove use by the invasive lionfish *Pterois volitans*. 401:291–294
- Barnes AC, see Green TJ (2010) 402:161–170
- Barnes DKA, see Kuklinski P (2009) 401:15–20
- Barret J, see Pernet F et al. (2009) 401:129–146
- Bartolino V, see Polgar G (2010) 409:199–212
- Barwick H, see Gartner A et al. (2009) 401:87–100
- Bate G, see Perissinotto R et al. (2010) 405:147–161
- Beaugrand G, see Goberville E et al. (2010) 408:129–148
- Bec A, see Koussoroplis AM et al. (2010) 404:207–217
- Belmonte G, see Svetlichny L et al. (2010) 404:127–138
- Ben-aderet N, see Cartamil D et al. (2010) 404:249–258
- Bendell LI, Duckham C, L'Esperance T, Whiteley J (2010) Changes in geochemical foreshore attributes as a consequence of intertidal shellfish aquaculture: a case study. 404:91–108
- Benfield MC, see Brown H et al. (2010) 403:205–218
- Benner I, Passow U (2010) Utilization of organic nutrients by coccolithophores. 404:21–29
- Ben-Tzvi O, Tchernov D, Kiflawi M (2010) Role of coral-derived chemical cues in microhabitat selection by settling *Chromis viridis*. 409:181–187
- Benvenuti S, see Davoren GK et al. (2010) 404:275–287
- Bergström B, see Laidre KL et al. (2010) 402:269–284
- Berlinsky DL, see Kovach AI et al. (2010) 410:177–195
- Bertics VJ, Sohm JA, Treude T, Chow CET, Capone DG, Fuhrman JA, Ziebis W (2010) Burrowing deeper into benthic nitrogen cycling: the impact of bioturbation on nitrogen fixation coupled to sulfate reduction. 409:1–15
- Best RJ, see Hughes AR et al. (2010) 403:43–51
- Bianchimani O, see Linares C et al. (2010) 402:69–79
- Bigot L, see Jimenez H et al. (2010) 406:211–222
- Billard E, Serrão E, Pearson G, Destombe C, Valero M (2010) *Fucus vesiculosus* and *spiralis* species complex: a nested model of local adaptation at the shore level. 405:163–174
- Bingham BL, see Milonas L et al. (2010) 404:69–78
- Bio A, see Campos J et al. (2010) 405:203–219
- Blicher ME, Clemmesen C, Sejr MK, Rysgaard S (2010) Seasonal and spatial variations in the RNA:DNA ratio and its relation to growth in sub-Arctic scallops. 407:87–98
- Blicher ME, Rysgaard S, Sejr MK (2010) Seasonal growth variation in *Chlamys islandica* (Bivalvia) from sub-Arctic Greenland is linked to food availability and temperature. 407:71–86
- Block BA, see Young HS et al. (2010) 403:291–301

## B

Baggett LP, Heck KL Jr, Frankovich TA, Armitage AR, Fourqurean JW (2010) Nutrient enrichment, grazer iden-

- Boaventura DM, see Silva ACF et al. (2010) 406:197–210
- Bochdansky AB, Bollens SM, Rollwagen-Bollens GC, Gibson AH (2010) Effect of the heterotrophic dinoflagellate *Oxyrrhis marina* and the copepod *Acartia tonsa* on vertical carbon flux in and around thin layers of the phytoflagellate *Isochrysis galbana*. 402:179–196
- Boix D, see Compte J et al. (2010) 402:147–159
- Bollens SM, see Bochdansky AB et al. (2010) 402:179–196
- Bonde RK, see Alves-Stanley CD et al. (2010) 402:255–267
- Borg JA, Rowden AA, Attrill MJ, Schembri PJ, Jones MB (2010) Spatial variation in the composition of motile macroinvertebrate assemblages associated with two bed types of the seagrass *Posidonia oceanica*. 406:91–104
- Bost CA, see Halsey LG et al. (2009) 401:279–289
- Boudreau SA, Worm B (2010) Top-down control of lobster in the Gulf of Maine: insights from local ecological knowledge and research surveys. 403:181–191
- Boudry P, see Pernet F et al. (2009) 401:129–146
- Bouillon S, see Riou V et al. (2010) 405:187–201
- Bourdier G, see Koussoroplis AM et al. (2010) 404:207–217
- Bowen BW, see Daly-Engel TS et al. (2010) 403:255–267
- Bradshaw CJA, see Goldsworthy SD et al. (2010) 409:255–266
- Bradshaw CJA, see Speed CW et al. (2010) 408:275–293
- Brannock PM, Hilbish TJ (2010) Hybridization results in high levels of sterility and restricted introgression between invasive and endemic marine blue mussels. 406:161–171
- Brearley A, see Gartner A et al. (2009) 401:87–100
- Breton TS, see Kovach AI et al. (2010) 410:177–195
- Brewster E, see Silva ACF et al. (2010) 406:197–210
- Broad A, Knott N, Turon X, Davis AR (2010) Effects of a shark repulsion device on rocky reef fishes: no shocking outcomes. 408:295–298
- Brodeur RD, see Litz MNC et al. (2010) 405:71–85
- Broitman BR, see Rosa R et al. (2010) 410:205–218
- Bronner BM, see Rook MA et al. (2010) 409:171–179
- Brooks EN, see Jones DL et al. (2009) 401:245–258
- Brown H, Benfield MC, Keenan SF, Powers SP (2010) Movement patterns and home ranges of a pelagic carangid fish, *Caranx crysos*, around a petroleum platform complex. 403:205–218
- Brunel T, Dickey-Collas M (2010) Effects of temperature and population density on von Bertalanffy growth parameters in Atlantic herring: a macro-ecological analysis. 405:15–28
- Bruno JF, see Schutte VGW et al. (2010) 402:115–122
- Brush MJ, see Lynch PD et al. (2009) 401:195–209
- Buckley LJ, Lough RG, Mountain D (2010) Seasonal trends in mortality and growth of cod and haddock larvae result in an optimal window for survival. 405:57–69
- Busch MW, see Klimpel S et al. (2010) 403:1–11
- Butler PJ, see Halsey LG et al. (2009) 401:279–289
- Buxton CD, see Semmens JM et al. (2010) 403:193–203
- Byron CJ, Link JS (2010) Stability in the feeding ecology of four demersal fish predators in the US Northeast Shelf Large Marine Ecosystem. 406:239–250
- Veer HW (2010) Fluctuations of brown shrimp *Crangon crangon* abundance in the western Dutch Wadden Sea. 405:203–219
- Candy SG, see Alderman R et al. (2010) 405:271–285
- Canepuccia AD, Alberti J, Daleo P, Pascual J, Farina JL, Iribarne OO (2010) Ecosystem engineering by burrowing crabs increases cordgrass mortality caused by stem-boring insects. 404:151–159
- Cannon D, see Tweddle JF et al. (2010) 405:131–145
- Cao H, see Maldonado M et al. (2010) 403:75–89
- Cao X, see Maldonado M et al. (2010) 403:75–89
- Capone DG, see Bertics VJ et al. (2010) 409:1–15
- Cardoso JFMF, see Campos J et al. (2010) 405:203–219
- Carlsson P, see Fagerberg T et al. (2010) 409:17–25
- Carrasco C, see González HE et al. (2010) 402:13–30
- Cartamil D, Wegner NC, Kacev D, Ben-aderet N, Kohin S, Graham JB (2010) Movement patterns and nursery habitat of juvenile thresher sharks *Alopias vulpinus* in the Southern California Bight. 404:249–258
- Cartes JE, see Fanelli E (2010) 402:213–232
- Carvalho GR, see Domingues CP et al. (2010) 410:111–123
- Caselle JE, see Watson JR et al. (2009) 401:31–48
- Castilla JC, see Manríquez PH (2010) 409:107–119
- Cavanaugh KC, Siegel DA, Kinlan BP, Reed DC (2010) Scaling giant kelp field measurements to regional scales using satellite observations. 403:13–27
- Chambellant M, see Goldsworthy SD et al. (2010) 409:255–266
- Chambers RM, see Rook MA et al. (2010) 409:171–179
- Chang J, see Liu HC et al. (2010) 409:121–130
- Chapman MG, see Iveša L et al. (2010) 407:55–69
- Chen B, Liu H (2010) Trophic linkages between grazers and ultraplankton within the microbial food web in subtropical coastal waters. 407:43–53
- Chen B, see Liu H et al. (2010) 407:111–123
- Chen M, see Liu H et al. (2010) 407:111–123
- Cheney DP, see Ng TYT et al. (2009) 401:147–160
- Chenuil A, see Tarnowska K et al. (2010) 406:173–184
- Cherel Y, see Jaeger A et al. (2009) 401:269–277
- Chevalier E, see Riou V et al. (2010) 405:187–201
- Chivers SJ, see Archer FI et al. (2010) 410:245–255
- Choe JC, see Kim TW et al. (2009) 401:183–194
- Chou LM, see Todd PA et al. (2010) 408:299–303
- Chow CET, see Bertics VJ et al. (2010) 409:1–15
- Chow S, Kurogi H, Katayama S, Ambe D, Okazaki M, Watanabe T, Ichikawa T, Kodama M, Aoyama J, Shinoda A, Watanabe S, Tsukamoto K, Miyazaki S, Kimura S, Yamada Y, Nomura K, Tanaka H, Kazeto Y, Hata K, Handa T, Tawa A, Mochioka N (2010) Japanese eel *Anguilla japonica* do not assimilate nutrition during the oceanic spawning migration: evidence from stable isotope analysis. 402:233–238
- Christy AE, see Ng TYT et al. (2009) 401:147–160
- Christy JH, see Kim TW et al. (2009) 401:183–194
- Chuang CY, see Ng TYT et al. (2009) 401:147–160
- Clark PF, see Allen CJ et al. (2010) 408:97–107
- Clemmesen C, see Blicher ME et al. (2010) 407:87–98
- Colaço A, see Riou V et al. (2010) 405:187–201
- Colbourne EB, see Morgan MJ et al. (2010) 404:185–195
- Coles SL, see Concepcion GT et al. (2009) 401:113–127
- Collin R (2010) Repeatability of egg size in two marine gastropods: brood order and female size do not contribute to intraspecific variation. 410:89–96
- Compte J, Gascón S, Quintana XD, Boix D (2010) Top-predator effects of jellyfish *Odessa maotica* in Mediterranean salt marshes. 402:147–159
- Concepcion GT, Kahng SE, Crepeau MW, Franklin EC, Coles

## C

- Calbet A, see Almeda R et al. (2010) 410:97–109
- Calderón I, Turon X (2010) Temporal genetic variability in the Mediterranean common sea urchin *Paracentrotus lividus*. 408:149–159
- Calderón MJ, see González HE et al. (2010) 402:13–30
- Calliari D, see Rodríguez-Graña L et al. (2009) 401:1–13
- Camphuysen CJ, see Scott BE et al. (2010) 408:207–226
- Campos J, Bio A, Cardoso JFMF, Dapper R, Witte JIJ, van der

- SL, Toonen RJ (2009) Resolving natural ranges and marine invasions in a globally distributed octocoral (genus *Carijoa*). 401:113–127
- Condon ED, see Lynch PD et al. (2009) 401:195–209
- Connan M, see Jaeger A et al. (2009) 401:269–277
- Connolly RM, see Sheaves M et al. (2010) 410:143–157
- Connolly SR, see Penin L et al. (2010) 408:55–64
- Conti L, Scardi M (2010) Fisheries yield and primary productivity in large marine ecosystems. 410:233–244
- Corzo A, see García-Robledo E et al. (2010) 403:155–163
- Cossio A, see Laidre KL et al. (2010) 402:269–284
- Côté IM, Maljković A (2010) Predation rates of Indo-Pacific lionfish on Bahamian coral reefs. 404:219–225
- Cotté C, see Bailleul F et al. (2010) 408:251–264
- Coutinho R, see López MS et al. (2010) 403:101–112
- Cox DR, see Ford JR et al. (2010) 408:181–193
- Creer S, see Domingues CP et al. (2010) 410:111–123
- Crepeau MW, see Concepcion GT et al. (2009) 401:113–127
- Cuveliers EL, Geffen AJ, Guelinckx J, Raeymaekers JAM, Skadal J, Volckaert FAM, Maes GE (2009) Microchemical variation in juvenile *Solea solea* otoliths as a powerful tool for studying connectivity in the North Sea. 401:211–220
- ## D
- D'Alessandro EK, Sponaugle S, Serafy JE (2010) Larval ecology of a suite of snappers (family: Lutjanidae) in the Straits of Florida, western Atlantic Ocean. 410:159–175
- Dahlgren K, Andersson A, Larsson U, Hajdu S, Båmstedt U (2010) Planktonic production and carbon transfer efficiency along a north–south gradient in the Baltic Sea. 409:77–94
- Dähnke K, Emeis K, Johannsen A, Nagel B (2010) Stable isotope composition and turnover of nitrate in the German Bight. 408:7–18
- Daleo P, see Canepuccia AD et al. (2010) 404:151–159
- Daly-Engel TS, Grubbs RD, Feldheim KA, Bowen BW, Toonen RJ (2010) Is multiple mating beneficial or unavoidable? Low multiple paternity and genetic diversity in the shortspine spurdog *Squalus mitsukurii*. 403:255–267
- Dando P, see Riou V et al. (2010) 405:187–201
- Daneri G, see González HE et al. (2010) 402:13–30
- Danielsdóttir AK, see Higgins RM et al. (2010) 404:197–206
- Danilowicz BS, see Higgins RM et al. (2010) 404:197–206
- Dapper R, see Campos J et al. (2010) 405:203–219
- Dautova TN, see Imbs AB et al. (2010) 409:65–75
- Davies CR, see Williams AJ et al. (2010) 405:87–99
- Davis AR, see Broad A et al. (2010) 408:295–298
- Davoren GK, Garthe S, Monteverchi WA, Benvenuti S (2010) Influence of prey behaviour and other predators on the foraging activities of a marine avian predator in a Low Arctic ecosystem. 404:275–287
- De Backer A, see Van Colen C et al. (2010) 406:79–89
- de Boer MN (2010) Spring distribution and density of minke whale *Balaenoptera acutorostrata* along an offshore bank in the central North Sea. 408:265–274
- De Mesel I, see Ingels J et al. (2010) 406:121–133
- Degraer S, see Van Colen C et al. (2010) 406:79–89
- Dehairs F, see Riou V et al. (2010) 405:187–201
- Dell'omo G, see Zavalaga CB et al. (2010) 404:259–274
- DeMartini EE, see Friedlander AM et al. (2010) 410:219–231
- Demopoulos AWJ, Smith CR (2010) Invasive mangroves alter macrofaunal community structure and facilitate opportunistic exotics. 404:51–67
- DeSalvo MK, Sunagawa S, Voolstra CR, Medina M (2010) Transcriptomic responses to heat stress and bleaching in the elkhorn coral *Acropora palmata*. 402:97–113
- Desbruyères D, see Gauthier O et al. (2010) 402:285–302
- Destombe C, see Billard E et al. (2010) 405:163–174
- Desvillettes C, see Koussoroplis AM et al. (2010) 404:207–217
- Dethier MN (2010) Variation in recruitment does not drive the cline in diversity along an estuarine gradient. 410:43–54
- Díaz-Ferguson E, see Barbour AB et al. (2009) 401:291–294
- Dickey-Collas M, see Brunel T (2010) 405:15–28
- Dieckmann GS, see Underwood GJC et al. (2010) 404:1–19
- Diekmann R, see Lindegren M et al. (2010) 402:239–253
- Dirzo R, see Young HS et al. (2010) 403:291–301
- Doak DF, see Linares C (2010) 402:59–68
- Doblin MA, Murphy KR, Ruiz GM (2010) Thresholds for tracing ships' ballast water: an Australian case study. 408:19–32
- Dobretsov SV, Gosselin L, Qian PY (2010) Effects of solar PAR and UV radiation on tropical biofouling communities. 402:31–43
- Domingues CP, Creer S, Taylor MI, Queiroga H, Carvalho GR (2010) Genetic structure of *Carcinus maenas* within its native range: larval dispersal and oceanographic variability. 410:111–123
- Doncaster CP, see Skov MW et al. (2009) 401:101–111
- Donelson JM, Munday PL, McCormick MI, Pankhurst NW, Pankhurst PM (2009) Effects of elevated water temperature and food availability on the reproductive performance of a coral reef fish. 401:233–243
- Dong C, see Watson JR et al. (2009) 401:31–48
- Douglas DC, see Jay CV et al. (2010) 407:293–302
- Drap P, see Linares C et al. (2010) 402:69–79
- Duckham C, see Bendell LI et al. (2010) 404:91–108
- Duffy JE, see Hultgren KM (2010) 407:1–12
- Dugger KM, see Ballard G et al. (2010) 405:287–302
- Dumas P, see Jimenez H et al. (2010) 406:211–222
- Dunn MR, Griggs L, Forman J, Horn P (2010) Feeding habits and niche separation among the deep-sea chimaeroid fishes *Harriotta raleighana*, *Hydrolagus bemisi* and *Hydrolagus novaezealandiae*. 407:209–225
- Durant D, see Mateo I et al. (2010) 402:197–212
- Durbin EG, see Mateo I et al. (2010) 402:197–212
- Dutkiewicz S, see Hickman AE et al. (2010) 406:1–17
- Dutz J, Mohrholz V, van Beusekom JEE (2010) Life cycle and spring phenology of *Temora longicornis* in the Baltic Sea. 406:223–238
- ## E
- Ebert TA (2010) Demographic patterns of the purple sea urchin *Strongylocentrotus purpuratus* along a latitudinal gradient, 1985–1987. 406:105–120
- Echevarría F, see Macías D et al. (2010) 408:79–95
- Edmunds PJ, see Lenihan HS (2010) 409:51–63
- Edwards HJ, see Renken H et al. (2010) 403:63–74
- Eggleston DB, see Johnson EG (2010) 407:135–147
- Elsdon TS, Ayvazian S, McMahon KW, Thorrold SR (2010) Experimental evaluation of stable isotope fractionation in fish muscle and otoliths. 408:195–205
- Emeis K, see Dähnke K et al. (2010) 408:7–18
- Emelianov M, see Latasa M et al. (2010) 407:27–42
- Emmett RL, see Litz MNC et al. (2010) 405:71–85
- Engelsma MY, Kerkhoff S, Roozenburg I, Haenen OLM, van Gool A, Sijm W, Wijnhoven S, Hummel H (2010) Epidemiology of *Bonamia ostreae* infecting European flat oysters *Ostrea edulis* from Lake Grevelingen, The Netherlands. 409:131–142
- Espeland SH, Thoresen AG, Olsen EM, Stige LC, Knutsen H,

- Gjøsæter J, Stenseth NC (2010) Diel vertical migration patterns in juvenile cod from the Skagerrak coast. 405:29–37
- Everroad RC, see Tweddle JF et al. (2010) 405:131–145
- F**
- Fagerberg T, Jephson T, Carlsson P (2010) Molecular size of riverine dissolved organic matter influences coastal phytoplankton communities. 409:17–25
- Fahlman A, see Halsey LG et al. (2009) 401:279–289
- Fanelli E, Cartes JE (2010) Temporal variations in the feeding habits and trophic levels of three deep-sea demersal fishes from the western Mediterranean Sea, based on stomach contents and stable isotope analyses. 402:213–232
- Farina JL, see Canepuccia AD et al. (2010) 404:151–159
- Feehan C, see Scheibling RE et al. (2010) 408:109–116
- Feldheim KA, see Daly-Engel TS et al. (2010) 403:255–267
- Féral JP, see Tarnowska K et al. (2010) 406:173–184
- Fernö A, see Huse G et al. (2010) 409:189–198
- Ferraris J, see Jimenez H et al. (2010) 406:211–222
- Ferreira CEL, see López MS et al. (2010) 403:101–112
- Field IC, see Speed CW et al. (2010) 408:275–293
- Fielding S, see Klevjer TA et al. (2010) 409:157–170
- Fietz S, see Underwood GJC et al. (2010) 404:1–19
- Fischbach AS, see Jay CV et al. (2010) 407:293–302
- Fisher JAD, Frank KT, Leggett WC (2010) Global variation in marine fish body size and its role in biodiversity-ecosystem functioning. 405:1–13
- Fisher JL, see Morgan SG (2010) 404:109–126
- Fisler S, see Wang JH et al. (2010) 408:241–250
- Flight PA, Schoepfer SD, Rand DM (2010) Physiological stress and the fitness effects of *Mpi* genotypes in the acorn barnacle *Semibalanus balanoides*. 404:139–149
- Flores AAV, see Olaguer-Feliú AO et al. (2010) 410:125–141
- Floyd EY, Anderson TW (2010) Interactive effects of nutritional condition and refuge availability on survival of a temperate reef goby. 407:257–269
- Foley DG, see Tweddle JF et al. (2010) 405:131–145
- Foley DG, see Young HS et al. (2010) 403:291–301
- Foley MM, Koch PL (2010) Correlation between allochthonous subsidy input and isotopic variability in the giant kelp *Macrocystis pyrifera* in central California, USA. 409:41–50
- Follows MJ, see Hickman AE et al. (2010) 406:1–17
- Forbes E, see Semmens JM et al. (2010) 403:193–203
- Ford JR, Williams RJ, Fowler AM, Cox DR, Suthers IM (2010) Identifying critical estuarine seagrass habitat for settlement of coastally spawned fish. 408:181–193
- Ford RB, see Fukunaga A et al. (2010) 402:123–136
- Forman J, see Dunn MR et al. (2010) 407:209–225
- Forster Z, see Tweddle JF et al. (2010) 405:131–145
- Fotel FL, see Pedersen TM et al. (2010) 407:99–110
- Fourqurean JW, see Baggett LP et al. (2010) 406:33–45
- Fowler AM, see Ford JR et al. (2010) 408:181–193
- Fox JW, see Mackley EK et al. (2010) 406:291–303
- Frank KT, see Fisher JAD et al. (2010) 405:1–13
- Franklin DJ, Steinke M, Young J, Probert I, Malin G (2010) Dimethylsulphoniopropionate (DMSP), DMSP-lyase activity (DLA) and dimethylsulphide (DMS) in 10 species of cocco lithophore. 410:13–23
- Franklin EC, see Concepcion GT et al. (2009) 401:113–127
- Frankovich TA, see Baggett LP et al. (2010) 406:33–45
- Fraser CI, see Nikula R et al. (2010) 405:221–230
- Fredrickson KA, see Strom SL et al. (2010) 402:45–57
- Friedlander AM, Sandin SA, DeMartini EE, Sala E (2010) Spatial patterns of the structure of reef fish assemblages at a pristine atoll in the central Pacific. 410:219–231
- Froeschke J, Stunz GW, Wildhaber ML (2010) Environmental influences on the occurrence of coastal sharks in estuarine waters. 407:279–292
- Frusher SD, see Guest MA et al. (2010) 410:25–41
- Fu Y, see Sun L et al. (2010) 404:39–50
- Fuhrman JA, see Bertics VJ et al. (2010) 409:1–15
- Fukunaga A, Anderson MJ, Webster-Brown JG, Ford RB (2010) Individual and combined effects of heavy metals on estuarine infaunal communities. 402:123–136
- Fukuwaka M, Sato S, Yamamura O, Sakai O, Nagasawa T, Nishimura A, Azumaya T (2010) Biomass and mortality of chum salmon in the pelagic Bering Sea. 403:219–230
- Furness RW, see Mackley EK et al. (2010) 406:291–303
- G**
- Gaines SD, see Henzler CM et al. (2010) 410:1–11
- Gales R, see Alderman R et al. (2010) 405:271–285
- Galván DE, Sweeting CJ, Reid WDK (2010) Power of stable isotope techniques to detectize-based feeding in marine fishes. 407:271–278
- García-Robledo E, Corzo A, Papaspyrou S, Jiménez-Arias JL, Villahermosa D (2010) Freeze-lysable inorganic nutrients in intertidal sediments: dependence on microphytobenthos abundance. 403:155–163
- Garrabou J, see Linares C et al. (2010) 402:69–79
- Garrido S, see Rosa R et al. (2010) 410:205–218
- Garthe S, see Davoren GK et al. (2010) 404:275–287
- Garthe S, see Paiva VH et al. (2010) 410:257–268
- Gartner A, Lavery PS, McMahon K, Brearley A, Barwick H (2009) Light reductions drive macroinvertebrate changes in *Amphibolis griffithii* seagrass habitat. 401:87–100
- Gascón S, see Compte J et al. (2010) 402:147–159
- Gasol JM, see Latasa M et al. (2010) 407:27–42
- Gauthier O, Sarrazin J, Desbruyères D (2010) Measure and mis-measure of species diversity in deep-sea chemosynthetic communities. 402:285–302
- Geange SW (2010) Effects of larger heterospecifics and structural refuge on the survival of a coral reef fish, *Thalassoma hardwicke*. 407:197–207
- Geffen AJ, see Couveliers EL et al. (2009) 401:211–220
- Geffen AJ, see Higgins RM et al. (2010) 404:197–206
- Geider RJ, see Ragmi M et al. (2010) 406:57–70
- Geraldes P, see Paiva VH et al. (2010) 410:257–268
- Gerber LR, see Morissette L et al. (2010) 404:289–302
- Gerrodette T, see Archer FI et al. (2010) 410:245–255
- Giangrande E, see Svetlichny L et al. (2010) 404:127–138
- Gibson AH, see Bochsansky AB et al. (2010) 402:179–196
- Gilchrist HG, see Heath JP (2010) 403:279–290
- Gjøsæter J, see Espeland SH et al. (2010) 405:29–37
- Goberville E, Beaugrand G, Sautour B, Tréguer P, SOMLIT Team (2010) Climate-driven changes in coastal marine systems of western Europe. 408:129–148
- Gobler CJ, see Tang YZ (2010) 406:19–31
- Goecke F, Labes A, Wiese J, Imhoff JF (2010) Chemical interactions between marine macroalgae and bacteria. 409:267–300
- Goldsworthy SD, Page B, Welling A, Chambellant M, Bradshaw CJA (2010) Selection of diving strategy by Antarctic fur seals depends on where and when foraging takes place. 409:255–266
- Gong GC, see Liu HC et al. (2010) 409:121–130
- González HE, Calderón MJ, Castro L, Clement A, Cuevas LA, Daneri G, Iriarte JL, Lizárraga L, Martínez R, Menschel E,

- Silva N, Carrasco C, Valenzuela C, Vargas CA, Molinet C (2010) Primary production and plankton dynamics in the Reloncaví Fjord and the Interior Sea of Chiloé, Northern Patagonia, Chile. 402:13–30
- Gonzalez L, see Rosa R et al. (2010) 410:205–218
- González-Gordillo JI, see Macías D et al. (2010) 408:79–95
- González-Gordillo JI, see Olaguer-Feliú AO et al. (2010) 410:125–141
- Gosselin L, see Dobretsov SV et al. (2010) 402:31–43
- Gosselin LA, Jones LA (2010) Effects of solar radiation on barnacle settlement, early post-settlement mortality and community development in the intertidal zone. 407:149–158
- Gosselin M, see Juul-Pedersen T et al. (2010) 410:55–70
- Graham JB, see Cartamil D et al. (2010) 404:249–258
- Gray A, see Miller JA et al. (2010) 408:227–240
- Green TJ, Barnes AC (2010) Reduced salinity, but not estuarine acidification, is a cause of immune-suppression in the Sydney rock oyster *Saccostrea glomerata*. 402:161–170
- Gregory RS, see Thistle ME et al. (2010) 405:39–56
- Griggs L, see Dunn MR et al. (2010) 407:209–225
- Grubbs RD, see Daly-Engel TS et al. (2010) 403:255–267
- Guelinckx J, see Cuveliers EL et al. (2009) 401:211–220
- Guest JR, see Todd PA et al. (2010) 408:299–303
- Guest MA, Hirst AJ, Nichols PD, Frusher SD (2010) Multi-scale spatial variation in stable isotope and fatty acid profiles amongst temperate reef species: implications for design and interpretation of trophic studies. 410:25–41
- Guinet C, see Bailleul F et al. (2010) 408:251–264
- Gutiérrez-Rodríguez A, see Latasa M et al. (2010) 407:27–42
- H**
- Haas AF, Jantzen C, Naumann MS, Iglesias-Prieto R, Wild C (2010) Organic matter release by the dominant primary producers in a Caribbean reef lagoon: implication for *in situ* O<sub>2</sub> availability. 409:27–39
- Haenen OLM, see Engelsma MY et al. (2010) 409:131–142
- Hagihara A, see Hoque ATMR et al. (2010) 404:31–37
- Hajdu S, see Dahlgren K et al. (2010) 409:77–94
- Halls JN, see Zavalaga CB et al. (2010) 404:259–274
- Halsey LG, Butler PJ, Fahlman A, Bost CA, Handrich Y (2009) Changes in the foraging dive behaviour and energetics of king penguins through summer and autumn: a month by month analysis. 401:279–289
- Hamel JF, see Sun Z et al. (2010) 410:71–87
- Hammerschlag N, Morgan AB, Serafy JE (2009) Relative predation risk for fishes along a subtropical mangrove–seagrass ecotone. 401:259–267
- Han YS, Hung CL, Liao YF, Tzeng WN (2009) Population genetic structure of the Japanese eel *Anguilla japonica*: panmixia at spatial and temporal scales. 401:221–232
- Handa T, see Chow S et al. (2010) 402:233–238
- Handrich Y, see Halsey LG et al. (2009) 401:279–289
- Hansen BW, see Pedersen TM et al. (2010) 407:99–110
- Hanson C, see Tuya F et al. (2010) 405:175–186
- Hardison DR, see Sunda WG (2009) 401:63–76
- Hardison DR, see Sunda WG (2010) 410:288
- Haring RN, see Idjadi JA et al. (2010) 403:91–100
- Hata K, see Chow S et al. (2010) 402:233–238
- Hauton C, see Allen CJ et al. (2010) 408:97–107
- Hawkins LE, see Allen CJ et al. (2010) 408:97–107
- Hawkins SJ, see Silva ACF et al. (2010) 406:197–210
- Hawkins SJ, see Skov MW et al. (2009) 401:101–111
- Heagerty P, see Laidre KL et al. (2010) 402:269–284
- Heath JP, Gilchrist HG (2010) When foraging becomes unprofitable: energetics of diving in tidal currents by common eiders wintering in the Arctic. 403:279–290
- Heck KL Jr, see Baggett LP et al. (2010) 406:33–45
- Heide-Jørgensen MP, see Laidre KL et al. (2010) 402:269–284
- Hendrickson L, see Shaw PW et al. (2010) 408:117–127
- Hennige SJ, see Ragni M et al. (2010) 406:57–70
- Henzler CM, Hoaglund EA, Gaines SD (2010) FISH-CS—a rapid method for counting and sorting species of marine zooplankton. 410:1–11
- Heppell SS, see Litz MNC et al. (2010) 405:71–85
- Heupel MR, see Knip DM et al. (2010) 402:1–11
- Heupel MR, see Williams AJ et al. (2010) 405:87–99
- Heyman WD, see Kobara S (2010) 405:243–254
- Hickman AE, Dutkiewicz S, Williams RG, Follows MJ (2010) Modelling the effects of chromatic adaptation on phytoplankton community structure in the oligotrophic ocean. 406:1–17
- Higgins RM, Danilowicz BS, Balbuena JA, Daniëlsdóttir AK, Geffen AJ, Meijer WG, Modin J, Montero FE, Pampoulie C, Perdiguero-Alonso D, Schreiber A, Stefánsson MÓ, Wilson B (2010) Multi-disciplinary fingerprints reveal the harvest location of cod *Gadus morhua* in the northeast Atlantic. 404:197–206
- Hilbish TJ, see Brannock PM (2010) 406:161–171
- Hirst AJ, see Guest MA et al. (2010) 410:25–41
- Hoaglund EA, see Henzler CM et al. (2010) 410:1–11
- Hobday AJ, see Alderman R et al. (2010) 405:271–285
- Hodge M, see van de Merwe JP et al. (2010) 403:269–278
- Hoff GR (2010) Identification of skate nursery habitat in the eastern Bering Sea. 403:243–254
- Holst JC, see Huse G et al. (2010) 409:189–198
- Holt SA, see Rooker JR et al. (2010) 407:187–196
- Hoque ATMR, Sharma S, Suwa R, Mori S, Hagihara A (2010) Seasonal variation in the size-dependent respiration of mangroves *Kandelia obovata*. 404:31–37
- Horn P, see Dunn MR et al. (2010) 407:209–225
- Houde ED, see Martino EJ (2010) 409:213–228
- Hubareva E, see Svetlichny L et al. (2010) 404:127–138
- Hughes AR, Best RJ, Stachowicz JJ (2010) Genotypic diversity and grazer identity interactively influence seagrass and grazer biomass. 403:43–51
- Hultgren KM, Duffy JE (2010) Sponge host characteristics shape the community structure of their shrimp associates. 407:1–12
- Hummel H, see Engelsma MY et al. (2010) 409:131–142
- Humphries NE, see Queiroz N et al. (2010) 406:265–279
- Humphries S, see Wyatt ASJ et al. (2010) 405:113–130
- Hung CL, see Han YS et al. (2009) 401:221–232
- Hunter M, see Tweddle JF et al. (2010) 405:131–145
- Huse G, Fernö A, Holst JC (2010) Establishment of new wintering areas in herring co-occurs with peaks in the ‘first time/repeat spawner’ ratio. 409:189–198
- Hyndes GA, see Tuya F et al. (2010) 405:175–186
- I**
- Ibrahim K, see van de Merwe JP et al. (2010) 403:269–278
- Ichikawa T, see Chow S et al. (2010) 402:233–238
- Idjadi JA, Haring RN, Precht WF (2010) Recovery of the sea urchin *Diadema antillarum* promotes scleractinian coral growth and survivorship on shallow Jamaican reefs. 403:91–100
- Iglesias-Prieto R, see Haas AF et al. (2010) 409:27–39
- Imbs AB, Latyshev NA, Dautova TN, Latypov YY (2010) Distribution of lipids and fatty acids in corals by their taxonomic position and presence of zooxanthellae. 409:65–75
- Imhoff JF, see Goecke F et al. (2010) 409:267–300

- Ingels J, Van den Driessche P, De Mesel I, Vanhove S, Moens T, Vanreusel A (2010) Preferred use of bacteria over phytoplankton by deep-sea nematodes in polar regions. 406:121–133
- Iriarte JL, see González HE et al. (2010) 402:13–30
- Iribarne OO, see Canepuccia AD et al. (2010) 404:151–159
- Inisibilir M, see Svetlichny L et al. (2010) 404:127–138
- Ito K, see Tomiyama T et al. (2010) 406:185–196
- Iveša L, Chapman MG, Underwood AJ, Murphy RJ (2010) Differential patterns of distribution of limpets on intertidal seawalls: experimental investigation of the roles of recruitment, survival and competition. 407:55–69

## J

- Jack L, Wing SR (2010) Maintenance of old-growth size structure and fecundity of the red rock lobster *Jasus edwardsii* among marine protected areas in Fiordland, New Zealand. 404:161–172
- Jaeger A, Connan M, Richard P, Cherel Y (2009) Use of stable isotopes to quantify seasonal changes of trophic niche and levels of population and individual specialisation in seabirds. 401:269–277
- Jakobsen HH, see Pedersen TM et al. (2010) 407:99–110
- Jantzen C, see Haas AF et al. (2010) 409:27–39
- Jaschinski S, Sommer U (2009) Positive effects of mesograzers on epiphytes in an eelgrass system. 401:77–85
- Jay CV, Udevitz MS, Kwok R, Fischbach AS, Douglas DC (2010) Divergent movements of walrus and sea ice in the northern Bering Sea. 407:293–302
- Jeffs AG, see Radford CA et al. (2009) 401:21–29
- Jellyman D, Tsukamoto K (2010) Vertical migrations may control maturation in migrating female *Anguilla dieffenbachii*. 404:241–247
- Jephson T, see Fagerberg T et al. (2010) 409:17–25
- Jesus B, see Skov MW et al. (2009) 401:101–111
- Jimenez H, Dumas P, Bigot L, Amouroux JM, Ferraris J (2010) Taxonomic resolution needed to describe invertebrate assemblages and to detect harvesting effects on coral reef ecosystems. 406:211–222
- Jiménez-Arias JL, see García-Robledo E et al. (2010) 403:155–163
- Johannsen A, see Dähnke K et al. (2010) 408:7–18
- Johnson DW, see Lamb RW (2010) 408:169–180
- Johnson EG, Eggleston DB (2010) Population density, survival and movement of blue crabs in estuarine salt marsh nurseries. 407:135–147
- Johnston R, see Sheaves M et al. (2010) 410:143–157
- Jones DL, Walter JF, Brooks EN, Serafy JE (2009) Connectivity through ontogeny: fish population linkages among mangrove and coral reef habitats. 401:245–258
- Jones LA, see Gosselin LA (2010) 407:149–158
- Jones MB, see Borg JA et al. (2010) 406:91–104
- Juanes F, see Mateo I et al. (2010) 402:197–212
- Juinio-Meñez MA, Bangi HGP (2010) Extrinsic and intrinsic factors affecting the metamorphic rate of *Tripneustes gratilla* (Echinodermata: Echinoidea). 402:137–145
- Juul-Pedersen T, Michel C, Gosselin M (2010) Sinking export of particulate organic material from the euphotic zone in the eastern Beaufort Sea. 410:55–70
- Kaschner K, see Morissette L et al. (2010) 404:289–302
- Katayama S, see Chow S et al. (2010) 402:233–238
- Kay J, see Wong MC et al. (2010) 409:143–156
- Kayal M, see Penin L et al. (2010) 408:55–64
- Kazeto Y, see Chow S et al. (2010) 402:233–238
- Keenan SF, see Brown H et al. (2010) 403:205–218
- Kelly N, Metaxas A (2010) Understanding population dynamics of a numerically dominant species at hydrothermal vents: a matrix modeling approach. 403:113–128
- Kennedy J, see Skjæraasen JE et al. (2010) 404:173–183
- Kerkhoff S, see Engelsma MY et al. (2010) 409:131–142
- Khripounoff A, see Riou V et al. (2010) 405:187–201
- Kideys A, see Svetlichny L et al. (2010) 404:127–138
- Kiehn WM, Morris JT (2010) Variability in dimethylsulfoniopropionate (DMSP) concentrations in *Spartina alterniflora* and the effect on *Littoraria irrorata*. 406:47–55
- Kiflawi M, see Ben-Tzvi O et al. (2010) 409:181–187
- Kim G, see Waska H (2010) 407:159–172
- Kim TW, Christy JH, Rissanen JR, Ribeiro PD, Choe JC (2009) Effect of food addition on the reproductive intensity and timing of both sexes of an intertidal crab. 401:183–194
- Kimura S, see Chow S et al. (2010) 402:233–238
- Kingsley R, see Mateo I et al. (2010) 402:197–212
- Kinlan BP, see Cavanaugh KC et al. (2010) 403:13–27
- Kjesbu OS, see Skjæraasen JE et al. (2010) 404:173–183
- Klevjer TA, Tarling GA, Fielding S (2010) Swarm characteristics of Antarctic krill *Euphausia superba* relative to the proximity of land during summer in the Scotia Sea. 409:157–170
- Klimpel S, Busch MW, Kuhn T, Rohde A, Palm HW (2010) The *Anisakis simplex* complex off the South Shetland Islands (Antarctica): endemic populations versus introduction through migratory hosts. 403:1–11
- Knights AM, Walters K (2010) Recruit–recruit interactions, density-dependent processes and population persistence in the eastern oyster *Crassostrea virginica*. 404:79–90
- Knip DM, Heupel MR, Simpfendorfer CA (2010) Sharks in nearshore environments: models, importance, and consequences. 402:1–11
- Knott N, see Broad A et al. (2010) 408:295–298
- Knutsen H, see Espeland SH et al. (2010) 405:29–37
- Kobara S, Heyman WD (2010) Sea bottom geomorphology of multi-species spawning aggregation sites in Belize. 405:243–254
- Koch PL, see Foley MM (2010) 409:41–50
- Kodama M, see Chow S et al. (2010) 402:233–238
- Kohin S, see Cartamil D et al. (2010) 404:249–258
- Komizunai N, see Tomiyama T et al. (2010) 406:185–196
- Korntheuer M, see Riou V et al. (2010) 405:187–201
- Koussoroplis AM, Bec A, Perga ME, Koutrakis E, Desvillettes C, Bourdier G (2010) Nutritional importance of minor dietary sources for leaping grey mullet *Liza saliens* (Mugilidae) during settlement: insights from fatty acid  $\delta^{13}\text{C}$  analysis. 404:207–217
- Koutrakis E, see Koussoroplis AM et al. (2010) 404:207–217
- Kovach AI, Breton TS, Berlinsky DL, Maceda L, Wirgin I (2010) Fine-scale spatial and temporal genetic structure of Atlantic cod off the Atlantic coast of the USA. 410:177–195
- Kramer P, see Wagner DE et al. (2010) 408:65–78
- Kuhn T, see Klimpel S et al. (2010) 403:1–11
- Kuklinski P, Barnes DKA (2009) First bipolar benthic brooder. 401:15–20
- Kurogi H, see Chow S et al. (2010) 402:233–238
- Kuwae T, Miyoshi E, Sassa S, Watabe Y (2010) Foraging mode shift in varying environmental conditions by dunlin *Calidris alpina*. 406:281–289
- Kwok R, see Jay CV et al. (2010) 407:293–302

## K

- Kacev D, see Cartamil D et al. (2010) 404:249–258
- Kahng SE, see Concepcion GT et al. (2009) 401:113–127

## L

- L'Esperance T, see Bendell LI et al. (2010) 404:91–108
- Labes A, see Goecke F et al. (2010) 409:267–300
- Laidre KL, Heide-Jørgensen MP, Heagerty P, Cossio A, Bergström B, Simon M (2010) Spatial associations between large baleen whales and their prey in West Greenland. 402:269–284
- Lamb RW, Johnson DW (2010) Trophic restructuring of coral reef fish communities in a large marine reserve. 408:169–180
- Larsson U, see Dahlgren K et al. (2010) 409:77–94
- Larsson U, see Walve J (2010) 407:13–25
- Latasa M, Scharek R, Vidal M, Vila-Reixach G, Gutiérrez-Rodríguez A, Emelianov M, Gasol JM (2010) Preferences of phytoplankton groups for waters of different trophic status in the northwestern Mediterranean Sea. 407:27–42
- Latour RJ, see Lynch PD et al. (2009) 401:195–209
- Latypov YY, see Imbs AB et al. (2010) 409:65–75
- Latshev NA, see Imbs AB et al. (2010) 409:65–75
- Lauzon-Guay JS, Scheibling RE (2010) Spatial dynamics, ecological thresholds and phase shifts: modelling grazer aggregation and gap formation in kelp beds. 403:29–41
- Lauzon-Guay JS, see Scheibling RE et al. (2010) 408:109–116
- Lavery PS, see Gartner A et al. (2009) 401:87–100
- Le Gall P, see Pernet F et al. (2009) 401:129–146
- Lee SY, see van de Merwe JP et al. (2010) 403:269–278
- Leggett WC, see Fisher JAD et al. (2010) 405:1–13
- Lenihan HS, Edmunds PJ (2010) Response of *Pocillopora verrucosa* to corallivory varies with environmental conditions. 409:51–63
- Leong W, Pawlik JR (2010) Evidence of a resource trade-off between growth and chemical defenses among Caribbean coral reef sponges. 406:71–78
- Lewandowska A, Sommer U (2010) Climate change and the spring bloom: a mesocosm study on the influence of light and temperature on phytoplankton and mesozooplankton. 405:101–111
- Liao YF, see Han YS et al. (2009) 401:221–232
- Lillis A, Snelgrove PVR (2009) Near-bottom hydrodynamic effects on postlarval settlement in the American lobster *Homarus americanus*. 401:161–172
- Linares C, Bianchimani O, Torrents O, Marschal C, Drap P, Garrabou J (2010) Marine Protected Areas and the conservation of long-lived marine invertebrates: the Mediterranean red coral. 402:69–79
- Linares C, Doak DF (2010) Forecasting the combined effects of disparate disturbances on the persistence of long-lived gorgonians: a case study of *Paramuricea clavata*. 402:59–68
- Lindgren M, Diekmann R, Möllmann C (2010) Regime shifts, resilience and recovery of a cod stock. 402:239–253
- Link JS, see Byron CJ (2010) 406:239–250
- Linnane K, see Yun HY et al. (2010) 408:47–53
- Lipcius RN, see Rook MA et al. (2010) 409:171–179
- Little LR, see Williams AJ et al. (2010) 405:87–99
- Litz MNC, Brodeur RD, Emmett RL, Heppell SS, Rasmussen RS, O'Higgins L, Morris MS (2010) Effects of variable oceanographic conditions on forage fish lipid content and fatty acid composition in the northern California Current. 405:71–85
- Liu H, Chen M, Suzuki K, Wong CK, Chen B (2010) Mesozooplankton selective feeding in subtropical coastal waters as revealed by HPLC pigment analysis. 407:111–123
- Liu H, see Chen B (2010) 407:43–53
- Liu HC, Gong GC, Chang J (2010) Lateral water exchange between shelf-margin upwelling and Kuroshio waters influences phosphorus stress in microphytoplankton.

409:121–130

- Lizárraga L, see González HE et al. (2010) 402:13–30
- Loeb VJ, see Santora JA et al. (2010) 405:255–269
- López MS, Coutinho R, Ferreira CEL, Rilov G (2010) Predator–prey interactions in a bioinvasion scenario: differential predation by native predators on two exotic rocky intertidal bivalves. 403:101–112
- Lough RG, see Buckley LJ et al. (2010) 405:57–69
- Lowe RJ, see Wyatt ASJ et al. (2010) 405:113–130
- Lu J, see Todd PA et al. (2010) 408:299–303
- Lu Z, see Sun L et al. (2010) 404:39–50
- Lynch PD, Brush MJ, Condon ED, Latour RJ (2009) Net removal of nitrogen through ingestion of phytoplankton by Atlantic menhaden *Brevoortia tyrannus* in Chesapeake Bay. 401:195–209

## M

- Maceda L, see Kovach AI et al. (2010) 410:177–195
- Macías D, Somavilla R, González-Gordillo JI, Echevarría F (2010) Physical control of zooplankton distribution at the Strait of Gibraltar during an episode of internal wave generation. 408:79–95
- Mackley EK, Phillips RA, Silk JRD, Wakefield ED, Afanasyev V, Fox JW, Furness RW (2010) Free as a bird? Activity patterns of albatrosses during the nonbreeding period. 406:291–303
- Macri EL, see Strom SL et al. (2010) 402:45–57
- Madrid-Vera J, Visauta-Girbau E, Aguirre-Villaseñor H (2010) Composition of trawl catch fauna off the mouth of the Rio Baluarte, southeastern Gulf of California. 403:145–153
- Maes GE, see Cuveliers EL et al. (2009) 401:211–220
- Maldonado M, Zhang X, Cao X, Xue L, Cao H, Zhang W (2010) Selective feeding by sponges on pathogenic microbes: a reassessment of potential for abatement of microbial pollution. 403:75–89
- Malin G, see Franklin DJ et al. (2010) 410:13–23
- Maljković A, see Côté IM (2010) 404:219–225
- Mangion P, see Riou V et al. (2010) 405:187–201
- Manríquez PH, Castilla JC (2010) Fertilization efficiency and gamete viability in the ascidian *Pyura praeputialis* in Chile. 409:107–119
- Maps F, Plourde S, Zakardjian B (2010) Control of dormancy by lipid metabolism in *Calanus finmarchicus*: a population model test. 403:165–180
- Mapstone BD, see Williams AJ et al. (2010) 405:87–99
- Marcus NH, see Scheef LP (2010) 407:125–134
- Mariani P, see Pedersen TM et al. (2010) 407:99–110
- Marschal C, see Linares C et al. (2010) 402:69–79
- Martínez R, see González HE et al. (2010) 402:13–30
- Martino EJ, Houde ED (2010) Recruitment of striped bass in Chesapeake Bay: spatial and temporal environmental variability and availability of zooplankton prey. 409:213–228
- Marty C, see Pernet F et al. (2009) 401:129–146
- Mascareñas-Osorio I, see Aburto-Oropeza O et al. (2010) 410:283–287
- Mateo I, Durbin EG, Appeldoorn RS, Adams AJ, Juanes F, Kingsley R, Swart P, Durant D (2010) The role of mangroves as nurseries for French grunt *Haemulon flavolineatum* and schoolmaster *Lutjanus apodus* assessed by otolith elemental fingerprints. 402:197–212
- Matsikis I, see Renken H et al. (2010) 403:63–74
- McCauley DJ, see Young HS et al. (2010) 403:291–301
- McClatchie S, see Weber ED (2010) 406:251–263
- McCormick MI, Meekan MG (2010) The importance of attitude: the influence of behaviour on survival at an ontoge-

- netic boundary. 407:173–185
- McCormick MI, see Donelson JM et al. (2009) 401:233–243
- McKeown NJ, see Shaw PW et al. (2010) 408:117–127
- McMahon K, see Gartner A et al. (2009) 401:87–100
- McMahon KW, see Elsdon TS et al. (2010) 408:195–205
- McManus MA, see Sevadjian JC et al. (2010) 409:95–106
- McWilliams JC, see Watson JR et al. (2009) 401:31–48
- Medina M, see DeSalvo MK et al. (2010) 402:97–113
- Meekan MG, see McCormick MI (2010) 407:173–185
- Meekan MG, see Speed CW et al. (2010) 408:275–293
- Meijer WG, see Higgins RM et al. (2010) 404:197–206
- Menschel E, see González HE et al. (2010) 402:13–30
- Mercier A, see Sun Z et al. (2010) 410:71–87
- Merckx B, Van Meirvenne M, Steyaert M, Vanreusel A, Vincx M, Vanaverbeke J (2010) Mapping nematode diversity in the Southern Bight of the North Sea. 406:135–145
- Merz J, see Miller JA et al. (2010) 408:227–240
- Metaxas A, see Kelly N (2010) 403:113–128
- Meulepas G, see Van Colen C et al. (2010) 406:79–89
- Meyer S, see Overton JL et al. (2010) 410:197–204
- Michel C, see Juul-Pedersen T et al. (2010) 410:55–70
- Michonneau F, see Penin L et al. (2010) 408:55–64
- Miller JA, Gray A, Merz J (2010) Quantifying the contribution of juvenile migratory phenotypes in a population of Chinook salmon *Oncorhynchus tshawytscha*. 408:227–240
- Milonas L, Pernet B, Bingham BL (2010) Light influences feeding and growth of echinoplutei. 404:69–78
- Minello TJ, see Rooker JR et al. (2010) 407:187–196
- Minello TJ, see Stunz GW et al. (2010) 406:147–159
- Mitarai S, see Watson JR et al. (2009) 401:31–48
- Miyazaki S, see Chow S et al. (2010) 402:233–238
- Miyoshi E, see Kuwae T et al. (2010) 406:281–289
- Moal J, see Pernet F et al. (2009) 401:129–146
- Mochioka N, see Chow S et al. (2010) 402:233–238
- Modin J, see Higgins RM et al. (2010) 404:197–206
- Moens T, see Ingels J et al. (2010) 406:121–133
- Mohrholz V, see Dutz J et al. (2010) 406:223–238
- Molinet C, see González HE et al. (2010) 402:13–30
- Molis M, see Yun HY et al. (2010) 408:47–53
- Möllmann C, see Lindegren M et al. (2010) 402:239–253
- Montero FE, see Higgins RM et al. (2010) 404:197–206
- Montevecchi WA, see Davoren GK et al. (2010) 404:275–287
- Montgomery JC, see Radford CA et al. (2009) 401:21–29
- Montgomery ML, see Barbour AB et al. (2009) 401:291–294
- Morgan AB, see Hammerschlag N et al. (2009) 401:259–267
- Morgan MJ, Rideout RM, Colbourne EB (2010) Impact of environmental temperature on Atlantic cod *Gadus morhua* energy allocation to growth, condition and reproduction. 404:185–195
- Morgan SG, Fisher JL (2010) Larval behavior regulates nearshore retention and offshore migration in an upwelling shadow and along the open coast. 404:109–126
- Mori GP, see Zavalaga CB et al. (2010) 404:259–274
- Mori S, see Hoque ATMR et al. (2010) 404:31–37
- Morissette L, Kaschner K, Gerber LR (2010) Ecosystem models clarify the trophic role of whales off Northwest Africa. 404:289–302
- Morris JT, see Kiehn WM (2010) 406:47–55
- Morris MS, see Litz MNC et al. (2010) 405:71–85
- Mountain D, see Buckley LJ et al. (2010) 405:57–69
- Mumby PJ, see Renken H et al. (2010) 403:63–74
- Munday PL, see Donelson JM et al. (2009) 401:233–243
- Murphy KR, see Dublin MA et al. (2010) 408:19–32
- Murphy RJ, see Ivesa L et al. (2010) 407:55–69
- Murray LG, Seed R (2009) Determining whether catch per unit effort is a suitable proxy for relative crab abundance. 401:173–182
- Nagasawa T, see Fukuwaka M et al. (2010) 403:219–230
- Nagel B, see Dähnke K et al. (2010) 408:7–18
- Nash RDM, see Skjæraasen JE et al. (2010) 404:173–183
- Naud MJ, see Shaw PW et al. (2010) 408:117–127
- Naumann MS, see Haas AF et al. (2010) 409:27–39
- Newcombe EM, Taylor RB (2010) Trophic cascade in a seaweed-epifauna-fish food chain. 408:161–167
- Ng TYT, Chuang CY, Stupakoff I, Christy AE, Cheney DP, Wang WX (2009) Cadmium accumulation and loss in the Pacific oyster *Crassostrea gigas* along the west coast of the USA. 401:147–160
- Nichols PD, see Guest MA et al. (2010) 410:25–41
- Nielsen TG, see Arendt KE et al. (2009) 401:49–62
- Nikula R, Fraser CI, Spencer HG, Waters JM (2010) Circumpolar dispersal by rafting in two subantarctic kelp-dwelling crustaceans. 405:221–230
- Nikula R, see Tarnowska K et al. (2010) 406:173–184
- Nilsen T, see Skjæraasen JE et al. (2010) 404:173–183
- Nishimura A, see Fukuwaka M et al. (2010) 403:219–230
- Noble LR, see Queiroz N et al. (2010) 406:265–279
- Nomura K, see Chow S et al. (2010) 402:233–238
- Nunes ML, see Rosa R et al. (2010) 410:205–218
- Nur N, see Ballard G et al. (2010) 405:287–302

## N

## O

- O'Brien K, see Whitehead H et al. (2010) 408:1–5
- O'Higgins L, see Litz MNC et al. (2010) 405:71–85
- O'Higgins L, see Tweddle JF et al. (2010) 405:131–145
- Oguz T, Velikova V (2010) Abrupt transition of the northwestern Black Sea shelf ecosystem from a eutrophic to an alternative pristine state. 405:231–242
- Okazaki M, see Chow S et al. (2010) 402:233–238
- Olafsdottir AH, Anderson JT (2010) Growth and survival of Icelandic capelin *Mallotus villosus* larvae. 403:231–241
- Olague-Feliú AO, Flores AAV, Queiroga H, González-Gordillo JI (2010) Shelf and estuarine transport mechanisms affecting the supply of competent larvae in a suite of brachyuran crabs with different life histories. 410:125–141
- Olsen EM, see Espeland SH et al. (2010) 405:29–37
- Omori M, see Tomiyama T et al. (2010) 406:185–196
- Orr AJ, see Zeppelin TK (2010) 409:241–253
- Overton JL, Meyer S, Støttrup JG, Peck MA (2010) Role of heterotrophic protists in first feeding by cod (*Gadus morhua*) larvae. 410:197–204

## P

- Page B, see Goldsworthy SD et al. (2010) 409:255–266
- Pahlow M, Prowe AEF (2010) Model of optimal current feeding in zooplankton. 403:129–144
- Pahlow M, see Wirtz KW (2010) 402:81–96
- Paiva VH, Xavier J, Geraldés P, Ramirez I, Garthe S, Ramos JA (2010) Foraging ecology of Cory's shearwaters in different oceanic environments of the North Atlantic. 410:257–268
- Palm HW, see Klimpel S et al. (2010) 403:1–11
- Pampoulie C, see Higgins RM et al. (2010) 404:197–206
- Pankhurst NW, see Donelson JM et al. (2009) 401:233–243
- Pankhurst PM, see Donelson JM et al. (2009) 401:233–243
- Papadimitriou S, see Underwood GJC et al. (2010) 404:1–19
- Papaspyrou S, see García-Robledo E et al. (2010) 403:155–163
- Paredes G, see Aburto-Oropeza O et al. (2010) 410:283–287
- Pascual J, see Canepuccia AD et al. (2010) 404:151–159



- Passow U, see Benner I (2010) 404:21–29
- Passow U, see Strmečki S et al. (2010) 408:33–46
- Paterson GLJ, see Allen CJ et al. (2010) 408:97–107
- Pawlak G, see Sevadjan JC et al. (2010) 409:95–106
- Pawlik JR, see Leong W (2010) 406:71–78
- Pearson G, see Billard E et al. (2010) 405:163–174
- Peck MA, see Overton JL et al. (2010) 410:197–204
- Pedersen TM, Almeda R, Fotel FL, Jakobsen HH, Mariani P, Hansen BW (2010) Larval growth in the dominant polychaete *Polydora ciliata* is food-limited in a eutrophic Danish estuary (Isefjord). 407:99–110
- Penin L, Michonneau F, Baird AH, Connolly SR, Pratchett MS, Kayal M, Adjerdoud M (2010) Early post-settlement mortality and the structure of coral assemblages. 408:55–64
- Perdiguero-Alonso D, see Higgins RM et al. (2010) 404:197–206
- Perga ME, see Koussoroplis AM et al. (2010) 404:207–217
- Perissinotto R, Pillay D, Bate G (2010) Microalgal biomass in the St Lucia Estuary during the 2004 to 2007 drought period. 405:147–161
- Pernet B, see Milonas L et al. (2010) 404:69–78
- Pernet F, Barret J, Marty C, Moal J, Le Gall P, Boudry P (2009) Environmental anomalies, energetic reserves and fatty acid modifications in oysters coincide with an exceptional mortality event. 401:129–146
- Perrin WF, see Archer FI et al. (2010) 410:245–255
- Peterson CH, see Wong MC et al. (2010) 409:143–156
- Peterson WT, see Tweddle JF et al. (2010) 405:131–145
- Phelan MJ, see Semmens JM et al. (2010) 403:193–203
- Phillips RA, see Mackley EK et al. (2010) 406:291–303
- Pierce GJ, see Scott BE et al. (2010) 408:207–226
- Pillay D (2010) Expanding the envelope: linking invertebrate bioturbators with micro-evolutionary change. 409:301–303
- Pillay D, see Perissinotto R et al. (2010) 405:147–161
- Plavšić M, see Strmečki S et al. (2010) 408:33–46
- Plourde S, see Maps F et al. (2010) 403:165–180
- Polgar G, Bartolino V (2010) Size variation of six species of oxudercine gobies along the intertidal zone in a Malayan coastal swamp. 409:199–212
- Powers SP, see Brown H et al. (2010) 403:205–218
- Prado P, Romero J, Alcoverro T (2010) Nutrient status, plant availability and seasonal forcing mediate fish herbivory in temperate seagrass beds. 409:229–239
- Pratchett MS, see Penin L et al. (2010) 408:55–64
- Precht WF, see Idjadi JA et al. (2010) 403:91–100
- Probert I, see Franklin DJ et al. (2010) 410:13–23
- Prowe AEF, see Pahlow M (2010) 403:129–144
- Punt AE, see Williams AJ et al. (2010) 405:87–99
- water sound signatures. 401:21–29
- Raeymaekers JAM, see Cuveliers EL et al. (2009) 401:211–220
- Ragni M, Airs RL, Hennige SJ, Suggett DJ, Warner ME, Geider RJ (2010) PSII photoinhibition and photorepair in *Symbiodinium* (Pyrrhophyta) differs between thermally tolerant and sensitive phylotypes. 406:57–70
- Ramirez I, see Paiva VH et al. (2010) 410:257–268
- Ramos JA, see Paiva VH et al. (2010) 410:257–268
- Rand DM, see Flight PA et al. (2010) 404:139–149
- Rasmussen RS, see Litz MNC et al. (2010) 405:71–85
- Raymond B, see Wienecke B et al. (2010) 410:269–282
- Redfern JV, see Archer FI et al. (2010) 410:245–255
- Reed DC, see Cavanaugh KC et al. (2010) 403:13–27
- Reid WDK, see Galván DE et al. (2010) 407:271–278
- Reiss CS, see Santora JA et al. (2010) 405:255–269
- Renken H, Mumby PJ, Matsikis I, Edwards HJ (2010) Effects of physical environmental conditions on the patch dynamics of *Dictyota pulchella* and *Lobophora variegata* on Caribbean coral reefs. 403:63–74
- Ribeiro PD, see Kim TW et al. (2009) 401:183–194
- Richard P, see Jaeger A et al. (2009) 401:269–277
- Rideout RM, see Morgan MJ et al. (2010) 404:185–195
- Rilov G, see López MS et al. (2010) 403:101–112
- Riou V, Colaço A, Bouillon S, Khripounoff A, Dando P, Mangion P, Chevalier E, Korntheuer M, Santos RS, Dehairs F (2010) Mixotrophy in the deep sea: a dual endosymbiotic hydrothermal mytilid assimilates dissolved and particulate organic matter. 405:187–201
- Rissanen JR, see Kim TW et al. (2009) 401:183–194
- Robertson DR, Smith-Vaniz WF (2009) Use of clove oil in collecting coral reef fishes for research. 401:295–302
- Robertson G, see Wienecke B et al. (2010) 410:269–282
- Rodríguez-Graña L, Calliari D, Tiselius P, Winding Hansen B, Sköld HN (2009) Gender-specific ageing and non-Mendelian inheritance of oxidative damage in marine copepods. 401:1–13
- Rohde A, see Klimpel S et al. (2010) 403:1–11
- Rohde S, see Yun HY et al. (2010) 408:47–53
- Rollwagen-Bollens GC, see Bochdansky AB et al. (2010) 402:179–196
- Romero J, see Prado P et al. (2010) 409:229–239
- Rook MA, Lipcius RN, Bronner BM, Chambers RM (2010) By-catch reduction device conserves diamondback terrapin without affecting catch of blue crab. 409:171–179
- Rooker JR, Stunz GW, Holt SA, Minello TJ (2010) Population connectivity of red drum in the northern Gulf of Mexico. 407:187–196
- Roozenburg I, see Engelsma MY et al. (2010) 409:131–142
- Rosa R, Gonzalez L, Broitman BR, Garrido S, Santos AMP, Nunes ML (2010) Bioenergetics of small pelagic fishes in upwelling systems: relationship between fish condition, coastal ecosystem dynamics and fisheries. 410:205–218
- Ross ON, see Scott BE et al. (2010) 408:207–226
- Rowden AA, see Borg JA et al. (2010) 406:91–104
- Rozas LP, see Stunz GW et al. (2010) 406:147–159
- Ruiz GM, see Doblin MA et al. (2010) 408:19–32
- Rysgaard S, see Arendt KE et al. (2009) 401:49–62
- Rysgaard S, see Blicher ME et al. (2010) 407:71–86
- Rysgaard S, see Blicher ME et al. (2010) 407:87–98

## Q

- Qian PY, see Dobretsov SV et al. (2010) 402:31–43
- Queiroga H, see Domingues CP et al. (2010) 410:111–123
- Queiroga H, see Olaguer-Feliú AO et al. (2010) 410:125–141
- Queiroz N, Humphries NE, Noble LR, Santos AM, Sims DW (2010) Short-term movements and diving behaviour of satellite-tracked blue sharks *Prionace glauca* in the north-eastern Atlantic Ocean. 406:265–279
- Quintana XD, see Compte J et al. (2010) 402:147–159

## R

- Radford CA, Stanley JA, Tindle CT, Montgomery JC, Jeffs AG (2009) Localised coastal habitats have distinct under-

## S

- Saiz E, see Almeda R et al. (2010) 410:97–109
- Sakai O, see Fukuwaka M et al. (2010) 403:219–230
- Sala E, see Aburto-Oropeza O et al. (2010) 410:283–287

- Sala E, see Friedlander AM et al. (2010) 410:219–231
- Sandin SA, see Friedlander AM et al. (2010) 410:219–231
- Santora JA, Reiss CS, Loeb VJ, Veit RR (2010) Spatial association between hotspots of baleen whales and demographic patterns of Antarctic krill *Euphausia superba* suggests size-dependent predation. 405:255–269
- Santos AM, see Queiroz N et al. (2010) 406:265–279
- Santos AMP, see Rosa R et al. (2010) 410:205–218
- Santos RS, see Riou V et al. (2010) 405:187–201
- Sarrazin J, see Gauthier O et al. (2010) 402:285–302
- Sassa C, Tsukamoto Y, Yamamoto K, Tokimura M (2010) Spatio-temporal distribution and biomass of *Benthosema pterotum* (Pisces: Myctophidae) in the shelf region of the East China Sea. 407:227–241
- Sassa S, see Kuwae T et al. (2010) 406:281–289
- Sato S, see Fukuwaka M et al. (2010) 403:219–230
- Sato T, Yoseda K (2010) Influence of size- and sex-biased harvesting on reproduction of the coconut crab *Birgus latro*. 402:171–178
- Satoh K (2010) Horizontal and vertical distribution of larvae of Pacific bluefin tuna *Thunnus orientalis* in patches entrained in mesoscale eddies. 404:227–240
- Sauer WHH, see Shaw PW et al. (2010) 408:117–127
- Sautour B, see Goberville E et al. (2010) 408:129–148
- Scardi M, see Conti L (2010) 410:233–244
- Scharek R, see Latasa M et al. (2010) 407:27–42
- Scheef LP, Marcus NH (2010) Occurrence and significance of copepod resting egg accumulation in seagrass sediments. 407:125–134
- Scheibling RE, Feehan C, Lauzon-Guay JS (2010) Disease outbreaks associated with recent hurricanes cause mass mortality of sea urchins in Nova Scotia. 408:109–116
- Scheibling RE, see Lauzon-Guay JS (2010) 403:29–41
- Schembri PJ, see Borg JA et al. (2010) 406:91–104
- Schneider DC, see Thistle ME et al. (2010) 405:39–56
- Schoepfer SD, see Flight PA et al. (2010) 404:139–149
- Schreiber A, see Higgins RM et al. (2010) 404:197–206
- Schutte VGW, Selig ER, Bruno JF (2010) Regional spatio-temporal trends in Caribbean coral reef benthic communities. 402:115–122
- Scott B, see Tweddle JF et al. (2010) 405:131–145
- Scott BE, Sharples J, Ross ON, Wang J, Pierce GJ, Camphuyzen CJ (2010) Sub-surface hotspots in shallow seas: fine-scale limited locations of top predator foraging habitat indicated by tidal mixing and sub-surface chlorophyll. 408:207–226
- Seed R, see Murray LG (2009) 401:173–182
- Sejr MK, see Blicher ME et al. (2010) 407:71–86
- Sejr MK, see Blicher ME et al. (2010) 407:87–98
- Selig ER, see Schutte VGW et al. (2010) 402:115–122
- Semmens JM, Buxton CD, Forbes E, Phelan MJ (2010) Spatial and temporal use of spawning aggregation sites by the tropical sciaenid *Protonibea diacanthus*. 403:193–203
- Serafy JE, see D'Alessandro EK et al. (2010) 410:159–175
- Serafy JE, see Hammerschlag N et al. (2009) 401:259–267
- Serafy JE, see Jones DL et al. (2009) 401:245–258
- Serrão E, see Billard E et al. (2010) 405:163–174
- Sevadjian JC, McManus MA, Pawlak G (2010) Effects of physical structure and processes on thin zooplankton layers in Mamala Bay, Hawaii. 409:95–106
- Shaffer SA, see Young HS et al. (2010) 403:291–301
- Sharma S, see Hoque ATMR et al. (2010) 404:31–37
- Sharples J, see Scott BE et al. (2010) 408:207–226
- Shaw PW, Hendrickson L, McKeown NJ, Stonier T, Naud MJ, Sauer WHH (2010) Discrete spawning aggregations of loliginid squid do not represent genetically distinct populations. 408:117–127
- Sheaves M, Johnston R, Connolly RM (2010) Temporal dynamics of fish assemblages of natural and artificial tropical estuaries. 410:143–157
- Shimizu D, see Wada T et al. (2010) 407:243–255
- Shinoda A, see Chow S et al. (2010) 402:233–238
- Siegel DA, see Cavanaugh KC et al. (2010) 403:13–27
- Siegel DA, see Watson JR et al. (2009) 401:31–48
- Silk JRD, see Mackley EK et al. (2010) 406:291–303
- Silliman BR, see Barbour AB et al. (2009) 401:291–294
- Silva ACF, Hawkins SJ, Boaventura DM, Brewster E, Thompson RC (2010) Use of the intertidal zone by mobile predators: influence of wave exposure, tidal phase and elevation on abundance and diet. 406:197–210
- Silva N, see González HE et al. (2010) 402:13–30
- Simon M, see Laidre KL et al. (2010) 402:269–284
- Simpfendorfer CA, see Knip DM et al. (2010) 402:1–11
- Sims DW, see Queiroz N et al. (2010) 406:265–279
- Sisternans W, see Engelsma MY et al. (2010) 409:131–142
- Skadal J, see Cuveliers EL et al. (2009) 401:211–220
- Skjæraasen JE, Nash RDM, Kennedy J, Thorsen A, Nilssen T, Kjesbu OS (2010) Liver energy, atresia and oocyte stage influence fecundity regulation in Northeast Arctic cod. 404:173–183
- Sköld HN, see Rodríguez-Graña L et al. (2009) 401:1–13
- Skov MW, Volkelt-Igoe M, Hawkins SJ, Jesus B, Thompson RC, Doncaster CP (2009) Past and present grazing boosts the photo-autotrophic biomass of biofilms. 401:101–111
- Smith CR, see Demopoulos AWJ (2010) 404:51–67
- Smith-Vaniz WF, see Robertson DR (2009) 401:295–302
- Snelgrove PVR, see Lillis A (2009) 401:161–172
- Sohm JA, see Bertics VJ et al. (2010) 409:1–15
- Somavilla R, see Macías D et al. (2010) 408:79–95
- SOMLIT Team, see Goberville E et al. (2010) 408:129–148
- Sommer U, see Jaschinski S (2009) 401:77–85
- Sommer U, see Lewandowska A (2010) 405:101–111
- Speed CW, Field IC, Meekan MG, Bradshaw CJA (2010) Complexities of coastal shark movements and their implications for management. 408:275–293
- Spencer HG, see Nikula R et al. (2010) 405:221–230
- Sponaugle S, see D'Alessandro EK et al. (2010) 410:159–175
- Stachowicz JJ, see Hughes AR et al. (2010) 403:43–51
- Stanley JA, see Radford CA et al. (2009) 401:21–29
- Stefánsson MÖ, see Higgins RM et al. (2010) 404:197–206
- Steigenberger S, see Strmečki S et al. (2010) 408:33–46
- Steinke M, see Franklin DJ et al. (2010) 410:13–23
- Stenseth NC, see Espeland SH et al. (2010) 405:29–37
- Steyaert M, see Merckx B et al. (2010) 406:135–145
- Stige LC, see Espeland SH et al. (2010) 405:29–37
- Stonier T, see Shaw PW et al. (2010) 408:117–127
- Støttrup JG, see Overton JL et al. (2010) 410:197–204
- Strmečki S, Plavšić M, Steigenberger S, Passow U (2010) Characterization of phytoplankton exudates and carbohydrates in relation to their complexation of copper, cadmium and iron. 408:33–46
- Strom SL, Macri EL, Fredrickson KA (2010) Light limitation of summer primary production in the coastal Gulf of Alaska: physiological and environmental causes. 402:45–57
- Strutton PG, see Tweddle JF et al. (2010) 405:131–145
- Stunz GW, Minello TJ, Rozas LP (2010) Relative value of oyster reef as habitat for estuarine nekton in Galveston Bay, Texas. 406:147–159
- Stunz GW, see Froeschke J et al. (2010) 407:279–292
- Stunz GW, see Rooker JR et al. (2010) 407:187–196
- Stupakoff I, see Ng TYT et al. (2009) 401:147–160
- Sudo H, see Wada T et al. (2010) 407:243–255
- Suggett DJ, see Ragni M et al. (2010) 406:57–70
- Sun L, Yang Y, Xian T, Lu Z, Fu Y (2010) Strong enhancement

- of chlorophyll *a* concentration by a weak typhoon. 404:39–50
- Sun Z, Hamel JF, Mercier A (2010) Planulation periodicity, settlement preferences and growth of two deep-sea octocorals from the northwest Atlantic. 410:71–87
- Sunagawa S, see DeSalvo MK et al. (2010) 402:97–113
- Sunda WG, Hardison DR (2009) Evolutionary tradeoffs among nutrient acquisition, cell size, and grazing defense in marine phytoplankton promote ecosystem stability. 401:63–76
- Sunda WG, Hardison DR (2010) (Erratum to Vol. 401:63–76, 2010). 410:288
- Suthers IM, see Ford JR et al. (2010) 408:181–193
- Suwa R, see Hoque ATMR et al. (2010) 404:31–37
- Suzuki K, see Liu H et al. (2010) 407:111–123
- Svetlichny L, Hubareva E, Isinibilir M, Kideys A, Belmonte G, Giangrande E (2010) Salinity tolerance of *Calanus euxinus* in the Black and Marmara Seas. 404:127–138
- Swart P, see Mateo I et al. (2010) 402:197–212
- Sweeting CJ, see Galván DE et al. (2010) 407:271–278
- Swimmer Y, see Wang JH et al. (2010) 408:241–250

## T

- Tanaka H, see Chow S et al. (2010) 402:233–238
- Tanaka M, see Wada T et al. (2010) 407:243–255
- Tang YZ, Gobler CJ (2010) Allelopathic effects of *Cochlodinium polykrikoides* isolates and blooms from the estuaries of Long Island, New York, on co-occurring phytoplankton. 406:19–31
- Tarling GA, see Klevjer TA et al. (2010) 409:157–170
- Tarnowska K, Chenuil A, Nikula R, Féral JP, Wolowicz M (2010) Complex genetic population structure of the bivalve *Cerastoderma glaucum* in a highly fragmented lagoon habitat. 406:173–184
- Tawa A, see Chow S et al. (2010) 402:233–238
- Taylor MI, see Domingues CP et al. (2010) 410:111–123
- Taylor RB, see Newcombe EM (2010) 408:161–167
- Taylor SA, see Zavalaga CB et al. (2010) 404:259–274
- Tchernov D, see Ben-Tzvi O et al. (2010) 409:181–187
- Thistle ME, Schneider DC, Gregory RS, Wells NJ (2010) Fractal measures of habitat structure: maximum densities of juvenile cod occur at intermediate eelgrass complexity. 405:39–56
- Thomas DN, see Underwood GJC et al. (2010) 404:1–19
- Thompson RC, see Silva ACF et al. (2010) 406:197–210
- Thompson RC, see Skov MW et al. (2009) 401:101–111
- Thomsen MS, see Tuya F et al. (2010) 405:175–186
- Thoresen AG, see Espeland SH et al. (2010) 405:29–37
- Thorrold SR, see Elsdon TS et al. (2010) 408:195–205
- Thorsen A, see Skjæraasen JE et al. (2010) 404:173–183
- Tindle CT, see Radford CA et al. (2009) 401:21–29
- Tiselius P, see Rodríguez-Graña L et al. (2009) 401:1–13
- Todd PA, Guest JR, Lu J, Chou LM (2010) One in four citations in marine biology papers is inappropriate. 408:299–303
- Tokimura M, see Sassa C et al. (2010) 407:227–241
- Tomiyama T, Komizunai N, Ito K, Omori M (2010) Spatial variation in the abundance and condition of the bivalve *Nuttallia olivacea* in relation to environmental factors and sublethal predation. 406:185–196
- Tönnesson K, see Arendt KE et al. (2009) 401:49–62
- Toonen RJ, see Concepcion GT et al. (2009) 401:113–127
- Toonen RJ, see Daly-Engel TS et al. (2010) 403:255–267
- Torrents O, see Linares C et al. (2010) 402:69–79
- Tréguer P, see Goberville E et al. (2010) 408:129–148
- Treude T, see Bertics VJ et al. (2010) 409:1–15
- Tsukamoto K, see Chow S et al. (2010) 402:233–238
- Tsukamoto K, see Jellyman D (2010) 404:241–247
- Tsukamoto Y, see Sassa C et al. (2010) 407:227–241
- Turon X, see Broad A et al. (2010) 408:295–298
- Turon X, see Calderón I (2010) 408:149–159
- Tuya F, Vanderklift MA, Hyndes GA, Wernberg T, Thomsen MS, Hanson C (2010) Proximity to rocky reefs alters the balance between positive and negative effects on seagrass fauna. 405:175–186
- Tweddle JF, Strutton PG, Foley DG, O'Higgins L, Wood AM, Scott B, Everroad RC, Peterson WT, Cannon D, Hunter M, Forster Z (2010) Relationships among upwelling, phytoplankton blooms, and phycotoxins in coastal Oregon shellfish. 405:131–145
- Tzeng WN, see Han YS et al. (2009) 401:221–232

## U

- Udevitz MS, see Jay CV et al. (2010) 407:293–302
- Underwood AJ, see Iveša L et al. (2010) 407:55–69
- Underwood GJC, Fietz S, Papadimitriou S, Thomas DN, Dieckmann GS (2010) Distribution and composition of dissolved extracellular polymeric substances (EPS) in Antarctic sea ice. 404:1–19

## V

- Valenzuela C, see González HE et al. (2010) 402:13–30
- Valero M, see Billard E et al. (2010) 405:163–174
- van Beusekom JEE, see Dutz J et al. (2010) 406:223–238
- Van Colen C, De Backer A, Meulepas G, Van der Wal D, Vincx M, Degraer S, Ysebaert T (2010) Diversity, trait displacements and shifts in assemblage structure of tidal flat deposit feeders along a gradient of hydrodynamic stress. 406:79–89
- van de Merwe JP, Hodge M, Whittier JM, Ibrahim K, Lee SY (2010) Persistent organic pollutants in the green sea turtle *Chelonia mydas*: nesting population variation, maternal transfer, and effects on development. 403:269–278
- Van den Driessche P, see Ingels J et al. (2010) 406:121–133
- van der Veer HW, see Campos J et al. (2010) 405:203–219
- Van der Wal D, see Van Colen C et al. (2010) 406:79–89
- van Gool A, see Engelsma MY et al. (2010) 409:131–142
- Van Meirvenne M, see Merckx B et al. (2010) 406:135–145
- van Woesik R, see Wagner DE et al. (2010) 408:65–78
- Vanaverbeke J, see Merckx B et al. (2010) 406:135–145
- Vanderklift MA, Wernberg T (2010) Stable isotopes reveal a consistent consumer–diet relationship across hundreds of kilometers. 403:53–61
- Vanderklift MA, see Tuya F et al. (2010) 405:175–186
- Vanhove S, see Ingels J et al. (2010) 406:121–133
- Vanreusel A, see Ingels J et al. (2010) 406:121–133
- Vanreusel A, see Merckx B et al. (2010) 406:135–145
- Vargas CA, see González HE et al. (2010) 402:13–30
- Veit RR, see Santora JA et al. (2010) 405:255–269
- Velikova V, see Oguz T (2010) 405:231–242
- Vidal M, see Latasa M et al. (2010) 407:27–42
- Vila-Reixach G, see Latasa M et al. (2010) 407:27–42
- Villahermosa D, see García-Robledo E et al. (2010) 403:155–163
- Vincx M, see Merckx B et al. (2010) 406:135–145
- Vincx M, see Van Colen C et al. (2010) 406:79–89
- Visauta-Girbau E, see Madrid-Vera J et al. (2010) 403:145–153

Volckaert FAM, see Cuveliers EL et al. (2009) 401:211–220  
 Volkelt-Igoe M, see Skov MW et al. (2009) 401:101–111  
 Woolstra CR, see DeSalvo MK et al. (2010) 402:97–113

## W

Wada T, Yamada T, Shimizu D, Aritaki M, Sudo H, Yamashita Y, Tanaka M (2010) Successful stocking of a depleted species, spotted halibut *Verasper variegatus*, in Miyako Bay, Japan: evaluation from post-release surveys and landings. 407:243–255  
 Wagner DE, Kramer P, van Woosik R (2010) Species composition, habitat, and water quality influence coral bleaching in southern Florida. 408:65–78  
 Wahl M, see Yun HY et al. (2010) 408:47–53  
 Waite AM, see Wyatt ASJ et al. (2010) 405:113–130  
 Wakefield ED, see Mackley EK et al. (2010) 406:291–303  
 Walter JF, see Jones DL et al. (2009) 401:245–258  
 Walters K, see Knights AM (2010) 404:79–90  
 Walve J, Larsson U (2010) Seasonal changes in Baltic Sea seston stoichiometry: the influence of diazotrophic cyanobacteria. 407:13–25  
 Wang J, see Scott BE et al. (2010) 408:207–226  
 Wang JH, Fisler S, Swimmer Y (2010) Developing visual deterrents to reduce sea turtle bycatch in gill net fisheries. 408:241–250  
 Wang WX, see Ng TYT et al. (2009) 401:147–160  
 Warner ME, see Ragni M et al. (2010) 406:57–70  
 Waska H, Kim G (2010) Differences in microphytobenthos and macrofaunal abundances associated with groundwater discharge in the intertidal zone. 407:159–172  
 Watabe Y, see Kuwae T et al. (2010) 406:281–289  
 Watanabe S, see Chow S et al. (2010) 402:233–238  
 Watanabe T, see Chow S et al. (2010) 402:233–238  
 Waters JM, see Nikula R et al. (2010) 405:221–230  
 Watson JR, Mitarai S, Siegel DA, Caselle JE, Dong C, McWilliams JC (2009) Realized and potential larval connectivity in the Southern California Bight. 401:31–48  
 Weber ED, McClatchie S (2010) Predictive models of northern anchovy *Engraulis mordax* and Pacific sardine *Sardinops sagax* spawning habitat in the California Current. 406:251–263  
 Webster-Brown JG, see Fukunaga A et al. (2010) 402:123–136  
 Wegner NC, see Cartamil D et al. (2010) 404:249–258  
 Welling A, see Goldsworthy SD et al. (2010) 409:255–266  
 Wells NJ, see Thistle ME et al. (2010) 405:39–56  
 Wernberg T, see Tuya F et al. (2010) 405:175–186  
 Wernberg T, see Vanderklift MA (2010) 403:53–61  
 Whitehead H, O'Brien K, Worm B (2010) Diversity of deep-water cetaceans and primary productivity. 408:1–5  
 Whiteley J, see Bendell LI et al. (2010) 404:91–108  
 Whittier JM, see van de Merwe JP et al. (2010) 403:269–278  
 Wienecke B, Raymond B, Robertson G (2010) Maiden journey of fledgling emperor penguins from the Mawson Coast, East Antarctica. 410:269–282  
 Wiese J, see Goecke F et al. (2010) 409:267–300  
 Wijnhoven S, see Engelsma MY et al. (2010) 409:131–142  
 Wild C, see Haas AF et al. (2010) 409:27–39  
 Wildhaber ML, see Froeschke J et al. (2010) 407:279–292  
 Williams AJ, Little LR, Punt AE, Mapstone BD, Davies CR, Heupel MR (2010) Exploring movement patterns of an exploited coral reef fish when tagging data are limited. 405:87–99  
 Williams RG, see Hickman AE et al. (2010) 406:1–17  
 Williams RJ, see Ford JR et al. (2010) 408:181–193

Wilson B, see Higgins RM et al. (2010) 404:197–206  
 Winding Hansen B, see Rodríguez-Graña L et al. (2009) 401:1–13  
 Wing SR, see Jack L (2010) 404:161–172  
 Wirgin I, see Kovach AI et al. (2010) 410:177–195  
 Wirtz KW, Pahlow M (2010) Dynamic chlorophyll and nitrogen:carbon regulation in algae optimizes instantaneous growth rate. 402:81–96  
 Witte JIJ, see Campos J et al. (2010) 405:203–219  
 Wolowicz M, see Tarnowska K et al. (2010) 406:173–184  
 Wong CK, see Liu H et al. (2010) 407:111–123  
 Wong MC, Peterson CH, Kay J (2010) Prey size selection and bottom type influence multiple predator effects in a crab–bivalve system. 409:143–156  
 Wood AM, see Tweddle JF et al. (2010) 405:131–145  
 Worm B, see Boudreau SA (2010) 403:181–191  
 Worm B, see Whitehead H et al. (2010) 408:1–5  
 Worthy GAJ, see Alves-Stanley CD et al. (2010) 402:255–267  
 Wyatt ASJ, Lowe RJ, Humphries S, Waite AM (2010) Particulate nutrient fluxes over a fringing coral reef: relevant scales of phytoplankton production and mechanisms of supply. 405:113–130

## X

Xavier J, see Paiva VH et al. (2010) 410:257–268  
 Xian T, see Sun L et al. (2010) 404:39–50  
 Xue L, see Maldonado M et al. (2010) 403:75–89

## Y

Yamada T, see Wada T et al. (2010) 407:243–255  
 Yamada Y, see Chow S et al. (2010) 402:233–238  
 Yamamoto K, see Sassa C et al. (2010) 407:227–241  
 Yamamura O, see Fukuwaka M et al. (2010) 403:219–230  
 Yamashita Y, see Wada T et al. (2010) 407:243–255  
 Yang Y, see Sun L et al. (2010) 404:39–50  
 Yebra L, see Almeda R et al. (2010) 410:97–109  
 Yoseda K, see Sato T (2010) 402:171–178  
 Young HS, Shaffer SA, McCauley DJ, Foley DG, Dirzo R, Block BA (2010) Resource partitioning by species but not sex in sympatric boobies in the central Pacific Ocean. 403:291–301  
 Young J, see Franklin DJ et al. (2010) 410:13–23  
 Ysebaert T, see Van Colen C et al. (2010) 406:79–89  
 Yun HY, Rohde S, Linnane K, Wahl M, Molis M (2010) Seaweed-mediated indirect interaction between two species of meso-herbivores. 408:47–53

## Z

Zakardjian B, see Maps F et al. (2010) 403:165–180  
 Zavalaga CB, Halls JN, Mori GP, Taylor SA, Dell'omo G (2010) At-sea movement patterns and diving behavior of Peruvian boobies *Sula variegata* in northern Peru. 404:259–274  
 Zeppelin TK, Orr AJ (2010) Stable isotope and scat analyses indicate diet and habitat partitioning in northern fur seals *Callorhinus ursinus* across the eastern Pacific. 409:241–253  
 Zhang W, see Maldonado M et al. (2010) 403:75–89  
 Zhang X, see Maldonado M et al. (2010) 403:75–89  
 Ziebis W, see Bertics VJ et al. (2010) 409:1–15