

# Visual censuses around drifting fish aggregating devices (FADs): a new approach for assessing the diversity of fish in open-ocean waters

J. C. Gaertner<sup>1,\*</sup>, M. Taquet<sup>2</sup>, L. Dagorn<sup>3</sup>, B. Mériqot<sup>1</sup>, R. Aumeeruddy<sup>4</sup>, G. Sancho<sup>5</sup>, D. Itano<sup>6</sup>

<sup>1</sup>Centre d'Océanologie de Marseille, Université de la Méditerranée, LMGM, UMR CNRS 6117, Rue de la batterie des Lions 13007 Marseille, France

<sup>2</sup>Institut français de recherche pour l'exploitation de la mer (IFREMER), and <sup>3</sup>Institut de Recherche pour le Développement, CRH, Avenue Jean Monnet BP 171 – 34203 Sète Cedex, France

<sup>4</sup>Seychelles Fishing Authority, Fishing Port, PO Box 449, Victoria, Mahé, Seychelles

<sup>5</sup>College of Charleston, Grice Marine Laboratory, 205 Fort Johnson Road, Charleston, South Carolina 29412, USA

<sup>6</sup>Pelagic Fisheries Research Program, University of Hawaii, 1000 Pope Road, MSB 312, Honolulu, Hawaii 96822, USA

\*Email: gaertner@univmed.fr

Marine Ecology Progress Series 366:175–186 (2008)

**Appendix 1.** Pictures of aggregations around FADs (fish aggregating devices). (a) School of *Canthidermis maculata*. (b) Single *Carcharhinus falciformis* (silky shark) surrounded by various *Elagatis bipinnulata*. (c) A FAD netting panel surrounded by *Kyphosus vaigiensis*. (d) School of *Coryphaena hippurus* (dolphinfish) with a few *Thunnus albacares* (yellowfin tuna) inside a purse seine (copyright: Fadio/IRD-IFREMER/M. Taquet)

