

Oplophoridae – <i>Acanthephyra</i> sp.	MC				0.06	0.04	0.83							
<i>Oplophorus gracilirostris</i>	MC											2.08	0.09	2.13
<i>Systemaspis</i> sp.	MC				0.06	0.02	0.83							
Penaeidae – <i>Funchalia</i> sp.	MC	0.19	0.07	0.89										
<i>Funchalia taaningi</i>	MC	0.19	0.06	0.89				12.80	1.17	4.55				
Phronimidae – <i>Phronima sedentaria</i>	Am				4.41	1.52	18.33							
<i>Phronima</i> sp.	Am	1.33	0.04	2.68	1.79	0.54	6.67	2.44	0.12	13.64				
Phrosinidae – <i>Phrosina semilunata</i>	Am	0.76	0.02	1.79	21.5	4.12	47.50		0.05	4.55				
Platyscelidae – <i>Platyscelus armatus</i>	Am	0.38	0.01	1.79	2.88	0.54	15.83							
<i>Platyscelus ovoides</i>	Am	4.00	0.33	5.36	5.63	1.28	11.67	1.83	0.90	9.09				
<i>Platyscelus</i> sp.	Am	7.24	0.60	26.79	0.32	0.04	2.50	4.88	1.05	27.27				
Scyllaridae	Mi	0.19	0.04	0.89	0.13	0.07	1.67							
Uristidae – <i>Hirondellea gigas</i>	Am	0.38	0.01	0.89	0.06	0.01	0.83							
<i>Hirondellea</i> sp.	Am	0.76	0.02	2.68	0.64	0.06	1.67							
Caridea	MC	0.19	0.02	0.89										
Gammaridea	Am	0.00	0.01	0.89				0.61	0.04	4.55				
Hyperiidea	Am	2.86	0.07	5.36	0.77	0.13	4.17	2.44	0.19	13.61				
Megalopa (unidentified)	Mi				0.77	0.10	5.83							
Mysida	MC				0.19	0.04	1.67							
Ostracods (unidentified)	MC				0.13	0.01	0.83							
Shrimp (unidentified)	MC	0.00	0.03	1.79	1.41	0.34	8.33	0.00	0.01	4.55				
Stomatopods (unidentified)	MC	0.19	0.01	0.89	0.13	0.04	1.67							
Unidentified crustacea	-	4.19	1.21	19.64	0.26	0.06	2.50	2.44	0.10	22.73				
FISH		26.29	66.86	-	25.40	63.66	-	12.20	58.31	-	66.67	62.37	-	
Acanthuridae – <i>Naso</i> sp.	EF				0.13	0.07	1.67							
<i>Zebrasoma flavescens</i>	EF				0.06	0.02	0.83							
Acropomatidae - <i>Synagrops argyreus</i>	EF				0.13	0.21	1.67							
Alepisauridae - <i>Alepisaurus ferox</i>	MF	2.29	20.08	6.25	1.47	23.96	15.00	1.22	4.78	4.55				
<i>Alepisaurus</i> sp.	MF	1.14	10.24	4.46	1.22	3.34	6.67							
Anoplogasteridae - <i>Anoplogaster cornuta</i>	MF				1.41	4.54	4.17							
Berycidae - <i>Beryx decadactylus</i>	MF				0.06	0.61	0.83							
Blenniidae – <i>Plagiotremus</i> sp.	EF				0.06	0.01	0.83							
Bramidae	EF				0.13	0.02	1.67							
<i>Brama myersi</i>	EF										2.08	0.78	2.13	
<i>Brama orcini</i>	EF				0.06	0.01	0.83							
<i>Pteraclis aesticola</i>	EF				0.26	2.48	3.33	2.44	42.36	9.09				
Chaetodontidae - <i>Chaetodon</i> sp.	EF	0.57	0.02	0.89	0.26	0.04	2.50							

Chiasmodontidae	MF	0.95	0.38	2.68										
<i>Pseudoscopelus</i> sp.	MF	0.38	0.16	1.79	0.06	0.24	0.83							
Chlorophthalmidae - <i>Chlorophthalmus proridens</i>	EF				0.06	0.05	0.83							
Diodontidae	EF	0.19	0.02	0.89										
Exocoetidae	EF									4.17	4.14	4.26		
<i>Hirundichthys albimaculatus</i>	EF									2.08	1.88	2.13		
Fistulariidae - <i>Fistularia</i> sp.	EF				0.06	0.04	0.83							
Gempylidae	MF									2.08	4.11	2.13		
<i>Diplospinus multistriatus</i>	MF	0.38	0.05	0.89	0.58	0.81	5.00			2.08	0.06	2.13		
<i>Gempylus serpens</i>	MF									6.25	12.37	4.26		
<i>Lepidocybium flavobrunneum</i>	MF									2.08	2.21	2.13		
<i>Nealotus tripes</i>	MF				0.06	0.18	0.83							
<i>Nesiarchus nasutus</i>	MF				0.06	0.10	0.83							
Gonostomatidae - <i>Diplophos taenia</i>	MF				0.06	0.12	0.83							
Linophryinae - <i>Linophryne</i> sp.	MF				0.06	0.01	0.83							
Himantolophidae	MF				0.13	0.05	0.83							
Howellidae - <i>Howella brodei brodei</i>	MF	0.19	0.08	0.89										
Macrouridae	MF				0.13	0.05	0.83							
Malacanthidae	MF	0.19	0.04	0.89										
Melanocetidae	MF				0.06	0.02	0.83							
Molidae	EF				0.06	0.09	0.83							
<i>Ranzania laevis</i>	EF				0.06	2.10	0.83			18.75	32.99	14.89		
Myctophidae	MF	2.48	0.66	4.46	0.32	0.00	0.83							
<i>Lampanyctus</i> sp.	MF	0.76	0.62	1.79										
Nomeidae - <i>Psenes maculatus</i>	MF				0.06	0.01	0.83							
Omosudidae - <i>Omosudis lowei</i>	MF	0.76	1.85	3.57	0.45	3.43	5.00	0.61	0.01	4.55				
Ostraciidae - <i>Lactoria diaphana</i>	EF				0.06	0.23	0.83							
Paralepididae	MF	3.05	3.66	2.68	0.13	0.07	1.67	0.61	0.89	4.55	2.08	0.51	2.13	
<i>Sudis atrox</i>	MF				0.19	0.03	1.67							
Phosichthyidae - <i>Vinciguerria nimbaria</i>	MF				0.58	0.06	2.50							
Pomacanthidae - <i>Centropyge</i> sp.	EF				0.26	0.03	2.50							
Scombrolabracidae - <i>Scombrolabrax heterolepis</i>	MF	0.19	0.06	0.89	0.13	0.04	0.83							
Scopelarchidae	MF				0.06	0.15	0.83							
<i>Scopelarchus michaelisarsis</i>	MF	1.33	2.75	1.79	0.06	0.15	0.83	0.61	0.20	4.55				
Scorpaenidae - <i>Ectreposebastes imus</i>	EF				0.06	0.01	0.83							
Serranidae - <i>Luzonichthys earlei</i>	EF				0.13	0.02	1.67							
<i>Pseudanthias</i> sp.	EF				0.19	0.04	1.67							

Sternoptychidae	MF	1.52	0.65	2.68	0.26	0.19	1.67						
<i>Argyropelecus aculeatus</i>	MF				0.19	1.31	2.50						
<i>Argyropelecus</i> sp.	MF				0.06	0.35	0.83						
<i>Sternoptyx diaphana</i>	MF				3.58	4.46	10.00						
<i>Sternoptyx obscura</i>	MF				0.38	0.25	1.67						
<i>Sternoptyx pseudobscura</i>	MF	0.19	0.08	0.89	5.50	8.14	19.17						
<i>Sternoptyx</i> sp.	MF	2.10	1.03	4.46	3.45	3.50	10.83						
Tetraodontidae	EF				0.06	0.01	0.83						
<i>Canthigaster</i> sp.	EF				0.64	0.27	1.67						
<i>Lagocephalus lagocephalus</i>	EF				0.06	0.01	0.83						
Trachipteridae - <i>Desmodema polystictum</i>	EF				0.06	0.44	0.83						
Trichiuridae/Gempylidae	MF	1.14	0.02	2.69	0.06	0.03	0.83			2.08	0.00	2.13	
Anguilliformes	MiF	0.19	0.02	0.89									
Leptocephalus	MiF				0.06	0.02	0.83						
Unidentified fish	-	6.29	24.41	74.11	1.60	1.20	20.00	6.71	10.07	90.91	22.92	3.66	31.91
GELATINOUS & INVERTEBRATES		2.48	1.59	-	15.36	3.47	-	21.34	9.74	-	-	-	-
Alciopidae	Mi	0.38	0.00	1.79	0.38	0.04	1.67	0.61	0.00	4.55			
<i>Vanadis</i> sp.	Mi				9.66	1.33	23.33						
Atollidae - <i>Atolla</i> sp.	Ge	0.19	0.45	0.89									
Pyrosomidae	Ge	0.57	0.92	2.68	0.13	0.10	1.67	15.24	8.63	27.27			
Salpidae	Ge	0.95	0.11	3.57	5.18	2.01	20.83	5.49	1.11	13.64			
Unidentified gelatinous	-	0.38	0.10	3.57									
MOLLUSKS		21.90	21.99	-	10.88	14.75	-	9.15	5.55	-	29.17	37.17	-
Allopsodidae - <i>Haliphron atlanticus</i> (B)	Oc							[1]		4.55			
Amphitretidae - <i>Amphitretus pelagicus</i> (B)	Oc	[2]		1.79	[1]		0.83						
Ancistrocheiridae - <i>Ancistrocheirus lesueurii</i>	MS				0.19	0.05	2.50				2.08	9.72	2.13
<i>A. lesueurii</i> (B)	MS	[1]		0.89	[1]		0.83						
Argonautidae - <i>Argonauta argo</i>	Oc				1.02	3.17	8.33						
<i>A. argo</i> (B)	Oc	[3]		2.68	[1]		0.83	[11]		27.27	[1]		2.13
Atlantidae - <i>Atlanta</i> sp.	MiM	0.19	0.00	0.89	0.45	0.02	1.67						
Bathyteuthidae - <i>Bathyteuthis</i> sp. (B)	MS	[2]		1.79									
Bolitaenidae	Oc	0.38	0.07	1.79				0.61	0.05	4.55			
<i>Bolitaena pygmaea</i>	Oc				0.06	0.10	0.83						
Bolitaenidae (B)	Oc	[42]		22.32				[5]		18.18			
<i>Japetella diaphana</i>	Oc	1.90	0.44	5.36	0.70	0.88	7.50	1.22	0.46	4.55			
<i>J. diaphana</i> (B)	Oc	[184]		53.57	[2]		1.67	[33]		54.55			
Brachioteuthidae - <i>Brachioteuthis</i> sp.	MS				0.13	0.01	0.83						

Carinariidae - <i>Carinaria</i> sp.	MiM				0.32	0.04	2.50					
Cavoliniidae - <i>Clio</i> sp.	MiM				0.06	0.00	0.83					
Chiroteuthidae - <i>Chiroteuthis</i> sp. (B)	MS	[6]		5.36	[1]		0.83	[7]	27.27			
<i>Grimalditeuthis bonplandi</i>	MS	0.38	0.80	1.79	0.06	0.40	0.83					
<i>G. bonplandi</i> (B)	MS	[28]		17.86	[3]		2.50					
<i>Mastigoteuthis microlucens</i> (B)	MS	[2]		1.79				[2]	9.09	[1]		2.13
<i>Mastigoteuthis pyrodes</i> (B)	MS	[1]		0.89								
<i>Mastigoteuthis</i> sp. (B)	MS	[1]		0.89								
<i>Planctoteuthis lippula</i>	MS				0.06	0.16	0.83					
<i>P. lippula</i> (B)	MS	[2]		1.79								
Cranchiidae	MS	0.19	0.01	0.89	0.13	0.01	1.67					
<i>Bathothauma lyromma</i>	MS				0.06	0.20	0.83					
<i>Cranchia scabra</i>	MS				0.06	0.29	0.83					
<i>C. scabra</i> (B)	MS	[1]		0.89								
Cranchiidae (B)	MS	[1]		0.89	[1]		0.83					
<i>Galiteuthis</i> sp.	MS				0.06		0.83					
<i>Galiteuthis</i> sp. (B)	MS				[13]		7.50	[1]	4.55			
<i>Megalocranchia fisherii</i> (B)	MS	[1]		0.89								
<i>Taonius pavo</i> (B)	MS	[19]		13.39				[1]	4.55			
<i>Taonius</i> sp. (B)	MS									[1]		2.13
Cycloteuthidae - <i>Cycloteuthis sirventyi</i>	MS				0.06	0.05	0.83					
<i>C. sirventyi</i> (B)	MS	[2]		0.89	[1]		0.83					
<i>Discoteuthis</i> sp. (B)	MS				[1]		0.83					
Enoploteuthidae - <i>Abralia trigonura</i>	MS				0.06	0.07	0.83					
<i>Abraliopsis</i> sp.	MS				0.06	0.01	0.83					
<i>Enoploteuthis reticulata</i>	MS				0.06	0.09	0.83					
<i>Enoploteuthis</i> sp.	MS				0.13	0.03	0.83					
<i>Enoploteuthis</i> sp. (B)	MS	[19]		14.29								
Gonatidae (B)	MS				[1]		0.83					
<i>Gonatus</i> sp. (B)	MS	[20]		6.25								
Histioteuthidae	MS									4.17	1.35	4.26
Histioteuthidae (B)	MS	[9]		8.04	[1]		0.83	[4]	18.18			
<i>Histioteuthis</i> sp.	MS	0.19	0.06	0.89								
<i>Histioteuthis</i> sp. (B)	MS	[3]		2.68				[3]	13.64			
<i>Stigmatoteuthis hoylei</i>	MS	0.19	6.89	0.89						2.08	2.20	2.13
<i>S. hoylei</i> (B)	MS	[1]		0.89				[1]	4.55			
<i>Stigmatoteuthis</i> sp. (B)	MS	[7]		5.36	[2]		1.67	[1]	4.55			

Janthinidae - <i>Janthina janthina</i>	MiM				0.06	0.01	0.83						
Lepidoteuthidae - <i>Lepidoteuthis grimaldii</i>	MS				0.06	0.01	0.83						
<i>L. grimaldii</i> (B)	MS	[1]		0.89									
<i>Pholidoteuthis</i> sp. (B)	MS									[1]		2.13	
Mastigoteuthidae - <i>Mastigoteuthis famelica</i> (B)	MS						[1]		0.83				
<i>Mastigoteuthis</i> sp. A (B)	MS	[2]		1.79									
Neoteuthidae - <i>Neoteuthis thielei</i> (B)	MS	[48]		15.18	[1]		0.83	[1]		4.55			
Octopodidae	Oc	0.76	0.29	3.57	0.38	0.86	3.33						
<i>Octopus ornatus</i>	Oc				0.06	0.01	0.83						
Octopoteuthidae (B)	MS							[1]		4.55			
<i>Octopoteuthis neilseni</i>	MS				0.19	0.24	2.50						
<i>O. neilseni</i> (B)	MS							[1]		4.55	[1]	2.13	
<i>Octopoteuthis</i> sp. (B)	MS						[2]		1.67				
<i>Taningia danae</i> (B)	MS	[1]		0.89									
Ommastrephidae -	MS				0.06	0.00	0.83						
<i>Eucleoteuthis luminosa</i>	MS	0.38	0.15	1.79							2.08	2.73	2.13
<i>E. luminosa</i> (B)	MS	[1]		0.89									
<i>Hyaloteuthis pelagica</i>	ES	0.38	0.04	0.89	1.28	3.47	10.83						
<i>H. pelagica</i> (B)	ES	3.05		5.36									
<i>Ommastrephes bartramii</i>	MS										2.08	1.46	2.13
Ommastrephidae (B)	MS	[11]		6.25				[6]		18.18	[5]		6.38
<i>Sthenoteuthis oualaniensis</i>	MS				0.32	0.01	1.67				12.50	14.24	10.64
<i>S. oualaniensis</i> (B)	MS	[1]		0.89							[1]		2.13
<i>Sthenoteuthis/Ommastrephes/Eucleoteuthis</i> (B)	MS	[57]		20.54				[22]		31.82	[3]		
Onychoteuthidae	MS	0.19	0.68	0.89									
<i>Ancistroteuthis lichtensteinii</i> (B)	MS	[1]		0.89									
Onychoteuthidae (B)	MS	[30]		14.29				[1]		4.55			
<i>Onychoteuthis borealijaponica</i> (B)	MS						[1]		0.83				
<i>Onychoteuthis</i> sp.	MS				0.38	0.46	2.50						
<i>Onychoteuthis</i> sp. (B)	MS	[12]		7.14				[1]		4.55	[6]		
<i>Onykia</i> sp.	MS				0.06	0.09	0.83						
<i>Onykia</i> sp. A	MS										2.08	3.31	2.13
<i>Onykia</i> sp. A (B)	MS	[11]		5.36									
<i>Walvisteuthis youngorum</i>	MS	3.24	7.32	9.82	0.06	0.85	0.83	3.66	0.98	9.09			
<i>W. youngorum</i> (B)	MS	[465]		73.21	[2]		1.67	[39]		72.73	[1]		2.13
Ocythoidae - <i>Ocythoe tuberculata</i>	Oc				0.06	0.05	0.83						
<i>O. tuberculata</i> (B)	Oc							[1]		4.55			

Pyroteuthidae	MS	0.57	0.06	1.79									
<i>Pterygioteuthis giardi</i>	MS	0.19	0.00	0.89									
Pyroteuthidae (B)	MS	[3]		2.68									
<i>Pyroteuthis addolux</i>	MS	0.19	0.05	0.89									
Sepiolidae - <i>Heteroteuthis hawaiiensis</i>	MiM				0.13	0.27	1.67						
<i>H. hawaiiensis</i> (B)	MiM	[1]		0.89									
Thysanoteuthidae - <i>Thysanoteuthis rhombus</i> (B)	MS	[2]		1.79				[5]				13.64	
Todarodinae - <i>Notodarus hawaiiensis</i>	MS				0.06	0.05	0.83						
Tremoctopodidae - <i>Tremoctopus gracilis</i>	MiM				0.13	0.15	1.67	0.61	0.62	4.55			
<i>T. gracilis</i> (beaks)	MiM	[2]		1.79									
<i>Tremoctopus</i> sp.	MiM				0.06	0.04	0.83						
<i>Tremoctopus violaceus</i>	MiM				0.06	0.45	0.83						
Vampyroteuthidae - <i>Vampyroteuthis infernalis</i> (B)	MS	[1]		0.89									
Gastropoda	MiM				0.58	0.29	3.33						
Gymnosomata	MiM				0.19	0.02	2.50						
Heteropoda	MiM				0.77	0.28	6.67						
Mastigoteuthidae/Histioteuthidae (B)	MS	[1]		0.89									
Octopoteuthidae/Lepidoteuthidae (B)	MS	[13]		8.93									
Onychoteuthidae/Ancistrocheirus	MS	0.57	0.43	1.79									
Thecosomata	MiM	0.38	0.00	1.79	1.41	0.09	10.00						
Type "A" Cephalopod (B)	-	[7]		3.57	[2]		1.67	[1]		4.55			
Cephalopod beaks (unpaired)	-		2.52	-		0.62	-		1.47	-	0.16	-	
Cephalopod gladius	-	[24]	0.15	21.43	[1]	0.00	0.83	[1]	0.02	4.55			
Unidentified cephalopod beaks (unpaired)	-	[43]		-	[11]		-	[24]			[4]		-
Unidentified cephalopods	-	8.57	2.03	25.00	0.77	0.84	6.67	3.05	1.95	22.73	2.08	1.99	4.26
Fish otoliths (unpaired)	-	[3300]						[218]			[11]		
ANTHROPOGENIC DEBRIS - all types	Rb	16.38	5.03	40.83	5.69	8.69	38.39	29.88	22.76	63.64	2.08	0	2.13
Grand Totals		525	2920	-	1563	2444	-	164	906	-	48	1911	-

Table S2. Total number of predator specimens collected per year and per season. 3 snake mackerel and 4 lancetfish specimens had unavailable catch dates. Rough seasons are defined as encompassing the following months: Spring (Sp) – February through April, Summer (Su) – May through July, Fall (F) – August through October, Winter (W) – November through January.

	2007				2008				2009				2010				2011				2012			
	Sp	Su	F	W	Sp	Su	F	W	Sp	Su	F	W	Sp	Su	F	W	Sp	Su	F	W	Sp	Su	F	W
ALEP	0	0	0	0	0	0	0	0	1	0	36	59	6	13	0	5	0	0	0	0	0	0	0	0
GEMP	0	0	0	0	0	0	0	0	0	0	0	5	12	4	1	9	4	11	19	28	0	0	0	9
OPAH-B	0	24	0	0	4	0	0	0	0	0	0	0	0	1	1	1	0	54	30	1	0	0	0	0
OPAH-S	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	11	9	2	0	0	0	0
ESCO	0	0	0	0	0	0	0	0	0	0	1	5	6	3	0	4	8	4	7	5	0	0	0	2

Table S3. The 15 most important cephalopod species in terms of numerical abundance (%N). (B) indicates individuals of that species identified from cephalopod beaks. Also included are the gravimetric proportions (%W) and percent frequency of occurrence (%F) for each prey item. %N and %W values are calculated as a fraction of cephalopod prey alone.

<i>Alepisaurus ferox</i> (ALEP)	%N	%W	%F	<i>Lampris</i> sp. big-eye (OPAH-B)	%N	%W	%F
<i>Hyaloteuthis pelagica</i>	14.9	26.9	10.8	<i>Walvisteuthis youngorum</i> (B)	23.8	0.0	72.7
<i>Argonauta argo</i>	11.9	24.6	8.3	<i>Japetella diaphana</i> (B)	20.1	0.0	54.6
<i>Galiteuthis</i> sp. (B)	9.7	0.0	7.5	<i>Sthenoteuthis/Ommastrephes/Eucleoteuthis</i> (B)	13.4	0.0	31.8
<i>Japetella diaphana</i>	8.2	6.9	7.5	<i>Argonauta argo</i> (B)	6.7	0.0	27.3
<i>Onychoteuthis</i> sp.	4.5	3.5	2.5	<i>Chiroteuthis</i> sp. (B)	4.3	0.0	27.3
Octopoda (unidentified)	4.5	6.6	3.3	Ommastrephidae (B)	3.7	0.0	18.2
<i>Sthenoteuthis oualaniensis</i>	3.7	0.1	1.7	<i>Walvisteuthis youngorum</i>	3.7	46.3	9.1
<i>Ancistrocheirus lesueurii</i>	2.2	0.4	2.5	Bolitaenidae (B)	3.0	0.0	18.2
<i>Octopoteuthis neilseni</i>	2.2	1.8	2.5	<i>Thysanoteuthis rhombus</i> (B)	3.0	0.0	13.6
<i>Japetella diaphana</i> (B)	1.5	0.0	1.7	Histioteuthidae (B)	2.4	0.0	18.2
<i>Brachiooteuthis</i> sp.	1.5	0.1	0.8	<i>Grimalditeuthis bonplandi</i> (B)	1.8	0.0	9.1
Cranchiidae	1.5	0.1	1.7	<i>Histioteuthis</i> sp. (B)	1.8	0.0	13.6
<i>Enoploteuthis</i> sp.	1.5	0.2	0.8	<i>Japetella diaphana</i>	1.2	21.8	4.6
<i>Stigmatoteuthis</i> sp. (B)	1.5	0.0	1.7	<i>Mastigoteuthis microlucens</i> (B)	1.2	0.0	9.1
<i>Octopoteuthis</i> sp. (B)	1.5	0.0	1.7	Octopoteuthidae/Lepidoteuthidae (B)	1.2	0.0	9.1
<i>Gempylus serpens</i> (GEMP)	%N	%W	%F	<i>Lampris</i> sp. small-eye (OPAH-S)	%N	%W	%F
<i>Sthenoteuthis oualaniensis</i>	17.6	40.7	10.6	<i>Walvisteuthis youngorum</i> (B)	42.5	0.0	72.7
<i>Onychoteuthis</i> sp. (B)	17.6	0.0	10.6	<i>Japetella diaphana</i> (B)	16.8	0.0	54.6
Ommastrephidae (B)	14.7	0.0	6.4	<i>Sthenoteuthis/Ommastrephes/Eucleoteuthis</i> (B)	5.2	0.0	31.8
<i>Sthenoteuthis/Ommastrephes/Eucleoteuthis</i> (B)	8.8	0.0	6.4	<i>Neoteuthis thielei</i> (B)	4.4	0.0	27.3
Histioteuthidae	5.9	3.9	4.3	Bolitaenidae (B)	3.8	0.0	27.3
<i>Ancistrocheirus lesueurii</i>	2.9	27.8	2.1	Onychoteuthidae (B)	2.7	0.0	18.2
<i>Argonauta argo</i> (B)	2.9	0.0	2.1	<i>Grimalditeuthis bonplandi</i> (B)	2.6	0.0	9.1
<i>Mastigoteuthis microlucens</i> (B)	2.9	0.0	2.1	<i>Gonatus</i> sp. (B)	1.8	0.0	18.2
<i>Taonius</i> sp. (B)	2.9	0.0	2.1	<i>Taonius pavo</i> (B)	1.7	0.0	13.6
<i>Stigmatoteuthis hoylei</i>	2.9	6.3	2.1	<i>Enoploteuthis</i> sp. (B)	1.7	0.0	18.2
<i>Pholidoteuthis</i> sp. (B)	2.9	0.0	2.1	<i>Walvisteuthis youngorum</i>	1.6	42.3	9.1
<i>Octopoteuthis neilseni</i> (B)	2.9	0.0	2.1	<i>Hyaloteuthis pelagica</i> (B)	1.5	0.0	13.6
<i>Eucleoteuthis luminosa</i>	2.9	7.8	2.1	Octopoteuthidae/Lepidoteuthidae (B)	1.2	0.0	4.6
<i>Ommastrephes bartramii</i>	2.9	4.2	2.1	<i>Onychoteuthis</i> sp. (B)	1.1	0.1	9.1
<i>Sthenoteuthis oualaniensis</i> (B)	2.9	0.0	2.1	<i>Onykia</i> sp. A (B)	1.0	0.0	9.1