

COMBINED AUTHOR AND TITLE INDEX

(Volumes 1 to 10, 2007–2010)

A

- Aarestrup K, Thorstad EB, Koed A, Svendsen JC, Jepsen N, Pedersen MI, Økland F (2010) Survival and progression rates of large European silver eel *Anguilla anguilla* in late freshwater and early marine phases. 9:263–270
- Abdo DA, Fromont J, McDonald JI (2008) Strategies, patterns and environmental cues for reproduction in two temperate haliclionid sponges. 1:291–302
- Abele D, see Strahl J et al. (2007) 1:77–83
- Abele D, see Weihe E (2008) 4:155–166
- Aberle N, see Gebühr C et al. (2009) 7:185–197
- Abreu AG, see Dias GM et al. (2009) 4:243–252
- Aeby GS, see Work TM et al. (2010) 9:185–192
- Aguilar de Soto N, see Madsen PT et al. (2007) 1:141–150
- Aguilar-Perera A, see Villegas-Hernández H et al. (2008) 1:249–258
- Ainsworth TD, Hoegh-Guldberg O (2009) Bacterial communities closely associated with coral tissues vary under experimental and natural reef conditions and thermal stress. 4:289–296
- Ainsworth TD, see Andersen SB et al. (2010) 10:99–104
- Ali A, see Pope EC et al. (2008) 4:175–185
- Alisaukas RT, see Mallory ML et al. (2009) 4:211–223
- Allcock AL, see McInerney CE et al. (2009) 7:45–58
- Allers E, see Wild C et al. (2009) 7:71–80
- Amouroux JM, see Carlier A et al. (2009) 5:167–179
- Amsler CD, see Koplovitz G et al. (2009) 7:81–92
- Ancel A, see Zimmer I et al. (2008) 3:217–226
- Ancel A, see Zimmer I et al. (2010) 8:269–277
- Andersen Ø, see Johnston IA (2008) 4:167–173
- Andersen SB, Vestergaard ML, Ainsworth TD, Hoegh-Guldberg O, Kühl M (2010) Acute tissue death (white syndrome) affects the microenvironment of tabular *Acropora* corals. 10:99–104
- Anderson BJ, Mouillot D (2007) Influence of scale and resolution on niche apportionment rules in saltmeadow vegetation. 1:195–204
- Ang P Jr, see Figueroa FL et al. (2009) 7:159–172
- Ang P Jr, see Figueroa FL et al. (2009) 7:173–183
- Angelstein S, Schubert H (2008) *Elodea nuttallii*: uptake, translocation and release of phosphorus. 3:209–216
- Anger K, Hayd L (2009) From lecithotrophy to planktotrophy: ontogeny of larval feeding in the Amazon River prawn *Macrobrachium amazonicum*. 7:19–30
- Anger K, Hayd L (2010) Feeding and growth in early larval shrimp *Macrobrachium amazonicum* from the Pantanal, southwestern Brazil. 9:251–261
- Anger K, see Ituarte RB et al. (2008) 3:283–290
- Anger K, see Torres G et al. (2008) 2:37–45
- Ankney CD, see Mallory ML et al. (2009) 4:211–223
- Antunes C, see Sousa R et al. (2008) 3:237–250
- Aoyama J, see Ma T et al. (2008) 2:29–35
- Appeldoorn R, see Mann D et al. (2010) 10:149–154
- Arai N, see Shiomi K et al. (2008) 3:265–270
- Arai N, see Shiomi K et al. (2010) 8:299–304
- Arai T, see Tsunagawa T (2009) 5:187–194
- Arai T, see Yamane K et al. (2010) 10:283–209
- Arakelova KS, Michel E (2009) Physiological differences between coexisting congeneric species of snails in a sub-arctic lake. 5:209–217
- Arazi U, see Figueroa FL et al. (2009) 7:159–172
- Arnold J, see Dove ADM et al. (2010) 9:177–183
- Arnold WS, Geiger SP, Peters Stephenson S (2009) *Mercenaria mercenaria* introductions into Florida, USA, waters: duration, not size of introduction, influences genetic outcomes. 5:49–62
- Arrighetti F, Penchaszadeh PE (2010) Gametogenesis, seasonal reproduction and imposex of *Adelomelon beckii* (Neogastropoda: Volutidae) in Mar del Plata, Argentina. 9:63–75
- Arst H, Nöges T, Nöges P, Paavel B (2008) *In situ* measurements and model calculations of primary production in turbid waters. 3:19–30
- Arts MT, see Johannsson OE et al. (2009) 5:249–262
- Asai T, see Kurihara H et al. (2009) 4:225–233
- Ashton GV, Riedlecker EI, Ruiz GM (2008) First non-native crustacean established in coastal waters of Alaska. 3:133–137
- Ashton GV, see Willis KJ et al. (2009) 7:249–259
- Astudillo JC, Bravo M, Dumont CP, Thiel M (2009) Detached aquaculture buoys in the SE Pacific: potential dispersal vehicles for associated organisms. 5:219–231
- Augusto A, Silva Pinheiro A, Greene LJ, Laure HJ, McNamara JC (2009) Evolutionary transition to freshwater by ancestral marine palaemonids: evidence from osmoregulation in a tide pool shrimp. 7:113–122
- Austen MC, see Bhadury P et al. (2009) 5:149–155
- Austin TJ, see Blumenthal JM et al. (2010) 9:113–121
- Avila-Poveda OH, see Moguel C et al. (2010) 9:35–48

B

- Babcock RC, see MacArthur LD et al. (2008) 4:201–210
- Badalamenti F, see Vega Fernández T et al. (2008) 1:239–248
- Baeza-Rojano E, see Guerra-García JM et al. (2009) 8:39–43
- Bailey DM, see Lemaire B et al. (2010) 8:161–168
- Baker BJ, see Koplovitz G et al. (2009) 7:81–92
- Bâmstedt U, see Jacoby CA et al. (2009) 5:13–22
- Baremore IE, Murie DJ, Carlson JK (2010) Seasonal and size-related differences in diet of the Atlantic angel shark *Squatina dumeril* in the northeastern Gulf of Mexico. 8:125–136
- Barker MF, see Lamare MD et al. (2007) 1:21–32
- Barnett A, see Braccini JM et al. (2010) 9:131–138
- Barr NG, Kloeppe A, Rees TAV, Scherer C, Taylor RB, Wenzel A (2008) Wave surge increases rates of growth and

- nutrient uptake in the green seaweed *Ulva pertusa* maintained at low bulk flow velocities. 3:179–186
- Barr NG, see Dudley BD et al. (2010) 9:85–93
- Barry JP, see Pane EF et al. (2008) 4:23–32
- Bates SS, see Mafra LL Jr et al. (2009) 6:201–212
- Battershill C, see Whalan S et al. (2008) 3:111–119
- Batty P, see Solan M et al. (2008) 2:289–301
- Bayha KM, Graham WM, Hernandez FJ Jr (2008) Multiplex assay to identify eggs of three fish species from the northern Gulf of Mexico, using locked nucleic acid Taqman real-time PCR probes. 4:65–73
- Bayman P, see Zuluaga-Montero A et al. (2010) 8:151–160
- Beaugrand G, see Grandgeorge M et al. (2008) 4:187–199
- Beaulieu M, see Zimmer I et al. (2008) 3:217–226
- Beaulieu M, see Zimmer I et al. (2010) 8:269–277
- Bec A, Martin-Creuzburg D, Von Elert E (2010) Fatty acid composition of the heterotrophic nanoflagellate *Paraphysomonas* sp.: influence of diet and de novo biosynthesis. 9:107–112
- Beer S, see Runcie JW et al. (2009) 7:143–152
- Beer S, see Sharon Y et al. (2009) 7:153–157
- Beer S, see Silva J et al. (2009) 7:127–141
- Bélaïr MC, Miron G (2009) Predation behaviour of *Cancer irroratus* and *Carcinus maenas* during conspecific and heterospecific challenges. 6:41–49
- Bell JJ, see Unsworth RKF et al. (2009) 5:85–95
- Belle CC, see Loke LHL et al. (2010) 10:119–130
- Ben-Hamadou R, see Leitão A et al. (2010) 10:193–200
- Beninger PG (2009) Directions in bivalve feeding: Introduction. 6:175–180
- Beninger PG, see Yahel G et al. (2009) 6:235–246
- Berge J, see Nygård H et al. (2009) 5:63–74
- Bergström AK, Jonsson A, Jansson M (2008) Phytoplankton responses to nitrogen and phosphorus enrichment in unproductive Swedish lakes along a gradient of atmospheric nitrogen deposition. 4:55–64
- Berman T, Berman-Frank I (2009) Introduction. 7:125–126
- Berman-Frank I, see Berman T (2009) 7:125–126
- Bernet D, Wahli T, Kipfer S, Segner H (2009) Macroscopic gonadal deviations and intersex in developing whitefish *Coregonus lavaretus*. 6:1–13
- Bersey J, see Ellis RP et al. (2009) 5:41–48
- Bester MN, see de Bruyn PJN et al. (2009) 5:31–39
- Bhadury P, Bridge PD, Austen MC, Bilton DT, Smerdon GR (2009) Detection of fungal 18S rRNA sequences in conjunction with marine nematode 18S rRNA amplicons. 5:149–155
- Bibby R, Widdicombe S, Parry H, Spicer J, Pipe R (2008) Effects of ocean acidification on the immune response of the blue mussel *Mytilus edulis*. 2:67–74
- Bignell JP, Dodge MJ, Feist SW, Lyons B, Martin PD, Taylor NGH, Stone D, Travalent L, Stentiford GD (2008) Mussel histopathology: effects of season, disease and species. 2:1–15
- Bilton DT, see Bhadury P et al. (2009) 5:149–155
- Block BA, see Teo SLH et al. (2009) 5:195–207
- Bluhm BA, Iken K, Mincks Hardy S, Sirenko BI, Holladay BA (2009) Community structure of epibenthic megafauna in the Chukchi Sea. 7:269–293
- Blümel M, see Lachnit T et al. (2009) 5:181–186
- Blumenthal JM, Austin TJ, Bothwell JB, Broderick AC, Ebanks-Petrie G, Olynik JR, Orr MF, Solomon JL, Witt MJ, Godley BJ (2010) Life in (and out of) the lagoon: fine-scale movements of green turtles tracked using time-depth recorders. 9:113–121
- Blumenthal JM, see Witt MJ et al. (2010) 8:169–177
- Bocconcelli A, see Madsen PT et al. (2007) 1:141–150
- Bodiou JY, see Carlier A et al. (2009) 5:167–179
- Bonfil R, Francis MP, Duffy C, Manning MJ, O'Brien S (2010) Large-scale tropical movements and diving behavior of white sharks *Carcharodon carcharias* tagged off New Zealand. 8:115–123
- Bonilla S, see Rautio M et al. (2009) 7:93–105
- Boon PY, Yeo DCJ, Todd PA (2009) Sound production and reception in mangrove crabs *Perisesarma* spp. (Brachyura: Sesarmidae). 5:107–116
- Borg CMA, see Tiselius P et al. (2008) 2:93–103
- Borum J, see Raun AL et al. (2009) 5:23–29
- Boscarino B, see Johannsson OE et al. (2008) 4:33–46
- Boscarino BT, Rudstam LG, Eillenberger JL, O'Gorman R (2009) Importance of light, temperature, zooplankton and fish in predicting the nighttime vertical distribution of *Mysis diluviana*. 5:263–279
- Bothwell JB, see Blumenthal JM et al. (2010) 9:113–121
- Boudreau BP, see Meysman FJR et al. (2008) 2:239–254
- Boudry P, see Normand J et al. (2009) 7:229–241
- Bouillon S, see Teugels B et al. (2008) 4:15–21
- Boulcott P, Wright PJ (2008) Critical timing for reproductive allocation in a capital breeder: evidence from sandeels. 3:31–40
- Bowen ID, see Pope EC et al. (2008) 4:175–185
- Bowen KL, see Johannsson OE et al. (2008) 4:33–46
- Bowen KL, see Johannsson OE et al. (2009) 5:249–262
- Bozelli RL, see Guariento RD et al. (2010) 10:273–282
- Braccini JM, Troynikov VS, Walker TI, Mollet HF, Ebert DA, Barnett A, Kirby N (2010) Incorporating heterogeneity into growth analyses of wild and captive broadnose sevengill sharks *Notorynchus cepedianus*. 9:131–138
- Brandt A, see Stuart CT et al. (2008) 4:143–145
- Bravo M, see Astudillo JC et al. (2009) 5:219–231
- Breen E, Metaxas A (2009) Overlap in the distributions between indigenous and non-indigenous decapods in a brackish micro-tidal system. 8:1–13
- Breithaupt T, see van der Meeren GI et al. (2008) 2:191–200
- Brey T, see Strahl J et al. (2007) 1:77–83
- Bricelj VM, see Mafra LL Jr et al. (2009) 6:201–212
- Bricelj VM, see Mafra LL Jr et al. (2009) 6:213–226
- Bridge PD, see Bhadury P et al. (2009) 5:149–155
- Brié C, see Frédéric B et al. (2010) 9:271–277
- Britton-Simmons KH, Foley G, Okamoto D (2009) Spatial subsidy in the subtidal zone: utilization of drift algae by a deep subtidal sea urchin. 5:233–243
- Broderick AC, see Blumenthal JM et al. (2010) 9:113–121
- Broderick AC, see Witt MJ et al. (2010) 8:169–177
- Broeg K, see Strahl J et al. (2007) 1:77–83
- Brokordt KB, see Monaco CJ et al. (2010) 9:23–33
- Bromage E, Long WC, Kaattari S (2008) Biomarkers of oogenesis in *Macoma balthica* determined by subtractive immunization. 3:139–145
- Bromage E, see Long WC et al. (2008) 3:187–193
- Browman HI, see Kinne O et al. (2007) 1:i
- Brown JA, see Puvanendran V et al. (2008) 2:113–118
- Buchholz B, see Weinberger F et al. (2008) 3:251–264
- Bulling MT, see Solan M et al. (2008) 2:289–301
- Bulling MT, see Teal LR et al. (2008) 2:207–218
- Burchell M, see Risk MJ et al. (2010) 10:85–97
- Buren AD, see Hedd A et al. (2010) 9:13–22
- Burger AE, see Ronconi RA (2009) 4:297–309
- Burke CM, see Hedd A et al. (2010) 9:13–22
- Burns G, see Clark MS et al. (2007) 1:45–53
- Buschbaum C, see Polte P (2008) 3:11–18
- Bustamante P, see Lacoue-Labarthe T et al. (2009) 6:91–98
- Butterfield D, see Kelly N et al. (2007) 1:1–16
- Byers T, see Mallory ML et al. (2010) 10:181–191

Byrén L, see Ejdung G et al. (2008) 3:89–99
 Byrén L, see Ejdung G et al. (2009) 6:15–24

C

- Caamal-Monsreal C, see Moguel C et al. (2010) 9:35–48
 Cabezas MP, see Guerra-García JM et al. (2009) 8:39–43
 Caetano M, see Raimundo J et al. (2009) 6:25–30
 Cairns DK, see Jessop BM et al. (2008) 1:205–216
 Cajaraville MP, see Garmendia L et al. (2010) 9:203–219
 Caliman A, see Guariento RD et al. (2010) 10:273–282
 Calosi P, see Small D et al. (2010) 10:11–21
 Cambon-Bonavita MA, see Corbari L et al. (2008) 1:225–238
 Campbell KL, see Elliott KH et al. (2010) 8:221–235
 Carlier A, Riera P, Amouroux JM, Bodiou JY, Desmalades M, Grémare A (2009) Spatial heterogeneity in the food web of a heavily modified Mediterranean coastal lagoon: stable isotope evidence. 5:167–179
 Carlini AR, see de Bruyn PJN et al. (2009) 5:31–39
 Carlson JK, see Baremore IE et al. (2010) 8:125–136
 Carmichael RH, Hattenrath T, Valiela I, Michener RH (2008) Nitrogen stable isotopes in the shell of *Mercenaria mercenaria* trace wastewater inputs from watersheds to estuarine ecosystems. 4:99–111
 Carmichael RH, see Kovacs CJ et al. (2010) 9:77–84
 Carneiro LS, see Guariento RD et al. (2010) 10:273–282
 Caron DA, see Lonsdale DJ et al. (2009) 6:263–279
 Carpenter EJ, see Eberl R et al. (2007) 1:33–43
 Carpenter SR, see Langman OC et al. (2010) 9:193–202
 Carrington E, see Lachance AA et al. (2008) 2:119–129
 Carroll J, see Jensen LK (2010) 10:261–271
 Cartwright-Taylor L, Lee J, Hsu CC (2009) Population structure and breeding pattern of the mangrove horseshoe crab *Carcinoscorpius rotundicauda* in Singapore. 8:61–69
 Carvalho S, see Leitão A et al. (2010) 10:193–200
 Casareto BE, Niraula MP, Fujimura H, Suzuki Y (2009) Effects of carbon dioxide on the coccolithophorid *Pleurochrysis carterae* in incubation experiments. 7:59–70
 Céréghino R, see Syväranta J et al. (2010) 8:137–144
 Cerrato RM, see Lonsdale DJ et al. (2009) 6:263–279
 Cesário R, see Raimundo J et al. (2009) 6:25–30
 Challenger RC, Miller MF, Furbish DJ, McClintock J (2009) Evaluation of sand grain crushing in the sand dollar *Melitta tenuis* (Echinoidea: Echinodermata). 7:261–268
 Chan F, see Petes LE et al. (2008) 3:63–70
 Chandrapavan A, see van der Meer GI et al. (2008) 2:191–200
 Chang CW, see Chen HL et al. (2008) 3:41–50
 Chang KH, see Doi H et al. (2010) 10:47–55
 Chang YT, see Han YS et al. (2009) 5:143–147
 Chen HL, Shen KN, Chang CW, Iizuka Y, Tzeng WN (2008) Effects of water temperature, salinity and feeding regimes on metamorphosis, growth and otolith Sr:Ca ratios of *Megalops cyprinoides* leptocephali. 3:41–50
 Chen LY, see Chen YS et al. (2009) 8:55–60
 Chen M, Wang WX (2008) Accelerated uptake by phytoplankton of iron bound to humic acids. 3:155–166
 Chen MY, see Xing K et al. (2008) 2:85–92
 Chen Y, see Hu M et al. (2009) 7:107–112
 Chen YS, Yanagida F, Chen LY (2009) Isolation of marine yeasts from coastal waters of northeastern Taiwan. 8:55–60
 Cheng YW, see Purcell SW (2010) 9:227–238
 Chernihovsky M, see Sharon Y et al. (2009) 7:153–157
 Cheung SG, see Hu M et al. (2009) 7:107–112
 Choy EJ, see Kang CK et al. (2009) 6:289–302
 Chu C, see Johannsson OE et al. (2008) 4:33–46
 Chu FLE, Lund ED, Littreal PR, Ruck KE, Harvey E (2009) Species-specific differences in long-chain n-3 essential fatty acid, sterol, and steroidal ketone production in six heterotrophic protist species. 6:159–172
 Chung HC, see Hung OS et al. (2009) 4:253–262
 Cipriano F, see Eberl R et al. (2007) 1:33–43
 Clare AS, see Pope EC et al. (2008) 4:175–185
 Clark MS, Dupont S, Rosetti H, Burns G, Thorndyke MC, Peck LS (2007) Delayed arm regeneration in the Antarctic brittle star *Ophionotus victoriae*. 1:45–53
 Clauss TM, see Dove ADM et al. (2010) 9:177–183
 Claverie T, Smith IP (2010) Allometry and sexual dimorphism in the chela shape of the squat lobster *Munida rugosa*. 8:179–187
 Clavier J, see Santana FM et al. (2009) 7:199–206
 Clews E, see Loke LHL et al. (2010) 10:119–130
 Cohen S, see Eberl R et al. (2007) 1:33–43
 Collins MA, see Lemaire B et al. (2010) 8:161–168
 Čomić L, Ranković B, Novevska V, Ostojić A (2010) Diversity and dynamics of the fungal community in Lake Ohrid. 9:169–176
 Compère P, see Corbari L et al. (2008) 1:225–238
 Conlan SL, see Pope EC et al. (2008) 4:175–185
 Connell SD, see Elsdon TS (2009) 5:157–166
 Corbari L, Zbinden M, Cambon-Bonavita MA, Gaill F, Compère P (2008) Bacterial symbionts and mineral deposits in the branchial chamber of the hydrothermal vent shrimp *Rimicaris exoculata*: relationship to moult cycle. 1:225–238
 Cordell JR, Draheim R, Sytsma M (2007) First record of the harpacticoid genus *Harpacticella* in the Pacific Northwest, USA: another probable introduction. 1:17–20
 Corkeron PJ, see Van Opzeeland IC et al. (2009) 6:109–120
 Costa DP, see Teo SLH et al. (2009) 5:195–207
 Costa FO, see Ward RD et al. (2008) 3:71–78
 Costa PR, Pereira J (2010) Ontogenic differences in the concentration of domoic acid in the digestive gland of male and female *Octopus vulgaris*. 9:221–225
 Crivelli A, see Syväranta J et al. (2010) 8:137–144
 Cucherousset J, see Syväranta J et al. (2010) 8:137–144
 Cullen LC, see Unsworth RKF et al. (2009) 5:85–95

D

- D'Anna G, see Vega Fernández T et al. (2008) 1:239–248
 Daquin-Thiébaud C, see Plouviez S et al. (2008) 3:79–87
 Dänhardt A, Temming A (2007) Effects of haul duration on the physical condition of sprat larvae. 1:135–139
 Danovaro R, see Zeppilli D (2009) 5:75–84
 Dashtgard SE, see Gingras MK et al. (2008) 2:255–268
 Daskin JH, see Kovacs CJ et al. (2010) 9:77–84
 Davies NS, see Herringshaw LG (2008) 2:279–287
 Davis MW, Ottmar ML (2009) Vertical distribution of juvenile Pacific cod *Gadus macrocephalus*: potential role of light, temperature, food, and age. 8:29–37
 Davoult D, see Muths D et al. (2009) 5:117–132
 de Assis Esteves F, see Guariento RD et al. (2010) 10:273–282
 de Bruyn PJN, Bester MN, Carlini AR, Oosthuizen WC (2009) How to weigh an elephant seal with one finger: a simple three-dimensional photogrammetric application. 5:31–39
 de Lima Preto B, see Moraes-Valenti P et al. (2010) 9:291–301
 de Moraes PA, see Moraes-Valenti P et al. (2010) 9:291–301
 de Nys R, see Whalan S et al. (2008) 3:111–119
 de Roo K, see Risk MJ et al. (2010) 10:85–97
 Deakos MH (2010) Paired-laser photogrammetry as a simple

- and accurate system for measuring the body size of free-ranging manta rays *Manta alfredi*. 10:1–10
- Denoël M, see Frédérick B et al. (2010) 9:271–277
- Desmalades M, see Carlier A et al. (2009) 5:167–179
- Dias GM, Abreu AG, Silva FOM, Solferini VN (2009) Microgeographical differentiation between morphotypes of *Trididemnum orbiculatum* (Tunicata: Ascidiacea) in south-eastern Brazil. 4:243–252
- Dias SC, see Sousa R et al. (2008) 3:237–250
- Dick TA, see Mallory ML et al. (2010) 10:181–191
- Dodge MJ, see Bignell JP et al. (2008) 2:1–15
- Doherty S, Gosling E, Was A (2007) Bivalve ligament—a new source of DNA for historical studies. 1:161–165
- Doi H, Chang KH, Nakano Si (2010) Dispersal, connectivity, and local conditions determine zooplankton community composition in artificially connected ponds. 10:47–55
- Dove ADM, Arnold J, Clauss TM (2010) Blood cells and serum chemistry in the world's largest fish: the whale shark *Rhinocodon typus*. 9:177–183
- Draheim R, see Cordell JR et al. (2007) 1:17–20
- Driggers WB III, Ingram GW Jr, Grace MA, Gledhill CT, Henwood TA, Horton CN, Jones CM (2008) Popping areas and mortality rates of young tiger sharks *Galeocerdo cuvier* in the western North Atlantic Ocean. 2:161–170
- Duchêne JC, see Maire O et al. (2008) 2:219–238
- Dudley BD, Barr NG, Shima JS (2010) Influence of light intensity and nutrient source on $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ signatures in *Ulva pertusa*. 9:85–93
- Duffy C, see Bonfil R et al. (2010) 8:115–123
- Duffy DC, see Hebshi AJ et al. (2008) 4:89–98
- Dumont CP, see Astudillo JC et al. (2009) 5:219–231
- Dunn TE, see Grandgeorge M et al. (2008) 4:187–199
- Dupont S, see Clark MS et al. (2007) 1:45–53
- Dutton J, Fisher NS (2010) Intraspecific comparisons of metal bioaccumulation in the juvenile Atlantic silverside *Menidia menidia*. 10:211–226

E

- Ebanks-Petrie G, see Blumenthal JM et al. (2010) 9:113–121
- Eberl R, Cohen S, Cipriano F, Carpenter EJ (2007) Genetic diversity of the pelagic harpacticoid copepod *Macrosetella gracilis* on colonies of the cyanobacterium *Trichodesmium* spp. 1:33–43
- Ebert DA, see Braccini JM et al. (2010) 9:131–138
- Eckstein S, see Yahel G et al. (2009) 6:235–246
- Egeland ES, see Hagen NT et al. (2008) 3:227–235
- Eiane K, see Orlova EL et al. (2010) 10:105–118
- Eikaas HS, see Loke LHL et al. (2010) 10:119–130
- Eillenberger JL, see Boscarino BT et al. (2009) 5:263–279
- Ejdung G, Byrén L, Eriksson Wiklund AK, Sundelin B (2008) Uptake of diatoms in Baltic Sea macrozoobenthos during short-term exposure to severe and moderate hypoxia. 3:89–99
- Ejdung G, Flach E, Byrén L, Hummel H (2009) Predation by crustaceans on native and non-native Baltic clams. 6:15–24
- Elliott KH, Shoji A, Campbell KL, Gaston AJ (2010) Oxygen stores and foraging behavior of two sympatric, planktivorous alcids. 8:221–235
- Ellis RP, Bersey J, Rundle SD, Hall-Spencer JM, Spicer JI (2009) Subtle but significant effects of CO_2 acidified seawater on embryos of the intertidal snail, *Littorina obtusata*. 5:41–48
- Elsdon TS, Connell SD (2009) Spatial and temporal monitoring of coastal water quality: refining the way we consider,

- gather, and interpret patterns. 5:157–166
- Eriksson Wiklund AK, see Ejdung G et al. (2008) 3:89–99
- Eriksson Wiklund AK, see Sundelin B et al. (2008) 2:179–190
- Ernande B, see Normand J et al. (2009) 7:229–241
- Escobar-Briones E, see Stuart CT et al. (2008) 4:143–145
- Etter RJ, see Stuart CT et al. (2008) 4:143–145
- Evans BS, see Whalan S et al. (2008) 3:111–119

F

- Fabri MC, see Stuart CT et al. (2008) 4:143–145
- Fahlman A, Hastie GD, Rosen DAS, Naito Y, Trites AW (2008) Buoyancy does not affect diving metabolism during shallow dives in Steller sea lions *Eumetopias jubatus*. 3:147–154
- Fahlman A, Wilson R, Svärd C, Rosen DAS, Trites AW (2008) Activity and diving metabolism correlate in Steller sea lion *Eumetopias jubatus*. 2:75–84
- Fahlman A, see Svärd C et al. (2009) 8:71–82
- Feist SW, see Bignell JP et al. (2008) 2:1–15
- Fifield DA, see Hedd A et al. (2010) 9:13–22
- Figueroa FL, Israel A, Neori A, Martínez B, Malta E, Ang P Jr, Inken S, Marquardt R, Korbee N (2009) Effects of nutrient supply on photosynthesis and pigmentation in *Ulva lactuca* (Chlorophyta): responses to short-term stress. 7:173–183
- Figueroa FL, Martínez B, Israel A, Neori A, Malta E, Ang P Jr, Inken S, Marquardt R, Rachamim T, Arazi U, Frenk S, Korbee N (2009) Acclimation of Red Sea macroalgae to solar radiation: photosynthesis and thallus absorbance. 7:159–172
- Findlay HS, Kendall MA, Spicer JI, Turley C, Widdicombe S (2008) Novel microcosm system for investigating the effects of elevated carbon dioxide and temperature on intertidal organisms. 3:51–62
- Findlay RH, see Smoot JC (2010) 8:105–114
- Fisher NS, see Dutton J (2010) 10:211–226
- Fitzpatrick B, see Langlois TJ et al. (2010) 9:155–168
- Flach E, see Ejdung G et al. (2009) 6:15–24
- Flood PR, see Jacoby CA et al. (2009) 5:13–22
- Flores AAV, Gomes CC, Villano WF (2009) Source populations in coastal crabs: parameters affecting egg production. 7:31–43
- Foley G, see Britton-Simmons KH et al. (2009) 5:233–243
- Fonseca Leal JJ, see Guariento RD et al. (2010) 10:273–282
- Forbes MR, see Mallory ML et al. (2009) 4:211–223
- Forbes MR, see Mallory ML et al. (2010) 10:181–191
- Forsterra G, see Risk MJ et al. (2010) 10:85–97
- Francis MP, see Bonfil R et al. (2010) 8:115–123
- Frank AR, see Touchette BW (2009) 6:67–75
- Frédérick B, Mills SC, Denoël M, Parmentier E, Brié C, Santos R, Waqalevu VP, Lecchini D (2010) Colour differentiation in a coral reef fish throughout ontogeny: habitat background and flexibility. 9:271–277
- Frenk S, see Figueroa FL et al. (2009) 7:159–172
- Frere E, see Wilson RP et al. (2010) 8:193–202
- Fromont J, see Abdo DA et al. (2008) 1:291–302
- Frost JR, see Jacoby CA et al. (2009) 5:13–22
- Fujimura H, see Casareto BE et al. (2009) 7:59–70
- Furbish DJ, see Challener RC et al. (2009) 7:261–268

G

- Gaill F, see Corbari L et al. (2008) 1:225–238
- Galzin R, see Mellin C et al. (2009) 6:31–39

- Gambi MC, see Iannotta MA et al. (2009) 6:121–132
- García de Leaniz C, see Robson AA et al. (2009) 6:191–200
- García Reyes J, Schizas NV (2010) No two reefs are created equal: fine-scale population structure in the threatened coral species *Acropora palmata* and *A. cervicornis*. 10: 69–83
- García-Alonso J, Müller CT, Hardege JD (2008) Influence of food regimes and seasonality on fatty acid composition in the ragworm. 4:7–13
- García-Gómez JC, see Guerra-García JM et al. (2009) 8:39–43
- Garmendia L, Soto M, Cajaraville MP, Marigómez I (2010) Seasonality in cell and tissue-level biomarkers in *Mytilus galloprovincialis*: relevance for long-term pollution monitoring. 9:203–219
- Garrard SL, see Unsworth RKF et al. (2009) 5:85–95
- Gaspar MB, see Leitão A et al. (2010) 10:193–200
- Gaspar MB, see Moura P et al. (2009) 5:97–106
- Gaston AJ, see Elliott KH et al. (2010) 8:221–235
- Gaston AJ, see Mallory ML et al. (2010) 10:181–191
- Gaymer CF, see Monaco CJ et al. (2010) 9:23–33
- Gebühr C, Wiltshire KH, Aberle N, van Beusekom JEE, Gerdtts G (2009) Influence of nutrients, temperature, light and salinity on the occurrence of *Paralia sulcata* at Helgoland Roads, North Sea. 7:185–197
- Geiger SP, see Arnold WS et al. (2009) 5:49–62
- Genin A, see Yahel G et al. (2009) 6:235–246
- Gentil F, see Muths D et al. (2009) 5:117–132
- Gerdtts G, see Gebühr C et al. (2009) 7:185–197
- Gharsallah IH, Vasconcelos P, Zamouri Langar N, Missaoui H (2010) Reproductive cycle and biochemical composition of *Hexaplex trunculus* (Gastropoda: Muricidae) from Bizerte lagoon, northern Tunisia. 10:155–166
- Gillibrand PA, Willis KJ (2007) Dispersal of sea louse larvae from salmon farms: modelling the influence of environmental conditions and larval behaviour. 1:63–75
- Giménez L, see Torres G et al. (2008) 2:37–45
- Gingras MK, Dashtgard SE, MacEachern JA, Pemberton SG (2008) Biology of shallow marine ichnology: a modern perspective. 2:255–268
- Gledhill CT, see Driggers WB III et al. (2008) 2:161–170
- Gleiss AC, see Shepard ELC et al. (2009) 4:235–241
- Godbold JA, see Solan M et al. (2008) 2:289–301
- Godley BJ, see Blumenthal JM et al. (2010) 9:113–121
- Godley BJ, see Witt MJ et al. (2010) 8:169–177
- Gogal RM Jr, see Holladay SD et al. (2010) 10:241–247
- Gomes CC, see Flores AAV et al. (2009) 7:31–43
- Gómez Laich A, see Shepard ELC et al. (2009) 4:235–241
- Gómez Laich A, see Shepard ELC et al. (2010) 8:259–267
- Gómez Laich A, see Wilson RP et al. (2010) 8:193–202
- González-Salas C, see Villegas-Hernández H et al. (2008) 1:249–258
- Gore S, see Witt MJ et al. (2010) 8:169–177
- Gosling E, see Doherty S et al. (2007) 1:161–165
- Goto T, see Kartavtsev YP et al. (2009) 8:95–103
- Grace MA, see Driggers WB III et al. (2008) 2:161–170
- Graham WM, see Bayha KM et al. (2008) 4:65–73
- Grandgeorge M, Wanless S, Dunn TE, Maumy M, Beaugrand G, Grémillet D (2008) Resilience of the British and Irish seabird community in the twentieth century. 4:187–199
- Greene LJ, see Augusto A et al. (2009) 7:113–122
- Grémare A, see Carlier A et al. (2009) 5:167–179
- Grémare A, see Maire O et al. (2008) 2:219–238
- Grémillet D, see Grandgeorge M et al. (2008) 4:187–199
- Gribben PE, Wright JT, O'Connor WA, Steinberg P (2009) Larval settlement preference of a native bivalve: the influence of an invasive alga versus native substrata. 7:217–227
- Grosell M, see Pane EF et al. (2008) 4:23–32
- Guariento RD, Carneiro LS, Caliman A, Bozelli RL, Fonseca Leal JJ, de Assis Esteves F (2010) Interactive effects of omnivorous fish and nutrient loading on net productivity regulation of phytoplankton and periphyton. 10:273–282
- Guerra-García JM, Cabezas MP, Baeza-Rojano E, Pacios-Palma I, García-Gómez JC (2009) Carbon, nitrogen, hydrogen and sulphur components of intertidal caprellids (Crustacea) from southern Spain. 8:39–43
- Guilhermino L, see Sousa R et al. (2008) 3:237–250

H

- Haas A, see Wild C et al. (2009) 6:133–142
- Haas A, see Wild C et al. (2010) 10:41–45
- Haas AF, Wild C (2010) Composition analysis of organic matter released by cosmopolitan coral reef-associated green algae. 10:131–138
- Hagen NT, Jørgensen I, Egeland ES (2008) Sex-specific seasonal variation in the carotenoid content of sea urchin gonads. 3:227–235
- Hale MS, see Riley MJ et al. (2010) 8:145–150
- Hall-Spencer JM, see Ellis RP et al. (2009) 5:41–48
- Halsey LG, see Shepard ELC et al. (2009) 4:235–241
- Hamaguchi M, see Tezuka N et al. (2009) 6:281–287
- Hammerschlag N, Ovando D, Serafy JE (2010) Seasonal diet and feeding habits of juvenile fishes foraging along a subtropical marine ecotone. 9:279–290
- Han YS, Chang YT, Tzeng WN (2009) Variable habitat use by Japanese eel affects dissemination of swimbladder parasite *Anguillicola crassus*. 5:143–147
- Hanlon RT, see Madsen PT et al. (2007) 1:141–150
- Hannah RW, Rankin PS, Penny AN, Parker SJ (2008) Physical model of the development of external signs of barotrauma in Pacific rockfish. 3:291–296
- Hansen BW, see Tiselius P et al. (2008) 2:93–103
- Hansen PJ, see Tiselius P et al. (2008) 2:93–103
- Hanson PC, see Langman OC et al. (2010) 9:193–202
- Hanzawa N, see Kartavtsev YP et al. (2009) 8:95–103
- Hardege JD, see García-Alonso J et al. (2008) 4:7–13
- Harman A, see Riley MJ et al. (2010) 8:145–150
- Harvey E, see Chu FLE et al. (2009) 6:159–172
- Harvey ES, see Langlois TJ et al. (2010) 9:155–168
- Hastie GD, see Fahlman A et al. (2008) 3:147–154
- Hattenrath T, see Carmichael RH et al. (2008) 4:99–111
- Haure J, see Normand J et al. (2009) 7:229–241
- Hawkins AJS, see Pascoe PL et al. (2007) 1:177–185
- Hawkins AJS, see Pascoe PL et al. (2009) 6:181–190
- Hawkins SJ, see Martins GM et al. (2008) 3:1–10
- Hayd L, see Anger K (2009) 7:19–30
- Hayd L, see Anger K (2010) 9:251–261
- Hays GC, see Hobson VJ et al. (2009) 5:133–142
- He HP, see Hung OS et al. (2009) 4:253–262
- Hebshi AJ, Duffy DC, Hyrenbach KD (2008) Associations between seabirds and subsurface predators around Oahu, Hawaii. 4:89–98
- Hedd A, Fifeild DA, Burke CM, Montevecchi WA, McFarlane Tranquilla L, Regular PM, Buren AD, Robertson GJ (2010) Seasonal shift in the foraging niche of Atlantic puffins *Fratercula arctica* revealed by stable isotope ($\delta^{15}\text{N}$ and $\delta^{13}\text{C}$) analyses. 9:13–22
- Heiman KW, Vidargas N, Micheli F (2008) Non-native habitat as home for non-native species: comparison of communities associated with invasive tubeworm and native oyster reefs. 2:47–56

- Henwood TA, see Driggers WB III et al. (2008) 2:161–170
- Hernandez FJ Jr, see Bayha KM et al. (2008) 4:65–73
- Herringshaw LG, Davies NS (2008) Bioturbation levels during the end-Ordovician extinction event: a case study of shallow marine strata from the Welsh Basin. 2:279–287
- Herringshaw LG, Solan M (2008) Benthic bioturbation in the past, present and future. 2:201–205
- Hess-Erga OK, Kihle Attramadad KJ, Vadstein O (2008) Biotic and abiotic particles protect marine heterotrophic bacteria during UV and ozone disinfection. 4:147–154
- Heupel MR, Simpfendorfer CA (2008) Movement and distribution of young bull sharks *Carcharhinus leucas* in a variable estuarine environment. 1:277–289
- Hidaka K, see Shimode S et al. (2009) 7:295–306
- Hidalgo M, Tomás J, Høie H, Morales-Nin B, Ninnemann US (2008) Environmental influences on the recruitment process inferred from otolith stable isotopes in *Merluccius merluccius* off the Balearic Islands. 3:195–207
- Hildebrand JA, see Soldevilla MS et al. (2010) 9:49–62
- Himstedt W, see Meyer W et al. (2007) 1:167–175
- Hindle AG, Rosen DAS, Trites AW (2010) Swimming depth and ocean currents affect transit costs in Steller sea lions *Eumetopias jubatus*. 10:139–148
- Hiroe Y, see Shimode S et al. (2009) 7:295–306
- Hitch AT, see Martin SB et al. (2009) 8:15–28
- Hobson KA, see Mallory ML et al. (2010) 10:181–191
- Hobson VJ, Righton D, Metcalfe JD, Hays GC (2009) Link between vertical and horizontal movement patterns of cod in the North Sea. 5:133–142
- Hoegh-Guldberg O, see Ainsworth TD (2009) 4:289–296
- Hoegh-Guldberg O, see Andersen SB et al. (2010) 10:99–104
- Høie H, see Hidalgo M et al. (2008) 3:195–207
- Holladay BA, see Bluhm BA et al. (2009) 7:269–293
- Holladay SD, Smith BJ, Gogal RM Jr (2010) Exposure to formaldehyde at therapeutic levels decreases peripheral blood lymphocytes and hematopoietic progenitors in the pronephros of tilapia *Oreochromis niloticus*. 10:241–247
- Holland R, see Lonsdale DJ et al. (2009) 6:263–279
- Holmes BH, see Ward RD et al. (2008) 3:71–78
- Holmfeldt K, see Titelman J et al. (2008) 2:131–141
- Holt L, see Lonsdale DJ et al. (2009) 6:263–279
- Horii T, see Yamane K et al. (2010) 10:283–209
- Horton CN, see Driggers WB III et al. (2008) 2:161–170
- Hourdez S, see Plouviez S et al. (2008) 3:79–87
- Hsu CB, Tzeng CS, Yeh CH, Kuan WH, Kuo MH, Lin HJ (2010) Habitat use by the Formosan landlocked salmon *Oncorhynchus masou formosanus*. 10:227–239
- Hsu CC, see Cartwright-Taylor L et al. (2009) 8:61–69
- Hu M, Wang Y, Chen Y, Cheung SG, Shin PKS, Li Q (2009) Summer distribution and abundance of juvenile Chinese horseshoe crabs *Tachypleus tridentatus* along an intertidal zone in southern China. 7:107–112
- Hu YH, see Langman OC et al. (2010) 9:193–202
- Huebert KB, Sponaugle S (2009) Observed and simulated swimming trajectories of late-stage coral reef fish larvae off the Florida Keys. 7:207–216
- Huettel M, see Wild C et al. (2009) 6:133–142
- Hummel H, see Ejdung G et al. (2009) 6:15–24
- Hung OS, Lee OO, Thiyagarajan V, He HP, Xu Y, Chung HC, Qiu JW, Qian PY (2009) Characterization of cues from natural multi-species biofilms that induce larval attachment of the polychaete *Hydroides elegans*. 4:253–262
- Hunt GL Jr, see Mallory ML et al. (2010) 10:181–191
- Hunte W, see Vermeer LA (2008) 2:153–160
- Hur YB, see Kang CK et al. (2009) 6:289–302
- Hyndes GA, see MacArthur LD et al. (2008) 4:201–210
- Hyrenbach KD, see Hebshi AJ et al. (2008) 4:89–98

I

- Iannotta MA, Gambi MC, Patti FP (2009) Molecular evidence of intraspecific variability in *Lysidice ninetta* (Polychaeta: Eunicidae) in the Mediterranean Sea. 6:121–132
- Ibarrola I, see Navarro E et al. (2009) 6:247–262
- Ichinotsuka D, Katano T, Takeoka H, Nakano S (2010) Effects of nutrient supplies on the growth rates of planktonic bacteria in Uchiyumi Bay, Japan. 9:123–130
- Ichisaki E, see Tezuka N et al. (2009) 6:281–287
- Iizuka Y, see Chen HL et al. (2008) 3:41–50
- Iizuka Y, see Jessop BM et al. (2008) 2:171–178
- Ikedo T, Sano F, Yamaguchi A, Matsuishi T (2007) RNA:DNA ratios of calanoid copepods from the epipelagic through abyssopelagic zones of the North Pacific Ocean. 1:99–108
- Iken K, see Bluhm BA et al. (2009) 7:269–293
- Imhoff JF, see Lachnit T et al. (2009) 5:181–186
- Ingram GW Jr, see Driggers WB III et al. (2008) 2:161–170
- Inken S, see Figueroa FL et al. (2009) 7:159–172
- Inken S, see Figueroa FL et al. (2009) 7:173–183
- Inoue JG, see Ma T et al. (2008) 2:29–35
- Iseki K, see Tezuka N et al. (2009) 6:281–287
- Ishimatsu A, see Kurihara H et al. (2007) 1:91–98
- Ishimatsu A, see Kurihara H et al. (2009) 4:225–233
- Israel A, see Figueroa FL et al. (2009) 7:159–172
- Israel A, see Figueroa FL et al. (2009) 7:173–183
- Ito M, Takahashi A, Kokubun N, Kitaysky AS, Watanuki Y (2010) Foraging behavior of incubating and chick-rearing thick-billed murres *Uria lomvia*. 8:279–287
- Ito M, see Kokubun N et al. (2010) 8:289–298
- Ituarte RB, López Mañanes AA, Spivak ED, Anger K (2008) Activity of Na⁺,K⁺-ATPase in a 'freshwater shrimp', *Palaeomonetes argentinus* (Caridea, Palaemonidae): ontogenetic and salinity-induced changes. 3:283–290

J

- Jacobson T, Prevodnik A, Sundelin B (2008) Combined effects of temperature and a pesticide on the Baltic amphipod *Monoporeia affinis*. 1:269–276
- Jacoby CA, Youngbluth MJ, Frost JR, Flood PR, Uiblein F, Båmstedt U, Pagès F, Shale D (2009) Vertical distribution, behavior, chemical composition and metabolism of *Staurouteuthis syrtensis* (Octopoda: Cirrata) in the northwest Atlantic. 5:13–22
- Jansson M, see Bergström AK et al. (2008) 4:55–64
- Jenkins SR, see Martins GM et al. (2008) 3:1–10
- Jensen LK, Carroll J (2010) Experimental studies of reproduction and feeding for two Arctic-dwelling *Calanus* species exposed to crude oil. 10:261–271
- Jepsen N, see Aarestrup K et al. (2010) 9:263–270
- Jerry DR, see Whalan S et al. (2008) 3:111–119
- Jessop BM, Cairns DK, Thibault I, Tzeng WN (2008) Life history of American eel *Anguilla rostrata*: new insights from otolith microchemistry. 1:205–216
- Jessop BM, Shiao JC, Iizuka Y, Tzeng WN (2008) Prevalence and intensity of occurrence of vaterite inclusions in aragonite otoliths of American eels *Anguilla rostrata*. 2:171–178
- Johannsson OE, Bowen KL, Arts MT, Smith RW (2009) Field assessment of condition indices (nucleic acid and protein) in *Mysis diluviana*. 5:249–262
- Johannsson OE, Bowen KL, Wood CM, Smith RW, Chu C, Rudstam LG, Boscarino B (2008) Relating nucleic acid and protein indices to growth in *Mysis relicta*: ration, cycling temperature, and metabolism. 4:33–46
- Johannsson OE, see Rudstam LG (2009) 5:246–248

- Johnson M, see Madsen PT et al. (2007) 1:141–150
 Johnson MP, see McInerney CE et al. (2009) 7:45–58
 Johnston IA, Andersen Ø (2008) Number of muscle fibres in adult Atlantic cod varies with temperature during embryonic development and pantophysin (*PanI*) genotype. 4:167–173
 Jollivet D, see Muths D et al. (2009) 5:117–132
 Jollivet D, see Plouviez S et al. (2008) 3:79–87
 Jones CM, see Driggers WB III et al. (2008) 2:161–170
 Jonsson A, see Bergström AK et al. (2008) 4:55–64
 Jørgensen I, see Hagen NT et al. (2008) 3:227–235
 Joy R, see Svärd C et al. (2009) 8:71–82

K

- Kaattari S, see Bromage E et al. (2008) 3:139–145
 Kaattari S, see Long WC et al. (2008) 3:187–193
 Kanematsu M, see Tezuka N et al. (2009) 6:281–287
 Kang CK, Choy EJ, Hur YB, Myeong JI (2009) Isotopic evidence of particle size-dependent food partitioning in cocultured sea squirt *Halocynthia roretzi* and Pacific oyster *Crassostrea gigas*. 6:289–302
 Karez R, see Weinberger F et al. (2008) 3:251–264
 Karnovsky NJ, see Mallory ML et al. (2010) 10:181–191
 Kartavtsev YP, Sharina SN, Goto T, Rutenko OA, Zemnukhov VV, Semenchenko AA, Pitruk DL, Hanzawa N (2009) Molecular phylogenetics of pricklebacks and other percoid fishes from the Sea of Japan. 8:95–103
 Katano T, see Ichinotsuka D et al. (2010) 9:123–130
 Kato A, see Zimmer I et al. (2010) 8:269–277
 Kato S, see Kurihara H et al. (2007) 1:91–98
 Kato S, see Kurihara H et al. (2009) 4:225–233
 Katsanevakis S, Salomidi M, Panou A (2010) Modelling distribution patterns and habitat preference of the invasive green alga *Caulerpa racemosa* in the Saronikos Gulf (Eastern Mediterranean). 10:57–67
 Katsanevakis S, Thessalou-Legaki M (2009) Spatial distribution, abundance and habitat use of the protected fan mussel *Pinna nobilis* in Souda Bay, Crete. 8:45–54
 Kautsky N, see Norling P (2008) 4:75–87
 Kawabe R, see Takagi T et al. (2010) 9:149–153
 Kay BH, see Russell TL et al. (2009) 6:77–90
 Kelly N, Metaxas A (2008) Diversity of invertebrate colonists on simple and complex substrates at hydrothermal vents on the Juan de Fuca Ridge. 3:271–281
 Kelly N, Metaxas A, Butterfield D (2007) Spatial and temporal patterns of colonization by deep-sea hydrothermal vent invertebrates on the Juan de Fuca Ridge, NE Pacific. 1:1–16
 Kendall MA, see Findlay HS et al. (2008) 3:51–62
 Kihle Attramadal KJ, see Hess-Erga OK et al. (2008) 4:147–154
 Kim TW (2010) Food storage and carrion feeding in the fiddler crab *Uca lactea*. 10:33–39
 Kimura MR, Yanagimoto T, Munehara H (2007) Maternal identification of hybrid eggs in *Hexagrammos* spp. by means of multiplex amplified product length polymorphism of mitochondrial DNA. 1:187–194
 Kinne O, Browman HI, Seaman M (2007) Introducing Aquatic Biology. 1:i
 Kipfer S, see Bernet D et al. (2009) 6:1–13
 Kirby N, see Braccini JM et al. (2010) 9:131–138
 Kitaysky AS, see Ito M et al. (2010) 8:279–287
 Kitaysky AS, see Kokubun N et al. (2010) 8:289–298
 Klerks PL, see Martin SB et al. (2009) 8:15–28
 Kloeppel A, see Barr NG et al. (2008) 3:179–186
 Koed A, see Aarestrup K et al. (2010) 9:263–270

- Koedam N, see Teugels B et al. (2008) 4:15–21
 Koksvik J, see Koksvik JI et al. (2009) 5:293–304
 Koksvik JI, Reinertsen H, Koksvik J (2009) Plankton development in Lake Jonsvatn, Norway, after introduction of *Mysis relicta*: a long-term study. 5:293–304
 Kokubun N, Takahashi A, Ito M, Matsumoto K, Kitaysky AS, Watanuki Y (2010) Annual variation in the foraging behaviour of thick-billed murres in relation to upper-ocean thermal structure around St. George Island, Bering Sea. 8:289–298
 Kokubun N, see Ito M et al. (2010) 8:279–287
 Koplovitz G, McClintock JB, Amsler CD, Baker BJ (2009) Palatability and chemical anti-predatory defenses in common ascidians from the Antarctic Peninsula. 7:81–92
 Kopp D, see Syväranta J et al. (2010) 8:137–144
 Korbee N, see Figueroa FL et al. (2009) 7:159–172
 Korbee N, see Figueroa FL et al. (2009) 7:173–183
 Koutitonsky V, see Lachance AA et al. (2008) 2:119–129
 Kovacs CJ, Daskin JH, Patterson H, Carmichael RH (2010) *Crassostrea virginica* shells record local variation in wastewater inputs to a coastal estuary. 9:77–84
 Kuan WH, see Hsu CB et al. (2010) 10:227–239
 Kudela RM, see Teo SLH et al. (2009) 5:195–207
 Kudo T, Tanaka H, Watanabe Y, Naito Y, Otomo T, Miyazaki N (2007) Use of fish-borne camera to study chum salmon homing behavior in response to coastal features. 1:85–90
 Kühl M, see Andersen SB et al. (2010) 10:99–104
 Kuhn RA, Meyer W (2009) Infrared thermography of the body surface in the Eurasian otter *Lutra lutra* and the giant otter *Pteronura brasiliensis*. 6:143–152
 Kuo J, see Mazzillo FFM et al. (2010) 9:1–12
 Kuo MH, see Hsu CB et al. (2010) 10:227–239
 Kurihara H, Asai T, Kato S, Ishimatsu A (2009) Effects of elevated pCO₂ on early development in the mussel *Mytilus galloprovincialis*. 4:225–233
 Kurihara H, Kato S, Ishimatsu A (2007) Effects of increased seawater pCO₂ on early development of the oyster *Crassostrea gigas*. 1:91–98

L

- La Peyre MK, see Piazza BP (2007) 1:109–119
 Lachance AA, Myrand B, Tremblay R, Koutitonsky V, Carington E (2008) Biotic and abiotic factors influencing attachment strength of blue mussels *Mytilus edulis* in suspended culture. 2:119–129
 Lachnit T, Blümel M, Imhoff JF, Wahl M (2009) Specific epibacterial communities on macroalgae: phylogeny matters more than habitat. 5:181–186
 Lacoue-Labarthe T, Warnau M, Oberhänsli F, Teyssié JL, Bustamante P (2009) Bioaccumulation of inorganic Hg by the juvenile cuttlefish *Sepia officinalis* exposed to ²⁰³Hg radiolabelled seawater and food. 6:91–98
 Lam IKS, Wang WX (2008) Trace element deficiency in freshwater cladoceran *Daphnia magna*. 1:217–224
 Lamare MD, Barker MF, Lesser MP (2007) *In situ* rates of DNA damage and abnormal development in Antarctic and non-Antarctic sea urchin embryos. 1:21–32
 Langlois TJ, Harvey ES, Fitzpatrick B, Meeuwig JJ, Shedrawi G, Watson DL (2010) Cost-efficient sampling of fish assemblages: comparison of baited video stations and diver video transects. 9:155–168
 Langman OC, Hanson PC, Carpenter SR, Hu YH (2010) Control of dissolved oxygen in northern temperate lakes over scales ranging from minutes to days. 9:193–202
 Larsen PS, Madsen CV, Riisgård HU (2008) Effect of temper-

- ature and viscosity on swimming velocity of the copepod *Acartia tonsa*, brine shrimp *Artemia salina* and rotifer *Brachionus plicatilis*. 4:47–54
- Lasenby DC, see Whall JD (2009) 5:281–292
- Laure HJ, see Augusto A et al. (2009) 7:113–122
- Laurel BJ, see Puvanendran V et al. (2008) 2:113–118
- Lauzon-Guay JS, Scheibling RE (2008) Evaluation of passive integrated transponder (PIT) tags in studies of sea urchins: caution advised. 2:105–112
- Leberg PL, see Martin SB et al. (2009) 8:15–28
- Lecchini D, see Frédérick B et al. (2010) 9:271–277
- Lecchini D, see Nakamura Y et al. (2009) 6:61–65
- Lecchini D, see Planes S et al. (2009) 6:153–158
- Lecroart P, see Maire O et al. (2008) 2:219–238
- Lee J, see Cartwright-Taylor L et al. (2009) 8:61–69
- Lee OO, see Hung OS et al. (2009) 4:253–262
- Léger C, see Mafra LL Jr et al. (2009) 6:201–212
- Leitão A, Carvalho S, Ben-Hamadou R, Gaspar MB (2010) Cytogenetics of *Hediste diversicolor* (Annelida: Polychaeta) and comparative karyological analysis within Nereididae. 10:193–200
- Lemaire B, Priede IG, Collins MA, Bailey DM, Schtickzelle N, Thomé JP, Rees JF (2010) Effects of organochlorines on cytochrome P450 activity and antioxidant enzymes in liver of roundnose grenadier *Coryphaenoides rupestris*. 8:161–168
- Lessa R, see Santana FM et al. (2009) 7:199–206
- Lesser MP, see Lamare MD et al. (2007) 1:21–32
- Li Q, see Hu M et al. (2009) 7:107–112
- Liebsch N, see Shepard ELC et al. (2009) 4:235–241
- Lin HJ, see Hsu CB et al. (2010) 10:227–239
- Littreal PR, see Chu FLE et al. (2009) 6:159–172
- Locascio J, see Mann D et al. (2010) 10:149–154
- Loke LHL, Clews E, Low Ew, Belle CC, Todd PA, Eikaas HS, Ng PKL (2010) Methods for sampling benthic macroinvertebrates in tropical lentic systems. 10:119–130
- Long WC, Bromage E, Seitz RD, Kaattari S (2008) Quantifying fecundity in *Macoma balthica* using an enzyme-linked immunosorbent assay (ELISA). 3:187–193
- Long WC, see Bromage E et al. (2008) 3:139–145
- Lonsdale DJ, Cerrato RM, Holland R, Mass A, Holt L, Schaffner RA, Pan J, Caron DA (2009) Influence of suspension-feeding bivalves on the pelagic food webs of shallow, coastal embayments. 6:263–279
- López Mañanes AA, see Ituarte RB et al. (2008) 3:283–290
- López-Gómez MJ, see Villegas-Hernández H et al. (2008) 1:249–258
- Lovvorn JR (2010) Modeling profitability for the smallest marine endotherms: auklets foraging within pelagic prey patches. 8:203–219
- Low Ew, see Loke LHL et al. (2010) 10:119–130
- Lund ED, see Chu FLE et al. (2009) 6:159–172
- Lundälv T, see Wild C et al. (2009) 7:71–80
- Lyons B, see Bignell JP et al. (2008) 2:1–15
- Lyons DA, Scheibling RE (2008) Context-dependant survival of the invasive seaweed *Codium fragile* ssp. *tomentosoides* in kelp bed and urchin barren habitats off Nova Scotia. 2:17–27
- Vigo, NW Spain. II. Zooplankton. 4:127–141
- Maar M, see Petersen JK et al. (2008) 4:113–125
- MacArthur LD, Hyndes GA, Babcock RC, Vanderklift MA (2008) Nocturnally active western rock lobsters *Panulirus cygnus* forage close to shallow coastal reefs. 4:201–210
- MacEachern JA, see Gingras MK et al. (2008) 2:255–268
- Madsen CV, see Larsen PS et al. (2008) 4:47–54
- Madsen PT, Wilson M, Johnson M, Hanlon RT, Bocconcelli A, Aguilar de Soto N, Tyack PL (2007) Clicking for calamari: toothed whales can echolocate squid *Loligo pealeii*. 1:141–150
- Mafra LL Jr, Bricelj VM, Ouellette C, Léger C, Bates SS (2009) Mechanisms contributing to low domoic acid uptake by oysters feeding on *Pseudo-nitzschia* cells. I. Filtration and pseudofeces production. 6:201–212
- Mafra LL Jr, Bricelj VM, Ward JE (2009) Mechanisms contributing to low domoic acid uptake by oysters feeding on *Pseudo-nitzschia* cells. II. Selective rejection. 6:213–226
- Maire O, Lecroart P, Meysman F, Rosenberg R, Duchêne JC, Grémare A (2008) Quantification of sediment reworking rates in bioturbation research: a review. 2:219–238
- Mallory ML, Forbes MR, Ankney CD, Alisauskas RT (2009) Nutrient dynamics and constraints on the pre-laying exodus of High Arctic northern fulmars. 4:211–223
- Mallory ML, Karnovsky NJ, Gaston AJ, Hobson KA, Provencher JF, Forbes MR, Hunt GL Jr, Byers T, Dick TA (2010) Temporal and spatial patterns in the diet of northern fulmars *Fulmarus glacialis* in the Canadian High Arctic. 10:181–191
- Malta E, see Figueroa FL et al. (2009) 7:159–172
- Malta E, see Figueroa FL et al. (2009) 7:173–183
- Malvitch JS, see Parker SJ et al. (2008) 2:57–65
- Malyuga VS, see Meysman FJR et al. (2008) 2:239–254
- Mann D, Locascio J, Schärer M, Nemeth M, Appeldoorn R (2010) Sound production by red hind *Epinephelus guttatus* in spatially segregated spawning aggregations. 10:149–154
- Manning MJ, see Bonfil R et al. (2010) 8:115–123
- Marie D, see Yahel G et al. (2009) 6:235–246
- Mari Gómez I, see Garmendia L et al. (2010) 9:203–219
- Marquardt R, see Figueroa FL et al. (2009) 7:159–172
- Marquardt R, see Figueroa FL et al. (2009) 7:173–183
- Martin PD, see Bignell JP et al. (2008) 2:1–15
- Martin SB, Hitch AT, Purcell KM, Klerks PL, Leberg PL (2009) Life history variation along a salinity gradient in coastal marshes. 8:15–28
- Martin-Creuzburg D, see Bec A et al. (2010) 9:107–112
- Martínez B, see Figueroa FL et al. (2009) 7:159–172
- Martínez B, see Figueroa FL et al. (2009) 7:173–183
- Martinez Arbizu P, see Stuart CT et al. (2008) 4:143–145
- Martins GM, Jenkins SR, Hawkins SJ, Neto AI, Thompson RC (2008) Exploitation of rocky intertidal grazers: population status and potential impacts on community structure and functioning. 3:1–10
- Mascaró M, see Moguel C et al. (2010) 9:35–48
- Mass A, see Lonsdale DJ et al. (2009) 6:263–279
- Mathews LM (2007) Evidence for high rates of in-pair paternity in the socially monogamous snapping shrimp *Alpheus angulosus*. 1:55–62
- Matsuishi T, see Ikeda T et al. (2007) 1:99–108
- Matsumoto K, see Kokubun N et al. (2010) 8:289–298
- Maumy M, see Grandgeorge M et al. (2008) 4:187–199
- Mayer FW, see Wild C et al. (2009) 6:133–142
- Mayr C, see Wild C et al. (2009) 7:71–80
- Mazzillo FFM, Pomeroy C, Kuo J, Ramondi PT, Prado R, Silver MW (2010) Angler exposure to domoic acid via consumption of contaminated fishes. 9:1–12

M

- McClintock J, see Challener RC et al. (2009) 7:261–268
 McClintock JB, see Koplovitz G et al. (2009) 7:81–92
 McCombie H, see Normand J et al. (2009) 7:229–241
 McDonald JI, see Abdo DA et al. (2008) 1:291–302
 McFarlane Tranquilla L, see Hedd A et al. (2010) 9:13–22
 McGowan A, see Witt MJ et al. (2010) 8:169–177
 McNerney CE, Allcock AL, Johnson MP, Prodöhl PA (2009) Understanding marine reserve function in a seascape genetics context: *Nucella lapillus* in Strangford Lough (Northern Ireland) as an example. 7:45–58
 McMinn A, see Pankowski A (2009) 4:273–288
 McNamara JC, see Augusto A et al. (2009) 7:113–122
 Meeuwig JJ, see Langlois TJ et al. (2010) 9:155–168
 Meir JU, see Ponganis PJ et al. (2010) 8:237–245
 Mellin C, Galzin R, Ponton D, Vigliola L (2009) Detecting age-structured effects in growth performance of coral reef fish juveniles. 6:31–39
 Méndez S, see Navarro E et al. (2009) 6:247–262
 Menge BA, see Petes LE et al. (2008) 3:63–70
 Metaxas A, see Breen E (2009) 8:1–13
 Metaxas A, see Kelly N (2008) 3:271–281
 Metaxas A, see Kelly N et al. (2007) 1:1–16
 Metaxas A, see Saunders MI (2009) 8:83–94
 Metcalfe JD, see Hobson VJ et al. (2009) 5:133–142
 Meyer W, Seegers U, Schnapper A, Neuhaus H, Himstedt W, Toepfer-Petersen E (2007) Possible antimicrobial defense by free sugars on the epidermal surface of aquatic vertebrates. 1:167–175
 Meyer W, see Kuhn RA (2009) 6:143–152
 Meysman F, see Maire O et al. (2008) 2:219–238
 Meysman FJR, Malyuga VS, Boudreau BP, Middelburg JJ (2008) Quantifying particle dispersal in aquatic sediments at short time scales: model selection. 2:239–254
 Michel E, see Arakelova KS (2009) 5:209–217
 Micheli F, see Heiman KW et al. (2008) 2:47–56
 Michener RH, see Carmichael RH et al. (2008) 4:99–111
 Middelburg JJ, see Meysman FJR et al. (2008) 2:239–254
 Middelburg JJ, see Teugels B et al. (2008) 4:15–21
 Miller MF, see Challener RC et al. (2009) 7:261–268
 Miller MF, see White DS (2008) 2:269–277
 Miller MJ, see Ma T et al. (2008) 2:29–35
 Mills SC, see Frédéricich B et al. (2010) 9:271–277
 Mills SC, see Planes S et al. (2009) 6:153–158
 Mincks Hardy S, see Bluhm BA et al. (2009) 7:269–293
 Minegishi Y, see Ma T et al. (2008) 2:29–35
 Miramontes-Sequeiros LC, Palanca-Castán N, Palanca-Soler A (2009) Anatomical differences among Atlantic and Mediterranean populations of *Trisopterus luscus* (Pisces). 7:243–247
 Miron G, see Bélair MC (2009) 6:41–49
 Missaoui H, see Gharsallah IH et al. (2010) 10:155–166
 Mitamura H, see Shiomi K et al. (2008) 3:265–270
 Miyazaki N, see Kudo T et al. (2007) 1:85–90
 Miyazaki N, see Shiomi K et al. (2010) 8:299–304
 Miyazaki N, see Wilson RP et al. (2010) 8:191–192
 Moguel C, Mascaró M, Avila-Poveda OH, Caamal-Monsreal C, Sanchez A, Pascual C, Rosas C (2010) Morphological, physiological and behavioral changes during post-hatching development of *Octopus maya* (Mollusca: Cephalopoda) with special focus on the digestive system. 9:35–48
 Molis M, see Valdivia N (2009) 4:263–271
 Mollet HF, see Braccini JM et al. (2010) 9:131–138
 Molodtsova T, see Stuart CT et al. (2008) 4:143–145
 Monaco CJ, Brokordt KB, Gaymer CF (2010) Latitudinal thermal gradient effect on the cost of living of the intertidal porcelain crab *Petrolisthes granulosus*. 9:23–33
 Monteiro CC, see Moura P et al. (2009) 5:97–106
 Montevicchi WA, see Hedd A et al. (2010) 9:13–22
 Moraes-Valenti P, de Moraes PA, de Lima Preto B, Valenti WC (2010) Effect of density on population development in the Amazon River prawn *Macrobrachium amazonicum*. 9:291–301
 Morales-Nin B, see Hidalgo M et al. (2008) 3:195–207
 Mori Y, Takahashi A, Trathan PN, Watanuki Y (2010) Optimal stroke frequency during diving activity in seabirds. 8:247–257
 Morize E, see Santana FM et al. (2009) 7:199–206
 Mouillot D, see Anderson BJ (2007) 1:195–204
 Moura I, see Raimundo J et al. (2009) 6:25–30
 Moura P, Gaspar MB, Monteiro CC (2009) Age determination and growth rate of a *Callista chione* population from the southwestern coast of Portugal. 5:97–106
 Mugiya Y, see Tohse H (2008) 1:259–268
 Müller CT, see García-Alonso J et al. (2008) 4:7–13
 Munehara H, see Kimura MR et al. (2007) 1:187–194
 Murie DJ, see Baremore IE et al. (2010) 8:125–136
 Muths D, Jollivet D, Gentil F, Davoult D (2009) Large-scale genetic patchiness among NE Atlantic populations of the brittle star *Ophiothrix fragilis*. 5:117–132
 Myeong JI, see Kang CK et al. (2009) 6:289–302
 Myers AE, see Shepard ELC et al. (2009) 4:235–241
 Myrand B, see Lachance AA et al. (2008) 2:119–129
- ## N
- Nagakura Y, see Yamane K et al. (2010) 10:283–209
 Nairn R, see Risk MJ et al. (2010) 10:85–97
 Naito Y, see Fahlman A et al. (2008) 3:147–154
 Naito Y, see Kudo T et al. (2007) 1:85–90
 Naito Y, see Shiomi K et al. (2008) 3:265–270
 Naito Y, see Takagi T et al. (2010) 9:149–153
 Najmudeen TM (2008) Ultrastructural studies of oogenesis in the variable abalone *Haliotis varia* (Vetigastropoda: Haliotidae). 2:143–151
 Nakamura Y, Shibuno T, Lecchini D, Watanabe Y (2009) Habitat selection by emperor fish larvae. 6:61–65
 Nakano S, see Ichinotsuka D et al. (2010) 9:123–130
 Nakano Si, see Doi H et al. (2010) 10:47–55
 Narazaki T, see Shiomi K et al. (2010) 8:299–304
 Naumann M, see Wild C et al. (2010) 10:41–45
 Naumann MS, see Wild C et al. (2009) 6:133–142
 Nausch G, see Nausch M (2007) 1:151–160
 Nausch M, Nausch G (2007) Bioavailable dissolved organic phosphorus and phosphorus use by heterotrophic bacteria. 1:151–160
 Navarro E, Méndez S, Ibarrola I, Urrutia MB (2009) Comparative utilization of phytoplankton and vascular plant detritus by the cockle *Cerastoderma edule*: digestive responses during diet acclimation. 6:247–262
 Nejrup LB, Pedersen MF (2010) Growth and biomass development of the introduced red alga *Gracilaria vermiculophylla* is unaffected by nutrient limitation and grazing. 10:249–259
 Nemeth M, see Mann D et al. (2010) 10:149–154
 Neori A, see Figueroa FL et al. (2009) 7:159–172
 Neori A, see Figueroa FL et al. (2009) 7:173–183
 Neto AI, see Martins GM et al. (2008) 3:1–10
 Neuhaus H, see Meyer W et al. (2007) 1:167–175
 Ng PKL, see Loke LHL et al. (2010) 10:119–130
 Nielsen HD, Nielsen SL (2008) Evaluation of imaging and conventional PAM as a measure of photosynthesis in thin- and thick-leaved marine macroalgae. 3:121–131
 Nielsen SL, see Nielsen HD (2008) 3:121–131

- Nielsen TG, see Maar M et al. (2008) 4:127–141
 Nielsen TG, see Petersen JK et al. (2008) 4:113–125
 Nielsen TG, see Tiselius P et al. (2008) 2:93–103
 Niggli W, see Wild C et al. (2010) 10:41–45
 Nilsen T, see Titelman J et al. (2008) 2:131–141
 Ninnemann US, see Hidalgo M et al. (2008) 3:195–207
 Niraula MP, see Casareto BE et al. (2009) 7:59–70
 Nôges P, see Arst H et al. (2008) 3:19–30
 Nôges T, see Arst H et al. (2008) 3:19–30
 Nohrén E, Odelgård E (2010) Response of epibenthic faunal assemblages to varying vegetation structures and habitat patch size. 9:139–148
 Norling P, Kautsky N (2008) Patches of the mussel *Mytilus* sp. are islands of high biodiversity in subtidal sediment habitats in the Baltic Sea. 4:75–87
 Norman B, see Shepard ELC et al. (2009) 4:235–241
 Normand J, Ernande B, Haure J, McCombie H, Boudry P (2009) Reproductive effort and growth in *Crassostrea gigas*: comparison of young diploid and triploid oysters issued from natural crosses or chemical induction. 7:229–241
 Novevska V, see Čomić L et al. (2010) 9:169–176
 Nygård H, Vihtakari M, Berge J (2009) Life history of *Onisimus caricus* (Amphipoda: Lysianassoidea) in a high Arctic fjord. 5:63–74
- O**
- O'Brien S, see Bonfil R et al. (2010) 8:115–123
 O'Connor WA, see Gribben PE et al. (2009) 7:217–227
 O'Dea A (2009) Relation of form to life habit in free-living cupuladriid bryozoans. 7:1–18
 O'Gorman R, see Boscarino BT et al. (2009) 5:263–279
 Oberhänsli F, see Lacoue-Labarthe T et al. (2009) 6:91–98
 Odelgård E, see Nohrén E (2010) 9:139–148
 Okamoto D, see Britton-Simmons KH et al. (2009) 5:233–243
 Økland F, see Aarestrup K et al. (2010) 9:263–270
 Okuzawa K, see Sato T et al. (2010) 10:23–32
 Olson JM, see Parker SJ et al. (2008) 2:57–65
 Olynik JR, see Blumenthal JM et al. (2010) 9:113–121
 Oosthuizen WC, see de Bruyn PJN et al. (2009) 5:31–39
 Orlova EL, Rudneva GB, Renaud PE, Eiane K, Savinov V, Yurko AS (2010) Climate impacts on feeding and condition of capelin *Mallotus villosus* in the Barents Sea: evidence and mechanisms from a 30 year data set. 10:105–118
 Orr MF, see Blumenthal JM et al. (2010) 9:113–121
 Ostojić A, see Čomić L et al. (2010) 9:169–176
 Otake T, see Yamane K et al. (2010) 10:283–209
 Otomo T, see Kudo T et al. (2007) 1:85–90
 Ottmar ML, see Davis MW (2009) 8:29–37
 Ouellette C, see Mafra LL Jr et al. (2009) 6:201–212
 Ouellette M, see Parent GJ et al. (2008) 3:101–109
 Ovando D, see Hammerschlag N et al. (2010) 9:279–290
- P**
- Paavel B, see Arst H et al. (2008) 3:19–30
 Pacios-Palma I, see Guerra-García JM et al. (2009) 8:39–43
 Pagès F, see Jacoby CA et al. (2009) 5:13–22
 Palanca-Castán N, see Miramontes-Sequeiros LC et al. (2009) 7:243–247
 Palanca-Soler A, see Miramontes-Sequeiros LC et al. (2009) 7:243–247
 Pan J, see Lonsdale DJ et al. (2009) 6:263–279
 Pane EF, Grosell M, Barry JP (2008) Comparison of enzyme activities linked to acid–base regulation in a deep-sea and a sublittoral decapod crab species. 4:23–32
 Pankowski A, McMinn A (2009) Iron availability regulates growth, photosynthesis, and production of ferredoxin and flavodoxin in Antarctic sea ice diatoms. 4:273–288
 Panou A, see Katsanevakis S et al. (2010) 10:57–67
 Parent GJ, Pernet F, Tremblay R, Sévigny JM, Ouellette M (2008) Remodeling of membrane lipids in gills of adult hard clam *Mercenaria mercenaria* during declining temperature. 3:101–109
 Parker ER, see Teal LR et al. (2008) 2:207–218
 Parker SJ, Olson JM, Rankin PS, Malvitch JS (2008) Patterns in vertical movements of black rockfish *Sebastes melanops*. 2:57–65
 Parker SJ, see Hannah RW et al. (2008) 3:291–296
 Parmentier E, see Frédéric B et al. (2010) 9:271–277
 Parry H, see Bibby R et al. (2008) 2:67–74
 Parry HE, see Pascoe PL et al. (2007) 1:177–185
 Parry HE, see Pascoe PL et al. (2009) 6:181–190
 Pascoe PL, Parry HE, Hawkins AJS (2007) Dynamic filter-feeding responses in fouling organisms. 1:177–185
 Pascoe PL, Parry HE, Hawkins AJS (2009) Observations on the measurement and interpretation of clearance rate variations in suspension-feeding bivalve shellfish. 6:181–190
 Pascual C, see Moguel C et al. (2010) 9:35–48
 Patterson H, see Kovacs CJ et al. (2010) 9:77–84
 Patti FP, see Iannotta MA et al. (2009) 6:121–132
 Paulo D, see Runcie JW et al. (2009) 7:143–152
 Peck LS, see Clark MS et al. (2007) 1:45–53
 Pedersen MF, see Nejrup LB (2010) 10:249–259
 Pedersen MI, see Aarestrup K et al. (2010) 9:263–270
 Pemberton SG, see Gingras MK et al. (2008) 2:255–268
 Penchaszadeh PE, see Arrighetti F (2010) 9:63–75
 Penny AN, see Hannah RW et al. (2008) 3:291–296
 Pereira J, see Costa PR (2010) 9:221–225
 Pérez-Ruzafa A, see Vega Fernández T et al. (2008) 1:239–248
 Perle C, see Teo SLH et al. (2009) 5:195–207
 Pernet F, see Parent GJ et al. (2008) 3:101–109
 Pernet F, see Thériault I (2007) 1:121–133
 Persson A, Smith BC (2009) Grazing on a natural assemblage of ciliate and dinoflagellate cysts by the eastern oyster *Crassostrea virginica*. 6:227–233
 Peters Stephenson S, see Arnold WS et al. (2009) 5:49–62
 Petersen JK, Nielsen TG, van Duren L, Maar M (2008) Depletion of plankton in a raft culture of *Mytilus galloprovincialis* in Ría de Vigo, NW Spain. I. Phytoplankton. 4:113–125
 Petersen JK, see Maar M et al. (2008) 4:127–141
 Petes LE, Menge BA, Chan F, Webb MAH (2008) Gonadal tissue color is not a reliable indicator of sex in rocky intertidal mussels. 3:63–70
 Philipp E, see Strahl J et al. (2007) 1:77–83
 Piazza BP, La Peyre MK (2007) Restoration of the annual flood pulse in Breton Sound, Louisiana, USA: habitat change and nekton community response. 1:109–119
 Pipe R, see Bibby R et al. (2008) 2:67–74
 Pitruk DL, see Kartavtsev YP et al. (2009) 8:95–103
 Planes S, Lecchini D, Romans P, Mills SC (2009) Effects of post-settlement mortality on size and parasite load in juvenile *Diplodus vulgaris* and *D. sargus* in the Mediterranean. 6:153–158
 Planes S, see Raventos N (2008) 4:1–6
 Plötz J, see Zimmer I et al. (2008) 3:217–226
 Plötz J, see Zimmer I et al. (2010) 8:269–277

- Plouviez S, Daguin-Thiébaud C, Hourdez S, Jollivet D (2008) Juvenile and adult scale worms *Branchiopolynoe seepensis* in Lucky Strike hydrothermal vent mussels are genetically unrelated. 3:79–87
- Polte P, Buschbaum C (2008) Native pipefish *Entelurus aequoreus* are promoted by the introduced seaweed *Sargassum muticum* in the northern Wadden Sea, North Sea. 3:11–18
- Pomeroy C, see Mazzillo FFM et al. (2010) 9:1–12
- Ponganis PJ, Meir JU, Williams CL (2010) Oxygen store depletion and the aerobic dive limit in emperor penguins. 8:237–245
- Ponganis PJ, see Shiomi K et al. (2008) 3:265–270
- Ponganis PJ, see Shiomi K et al. (2010) 8:299–304
- Ponton D, see Mellin C et al. (2009) 6:31–39
- Pope EC, Ali A, Conlan SL, Bowen ID, Clare AS, Rowley AF (2008) Myrrh-derived terpenoids as inhibitors of marine biofouling. 4:175–185
- Prado R, see Mazzillo FFM et al. (2010) 9:1–12
- Prevodnik A, see Jacobson T et al. (2008) 1:269–276
- Priede IG, see Lemaire B et al. (2010) 8:161–168
- Prodöhl PA, see McInerney CE et al. (2009) 7:45–58
- Provencher JF, see Mallory ML et al. (2010) 10:181–191
- Purcell KM, see Martin SB et al. (2009) 8:15–28
- Purcell SW, Cheng YW (2010) Experimental restocking and seasonal visibility of a coral reef gastropod assessed by temporal modelling. 9:227–238
- Puvanendran V, Laurel BJ, Brown JA (2008) Cannibalism of Atlantic cod *Gadus morhua* larvae and juveniles on first-week larvae. 2:113–118
- Q**
- Qian PY, see Hung OS et al. (2009) 4:253–262
- Qiu JW, see Hung OS et al. (2009) 4:253–262
- Quintana F, see Shepard ELC et al. (2009) 4:235–241
- Quintana F, see Shepard ELC et al. (2010) 8:259–267
- Quintana F, see Wilson RP et al. (2010) 8:193–202
- R**
- Rachamim T, see Figueroa FL et al. (2009) 7:159–172
- Raimundo J, Vale C, Caetano M, Cesário R, Moura I (2009) Total lead and its stable isotopes in the digestive gland of *Octopus vulgaris* as a fingerprint. 6:25–30
- Rais A, see Teo SLH et al. (2009) 5:195–207
- Ramondi PT, see Mazzillo FFM et al. (2010) 9:1–12
- Rankin PS, see Hannah RW et al. (2008) 3:291–296
- Rankin PS, see Parker SJ et al. (2008) 2:57–65
- Ranković B, see Čomić L et al. (2010) 9:169–176
- Rasheed MY, see Wild C et al. (2009) 6:133–142
- Raun AL, Borum J, Sand-Jensen K (2009) Active accumulation of internal DIC pools reduces transport limitation in large colonies of *Nostoc pruniforme*. 5:23–29
- Rautio M, Bonilla S, Vincent WF (2009) UV photoprotectants in arctic zooplankton. 7:93–105
- Raventos N, Planes S (2008) Maternal size effects on early life traits of the temperate fish *Symphodus roissali*. 4:1–6
- Rees JF, see Lemaire B et al. (2010) 8:161–168
- Rees RG, see Riley MJ et al. (2010) 8:145–150
- Rees TAV, see Barr NG et al. (2008) 3:179–186
- Regular PM, see Hedd A et al. (2010) 9:13–22
- Reinertsen H, see Koksvik JI et al. (2009) 5:293–304
- Renaud PE, see Orlova EL et al. (2010) 10:105–118
- Rex MA, see Stuart CT et al. (2008) 4:143–145
- Riedlecker EI, see Ashton GV et al. (2008) 3:133–137
- Riemann L, see Titelman J et al. (2008) 2:131–141
- Riera P, see Carlier A et al. (2009) 5:167–179
- Righton D, see Hobson VJ et al. (2009) 5:133–142
- Riisgård HU, see Larsen PS et al. (2008) 4:47–54
- Riley MJ, Hale MS, Harman A, Rees RG (2010) Analysis of whale shark *Rhincodon typus* aggregations near South Ari Atoll, Maldives Archipelago. 8:145–150
- Risch D, see Van Opzeeland IC et al. (2009) 6:109–120
- Risk MJ, Burchell M, de Roo K, Nairn R, Tubrett M, Forsterra G (2010) Trace elements in bivalve shells from the Río Cruces, Chile. 10:85–97
- Robertson GJ, see Hedd A et al. (2010) 9:13–22
- Robson AA, Thomas GR, Garcia de Leaniz C, Wilson RP (2009) Valve gape and exhalant pumping in bivalves: optimization of measurement. 6:191–200
- Rodríguez JA, see Zuluaga-Montero A et al. (2010) 8:151–160
- Roleda MY, see Wulff A et al. (2008) 3:167–177
- Romans P, see Planes S et al. (2009) 6:153–158
- Ronconi RA, Burger AE (2009) Estimating seabird densities from vessel transects: distance sampling and implications for strip transects. 4:297–309
- Robert-Coudert Y, see Zimmer I et al. (2010) 8:269–277
- Rosa R, see Sundelin B et al. (2008) 2:179–190
- Rosas C, see Moguel C et al. (2010) 9:35–48
- Rosen DAS, see Fahlman A et al. (2008) 2:75–84
- Rosen DAS, see Fahlman A et al. (2008) 3:147–154
- Rosen DAS, see Hindle AG et al. (2010) 10:139–148
- Rosen DAS, see Svård C et al. (2009) 8:71–82
- Rosenberg R, see Maire O et al. (2008) 2:219–238
- Rosetti H, see Clark MS et al. (2007) 1:45–53
- Rowley AF, see Pope EC et al. (2008) 4:175–185
- Ruck KE, see Chu FLE et al. (2009) 6:159–172
- Rudneva GB, see Orlova EL et al. (2010) 10:105–118
- Rudstam LG, Johannsson OE (2009) Advances in the ecology of freshwater mysids: Introduction. 5:246–248
- Rudstam LG, see Boscarino BT et al. (2009) 5:263–279
- Rudstam LG, see Johannsson OE et al. (2008) 4:33–46
- Ruiz GM, see Ashton GV et al. (2008) 3:133–137
- Runcie JW, Paulo D, Santos R, Sharon Y, Beer S, Silva J (2009) Photosynthetic responses of *Halophila stipulacea* to a light gradient. I. *In situ* energy partitioning of non-photochemical quenching. 7:143–152
- Runcie JW, see Sharon Y et al. (2009) 7:153–157
- Rundle SD, see Ellis RP et al. (2009) 5:41–48
- Rundle SD, see Tills O et al. (2010) 9:95–105
- Russell TL, Kay BH, Skilleter GA (2009) Environmental effects of mosquito insecticides on saltmarsh invertebrate fauna. 6:77–90
- Rutenko OA, see Kartavtsev YP et al. (2009) 8:95–103
- S**
- Sabat AM, see Zuluaga-Montero A et al. (2010) 8:151–160
- Salinas De León P, see Unsworth RKF et al. (2009) 5:85–95
- Salomidi M, see Katsanevakis S et al. (2010) 10:57–67
- Sanchez A, see Moguel C et al. (2010) 9:35–48
- Sand-Jensen K, see Raun AL et al. (2009) 5:23–29
- Sano F, see Ikeda T et al. (2007) 1:99–108
- Sant'Anna BS, Turra A, Zara FJ (2010) Simultaneous activity of male and female gonads in intersex hermit crabs. 10:201–209
- Santana FM, Morize E, Clavier J, Lessa R (2009) Otolith micro- and macrostructure analysis to improve accuracy of growth parameter estimation for white mullet *Mugil curema*. 7:199–206

- Santos R, see Fr d rich B et al. (2010) 9:271–277
- Santos R, see Runcie JW et al. (2009) 7:143–152
- Santos R, see Sharon Y et al. (2009) 7:153–157
- Santos R, see Silva J et al. (2009) 7:127–141
- Santoul F, see Syv ranta J et al. (2010) 8:137–144
- Sato K, see Shiomi K et al. (2008) 3:265–270
- Sato K, see Shiomi K et al. (2010) 8:299–304
- Sato T, Yoseda K, Okuzawa K, Suzuki N (2010) Sperm limitation: possible impacts of large male-selective harvesting on reproduction of the coconut crab *Birgus latro*. 10:23–32
- Sauchyn LK, Scheibling RE (2009) Degradation of sea urchin feces in a rocky subtidal ecosystem: implications for nutrient cycling and energy flow. 6:99–108
- Saunders MI, Metaxas A (2009) Population dynamics of a nonindigenous epiphytic bryozoan *Membranipora membranacea* in the western North Atlantic: effects of kelp substrate. 8:83–94
- Savinov V, see Orlova EL et al. (2010) 10:105–118
- Schaffner RA, see Lonsdale DJ et al. (2009) 6:263–279
- Sch rer M, see Mann D et al. (2010) 10:149–154
- Scheibling RE, see Lauzon-Guay JS (2008) 2:105–112
- Scheibling RE, see Lyons DA (2008) 2:17–27
- Scheibling RE, see Sauchyn LK (2009) 6:99–108
- Scherer C, see Barr NG et al. (2008) 3:179–186
- Schizas NV, see Garcia Reyes J (2010) 10:69–83
- Schnapper A, see Meyer W et al. (2007) 1:167–175
- Sch ttner SI, see Wild C et al. (2009) 7:71–80
- Schtickzelle N, see Lemaire B et al. (2010) 8:161–168
- Schubert H, see Angelstein S (2008) 3:209–216
- Seaman M, see Kinne O et al. (2007) 1:i
- Seegers U, see Meyer W et al. (2007) 1:167–175
- Segner H, see Bernet D et al. (2009) 6:1–13
- Seitz RD, see Long WC et al. (2008) 3:187–193
- Semenchenko AA, see Kartavtsev YP et al. (2009) 8:95–103
- Serafy JE, see Hammerschlag N et al. (2010) 9:279–290
- S vigny JM, see Parent GJ et al. (2008) 3:101–109
- Shale D, see Jacoby CA et al. (2009) 5:13–22
- Sharina SN, see Kartavtsev YP et al. (2009) 8:95–103
- Sharon Y, Silva J, Santos R, Runcie JW, Chernihovsky M, Beer S (2009) Photosynthetic responses of *Halophila stipulacea* to a light gradient. II. Acclimations following transplantation. 7:153–157
- Sharon Y, see Runcie JW et al. (2009) 7:143–152
- Sharon Y, see Silva J et al. (2009) 7:127–141
- Shedrawi G, see Langlois TJ et al. (2010) 9:155–168
- Shen KN, see Chen HL et al. (2008) 3:41–50
- Shepard ELC, Wilson RP, G mez Laich A, Quintana F (2010) Buoyed up and slowed down: speed limits for diving birds in shallow water. 8:259–267
- Shepard ELC, Wilson RP, Halsey LG, Quintana F, G mez Laich A, Gleiss AC, Liebsch N, Myers AE, Norman B (2009) Derivation of body motion via appropriate smoothing of acceleration data. 4:235–241
- Shepard ELC, see Wilson RP et al. (2010) 8:193–202
- Shiao JC, see Jessop BM et al. (2008) 2:171–178
- Shibuno T, see Nakamura Y et al. (2009) 6:61–65
- Shima JS, see Dudley BD et al. (2010) 9:85–93
- Shimatani K, see Shiomi K et al. (2010) 8:299–304
- Shimode S, Hiroe Y, Hidaka K, Takahashi K, Tsuda A (2009) Life history and ontogenetic vertical migration of *Neocalanus gracilis* in the western North Pacific Ocean. 7:295–306
- Shin PKS, see Hu M et al. (2009) 7:107–112
- Shiomi K, Narazaki T, Sato K, Shimatani K, Arai N, Ponganis PJ, Miyazaki N (2010) Data-processing artefacts in three-dimensional dive path reconstruction from geomagnetic and acceleration data. 8:299–304
- Shiomi K, Sato K, Mitamura H, Arai N, Naito Y, Ponganis PJ (2008) Effect of ocean current on the dead-reckoning estimation of 3-D dive paths of emperor penguins. 3:265–270
- Shirai K, see Yamane K et al. (2010) 10:283–209
- Shoji A, see Elliott KH et al. (2010) 8:221–235
- Silva FOM, see Dias GM et al. (2009) 4:243–252
- Silva J, Sharon Y, Santos R, Beer S (2009) Measuring seagrass photosynthesis: methods and applications. 7:127–141
- Silva J, see Runcie JW et al. (2009) 7:143–152
- Silva J, see Sharon Y et al. (2009) 7:153–157
- Silva Pinheiro A, see Augusto A et al. (2009) 7:113–122
- Silver MW, see Mazzillo FFM et al. (2010) 9:1–12
- Simpfendorfer CA, see Heupel MR (2008) 1:277–289
- Sirenko BI, see Bluhm BA et al. (2009) 7:269–293
- Skilleter GA, see Russell TL et al. (2009) 6:77–90
- Sloman KA, see Unsworth RKF et al. (2009) 5:85–95
- Small D, Calosi P, White D, Spicer JI, Widdicombe S (2010) Impact of medium-term exposure to CO₂ enriched seawater on the physiological functions of the velvet swimming crab *Necora puber*. 10:11–21
- Smerdon GR, see Bhadury P et al. (2009) 5:149–155
- Smith BC, see Persson A (2009) 6:227–233
- Smith BJ, see Holladay SD et al. (2010) 10:241–247
- Smith CR, see Stuart CT et al. (2008) 4:143–145
- Smith DJ, see Unsworth RKF et al. (2009) 5:85–95
- Smith IP, see Claverie T (2010) 8:179–187
- Smith RW, see Johannsson OE et al. (2008) 4:33–46
- Smith RW, see Johannsson OE et al. (2009) 5:249–262
- Smith WO Jr, see Wang X et al. (2010) 9:239–249
- Smith-Keune C, see Whalan S et al. (2008) 3:111–119
- Smoot JC, Findlay RH (2010) Caloric needs of detritivorous gizzard shad *Dorosoma cepedianum* are met with sediment bacterial and algal biomass. 8:105–114
- Solan M, Batty P, Bulling MT, Godbold JA (2008) How biodiversity affects ecosystem processes: implications for ecological revolutions and benthic ecosystem function. 2:289–301
- Solan M, see Herringshaw LG (2008) 2:201–205
- Solan M, see Teal LR et al. (2008) 2:207–218
- Soldevilla MS, Wiggins SM, Hildebrand JA (2010) Spatio-temporal comparison of Pacific white-sided dolphin echolocation click types. 9:49–62
- Solferini VN, see Dias GM et al. (2009) 4:243–252
- Solomon JL, see Blumenthal JM et al. (2010) 9:113–121
- Soto M, see Garmendia L et al. (2010) 9:203–219
- Sousa R, Dias SC, Guilhermino L, Antunes C (2008) Minho River tidal freshwater wetlands: threats to faunal biodiversity. 3:237–250
- Spicer J, see Bibby R et al. (2008) 2:67–74
- Spicer JI, see Ellis RP et al. (2009) 5:41–48
- Spicer JI, see Findlay HS et al. (2008) 3:51–62
- Spicer JI, see Small D et al. (2010) 10:11–21
- Spicer JI, see Tills O et al. (2010) 9:95–105
- Spivak ED, see Ituarte RB et al. (2008) 3:283–290
- Sponaugle S, see Huebert KB (2009) 7:207–216
- Steinberg P, see Gribben PE et al. (2009) 7:217–227
- Steinke D, see Ward RD et al. (2008) 3:71–78
- Stenson G, see Van Opzeeland IC et al. (2009) 6:109–120
- Stentiford GD, see Bignell JP et al. (2008) 2:1–15
- Stewart BS, see Wilson RP et al. (2010) 8:191–192
- Stone D, see Bignell JP et al. (2008) 2:1–15
- Strahl J, Philipp E, Brey T, Broeg K, Abele D (2007) Physiological aging in the Icelandic population of the ocean quahog *Arctica islandica*. 1:77–83
- Struck U, see Wild C et al. (2009) 6:133–142
- Stuart CT, Martinez Arbizu P, Smith CR, Molodtsova T, Brandt A, Etter RJ, Escobar-Briones E, Fabri MC, Rex MA

- (2008) CeDAMar global database of abyssal biological sampling. 4:143–145
- Sundelin B, Rosa R, Eriksson Wiklund AK (2008) Reproduction disorders in the benthic amphipod *Monoporeia affinis*: an effect of low food resources. 2:179–190
- Sundelin B, see Ejdung G et al. (2008) 3:89–99
- Sundelin B, see Jacobson T et al. (2008) 1:269–276
- Suzuki N, see Sato T et al. (2010) 10:23–32
- Suzuki Y, see Casareto BE et al. (2009) 7:59–70
- Svärd C, Fahlman A, Rosen DAS, Joy R, Trites AW (2009) Fasting affects the surface and diving metabolic rates of Steller sea lions *Eumetopias jubatus*. 8:71–82
- Svärd C, see Fahlman A et al. (2008) 2:75–84
- Svendsen JC, see Aarestrup K et al. (2010) 9:263–270
- Sytsma M, see Cordell JR et al. (2007) 1:17–20
- Syväranta J, Cucherousset J, Kopp D, Crivelli A, Céréghino R, Santoul F (2010) Dietary breadth and trophic position of introduced European catfish *Silurus glanis* in the River Tarn (Garonne River basin), southwest France. 8:137–144

T

- Takagi T, Kawabe R, Yoshino H, Naito Y (2010) Functional morphology of the flounder allows stable and efficient gliding: an integrated analysis of swimming behaviour. 9:149–153
- Takahashi A, see Ito M et al. (2010) 8:279–287
- Takahashi A, see Kokubun N et al. (2010) 8:289–298
- Takahashi A, see Mori Y et al. (2010) 8:247–257
- Takahashi K, see Shimode S et al. (2009) 7:295–306
- Takeoka H, see Ichinotsuka D et al. (2010) 9:123–130
- Takita A, see Yamane K et al. (2010) 10:283–209
- Tan QG, Wang WX (2009) Calcium influence on phosphorus regulation in *Daphnia magna*: implications for phosphorus cycling. 5:1–11
- Tanaka H, see Kudo T et al. (2007) 1:85–90
- Tanaka N, see Yamane K et al. (2010) 10:283–209
- Tang KW, see Wang X et al. (2010) 9:239–249
- Taylor NGH, see Bignell JP et al. (2008) 2:1–15
- Taylor RB, see Barr NG et al. (2008) 3:179–186
- Teal LR, Bulling MT, Parker ER, Solan M (2008) Global patterns of bioturbation intensity and mixed depth of marine soft sediments. 2:207–218
- Temming A, see Dänhardt A (2007) 1:135–139
- Teo SLH, Kudela RM, Rais A, Perle C, Costa DP, Block BA (2009) Estimating chlorophyll profiles from electronic tags deployed on pelagic animals. 5:195–207
- Teugels B, Bouillon S, Veuger B, Middelburg JJ, Koedam N (2008) Kleptoplasts mediate nitrogen acquisition in the sea slug *Elysia viridis*. 4:15–21
- Teyssié JL, see Lacoue-Labarthe T et al. (2009) 6:91–98
- Tezuka N, Ichisaki E, Kanematsu M, Usuki H, Hamaguchi M, Iseki K (2009) Particle retention efficiency of asari clam *Ruditapes philippinarum* larvae. 6:281–287
- Thériault I, Pernet F (2007) Lipid nutrition and settlement behaviour in American lobster *Homarus americanus*. 1:121–133
- Thessalou-Legaki M, see Katsanevakis S (2009) 8:45–54
- Thibault I, see Jessop BM et al. (2008) 1:205–216
- Thiel M, see Astudillo JC et al. (2009) 5:219–231
- Thiyagarajan V, see Hung OS et al. (2009) 4:253–262
- Thomas GR, see Robson AA et al. (2009) 6:191–200
- Thomé JP, see Lemaire B et al. (2010) 8:161–168
- Thompson RC, see Martins GM et al. (2008) 3:1–10
- Thorndyke MC, see Clark MS et al. (2007) 1:45–53
- Thorstad EB, see Aarestrup K et al. (2010) 9:263–270
- Tills O, Spicer JL, Rundle SD (2010) Salinity-induced heterokairy in an upper-estuarine population of the snail *Radix balthica* (Mollusca: Pulmonata). 9:95–105
- Tiselius P, Borg CMA, Hansen BW, Hansen PJ, Nielsen TG, Vismann B (2008) High reproduction, but low biomass: mortality estimates of the copepod *Acartia tonsa* in a hyper-eutrophic estuary. 2:93–103
- Titelman J, Riemann L, Holmfeldt K, Nilsen T (2008) Copepod feeding stimulates bacterioplankton activities in a low phosphorus system. 2:131–141
- Todd PA, see Boon PY et al. (2009) 5:107–116
- Todd PA, see Loke LHL et al. (2010) 10:119–130
- Toeffer-Petersen E, see Meyer W et al. (2007) 1:167–175
- Tohse H, Mugiya Y (2008) Sources of otolith carbonate: experimental determination of carbon incorporation rates from water and metabolic CO₂, and their diel variations. 1:259–268
- Toledo-Hernández C, see Zuluaga-Montero A et al. (2010) 8:151–160
- Tomás J, see Hidalgo M et al. (2008) 3:195–207
- Torres G, Giménez L, Anger K (2008) Cumulative effects of low salinity on larval growth and biochemical composition in an estuarine crab, *Neohelice granulata*. 2:37–45
- Touche BW, Frank AR (2009) Xylem potential- and water content-breakpoints in two wetland forbs: indicators of drought resistance in emergent hydrophytes. 6:67–75
- Trathan PN, see Mori Y et al. (2010) 8:247–257
- Travalent L, see Bignell JP et al. (2008) 2:1–15
- Tremblay R, see Lachance AA et al. (2008) 2:119–129
- Tremblay R, see Parent GJ et al. (2008) 3:101–109
- Trites AW, see Fahlman A et al. (2008) 2:75–84
- Trites AW, see Fahlman A et al. (2008) 3:147–154
- Trites AW, see Hindle AG et al. (2010) 10:139–148
- Trites AW, see Svärd C et al. (2009) 8:71–82
- Troynikov VS, see Braccini JM et al. (2010) 9:131–138
- Tse MF, see Wang WX (2009) 6:51–59
- Tsuda A, see Shimode S et al. (2009) 7:295–306
- Tsukamoto K, see Ma T et al. (2008) 2:29–35
- Tsunagawa T, Arai T (2009) Migration diversity of the freshwater goby *Rhinogobius* sp. Bl, as revealed by otolith Sr:Ca ratios. 5:187–194
- Tubrett M, see Risk MJ et al. (2010) 10:85–97
- Turley C, see Findlay HS et al. (2008) 3:51–62
- Turra A, see Sant'Anna BS et al. (2010) 10:201–209
- Tyack PL, see Madsen PT et al. (2007) 1:141–150
- Tzeng CS, see Hsu CB et al. (2010) 10:227–239
- Tzeng WN, see Chen HL et al. (2008) 3:41–50
- Tzeng WN, see Han YS et al. (2009) 5:143–147
- Tzeng WN, see Jessop BM et al. (2008) 1:205–216
- Tzeng WN, see Jessop BM et al. (2008) 2:171–178

U

- Uiblein F, see Jacoby CA et al. (2009) 5:13–22
- Unsworth RKF, Garrard SL, Salinas De León P, Cullen LC, Smith DJ, Sloman KA, Bell JJ (2009) Structuring of Indo-Pacific fish assemblages along the mangrove–seagrass continuum. 5:85–95
- Urrutia MB, see Navarro E et al. (2009) 6:247–262
- Usuki H, see Tezuka N et al. (2009) 6:281–287

V

- Vadstein O, see Hess-Erga OK et al. (2008) 4:147–154
- Valdivia N, Molis M (2009) Observational evidence of a neg-

- ative biodiversity–stability relationship in intertidal epibenthic communities. 4:263–271
- Vale C, see Raimundo J et al. (2009) 6:25–30
- Valenti WC, see Moraes-Valenti P et al. (2010) 9:291–301
- Valiela I, see Carmichael RH et al. (2008) 4:99–111
- van Beusekom JEE, see Gebühr C et al. (2009) 7:185–197
- van der Meeren GI, Chandrapavan A, Breithaupt T (2008) Sexual and aggressive interactions in a mixed species group of lobsters *Homarus gammarus* and *H. americanus*. 2:191–200
- van Duren L, see Petersen JK et al. (2008) 4:113–125
- Van Opzeeland IC, Corkeron PJ, Risch D, Stenson G, Van Parijs SM (2009) Geographic variation in vocalizations of pups and mother-pup behavior of harp seals *Pagophilus groenlandicus*. 6:109–120
- Van Parijs SM, see Van Opzeeland IC et al. (2009) 6:109–120
- Vanderklift MA, see MacArthur LD et al. (2008) 4:201–210
- Vasconcelos P, see Gharsallah IH et al. (2010) 10:155–166
- Vega Fernández T, D'Anna G, Badalamenti F, Pérez-Ruzafa A (2008) Habitat connectivity as a factor affecting fish assemblages in temperate reefs. 1:239–248
- Vermeer LA, Hunte W (2008) Effects of shoot age on leaf growth in the seagrass *Thalassia testudinum* in Barbados. 2:153–160
- Vestergaard ML, see Andersen SB et al. (2010) 10:99–104
- Veuger B, see Teugels B et al. (2008) 4:15–21
- Vidargas N, see Heiman KW et al. (2008) 2:47–56
- Vigliola L, see Mellin C et al. (2009) 6:31–39
- Vignon M, see Work TM et al. (2010) 9:185–192
- Vihtakari M, see Nygård H et al. (2009) 5:63–74
- Villano WF, see Flores AAV et al. (2009) 7:31–43
- Villegas-Hernández H, González-Salas C, Aguilar-Perera A, López-Gómez MJ (2008) Settlement dynamics of the coral reef fish *Stegastes partitus*, inferred from otolith shape and microstructure analysis. 1:249–258
- Vincent WF, see Rautio M et al. (2009) 7:93–105
- Vismann B, see Tiselius P et al. (2008) 2:93–103
- Von Elert E, see Bec A et al. (2010) 9:107–112
- W**
- Wahl M, see Lachnit T et al. (2009) 5:181–186
- Wahl M, see Weinberger F et al. (2008) 3:251–264
- Wahli T, see Bernet D et al. (2009) 6:1–13
- Walker TI, see Braccini JM et al. (2010) 9:131–138
- Wang WX, Tse MF (2009) Inter-site differences in the biodynamics and body concentration of silver in a marine predatory gastropod. 6:51–59
- Wang WX, see Chen M (2008) 3:155–166
- Wang WX, see Lam IKS (2008) 1:217–224
- Wang WX, see Tan QG (2009) 5:1–11
- Wang X, Tang KW, Wang Y, Smith WO Jr (2010) Temperature effects on growth, colony development and carbon partitioning in three *Phaeocystis* species. 9:239–249
- Wang Y, see Hu M et al. (2009) 7:107–112
- Wang Y, see Wang X et al. (2010) 9:239–249
- Wanless S, see Grandgeorge M et al. (2008) 4:187–199
- Waqalevu VP, see Frédéric B et al. (2010) 9:271–277
- Ward JE, see Mafra LL Jr et al. (2009) 6:213–226
- Ward RD, Costa FO, Holmes BH, Steinke D (2008) DNA barcoding of shared fish species from the North Atlantic and Australasia: minimal divergence for most taxa, but *Zeus faber* and *Lepidopus caudatus* each probably constitute two species. 3:71–78
- Warden ML (2010) Bycatch of wintering common and red-throated loons in gillnets off the USA Atlantic coast, 1996–2007. 10:167–180
- Warnau M, see Lacoue-Labarthe T et al. (2009) 6:91–98
- Was A, see Doherty S et al. (2007) 1:161–165
- Watanabe Y, see Kudo T et al. (2007) 1:85–90
- Watanabe Y, see Nakamura Y et al. (2009) 6:61–65
- Watanuki Y, see Ito M et al. (2010) 8:279–287
- Watanuki Y, see Kokubun N et al. (2010) 8:289–298
- Watanuki Y, see Mori Y et al. (2010) 8:247–257
- Watanuki Y, see Wilson RP et al. (2010) 8:191–192
- Watson DL, see Langlois TJ et al. (2010) 9:155–168
- Webb MAH, see Petes LE et al. (2008) 3:63–70
- Wehrmann LM, see Wild C et al. (2009) 7:71–80
- Weihe E, Abele D (2008) Differences in the physiological response of inter- and subtidal Antarctic limpets *Nacella concinna* to aerial exposure. 4:155–166
- Weinberger F, Buchholz B, Karez R, Wahl M (2008) The invasive red alga *Gracilaria vermiculophylla* in the Baltic Sea: adaptation to brackish water may compensate for light limitation. 3:251–264
- Wenzel A, see Barr NG et al. (2008) 3:179–186
- Whalan S, de Nys R, Smith-Keune C, Evans BS, Battershill C, Jerry DR (2008) Low genetic variability within and among populations of the brooding sponge *Rhopaloeides odorabile* on the central Great Barrier Reef. 3:111–119
- Whall JD, Lasenby DC (2009) Differences in the trophic role of *Mysis diluviana* in two intermontane lakes. 5:281–292
- Wheatley D, see Witt MJ et al. (2010) 8:169–177
- White D, see Small D et al. (2010) 10:11–21
- White DS, Miller MF (2008) Benthic invertebrate activity in lakes: linking present and historical bioturbation patterns. 2:269–277
- White J, see Witt MJ et al. (2010) 8:169–177
- Widdicombe S, see Bibby R et al. (2008) 2:67–74
- Widdicombe S, see Findlay HS et al. (2008) 3:51–62
- Widdicombe S, see Small D et al. (2010) 10:11–21
- Wiencke C, see Wulff A et al. (2008) 3:167–177
- Wiggins SM, see Soldevilla MS et al. (2010) 9:49–62
- Wild C, Naumann M, Niggel W, Haas A (2010) Carbohydrate composition of mucus released by scleractinian warm- and cold-water reef corals. 10:41–45
- Wild C, Naumann MS, Haas A, Struck U, Mayer FW, Rasheed MY, Huettel M (2009) Coral sand O₂ uptake and pelagic–benthic coupling in a subtropical fringing reef, Aqaba, Red Sea. 6:133–142
- Wild C, Wehrmann LM, Mayr C, Schöttner SI, Allers E, Lundälv T (2009) Microbial degradation of cold-water coral-derived organic matter: potential implication for organic C cycling in the water column above Tisler Reef. 7:71–80
- Wild C, see Haas AF (2010) 10:131–138
- Williams CL, see Ponganis PJ et al. (2010) 8:237–245
- Willis KJ, see Gillibrand PA (2007) 1:63–75
- Willis KJ, Woods CMC, Ashton GV (2009) *Caprella mutica* in the Southern Hemisphere: Atlantic origins, distribution, and reproduction of an alien marine amphipod in New Zealand. 7:249–259
- Wilson M, see Madsen PT et al. (2007) 1:141–150
- Wilson RP, Shepard ELC, Gómez Laich A, Frere E, Quintana F (2010) Pedalling downhill and freewheeling up; a penguin perspective on foraging. 8:193–202
- Wilson RP, Watanuki Y, Miyazaki N, Stewart BS (2010) Working beneath the surface: interplay of biomechanics, physiology and behavioural ecology in diving seabirds. 8:191–192
- Wilson R, see Fahlman A et al. (2008) 2:75–84
- Wilson RP, see Robson AA et al. (2009) 6:191–200
- Wilson RP, see Shepard ELC et al. (2009) 4:235–241

- Wilson RP, see Shepard ELC et al. (2010) 8:259–267
 Wilson RP, see Zimmer I et al. (2008) 3:217–226
 Wilson RP, see Zimmer I et al. (2010) 8:269–277
 Wiltshire KH, see Gebühr C et al. (2009) 7:185–197
 Witt MJ, McGowan A, Blumenthal JM, Broderick AC, Gore S, Wheatley D, White J, Godley BJ (2010) Inferring vertical and horizontal movements of juvenile marine turtles from time-depth recorders. 8:169–177
 Witt MJ, see Blumenthal JM et al. (2010) 9:113–121
 Wood CM, see Johannsson OE et al. (2008) 4:33–46
 Woods CMC, see Willis KJ et al. (2009) 7:249–259
 Work TM, Vignon M, Aeby GS (2010) Microparasite ecology and health status of common bluestriped snapper *Lutjanus kasmira* from the Pacific Islands. 9:185–192
 Wright JT, see Gribben PE et al. (2009) 7:217–227
 Wright PJ, see Boulcott P (2008) 3:31–40
 Wulff A, Roleda MY, Zacher K, Wiencke C (2008) UV radiation effects on pigments, photosynthetic efficiency and DNA of an Antarctic marine benthic diatom community. 3:167–177

X

- Xing K, Yang HS, Chen MY (2008) Morphological and ultra-structural characterization of the coelomocytes in *Apostichopus japonicus*. 2:85–92
 Xu Y, see Hung OS et al. (2009) 4:253–262

Y

- Yahel G, Marie D, Beninger PG, Eckstein S, Genin A (2009) *In situ* evidence for pre-capture qualitative selection in the tropical bivalve *Lithophaga simplex*. 6:235–246
 Yamaguchi A, see Ikeda T et al. (2007) 1:99–108
 Yamaguchi M, see Yamane K et al. (2010) 10:283–209

- Yamane K, Shirai K, Nagakura Y, Yamaguchi M, Takita A, Horii T, Tanaka N, Yamane S, Arai T, Otake T (2010) Spatial variation in otolith elemental composition of the Pacific herring *Clupea pallasii* in northern Japan. 10:283–209
 Yamane S, see Yamane K et al. (2010) 10:283–209
 Yanagida F, see Chen YS et al. (2009) 8:55–60
 Yanagimoto T, see Kimura MR et al. (2007) 1:187–194
 Yang HS, see Xing K et al. (2008) 2:85–92
 Yeh CH, see Hsu CB et al. (2010) 10:227–239
 Yeo DCJ, see Boon PY et al. (2009) 5:107–116
 Yoseda K, see Sato T et al. (2010) 10:23–32
 Yoshino H, see Takagi T et al. (2010) 9:149–153
 Youngbluth MJ, see Jacoby CA et al. (2009) 5:13–22
 Yurko AS, see Orlova EL et al. (2010) 10:105–118

Z

- Zacher K, see Wulff A et al. (2008) 3:167–177
 Zamouri Langar N, see Gharsallah IH et al. (2010) 10:155–166
 Zara FJ, see Sant'Anna BS et al. (2010) 10:201–209
 Zbinden M, see Corbari L et al. (2008) 1:225–238
 Zemnukhov VV, see Kartavtsev YP et al. (2009) 8:95–103
 Zeppilli D, Danovaro R (2009) Meiofaunal diversity and assemblage structure in a shallow-water hydrothermal vent in the Pacific Ocean. 5:75–84
 Zimmer I, Wilson RP, Beaulieu M, Ancel A, Plötz J (2008) Seeing the light: depth and time restrictions in the foraging capacity of emperor penguins at Pointe Géologie, Antarctica. 3:217–226
 Zimmer I, Wilson RP, Beaulieu M, Ropert-Coudert Y, Kato A, Ancel A, Plötz J (2010) Dive efficiency versus depth in foraging emperor penguins. 8:269–277
 Zuluaga-Montero A, Toledo-Hernández C, Rodríguez JA, Sabat AM, Bayman P (2010) Spatial variation in fungal communities isolated from healthy and diseased sea fans *Gorgonia ventalina* and seawater. 8:151–160