

## COMBINED AUTHOR AND TITLE INDEX

## (Volumes 251 to 260, 2003)

## A

- Abelló P, see Aguzzi J et al. (2003) 258:201–211
- Aberle N, Witte U (2003) Deep-sea macrofauna exposed to a simulated sedimentation event in the abyssal NE Atlantic: *in situ* pulse-chase experiments using <sup>13</sup>C-labelled phyto-detritus. 251:37–47
- Aberle N, see Witte U et al. (2003) 251:27–36
- Able KW, see Smith KJ (2003) 258:223–232
- Able KW, see Sullivan MC et al. (2003) 260:237–253
- Abraham ER, see Moore CM et al. (2003) 259:29–45
- Abril G, Etcheber H, Delille B, Frankignoulle M, Borges AV (2003) Carbonate dissolution in the turbid and eutrophic Loire estuary. 259:129–138
- Acuña JL, see López-Urrutia Á et al. (2003) 252:125–141
- Acuña JL, see López-Urrutia Á et al. (2003) 252:143–157
- Agnew DJ, Marlow TR, Lorenzen K, Pompert J, Wakeford RC, Tingley GA (2003) Influence of Drake Passage oceanography on the parasitic infection of individual year-classes of southern blue whiting *Micromesistius australis*. 254:281–291
- Agrenius S, see Magnusson K et al. (2003) 255:155–169
- Aguzzi J, Sardà F, Abelló P, Company JB, Rotllant G (2003) Diel and seasonal patterns of *Nephrops norvegicus* (Decapoda: Nephropidae) catchability in the western Mediterranean. 258:201–211
- Ahn IY, Surh J, Park YG, Kwon H, Choi KS, Kang SH, Choi HJ, Kim KW, Chung H (2003) Growth and seasonal energetics of the Antarctic bivalve *Laternula elliptica* from King George Island, Antarctica. 257:99–110
- Åkesson S, see Godley BJ et al. (2003) 253:279–288
- Albessard E, Mayzaud P (2003) Influence of tropho-climatic environment and reproduction on lipid composition of the euphausiid *Meganyctiphanes norvegica* in the Ligurian Sea, the Clyde Sea and the Kattegat. 253:217–232
- Alcaraz M, see Calbet A et al. (2003) 259:303–309
- Allen BJ, Williams SL (2003) Native eelgrass *Zostera marina* controls growth and reproduction of an invasive mussel through food limitation. 254:57–67
- Allen J, see Stevick PT et al. (2003) 258:263–273
- Alt AK, see Wong WH et al. (2003) 253:175–182
- Alvarez MC, see McCarthy ID et al. (2003) 252:295–301
- Álvarez-Salgado XA, see Gago J et al. (2003) 255:43–54
- Amano M, Yoshioka M (2003) Sperm whale diving behavior monitored using a suction-cup-attached TDR tag. 258:291–295
- Amiard JC, see Boisson F et al. (2003) 254:177–186
- Aminot A, see Savoye N et al. (2003) 255:27–41
- Amos CL, see Shimeta J et al. (2003) 259:103–115
- Andersin AB, see Denisenko SG et al. (2003) 258:109–123
- Anderson JT, see Davoren GK et al. (2003) 256:229–242
- Anderson JT, see Zhang X et al. (2003) 256:29–44
- Anderson MJ, see Willis TJ (2003) 257:209–221
- Andersson M, Van Nieuwerburgh L, Snoeijs P (2003) Pigment transfer from phytoplankton to zooplankton with emphasis

on astaxanthin production in the Baltic Sea food web. 254:213–224

- André J, Lawler IR (2003) Near infrared spectroscopy as a rapid and inexpensive means of dietary analysis for a marine herbivore, dugong *Dugong dugon*. 257:259–266
- Angel D, see Bongiorno L et al. (2003) 253:137–144
- Anger K, Thatje S, Lovrich G, Calcagno J (2003) Larval and early juvenile development of *Paralomis granulosa* reared at different temperatures: tolerance of cold and food limitation in a lithodid crab from high latitudes. 253:243–251
- Anger K, see Calcagno JA et al. (2003) 257:189–196
- Aoki I, see Takasuka A et al. (2003) 252:223–238
- Apprill AM, Lesser MP (2003) Effects of ultraviolet radiation on *Laminaria saccharina* in relation to depth and tidal height in the Gulf of Maine. 256:75–85
- Arai N, see Ikeda Y et al. (2003) 251:169–179
- Arai T, Miller MJ, Tsukamoto K (2003) Larval duration of the tropical eel *Anguilla celebesensis* from Indonesian and Philippine coasts. 251:255–261
- Arbones B, see Tilstone GH et al. (2003) 252:89–104
- Arbones B, see Tilstone GH et al. (2003) 254:313
- Archambault MC, Grant J, Bricelj VM (2003) Removal efficiency of the dinoflagellate *Heterocapsa triquetra* by phosphatic clay, and implications for the mitigation of harmful algal blooms. 253:97–109
- Arkipkin A, see Villanueva R et al. (2003) 253:197–208
- Arndt H, Hausmann K, Wolf M (2003) Deep-sea heterotrophic nanoflagellates of the Eastern Mediterranean Sea: qualitative and quantitative aspects of their pelagic and benthic occurrence. 256:45–56
- Arntz W, see Brante A et al. (2003) 251:221–232
- Arntz WE, see Thatje S et al. (2003) 260:195–207
- Atkinson A, see Meyer B et al. (2003) 257:167–177
- Atkinson MJ, see Ribes M et al. (2003) 257:13–23
- Atkinson RJA, see Smith CJ et al. (2003) 256:161–170
- Auffret M, see Tanguy A et al. (2003) 257:87–97

## B

- Babcock RC, see Baird AH et al. (2003) 252:289–293
- Backhaus JO, Hegseth EN, Wehde H, Irigoien X, Hatten K, Logemann K (2003) Convection and primary production in winter. 251:1–14
- Baco AR, Smith CR (2003) High species richness in deep-sea chemoautotrophic whale skeleton communities. 260:109–114
- Bagley PM, see Jones EG et al. (2003) 251:75–86
- Baird AH, Babcock RC, Mundy CP (2003) Habitat selection by larvae influences the depth distribution of six common coral species. 252:289–293
- Barbot C, see Boisson F et al. (2003) 254:177–186
- Barki Y, see Gateño D et al. (2003) 258:97–108
- Barletta M, Barletta-Bergan A, Saint-Paul U, Hubold G (2003) Seasonal changes in density, biomass, and diversity of

- estuarine fishes in tidal mangrove creeks of the lower Caeté Estuary (northern Brazilian coast, east Amazon). 256:217–228
- Barletta-Bergan A, see Barletta M et al. (2003) 256:217–228
- Barnes DKA, Kukliński P (2003) High polar spatial competition: extreme hierarchies at extreme latitude. 259:17–28
- Barot S, see Grift RE et al. (2003) 257:247–257
- Barshaw DE, Lavalli KL, Spanier E (2003) Offense versus defense: responses of three morphological types of lobsters to predation. 256:171–182
- Bathen TF, see Chauton MS et al. (2003) 256:57–62
- Bathmann U, see Wexels Riser C et al. (2003) 256:301–304
- Bathmann UV, see Meyer B et al. (2003) 257:167–177
- Bava J, see Jaureguizar AJ et al. (2003) 255:271–282
- Beadman HA, see Caldwell RWG et al. (2003) 259:173–183
- Beaulieu SE, see Shimeta J et al. (2003) 259:103–115
- Becker BH, Beissinger SR (2003) Scale-dependent habitat selection by a nearshore seabird, the marbled murrelet, in a highly dynamic upwelling system. 256:243–255
- Behrenfeld MJ, see Marañón E et al. (2003) 257:1–11
- Beissinger SR, see Becker BH (2003) 256:243–255
- Bell GW, Eggleston DB, Wolcott TG (2003) Behavioral responses of free-ranging blue crabs to episodic hypoxia. I. Movement. 259:215–225
- Bell GW, Eggleston DB, Wolcott TG (2003) Behavioral responses of free-ranging blue crabs to episodic hypoxia. II. Feeding. 259:227–235
- Bell PRF, see Fu FX (2003) 257:69–76
- Bellwood DR, see Depczynski M (2003) 256:183–191
- Bengtson DA, see Peck MA et al. (2003) 251:233–243
- Bentley MG, see Lewis C et al. (2003) 254:199–211
- Bertrand N, see Winkler G et al. (2003) 251:59–73
- Beszczynska-Möller A, see Karnovsky NJ et al. (2003) 253:289–303
- Billett DSM, see Howell KL et al. (2003) 255:193–206
- Billot C, Engel CR, Rousvoal S, Kloareg B, Valero M (2003) Current patterns, habitat discontinuities and population genetic structure: the case of the kelp *Laminaria digitata* in the English Channel. 253:111–121
- Binnerup SJ, see Pinhassi J et al. (2003) 255:1–13
- Bjorndal KA, Bolten AB, Chaloupka MY (2003) Survival probability estimates for immature green turtles *Chelonia mydas* in the Bahamas. 252:273–281
- Blackmore G, see Rainbow PS et al. (2003) 259:201–213
- Blume B, see Meyer B et al. (2003) 257:167–177
- Bock MJ, see Smoot JC et al. (2003) 258:161–169
- Boero F, see Guidetti P et al. (2003) 253:269–278
- Boettcher AA, see Boone EJ et al. (2003) 252:187–197
- Boisson F, Goudard F, Durand JP, Barbot C, Pieri J, Amiard JC, Fowler SW (2003) Comparative radiotracer study of cadmium uptake, storage, detoxification and depuration in the oyster *Crassostrea gigas*: potential adaptive mechanisms. 254:177–186
- Bolten AB, see Bjorndal KA et al. (2003) 252:273–281
- Boneillo GE, see Gobler CJ (2003) 255:101–114
- Bongiorni L, Shafir S, Angel D, Rinkevich B (2003) Survival, growth and gonad development of two hermatypic corals subjected to *in situ* fish-farm nutrient enrichment. 253:137–144
- Boone EJ, Boettcher AA, Sherman TD, O'Brien JJ (2003) Characterization of settlement cues used by the rhizocephalan barnacle *Loxothylacus texanus*. 252:187–197
- Bordalo AA, see Magalhães CM et al. (2003) 258:275–281
- Borges AV, see Abril G et al. (2003) 259:129–138
- Böttcher U, see Hüsey K et al. (2003) 258:233–241
- Böttcher U, see Hüsey K et al. (2003) 258:243–251
- Boudry P, see Tanguy A et al. (2003) 257:87–97
- Bouman HA, Platt T, Sathyendranath S, Li WKW, Stuart V, Fuentes-Yaco C, Maass H, Horne EPW, Ulloa O, Lutz V, Kyewalyanga M (2003) Temperature as indicator of optical properties and community structure of marine phytoplankton: implications for remote sensing. 258:19–30
- Bourget E, see Pernet F et al. (2003) 260:125–140
- Boutet I, see Tanguy A et al. (2003) 257:87–97
- Boynton WR, see Marvin-DiPasquale MC et al. (2003) 260:55–70
- Bradbury IR, Snelgrove PVR, Pepin P (2003) Passive and active behavioural contributions to patchiness and spatial pattern during the early life history of marine fishes. 257:233–245
- Brante A, Fernández M, Eckerle L, Mark F, Pörtner HO, Arntz W (2003) Reproductive investment in the crab *Cancer setosus* along a latitudinal cline: egg production, embryo losses and embryo ventilation. 251:221–232
- Bratbak G, see Thyrhaug R et al. (2003) 254:27–35
- Bremner J, Rogers SI, Frid CLJ (2003) Assessing functional diversity in marine benthic ecosystems: a comparison of approaches. 254:11–25
- Bricelj VM, see Archambault MC et al. (2003) 253:97–109
- Brindley J, see Pitchford JW et al. (2003) 256:99–110
- Brinsley MD, see Romano C et al. (2003) 256:63–74
- Broderick AC, see Godley BJ et al. (2003) 253:279–288
- Broekhuizen N, Oldman J, Zeldis J (2003) Sub-grid-scale differences between individuals influence simulated phytoplankton production and biomass in a shelf-sea system. 252:61–76
- Broomhead DS, see Platt T et al. (2003) 254:3–9
- Browman HI, see Kjeldstad B et al. (2003) 256:1–11
- Brown JA, see Laurel BJ et al. (2003) 251:245–254
- Bruland KW, see Franck VM et al. (2003) 252:15–33
- Brzezinski MA, see Franck VM et al. (2003) 252:15–33
- Buckley LJ, see Peck MA et al. (2003) 251:233–243
- Burget E, see Dionne M et al. (2003) 259:117–128
- Burns CW, see Haywood GJ (2003) 253:209–216
- Burns CW, see Schallenberg M et al. (2003) 251:181–189
- Burns E, Ifrach I, Carmeli S, Pawlik JR, Ilan M (2003) Comparison of anti-predatory defenses of Red Sea and Caribbean sponges. I. Chemical defense. 252:105–114
- Burns E, Ilan M (2003) Comparison of anti-predatory defenses of Red Sea and Caribbean sponges. II. Physical defense. 252:115–123
- Burton H, see Lake S et al. (2003) 254:293–305
- Bushell VK, see Choe N et al. (2003) 251:191–200
- Bustamante P, see Danis B et al. (2003) 253:155–163
- Buttino I, see Miralto A et al. (2003) 254:253–268

## C

- Calbet A, Vaqué D, Felipe J, Vila M, Montserrat Sala M, Alcaraz M, Estrada M (2003) Relative grazing impact of microzooplankton and mesozooplankton on a bloom of the toxic dinoflagellate *Alexandrium minutum*. 259:303–309
- Calcagno J, see Anger K et al. (2003) 253:243–251
- Calcagno JA, Thatje S, Anger K, Lovrich GA, Kaffenberger A (2003) Changes in biomass and chemical composition during lecithotrophic larval development of the southern stone crab *Paralomis granulosa*. 257:189–196
- Caldarone EM, see Peck MA et al. (2003) 251:233–243
- Caldow RWG, Beadman HA, McGrorty S, Kaiser MJ, Goss-Custard JD, Mould K, Wilson A (2003) Effects of intertidal mussel cultivation on bird assemblages. 259:173–183
- Calvert SE, see Needoba JA et al. (2003) 255:81–91
- Cameron MF, see Watanabe Y et al. (2003) 252:283–288

- Campbell L, see DiTullio GR et al. (2003) 255:55–80  
 Campbell L, see Wawrik B et al. (2003) 251:87–101  
 Campbell RG, see Durbin EG et al. (2003) 254:81–100  
 Capo TR, see Waite TD et al. (2003) 258:51–63  
 Capone DG, see Marvin-DiPasquale MC et al. (2003) 260:55–70  
 Carleton JH, see Meekan MG et al. (2003) 256:193–204  
 Carlton JT, Hodder J (2003) Maritime mammals: terrestrial mammals as consumers in marine intertidal communities. 256:271–286  
 Carmeli S, see Burns E et al. (2003) 252:105–114  
 Carozza CR, see Jaureguizar AJ et al. (2003) 255:271–282  
 Carson-Ewart BM, see Leis JM (2003) 252:239–253  
 Carstensen J, Conley D, Müller-Karulis B (2003) Spatial and temporal resolution of carbon fluxes in a shallow coastal ecosystem, the Kattegat. 252:35–50  
 Cartamil DP, see Lowe CG et al. (2003) 256:205–216  
 Casas MC, see Durbin EG et al. (2003) 254:81–100  
 Chaloupka MY, see Bjorndal KA et al. (2003) 252:273–281  
 Chauton MS, Optun OI, Bathen TF, Volent Z, Gribbestad IS, Johnsen G (2003) HR MAS <sup>1</sup>H NMR spectroscopy analysis of marine microalgal whole cells. 256:57–62  
 Chen HY, see Chen YLL et al. (2003) 259:47–57  
 Chen YLL, Chen HY, Lin YH (2003) Distribution and downward flux of *Trichodesmium* in the South China Sea as influenced by the transport from the Kuroshio Current. 259:47–57  
 Cherel Y, see Le Corre M et al. (2003) 255:289–301  
 Cherel Y, see Lea MA et al. (2003) 253:310  
 Cherel Y, see Tremblay Y (2003) 251:279–297  
 Cheung SG, see Wong WH (2003) 258:147–159  
 Childers DL, see Davis SE III et al. (2003) 253:85–96  
 Choe N, Deibel D, Thompson RJ, Lee SH, Bushell VK (2003) Seasonal variation in the biochemical composition of the chaetognath *Parasagitta elegans* from the hyperbenthic zone of Conception Bay, Newfoundland. 251:191–200  
 Choi HJ, see Ahn IY et al. (2003) 257:99–110  
 Choi KS, see Ahn IY et al. (2003) 257:99–110  
 Chung H, see Ahn IY et al. (2003) 257:99–110  
 Chícharo MA, Esteves E, Santos AMP, dos Santos A, Peliz A, Ré P (2003) Are sardine larvae caught off northern Portugal in winter starving? An approach examining nutritional conditions. 257:303–309  
 Cifuentes LA, see Jones WB et al. (2003) 255:15–25  
 Claireaux G, see Lefrançois C (2003) 259:273–284  
 Clapham PJ, see Stevick PT et al. (2003) 258:263–273  
 Clark KL, see Seitz RD et al. (2003) 257:179–188  
 Clemmensen C, see Malzahn AM et al. (2003) 259:285–293  
 Cloern JE, see May CL et al. (2003) 254:111–128  
 Coale SL, see Garrison DL et al. (2003) 259:1–15  
 Colin SP, Costello JH, Klos E (2003) *In situ* swimming and feeding behavior of eight co-occurring hydromedusae. 253:305–309  
 Collie JS, see Hermesen JM et al. (2003) 260:97–108  
 Collins MA, see Jones EG et al. (2003) 251:75–86  
 Coma R, see Ribes M et al. (2003) 254:141–150  
 Coma R, see Ribes M et al. (2003) 257:13–23  
 Company JB, see Aguzzi J et al. (2003) 258:201–211  
 Conley D, see Carstensen J et al. (2003) 252:35–50  
 Copley JTP, Tyler PA, Van Dover CL, Philip SJ (2003) Spatial variation in the reproductive biology of *Paralvinella palmiformis* (Polychaeta: Alvinellidae) from a vent field on the Juan de Fuca Ridge. 255:171–181  
 Coppejans E, see Schils T (2003) 251:103–114  
 Corsetti JL, Strasser KM (2003) Host selection of the symbiotic copepod *Clausidium dissimile* in two sympatric populations of ghost shrimp. 256:151–159  
 Cortés J, see Gateño D et al. (2003) 258:97–108  
 Costello JH, see Colin SP et al. (2003) 253:305–309  
 Cotret O, see Danis B et al. (2003) 253:155–163  
 Cowen RK, see Sullivan MC et al. (2003) 260:237–253  
 Craft C, Sacco J (2003) Long-term succession of benthic infauna communities on constructed *Spartina alterniflora* marshes. 257:45–58  
 Crane M, see Nice HE et al. (2003) 256:293–300  
 Cummings V, Thrush S, Hewitt J, Norkko A, Pickmere S (2003) Terrestrial deposits on intertidal sandflats: sediment characteristics as indicators of habitat suitability for recolonising macrofauna. 253:39–54
- ## D
- Dagg M, see Liu H (2003) 258:31–42  
 Dahl TM, Falk-Petersen S, Gabrielsen GW, Sargent JR, Hop H, Millar RM (2003) Lipids and stable isotopes in common eider, black-legged kittiwake and northern fulmar: a trophic study from an Arctic fjord. 256:257–269  
 Daly KL, see DiTullio GR et al. (2003) 255:55–80  
 Danis B, Cotret O, Teyssié JL, Fowler SW, Bustamante P, Warnau M (2003) Delineation of PCB uptake pathways in a benthic sea star using a radiolabelled congener. 253:155–163  
 Daskalov GM (2003) Long-term changes in fish abundance and environmental indices in the Black Sea. 255:259–270  
 Daunt F, Peters G, Scott B, Grémillet D, Wanless S (2003) Rapid-response recorders reveal interplay between marine physics and seabird behaviour. 255:283–288  
 Davis R, see Kjeldstad B et al. (2003) 256:1–11  
 Davis SE III, Childers DL, Day JW Jr, Rudnick DT, Sklar FH (2003) Factors affecting the concentration and flux of materials in two southern Everglades mangrove wetlands. 253:85–96  
 Davoren GK, Montevecchi WA (2003) Signals from seabirds indicate changing biology of capelin stocks. 258:253–261  
 Davoren GK, Montevecchi WA, Anderson JT (2003) Distributional patterns of a marine bird and its prey: habitat selection based on prey and conspecific behaviour. 256:229–242  
 Day JW Jr, see Davis SE III et al. (2003) 253:85–96  
 Deibel D, see Choe N et al. (2003) 251:191–200  
 Deibel D, see Lee PA et al. (2003) 255:235–248  
 Delgado M, see Pérez Camacho A et al. (2003) 258:133–145  
 Delille B, see Abril G et al. (2003) 259:129–138  
 Demers S, see Vasseur C et al. (2003) 252:1–13  
 de Mora SJ, see Lee PA et al. (2003) 255:235–248  
 Dempster T, Kingsford MJ (2003) Homing of pelagic fish to fish aggregation devices (FADs): the role of sensory cues. 258:213–222  
 Denis M, see Vasseur C et al. (2003) 252:1–13  
 Denisenko NV, see Denisenko SG et al. (2003) 258:109–123  
 Denisenko SG, Denisenko NV, Lehtonen KK, Andersin AB, Laine AO (2003) Macrozoobenthos of the Pechora Sea (SE Barents Sea): community structure and spatial distribution in relation to environmental conditions. 258:109–123  
 Depczynski M, Bellwood DR (2003) The role of cryptobenthic reef fishes in coral reef trophodynamics. 256:183–191  
 Dieckmann U, see Grift RE et al. (2003) 257:247–257  
 Dionne M, Sainte-Marie B, Burget E, Gilbert D (2003) Distribution and habitat selection of early benthic stages of snow crab *Chionoecetes opilio*. 259:117–128  
 Dittel AI, see Perovich GM et al. (2003) 251:211–220  
 DiTullio GR, Geesey ME, Jones DR, Daly KL, Campbell L, Smith WO Jr (2003) Phytoplankton assemblage structure and primary productivity along 170°W in the South Pacific Ocean. 255:55–80  
 Dodson J, see Plourde S et al. (2003) 255:219–233

- Dodson JJ, see Winkler G et al. (2003) 251:59–73  
 dos Santos A, see Chicharo MA et al. (2003) 257:303–309  
 Dupont L, Jollivet D, Viard F (2003) High genetic diversity and ephemeral drift effects in a successful introduced mollusc (*Crepidula fornicata*: Gastropoda). 253:183–195  
 Duquesne S, Liess M (2003) Increased sensitivity of the macroinvertebrate *Paramorea walkeri* to heavy-metal contamination in the presence of solar UV radiation in Antarctic shoreline waters. 255:183–191  
 Durand JP, see Boisson F et al. (2003) 254:177–186  
 Durbin EG, Campbell RG, Casas MC, Ohman MD, Niehoff B, Runge J, Wagner M (2003) Interannual variation in phytoplankton blooms and zooplankton productivity and abundance in the Gulf of Maine during winter. 254:81–100

## E

- Eckerle L, see Brante A et al. (2003) 251:221–232  
 Edwards AM, see Platt T et al. (2003) 254:3–9  
 Eggleston DB, Johnson EG, Kellison GT, Nadeau DA (2003) Intense removal and non-saturating functional responses by recreational divers on spiny lobster *Panulirus argus*. 257:197–207  
 Eggleston DB, see Bell GW et al. (2003) 259:215–225  
 Eggleston DB, see Bell GW et al. (2003) 259:227–235  
 Ekelund R, see Magnusson K et al. (2003) 255:155–169  
 Elsdon TS, Gillanders BM (2003) Relationship between water and otolith elemental concentrations in juvenile black bream *Acanthopagrus butcheri*. 260:263–272  
 Emson RH, see McCarthy DA et al. (2003) 256:123–133  
 Engel CR, see Billot C et al. (2003) 253:111–121  
 Epifanio CE, see Perovich GM et al. (2003) 251:211–220  
 Erga SR, see Kjeldstad B et al. (2003) 256:1–11  
 Escoubeyrou K, see Robinet T et al. (2003) 259:263–272  
 Esteves E, see Chicharo MA et al. (2003) 257:303–309  
 Estrada M, see Calbet A et al. (2003) 259:303–309  
 Etcheber H, see Abril G et al. (2003) 259:129–138

## F

- Fahay MP, see Sullivan MC et al. (2003) 260:237–253  
 Falk-Petersen S, see Dahl TM et al. (2003) 256:257–269  
 Farmer LL, see Waite TD et al. (2003) 258:51–63  
 Felipe J, see Calbet A et al. (2003) 259:303–309  
 Fencil MC, see Schultz ET et al. (2003) 251:263–277  
 Fernández E, Marañón E, Morán XAG, Serret P (2003) Potential causes for the unequal contribution of picophytoplankton to total biomass and productivity in oligotrophic waters. 254:101–109  
 Fernández M, see Brante A et al. (2003) 251:221–232  
 Fernández-Reiriz MJ, see Pérez Camacho A et al. (2003) 258:133–145  
 Feunteun E, see Robinet T et al. (2003) 259:263–272  
 Field JG, see Richardson AJ et al. (2003) 254:239–251  
 Figueiras FG, see Tilstone GH et al. (2003) 252:89–104  
 Figueiras FG, see Tilstone GH et al. (2003) 254:313  
 Findlay RH, see Smoot JC et al. (2003) 258:161–169  
 Fisher NR, see Moore CM et al. (2003) 259:29–45  
 Fisher NS, see Wong WH et al. (2003) 253:175–182  
 Fistarol GO, Legrand C, Granéli E (2003) Allelopathic effect of *Prymnesium parvum* on a natural plankton community. 255:115–125  
 Flynn K, see Meekan MG et al. (2003) 256:193–204  
 Fonseca MS, see Mills KE (2003) 255:127–134  
 Fontugne M, see Savoye N et al. (2003) 255:27–41

- Försterra G, see Häussermann V (2003) 257:291–294  
 Fouilland E, see Vasseur C et al. (2003) 252:1–13  
 Fowler JL, see Richardson AJ et al. (2003) 254:239–251  
 Fowler SW, see Boisson F et al. (2003) 254:177–186  
 Fowler SW, see Danis B et al. (2003) 253:155–163  
 Franck VM, Bruland KW, Hutchins DA, Brzezinski MA (2003) Iron and zinc effects on silicic acid and nitrate uptake kinetics in three high-nutrient, low-chlorophyll (HNLC) regions. 252:15–33  
 Franco C, see Riveiro I et al. (2003) 260:255–262  
 Frankignoulle M, see Abril G et al. (2003) 259:129–138  
 Fraschetti S, see Guidetti P et al. (2003) 253:269–278  
 Fredriksen S (2003) Food web studies in a Norwegian kelp forest based on stable isotope ( $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$ ) analysis. 260:71–81  
 Fredriksen S, see Norderhaug KM et al. (2003) 255:135–144  
 Freire J, see Godínez-Domínguez E (2003) 253:17–24  
 Frette Ø, see Kjeldstad B et al. (2003) 256:1–11  
 Frid CLJ, see Bremner J et al. (2003) 254:11–25  
 Friday N, see Stevick PT et al. (2003) 258:263–273  
 Fritsen C, see Garrison DL et al. (2003) 259:1–15  
 Fu FX, Bell PRF (2003) Effect of salinity on growth, pigmentation,  $\text{N}_2$  fixation and alkaline phosphatase activity of cultured *Trichodesmium* sp. 257:69–76  
 Fuentes-Ortega A, see Wawrik B et al. (2003) 251:87–101  
 Fuentes-Yaco C, see Bouman HA et al. (2003) 258:19–30  
 Fuiman LA, see McCarthy ID et al. (2003) 252:295–301  
 Fujikura K, Okoshi K, Naganuma T (2003) Strontium as a marker for estimation of microscopic growth rates in a bivalve. 257:295–301  
 Fulton EA, Smith ADM, Johnson CR (2003) Effect of complexity on marine ecosystem models. 253:1–16  
 Furnas M, see Meekan MG et al. (2003) 256:193–204

## G

- Gabrielsen GW, see Dahl TM et al. (2003) 256:257–269  
 Gage JD, see Narayanaswamy BE et al. (2003) 257:59–68  
 Gagnon P, Wagner G, Himmelman JH (2003) Use of a wave tank to study the effects of water motion and algal movement on the displacement of the sea star *Asterias vulgaris* towards its prey. 258:125–132  
 Gago J, Álvarez-Salgado XA, Pérez FF, Ríos AF (2003) Partitioning of physical and biogeochemical contributions to short-term variability of  $\text{pCO}_2$  in a coastal upwelling system: a quantitative approach. 255:43–54  
 Gaines SD, see Siegel DA et al. (2003) 260:83–96  
 Gaines SD, see Thornber CS (2003) 258:65–77  
 Gao K, see Helbling EW et al. (2003) 259:59–66  
 Garrison DL, Jeffries MO, Gibson A, Coale SL, Neenan D, Fritsen C, Okolodkov YB, Gowing MM (2003) Development of sea ice microbial communities during autumn ice formation in the Ross Sea. 259:1–15  
 Garrison DL, see Gowing MM et al. (2003) 254:313  
 Gateño D, León A, Barki Y, Cortés J, Rinkevich B (2003) Skeletal tumor formations in the massive coral *Pavona clavus*. 258:97–108  
 Gaylord B, see Siegel DA et al. (2003) 260:83–96  
 Geesey ME, see DiTullio GR et al. (2003) 255:55–80  
 Gerdt G, see Klöpffer S et al. (2003) 259:93–102  
 Giblin A, see Tobias C et al. (2003) 257:25–36  
 Gibson A, see Garrison DL et al. (2003) 259:1–15  
 Gibson AH, see Gowing MM et al. (2003) 254:313  
 Gilbert D, see Dionne M et al. (2003) 259:117–128  
 Gillanders BM, see Elsdon TS (2003) 260:263–272  
 Glen F, see Godley BJ et al. (2003) 253:279–288

- Glibert PM, see Mulholland MR et al. (2003) 258:3–17
- Gobler CJ, Boneillo GE (2003) Impacts of anthropogenically influenced groundwater seepage on water chemistry and phytoplankton dynamics within a coastal marine system. 255:101–114
- Godfrey MH, see Godley BJ et al. (2003) 253:279–288
- Godley BJ, Lima EHSM, Åkesson S, Broderick AC, Glen F, Godfrey MH, Luschi P, Hays GC (2003) Movement patterns of green turtles in Brazilian coastal waters described by satellite tracking and flipper tagging. 253:279–288
- Godínez-Domínguez E, Freire J (2003) Information-theoretic approach for selection of spatial and temporal models of community organization. 253:17–24
- Gonçalves RJ, see Helbling EW et al. (2003) 259:59–66
- González N, see Marañón E et al. (2003) 257:1–11
- Goss-Custard JD, see Caldow RWG et al. (2003) 259:173–183
- Gosselin M, see Mei ZP et al. (2003) 256:13–27
- Goudard F, see Boisson F et al. (2003) 254:177–186
- Gowing MM, Riggs BE, Garrison DL, Gibson AH, Jeffries MO (2003) Erratum to Vol 241:1–11. 254:313
- Gowing MM, see Garrison DL et al. (2003) 259:1–15
- Graham WM, Martin DL, Martin JC (2003) *In situ* quantification and analysis of large jellyfish using a novel video profiler. 254:129–140
- Granata A, see Miralto A et al. (2003) 254:253–268
- Granéli E, Johansson N (2003) Effects of the toxic haptophyte *Prymnesium parvum* on the survival and feeding of a ciliate: the influence of different nutrient conditions. 254:49–56
- Granéli E, see Fistarol GO et al. (2003) 255:115–125
- Grant J, see Archambault MC et al. (2003) 253:97–109
- Gratton Y, see Mei ZP et al. (2003) 256:13–27
- Gregory RS, see Laurel BJ et al. (2003) 251:245–254
- Grémillet D, see Daunt F et al. (2003) 255:283–288
- Gribbestad IS, see Chauton MS et al. (2003) 256:57–62
- Gribsholt B, Kostka JE, Kristensen E (2003) Impact of fiddler crabs and plant roots on sediment biogeochemistry in a Georgia saltmarsh. 259:237–251
- Griffin D, see Wawrik B et al. (2003) 251:87–101
- Grift RE, Rijnsdorp AD, Barot S, Heino M, Dieckmann U (2003) Fisheries-induced trends in reaction norms for maturation in North Sea plaice. 257:247–257
- Grutter A (2003) Feeding ecology of the fish ectoparasite *Gnathia* sp. (Crustacea: Isopoda) from the Great Barrier Reef, and its implications for fish cleaning behaviour. 259:295–302
- Guglielmo L, see Miralto A et al. (2003) 254:253–268
- Guidetti P, Terlizzi A, Fraschetti S, Boero F (2003) Changes in Mediterranean rocky-reef fish assemblages exposed to sewage pollution. 253:269–278
- Guinet C, see Lea MA et al. (2003) 253:310
- Guisande C, see Riveiro I et al. (2003) 260:255–262
- Guo L, Tanaka N, Schell DM, Santschi PH (2003) Nitrogen and carbon isotopic composition of high-molecular-weight dissolved organic matter in marine environments. 252:51–60
- Gutt J, Piepenburg D (2003) Scale-dependent impact on diversity of Antarctic benthos caused by grounding of icebergs. 253:77–83
- ence of silvering Japanese eel *Anguilla japonica*: evidence from pituitary prolactin mRNA levels and otolith Sr:Ca ratios. 259:253–261
- Hansen PJ, see Pedersen MF (2003) 260:19–31
- Hansen PJ, see Pedersen MF (2003) 260:33–41
- Haralabous J, see Maravelias CD et al. (2003) 255:249–258
- Harris R, see López-Urrutia Á et al. (2003) 252:125–141
- Harris R, see López-Urrutia Á et al. (2003) 252:143–157
- Harrison PJ, see Needoba JA et al. (2003) 255:81–91
- Harrison PL, see Wilson JR (2003) 260:115–123
- Hashimoto T, Nakano SI (2003) Effect of nutrient limitation on abundance and growth of phytoplankton in a Japanese pearl farm. 258:43–50
- Hatten K, see Backhaus JO et al. (2003) 251:1–14
- Hausmann K, see Arndt H et al. (2003) 256:45–56
- Häussermann V, Försterra G (2003) First evidence for coloniality in sea anemones. 257:291–294
- Haynes D, see Jones RJ et al. (2003) 251:153–167
- Hays G, see Heck KL Jr et al. (2003) 253:123–136
- Hays GC, see Godley BJ et al. (2003) 253:279–288
- Haywood GJ, Burns CW (2003) Feeding response of *Nyctiphanes australis* (Euphausiacea) to various nanoplankton sizes and taxa. 253:209–216
- Hazzard SE, Kleppel GS (2003) Egg production of the copepod *Acartia tonsa* in Florida Bay: role of fatty acids in the nutritional composition of the food environment. 252:199–206
- Head EJH, see Lutz VA et al. (2003) 260:1–18
- Heck KL Jr, Hays G, Orth RJ (2003) Critical evaluation of the nursery role hypothesis for seagrass meadows. 253:123–136
- Hegseth EN, see Backhaus JO et al. (2003) 251:1–14
- Heino M, see Grift RE et al. (2003) 257:247–257
- Helbling EW, Gao K, Gonçalves RJ, Wu H, Villafañe VE (2003) Utilization of solar UV radiation by coastal phytoplankton assemblages off SE China when exposed to fast mixing. 259:59–66
- Hermesen JM, Collie JS, Valentine PC (2003) Mobile fishing gear reduces benthic megafaunal production on Georges Bank. 260:97–108
- Hewitt J, see Cummings V et al. (2003) 253:39–54
- Hickford MJH, Schiel DR (2003) Comparative dispersal of larvae from demersal versus pelagic spawning fishes. 252:255–271
- Hiddick JG (2003) Modelling the adaptive value of intertidal migration and nursery use in the bivalve *Macoma balthica*. 252:173–185
- Hills JM, see Smith CJ et al. (2003) 256:161–170
- Himmelman JH, see Gagnon P et al. (2003) 258:125–132
- Hindell JS, see Moran SM et al. (2003) 251:127–139
- Hines AH, see Seitz RD et al. (2003) 257:179–188
- Hinrichsen HH, see Hüsey K et al. (2003) 258:233–241
- Hinrichsen HH, see Hüsey K et al. (2003) 258:243–251
- Hitchcock G, see Waite TD et al. (2003) 258:51–63
- Hodder J, see Carlton JT (2003) 256:271–286
- Holligan PM, see Moore CM et al. (2003) 259:29–45
- Holmes SP, Witbaard R, van der Meer J (2003) Phenotypic and genotypic population differentiation in the bivalve mollusc *Arctica islandica*: results from RAPD analysis. 254:163–176
- Hong JS, see Kang CK et al. (2003) 259:79–92
- Hood RR, see Zhang X et al. (2003) 256:29–44
- Hop H, see Dahl TM et al. (2003) 256:257–269
- Horne EPW, see Bouman HA et al. (2003) 258:19–30
- Houchin L, see Wawrik B et al. (2003) 251:87–101
- Houde ED, see North EW (2003) 260:219–236
- Howell KL, Pond DW, Billett DSM, Tyler PA (2003) Feeding ecology of deep-sea seastars (Echinodermata: Asteroidea): a fatty-acid biomarker approach. 255:193–206

## H

- Hadfield MG, see Huang S (2003) 260:161–172
- Hagström Å, see Pinhassi J et al. (2003) 255:1–13
- Hall CJ, see Schallenberg M et al. (2003) 251:181–189
- Hammond PS, see Stevick PT et al. (2003) 258:263–273
- Han YS, Yu JYL, Liao IC, Tzeng WN (2003) Salinity prefer-

- Huang S, Hadfield MG (2003) Composition and density of bacterial biofilms determine larval settlement of the polychaete *Hydroides elegans*. 260:161–172
- Hubas C, see Riera P (2003) 260:151–159
- Hubold G, see Barletta M et al. (2003) 256:217–228
- Hüssy K, Mosegaard H, Hinrichsen HH, Böttcher U (2003) Using otolith microstructure to analyse growth of juvenile Baltic cod *Gadus morhua*. 258:233–241
- Hüssy K, Mosegaard H, Hinrichsen HH, Böttcher U (2003) Factors determining variations in otolith microincrement width of demersal juvenile Baltic cod *Gadus morhua*. 258:243–251
- Hutchins DA, see Franck VM et al. (2003) 252:15–33
- Hydes DJ, see Moore CM et al. (2003) 259:29–45
- Hyun JH, Kim KH (2003) Bacterial abundance and production during the unique spring phytoplankton bloom in the central Yellow Sea. 252:77–88

## I

- Ianora A, see Miralto A et al. (2003) 254:253–268
- Ifrach I, see Burns E et al. (2003) 252:105–114
- Ikeda T, see Yamada Y (2003) 253:233–241
- Ikeda Y, Arai N, Kidokoro H, Sakamoto W (2003) Strontium:calcium ratios in statoliths of Japanese common squid *Todarodes pacificus* (Cephalopoda: Ommastrephidae) as indicators of migratory behavior. 251:169–179
- Ilan M, see Burns E (2003) 252:115–123
- Ilan M, see Burns E et al. (2003) 252:105–114
- In Memoriam Prof. Cazlyn Green Bookhout (2003) (by John D. Costlow). 258:1
- Iribarne O, see Palomo G et al. (2003) 253:165–173
- Irigoien X, see Backhaus JO et al. (2003) 251:1–14
- Irigoien X, see López-Urrutia Á et al. (2003) 252:125–141
- Irigoien X, see López-Urrutia Á et al. (2003) 252:143–157
- Ishihara Y, see Yokoyama H (2003) 255:303–309
- Ishimaru T, see Sato R et al. (2003) 259:163–172

## J

- Jackson GD, see Phillips KL et al. (2003) 256:135–149
- James A, see Pitchford JW et al. (2003) 256:99–110
- Jansen S, see Wexels Riser C et al. (2003) 256:301–304
- Jaramillo JR, see Stead RA et al. (2003) 252:159–172
- Jarvis T, see Tarling GA et al. (2003) 252:307–310
- Jaureguizar AJ, Bava J, Carozza CR, Lasta CA (2003) Distribution of whitemouth croaker *Micropogonias furnieri* in relation to environmental factors at the Río de la Plata estuary, South America. 255:271–282
- Jeffries MO, see Garrison DL et al. (2003) 259:1–15
- Jeffries MO, see Gowing MM et al. (2003) 254:313
- Jenkins GP, see Moran SM et al. (2003) 251:127–139
- Jereb P, see Villanueva R et al. (2003) 253:197–208
- Johansson N, see Granéli E (2003) 254:49–56
- Johnsen G, see Chauton MS et al. (2003) 256:57–62
- Johnson CL (2003) Ecdysteroids in the oceanic copepod *Calanus pacificus*: variation during molt cycle and change associated with diapause. 257:159–165
- Johnson CR, see Fulton EA et al. (2003) 253:1–16
- Johnson D, see Manderson JP et al. (2003) 253:253–267
- Johnson EG, see Eggleston DB et al. (2003) 257:197–207
- Johnston EL, Keough MJ (2003) Competition modifies the response of organisms to toxic disturbance. 251:15–26
- Jollivet D, see Dupont et al. (2003) 253:183–195
- Joly P, see Plourde S et al. (2003) 255:219–233

- Jompa J, McCook LJ (2003) Contrasting effects of turf algae on corals: massive *Porites* spp. are unaffected by mixed-species turfs, but killed by the red alga *Anotrichium tenue*. 258:79–86
- Jompa J, McCook LJ (2003) Coral–algal competition: macroalgae with different properties have different effects on corals. 258:87–95
- Jones DR, see DiTullio GR et al. (2003) 255:55–80
- Jones EG, Tselepidis A, Bagley PM, Collins MA, Priede IG (2003) Bathymetric distribution of some benthic and benthopelagic species attracted to baited cameras and traps in the deep eastern Mediterranean. 251:75–86
- Jones MB, see Roast SD (2003) 260:189–194
- Jones RJ, Muller J, Haynes D, Schreiber U (2003) Effects of herbicides diuron and atrazine on corals of the Great Barrier Reef, Australia. 251:153–167
- Jones RJ, see Kerswell AP (2003) 253:145–154
- Jones WB, Cifuentes LA, Kaldy JE (2003) Stable carbon isotope evidence for coupling between sedimentary bacteria and seagrasses in a sub-tropical lagoon. 255:15–25
- Jouventin P, see Le Corre M et al. (2003) 255:289–301

## K

- Kaffenberger A, see Calcagno JA et al. (2003) 257:189–196
- Kaiser MJ, see Caldwell RWG et al. (2003) 259:173–183
- Kaldy JE, see Jones WB et al. (2003) 255:15–25
- Kang CK, Kim JB, Lee KS, Kim JB, Lee PY, Hong JS (2003) Trophic importance of benthic microalgae to macrozoobenthos in coastal bay systems in Korea: dual stable C and N isotope analyses. 259:79–92
- Kang JS, Kang SH, Kim D, Kim DY (2003) Planktonic centric diatom *Minidiscus chilensis* dominated sediment trap material in eastern Bransfield Strait, Antarctica. 255:93–99
- Kang SH, see Ahn IY et al. (2003) 257:99–110
- Kang SH, see Kang JS et al. (2003) 255:93–99
- Karnovsky NJ, Kwaśniewski S, Węśławski JM, Walkusz W, Beszczyńska-Möller A (2003) Foraging behavior of little auks in a heterogeneous environment. 253:289–303
- Katoh M, see Nishikawa A et al. (2003) 256:87–97
- Katona SK, see Stevick PT et al. (2003) 258:263–273
- Katz SL, see Shimeta J et al. (2003) 259:103–115
- Kazumi J, see Waite TD et al. (2003) 258:51–63
- Kelalaher BP, see Wong WH et al. (2003) 253:175–182
- Kellison GT, see Eggleston DB et al. (2003) 257:197–207
- Keough MJ, see Johnston EL (2003) 251:15–26
- Keough MJ, see Marshall DJ (2003) 259:139–144
- Keough MJ, see Marshall DJ (2003) 255:145–153
- Keough MJ, see Moran SM et al. (2003) 251:127–139
- Keough MJ, see Ng TYT (2003) 257:77–85
- Kérouel R, see Savoye N et al. (2003) 255:27–41
- Kerswell AP, Jones RJ (2003) Effects of hypo-osmosis on the coral *Stylophora pistillata*: nature and cause of 'low-salinity bleaching'. 253:145–154
- Kibirige I, Perissinotto R, Nozais C (2003) Grazing rates and feeding preferences of the mysid shrimp *Gastrosaccus brevifissura* in a temporarily open estuary in South Africa. 251:201–210
- Kido JS, Murray SN (2003) Variation in owl limpet *Lottia gigantea* population structures, growth rates, and gonadal production on southern California rocky shores. 257:111–124
- Kidokoro H, see Ikeda Y et al. (2003) 251:169–179
- Kim D, see Kang JS et al. (2003) 255:93–99
- Kim DY, see Kang JS et al. (2003) 255:93–99
- Kim JB, see Kang CK et al. (2003) 259:79–92

Kim JB, see Kang CK et al. (2003) 259:79–92  
 Kim KW, see Ahn IY et al. (2003) 257:99–110  
 Kim KH, see Hyun JH (2003) 252:77–88  
 Kingsford MJ, see Dempster T (2003) 258:213–222  
 Kinlan BP, see Siegel DA et al. (2003) 260:83–96  
 Kinne O (2003) The scientific process: new forces attempt to enter the scene. 254:1  
 Kinzie RA III, see Ribes M et al. (2003) 257:13–23  
 Kiørboe T (2003) High turnover rates of copepod fecal pellets due to *Noctiluca scintillans* grazing. 258:181–188  
 Kjeldstad B, Frette Ø, Erga SR, Browman HI, Kuhn P, Davis R, Miller W, Stamnes JJ (2003) UV (280 to 400 nm) optical properties in a Norwegian fjord system and an intercomparison of underwater radiometers. 256:1–11  
 Klein B, see Mei ZP et al. (2003) 256:13–27  
 Klein B, see Vasseur C et al. (2003) 252:1–13  
 Kleppel GS, see Hazzard SE (2003) 252:199–206  
 Kloareg B, see Billot C et al. (2003) 253:111–121  
 Klöpffer S, Scharek R, Gerdts G (2003) Diarrhetic shellfish toxicity in relation to the abundance of *Dinophysis* spp. in the German Bight near Helgoland. 259:93–102  
 Klos E, see Colin SP et al. (2003) 253:305–309  
 Koseff JR, see May CL et al. (2003) 254:111–128  
 Kostka JE, see Gribsholt B et al. (2003) 259:237–251  
 Kristensen E, see Gribsholt B et al. (2003) 259:237–251  
 Kröncke I, Türkay M (2003) Structural and functional aspects of the benthic communities in the deep Angola Basin. 260:43–53  
 Kuhn P, see Kjeldstad B et al. (2003) 256:1–11  
 Kukliński P, see Barnes DKA (2003) 259:17–28  
 Kwaśniewski S, see Karnovsky NJ et al. (2003) 253:289–303  
 Kwon H, see Ahn IY et al. (2003) 257:99–110  
 Kyewalyanga M, see Bouman HA et al. (2003) 258:19–30

## L

Labarta U, see Pérez Camacho A et al. (2003) 258:133–145  
 Lagarde F, see Le Corre M et al. (2003) 255:289–301  
 Lago de Lanzós A, see Riveiro I et al. (2003) 260:255–262  
 Laine AO, see Denisenko SG et al. (2003) 258:109–123  
 Lake S, Burton H, van den Hoff J (2003) Regional, temporal and fine-scale spatial variation in Weddell seal diet at four coastal locations in east Antarctica. 254:293–305  
 Lambert CC, Lambert G (2003) Persistence and differential distribution of nonindigenous ascidians in harbors of the Southern California Bight. 259:145–161  
 Lambert G, see Lambert CC (2003) 259:145–161  
 Lane PVZ, see Waite TD et al. (2003) 258:51–63  
 Larned ST (2003) Effects of the invasive, nonindigenous seagrass *Zostera japonica* on nutrient fluxes between the water column and benthos in a NE Pacific estuary. 254:69–80  
 Laroche J, see Marchand J et al. (2003) 260:273–284  
 Larsen A, see Thyrhaug R et al. (2003) 254:27–35  
 Larsen F, see Stevick PT et al. (2003) 258:263–273  
 Lasta CA, see Jaureguizar AJ et al. (2003) 255:271–282  
 Latrouite D, see Uiblein F et al. (2003) 257:223–232  
 Laurel BJ, Gregory RS, Brown JA (2003) Predator distribution and habitat patch area determine predation rates on Age-0 juvenile cod *Gadus* spp. 251:245–254  
 Lavalli KL, see Barshaw DE et al. (2003) 256:171–182  
 Lawler IR, see André J (2003) 257:259–266  
 Lea MA, Cherel Y, Guinet C, Nichols PD (2003) Erratum to Vol 245:281–297. 253:310  
 LeBlanc B, see Mei ZP et al. (2003) 256:13–27  
 Lecomte-Finiger R, see Robinet T et al. (2003) 259:263–272  
 Le Corre M, Cherel Y, Lagarde F, Lormée H, Jouventin P (2003) Seasonal and inter-annual variation in the feeding ecology of a tropical oceanic seabird, the red-tailed tropicbird *Phaethon rubricauda*. 255:289–301  
 Lee C, see Mulholland MR et al. (2003) 258:3–17  
 Lee KS, see Kang CK et al. (2003) 259:79–92  
 Lee PA, Saunders PA, de Mora SJ, Deibel D, Levasseur M (2003) Influence of copepod grazing on concentrations of dissolved dimethylsulfoxide and related sulfur compounds in the North Water, northern Baffin Bay. 255:235–248  
 Lee PY, see Kang CK et al. (2003) 259:79–92  
 Lee SH, see Choe N et al. (2003) 251:191–200  
 Lefkaditou E, see Villanueva R et al. (2003) 253:197–208  
 Lefrançois C, Claireaux G (2003) Influence of ambient oxygenation and temperature on metabolic scope and scope for heart rate in the common sole *Solea solea*. 259:273–284  
 Legendre L, see Mei ZP et al. (2003) 256:13–27  
 Legrand C, see Fistarol GO et al. (2003) 255:115–125  
 Lehtonen KK, see Denisenko SG et al. (2003) 258:109–123  
 Leis JM, Carson-Ewart BM (2003) Orientation of pelagic larvae of coral-reef fishes in the ocean. 252:239–253  
 León A, see Gateño D et al. (2003) 258:97–108  
 Lesser MP, see Apprill AM (2003) 256:75–85  
 Levasseur M, see Lee PA et al. (2003) 255:235–248  
 Levinton JS, see Wong WH et al. (2003) 253:175–182  
 Lewis C, Olive PJW, Bentley MG (2003) Pre-emptive competition as a selective pressure for early reproduction in the polychaete *Nereis virens*. 254:199–211  
 Li WKW, see Bouman HA et al. (2003) 258:19–30  
 Li WKW, see Lutz VA et al. (2003) 260:1–18  
 Liao IC, see Han YS et al. (2003) 259:253–261  
 Lien J, see Stevick PT et al. (2003) 258:263–273  
 Liess M, see Duquesne S (2003) 255:183–191  
 Lima EHSM, see Godley BJ et al. (2003) 253:279–288  
 Lin YH, see Chen YLL et al. (2003) 259:47–57  
 Lipinski MR, see Villanueva R et al. (2003) 253:197–208  
 Liu H, Dagg M (2003) Interactions between nutrients, phytoplankton growth, and micro- and mesozooplankton grazing in the plume of the Mississippi River. 258:31–42  
 Logemann K, see Backhaus JO et al. (2003) 251:1–14  
 López-Urrutia Á, Acuña JL, Irigoien X, Harris R (2003) Food limitation and growth in temperate epipelagic appendicularians (Tunicata). 252:143–157  
 López-Urrutia Á, Irigoien X, Acuña JL, Harris R (2003) *In situ* feeding physiology and grazing impact of the appendicularian community in temperate waters. 252:125–141  
 Lorange P, see Uiblein F et al. (2003) 257:223–232  
 Lorenzen K, see Agnew DJ et al. (2003) 254:281–291  
 Lorenzo LM, see Tilstone GH et al. (2003) 252:89–104  
 Lorenzo LM, see Tilstone GH et al. (2003) 254:313  
 Lormée H, see Le Corre M et al. (2003) 255:289–301  
 Lovell P, see Thompson D et al. (2003) 260:285–296  
 Lovrich G, see Anger K et al. (2003) 253:243–251  
 Lovrich GA, see Calcagno JA et al. (2003) 257:189–196  
 Lowe CG, Topping DT, Cartamil DP, Papastamatiou YP (2003) Movement patterns, home range, and habitat utilization of adult kelp bass *Paralabrax clathratus* in a temperate no-take marine reserve. 256:205–216  
 Lucas LV, see May CL et al. (2003) 254:111–128  
 Lucas MI, see Moore CM et al. (2003) 259:29–45  
 Luoma SN, see Wallace WG (2003) 257:125–137  
 Luschi P, see Godley BJ et al. (2003) 253:279–288  
 Lusseau D (2003) Male and female bottlenose dolphins *Tursiops* spp. have different strategies to avoid interactions with tour boats in Doubtful Sound, New Zealand. 257:267–274

- Lutz V, see Bouman HA et al. (2003) 258:19–30  
 Lutz VA, Sathyendranath S, Head EJH, Li WKW (2003) Variability in pigment composition and optical characteristics of phytoplankton in the Labrador Sea and the Central North Atlantic. 260:1–18  
 Lwiza KMM, see Schultz ET et al. (2003) 251:263–277

## M

- Maass H, see Bouman HA et al. (2003) 258:19–30  
 Magalhães CM, Bordalo AA, Wiebe WJ (2003) Intertidal biofilms on rocky substratum can play a major role in estuarine carbon and nutrient dynamics. 258:275–281  
 Magnusson K, Agrenius S, Ekelund R (2003) Distribution of a tetrabrominated diphenyl ether and its metabolites in soft-bottom sediment and macrofauna species. 255:155–169  
 Malzahn AM, Clemmesen C, Rosenthal H (2003) Temperature effects on growth and nucleic acids in laboratory-reared larval coregonid fish. 259:285–293  
 Manderson JP, Pessutti J, Meise C, Johnson D, Shaheen P (2003) Winter flounder settlement dynamics and the modification of settlement patterns by post-settlement processes in a NW Atlantic estuary. 253:253–267  
 Maneiro I, see Riveiro I et al. (2003) 260:255–262  
 Marañón E, Behrenfeld MJ, González N, Mouriño B, Zubkov MV (2003) High variability of primary production in oligotrophic waters of the Atlantic Ocean: uncoupling from phytoplankton biomass and size structure. 257:1–11  
 Marañón E, see Fernández E et al. (2003) 254:101–109  
 Maravelias CD, Haralabous J, Papaconstantinou C (2003) Predicting demersal fish species distributions in the Mediterranean Sea using artificial neural networks. 255:249–258  
 Marchand J, Tanguy A, Laroche J, Quiniou L, Moraga D (2003) Responses of European flounder *Platichthys flesus* populations to contamination in different estuaries along the Atlantic coast of France. 260:273–284  
 Mariani S, Uriz MJ, Turon X (2003) Methodological bias in the estimations of important meroplanktonic components from near-shore bottoms. 253:67–75  
 Mark F, see Brante A et al. (2003) 251:221–232  
 Marlow TR, see Agnew DJ et al. (2003) 254:281–291  
 Marrs SJ, see Smith CJ et al. (2003) 256:161–170  
 Marshall DJ, Keough MJ (2003) Effects of settler size and density on early post-settlement survival of *Ciona intestinalis* in the field. 259:139–144  
 Marshall DJ, Keough MJ (2003) Variation in the dispersal potential of non-feeding invertebrate larvae: the desperate larva hypothesis and larval size. 255:145–153  
 Marshall LS Jr., see Seitz RD et al. (2003) 257:179–188  
 Martin DL, see Graham WM et al. (2003) 254:129–140  
 Martin JC, see Graham WM et al. (2003) 254:129–140  
 Martin JM, see Schultz ET et al. (2003) 251:263–277  
 Martinetto P, see Palomo G et al. (2003) 253:165–173  
 Marvin-DiPasquale MC, Boynton WR, Capone DG (2003) Benthic sulfate reduction along the Chesapeake Bay central channel. II. Temporal controls. 260:55–70  
 Matthews JBL, see Tarling GA et al. (2003) 252:307–310  
 Mattila DK, see Stevick PT et al. (2003) 258:263–273  
 May CL, Koseff JR, Lucas LV, Cloern JE, Schoellhamer DH (2003) Effects of spatial and temporal variability of turbidity on phytoplankton blooms. 254:111–128  
 Mayer LM, see Smoot JC et al. (2003) 258:161–169  
 Mayzaud P, see Albessard E (2003) 253:217–232  
 McCarthy DA, Young CM, Emson RH (2003) Influence of wave-induced disturbance on seasonal spawning patterns in the sabellariid polychaete *Phragmatopoma lapidosa*. 256:123–133  
 McCarthy ID, Fuiman LA, Alvarez MC (2003) Aroclor 1254 affects growth and survival skills of Atlantic croaker *Micropogonias undulatus* larvae. 252:295–301  
 McClelland J, see Tobias C et al. (2003) 257:25–36  
 McCook LJ, see Jompa J (2003) 258:79–86  
 McCook LJ, see Jompa J (2003) 258:87–95  
 McEdward LR, Miner BG (2003) Fecundity-time models of reproductive strategies in marine benthic invertebrates: fitness differences under fluctuating environmental conditions. 256:111–121  
 McGrorty S, see Caldwell RWG et al. (2003) 259:173–183  
 McIlwain JL (2003) Fine-scale temporal and spatial patterns of larval supply to a fringing reef in Western Australia. 252:207–222  
 McKinnon AD, see Meekan MG et al. (2003) 256:193–204  
 Meekan MG, Carleton JH, McKinnon AD, Flynn K, Furnas M (2003) What determines the growth of tropical reef fish larvae in the plankton: food or temperature? 256:193–204  
 Mei ZP, Legendre L, Gratton Y, Tremblay JE, LeBlanc B, Klein B, Gosselin M (2003) Phytoplankton production in the North Water Polynya: size-fractions and carbon fluxes, April to July 1998. 256:13–27  
 Meise C, see Manderson JP et al. (2003) 253:253–267  
 Meyer B, Atkinson A, Blume B, Bathmann UV (2003) Feeding and energy budgets of larval Antarctic krill *Euphausia superba* in summer. 257:167–177  
 Millar RM, see Dahl TM et al. (2003) 256:257–269  
 Miller MJ, see Arai T et al. (2003) 251:255–261  
 Miller W, see Kjeldstad B et al. (2003) 256:1–11  
 Mills KE, Fonseca MS (2003) Mortality and productivity of eelgrass *Zostera marina* under conditions of experimental burial with two sediment types. 255:127–134  
 Miner BG, see McEdward LR (2003) 256:111–121  
 Miralto A, Guglielmo L, Zagami G, Buttino I, Granata A, Ianora A (2003) Inhibition of population growth in the copepods *Acartia clausi* and *Calanus helgolandicus* during diatom blooms. 254:253–268  
 Mitani I, see Takasuka A et al. (2003) 252:223–238  
 Mitani Y, see Watanabe Y et al. (2003) 252:283–288  
 Mitchell JG, see Waters RL et al. (2003) 251:49–58  
 Mitchell-Innes BA, see Richardson AJ et al. (2003) 254:239–251  
 Montevicchi WA, see Davoren GK (2003) 258:253–261  
 Montevicchi WA, see Davoren GK et al. (2003) 256:229–242  
 Montserrat Sala M, see Calbet A et al. (2003) 259:303–309  
 Moore CM, Suggett D, Holligan PM, Sharples J, Abraham ER, Lucas MI, Rippeth TP, Fisher NR, Simpson JH, Hydes DJ (2003) Physical controls on phytoplankton physiology and production at a shelf sea front: a fast repetition-rate fluorometer based field study. 259:29–45  
 Moraga D, see Marchand J et al. (2003) 260:273–284  
 Moraga D, see Tanguy A et al. (2003) 257:87–97  
 Moran SM, Jenkins GP, Keough MJ, Hindell JS (2003) The role of physical disturbance in structuring fish assemblages in seagrass beds in Port Phillip Bay, Australia. 251:127–139  
 Morritt D, see Nice HE et al. (2003) 256:293–300  
 Morán XAG, see Fernández E et al. (2003) 254:101–109  
 Mosegaard H, see Hüsey K et al. (2003) 258:233–241  
 Mosegaard H, see Hüsey K et al. (2003) 258:243–251  
 Moss SEW, see Thompson D et al. (2003) 260:285–296  
 Mostajir B, see Vasseur C et al. (2003) 252:1–13  
 Mould K, see Caldwell RWG et al. (2003) 259:173–183  
 Mouriño B, see Marañón E et al. (2003) 257:1–11  
 Mouritsen KN, see Poulin R (2003) 254:187–198  
 Mulholland MR, Lee C, Glibert PM (2003) Extracellular enzyme activity and uptake of carbon and nitrogen along an



estuarine salinity and nutrient gradient. 258:3–17

- Muller J, see Jones RJ et al. (2003) 251:153–167  
 Muller-Karger F, see Wawrik B et al. (2003) 251:87–101  
 Müller-Karulis B, see Carstensen J et al. (2003) 252:35–50  
 Mundy CP, see Baird AH et al. (2003) 252:289–293  
 Murray SN, see Kido JS (2003) 257:111–124

## N

- Nadeau DA, see Eggleston DB et al. (2003) 257:197–207  
 Naganuma T, see Fujikura K et al. (2003) 257:295–301  
 Naito Y, see Watanabe Y et al. (2003) 252:283–288  
 Nakamura T, Yamasaki H, van Woessik R (2003) Water flow facilitates recovery from bleaching in the coral *Stylophora pistillata*. 256:287–291  
 Nakano SI, see Hashimoto T (2003) 258:43–50  
 Narayanaswamy BE, Nickell TD, Gage JD (2003) Appropriate levels of taxonomic discrimination in deep-sea studies: species vs family. 257:59–68  
 Nault N, see Savoye N et al. (2003) 255:27–41  
 Needoba JA, Waser NA, Harrison PJ, Calvert SE (2003) Nitrogen isotope fractionation in 12 species of marine phytoplankton during growth on nitrate. 255:81–91  
 Neenan D, see Garrison DL et al. (2003) 259:1–15  
 Ng TYT, Keough MJ (2003) Delayed effects of larval exposure to Cu in the bryozoan *Watersipora subtorquata*. 257:77–85  
 Nice HE, Morritt D, Crane M, Thorndyke M (2003) Long-term and transgenerational effects of nonylphenol exposure at a key stage in the development of *Crassostrea gigas*. Possible endocrine disruption? 256:293–300  
 Nichols PD, see Lea MA et al. (2003) 253:310  
 Nichols PD, see Phillips KL et al. (2003) 256:135–149  
 Nickell TD, see Narayanaswamy BE et al. (2003) 257:59–68  
 Niehoff B, see Durbin EG et al. (2003) 254:81–100  
 Nishikawa A, Katoh M, Sakai K (2003) Larval settlement rates and gene flow of broadcast-spawning (*Acropora tenuis*) and planula-brooding (*Stylophora pistillata*) corals. 256:87–97  
 Norderhaug KM, Fredriksen S, Nygaard K (2003) Trophic importance of *Laminaria hyperborea* to kelp forest consumers and the importance of bacterial degradation to food quality. 255:135–144  
 Norrko A, see Cummings V et al. (2003) 253:39–54  
 North EW, Houde ED (2003) Linking ETM physics, zooplankton prey, and fish early-life histories to striped bass *Morone saxatilis* and white perch *M. americana* recruitment. 260:219–236  
 Noyce T, see Stewart RR et al. (2003) 253:25–38  
 Nozais C, see Kibirige I et al. (2003) 251:201–210  
 Nozais C, see Vasseur C et al. (2003) 252:1–13  
 Nygaard K, see Norderhaug KM et al. (2003) 255:135–144

## O

- O'Brien JJ, see Boone EJ et al. (2003) 252:187–197  
 Ohman MD, see Durbin EG et al. (2003) 254:81–100  
 Øien N, see Stevick PT et al. (2003) 258:263–273  
 Okolodkov YB, see Garrison DL et al. (2003) 259:1–15  
 Okoshi K, see Fujikura K et al. (2003) 257:295–301  
 Ólafsson E, see Ullberg J (2003) 260:141–149  
 Oldman J, see Broekhuizen N et al. (2003) 252:61–76  
 Olive PJW, see Lewis C et al. (2003) 254:199–211  
 Optun OI, see Chauton MS et al. (2003) 256:57–62  
 Orth RJ, see Heck KL Jr et al. (2003) 253:123–136  
 Orth RJ, see van Montfrans J et al. (2003) 260:209–217

## P

- Palomo G, Martinetto P, Perez C, Iribarne O (2003) Ant predation on intertidal polychaetes in a SW Atlantic estuary. 253:165–173  
 Palsbøll PJ, see Stevick PT et al. (2003) 258:263–273  
 Papaconstantinou C, see Maravelias CD et al. (2003) 255:249–258  
 Papadopoulou KN, see Smith CJ et al. (2003) 256:161–170  
 Papastamatiou YP, see Lowe CG et al. (2003) 256:205–216  
 Park YG, see Ahn IY et al. (2003) 257:99–110  
 Paul JH, see Wawrik B et al. (2003) 251:87–101  
 Paul V, see Ritson-Williams R et al. (2003) 255:207–218  
 Pawlik JR, see Burns E et al. (2003) 252:105–114  
 Pearre S Jr. (2003) When lights are low: Comment on 'Mid-night sinking behaviour in *Calanus finmarchicus*: a response to satiation or krill predation?' by Tarling et al. (2002). 252:303–305  
 Peck MA, Buckley LJ, Caldarone EM, Bengtson DA (2003) Effects of food consumption and temperature on growth rate and biochemical-based indicators of growth in early juvenile Atlantic cod *Gadus morhua* and haddock *Melanogrammus aeglefinus*. 251:233–243  
 Pedersen MF, Hansen PJ (2003) Effects of high pH on a natural marine planktonic community. 260:19–31  
 Pedersen MF, Hansen PJ (2003) Effects of high pH on the growth and survival of six marine heterotrophic protists. 260:33–41  
 Peliz A, see Chicharo MA et al. (2003) 257:303–309  
 Penry DL, see Rollwagen Bollens GC (2003) 257:139–158  
 Pepin P, see Bradbury IR et al. (2003) 257:233–245  
 Perales-Raya C, see Villanueva R et al. (2003) 253:197–208  
 Perez C, see Palomo G et al. (2003) 253:165–173  
 Pérez FF, see Gago J et al. (2003) 255:43–54  
 Pérez Camacho A, Delgado M, Fernández-Reiriz MJ, Labarta U (2003) Energy balance, gonad development and biochemical composition in the clam *Ruditapes decussatus*. 258:133–145  
 Perissinotto R, see Kibirige I et al. (2003) 251:201–210  
 Pernet F, Tremblay R, Bourget E (2003) Settlement success, spatial pattern and behavior of mussel larvae *Mytilus* spp. in experimental 'downwelling' systems of varying velocity and turbulence. 260:125–140  
 Perovich GM, Epifanio CE, Dittel AI, Tyler PA (2003) Spatial and temporal patterns in development of eggs in the vent crab *Bythograea thermydron*. 251:211–220  
 Pessutti J, see Manderson JP et al. (2003) 253:253–267  
 Peters G, see Daunt F et al. (2003) 255:283–288  
 Peterson B, see Tobias C et al. (2003) 257:25–36  
 Philip SJ, see Copley JTP et al. (2003) 255:171–181  
 Phillips KL, Jackson GD, Nichols PD (2003) Temporal variations in the diet of the squid *Moroteuthis ingens* at Macquarie Island: stomach contents and fatty acid analyses. 256:135–149  
 Pickmere S, see Cummings V et al. (2003) 253:39–54  
 Piepenburg D, see Gutt J (2003) 253:77–83  
 Pieri J, see Boisson F et al. (2003) 254:177–186  
 Pinhassi J, Winding A, Binnerup SJ, Zweifel UL, Riemann B, Hagström Å (2003) Spatial variability in bacterioplankton community composition at the Skagerrak–Kattegat Front. 255:1–13  
 Pitchford JW, James A, Brindley J (2003) Optimal foraging in patchy turbulent environments. 256:99–110  
 Platt T, Sathyendranath S, Edwards AM, Broomhead DS, Ulloa O (2003) Nitrate supply and demand in the mixed layer of the ocean. 254:3–9  
 Platt T, see Bouman HA et al. (2003) 258:19–30

- Plourde S, Joly P, Runge JA, Dodson J, Zakardjian B (2003) Life cycle of *Calanus hyperboreus* in the lower St. Lawrence Estuary and its relationship to local environmental conditions. 255:219–233
- Polikarpov IG, see Saburova MA (2003) 251:115–126
- Pompert J, see Agnew DJ et al. (2003) 254:281–291
- Pond DW, see Howell KL et al. (2003) 255:193–206
- Pörtner HO, see Brante A et al. (2003) 251:221–232
- Possingham HP, see Stewart RR et al. (2003) 253:25–38
- Poulin R, Mouritsen KN (2003) Large-scale determinants of trematode infections in intertidal gastropods. 254:187–198
- Prevedelli D, see Simonini R (2003) 258:171–180
- Priede IG, see Jones EG et al. (2003) 251:75–86

## Q

- Quetin LB, Ross RM (2003) Episodic recruitment in Antarctic krill *Euphausia superba* in the Palmer LTER study region. 259:185–200
- Quiniou L, see Marchand J et al. (2003) 260:273–284

## R

- Rainbow PS, Blackmore G, Wang WX (2003) Effects of previous field-exposure history on the uptake of trace metals from water and food by the barnacle *Balanus amphitrite*. 259:201–213
- Raymond B, see Woehler EJ et al. (2003) 251:299–310
- Ré P, see Chicharo MA et al. (2003) 257:303–309
- Riba J, see Villanueva R et al. (2003) 253:197–208
- Ribes M, Coma R, Atkinson MJ, Kinzie RA III (2003) Particle removal by coral reef communities: picoplankton is a major source of nitrogen. 257:13–23
- Ribes M, Coma R, Rossi S (2003) Natural feeding of the temperate asymbiotic octocoral-gorgonian *Leptogorgia sarmentosa* (Cnidaria: Octocorallia). 254:141–150
- Richardson AJ, Verheye HM, Mitchell-Innes BA, Fowler JL, Field JG (2003) Seasonal and event-scale variation in growth of *Calanus agulhensis* (Copepoda) in the Benguela upwelling system and implications for spawning of sardine *Sardinops sagax*. 254:239–251
- Riemann B, see Pinhassi J et al. (2003) 255:1–13
- Riera P, Hubas C (2003) Trophic ecology of nematodes from various microhabitats of the Roscoff Aber Bay (France): importance of stranded macroalgae evidenced through  $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$ . 260:151–159
- Riggs BE, see Gowing MM et al. (2003) 254:313
- Riisgård HU (2003) Misuse of the peer-review system: time for countermeasures? 258:297–309
- Rijnsdorp AD, see Grift RE et al. (2003) 257:247–257
- Rijstenbil JW (2003) Effects of UVB radiation and salt stress on growth, pigments and antioxidative defence of the marine diatom *Cylindrotheca closterium*. 254:37–48
- Rinkevich B, see Bongiorno L et al. (2003) 253:137–144
- Rinkevich B, see Gateño D et al. (2003) 258:97–108
- Ríos AF, see Gago J et al. (2003) 255:43–54
- Rippeth TP, see Moore CM et al. (2003) 259:29–45
- Riso R, see Tanguy A et al. (2003) 257:87–97
- Ritson-Williams R, Shjegstad S, Paul V (2003) Host specificity of four corallivorous *Phestilla* nudibranchs (Gastropoda: Opisthobranchia). 255:207–218
- Riveiro I, Guisande C, Franco C, Lago de Lanzós A, Maneiro I, Vergara AR (2003) Egg and larval amino acid composition as indicators of niche resource partitioning in pelagic fish species. 260:255–262

- Roast SD, Jones MB (2003) Morphometrics and gill function in *Gammarus duebeni* (Peracarida: Amphipoda) inhabiting a sewage treatment works. 260:189–194
- Robinet T, Lecomte-Finiger R, Escoubeyrou K, Feunteun E (2003) Tropical eels *Anguilla* spp. recruiting to Réunion Island in the Indian Ocean: taxonomy, patterns of recruitment and early life histories. 259:263–272
- Rocha F, see Villanueva R et al. (2003) 253:197–208
- Rodríguez SR (2003) Consumption of drift kelp by intertidal populations of the sea urchin *Tetrapygus niger* on the central Chilean coast: possible consequences at different ecological levels. 251:141–151
- Rogers SI, see Bremner J et al. (2003) 254:11–25
- Rollwagen Bollens GC, Penry DL (2003) Feeding dynamics of *Acartia* spp. copepods in a large, temperate estuary (San Francisco Bay, CA). 257:139–158
- Romano C, Widdows J, Brinsley MD, Staff FJ (2003) Impact of *Enteromorpha intestinalis* mats on near-bed currents and sediment dynamics: flume studies. 256:63–74
- Rose GA, see Sherwood GD (2003) 258:283–289
- Rosenthal H, see Malzahn AM et al. (2003) 259:285–293
- Ross RM, see Quetin LB (2003) 259:185–200
- Rossi S, see Ribes M et al. (2003) 254:141–150
- Rotllant G, see Aguzzi J et al. (2003) 258:201–211
- Rousvoal S, see Billot C et al. (2003) 253:111–121
- Rudnick DT, see Davis SE III et al. (2003) 253:85–96
- Runge J, see Durbin EG et al. (2003) 254:81–100
- Runge JA, see Plourde S et al. (2003) 255:219–233
- Russ GR, see Zeller D et al. (2003) 254:269–280
- Ryer CH, see van Montfrans J et al. (2003) 260:209–217

## S

- Saburova MA, Polikarpov IG (2003) Diatom activity within soft sediments: behavioural and physiological processes. 251:115–126
- Sacco J, see Craft C (2003) 257:45–58
- Safi KA (2003) Microalgal populations of three New Zealand coastal locations: forcing functions and benthic-pelagic links. 259:67–78
- Saint-Paul U, see Barletta M et al. (2003) 256:217–228
- Sainte-Marie B, see Dionne M et al. (2003) 259:117–128
- Sakai K, see Nishikawa A et al. (2003) 256:87–97
- Sakamoto W, see Ikeda Y et al. (2003) 251:169–179
- Sand M, see Witte U et al. (2003) 251:27–36
- Santos AMP, see Chicharo MA et al. (2003) 257:303–309
- Santos R, see Silva J (2003) 257:37–44
- Santschi PH, see Guo L et al. (2003) 252:51–60
- Sardà F, see Aguzzi J et al. (2003) 258:201–211
- Sargent JR, see Dahl TM et al. (2003) 256:257–269
- Sathyendranath S, see Bouman HA et al. (2003) 258:19–30
- Sathyendranath S, see Lutz VA et al. (2003) 260:1–18
- Sathyendranath S, see Platt T et al. (2003) 254:3–9
- Sato K, see Watanabe Y et al. (2003) 252:283–288
- Sato R, Tanaka Y, Ishimaru T (2003) Species-specific house productivity of appendicularians. 259:163–172
- Saunders PA, see Lee PA et al. (2003) 255:235–248
- Savoye N, Aminot A, Tréguer P, Fontugne M, Naulet N, Kérouel R (2003) Dynamics of particulate organic matter  $\delta^{15}\text{N}$  and  $\delta^{13}\text{C}$  during spring phytoplankton blooms in a macrotidal ecosystem (Bay of Seine, France). 255:27–41
- Schallenberg M, Hall CJ, Burns CW (2003) Consequences of climate-induced salinity increases on zooplankton abundance and diversity in coastal lakes. 251:181–189
- Scharek R, see Klöpffer S et al. (2003) 259:93–102
- Schell DM, see Guo L et al. (2003) 252:51–60

- Schiel DR, see Hickford MJH (2003) 252:255–271
- Schils T, Coppejans E (2003) Spatial variation in subtidal plant communities around the Socotra Archipelago and their biogeographic affinities within the Indian Ocean. 251:103–114
- Schnack-Schiel S, see Thatje S et al. (2003) 260:195–207
- Schoellhamer DH, see May CL et al. (2003) 254:111–128
- Schreiber U, see Jones RJ et al. (2003) 251:153–167
- Schultz ET, Lwiza KMM, Fencil MC, Martin JM (2003) Mechanisms promoting upriver transport of larvae of two fish species in the Hudson River estuary. 251:263–277
- Scott B, see Daunt F et al. (2003) 255:283–288
- Seitz RD, Marshall LS Jr., Hines AH, Clark KL (2003) Effects of hypoxia on predator-prey dynamics of the blue crab *Callinectes sapidus* and the Baltic clam *Macoma balthica* in Chesapeake Bay. 257:179–188
- Serret P, see Fernández E et al. (2003) 254:101–109
- Seymour J, see Waters RL et al. (2003) 251:49–58
- Shafir S, see Bongiorno L et al. (2003) 253:137–144
- Shaheen P, see Manderson JP et al. (2003) 253:253–267
- Sharples J, see Moore CM et al. (2003) 259:29–45
- Sherman TD, see Boone EJ et al. (2003) 252:187–197
- Sherwood GD, Rose GA (2003) Influence of swimming form on otolith  $\delta^{13}\text{C}$  in marine fish. 258:283–289
- Shimeta J, Amos CL, Beaulieu SE, Katz SL (2003) Resuspension of benthic protists at subtidal coastal sites with differing sediment composition. 259:103–115
- Shirayama Y, see Yu OH et al. (2003) 258:189–199
- Shjegstad S, see Ritson-Williams R et al. (2003) 255:207–218
- Siegel DA, Kinlan BP, Gaylord B, Gaines SD (2003) Lagrangian descriptions of marine larval dispersion. 260:83–96
- Sigurjónsson J, see Stevick PT et al. (2003) 258:263–273
- Silva J, Santos R (2003) Daily variation patterns in seagrass photosynthesis along a vertical gradient. 257:37–44
- Simonini R, Prevedelli D (2003) Life history and demography of three populations of *Ophryotrocha japonica* (Polychaeta: Dorvilleidae). 258:171–180
- Simpson JH, see Moore CM et al. (2003) 259:29–45
- Skilleter GA, see Zharikov Y (2003) 254:151–162
- Sklar FH, see Davis SE III et al. (2003) 253:85–96
- Smith ADM, see Fulton EA et al. (2003) 253:1–16
- Smith C J, Marrs SJ, Atkinson RJA, Papadopoulou KN, Hills JM (2003) Underwater television for fisheries-independent stock assessment of *Nephrops norvegicus* from the Aegean (eastern Mediterranean) Sea. 256:161–170
- Smith CR, see Baco AR (2003) 260:109–114
- Smith KJ, Able KW (2003) Dissolved oxygen dynamics in salt marsh pools and its potential impacts on fish assemblages. 258:223–232
- Smith SG, see Waite TD et al. (2003) 258:51–63
- Smith SL, see Waite TD et al. (2003) 258:51–63
- Smith TD, see Stevick PT et al. (2003) 258:263–273
- Smith WO Jr, see DiTullio GR et al. (2003) 255:55–80
- Smoot JC, Mayer LM, Bock MJ, Wood PC, Findlay RH (2003) Structures and concentrations of surfactants in gut fluid of the marine polychaete *Arenicola marina*. 258:161–169
- Snelgrove PVR, see Bradbury IR et al. (2003) 257:233–245
- Snoeijs P, see Andersson M et al. (2003) 254:213–224
- Sotka EE (2003) Genetic control of feeding preference in the herbivorous amphipod *Ampithoe longimana*. 256:305–310
- Spanier E, see Barshaw DE et al. (2003) 256:171–182
- Staff FJ, see Romano C et al. (2003) 256:63–74
- Stamnes JJ, see Kjeldstad B et al. (2003) 256:1–11
- Stead RA, Thompson RJ, Jaramillo JR (2003) Absorption efficiency, ingestion rate, gut passage time and scope for growth in suspension- and deposit-feeding *Yoldia hyperborea*. 252:159–172
- Stevick PT, Allen J, Clapham PJ, Friday N, Katona SK, Larsen F, Lien J, Mattila DK, Palsbøll PJ, Sigurjónsson J, Smith TD, Øien N, Hammond PS (2003) North Atlantic humpback whale abundance and rate of increase four decades after protection from whaling. 258:263–273
- Stewart RR, Noyce T, Possingham HP (2003) Opportunity cost of ad hoc marine reserve design decisions: an example from South Australia. 253:25–38
- Stoner AW (2003) What constitutes essential nursery habitat for a marine species? A case study of habitat form and function for queen conch. 257:275–289
- Stoute SL, see Zeller D et al. (2003) 254:269–280
- Strasser KM, see Corsetti JL (2003) 256:151–159
- Stuart V, see Bouman HA et al. (2003) 258:19–30
- Suggett D, see Moore CM et al. (2003) 259:29–45
- Suh HL, see Yu OH et al. (2003) 258:189–199
- Sullivan MC, Cowen RK, Able KW, Fahay MP (2003) Effects of anthropogenic and natural disturbance on a recently settled continental shelf flatfish. 260:237–253
- Surh J, see Ahn IY et al. (2003) 257:99–110

## T

- Takasuka A, Aoki I, Mitani I (2003) Evidence of growth-selective predation on larval Japanese anchovy *Engraulis japonicus* in Sagami Bay. 252:223–238
- Tanaka N, see Guo L et al. (2003) 252:51–60
- Tanaka Y, see Sato R et al. (2003) 259:163–172
- Tanguy A, Boutet I, Riso R, Boudry P, Auffret M, Moraga D (2003) Metallothionein genes in the European flat oyster *Ostrea edulis*: a potential ecological tool for environmental monitoring? 257:87–97
- Tanguy A, see Marchand J et al. (2003) 260:273–284
- Tarling GA (2003) Sex-dependent diel vertical migration in northern krill *Meganyctiphanes norvegica* and its consequences for population dynamics. 260:173–188
- Tarling GA, Jarvis T, Matthews JBL (2003) *Calanus finmarchicus* descends in response to the arrival of krill—better unfed than dead. 252:307–310
- Terlizzi A, see Guidetti P et al. (2003) 253:269–278
- Teyssié JL, see Danis B et al. (2003) 253:155–163
- Thatje S, Schnack-Schiel S, Arntz WE (2003) Developmental trade-offs in Subantarctic meroplankton communities and the enigma of low decapod diversity in high southern latitudes. 260:195–207
- Thatje S, see Anger K et al. (2003) 253:243–251
- Thatje S, see Calcagno JA et al. (2003) 257:189–196
- Thingstad TF, see Thyrhaug R et al. (2003) 254:27–35
- Thivierge D, see Winkler G et al. (2003) 251:59–73
- Thompson D, Moss SEW, Lovell P (2003) Foraging behaviour of South American fur seals *Arctocephalus australis*: extracting fine scale foraging behaviour from satellite tracks. 260:285–296
- Thompson RJ, see Choe N et al. (2003) 251:191–200
- Thompson RJ, see Stead RA et al. (2003) 252:159–172
- Thornber CS, Gaines SD (2003) Spatial and temporal variation of haploids and diploids in populations of four congeners of the marine alga *Mazzaella*. 258:65–77
- Thorndyke M, see Nice HE et al. (2003) 256:293–300
- Thrush S, see Cummings V et al. (2003) 253:39–54
- Thyrhaug R, Larsen A, Thingstad TF, Bratbak G (2003) Stable coexistence in marine algal host-virus systems. 254:27–35
- Tilstone GH, Figueiras FG, Lorenzo LM, Arbones B (2003) Phytoplankton composition, photosynthesis and primary production during different hydrographic conditions at the Northwest Iberian upwelling system. 252:89–104

- Tilstone GH, Figueiras FG, Lorenzo LM, Arbones B (2003) Erratum to Vol 252:89–104. 254:313
- Tingley GA, see Agnew DJ et al. (2003) 254:281–291
- Tobias C, Giblin A, McClelland J, Tucker J, Peterson B (2003) Sediment DIN fluxes and preferential recycling of benthic microalgal nitrogen in a shallow macrotidal estuary. 257:25–36
- Topping DT, see Lowe CG et al. (2003) 256:205–216
- Tremblay JE, see Mei ZP et al. (2003) 256:13–27
- Tremblay R, see Pernet F et al. (2003) 260:125–140
- Tremblay Y, Cherel Y (2003) Geographic variation in the foraging behaviour, diet and chick growth of rockhopper penguins. 251:279–297
- Tréguer P, see Savoye N et al. (2003) 255:27–41
- Tselepides A, see Jones EG et al. (2003) 251:75–86
- Tsukamoto K, see Arai T et al. (2003) 251:255–261
- Tucker J, see Tobias C et al. (2003) 257:25–36
- Türkay M, see Kröncke I (2003) 259:117–127
- Türkay M, see Kröncke I (2003) 260:43–53
- Turon X, see Mariani S et al. (2003) 253:67–75
- Twining BS, see Wong WH et al. (2003) 253:175–182
- Tyler PA, see Copley JTP et al. (2003) 255:171–181
- Tyler PA, see Howell KL et al. (2003) 255:193–206
- Tyler PA, see Perovich GM et al. (2003) 251:211–220
- Tzeng WN, see Han YS et al. (2003) 259:253–261

## U

- Uiblein F, Lorange P, Latrouite D (2003) Behaviour and habitat utilisation of seven demersal fish species on the Bay of Biscay continental slope, NE Atlantic. 257:223–232
- Ullberg J, Ólafsson E (2003) Free-living marine nematodes actively choose habitat when descending from the water column. 260:141–149
- Ulloa O, see Bouman HA et al. (2003) 258:19–30
- Ulloa O, see Platt T et al. (2003) 254:3–9
- Uriz MJ, see Mariani S et al. (2003) 253:67–75

## V

- Valentine PC, see Hermsen JM et al. (2003) 260:97–108
- Valero M, see Billot C et al. (2003) 253:111–121
- van den Hoff J, see Lake S et al. (2003) 254:293–305
- van der Meer J, see Holmes SP et al. (2003) 254:163–176
- Van Dover CL (2003) Variation in community structure within hydrothermal vent mussel beds of the East Pacific Rise. 253:55–66
- Van Dover CL, see Copley JTP et al. (2003) 255:171–181
- van Montfrans J, Ryer CH, Orth RJ (2003) Substrate selection by blue crab *Callinectes sapidus* megalopae and first juvenile instars. 260:209–217
- Van Nieuwerburgh L, see Andersson M et al. (2003) 254:213–224
- van Woesik R, see Nakamura T et al. (2003) 256:287–291
- Vaqué D, see Calbet A et al. (2003) 259:303–309
- Vasseur C, Mostajir B, Nozais C, Denis M, Fouilland E, Klein B, Demers S (2003) Effects of bio-optical factors on the attenuation of ultraviolet and photosynthetically available radiation in the North Water Polynya, northern Baffin Bay: ecological implications. 252:1–13
- Vergara AR, see Riveiro I et al. (2003) 260:255–262
- Verheyne HM, see Richardson AJ et al. (2003) 254:239–251
- Viard F, see Dupont et al. (2003) 253:183–195
- Vila M, see Calbet A et al. (2003) 259:303–309

- Villafañe VE, see Helbling EW et al. (2003) 259:59–66
- Villanueva R, Arkhipkin A, Jereb P, Lefkaditou E, Lipinski MR, Perales-Raya C, Riba J, Rocha F (2003) Embryonic life of the loliginid squid *Loligo vulgaris*: comparison between statoliths of Atlantic and Mediterranean populations. 253:197–208
- Vincent WF, see Winkler G et al. (2003) 251:59–73
- Volent Z, see Chauton MS et al. (2003) 256:57–62

## W

- Wagner G, see Gagnon P et al. (2003) 258:125–132
- Wagner M, see Durbin EG et al. (2003) 254:81–100
- Waite TD, Kazumi J, Lane PVZ, Farmer LL, Smith SG, Smith SL, Hitchcock G, Capo TR (2003) Removal of natural populations of marine plankton by a large-scale ballast water treatment system. 258:51–63
- Wakeford RC, see Agnew DJ et al. (2003) 254:281–291
- Walkusz W, see Karnovsky NJ et al. (2003) 253:289–303
- Wallace WG, Luoma SN (2003) Subcellular compartmentalization of Cd and Zn in two bivalves. II. Significance of trophically available metal (TAM). 257:125–137
- Wang WX, see Rainbow PS et al. (2003) 259:201–213
- Wang WX, see Xu Y (2003) 254:225–238
- Wanless S, see Daunt F et al. (2003) 255:283–288
- Warnau M, see Danis B et al. (2003) 253:155–163
- Waser NA, see Needoba JA et al. (2003) 255:81–91
- Wassmann P, see Wexels Riser C et al. (2003) 256:301–304
- Watanabe Y, Mitani Y, Sato K, Cameron MF, Naito Y (2003) Dive depths of Weddell seals in relation to vertical prey distribution as estimated by image data. 252:283–288
- Waters RL, Mitchell JG, Seymour J (2003) Geostatistical characterisation of centimetre-scale spatial structure of *in vivo* fluorescence. 251:49–58
- Watts DJ, see Woehler EJ et al. (2003) 251:299–310
- Wawrik B, Paul JH, Campbell L, Griffin D, Houchin L, Fuentes-Ortega A, Muller-Karger F (2003) Vertical structure of the phytoplankton community associated with a coastal plume in the Gulf of Mexico. 251:87–101
- Wehde H, see Backhaus JO et al. (2003) 251:1–14
- Wenzhöfer F, see Witte U et al. (2003) 251:27–36
- Węśławski JM, see Karnovsky NJ et al. (2003) 253:289–303
- Westin L (2003) Migration failure in stocked eels *Anguilla anguilla*. 254:307–311
- Wexels Riser C, Jansen S, Bathmann U, Wassmann P (2003) Grazing of *Calanus helgolandicus* on *Dinophysis norvegica* during bloom conditions in the North Sea: evidence from investigations of faecal pellets. 256:301–304
- Widdows J, see Romano C et al. (2003) 256:63–74
- Wiebe WJ, see Magalhães CM et al. (2003) 258:275–281
- Williams SL, see Allen BJ (2003) 254:57–67
- Willis TJ, Anderson MJ (2003) Structure of cryptic reef fish assemblages: relationships with habitat characteristics and predator density. 257:209–221
- Wilson A, see Caldow RWG et al. (2003) 259:173–183
- Wilson JR, Harrison PL (2003) Spawning patterns of scleractinian corals at the Solitary Islands—a high latitude coral community in eastern Australia. 260:115–123
- Winding A, see Pinhassi J et al. (2003) 255:1–13
- Winkler G, Dodson JJ, Bertrand N, Thivierge D, Vincent WF (2003) Trophic coupling across the St. Lawrence River estuarine transition zone. 251:59–73
- Witbaard R, see Holmes SP et al. (2003) 254:163–176
- Witte U, Aberle N, Sand M, Wenzhöfer F (2003) Rapid response of a deep-sea benthic community to POM enrichment: an *in situ* experimental study. 251:27–36

- Witte U, see Aberle N (2003) 251:37–47  
Woehler EJ, Raymond B, Watts DJ (2003) Decadal-scale seabird assemblages in Prydz Bay, East Antarctica. 251:299–310  
Wolcott TG, see Bell GW et al. (2003) 259:215–225  
Wolcott TG, see Bell GW et al. (2003) 259:227–235  
Wolf M, see Arndt H et al. (2003) 256:45–56  
Wong WH, Cheung SG (2003) Site-related differences in the feeding physiology of the green mussel *Perna viridis*: a reciprocal transplantation experiment. 258:147–159  
Wong WH, Levinton JS, Twining BS, Fisher NS, Kelaher BP, Alt AK (2003) Assimilation of carbon from a rotifer by the mussels *Mytilus edulis* and *Perna viridis*: a potential food-web link. 253:175–182  
Wood PC, see Smoot JC et al. (2003) 258:161–169  
Wu H, see Helbling EW et al. (2003) 259:59–66

**X**

- Xu Y, Wang WX (2003) Fates of diatom carbon and trace elements by the grazing of a marine copepod. 254:225–238

**Y**

- Yamada Y, Ikeda T (2003) Metabolism and chemical composition of four pelagic amphipods in the Oyashio region, western subarctic Pacific Ocean. 253:233–241

- Yamasaki H, see Nakamura T et al. (2003) 256:287–291  
Yokoyama H, Ishihi Y (2003) Feeding of the bivalve *Theora lubrica* on benthic microalgae: isotopic evidence. 255:303–309  
Yoshioka M, see Amano M (2003) 258:291–295  
Young CM, see McCarthy DA et al. (2003) 256:123–133  
Yu JYL, see Han YS et al. (2003) 259:253–261  
Yu OH, Suh HL, Shirayama Y (2003) Feeding ecology of three amphipod species *Synchelidium lenorostratum*, *S. trioostegitum* and *Gitanopsis japonica* in the surf zone of a sandy shore. 258:189–199

**Z**

- Zagami G, see Miralto A et al. (2003) 254:253–268  
Zakardjian B, see Plourde S et al. (2003) 255:219–233  
Zeldis J, see Broekhuizen N et al. (2003) 252:61–76  
Zeller D, Stoute SL, Russ GR (2003) Movements of reef fishes across marine reserve boundaries: effects of manipulating a density gradient. 254:269–280  
Zhang X, Anderson JT, Hood RR (2003) Modeling *Pfiesteria piscicida* population dynamics: a new approach for tracking size and mass in mixotrophic species. 256:29–44  
Zharikov Y, Skilleter GA (2003) Depletion of benthic invertebrates by bar-tailed godwits *Limosa lapponica* in a subtropical estuary. 254:151–162  
Zubkov MV, see Marañón E et al. (2003) 257:1–11  
Zweifel UL, see Pinhassi J et al. (2003) 255:1–13