

COMBINED AUTHOR AND TITLE INDEX

(Volumes 271 to 280, 2004)

A

- Abelló P, see Rufino MM et al. (2004) 276:223–235
 Abelson A, see Pasternak Z et al. (2004) 279:113–116
 Åberg P, see Svensson CJ et al. (2004) 275:185–197
 Able KW, see Nemerson DM (2004) 276:249–262
 Abraham CL, Sydeman WJ (2004) Ocean climate, euphausiids and auklet nesting: inter-annual trends and variation in phenology, diet and growth of a planktivorous seabird, *Ptychoramphus aleuticus*. 274:235–250
 Achituv Y, see Pasternak Z et al. (2004) 279:113–116
 Aguilar A, see Forcada J et al. (2004) 275:275–287
 Aguilar Á, see Tornero V et al. (2004) 280:275–283
 Aguíñiga S, see Ruiz-Cooley RI et al. (2004) 277:275–283
 Ahrens M, see Lohrer AM et al. (2004) 273:121–138
 Alexander J, see Glibert PM et al. (2004) 280:73–83
 Allemand D, see Reynaud S et al. (2004) 279:105–112
 Allemand D, see Tentori E et al. (2004) 276:85–92
 Alofs KM, Polivka KM (2004) Microhabitat-scale influences of resources and refuge on habitat selection by an estuarine opportunist fish. 271:297–306
 Alvarez D, see Arrontes J et al. (2004) 277:117–133
 Alvarez-Borrego S, see Montes-Hugo MA et al. (2004) 277:51–60
 Álvarez-Salgado XA, Gilcoto M (2004) Inferring nitrification rates with an inverse method in a coastal upwelling system, Ría de Vigo (NW Spain). 276:3–17
 Amann R, see Zubkov M et al. (2004) 271:77–86
 Amiard JC, see Rainbow PS et al. (2004) 271:183–191
 Amiard-Triquet C, see Rainbow PS et al. (2004) 271:183–191
 Andersen O, see Styriahave B et al. (2004) 274:215–224
 Anderson DM, see Olli K et al. (2004) 273:43–48
 Anderson MJ, Ford RB, Feary DA, Honeywill C (2004) Quantitative measures of sedimentation in an estuarine system and its relationship with intertidal soft-sediment infauna. 272:33–48
 Anderson TW, see Andrews KS (2004) 277:231–244
 Andrews KS, Anderson TW (2004) Habitat-dependent recruitment of two temperate reef fishes at multiple spatial scales. 277:231–244
 Anger K, see Paschke KA et al. (2004) 279:183–191
 Anschutz P, see Mortimer RJG et al. (2004) 276:37–51
 Antajan E, Gasparini S (2004) Assessment of Cryptophyceae ingestion by copepods using alloxanthin pigment: a caution. 274:191–198
 Aoki I, see Takasuka A et al. (2004) 278:297–302
 Aoyama J, see Minagawa G et al. (2004) 271:245–259
 Arenas F, see Arrontes J et al. (2004) 277:117–133
 Arhonditsis GB, Brett MT (2004) Evaluation of the current state of mechanistic aquatic biogeochemical modeling. 271:13–26
 Arnold GP, see Hunter E et al. (2004) 279:261–273
 Arntz WE, see Teixidó N et al. (2004) 278:1–16
 Arrontes J, Arenas F, Fernández C, Rico JM, Oliveros J, Martínez B, Viejo RM, Alvarez D (2004) Effect of grazing by limpets on mid-shore species assemblages in northern Spain. 277:117–133

- Asmus H, see Baird D et al. (2004) 279:45–61
 Asmus R, see Baird D et al. (2004) 279:45–61
 Atchison AD, see Sammarco PW et al. (2004) 280:129–143
 Atkinson A, see Tarling GA et al. (2004) 272:165–181
 Auffrey LM, Robinson SMC, Barbeau MA (2004) Effect of green macroalgal mats on burial depth of soft-shelled clams *Mya arenaria*. 278:193–203
 Austen MC, see Widdicombe S et al. (2004) 275:1–10
 Ávila E, see Carballo JL (2004) 279:93–104
 Ayre DJ, Miller KJ (2004) Where do clonal coral larvae go? Adult genotypic diversity conflicts with reproductive effort in the brooding coral *Pocillopora damicornis*. 277:95–105
 Azanza R, see Hansen PJ et al. (2004) 275:79–87

B

- Babcock RC, see Denny CM et al. (2004) 272:183–190
 Bachar A, see Pasternak Z et al. (2004) 279:113–116
 Bachelet G, Simon-Bouhet B, Desclaux C, Garcia-Meunier P, Mairesse G, de Montaudouin X, Raigné H, Randriambao K, Sauriau PG, Viard F (2004) Invasion of the eastern Bay of Biscay by the nassariid gastropod *Cyclope neritea*: origin and effects on resident fauna. 276:147–159
 Bachelet G, see Desclaux C et al. (2004) 279:141–150
 Baird D, Asmus H, Asmus R (2004) Energy flow of a boreal intertidal ecosystem, the Sylt-Rømø Bight. 279:45–61
 Bak RPM, see Nugues MM et al. (2004) 278:103–114
 Baker CS, see Garrigue C (2004) 274:251–262
 Balazs G, see Chaloupka M et al. (2004) 280:285–293
 Baranov EA, see Watanabe Y et al. (2004) 279:283–289
 Barbeau MA, see Auffrey LM (2004) 278:193–203
 Barbera C, see Tuya F et al. (2004) 278:157–169
 Barneah O, Weis VM, Perez S, Benayahu Y (2004) Diversity of dinoflagellate symbionts in Red Sea soft corals: mode of symbiont acquisition matters. 275:89–95
 Barnes DKA, Kuklinski P (2004) Scale-dependent variation in competitive ability among encrusting Arctic species. 275:21–32
 Barnes J, see Mortimer RJG et al. (2004) 276:37–51
 Bastrop R, see Blank M et al. (2004) 271:193–205
 Bavestrello G, see Regoli F et al. (2004) 275:129–137
 Bayne BL (2004) Comparisons of measurements of clearance rates in bivalve molluscs. 276:305–306
 Beauflet G, Dubroca L, Guinet C, Cherel Y, Dabin W, Gagne C, Hindell M (2004) Foraging ecology of subantarctic fur seals *Arctocephalus tropicalis* breeding on Amsterdam Island: seasonal changes in relation to maternal characteristics and pup growth. 273:211–225
 Becerro MA, Paul VJ (2004) Effects of depth and light on secondary metabolites and cyanobacterial symbionts of the sponge *Dysidea granulosa*. 280:115–128
 Bégin C, Johnson LE, Himmelman JH (2004) Macroalgal canopies: distribution and diversity of associated invertebrates and effects on the recruitment and growth of mussels. 271:121–132

- Behrens MD, Lafferty KD (2004) Effects of marine reserves and urchin disease on southern Californian rocky reef communities. 279:129–139
- Belgrano A (2004) Foreword (Theme Section). 273:227
- Belgrano A, Lima M, Stenseth NC (2004) Non-linear dynamics in marine-phytoplankton population systems. 273:281–289
- Benayahu Y, see Barneah O et al. (2004) 275:89–95
- Beninger PG, Decottignies P, Rincé Y (2004) Localization of qualitative particle selection sites in the heterorhabdic filibranch *Pecten maximus* (Bivalvia: Pectinidae). 275:163–173
- Bentley MG, see Caldwell GS et al. (2004) 273:97–108
- Berdalet E, see Havskum H et al. (2004) 273:31–42
- Berges JA, see Franklin DJ et al. (2004) 272:117–130
- Berghuis EM, see Duineveld GCA et al. (2004) 277:13–23
- Berkenbusch K, see Lohrer AM et al. (2004) 273:121–138
- Berntsson KM, Jonsson PR, Larsson AI, Holdt S (2004) Rejection of unsuitable substrata as a potential driver of aggregated settlement in the barnacle *Balanus improvisus*. 275:199–210
- Bertini G, Fransozo A (2004) Bathymetric distribution of brachyuran crab (Crustacea, Decapoda) communities on coastal soft bottoms off southeastern Brazil. 279:193–200
- Bianchi CN, see Guidetti P et al. (2004) 274:57–68
- Biber PD, see Irlandi EA et al. (2004) 279:81–91
- Bishop JDD, see Gage JD et al. (2004) 277:181–196
- Bjørnsen PK, see Munk P et al. (2004) 274:87–97
- Bjørnsen PK, see Nielsen TG et al. (2004) 274:69–86
- Blackmore G, Wang WX (2004) Relationships between metallothioneins and metal accumulation in the whelk *Thais clavigera*. 277:135–145
- Blair-Myers C, see Macleod K et al. (2004) 277:263–274
- Blanchard F, LeLoc'h F, Hily C, Boucher J (2004) Fishing effects on diversity, size and community structure of the benthic invertebrate and fish megafauna on the Bay of Biscay coast of France. 280:249–260
- Blank M, Bastrop R, Röhner M, Jürss K (2004) Effect of salinity on spatial distribution and cell volume regulation in two sibling species of *Marenzelleria* (Polychaeta: Spionidae). 271:193–205
- Blauw A, see Widdows J et al. (2004) 274:41–56
- Blouin F, see Laurion I et al. (2004) 279:297–303
- Bodoy A, see Leguerrier D et al. (2004) 273:147–162
- Boisson F, see Reynaud S et al. (2004) 279:105–112
- Boland GS, see Sammarco PW et al. (2004) 280:129–143
- Bollens SM, see Hooff RC (2004) 277:167–179
- Bolton TF, Graham WM (2004) Morphological variation among populations of an invasive jellyfish. 278:125–139
- Boonruang P, see Munk P et al. (2004) 274:87–97
- Boonruang P, see Nielsen TG et al. (2004) 274:69–86
- Borrell A, see Tornero V et al. (2004) 280:275–283
- Boucher J, see Blanchard F et al. (2004) 280:249–260
- Boudry P, see Huvet A et al. (2004) 272:141–152
- Bouillon S, Moens T, Overmeer I, Koedam N, Dehairs F (2004) Resource utilization patterns of epifauna from mangrove forests with contrasting inputs of local versus imported organic matter. 278:77–88
- Bourguet D, see Martel C et al. (2004) 273:163–172
- Boutillier P, see Campbell RW et al. (2004) 280:211–226
- Boyd IL, see Mori Y (2004) 275:241–249
- Boyd IL, see Staniland IJ et al. (2004) 275:263–274
- Boyra A, see Tuya F et al. (2004) 278:157–169
- Brassell SC, see Villinski JC et al. (2004) 275:139–151
- Breed GA, Jackson GA, Richardson TL (2004) Sedimentation, carbon export and food web structure in the Mississippi River plume described by inverse analysis. 278:35–51
- Breitbart M, see Wegley L et al. (2004) 273:89–96
- Breitburg DL, see Decker MB et al. (2004) 280:163–172
- Brett MT, see Arhonditsis GB (2004) 271:13–26
- Bretz C, see Kvitik R (2004) 271:233–243
- Brinsley MD, see Widdows J et al. (2004) 274:41–56
- Britton-Simmons KH (2004) Direct and indirect effects of the introduced alga *Sargassum muticum* on benthic, subtidal communities of Washington State, USA. 277:61–78
- Browman HI, Stergiou KI (2004) Introduction (Theme Section). 274:269–270
- Browman HI, Stergiou KI (2004) Marine Protected Areas as a central element of ecosystem-based management: defining their location, size and number. 274:271–272
- Brown JA, see Laurel BJ et al. (2004) 272:257–270
- Brunet C, see Raniello R et al. (2004) 271:113–120
- Bruno JF, see Edmunds PJ et al. (2004) 278:115–124
- Brussaard CPD, see Mari X et al. (2004) 279:23–32
- Buchholz F, see Paschke KA et al. (2004) 279:183–191
- Bühning SI, see Ehrenhauss S et al. (2004) 271:99–111
- Buia MC, see Raniello R et al. (2004) 271:113–120
- Bullard SG, Whitlatch RB, Osman RW (2004) Checking the landing zone: Do invertebrate larvae avoid settling near superior spatial competitors? 280:239–247
- Bunker AJ, Hirst AG (2004) Fecundity of marine planktonic copepods: global rates and patterns in relation to chlorophyll *a*, temperature and body weight. 279:161–181
- Burrows MT, Tarling G (2004) Effects of density dependence on diel vertical migration of populations of northern krill: a genetic algorithm model. 277:209–220
- Burrows MT, see Santini G et al. (2004) 280:189–198
- Butler ECV, see Cook PLM et al. (2004) 280:25–38
- Butler ECV, see Cook PLM et al. (2004) 280:39–54

C

- Cabral HN, Murta AG (2004) Effect of sampling design on abundance estimates of benthic invertebrates in environmental monitoring studies. 276:19–24
- Caldwell GS, Bentley MG, Olive PJW (2004) First evidence of sperm motility inhibition by the diatom aldehyde 2*E*,4*E*-decadienal. 273:97–108
- Campbell RW, Boutillier P, Dower JF (2004) Ecophysiology of overwintering in the copepod *Neocalanus plumchrus*: changes in lipid and protein contents over a seasonal cycle. 280:211–226
- Campbell RW, Dower JF (2004) Erratum to Vol 263:93–99. 274:304
- Cannicci S, see Dahdouh-Guebas F et al. (2004) 272:77–92
- Carballo JL, Ávila E (2004) Population dynamics of a mutualistic interaction between the sponge *Haliciona caerulea* and the red alga *Jania adherens*. 279:93–104
- Carlson DB, see Edmunds PJ et al. (2004) 278:115–124
- Carmack EC, Macdonald RW, Jasper S (2004) Phytoplankton productivity on the Canadian Shelf of the Beaufort Sea. 277:37–50
- Caro AU, Castilla JC (2004) Predator-inducible defences and local intrapopulation variability of the intertidal mussel *Semimytilus algosus* in central Chile. 276:115–123
- Carotenuto Y, see Ianora A et al. (2004) 280:199–210
- Carrère V, Spilmont N, Davoult D (2004) Comparison of simple techniques for estimating chlorophyll *a* concentration in the intertidal zone using high spectral-resolution field-spectrometer data. 274:31–40
- Carriquiry JD, see Ruiz-Cooley RI et al. (2004) 277:275–283
- Cartes JE, see Fanelli E (2004) 280:227–238
- Casas V, see Wegley L et al. (2004) 273:89–96
- Casey N, see Davenport J et al. (2004) 276:299–303
- Castilla JC, see Caro AU (2004) 276:115–123

- Castilla JC, see Kelaher BP et al. (2004) 271:221–231
- Castro-González M, Farías L (2004) N₂O cycling at the core of the oxygen minimum zone off northern Chile. 280:1–11
- Catry P, Phillips RA, Phalan B, Silk JRD, Croxall JP (2004) Foraging strategies of grey-headed albatrosses *Thalasarche chrysostoma*: integration of movements, activity and feeding events. 280:261–273
- Cattaneo-Vietti R, see Guidetti P et al. (2004) 274:57–68
- Caverhill C, see Sathyendranath S et al. (2004) 272:59–68
- Cerrano C, see Regoli F et al. (2004) 275:129–137
- Cerrato RM, see Greenfield DI et al. (2004) 274:171–181
- Cesar A, see Vita R et al. (2004) 277:253–261
- Chaloupka M, Parker D, Balazs G (2004) Modelling post-release mortality of loggerhead sea turtles exposed to the Hawaii-based pelagic longline fishery. 280:285–293
- Chelazzi G, see Santini G et al. (2004) 280:189–198
- Chen CC, Kemp WM (2004) Periphyton communities in experimental marine ecosystems: scaling the effects of removal from container walls. 271:27–41
- Chenuil A, see Le Gac M et al. (2004) 278:171–178
- Cherel Y, see Beauflet G et al. (2004) 273:211–225
- Chiantore M, see Guidetti P et al. (2004) 274:57–68
- Chiantore MC, see Regoli F et al. (2004) 275:129–137
- Chierici E, see Regoli F et al. (2004) 275:129–137
- Chou LM, see Todd PA et al. (2004) 271:167–182
- Clementson LA, see Cook PLM et al. (2004) 280:55–72
- Codling EA, Hill NA, Pitchford JW, Simpson SD (2004) Random walk models for the movement and recruitment of reef fish larvae. 279:215–224
- Cohen AL, Smith SR, McCartney MS, van Etten J (2004) How brain corals record climate: an integration of skeletal structure, growth and chemistry of *Diploria labyrinthiformis* from Bermuda. 271:147–158
- Cole R, McBride G (2004) Assessing impacts of dredge spoil disposal using equivalence tests: implications of a precautionary (proof of safety) approach. 279:63–72
- Coleman RA, see Lee JT et al. (2004) 272:191–202
- Connolly RM, see Guest MA et al. (2004) 278:27–34
- Cook PLM, Butler ECV, Eyre BD (2004) Carbon and nitrogen cycling on intertidal mudflats of a temperate Australian estuary. I. Benthic metabolism. 280:25–38
- Cook PLM, Revill AT, Butler ECV, Eyre BD (2004) Carbon and nitrogen cycling on intertidal mudflats of a temperate Australian estuary. II. Nitrogen cycling. 280:39–54
- Cook PLM, Revill AT, Clementson LA, Volkman JK (2004) Carbon and nitrogen cycling on intertidal mudflats of a temperate Australian estuary. III. Sources of organic matter. 280:55–72
- Cornelius N, see Grange LJ et al. (2004) 278:141–155
- Cornwell JC, see Porter ET et al. (2004) 271:61–75
- Costa FO, Neuparth T, Theodorakis CW, Costa MH, Shugart LR (2004) RAPD analysis of southern populations of *Gammarus locusta*: comparison with allozyme data and ecological inferences. 277:197–207
- Costa MH, see Costa FO et al. (2004) 277:197–207
- Cotret O, see Danis B et al. (2004) 279:117–128
- Coulon CH, see Solan M et al. (2004) 271:1–12
- Cox TM, Read AJ (2004) Echolocation behavior of harbor porpoises *Phocoena phocoena* around chemically enhanced gill nets. 279:275–282
- Croxall JP, see Catry P et al. (2004) 280:261–273
- Cummings VJ, Thrush SF (2004) Behavioural response of juvenile bivalves to terrestrial sediment deposits: implications for post-disturbance recolonisation. 278:179–191
- Cummings VJ, see Lohrer AM et al. (2004) 273:121–138
- Cury PM (2004) Tuning the ecoscope for the Ecosystem Approach to Fisheries. 274:272–275
- D**
- Dabin W, see Beauflet G et al. (2004) 273:211–225
- Dahdouh-Guebas F, Van Pottelbergh I, Kairo JG, Cannicci S, Koedam N (2004) Human-impacted mangroves in Gazi (Kenya): predicting future vegetation based on retrospective remote sensing, social surveys, and tree distribution. 272:77–92
- Dahms HU, see Dobretsov S et al. (2004) 271:133–146
- Dando PR, Southward AJ, Southward EC (2004) Rates of sediment sulphide oxidation by the bivalve mollusc *Thyasira sarsi*. 280:181–187
- Danis B, Cotret O, Teyssié JL, Fowler SW, Warnau M (2004) Coplanar PCB 77 uptake kinetics in the sea star *Asterias rubens* and subsequent effects on reactive oxygen species (ROS) production and levels of cytochrome P450 immunopositive proteins (CYP1A-IPP). 279:117–128
- Darnaude AM, Salen-Picard C, Harmelin-Vivien ML (2004) Depth variation in terrestrial particulate organic matter exploitation by marine coastal benthic communities off the Rhone River delta (NW Mediterranean). 275:47–57
- Dashfield SL, see Widdicombe S et al. (2004) 275:1–10
- Davenport J, Healy A, Casey N, Heffron JJA (2004) Diet-dependent UVAR and UVBR resistance in the high shore harpacticoid copepod *Tigriopus brevicornis*. 276:299–303
- Davie PJF, see Quinnell S et al. (2004) 274:1–16
- Davies IM, see Mortimer RJG et al. (2004) 276:37–51
- Davoult D, see Carrère V et al. (2004) 274:31–40
- Decker MB, Breitburg DL, Purcell JE (2004) Effects of low dissolved oxygen on zooplankton predation by the ctenophore *Mnemiopsis leidyi*. 280:163–172
- Decottignies P, see Beninger PG et al. (2004) 275:163–173
- Defeo O, see Pérez-Castañeda R (2004) 273:173–185
- Dehairs F, see Bouillon S et al. (2004) 278:77–88
- De Leo GA, see Melià P et al. (2004) 272:153–164
- Delille B, see Rochelle-Newall E et al. (2004) 272:25–31
- Delvoye L, see Nugues MM et al. (2004) 278:103–114
- DeMartini EE, Friedlander AM (2004) Spatial patterns of endemism in shallow-water reef fish populations of the Northwestern Hawaiian Islands. 271:281–296
- de Montaudouin X, see Bachelet G et al. (2004) 276:147–159
- de Montaudouin X, see Desclaux C et al. (2004) 279:141–150
- Denny CM, Willis TJ, Babcock RC (2004) Rapid recolonisation of snapper *Pagrus auratus*: Sparidae within an offshore island marine reserve after implementation of no-take status. 272:183–190
- Désaunay Y, see Le Pape O et al. (2004) 277:107–115
- Desclaux C, de Montaudouin X, Bachelet G (2004) Cockle *Cerastoderma edule* population mortality: role of the digenean parasite *Himasthla quissetensis*. 279:141–150
- Desclaux C, see Bachelet G et al. (2004) 276:147–159
- Devred E, see Sathyendranath S et al. (2004) 272:59–68
- Dieckmann GS, see Kattner G et al. (2004) 277:1–12
- Dinmore TA, Jennings S (2004) Predicting abundance-body mass relationships in benthic infaunal communities. 276:289–292
- d'Ippolito G, see Ianora A et al. (2004) 280:199–210
- Doak DF, see Forde SE (2004) 275:33–45
- Dobretsov S, Dahms HU, Qian PY (2004) Antilaval and antimicrobial activity of waterborne metabolites of the sponge *Callyspongia (Euplaccella) pulvinata*: evidence of allelopathy. 271:133–146
- Dobretsov S, see Harder T et al. (2004) 274:133–141
- Dobricic S, see Druon JN et al. (2004) 272:1–23
- Dodemont R, see Garrigue C (2004) 274:251–262
- Dove S (2004) Scleractinian corals with photoprotective host pigments are hypersensitive to thermal bleaching. 272:99–116

- Dower JF, see Campbell RW et al. (2004) 280:211–226
 Druon JN, Schrimpf W, Dobricic S, Stips A (2004) Comparative assessment of large-scale marine eutrophication: North Sea area and Adriatic Sea as case studies. 272:1–23
 Dubroca L, see Beuplet G et al. (2004) 273:211–225
 Duineveld GCA, Lavaleye MSS, Berghuis EM (2004) Particle flux and food supply to a seamount cold-water coral community (Galicia Bank, NW Spain). 277:13–23
 Dumont C, Himmelman JH, Russell MP (2004) Size-specific movement of green sea urchins *Strongylocentrotus droebachiensis* on urchin barrens in eastern Canada. 276:93–101
 Dunne JA, Williams RJ, Martinez ND (2004) Network structure and robustness of marine food webs. 273:291–302

E

- Edmunds PJ, Bruno JF, Carlon DB (2004) Effects of depth and microhabitat on growth and survivorship of juvenile corals in the Florida Keys. 278:115–124
 Ehrenhauss S, Witte U, Bühring SI, Huettel M (2004) Effect of advective pore water transport on distribution and degradation of diatoms in permeable North Sea sediments. 271:99–111
 Ellingsen KE, see Shin PKS (2004) 276:25–35
 Elston DA, see Wanless S et al. (2004) 279:237–246
 Endo Y, see Nakagawa Y et al. (2004) 271:261–266
 Engelhard GH, Heino M (2004) Maturity changes in Norwegian spring-spawning herring *Clupea harengus*: compensatory or evolutionary responses? 272:245–256
 Eriksson Wiklund AK, Sundelin B (2004) Biomarker sensitivity to temperature and hypoxia—a seven year field study. 274:209–214
 Escribano R, see Rendell L et al. (2004) 275:289–295
 Esnal GB, see Sahade R et al. (2004) 272:131–140
 Esposito F, see Ianora A et al. (2004) 280:199–210
 Eyre BD, see Cook PLM et al. (2004) 280:25–38
 Eyre BD, see Cook PLM et al. (2004) 280:39–54

F

- Fabi G, Grati F, Puletti M, Scarcella G (2004) Effects on fish community induced by installation of two gas platforms in the Adriatic Sea. 273:187–197
 Fabioux C, see Huvet A et al. (2004) 272:141–152
 Fairbairns B, see Macleod K et al. (2004) 277:263–274
 Fairbairns R, see Macleod K et al. (2004) 277:263–274
 Fairbanks RG, see Reynaud S et al. (2004) 279:105–112
 Falkowski P, see Tozzi S et al. (2004) 274:123–132
 Fanelli E, Cartes JE (2004) Feeding habits of pandalid shrimps in the Alboran Sea (SW Mediterranean): influence of biological and environmental factors. 280:227–238
 Fariás L, see Castro-González M (2004) 280:1–11
 Feary DA, see Anderson MJ et al. (2004) 272:33–48
 Fenical W, see Kubanek J et al. (2004) 277:79–93
 Féral JP, see Le Gac M et al. (2004) 278:171–178
 Fernández C, see Arrontes J et al. (2004) 277:117–133
 Fernández E, see Morán XAG et al. (2004) 274:17–29
 Fernández-Contreras M, see Forcada J et al. (2004) 275:275–287
 Ferrell DL (2004) Gastropod shell size and morphology influence conspecific interactions in an encrusting hydroid. 275:153–162
 Ferrier-Pagès C, see Reynaud S et al. (2004) 279:105–112
 Finkel ZV, Irwin AJ, Schofield O (2004) Resource limitation alters the 3/4 size scaling of metabolic rates in phytoplank-

- ton. 273:269–279
 Fisher CR, see Kicklighter CE et al. (2004) 275:11–19
 Fisher JAD, Frank KT (2004) Abundance-distribution relationships and conservation of exploited marine fishes. 279:201–213
 Fontana A, see Ianora A et al. (2004) 280:199–210
 Forcada J, Gazo M, Aguilar A, Gonzalvo J, Fernández-Contreras M (2004) Bottlenose dolphin abundance in the NW Mediterranean: addressing heterogeneity in distribution. 275:275–287
 Forcada J, see Tornero V et al. (2004) 280:275–283
 Ford RB, see Anderson MJ et al. (2004) 272:33–48
 Forde SE, Doak DF (2004) Multitrophic interactions mediate recruitment variability in a rocky intertidal community. 275:33–45
 Fortunato H, see O'Dea A et al. (2004) 280:145–161
 Fowler SW, see Danis B et al. (2004) 279:117–128
 Frank KT, see Fisher JAD (2004) 279:201–213
 Frankignoulle M, see Rochelle-Newall E et al. (2004) 272:25–31
 Franklin DJ, Hoegh-Guldberg O, Jones RJ, Berges JA (2004) Cell death and degeneration in the symbiotic dinoflagellates of the coral *Stylophora pistillata* during bleaching. 272:117–130
 Fransozo A, see Bertini G et al. (2004) 279:193–200
 Freitag TE, see Mortimer RJG et al. (2004) 276:37–51
 Friedlander AM, see DeMartini EE (2004) 271:281–296
 Fritsen CH, see Gowing MM et al. (2004) 279:3–12
 Fryd M, see Munk P et al. (2004) 274:87–97
 Fryd M, see Nielsen TG et al. (2004) 274:69–86
 Fukuchi M, see Sampei M et al. (2004) 278:17–25
 Furota T, see Kojima S et al. (2004) 276:161–172
 Furuya K, see Yoshikawa T (2004) 273:17–30

G

- Gage JD, Lamshead PJD, Bishop JDD, Stuart CT, Jones NS (2004) Large-scale biodiversity pattern of Cumacea (Peracarida: Crustacea) in the deep Atlantic. 277:181–196
 Gagliano M, McCormick MI (2004) Feeding history influences otolith shape in tropical fish. 278:291–296
 Gagne C, see Beuplet G et al. (2004) 273:211–225
 Garcia-Meunier P, see Bachelet G et al. (2004) 276:147–159
 Garcia-Meunier P, see Martel C et al. (2004) 273:163–172
 Garde K, see Schlüter L et al. (2004) 275:69–78
 Garrabou J, see Teixidó N et al. (2004) 278:1–16
 Garrigue C, Dodemont R, Steel D, Baker CS (2004) Organismal and 'gametic' capture-recapture using microsatellite genotyping confirm low abundance and reproductive autonomy of humpback whales on the wintering grounds of New Caledonia. 274:251–262
 Garrison DL, see Gowing MM et al. (2004) 279:3–12
 Gasparini S, see Antajan E (2004) 274:191–198
 Gatto M, see Melià P et al. (2004) 272:153–164
 Gattuso JP, see Rochelle-Newall E et al. (2004) 272:25–31
 Gaxiola-Castro G, see Montes-Hugo MA et al. (2004) 277:51–60
 Gazo M, see Forcada J et al. (2004) 275:275–287
 Gebauer P, see Paschke KA et al. (2004) 279:183–191
 Geertjes GJ, Postema J, Kamping A, van Delden W, Videler JJ, van de Zande L (2004) Allozymes and RAPDs detect little genetic population substructuring in the Caribbean stoplight parrotfish *Sparisoma viride*. 279:225–235
 Geffard A, see Rainbow PS et al. (2004) 271:183–191
 Gendron D, see Ruiz-Cooley RI et al. (2004) 277:275–283
 Gibson AH, see Gowing MM et al. (2004) 279:3–12
 Gilcoto M, see Álvarez-Salgado XA (2004) 276:3–17

- Gill A, see Macleod K et al. (2004) 277:263–274
- Glibert PM, Heil CA, Hollander D, Revilla M, Hoare A, Alexander J, Murasko S (2004) Evidence for dissolved organic nitrogen and phosphorus uptake during a cyanobacterial bloom in Florida Bay. 280:73–83
- Goiran C, see Hoegh-Guldberg O et al. (2004) 280:105–114
- Gonzalvo J, see Forcada J et al. (2004) 275:275–287
- Gorbi G, see Invidia M et al. (2004) 276:187–196
- Gordon J, see Macleod K et al. (2004) 277:263–274
- Gowing MM, Garrison DL, Gibson AH, Krupp JM, Jeffries MO, Fritsen CH (2004) Bacterial and viral abundance in Ross Sea summer pack ice communities. 279:3–12
- Grabowski JH, Powers SP (2004) Habitat complexity mitigates trophic transfer on oyster reefs. 277:291–295
- Graham WM, see Bolton TF (2004) 278:125–139
- Grange LJ, Tyler PA, Peck LS, Cornelius N (2004) Long-term interannual cycles of the gametogenic ecology of the Antarctic brittle star *Ophionotus victoriae*. 278:141–155
- Grati F, see Fabi G et al. (2004) 273:187–197
- Greenfield DI, Lonsdale DJ, Cerrato RM, Lopez GR (2004) Effects of background concentrations of *Aureococcus anophagefferens* (brown tide) on growth and feeding in the bivalve *Mercenaria mercenaria*. 274:171–181
- Gregory RS, see Laurel BJ et al. (2004) 272:257–270
- Grünbaum D, see Viscido SV et al. (2004) 273:239–249
- Guéroult D, see Le Pape O et al. (2004) 277:107–115
- Guest MA, Connolly RM, Loneragan NR (2004) Carbon movement and assimilation by invertebrates in estuarine habitats at a scale of metres. 278:27–34
- Guidetti P, Bianchi CN, Chiantore M, Schiaparelli S, Morri C, Cattaneo-Vietti R (2004) Living on the rocks: substrate mineralogy and the structure of subtidal rocky substrate communities in the Mediterranean Sea. 274:57–68
- Guinet C, see Beauflet G et al. (2004) 273:211–225
- Guisande C, see Ianora A et al. (2004) 280:199–210
- Guisande C, see Riveiro I et al. (2004) 274:225–234
- Gust G, see Porter ET (2004) 271:43–60
- Gutt J, see Teixidó N et al. (2004) 278:1–16
- H**
- Haas C, see Kattner G et al. (2004) 277:1–12
- Hall-Spencer JM, see Kamenos NA et al. (2004) 274:183–189
- Halpern BS (2004) Are mangroves a limiting resource for two coral reef fishes? 272:93–98
- Halpern BS (2004) Habitat bottlenecks in stage-structured species: hermit crabs as a model system. 276:197–207
- Halpin PM, Menge BA, Hofmann GE (2004) Experimental demonstration of plasticity in the heat shock response of the intertidal mussel *Mytilus californianus*. 276:137–145
- Hamann M, see Jessop TS et al. (2004) 276:281–288
- Hancock JK, see Laurel BJ et al. (2004) 272:257–270
- Hansen OS, see Munk P et al. (2004) 274:87–97
- Hansen OS, see Nielsen TG et al. (2004) 274:69–86
- Hansen PB, see Jakobsen TS et al. (2004) 279:305–309
- Hansen PJ, Miranda L, Azanza R (2004) Green *Noctiluca scintillans*: a dinoflagellate with its own greenhouse. 275:79–87
- Hansen PJ, see Lundholm N et al. (2004) 273:1–15
- Hansen PJ, see Munk P et al. (2004) 274:87–97
- Hansen PJ, see Nielsen TG et al. (2004) 274:69–86
- Hansen PJ, see Satapoomin S et al. (2004) 274:99–122
- Hansen T, see Sommer U et al. (2004) 278:67–75
- Harder T, Dobretsov S, Qian PY (2004) Waterborne polar macromolecules act as algal antifoulants in the seaweed *Ulva reticulata*. 274:133–141
- Hargrave BT, see Sampei M et al. (2004) 278:17–25
- Harmelin-Vivien ML, see Darnaude AM et al. (2004) 275:47–57
- Haroun RJ, see Tuya F et al. (2004) 278:157–169
- Harris MP, see Wanless S et al. (2004) 279:237–246
- Harris SJ, see Mortimer RJG et al. (2004) 276:37–51
- Hattori H, see Sampei M et al. (2004) 278:17–25
- Havskum H, Schlüter L, Scharek R, Berdalet E, Jacquet S (2004) Routine quantification of phytoplankton groups-microscopy or pigment analyses? 273:31–42
- Hawkins SJ, see Svensson CJ et al. (2004) 275:185–197
- Hay ME, see Kicklighter CE et al. (2004) 275:11–19
- Hay ME, see Kubanek J et al. (2004) 277:79–93
- Hayashi I, see Kojima S et al. (2004) 276:161–172
- Hayes JM, see Villinski JC et al. (2004) 275:139–151
- Hayes PJ, see Mortimer RJG et al. (2004) 276:37–51
- Healy A, see Davenport J et al. (2004) 276:299–303
- Hefron JJA, see Davenport J et al. (2004) 276:299–303
- Heil CA, see Glibert PM et al. (2004) 280:73–83
- Heino M, see Engelhard GH (2004) 272:245–256
- Heip CHR, see Widdows J et al. (2004) 274:41–56
- Hemmi A, Honkanen T, Jormalainen V (2004) Inducible resistance to herbivory in *Fucus vesiculosus*-duration, spreading and variation with nutrient availability. 273:109–120
- Herman PMJ, see Widdows J et al. (2004) 274:41–56
- Herrera-Cubilla A, see O'Dea A et al. (2004) 280:145–161
- Hewitt JE, see Lohrer AM et al. (2004) 273:121–138
- Hilborn R (2004) Ecosystem-based fisheries management: the carrot or the stick? 274:275–278
- Hill NA, see Codling EA et al. (2004) 279:215–224
- Hillebrand H (2004) Strength, slope and variability of marine latitudinal gradients. 273:251–267
- Hily C, see Blanchard F et al. (2004) 280:249–260
- Himmelman JH, see Bégin C et al. (2004) 271:121–132
- Himmelman JH, see Dumont C et al. (2004) 276:93–101
- Hindell JS, see Moran SM et al. (2004) 272:271–280
- Hindell M, see Beauflet G et al. (2004) 273:211–225
- Hippe KR, see Shimeta J et al. (2004) 280:173–180
- Hirst AG, see Bunker AJ (2004) 279:161–181
- Hirst AG, see Tarling GA et al. (2004) 272:165–181
- Hjermann DØ, Stenseth NC, Ottersen G (2004) Indirect climatic forcing of the Barents Sea capelin: a cohort effect. 273:229–238
- Hoare A, see Glibert PM et al. (2004) 280:73–83
- Hobbs JPA, Munday PL (2004) Intraspecific competition controls spatial distribution and social organisation of the coral-dwelling goby *Gobiodon histrio*. 278:253–259
- Hoegh-Guldberg O, Muscatine L, Goiran C, Siggaard D, Marion G (2004) Nutrient-induced perturbations to $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ in symbiotic dinoflagellates and their coral hosts. 280:105–114
- Hoegh-Guldberg O, see Franklin DJ et al. (2004) 272:117–130
- Hofmann GE, see Halpin PM et al. (2004) 276:137–145
- Hofmann GE, see Sorte CJB (2004) 274:263–268
- Holdt S, see Berntsson KM et al. (2004) 275:199–210
- Hollander D, see Glibert PM et al. (2004) 280:73–83
- Honeywill C, see Anderson MJ et al. (2004) 272:33–48
- Honkanen T, see Hemmi A et al. (2004) 273:109–120
- Hooff RC, Bollens SM (2004) Functional response and potential predatory impact of *Tortanus dextrilobatus*, a carnivorous copepod recently introduced to the San Francisco Estuary. 277:167–179
- Hudson IR, see Solan M et al. (2004) 271:1–12
- Huetzel M, see Ehrenhauss S et al. (2004) 271:99–111
- Huetzel M, see Wild C et al. (2004) 271:159–166
- Hulsman K, see Quinnell S et al. (2004) 274:1–16
- Hunt HL (2004) Effects of epibenthic predators in flow: transport and mortality of juveniles of the soft shell clam *Mya arenaria*. 279:151–160
- Hunter E, Metcalfe JD, O'Brien CM, Arnold GP, Reynolds JD (2004) Vertical activity patterns of free-swimming adult

- plance in the southern North Sea. 279:261–273
- Huntley ME, Zhou M (2004) Influence of animals on turbulence in the sea. 273:65–79
- Huvet A, Fabioux C, McCombie H, Lapègue S, Boudry P (2004) Natural hybridization between genetically differentiated populations of *Crassostrea gigas* and *C. angulata* highlighted by sequence variation in flanking regions of a microsatellite locus. 272:141–152
- Hwang PP, see Shiao JC (2004) 278:271–278

I

- Ianora A, Turner JT, Esposito F, Carotenuto Y, d'Ippolito G, Romano G, Fontana A, Guisande C, Miralto A (2004) Copepod egg production and hatching success is reduced by maternal diets of a non-neurotoxic strain of the dinoflagellate *Alexandrium tamarense*. 280:199–210
- Iijima A, see Kojima S et al. (2004) 276:161–172
- Iizuka Y, see Jessop BM et al. (2004) 272:231–244
- Invidia M, Sei S, Gorbi G (2004) Survival of the copepod *Acartia tonsa* following egg exposure to near anoxia and to sulfide at different pH values. 276:187–196
- Irlandi EA, Orlando BA, Biber PD (2004) Drift algae-epiphyte-seagrass interactions in a subtropical *Thalassia testudinum* meadow. 279:81–91
- Irwin AJ, see Finkel ZV et al. (2004) 273:269–279
- Ivey GN, see Oldham CE et al. (2004) 279:291–295

J

- Jackson GA, see Breed GA et al. (2004) 278:35–51
- Jackson JBC, see O'Dea A et al. (2004) 280:145–161
- Jacquet S, see Havskum H et al. (2004) 273:31–42
- Jacquet S, see Rochelle-Newall E et al. (2004) 272:25–31
- Jakobsen TS, Hansen PB, Jeppesen E, Søndergaard M (2004) Cascading effect of three-spined stickleback *Gasterosteus aculeatus* on community composition, size, biomass and diversity of phytoplankton in shallow, eutrophic brackish lagoons. 279:305–309
- Janekarn V, see Munk P et al. (2004) 274:87–97
- Janekarn V, see Nielsen TG et al. (2004) 274:69–86
- Janssen F, Neumann T, Schmidt M (2004) Inter-annual variability in cyanobacteria blooms in the Baltic Sea controlled by wintertime hydrographic conditions. 275:59–68
- Jaquemot S, see Weimerskirch H et al. (2004) 275:297–308
- Jasper S, see Carmack EC et al. (2004) 277:37–50
- Jeanet AY, see Rainbow PS et al. (2004) 271:183–191
- Jeffries MO, see Gowing MM et al. (2004) 279:3–12
- Jeffer A, see Johnston D et al. (2004) 275:219–230
- Jeffer A, see Simpson SD et al. (2004) 276:263–268
- Jenkins GP, see Moran SM et al. (2004) 272:271–280
- Jenkins SR, see Svensson CJ et al. (2004) 275:185–197
- Jennings S (2004) The ecosystem approach to fishery management: a significant step towards sustainable use of the marine environment? 274:279–282
- Jennings S, see Dinmore TA (2004) 276:289–292
- Jeong HJ, see Kim JS (2004) 280:85–94
- Jeppesen E, see Jakobsen TS et al. (2004) 279:305–309
- Jessop BM, Shiao JC, Iizuka Y, Tzeng WN (2004) Variation in the annual growth, by sex and migration history, of silver American eels *Anguilla rostrata*. 272:231–244
- Jessop TS, Hamann M, Limpus CJ (2004) Body condition and physiological changes in male green turtles during breeding. 276:281–288
- Jiang H, Paffenhöfer GA (2004) Relation of behavior of copepod juveniles to potential predation by omnivorous cope-

- pod: an empirical-modeling study. 278:225–239
- Jiménez-Brinquis B, see Vita R et al. (2004) 277:253–261
- Jiménez-Pérez LC, Lavaniegos BE (2004) Changes in dominance of copepods off Baja California during the 1997–1999 El Niño and La Niña. 277:147–165
- Joassard L, see Orvain F et al. (2004) 278:205–223
- Johnson LE, see Bégin C et al. (2004) 271:121–132
- Johnston D, Ritar A, Thomas C, Jeffs A (2004) Digestive enzyme profiles of spiny lobster *Jasus edwardsii* phyllosoma larvae. 275:219–230
- Jones MB, see Lee JT et al. (2004) 272:191–202
- Jones NS, see Gage JD et al. (2004) 277:181–196
- Jones RJ, see Franklin DJ et al. (2004) 272:117–130
- Jonsson PR, see Berntsson KM et al. (2004) 275:199–210
- Jormalainen V, see Hemmi A et al. (2004) 273:109–120
- Jürss K, see Blank M et al. (2004) 271:193–205

K

- Kaartokallio H (2004) Food web components, and physical and chemical properties of Baltic Sea ice. 273:49–63
- Kaas H, see Schlüter L et al. (2004) 275:69–78
- Kairo JG, see Dahdouh-Guebas F et al. (2004) 272:77–92
- Kamenos NA, Moore PG, Hall-Spencer JM (2004) Nursery-area function of maerl grounds for juvenile queen scallops *Aequipecten opercularis* and other invertebrates. 274:183–189
- Kamping A, see Geertjes GJ et al. (2004) 279:225–235
- Kattner G, Thomas DN, Haas C, Kennedy H, Dieckmann GS (2004) Surface ice and gap layers in Antarctic sea ice: highly productive habitats. 277:1–12
- Kaunda-Arara B, Rose GA (2004) Homing and site fidelity in the greasy grouper *Epinephelus tauvina* (Serranidae) within a marine protected area in coastal Kenya. 277:245–251
- Kawaguchi K, see Sassa C (2004) 278:279–290
- Kawai T, Tokeshi M (2004) Variable modes of facilitation in the upper intertidal: goose barnacles and mussels. 272:203–213
- Kelaher BP, Castilla JC, Seed R (2004) Intercontinental test of generality for spatial patterns among diverse molluscan assemblages in coralline algal turf. 271:221–231
- Kellogg CA (2004) Tropical Archaea: diversity associated with the surface microlayer of corals. 273:81–88
- Kemp WM, see Chen CC (2004) 271:27–41
- Kendall MA, see Widdicombe S et al. (2004) 275:1–10
- Kendrick GA, see Van Elven BR et al. (2004) 276:71–83
- Kennedy H, see Kattner G et al. (2004) 277:1–12
- Kennedy R, see Solan M et al. (2004) 271:1–12
- Keough MJ, see Marshall DJ (2004) 272:301–305
- Keough MJ, see Marshall DJ (2004) 279:73–80
- Keough MJ, see Moran SM et al. (2004) 272:271–280
- Kicklighter CE, Fisher CR, Hay ME (2004) Chemical defense of hydrothermal vent and hydrocarbon seep organisms: a preliminary assessment using shallow-water consumers. 275:11–19
- Kiene RP, see Zubkov M et al. (2004) 271:77–86
- Kim D, see Kojima S et al. (2004) 276:161–172
- Kim JS, Jeong HJ (2004) Feeding by the heterotrophic dinoflagellates *Gyrodinium dominans* and *G. spirale* on the red-tide dinoflagellate *Prorocentrum minimum*. 280:85–94
- Kimura R, see Takasuka A et al. (2004) 278:297–302
- Kinne O (2004) Quality assessment and improvement of manuscripts. 279:1
- Kiyofuji H, Saitoh SI (2004) Use of nighttime visible images to detect Japanese common squid *Todarodes pacificus* fish-

- ing areas and potential migration routes in the Sea of Japan. 276:173–186
- Klein Breteler WCM, Koski M, Rampen S (2004) Role of essential lipids in copepod nutrition: no evidence for trophic upgrading of food quality by a marine ciliate. 274:199–208
- Kline DI, see Wegley L et al. (2004) 273:89–96
- Koedam N, see Bouillon S et al. (2004) 278:77–88
- Koedam N, see Dahdouh-Guebas F et al. (2004) 272:77–92
- Kojima S, Hayashi I, Kim D, Iijima A, Furota T (2004) Phylogeography of an intertidal direct-developing gastropod *Batillaria cumingi* around the Japanese Islands. 276:161–172
- Koski M, see Klein Breteler WCM et al. (2004) 274:199–208
- Kotaki Y, see Lundholm N et al. (2004) 273:1–15
- Kraus RT, Secor DH (2004) Dynamics of white perch *Morone americana* population contingents in the Patuxent River estuary, Maryland, USA. 279:247–259
- Krom MD, see Mortimer RJG et al. (2004) 276:37–51
- Krupp DA, see Rodriguez-Lanetty M et al. (2004) 275:97–102
- Krupp JM, see Gowing MM et al. (2004) 279:3–12
- Kubaneck J, Lester SE, Fenical W, Hay ME (2004) Ambiguous role of phlorotannins as chemical defenses in the brown alga *Fucus vesiculosus*. 277:79–93
- Kubota H, see Takasuka A et al. (2004) 278:297–302
- Kuklinski P, see Barnes DKA (2004) 275:21–32
- Kurihara H, Shirayama Y (2004) Effects of increased atmospheric CO₂ on sea urchin early development. 274:161–169
- Kvitek R, Bretz C (2004) Harmful algal bloom toxins protect bivalve populations from sea otter predation. 271:233–243
- L**
- Ladle RJ, see Todd PA et al. (2004) 271:167–182
- Lafferty KD, see Behrens MD et al. (2004) 279:129–139
- Lambhead PJD, see Gage JD et al. (2004) 277:181–196
- Lapègue S, see Huvet A et al. (2004) 272:141–152
- Larsson AI, see Berntsson KM et al. (2004) 275:199–210
- Laurel BJ, Gregory RS, Brown JA, Hancock JK, Schneider DC (2004) Behavioural consequences of density-dependent habitat use in juvenile cod *Gadus morhua* and *G. ogac*: the role of movement and aggregation. 272:257–270
- Laurion I, Blouin F, Roy S (2004) Packaging of mycosporine-like amino acids in dinoflagellates. 279:297–303
- Lavaleye MSS, see Duineveld GCA et al. (2004) 277:13–23
- Lavaniegos BE, see Jiménez-Pérez LC (2004) 277:147–165
- Lavery PS, see Van Elven BR et al. (2004) 276:71–83
- Le Corre M, see Weimerskirch H et al. (2004) 275:297–308
- Lee JT, Widdows J, Jones MB, Coleman RA (2004) Settlement of megalopae and early juveniles of the velvet swimming crab *Necora puber* (Decapoda: Portunidae) in flow conditions. 272:191–202
- Le Gac M, Féral JP, Poulin E, Veyret M, Chenuil A (2004) Identification of allopatric clades in the cosmopolitan ophiuroid species complex *Amphipholis squamata* (Echinodermata). The end of a paradox? 278:171–178
- Leguerrier D, Niquil N, Petiau A, Bodoy A (2004) Modeling the impact of oyster culture on a mudflat food web in Marennes-Oléron Bay (France). 273:147–162
- Le Hir P, see Orvain F et al. (2004) 278:205–223
- LeLoc'h F, see Blanchard F et al. (2004) 280:249–260
- Lenz M, Molis M, Wahl M (2004) Testing the intermediate disturbance hypothesis: response of fouling communities to various levels of emersion intensity. 278:53–65
- Le Pape O, Guéroult D, Désaunay Y (2004) Effect of an invasive mollusc, American slipper limpet *Crepidula fornicata*, on habitat suitability for juvenile common sole *Solea solea* in the Bay of Biscay. 277:107–115
- Lester SE, see Kubaneck J et al. (2004) 277:79–93
- Letelier RM, see Wetz MS et al. (2004) 280:95–104
- Lewin-Koh NJL, see Todd PA et al. (2004) 271:167–182
- Lima M, see Belgrano A et al. (2004) 273:281–289
- Limpus CJ, see Jessop TS et al. (2004) 276:281–288
- Limtrakulvong V, see Munk P et al. (2004) 274:87–97
- Limtrakulvong V, see Nielsen TG et al. (2004) 274:69–86
- Linn LJ, see Zubkov M et al. (2004) 271:77–86
- Lohrer AM, Thrush SF, Hewitt JE, Berkenbusch K, Ahrens M, Cummings VJ (2004) Terrestrially derived sediment: response of marine macrobenthic communities to thin terrigenous deposits. 273:121–138
- Loneragan NR, see Guest MA et al. (2004) 278:27–34
- Lonsdale DJ, see Greenfield DI et al. (2004) 274:171–181
- Lopez GR, see Greenfield DI et al. (2004) 274:171–181
- Lorenti M, see Raniello R et al. (2004) 271:113–120
- Lotze HK (2004) Repetitive history of resource depletion and mismanagement: the need for a shift in perspective. 274:282–285
- Lowry M, Suther I (2004) Population structure of aggregations, and response to spear fishing, of a large temperate reef fish *Cheilodactylus fuscus*. 273:199–210
- Lucas CH, see Widdows J et al. (2004) 274:41–56
- Lund T, see Styriehave B et al. (2004) 274:215–224
- Lundholm N, Hansen PJ, Kotaki Y (2004) Effect of pH on growth and domoic acid production by potentially toxic diatoms of the genera *Pseudo-nitzschia* and *Nitzschia*. 273:1–15
- Luzier CW, Wilson RR Jr. (2004) Analysis of mtDNA haplotypes of kelp bass tests for sibling-dominated recruitment near marine protected areas of the California Channel Islands. 277:221–230
- M**
- Maass H, see Sathyendranath S et al. (2004) 272:59–68
- Macdonald RW, see Carmack EC et al. (2004) 277:37–50
- Mace PM (2004) In defence of fisheries scientists, single-species models and other scapegoats: confronting the real problems. 274:285–291
- Macleod K, Fairbairns R, Gill A, Fairbairns B, Gordon J, Blair-Myers C, Parsons ECM (2004) Seasonal distribution of minke whales *Balaenoptera acutorostrata* in relation to physiography and prey off the Isle of Mull, Scotland. 277:263–274
- Madrid JA, see Vita R et al. (2004) 277:253–261
- Mairese G, see Bachelet G et al. (2004) 276:147–159
- Maneiro I, see Riveiro I et al. (2004) 274:225–234
- Mari X, Rassoulzadegan F (2004) Role of TEP in the microbial food web structure. I. Grazing behavior of a bacterivorous pelagic ciliate. 279:13–22
- Mari X, Rassoulzadegan F, Brussaard CPD (2004) Role of TEP in the microbial food web structure. II. Influence on the ciliate community structure. 279:23–32
- Marín A, see Vita R et al. (2004) 277:253–261
- Marín-Guirao L, see Vita R et al. (2004) 277:253–261
- Marion G, see Hoegh-Guldberg O et al. (2004) 280:105–114
- Markager S, see Stæhr PA et al. (2004) 275:115–128
- Marsac F, see Weimerskirch H et al. (2004) 275:297–308
- Marshall DJ, Keough MJ (2004) When the going gets rough: effect of maternal size manipulation on larval quality. 272:301–305
- Marshall DJ, Keough MJ (2004) Variable effects of larval size on post-metamorphic performance in the field. 279:73–80

- Martel C, Viard F, Bourguet D, Garcia-Meunier P (2004) Invasion by the marine gastropod *Ocenebrellus inornatus* in France. II. Expansion along the Atlantic coast. 273: 163–172
- Martínez B, see Arrontes J et al. (2004) 277:117–133
- Martinez ND, see Dunne JA et al. (2004) 273:291–302
- Maynou F, see Rufino MM et al. (2004) 276:223–235
- Mazouni N (2004) Influence of suspended oyster cultures on nitrogen regeneration in a coastal lagoon (Thau, France). 276:103–113
- McBride G, see Cole R (2004) 279:63–72
- McCartney MS, see Cohen AL et al. (2004) 271:147–158
- McCaughey RD, see Simpson SD et al. (2004) 276:263–268
- McCombie H, see Huvet A et al. (2004) 272:141–152
- McCormick MI, see Gagliano M (2004) 278:291–296
- McEdward LR, see Reitzel AM et al. (2004) 280:13–23
- Meekan MG, see Simpson SD et al. (2004) 276:263–268
- Melià P, De Leo GA, Gatto M (2004) Density and temperature-dependence of vital rates in the Manila clam *Tapes philippinarum*: a stochastic demographic model. 272: 153–164
- Menge BA, see Halpin PM et al. (2004) 276:137–145
- Mesnick S, see Ruiz-Cooley RI et al. (2004) 277:275–283
- Metcalfe JD, see Hunter E et al. (2004) 279:261–273
- Miao AJ, Wang WX (2004) Relationships between cell-specific growth rate and uptake rate of cadmium and zinc by a coastal diatom. 275:103–113
- Middelburg JJ, see Widdows J et al. (2004) 274:41–56
- Miller JA, Shanks AL (2004) Ocean-estuary coupling in the Oregon upwelling region: abundance and transport of juvenile fish and of crab megalopae. 271:267–279
- Miller KJ, see Ayre DJ (2004) 277:95–105
- Miller MJ, see Minagawa G et al. (2004) 271:245–259
- Minagawa G, Miller MJ, Aoyama J, Wouthuyzen S, Tsukamoto K (2004) Contrasting assemblages of leptocephali in the western Pacific. 271:245–259
- Miner BG, see Reitzel AM et al. (2004) 280:13–23
- Miralto A, see Ianora A et al. (2004) 280:199–210
- Miranda L, see Hansen PJ et al. (2004) 275:79–87
- Mistri M (2004) Effects of hypoxia on predator-prey interactions between juvenile *Carcinus aestuarii* and *Musculista senhousia*. 275:211–217
- Miyamoto Y, Noda T (2004) Effects of mussels on competitively inferior species: competitive exclusion to facilitation. 276:293–298
- Miyazaki N, see Watanabe Y et al. (2004) 279:283–289
- Moens T, see Bouillon S et al. (2004) 278:77–88
- Molis M, see Lenz M et al. (2004) 278:53–65
- Montes-Hugo MA, Alvarez-Borrego S, Gaxiola-Castro G (2004) Annual phytoplankton production in a coastal lagoon of the southern California Current System. 277: 51–60
- Montresor M, see Orsini L et al. (2004) 271:87–98
- Moore PG, see Kamenos NA et al. (2004) 274:183–189
- Moran SM, Jenkins GP, Keough MJ, Hindell JS (2004) Small-scale dynamics of secondary dispersal in a seagrass associated fish: a caging study. 272:271–280
- Morán XAG, Fernández E, Pérez V (2004) Size-fractionated primary production, bacterial production and net community production in subtropical and tropical domains of the oligotrophic NE Atlantic in autumn. 274:17–29
- Mori Y, Boyd IL (2004) Segregation of foraging between two sympatric penguin species: does rate maximisation make the difference? 275:241–249
- Morri C, see Guidetti P et al. (2004) 274:57–68
- Mortimer RJG, Harris SJ, Krom MD, Freitag TE, Prosser JI, Barnes J, Anschutz P, Hayes PJ, Davies IM (2004) Anoxic nitrification in marine sediments. 276:37–51
- Mouritsen KN (2004) Intertidal facilitation and indirect effects: causes and consequences of crawling in the New Zealand cockle. 271:207–220
- Munday PL, see Hobbs JPA (2004) 278:253–259
- Munk P, Bjørnsen PK, Boonruang P, Fryd M, Hansen PJ, Janekarn V, Limtrakulvong V, Nielsen TG, Hansen OS, Satapoomin S, Sawangarreruks S, Thomsen HA, Østergaard JB (2004) Assemblages of fish larvae and mesozooplankton across the continental shelf and shelf slope of the Andaman Sea (NE Indian Ocean). 274: 87–97
- Munk P, see Nielsen R (2004) 278:261–270
- Munk P, see Nielsen TG et al. (2004) 274:69–86
- Murasko S, see Glibert PM et al. (2004) 280:73–83
- Murawski S, see Sissenwine M (2004) 274:291–295
- Murta AG, see Cabral HN (2004) 276:19–24
- Muscantine L, see Hoegh-Guldberg O et al. (2004) 280: 105–114
- Myers AA, see Svensson CJ et al. (2004) 275:185–197

N

- Nagelkerken I, van der Velde G (2004) Are Caribbean mangroves important feeding grounds for juvenile reef fish from adjacent seagrass beds? 274:143–151
- Nagelkerken I, van der Velde G (2004) Relative importance of interlinked mangroves and seagrass beds as feeding habitats for juvenile reef fish on a Caribbean island. 274: 153–159
- Naito Y, see Watanabe Y et al. (2004) 279:283–289
- Nakagawa Y, Ota T, Endo Y, Taki K, Sugisaki H (2004) Importance of ciliates as prey of the euphausiid *Euphausia pacifica* in the NW North Pacific. 271:261–266
- Nedvéd O (2004) Occurrence of the phylum Cycliophora in the Mediterranean. 277:297–299
- Needham HR, see Widdicombe S et al. (2004) 275:1–10
- Nemerson DM, Able KW (2004) Spatial patterns in diet and distribution of juveniles of four fish species in Delaware Bay marsh creeks: factors influencing fish abundance. 276:249–262
- Neubert MG, see Olli K et al. (2004) 273:43–48
- Neumann T, see Janssen F et al. (2004) 275:59–68
- Neuparth T, see Costa FO et al. (2004) 277:197–207
- Nevitt GA, see Silverman ED et al. (2004) 277:25–35
- Niell FX, see Sebastián M (2004) 277:285–290
- Nielsen R, Munk P (2004) Growth pattern and growth dependent mortality of larval and pelagic juvenile North Sea cod *Gadus morhua*. 278:261–270
- Nielsen TG, Bjørnsen PK, Boonruang P, Fryd M, Hansen PJ, Janekarn V, Limtrakulvong V, Munk P, Hansen OS, Satapoomin S, Sawangarreruks S, Thomsen HA, Østergaard JB (2004) Hydrography, bacteria and protist communities across the continental shelf and shelf slope of the Andaman Sea (NE Indian Ocean). 274:69–86
- Nielsen TG, see Munk P et al. (2004) 274:87–97
- Nielsen TG, see Satapoomin S et al. (2004) 274:99–122
- Nilsson HC, see Solan M et al. (2004) 271:1–12
- Niquil N, see Leguerrier D et al. (2004) 273:147–162
- Noda T (2004) Large-scale variability in recruitment of the barnacle *Semibalanus cariosus*: its cause and effects on the population density and predator. 278:241–252
- Noda T, see Miyamoto Y (2004) 276:293–298
- Norling K, see Solan M et al. (2004) 271:1–12
- Nugues MM, Delvoye L, Bak RPM (2004) Coral defence against macroalgae: differential effects of mesenteric filaments on the green alga *Halimeda opuntia*. 278: 103–114

O

- O'Dea A, Herrera-Cubilla A, Fortunato H, Jackson JBC (2004) Life history variation in cupuladriid bryozoans from either side of the Isthmus of Panama. 280:145–161
- O'Brien CM, see Hunter E et al. (2004) 279:261–273
- Oldham CE, Ivey GN, Pullin C (2004) Estimation of a characteristic friction velocity in stirred benthic chambers. 279:291–295
- Olive PJW, see Caldwell GS et al. (2004) 273:97–108
- Oliveros J, see Arrontes J et al. (2004) 277:117–133
- Olli K, Neubert MG, Anderson DM (2004) Encystment probability and encystment rate: new terms to quantitatively describe formation of resting cysts in planktonic microbial populations. 273:43–48
- Olsgaard F, see Widdicombe S et al. (2004) 275:1–10
- Oozeki Y, see Takasuka A et al. (2004) 278:297–302
- O'Riordan RM, see Svensson CJ et al. (2004) 275:185–197
- Orlando BA, see Irlandi EA et al. (2004) 279:81–91
- Orsini L, Procaccini G, Sarno D, Montresor M (2004) Multiple rDNA ITS-types within the diatom *Pseudo-nitzschia delicatissima* (Bacillariophyceae) and their relative abundances across a spring bloom in the Gulf of Naples. 271:87–98
- Orvain F, Sauriau PG, Sygut A, Joassard L, Le Hir P (2004) Interacting effects of *Hydrobia ulvae* bioturbation and microphytobenthos on the erodibility of mudflat sediments. 278:205–223
- Osman RW, see Bullard SG et al. (2004) 280:239–247
- Østergaard JB, see Munk P et al. (2004) 274:87–97
- Østergaard JB, see Nielsen TG et al. (2004) 274:69–86
- Ota T, see Nakagawa Y et al. (2004) 271:261–266
- Ottersen G, see Hjermmann DØ et al. (2004) 273:229–238
- Overholtzer-McLeod KL (2004) Variance in reef spatial structure masks density dependence in coral-reef fish populations on natural versus artificial reefs. 276:269–280
- Overmeer I, see Bouillon S et al. (2004) 278:77–88
- Petiau A, see Leguerrier D et al. (2004) 273:147–162
- Phalan B, see Catry P et al. (2004) 280:261–273
- Phelps RP, see Williams K et al. (2004) 275:231–239
- Phillips RA, see Catry P et al. (2004) 280:261–273
- Pitchford JW, see Codling EA et al. (2004) 279:215–224
- Platt T, see Sathyendranath S et al. (2004) 272:59–68
- Plourde J, Therriault JC (2004) Climate variability and vertical advection of nitrates in the Gulf of St. Lawrence, Canada. 279:33–43
- Polivka KM, see Alofs KM (2004) 271:297–306
- Porter ET, Cornwell JC, Sanford LP (2004) Effect of oysters *Crassostrea virginica* and bottom shear velocity on benthic-pelagic coupling and estuarine water quality. 271:61–75
- Porter ET, Cornwell JC, Sanford LP, Newell RIE (2004) Erratum to Vol 271:61–75. 278:309
- Porter ET, Sanford LP, Gust G, Porter FC (2004) Combined water-column mixing and benthic boundary-layer flow in mesocosms: key for realistic benthic-pelagic coupling studies. 271:43–60
- Porter FC, see Porter ET (2004) 271:43–60
- Postema J, see Geertjes GJ et al. (2004) 279:225–235
- Potier M, see Weimerskirch H et al. (2004) 275:297–308
- Poulin E, see Le Gac M et al. (2004) 278:171–178
- Powers SP, see Grabowski JH (2004) 277:291–295
- Procaccini G, see Orsini L et al. (2004) 271:87–98
- Prosser JI, see Mortimer RJG et al. (2004) 276:37–51
- Puletti M, see Fabi G et al. (2004) 273:187–197
- Pullin C, see Oldham CE et al. (2004) 279:291–295
- Purcell JE, see Decker MB et al. (2004) 280:163–172

Q

- Qian PY, see Dobretsov S et al. (2004) 271:133–146
- Qian PY, see Harder T et al. (2004) 274:133–141
- Quinnell S, Hulsman K, Davie PJF (2004) Protein model for pollutant uptake and elimination by living organisms and its implications for ecotoxicology. 274:1–16

R

- Paffenhöfer GA, see Jiang H (2004) 278:225–239
- Pan JF, Wang WX (2004) Uptake of Hg(II) and methylmercury by the green mussel *Perna viridis* under different organic carbon conditions. 276:125–136
- Papanikos N, see Williams K et al. (2004) 275:231–239
- Parker D, see Chaloupka M et al. (2004) 280:285–293
- Parrish JK, see Viscido SV et al. (2004) 273:239–249
- Parsons ECM, see Macleod K et al. (2004) 277:263–274
- Paschke KA, Gebauer P, Buchholz F, Anger K (2004) Seasonal variation in starvation resistance of early larval North Sea shrimp *Crangon crangon* (Decapoda: Crangonidae). 279:183–191
- Pasternak Z, Bachar A, Abelson A, Achituv Y (2004) Initiation of symbiosis between the soft coral *Heteroxenia fuscescens* and its zooxanthellae. 279:113–116
- Paul VJ, see Becerro MA (2004) 280:115–128
- Paula J, see Svensson CJ et al. (2004) 275:185–197
- Pauly D, see Zeller D (2004) 274:295–298
- Peck LS, see Grange LJ et al. (2004) 278:141–155
- Perez S, see Barneah O et al. (2004) 275:89–95
- Pérez V, see Morán XAG et al. (2004) 274:17–29
- Pérez-Castañeda R, Defeo O (2004) Spatial distribution and structure along ecological gradients: penaeid shrimps in a tropical estuarine habitat of Mexico. 273:173–185
- Petersen JK (2004) Methods for measurement of bivalve clearance rate—hope for common understanding. 276:309–310
- Raff RA, see Villinski JC et al. (2004) 275:139–151
- Raigné H, see Bachelet G et al. (2004) 276:147–159
- Rainbow PS, Geffard A, Jeantet AY, Smith BD, Amiard JC, Amiard-Triquet C (2004) Enhanced food-chain transfer of copper from a diet of copper-tolerant estuarine worms. 271:183–191
- Rampen S, see Klein Breteler WCM et al. (2004) 274:199–208
- Randriambao K, see Bachelet G et al. (2004) 276:147–159
- Range P, see Svensson CJ et al. (2004) 275:185–197
- Raniello R, Lorenti M, Brunet C, Buia MC (2004) Photosynthetic plasticity of an invasive variety of *Caulerpa racemosa* in a coastal Mediterranean area: light harvesting capacity and seasonal acclimation. 271:113–120
- Rassoulzadegan F, see Mari X (2004) 279:13–22
- Rassoulzadegan F, see Mari X et al. (2004) 279:23–32
- Raya Rey A, see Schiavini A (2004) 275:251–262
- Read AJ, see Cox TM (2004) 279:275–282
- Regoli F, Cerrano C, Chierici E, Chiantore MC, Bavestrello G (2004) Seasonal variability of prooxidant pressure and antioxidant adaptation to symbiosis in the Mediterranean demosponge *Petrosia ficiformis*. 275:129–137
- Reid K, see Staniland IJ et al. (2004) 275:263–274
- Reitzel AM, Miner BG, McEdward LR (2004) Relationships between spawning date and larval development time for benthic marine invertebrates: a modeling approach. 280:13–23

- Rendell L, Whitehead H, Escribano R (2004) Sperm whale habitat use and foraging success off northern Chile: evidence of ecological links between coastal and pelagic systems. 275:289–295
- Revell AT, see Cook PLM et al. (2004) 280:39–54
- Revilla M, see Glibert PM et al. (2004) 280:73–83
- Rewitz K, see Styrihave B et al. (2004) 274:215–224
- Reynaud S, Ferrier-Pagès C, Boisson F, Allemand D, Fairbanks RG (2004) Effect of light and temperature on calcification and strontium uptake in the scleractinian coral *Acropora verweyi*. 279:105–112
- Reynolds JD, see Hunter E et al. (2004) 279:261–273
- Richardson TL, see Breed GA et al. (2004) 278:35–51
- Rico JM, see Arrontes J et al. (2004) 277:117–133
- Riddle MJ, see Stark JS et al. (2004) 276:53–70
- Riebesell U, see Rochelle-Newall E et al. (2004) 272:25–31
- Riisgård HU (2004) Intercalibration of methods for measurement of bivalve filtration rates—a turning point. 276:307–308
- Riisgård HU (2004) Peer review: journal articles versus research proposals. 277:301–309
- Rincé Y, see Beninger PG et al. (2004) 275:163–173
- Ritar A, see Johnston D et al. (2004) 275:219–230
- Riveiro I, Guisande C, Maneiro I, Vergara AR (2004) Parental effects in the European sardine *Sardina pilchardus*. 274:225–234
- Robinson SMC, see Auffrey LM (2004) 278:193–203
- Rochelle-Newall E, Delille B, Frankignoulle M, Gattuso JP, Jacquet S, Riebesell U, Terbruggen A, Zondervan I (2004) Chromophoric dissolved organic matter in experimental mesocosms maintained under different pCO₂ levels. 272:25–31
- Rodriguez-Lanetty M, Krupp DA, Weis VM (2004) Distinct ITS types of *Symbiodinium* in Clade C correlate with cnidarian/dinoflagellate specificity during onset of symbiosis. 275:97–102
- Röhner M, see Blank M et al. (2004) 271:193–205
- Rohwer F, see Wegley L et al. (2004) 273:89–96
- Romano G, see Ianora A et al. (2004) 280:199–210
- Rose GA, see Kaunda-Arara B (2004) 277:245–251
- Rosenberg R, see Solan M et al. (2004) 271:1–12
- Roy S, see Laurion I et al. (2004) 279:297–303
- Rufino MM, Maynou F, Abelló P, Yule AB (2004) Small-scale non-linear geostatistical analysis of *Liocarcinus depurator* (Crustacea: Brachyura) abundance and size structure in a western Mediterranean population. 276:223–235
- Ruiz-Cooley RI, Gendron D, Aguiniga S, Mesnick S, Carriquiry JD (2004) Trophic relationships between sperm whales and jumbo squid using stable isotopes of C and N. 277:275–283
- Russell MP, see Dumont C et al. (2004) 276:93–101
- Sanchez-Jerez P, see Tuya F et al. (2004) 278:157–169
- Sand-Jensen K, see Stæhr PA et al. (2004) 275:115–128
- Sanford LP, see Porter ET (2004) 271:43–60
- Sanford LP, see Porter ET et al. (2004) 271:61–75
- Santini G, Burrows MT, Chelazzi G (2004) Bioeconomics of foraging route selection by limpets. 280:189–198
- Sarno D, see Orsini L et al. (2004) 271:87–98
- Sasaki H, see Sampei M et al. (2004) 278:17–25
- Sassa C, Kawaguchi K (2004) Larval feeding habits of *Diaphus garmani* and *Myctophum asperum* (Pisces: Myctophidae) in the transition region of the western North Pacific. 278:279–290
- Satapoomin S, Nielsen TG, Hansen PJ (2004) Andaman Sea copepods: spatio-temporal variations in biomass and production, and role in the pelagic food web. 274:99–122
- Satapoomin S, see Munk P et al. (2004) 274:87–97
- Satapoomin S, see Nielsen TG et al. (2004) 274:69–86
- Sathyendranath S, Watts L, Devred E, Platt T, Caverhill C, Maass H (2004) Discrimination of diatoms from other phytoplankton using ocean-colour data. 272:59–68
- Sato K, see Watanabe Y et al. (2004) 279:283–289
- Sauriau PG, see Bachelet G et al. (2004) 276:147–159
- Sauriau PG, see Orvain F et al. (2004) 278:205–223
- Sawangrerruks S, see Munk P et al. (2004) 274:87–97
- Sawangrerruks S, see Nielsen TG et al. (2004) 274:69–86
- Scarcella G, see Fabi G et al. (2004) 273:187–197
- Schaanning MT, see Widdicombe S et al. (2004) 275:1–10
- Scharek R, see Havskum H et al. (2004) 273:31–42
- Schiaparelli S, see Guidetti P et al. (2004) 274:57–68
- Schiavini A, Raya Rey A (2004) Long days, long trips: foraging ecology of female rockhopper penguins *Eudyptes chrysocome chrysocome* at Tierra del Fuego. 275:251–262
- Schlüter L, Garde K, Kaas H (2004) Detection of the toxic cyanobacteria *Nodularia spumigena* by means of a 4-ketomyxoxanthophyll-like pigment in the Baltic Sea. 275:69–78
- Schlüter L, see Havskum H et al. (2004) 273:31–42
- Schmidt M, see Janssen F et al. (2004) 275:59–68
- Schmidt S, see Widdows J et al. (2004) 274:41–56
- Schneider DC, see Laurel BJ et al. (2004) 272:257–270
- Schofield O, see Finkel ZV et al. (2004) 273:269–279
- Schofield O, see Tozzi S et al. (2004) 274:123–132
- Schrimpf W, see Druon JN et al. (2004) 272:1–23
- Schroeder SL, see Williams SL (2004) 272:69–76
- Sebastián M, Niell FX (2004) Alkaline phosphatase activity in marine oligotrophic environments: implications of single-substrate addition assays for potential activity estimations. 277:285–290
- Secor DH, see Kraus RT (2004) 279:247–259
- Seebaugh DR, Wallace WG (2004) Importance of metal-binding proteins in the partitioning of Cd and Zn as trophically available metal (TAM) in the brine shrimp *Artemia franciscana*. 272:215–230
- Seed R, see Kelaher BP et al. (2004) 271:221–231
- Sei S, see Invidia M et al. (2004) 276:187–196
- Shanks AL, see Miller JA (2004) 271:267–279
- Shardo JD, see Williams K et al. (2004) 275:231–239
- Shepherd R, see Tentori E et al. (2004) 276:85–92
- Shiao JC, Hwang PP (2004) Thyroid hormones are necessary for teleostean otolith growth. 278:271–278
- Shiao JC, see Jessop BM et al. (2004) 272:231–244
- Shimeta J, Witucki PF, Hippe KR (2004) Influences of nutritional state and temperature on suspension-feeding rates and mechanics in the spionid polychaete *Polydora cornuta*. 280:173–180
- Shin PKS, Ellingsen KE (2004) Spatial patterns of soft-sediment benthic diversity in subtropical Hong Kong waters. 276:25–35

S

- Shirayama Y, see Kurihara H (2004) 274:161–169
 Shreeve RS, see Tarling GA et al. (2004) 272:165–181
 Shugart LR, see Costa FO et al. (2004) 277:197–207
 Siggaard D, see Hoegh-Guldberg O et al. (2004) 280:105–114
 Silk JRD, see Cetry P et al. (2004) 280:261–273
 Silverman ED, Veit RR, Nevitt GA (2004) Nearest neighbors as foraging cues: information transfer in a patchy environment. 277:25–35
 Simon-Bouhet B, see Bachelet G et al. (2004) 276:147–159
 Simpson SD, Meekan MG, McCauley RD, Jeffs A (2004) Attraction of settlement-stage coral reef fishes to reef noise. 276:263–268
 Simpson SD, see Codling EA et al. (2004) 279:215–224
 Sissenwine M, Murawski S (2004) Moving beyond 'intelligent tinkering': advancing an Ecosystem Approach to Fisheries. 274:291–295
 Smith BD, see Rainbow PS et al. (2004) 271:183–191
 Smith LD (2004) Biogeographic differences in claw size and performance in an introduced crab predator *Carcinus maenas*. 276:209–222
 Smith SDA, see Stark JS et al. (2004) 276:53–70
 Smith SR, see Cohen AL et al. (2004) 271:147–158
 Soetaert K, see Vanaverbeke J et al. (2004) 273:139–146
 Solan M, Wigham BD, Hudson IR, Kennedy R, Coulon CH, Norling K, Nilsson HC, Rosenberg R (2004) *In situ* quantification of bioturbation using time-lapse fluorescent sediment profile imaging (f-SPI), luminophore tracers and model simulation. 271:1–12
 Sommer U, Hansen T, Stibor H, Vadstein O (2004) Persistence of phytoplankton responses to different Si:N ratios under mesozooplankton grazing pressure: a mesocosm study with NE Atlantic plankton. 278:67–75
 Søndergaard M, see Jakobsen TS et al. (2004) 279:305–309
 Sorte CJB, Hofmann GE (2004) Changes in latitudes, changes in aptitudes: *Nucella canaliculata* (Mollusca: Gastropoda) is more stressed at its range edge. 274:263–268
 Southward AJ, see Dando PR et al. (2004) 280:181–187
 Southward EC, see Dando PR et al. (2004) 280:181–187
 Spilmont N, see Carrère V et al. (2004) 274:31–40
 Stæhr PA, Markager S, Sand-Jensen K (2004) Pigment specific *in vivo* light absorption of phytoplankton from estuarine, coastal and oceanic waters. 275:115–128
 Staniland IJ, Reid K, Boyd IL (2004) Comparing individual and spatial influences on foraging behaviour in Antarctic fur seals *Arctocephalus gazella*. 275:263–274
 Stark JS, Riddle MJ, Smith SDA (2004) Influence of an Antarctic waste dump on recruitment to nearshore marine soft-sediment assemblages. 276:53–70
 Steel D, see Garrigue C (2004) 274:251–262
 Steen H (2004) Interspecific competition between *Enteromorpha* (Ulvales: Chlorophyceae) and *Fucus* (Fucales: Phaeophyceae) germings: effects of nutrient concentration, temperature, and settlement density. 278:89–101
 Stenseth NC, see Belgrano A et al. (2004) 273:281–289
 Stenseth NC, see Hjermann DØ et al. (2004) 273:229–238
 Stergiou KI, see Browman HI (2004) 274:269–270
 Stergiou KI, see Browman HI (2004) 274:271–272
 Stibor H, see Sommer U et al. (2004) 278:67–75
 Stips A, see Druon JN et al. (2004) 272:1–23
 Stuart CT, see Gage JD et al. (2004) 277:181–196
 Styriahave B, Rewitz K, Lund T, Andersen O (2004) Variations in ecdysteroid levels and Cytochrome *p450* expression during moult and reproduction in male shore crabs *Carcinus maenas*. 274:215–224
 Sugisaki H, see Nakagawa Y et al. (2004) 271:261–266
 Sundelin B, see Eriksson Wiklund AK (2004) 274:209–214
 Suther I, see Lowry M (2004) 273:199–210
 Svensson CJ, Jenkins SR, Hawkins SJ, Myers AA, Range P, Paula J, O'Riordan RM, Åberg P (2004) Models of open populations with space-limited recruitment in stochastic environments: relative importance of recruitment and survival in populations of *Semibalanus balanoides*. 275:185–197
 Swanson CA (2004) Effect of substrate availability and conspecific cues on communal oviposition in the apple murex snail *Phyllonotus pomum*. 275:175–184
 Sydeman WJ, see Abraham CL (2004) 274:235–250
 Sygut A, see Orvain F et al. (2004) 278:205–223

T

- Takasuka A, Oozeki Y, Kimura R, Kubota H, Aoki I (2004) Growth-selective predation hypothesis revisited for larval anchovy in offshore waters: cannibalism by juveniles versus predation by skipjack tunas. 278:297–302
 Taki K, see Nakagawa Y et al. (2004) 271:261–266
 Tarling G, see Burrows MT (2004) 277:209–220
 Tarling GA, Shreeve RS, Ward P, Atkinson A, Hirst AG (2004) Life-cycle phenotypic composition and mortality of *Calanoides acutus* (Copepoda: Calanoida) in the Scotia Sea: a modelling approach. 272:165–181
 Tatián M, see Sahade R et al. (2004) 272:131–140
 Teixidó N, Garrabou J, Gutt J, Arntz WE (2004) Recovery in Antarctic benthos after iceberg disturbance: trends in benthic composition, abundance and growth forms. 278:1–16
 Tentori E, Allemand D, Shepherd R (2004) Cell growth and calcification result from uncoupled physiological processes in the soft coral *Litophyton arboreum*. 276:85–92
 Terbruggen A, see Rochelle-Newall E et al. (2004) 272:25–31
 Teyssié JL, see Danis B et al. (2004) 279:117–128
 Theodorakis CW, see Costa FO et al. (2004) 277:197–207
 Therriault JC, see Plourde J (2004) 279:33–43
 Thomas C, see Johnston D et al. (2004) 275:219–230
 Thomas DN, see Kattner G et al. (2004) 277:1–12
 Thomsen HA, see Munk P et al. (2004) 274:87–97
 Thomsen HA, see Nielsen TG et al. (2004) 274:69–86
 Thrush SF, see Cummings VJ (2004) 278:179–191
 Thrush SF, see Lohrer AM et al. (2004) 273:121–138
 Todd PA, Ladle RJ, Lewin-Koh NJI, Chou LM (2004) Genotype × environment interactions in transplanted clones of the massive corals *Favia speciosa* and *Diploastrea heliophora*. 271:167–182
 Tokeshi M, see Kawai T (2004) 272:203–213
 Tollrian R, see Wild C et al. (2004) 271:159–166
 Tornero V, Borrell A, Forcada J, Aguilar Á (2004) Tissue distribution of retinoids in common dolphins *Delphinus delphis*. 280:275–283
 Tozzi S, Schofield O, Falkowski P (2004) Historical climate change and ocean turbulence as selective agents for two key phytoplankton functional groups. 274:123–132
 Tsukamoto K, see Minagawa G et al. (2004) 271:245–259
 Turner JT, see Ianora A et al. (2004) 280:199–210
 Tuya F, Boyra A, Sanchez-Jerez P, Barbera C, Haroun RJ (2004) Relationships between rocky-reef fish assemblages, the sea urchin *Diadema antillarum* and macroalgae throughout the Canarian Archipelago. 278:157–169
 Twisk F, see Widdows J et al. (2004) 274:41–56
 Tyler PA, see Grange LJ et al. (2004) 278:141–155
 Tynan CT (2004) Cetacean populations on the SE Bering Sea shelf during the late 1990s: implications for decadal changes in ecosystem structure and carbon flow. 272:281–300
 Tzeng WN, see Jessop BM et al. (2004) 272:231–244

V

- Vadstein O, see Sommer U et al. (2004) 278:67–75
 Vanaverbeke J, Soetaert K, Vincx M (2004) Changes in morphometric characteristics of nematode communities during a spring phytoplankton bloom deposition. 273:139–146
 van Delden W, see Geertjes GJ et al. (2004) 279:225–235
 van der Velde G, see Nagelkerken I (2004) 274:143–151
 van der Velde G, see Nagelkerken I (2004) 274:153–159
 van de Zande L, see Geertjes GJ et al. (2004) 279:225–235
 Van Elven BR, Lavery PS, Kendrick GA (2004) Reefs as contributors to diversity of epiphytic macroalgae assemblages in seagrass meadows. 276:71–83
 van Etten J, see Cohen AL et al. (2004) 271:147–158
 Van Pottelbergh I, see Dahdouh-Guebas F et al. (2004) 272:77–92
 Veit RR, see Silverman ED et al. (2004) 277:25–35
 Verbeek H, see Widdows J et al. (2004) 274:41–56
 Vergara AR, see Riveiro I et al. (2004) 274:225–234
 Veyret M, see Le Gac M et al. (2004) 278:171–178
 Viard F, see Bachelet G et al. (2004) 276:147–159
 Viard F, see Martel C et al. (2004) 273:163–172
 Videler JJ, see Geertjes GJ et al. (2004) 279:225–235
 Viejo RM, see Arrontes J et al. (2004) 277:117–133
 Villinski JC, Hayes JM, Villinski JT, Brassell SC, Raff RA (2004) Carbon-isotopic shifts associated with heterotrophy and biosynthetic pathways in direct- and indirect-developing sea urchins. 275:139–151
 Villinski JT, see Villinski JC et al. (2004) 275:139–151
 Vincx M, see Vanaverbeke J et al. (2004) 273:139–146
 Viscido SV, Parrish JK, Grünbaum D (2004) Individual behavior and emergent properties of fish schools: a comparison of observation and theory. 273:239–249
 Vita R, Marín A, Madrid JA, Jiménez-Brinquis B, Cesar A, Marín-Guirao L (2004) Effects of wild fishes on waste exportation from a Mediterranean fish farm. 277:253–261
 Volkman JK, see Cook PLM et al. (2004) 280:25–38
 Volkman JK, see Cook PLM et al. (2004) 280:55–72

W

- Wahl M, see Lenz M et al. (2004) 278:53–65
 Wallace WG, see Seebaugh DR (2004) 272:215–230
 Wang WX, see Blackmore G (2004) 277:135–145
 Wang WX, see Miao AJ (2004) 275:103–113
 Wang WX, see Pan JF (2004) 276:125–136
 Wanless S, Wright PJ, Harris MP, Elston DA (2004) Evidence for decrease in size of lesser sandeels *Ammodytes marinus* in a North Sea aggregation over a 30-yr period. 279:237–246
 Ward P, see Tarling GA et al. (2004) 272:165–181
 Warnau M, see Danis B et al. (2004) 279:117–128
 Watanabe Y, Baranov EA, Sato K, Naito Y, Miyazaki N (2004) Foraging tactics of Baikal seals differ between day and night. 279:283–289
 Watts L, see Sathyendranath S et al. (2004) 272:59–68
 Wegley L, Yu Y, Breitbart M, Casas V, Kline DI, Rohwer F (2004) Coral-associated Archaea. 273:89–96
 Weimerskirch H, Le Corre M, Jaquemet S, Potier M, Marsac F (2004) Foraging strategy of a top predator in tropical waters: great frigatebirds in the Mozambique Channel. 275:297–308
 Weis VM, see Barneah O et al. (2004) 275:89–95
 Weis VM, see Rodriguez-Lanetty M et al. (2004) 275:97–102

- Wetz MS, Wheeler PA (2004) Response of bacteria to simulated upwelling phytoplankton blooms. 272:49–57
 Wetz MS, Wheeler PA, Letelier RM (2004) Light-induced growth of phytoplankton collected during the winter from the benthic boundary layer off Oregon, USA. 280:95–104
 Wheeler PA, see Wetz MS (2004) 272:49–57
 Wheeler PA, see Wetz MS et al. (2004) 280:95–104
 Whitehead H, see Rendell L et al. (2004) 275:289–295
 Whitlatch RB, see Bullard SG et al. (2004) 280:239–247
 Widdicombe S, Austen MC, Kendall MA, Olsgard F, Schaanning MT, Dashfield SL, Needham HR (2004) Importance of bioturbators for biodiversity maintenance: indirect effects of fishing disturbance. 275:1–10
 Widdows J, Blauw A, Heip CHR, Herman PMJ, Lucas CH, Middelburg JJ, Schmidt S, Brinsley MD, Twisk F, Verbeek H (2004) Role of physical and biological processes in sediment dynamics of a tidal flat in Westerschelde Estuary, SW Netherlands. 274:41–56
 Widdows J, see Lee JT et al. (2004) 272:191–202
 Wigham BD, see Solan M et al. (2004) 271:1–12
 Wild C, Tollrian R, Huettel M (2004) Rapid recycling of coral mass-spawning products in permeable reef sediments. 271:159–166
 Williams K, Papanikos N, Phelps RP, Shardo JD (2004) Development, growth, and yolk utilization of hatchery-reared red snapper *Lutjanus campechanus* larvae. 275:231–239
 Williams RJ, see Dunne JA et al. (2004) 273:291–302
 Williams SL, Schroeder SL (2004) Eradication of the invasive seaweed *Caulerpa taxifolia* by chlorine bleach. 272:69–76
 Willis TJ, see Denny CM et al. (2004) 272:183–190
 Wilson RP, Zimmer I (2004) Inspiration by Magellanic penguins: reduced swimming effort when under pressure. 278:303–307
 Wilson RR Jr., see Luzier CW (2004) 277:221–230
 Witte U, see Ehrenhauss S et al. (2004) 271:99–111
 Witucki PF, see Shimeta J et al. (2004) 280:173–180
 Wouthuyzen S, see Minagawa G et al. (2004) 271:245–259
 Wright PJ, see Wanless S et al. (2004) 279:237–246
 Wright PJ, see Yoneda M (2004) 276:237–248

Y

- Yoneda M, Wright PJ (2004) Temporal and spatial variation in reproductive investment of Atlantic cod *Gadus morhua* in the northern North Sea and Scottish west coast. 276:237–248
 Yoshikawa T, Furuya K (2004) Long-term monitoring of primary production in coastal waters by an improved natural fluorescence method. 273:17–30
 Yu Y, see Wegley L et al. (2004) 273:89–96
 Yule AB, see Rufino MM et al. (2004) 276:223–235

Z

- Zeller D, Pauly D (2004) The future of fisheries: from 'exclusive' resource policy to 'inclusive' public policy. 274:295–298
 Zhou M, see Huntley ME (2004) 273:65–79
 Zimmer I, see Wilson RP (2004) 278:303–307
 Zondervan I, see Rochelle-Newall E et al. (2004) 272:25–31
 Zubkov M, Linn LJ, Amann R, Kiene RP (2004) Temporal patterns of biological dimethylsulfide (DMS) consumption during laboratory-induced phytoplankton bloom cycles. 271:77–86