

COMBINED AUTHOR AND TITLE INDEX

(Volumes 291 to 300, 2005)

A

- Abbiati M, see Airoidi L et al. (2005) 299:55–66
- Abed-Navandi D, Dworschak PC (2005) Food sources of tropical thalassinidean shrimps: a stable-isotope study. 291:159–168
- Ackerman JL, see Robertson DR et al. (2005) 295:229–244
- Ackerman JL, see Robertson DR et al. (2005) 295:245–256
- Adelung D, see Storch S et al. (2005) 293:263–271
- Agardy T (2005) Global marine conservation policy versus site-level implementation: the mismatch of scale and its implications. 300:242–248
- Ahern JJ, see Hutson KS et al. (2005) 298:305–309
- Airoidi L, Bacchiocchi F, Cagliola C, Bulleri F, Abbiati M (2005) Impact of recreational harvesting on assemblages in artificial rocky habitats. 299:55–66
- Alberti J, see Botto F et al. (2005) 293:155–164
- Alcala AC, see Russ GR et al. (2005) 292:1–12
- Alexandre A, Santos R, Serrão E (2005) Effects of clam harvesting on sexual reproduction of the seagrass *Zostera noltii*. 298:115–122
- Alexandre A, see Cabaço S et al. (2005) 298:123–129
- Allemand D, see Shick JM et al. (2005) 295:135–156
- Alonzo F, Virtue P, Nicol S, Nichols PD (2005) Lipids as trophic markers in Antarctic krill. II. Lipid composition of the body and digestive gland of *Euphausia superba* in controlled conditions. 296:65–79
- Alonzo F, Virtue P, Nicol S, Nichols PD (2005) Lipids as trophic markers in Antarctic krill. III. Temporal changes in digestive gland lipid composition of *Euphausia superba* in controlled conditions. 296:81–91
- Álvarez-Salgado XA, see Nieto-Cid M et al. (2005) 297:33–50
- Amiard JC, see Ng TYT et al. (2005) 299:179–191
- Amiard-Triquet C, see Ng TYT et al. (2005) 299:179–191
- Amsler CD, Iken K, McClintock JB, Amsler MO, Peters KJ, Hubbard JM, Furrow FB, Baker BJ (2005) Comprehensive evaluation of the palatability and chemical defenses of subtidal macroalgae from the Antarctic Peninsula. 294:141–159
- Amsler MO, see Amsler CD et al. (2005) 294:141–159
- Anderson DJ, see Awkerman JA et al. (2005) 291:289–300
- Anderson EC, see Palsbøll PJ et al. (2005) 295:305–307
- Andrew N, see Schwarz AM et al. (2005) 294:131–140
- Andrushaitis A, see Olesen M et al. (2005) 293:131–142
- Anker-Nilssen T, see Harris MP et al. (2005) 297:283–296
- Arai T, see Kotake A et al. (2005) 293:213–221
- Arauz R, see Swimmer Y et al. (2005) 295:273–278
- Arin L, see Sala MM et al. (2005) 292:13–21
- Arnould JPY, see Bailleul F et al. (2005) 293:273–282
- Arntz WE, see Montiel A et al. (2005) 297:189–202
- Arrontes J (2005) A model for range expansion of coastal algal species with different dispersal strategies: the case of *Fucus serratus* in northern Spain. 295:57–68
- Arroyo NL, see Ólafsson E et al. (2005) 298:179–188
- Ashidate M, see Sato T et al. (2005) 296:251–262

- Astolfi L, Dupanloup I, Rossi R, Bisol PM, Faure E, Congiu L (2005) Mitochondrial variability of sand smelt *Atherina boyeri* populations from north Mediterranean coastal lagoons. 297:233–243
- Ateweberhan M, Bruggemann JH, Breeman AM (2005) Seasonal dynamics of *Sargassum ilicifolium* (Phaeophyta) on a shallow reef flat in the southern Red Sea (Eritrea). 292:159–171
- Atkinson A, see Shreeve RS et al. (2005) 298:229–239
- Auel H, see Werner I (2005) 292:251–262
- Ault JS, see Humston R et al. (2005) 291:237–248
- Austen MC, see Cook AA et al. (2005) 291:103–113
- Awkerman JA, Fukuda A, Higuchi H, Anderson DJ (2005) Foraging activity and submesoscale habitat use of waved albatrosses *Phoebastria irrorata* during chick-brooding period. 291:289–300
- Axelsen BE, see Brierley AS et al. (2005) 295:105–111
- Azevedo AF, see Moreno IB et al. (2005) 300:229–240

B

- Bacchiocchi F, see Airoidi L et al. (2005) 299:55–66
- Backeljau T, see Derycke S et al. (2005) 300:91–103
- Badano EI, see Molina-Montenegro MA et al. (2005) 292:173–180
- Bagøien E, Kiørboe T (2005) Blind dating—mate finding in planktonic copepods. I. Tracking the pheromone trail of *Centropages typicus*. 300:105–115
- Bagøien E, Kiørboe T (2005) Blind dating—mate finding in planktonic copepods. III. Hydromechanical communication in *Acartia tonsa*. 300:129–133
- Bagøien E, see Kiørboe T et al. (2005) 300:117–128
- Bailey DM, see Ruxton GD (2005) 293:253–262
- Bailey KM, see Ciannelli L (2005) 291:227–236
- Bailey-Jourdain C, see Collin R et al. (2005) 293:89–97
- Bailleul F, Luque S, Dubroca L, Arnould JPY, Guinet C (2005) Differences in foraging strategy and maternal behaviour between two sympatric fur seal species at the Crozet Islands. 293:273–282
- Bak RPM, see Scheffers SR et al. (2005) 299:89–99
- Baker AC, see McClanahan TR et al. (2005) 298:131–142
- Baker BJ, see Amsler CD et al. (2005) 294:141–159
- Baker CS, Garrigue C, Dodemont R, Steel D (2005) Statistical power and plausible alternate hypotheses of gametic recapture estimates from wintering grounds of humpback whales. 295:309–311
- Baker R, Sheaves M (2005) Redefining the piscivore assemblage of shallow estuarine nursery habitats. 291:197–213
- Balagué V, see Sala MM et al. (2005) 292:13–21
- Ballesterio J, see Swimmer Y et al. (2005) 295:273–278
- Balthis L, see Hyland J et al. (2005) 295:91–103
- Banks PD, see Brown KM et al. (2005) 291:189–196
- Barillé L, see Méléder V et al. (2005) 297:83–99
- Barrell GK, see Eisert R et al. (2005) 300:213–228

- Bauer LJ, see Jensen OP et al. (2005) 299:239–255
- Beaudreau AH, see Mullineaux LS et al. (2005) 293:1–16
- Becker PH, see Käkälä R et al. (2005) 293:191–200
- Begley B, see Bergquist DC et al. (2005) 293:99–108
- Beker B, see Moutin T et al. (2005) 297:15–21
- Benedetti-Cecchi L, Bertocci I, Vaselli S, Maggi E (2005) Determinants of spatial pattern at different scales in two populations of the marine alga *Rissoella verruculosa*. 293:37–47
- Benedetti-Cecchi L, see Frascchetti S et al. (2005) 296:13–29
- Beninger PG, Cannuel R, Jaunet S (2005) Particle processing on the gill plicae of the oyster *Crassostrea gigas*: fine-scale mucocyte distribution and functional correlates. 295:191–199
- Ben-Tzvi O, see Ruttenberg BI et al. (2005) 297:273–281
- Bergquist DC, Fleckenstein C, Knisel J, Begley B, MacDonald IR, Fisher CR (2005) Variations in seep mussel bed communities along physical and chemical environmental gradients. 293:99–108
- Berkelmans R, see Wooldridge S et al. (2005) 295:157–169
- Bertellotti M, see Forero MG et al. (2005) 296:107–113
- Bertocci I, see Benedetti-Cecchi L et al. (2005) 293:37–47
- Bertrand JA, see Gaertner JC et al. (2005) 297:245–257
- Bérubé M, see Palsbøll PJ et al. (2005) 295:305–307
- Beukers-Stewart BD, Vause BJ, Mosley MWJ, Rossetti HL, Brand AR (2005) Benefits of closed area protection for a population of scallops. 298:189–204
- Bhadury P, see Cook AA et al. (2005) 291:103–113
- Bingel F, see Shulman GE et al. (2005) 293:201–212
- Birkeland A, Kovacs KM, Lydersen C, Grahl-Nielsen O (2005) Transfer of fatty acids from mothers to their calves during lactation in white whales *Delphinapterus leucas*. 298:287–294
- Biron DG, see Ponton F et al. (2005) 299:205–215
- Bisol PM, see Astolfi L et al. (2005) 297:233–243
- Blanchard GF, see Herlory O et al. (2005) 298:95–100
- Blanco G, see Forero MG et al. (2005) 296:107–113
- Blaxter ML, see Cook AA et al. (2005) 291:103–113
- Boetius A, see Wild C et al. (2005) 298:69–78
- Booth DJ, see Gregson MA (2005) 299:269–275
- Boothman WS, see Pospelova V et al. (2005) 292:23–40
- Bortolotti GR, see Forero MG et al. (2005) 296:107–113
- Bosire JO, Kairo JG, Kazungu J, Koedam N, Dahdouh-Guebas F (2005) Predation on propagules regulates regeneration in a high-density reforested mangrove plantation. 299:149–155
- Botto F, Valiela I, Iribarne O, Martinetto P, Alberti J (2005) Impact of burrowing crabs on C and N sources, control, and transformations in sediments and food webs of SW Atlantic estuaries. 293:155–164
- Boulinier T, see Riffaut L et al. (2005) 291:263–273
- Bouma TJ, see Evrard V et al. (2005) 295:49–55
- Bourget E, see Cusson M (2005) 297:1–14
- Bowden DA (2005) Seasonality of recruitment in Antarctic sessile marine benthos. 297:101–118
- Bowman JP, see Powell LM et al. (2005) 291:65–80
- Boyd IL, see Green JA et al. (2005) 296:183–196
- Boyer DC, see Brierley AS et al. (2005) 295:105–111
- Boyer HJ, see Brierley AS et al. (2005) 295:105–111
- Brand AR, see Beukers-Stewart BD et al. (2005) 298:189–204
- Brawley SH, see Coleman MA (2005) 300:63–77
- Breeman AM, see Ateweberhan M et al. (2005) 292:159–171
- Breien MT, see Kaartvedt S et al. (2005) 299:1–5
- Breier BH, see Eisert R et al. (2005) 300:213–228
- Bretz C, see Kvittek R (2005) 293:303–309
- Brey T, see Nyssen F et al. (2005) 300:135–145
- Brierley AS, Boyer DC, Axelsen BE, Lynam CP, Sparks CAJ, Boyer HJ, Gibbons MJ (2005) Towards the acoustic estimation of jellyfish abundance. 295:105–111
- Brierley AS, see Lynam CP et al. (2005) 298:157–167
- Brill R, see Swimmer Y et al. (2005) 295:273–278
- Brodeur RD, Fisher JP, Emmett RL, Morgan CA, Casillas E (2005) Species composition and community structure of pelagic nekton off Oregon and Washington under variable oceanographic conditions. 298:41–57
- Brodeur RD, see De Robertis A et al. (2005) 299:33–44
- Brooks ML, see Lovvorn JR et al. (2005) 291:135–150
- Browman HI, Stergiou KI (2005) (eds) Politics and socio-economics of ecosystem-based management of marine resources. 300:241–296
- Browman HI, Stergiou KI (2005) Introduction. 300:241–242
- Brown BE, Bythell JC (2005) Perspectives on mucus secretion in reef corals. 296:291–309
- Brown JJ, see Vasquez EA et al. (2005) 298:1–8
- Brown KM, Keenan SF, Banks PD (2005) Dominance hierarchies in xanthid crabs: roles in resource-holding potential and field distributions. 291:189–196
- Bruggemann JH, see Ateweberhan M et al. (2005) 292:159–171
- Bucklin A, see Manning CA (2005) 292:233–249
- Bulleri F, see Airoldi L et al. (2005) 299:55–66
- Bump JK, see Lovvorn JR et al. (2005) 291:135–150
- Burton HR, see Powell LM et al. (2005) 291:65–80
- Butler PJ, see Green JA et al. (2005) 296:183–196
- Bythell JC, see Brown BE (2005) 296:291–309

C

- Cabaço S, Alexandre A, Santos R (2005) Population-level effects of clam harvesting on the seagrass *Zostera noltii*. 298:123–129
- Cagliola C, see Airoldi L et al. (2005) 299:55–66
- Cai Y, see Ning X et al. (2005) 293:17–28
- Calbet A, see Scheinberg RD et al. (2005) 294:201–212
- Caldarone EM (2005) Estimating growth in haddock larvae *Melanogrammus aeglefinus* from RNA:DNA ratios and water temperature. 293:241–252
- Calliari D, Tiselius P (2005) Feeding and reproduction in a small calanoid copepod: *Acartia clausi* can compensate quality with quantity. 298:241–250
- Cameron MF, see Mori Y et al. (2005) 295:257–263
- Cannuel R, see Beninger PG et al. (2005) 295:191–199
- Carney RS, see MacAvoy SE et al. (2005) 292:51–60
- Carr SD, Hench JL, Luettich RA Jr, Forward RB Jr, Tankersley RA (2005) Spatial patterns in the ovigerous *Callinectes sapidus* spawning migration: results from a coupled behavioral-physical model. 294:213–226
- Carson VEE, see Dick JTA et al. (2005) 291:151–158
- Carstensen J, see Yunev OA et al. (2005) 294:95–107
- Casillas E, see Brodeur RD et al. (2005) 298:41–57
- Casillas E, see De Robertis A et al. (2005) 299:33–44
- Cavanaugh CM, see McKinness ZP (2005) 295:183–190
- Cavieres LA, see Molina-Montenegro MA et al. (2005) 292:173–180
- Cermeño P, Marañón E, Rodríguez J, Fernández E (2005) Large-sized phytoplankton sustain higher carbon-specific photosynthesis than smaller cells in a coastal eutrophic ecosystem. 297:51–60
- Cermeño P, see Marañón E et al. (2005) 299:7–17
- Chang D, see Soong K et al. (2005) 292:195–201
- Chang YP, see Ferner MC et al. (2005) 300:193–200
- Chao SM, see Soong K et al. (2005) 292:195–201
- Chatila K, see Sargian P et al. (2005) 294:63–77

- Chauvet C, see Ferraris J et al. (2005) 292:271–286
- Chen CA, Wang JT, Fang LS, Yang YW (2005) Fluctuating algal symbiont communities in *Acropora palifera* (Scleractinia: Acroporidae) from Taiwan. 295:113–121
- Cherel Y, see Pinaud D et al. (2005) 298:295–304
- Chiu JMY, see Thiyagarajan V et al. (2005) 299:229–237
- Chmura GL, see Pospelova V et al. (2005) 292:23–40
- Choat JH, see Crossman DJ et al. (2005) 296:129–142
- Choat JH, see Robertson DR et al. (2005) 295:229–244
- Choat JH, see Robertson DR et al. (2005) 295:245–256
- Choo KS, Nilsson J, Pedersén M, Snoeijs P (2005) Photosynthesis, carbon uptake and antioxidant defence in two coexisting filamentous green algae under different stress conditions. 292:127–138
- Christensen V, see Sherman K et al. (2005) 300:275–279
- Ciannelli L, Bailey KM (2005) Landscape dynamics and resulting species interactions: the cod-capelin system in the southeastern Bering Sea. 291:227–236
- Ciotti AM, see Sumida PYG et al. (2005) 291:35–42
- Clark DL, Leis JM, Hay AC, Trnski T (2005) Swimming ontogeny of larvae of four temperate marine fishes. 292:287–300
- Clark GF, Johnston EL (2005) Manipulating larval supply in the field: a controlled study of marine invasibility. 298:9–19
- Claro R, see Paris CB et al. (2005) 296:93–106
- Clements KD, see Crossman DJ et al. (2005) 296:129–142
- Coale SL, see Garrison DL et al. (2005) 300:39–52
- Cobb J, Lawrence JM (2005) Diets and coexistence of the sea urchins *Lytechinus variegatus* and *Arbacia punctulata* (Echinodermata) along the central Florida gulf coast. 295:171–182
- Coleman MA, Brawley SH (2005) Spatial and temporal variability in dispersal and population genetic structure of a rockpool alga. 300:63–77
- Collin R, McLellan M, Gruber K, Bailey-Jourdain C (2005) Effects of conspecific associations on size at sex change in three species of calyptraeid gastropods. 293:89–97
- Congdon BC, see Peck DR (2005) 299:289–296
- Congiu L, see Astolfi L et al. (2005) 297:233–243
- Connell SD, see Goodsell PJ (2005) 299:79–87
- Connell SD, see Russell BD et al. (2005) 296:31–38
- Cook AA, Bhadury P, Debenham NJ, Meldal BHM, Blaxter ML, Smerdon GR, Austen MC, Lambshead PJD, Rogers AD (2005) Denaturing gradient gel electrophoresis (DGGE) as a tool for identification of marine nematodes. 291:103–113
- Cook P, see Wild C et al. (2005) 298:69–78
- Cooper LW, see Lovvorn JR et al. (2005) 291:135–150
- Coughlan J, see Dillane E et al. (2005) 292:225–232
- Cowen RK, see Paris CB et al. (2005) 296:93–106
- Cox C, Hunt JH (2005) Change in size and abundance of Caribbean spiny lobsters *Panulirus argus* in a marine reserve in the Florida Keys National Marine Sanctuary, USA. 294:227–239
- Craig JK, Crowder LB (2005) Hypoxia-induced habitat shifts and energetic consequences in Atlantic croaker and brown shrimp on the Gulf of Mexico shelf. 294:79–94
- Cross TF, see Dillane E et al. (2005) 292:225–232
- Crossman DJ, Choat JH, Clements KD (2005) Nutritional ecology of nominally herbivorous fishes on coral reefs. 296:129–142
- Crowder LB, see Craig JK (2005) 294:79–94
- Crowder LB, see Eby LA et al. (2005) 291:249–261
- Culik BM, see Hennicke JC (2005) 296:173–181
- Cummings V, see Schwarz AM et al. (2005) 294:131–140
- Curtis JMR, Vincent ACJ (2005) Distribution of sympatric sea-horse species along a gradient of habitat complexity in a seagrass-dominated community. 291:81–91
- Cusson M, Bourget E (2005) Global patterns of macroinvertebrate production in marine benthic habitats. 297:1–14

D

- Dacey JWH, see Zemmeling HJ et al. (2005) 295:33–42
- Dahdouh-Guebas F, see Bosire JO et al. (2005) 299:149–155
- Dahms HU, Qian PY (2005) Exposure of biofilms to meiofaunal copepods affects the larval settlement of *Hydroides elegans* (Polychaeta). 297:203–214
- Dahms HU, see Dobretsov S et al. (2005) 297:119–129
- Danilewicz D, see Moreno IB et al. (2005) 300:229–240
- Dauby P, see Nyssen F et al. (2005) 300:135–145
- Davenport J, Davenport JL (2005) Effects of shore height, wave exposure and geographical distance on thermal niche width of intertidal fauna. 292:41–50
- Davenport JL, see Davenport J (2005) 292:41–50
- Davidson J, see Waite L et al. (2005) 297:157–167
- Davis C, see Hu Q (2005) 295:21–31
- Davis ND, see Tanaka H et al. (2005) 291:307–312
- Dawit M, see Fitzsimons MF et al. (2005) 294:51–61
- Dawson NA, see Gattuso JP et al. (2005) 294:9–22
- Dawson WA, see Trenkel VM et al. (2005) 299:257–268
- Day RW, see Hutson KS et al. (2005) 298:305–309
- Dayton PK, see Parnell PE et al. (2005) 296:39–52
- Debenham NJ, see Cook AA et al. (2005) 291:103–113
- Defeo O, Gómez J (2005) Morphodynamics and habitat safety in sandy beaches: life-history adaptations in a supralittoral amphipod. 293:143–153
- Defeo O, McLachlan A (2005) Patterns, processes and regulatory mechanisms in sandy beach macrofauna: a multi-scale analysis. 295:1–20
- DeMartini EE, Friedlander AM, Holzwarth SR (2005) Size at sex change in protogynous labroids, prey body size distributions, and apex predator densities at NW Hawaiian atolls. 297:259–271
- DeMaster DJ, see Mincks SL et al. (2005) 300:3–19
- Demers S, see Sargian P et al. (2005) 294:63–77
- de Oliveira Santos MC, see Moreno IB et al. (2005) 300:229–240
- De Pirro M, see Williams GA et al. (2005) 292:213–224
- De Robertis A, Morgan CA, Schabetsberger RA, Zabel RW, Brodeur RD, Emmett RL, Knight CM, Krutzikowsky GK, Casillas E (2005) Columbia River plume fronts. II. Distribution, abundance, and feeding ecology of juvenile salmon. 299:33–44
- De Robertis A, see Morgan CA et al. (2005) 299:19–31
- De Ruyck CC, see Lovvorn JR et al. (2005) 291:135–150
- Derycke S, Remerie T, Vierstraete A, Backeljau T, Vanfleteren J, Vincx M, Moens T (2005) Mitochondrial DNA variation and cryptic speciation within the free-living marine nematode *Pellioiditis marina*. 300:91–103
- de Sola LG, see Gaertner JC et al. (2005) 297:245–257
- Devlin DJ, see Proffitt CE (2005) 296:209–218
- Dick JTA, Johnson MP, McCambridge S, Johnson J, Carson VEE, Kelly DW, MacNeil C (2005) Predatory nature of the littoral amphipod *Echinogammarus marinus*: gut content analysis and effects of alternative food and substrate heterogeneity. 291:151–158
- Diele K, see Koch V et al. (2005) 291:177–188
- Dillane E, Galvin P, Coughlan J, Lipinski M, Cross TF (2005) Genetic variation in the lesser flying squid *Todaropsis eblanae* (Cephalopoda, Ommastrephidae) in east Atlantic and Mediterranean waters. 292:225–232

- Dizon RM, Yap HT (2005) Coral responses in single- and mixed-species plots to nutrient disturbance. 296:165–172
- Dobretsov S, Dahms HU, Tsoi MY, Qian PY (2005) Chemical control of epibiosis by Hong Kong sponges: the effect of sponge extracts on micro- and macrofouling communities. 297:119–129
- Dobrovolsky IS, see Shulman GE et al. (2005) 293:201–212
- Dodemont R, see Baker CS et al. (2005) 295:309–311
- Domenech A, see López-Legentil S et al. (2005) 296:219–228
- Donázar JA, see Forero MG et al. (2005) 296:107–113
- Done T, see Wooldridge S et al. (2005) 295:157–169
- Dorenbosch M, Grol MGG, Nagelkerken I, van der Velde G (2005) Distribution of coral reef fishes along a coral reef–seagrass gradient: edge effects and habitat segregation. 299:277–288
- Duarte CM, see Gattuso JP et al. (2005) 294:9–22
- Dubroca L, see Bailleul F et al. (2005) 293:273–282
- du Buit MH, see Trenkel VM et al. (2005) 299:257–268
- Duda A, see Sherman K et al. (2005) 300:275–279
- Duneau D, see Ponton F et al. (2005) 299:205–215
- Dunham KK, see Palsbøll PJ et al. (2005) 295:305–307
- Dupanloup I, see Astolfi L et al. (2005) 297:233–243
- Dupouy C, see Moutin T et al. (2005) 297:15–21
- Durbec JP, see Gaertner JC et al. (2005) 297:245–257
- Dworjanyn SA, see Wright JT et al. (2005) 298:143–156
- Dworschak PC, see Abed-Navandi D (2005) 291:159–168

E

- Eby LA, Crowder LB, McClellan CM, Peterson CH, Powers MJ (2005) Habitat degradation from intermittent hypoxia: impacts on demersal fishes. 291:249–261
- Eder EB, Lewis MN (2005) Proximate composition and energetic value of demersal and pelagic prey species from the SW Atlantic Ocean. 291:43–52
- Edwardsen A, see Fossheim M et al. (2005) 300:147–158
- Eisert R, Oftedal OT, Lever M, Ramdohr S, Breier BH, Barrell GK (2005) Detection of food intake in a marine mammal using marine osmolytes and their analogues as dietary biomarkers. 300:213–228
- Emmett RL, see Brodeur RD et al. (2005) 298:41–57
- Emmett RL, see De Robertis A et al. (2005) 299:33–44
- Enberg K (2005) Benefits of threshold strategies and age-selective harvesting in a fluctuating fish stock of Norwegian spring spawning herring *Clupea harengus*. 298:277–286
- Ensor PH, see Southwell CJ et al. (2005) 299:297–309
- Epifanio CE, see Petrone C et al. (2005) 293:177–190
- Erikstad KE, see Harris MP et al. (2005) 297:283–296
- Evrard V, Kiswara W, Bouma TJ, Middelburg JJ (2005) Nutrient dynamics of seagrass ecosystems: ¹⁵N evidence for the importance of particulate organic matter and root systems. 295:49–55

F

- Fang LS, see Chen CA et al. (2005) 295:113–121
- Fauchot J, Levasseur M, Roy S (2005) Daytime and nighttime vertical migrations of *Alexandrium tamarense* in the St. Lawrence estuary (Canada). 296:241–250
- Faure E, see Astolfi L et al. (2005) 297:233–243
- Felipe J, see Sala MM et al. (2005) 292:13–21
- Fernández E, see Cermeño P et al. (2005) 297:51–60
- Ferner MC, Smee DL, Chang YP (2005) Cannibalistic crabs respond to the scent of injured conspecifics: danger or din-

- ner? 300:193–200
- Ferrandis E, see Gaertner JC et al. (2005) 297:245–257
- Ferraris J, Pelletier D, Kulbicki M, Chauvet C (2005) Assessing the impact of removing reserve status on the Abore Reef fish assemblage in New Caledonia. 292:271–286
- Ferreira DG, see Malta Ej et al. (2005) 298:101–114
- Ferreira GA, see Sargian P et al. (2005) 294:63–77
- Ferrier-Pagès C, see Shick JM et al. (2005) 295:135–156
- Fiksen Ø, see Kaartvedt S et al. (2005) 299:1–5
- Fine M, see Shenkar N et al. (2005) 294:181–188
- Fisher CR, see Bergquist DC et al. (2005) 293:99–108
- Fisher CR, see MacAvoy SE et al. (2005) 292:51–60
- Fisher JP, see Brodeur RD et al. (2005) 298:41–57
- Fitzsimons MF, Dawit M, Revitt DM, Rocha C (2005) Effects of early tidal inundation on the cycling of methylamines in inter-tidal sediments. 294:51–61
- Fleckenstein C, see Bergquist DC et al. (2005) 293:99–108
- Fluharty D (2005) Evolving ecosystem approaches to management of fisheries in the USA. 300:248–253
- Fonseca MS, see Hovel KA (2005) 300:179–191
- Forcada J, see Gerrodette T (2005) 291:1–21
- Forero MG, González-Solis J, Hobson KA, Donázar JA, Bertellotti M, Blanco G, Bortolotti GR (2005) Stable isotopes reveal trophic segregation by sex and age in the southern giant petrel in two different food webs. 296:107–113
- Forward RB Jr, see Carr SD et al. (2005) 294:213–226
- Fossheim M, Zhou M, Tande KS, Pedersen OP, Zhu Y, Edvardsen A (2005) Interactions between biological and environmental structures along the coast of northern Norway. 300:147–158
- Franks PJS (2005) Plankton patchiness, turbulent transport and spatial spectra. 294:295–309
- Franzmann PD, see Powell LM et al. (2005) 291:65–80
- Fraschetti S, Terlizzi A, Benedetti-Cecchi L (2005) Patterns of distribution of marine assemblages from rocky shores: evidence of relevant scales of variation. 296:13–29
- Frederiksen M, Wright PJ, Harris MP, Mavor RA, Heubeck M, Wanless S (2005) Regional patterns of kittiwake *Rissa tridactyla* breeding success are related to variability in sandeel recruitment. 300:201–211
- Frew NM, see Zemmellink HJ et al. (2005) 295:33–42
- Friedlander AM, see DeMartini EE et al. (2005) 297:259–271
- Friesen VL, see Riffaut L et al. (2005) 291:263–273
- Fritsen CH, see Garrison DL et al. (2005) 300:39–52
- Fuentes KM, see Molina-Montenegro MA et al. (2005) 292:173–180
- Fukuda A, see Awkerman JA et al. (2005) 291:289–300
- Fukuwaka M, see Tanaka H et al. (2005) 291:307–312
- Furness RW, see Käkälä R et al. (2005) 293:191–200
- Furness RW, see Quillfeldt P et al. (2005) 295:295–304
- Furrow FB, see Amsler CD et al. (2005) 294:141–159

G

- Gaertner JC, Bertrand JA, de Sola LG, Durbec JP, Ferrandis E, Souplet A (2005) Large spatial scale variation of demersal fish assemblage structure on the continental shelf of the NW Mediterranean Sea. 297:245–257
- Gaeta SA, see Sumida PYG et al. (2005) 291:35–42
- Gago J, see Nieto-Cid M et al. (2005) 297:33–50
- Galvin P, see Dillane E et al. (2005) 292:225–232
- García-Aguilar MC, Morales-Bojórquez E (2005) Estimating the haul-out population size of a colony of northern elephant seals *Mirounga angustirostris* in Mexico, based on mark-recapture data. 297:297–302

- Garrigue C, see Baker CS et al. (2005) 295:309–311
- Garrison DL, Gibson A, Coale SL, Gowing MM, Okolodkov YB, Fritsen CH, Jeffries MO (2005) Sea-ice microbial communities in the Ross Sea: autumn and summer biota. 300:39–52
- Gattuso JP, Dawson NA, Duarte CM, Middelburg JJ (2005) Patterns of publication effort in coastal biogeochemistry: a bibliometric survey (1971 to 2003). 294:9–22
- Gaudin P, see Méléder V et al. (2005) 297:83–99
- Geelen L, see Parnell PE et al. (2005) 296:39–52
- Genin A, see Ribak G et al. (2005) 293:77–87
- Gerdes D, see Montiel A et al. (2005) 297:189–202
- Gerrodette T, Forcada J (2005) Non-recovery of two spotted and spinner dolphin populations in the eastern tropical Pacific Ocean. 291:1–21
- Gibbons MJ, see Brierley AS et al. (2005) 295:105–111
- Gibson A, see Garrison DL et al. (2005) 300:39–52
- Gillanders BM, see Russell BD et al. (2005) 296:31–38
- Glenn EP, see Vasquez EA et al. (2005) 298:1–8
- Glud RN, see Jensen SI et al. (2005) 293:49–58
- Glud RN, see Jørgensen BB et al. (2005) 292:85–95
- Goldsworthy SD, see Page B et al. (2005) 293:283–302
- Gómez J, see Defeo O (2005) 293:143–153
- González-Solís J, see Forero MG et al. (2005) 296:107–113
- Goodsell PJ, Connell SD (2005) Historical configuration of habitat influences the effects of disturbance on mobile invertebrates. 299:79–87
- Gopal K, see Tolley KA et al. (2005) 297:225–231
- Goshima S, see Sato T et al. (2005) 296:251–262
- Goss C, see Shreeve RS et al. (2005) 298:229–239
- Gowing MM, see Garrison DL et al. (2005) 300:39–52
- Graeve M, see Nyssen F et al. (2005) 300:135–145
- Graham NAJ, see McClanahan TR (2005) 294:241–248
- Grahl-Nielsen O, see Birkeland A et al. (2005) 298:287–294
- Grant J, see Waite L et al. (2005) 297:157–167
- Gratwicke B, Speight MR (2005) Effects of habitat complexity on Caribbean marine fish assemblages. 292:301–310
- Grebmeier JM, see Lovvorn JR et al. (2005) 291:135–150
- Green JA, Boyd IL, Woakes AJ, Warren NL, Butler PJ (2005) Behavioural flexibility during year-round foraging in macaroni penguins. 296:183–196
- Gregson MA, Booth DJ (2005) Zooplankton patchiness and the associated shoaling response of the temperate reef fish *Trachinops taeniatus*. 299:269–275
- Groeneveld JC, see Tolley KA et al. (2005) 297:225–231
- Grol MGG, see Dorenbosch M et al. (2005) 299:277–288
- Grosbois V, see Harris MP et al. (2005) 297:283–296
- Grosholz ED, see Neira C et al. (2005) 292:111–126
- Grottoli AG, see Palardy JE et al. (2005) 300:79–89
- Grover R, see Shick JM et al. (2005) 295:135–156
- Gruber K, see Collin R et al. (2005) 293:89–97
- Guadayol Ò, see Sala MM et al. (2005) 292:13–21
- Guinet C, see Bailleul F et al. (2005) 293:273–282
- Guntenspergen GR, see Vasquez EA et al. (2005) 298:1–8
- quadrata*. 291:169–175
- Harris MP, Anker-Nilssen T, McCleery RH, Erikstad KE, Shaw DN, Grosbois V (2005) Effect of wintering area and climate on the survival of adult Atlantic puffins *Fratercula arctica* in the eastern Atlantic. 297:283–296
- Harris MP, see Frederiksen M et al. (2005) 300:201–211
- Harris MP, see Wanless S et al. (2005) 294:1–8
- Hasegawa N, Iizumi H, Mukai H (2005) Nitrogen dynamics of the surfgrass *Phyllospadix iwatensis*. 293:59–68
- Hawes I, see Schwarz AM et al. (2005) 294:131–140
- Hawkins SJ, see Thompson RC et al. (2005) 296:53–63
- Hay AC, see Clark DL et al. (2005) 292:287–300
- Hay SJ, see Lynam CP et al. (2005) 298:157–167
- Haywood MDE, see Pillans S et al. (2005) 295:201–213
- Heath MR, see Lynam CP et al. (2005) 298:157–167
- Heidemann A, see Valdivia N et al. (2005) 299:45–54
- Heller J, see Ribak G et al. (2005) 293:77–87
- Helluy S, see Ponton F et al. (2005) 299:205–215
- Hempel G, see Sherman K et al. (2005) 300:275–279
- Hench JL, see Carr SD et al. (2005) 294:213–226
- Hennicke JC, Culik BM (2005) Foraging performance and reproductive success of Humboldt penguins in relation to prey availability. 296:173–181
- Hentschel BT, Larson AA (2005) Growth rates of interface-feeding polychaetes: combined effects of flow speed and suspended food concentration. 293:119–129
- Herlory O, Blanchard GF, Planche S, Huet V, Richard P (2005) Does the size of the microphytobenthic biofilm on intertidal mudflats depend on the available photosynthetic biomass? 298:95–100
- Herzlieb SE, see Sikkil PC et al. (2005) 296:1–11
- Heubeck M, see Frederiksen M et al. (2005) 300:201–211
- Hewes CD, see Holm-Hansen O et al. (2005) 297:71–81
- Hickford MJH, see Ruttnerberg BI et al. (2005) 297:273–281
- Higgins B, see Swimmer Y et al. (2005) 295:273–278
- Higuchi H, see Awkerman JA et al. (2005) 291:289–300
- Hilbig B, see Montiel A et al. (2005) 297:189–202
- Hill MS, Lopez NA, Young KA (2005) Anti-predator defenses in western North Atlantic sponges with evidence of enhanced defense through interactions between spicules and chemicals. 291:93–102
- Hillis-Starr ZM, see Storch S et al. (2005) 293:263–271
- Hindell JS, see Smith TM (2005) 294:257–270
- Hines AH, see Kuhlmann ML (2005) 295:215–228
- Hirshfield MF (2005) Implementing the ecosystem approach: making ecosystems matter. 300:253–257
- Hirst AG, Peterson WT, Rothery P (2005) Errors in juvenile copepod growth rate estimates are widespread: problems with the Moulting Rate method. 296:263–279
- Hobson KA, see Forero MG et al. (2005) 296:107–113
- Holby O, see Jørgensen BB et al. (2005) 292:85–95
- Holm-Hansen O, Kahru M, Hewes CD (2005) Deep chlorophyll *a* maxima (DCMs) in pelagic Antarctic waters. II. Relation to bathymetric features and dissolved iron concentrations. 297:71–81
- Holzwarth SR, see DeMartini EE et al. (2005) 297:259–271
- Houdan A, Probert I, Van Lenning K, Lefebvre S (2005) Comparison of photosynthetic responses in diploid and haploid life-cycle phases of *Emiliania huxleyi* (Prymnesiophyceae). 292:139–146
- Houghton L, see Zemmeling HJ et al. (2005) 295:33–42
- Hovel KA, Fonseca MS (2005) Influence of seagrass landscape structure on juvenile blue crab habitat-survival function. 300:179–191
- Howes BL, see Hamersley MR (2005) 299:123–135
- Hu Q, Davis C (2005) Automatic plankton image recognition with co-occurrence matrices and Support Vector Machine.

H

- Hamersley MR, Howes BL (2005) Coupled nitrification–denitrification measured *in situ* in a *Spartina alterniflora* marsh with a $^{15}\text{NH}_4^+$ tracer. 299:123–135
- Hamilton SL, see Ruttnerberg BI et al. (2005) 297:273–281
- Harada K, see Yokoyama H et al. (2005) 296:115–128
- Harder T, see Lam C et al. (2005) 294:109–116
- Harris B, Sulkin S (2005) Significance of feeding to the development of postlarval megalopae in the free-living crab *Lophopanopeus bellus* and commensal crab *Fabia sub-*

- 295:21–31
 Huang X, Morris JT (2005) Distribution of phosphatase activity in marsh sediments along an estuarine salinity gradient. 292:75–83
 Hubbard JM, see Amsler CD et al. (2005) 294:141–159
 Huet V, see Herlory O et al. (2005) 298:95–100
 Huettel M, see Wild C et al. (2005) 291:23–33
 Huettel M, see Wild C et al. (2005) 298:69–78
 Hulth S, see Karlson K et al. (2005) 294:35–49
 Humston R, Ault JS, Larkin MF, Luo J (2005) Movements and site fidelity of the bonefish *Albula vulpes* in the northern Florida Keys determined by acoustic telemetry. 291:237–248
 Hung OS, see Thiyagarajan V et al. (2005) 299:229–237
 Hunt HL (2005) Effects of sediment source and flow regime on clam and sediment transport. 296:143–153
 Hunt HL, see Mullineaux LS et al. (2005) 293:1–16
 Hunt JH, see Cox C (2005) 294:227–239
 Hurst TP, Spencer ML, Sogard SM, Stoner AW (2005) Compensatory growth, energy storage and behavior of juvenile Pacific halibut *Hippoglossus stenolepis* following thermally induced growth reduction. 293:233–240
 Hutson KS, Ross DJ, Day RW, Ahern JJ (2005) Australian scallops do not recognise the introduced predatory seastar *Asterias amurensis*. 298:305–309
 Hydes DJ, see Kelly-Gerreyn BA et al. (2005) 292:61–74
 Hyland J, Balthis L, Karakassis I, Magni P, Petrov A, Shine J, Vestergaard O, Warwick R (2005) Organic carbon content of sediments as an indicator of stress in the marine benthos. 295:91–103

I

- Ibe C, see Sherman K et al. (2005) 300:275–279
 Iizumi H, see Hasegawa N et al. (2005) 293:59–68
 Iken K, see Amsler CD et al. (2005) 294:141–159
 Iribarne O, see Botto F et al. (2005) 293:155–164
 Ishihi Y, see Yokoyama H et al. (2005) 296:115–128
 Ivleva EV, see Shulman GE et al. (2005) 293:201–212
 Iwata Y, Munehara H, Sakurai Y (2005) Dependence of paternity rates on alternative reproductive behaviors in the squid *Loligo bleekeri*. 298:219–228

J

- Jabbour R, see McClain CR et al. (2005) 297:181–187
 Jackson GD, see Stark KE et al. (2005) 299:167–177
 Jancaitis LB, see Petrone C et al. (2005) 293:177–190
 Jantzen C, see Wild C et al. (2005) 298:69–78
 Jaunet S, see Beninger PG et al. (2005) 295:191–199
 Jeffries MO, see Garrison DL et al. (2005) 300:39–52
 Jenkins SR, see Thompson RC et al. (2005) 296:53–63
 Jensen OP, Seppelt R, Miller TJ, Bauer LJ (2005) Winter distribution of blue crab *Callinectes sapidus* in Chesapeake Bay: application and cross-validation of a two-stage generalized additive model. 299:239–255
 Jensen SI, Kühl M, Glud RN, Jørgensen LB, Priemé A (2005) Oxidic microzones and radial oxygen loss from roots of *Zostera marina*. 293:49–58
 Jeong HJ, Kim JS, Kim JH, Kim ST, Seong KA, Kim TH, Song JY, Kim SK (2005) Feeding and grazing impact of the newly described heterotrophic dinoflagellate *Stoeckeria algicida* on the harmful alga *Heterosigma akashiwo*. 295:69–78
 Jin T, Qian PY (2005) Amino acid exposure modulates the

- bioactivity of biofilms for larval settlement of *Hydroides elegans* by altering bacterial community components. 297:169–179
 Johnson J, see Dick JTA et al. (2005) 291:151–158
 Johnson LE, see Pardo LM (2005) 296:229–239
 Johnson MP, see Dick JTA et al. (2005) 291:151–158
 Johnson TB, see Keister JE et al. (2005) 295:43–48
 Johnston DW, Westgate AJ, Read AJ (2005) Effects of fine-scale oceanographic features on the distribution and movements of harbour porpoises *Phocoena phocoena* in the Bay of Fundy. 295:279–293
 Johnston EL, see Clark GF (2005) 298:9–19
 Johnstone RW, see Pillans S et al. (2005) 295:201–213
 Joly C, see Ponton F et al. (2005) 299:205–215
 Jones MB, see Petrone C et al. (2005) 293:177–190
 Jones R, see Wooldridge S et al. (2005) 295:157–169
 Jørgensen BB, Glud RN, Holby O (2005) Oxygen distribution and bioirrigation in Arctic fjord sediments (Svalbard, Barents Sea). 292:85–95
 Jørgensen LB, see Jensen SI et al. (2005) 293:49–58

K

- Kaartvedt S, Røstad A, Fiksen Ø, Melle W, Torgersen T, Breien MT, Klevjer TA (2005) Piscivorous fish patrol krill swarms. 299:1–5
 Kahle S, see Käkälä R et al. (2005) 293:191–200
 Kahru M, see Holm-Hansen O et al. (2005) 297:71–81
 Kairo JG, see Bosire JO et al. (2005) 299:149–155
 Käkälä A, see Käkälä R et al. (2005) 293:191–200
 Käkälä R, Käkälä A, Kahle S, Becker PH, Kelly A, Furness RW (2005) Fatty acid signatures in plasma of captive herring gulls as indicators of demersal or pelagic fish diet. 293:191–200
 Kamp A, Witte U (2005) Processing of ¹³C-labelled phytoplankton in a fine-grained sandy-shelf sediment (North Sea): relative importance of different macrofauna species. 297:61–70
 Kanaya G, Nobata E, Toya T, Kikuchi E (2005) Effects of different feeding habits of three bivalve species on sediment characteristics and benthic diatom abundance. 299:67–78
 Kaneda A, see Katano T et al. (2005) 298:59–67
 Karakassis I, see Hyland J et al. (2005) 295:91–103
 Karlson K, Hulth S, Ringdahl K, Rosenberg R (2005) Experimental recolonisation of Baltic Sea reduced sediments: survival of benthic macrofauna and effects on nutrient cycling. 294:35–49
 Katano T, Kaneda A, Takeoka H, Nakano S (2005) Seasonal changes in the abundance and composition of picophytoplankton in relation to the occurrence of 'Kyuchō' and bottom intrusion in Uchiumi Bay, Japan. 298:59–67
 Kawaguchi K, see Sassa C (2005) 298:261–276
 Kazungu J, see Bosire JO et al. (2005) 299:149–155
 Keenan SF, see Brown KM et al. (2005) 291:189–196
 Keister JE, Johnson TB, Morgan CA, Peterson WT (2005) Biological indicators of the timing and direction of warm-water advection during the 1997/1998 El Niño off the central Oregon coast, USA. 295:43–48
 Kelly A, see Käkälä R et al. (2005) 293:191–200
 Kelly BP, see Womble JN et al. (2005) 294:271–282
 Kelly DW, see Dick JTA et al. (2005) 291:151–158
 Kelly-Gerreyn BA, Hydes DJ, Waniew JJ (2005) Control of the diffusive boundary layer on benthic fluxes: a model study. 292:61–74
 Kendrick GA, see Vanderklift MA (2005) 299:101–110
 Kerry KR, see Southwell CJ et al. (2005) 299:297–309

- Kideys AE, see Shulman GE et al. (2005) 293:201–212
 Kikuchi E, see Kanaya G et al. (2005) 299:67–78
 Kim JH, see Jeong HJ et al. (2005) 295:69–78
 Kim JS, see Jeong HJ et al. (2005) 295:69–78
 Kim SK, see Jeong HJ et al. (2005) 295:69–78
 Kim ST, see Jeong HJ et al. (2005) 295:69–78
 Kim TH, see Jeong HJ et al. (2005) 295:69–78
 Kinne O (2005) 300 volumes of Marine Ecology Progress Series. 300:1
 Kiørboe T, Bagøien E, Thygesen UH (2005) Blind dating—mate finding in planktonic copepods. II. The pheromone cloud of *Pseudocalanus elongatus*. 300:117–128
 Kiørboe T, see Bagøien E (2005) 300:105–115
 Kiørboe T, see Bagøien E (2005) 300:129–133
 Kiørboe T, see Poulsen LK (2005) 299:217–227
 Kiswara W, see Evrard V et al. (2005) 295:49–55
 Klein Breteler WCM, Schogt N, Rampen S (2005) Effect of diatom nutrient limitation on copepod development: role of essential lipids. 291:125–133
 Klevjer TA, see Kaartvedt S et al. (2005) 299:1–5
 Kline DI, see Kuntz NM et al. (2005) 294:173–180
 Knight CM, see De Robertis A et al. (2005) 299:33–44
 Knisel J, see Bergquist DC et al. (2005) 293:99–108
 Koch V, Wolff M, Diele K (2005) Comparative population dynamics of four fiddler crabs (Ocypodidae, genus *Uca*) from a North Brazilian mangrove ecosystem. 291:177–188
 Koedam N, see Bosire JO et al. (2005) 299:149–155
 Koeve W (2005) Magnitude of excess carbon sequestration into the deep ocean and the possible role of TEP. 291:53–64
 Köster M, see Paffenhöfer GA (2005) 297:303–310
 Kotake A, Okamura A, Yamada Y, Utoh T, Arai T, Miller MJ, Oka HP, Tsukamoto K (2005) Seasonal variation in the migratory history of the Japanese eel *Anguilla japonica* in Mikawa Bay, Japan. 293:213–221
 Kovacs KM, see Birkeland A et al. (2005) 298:287–294
 Koyama K, see Yokoyama H et al. (2005) 296:115–128
 Kraft PG, see Pillans S et al. (2005) 295:201–213
 Kramer DL, see Sikkil PC et al. (2005) 296:1–11
 Kraus RT, Secor DH (2005) Application of the nursery-role hypothesis to an estuarine fish. 291:301–305
 Kraus RT, Secor DH (2005) Erratum to Vol 291:301–305. 294:310
 Krutzikowsky GK, see De Robertis A et al. (2005) 299:33–44
 Kühl M, see Jensen SI et al. (2005) 293:49–58
 Kuhlmann ML, Hines AH (2005) Density-dependent predation by blue crabs *Callinectes sapidus* on natural prey populations of infaunal bivalves. 295:215–228
 Kulbicki M, see Ferraris J et al. (2005) 292:271–286
 Kuntz NM, Kline DI, Sandin SA, Rohwer F (2005) Pathologies and mortality rates caused by organic carbon and nutrient stressors in three Caribbean coral species. 294:173–180
 Kuuppo P, see Uronen P et al. (2005) 299:137–148
 Kvitek R, Bretz C (2005) Shorebird foraging behavior, diet, and abundance vary with harmful algal bloom toxin concentrations in invertebrate prey. 293:303–309
- L**
- Lailson-Brito J Jr., see Moreno IB et al. (2005) 300:229–240
 Lam C, Harder T, Qian PY (2005) Growth conditions of benthic diatoms affect quality and quantity of extracellular polymeric larval settlement cues. 294:109–116
 Lambshead PJD, see Cook AA et al. (2005) 291:103–113
 Landry MR, see Scheinberg RD et al. (2005) 294:201–212
 Larkin MF, see Humston R et al. (2005) 291:237–248
 Larson AA, see Hentschel BT (2005) 293:119–129
 Lartigue J, Sherman TD (2005) Response of *Enteromorpha* sp. (Chlorophyceae) to a nitrate pulse: nitrate uptake, inorganic nitrogen storage and nitrate reductase activity. 292:147–157
 Latimer JS, see Pospelova V et al. (2005) 292:23–40
 Lawrence JM, see Cobb J (2005) 295:171–182
 Le Bouteiller A, see Moutin T et al. (2005) 297:15–21
 Lee SY, see Werry J (2005) 293:165–176
 Lefebvre S, see Houdan A et al. (2005) 292:139–146
 Legrand C, see Uronen P et al. (2005) 299:137–148
 Lehtinen S, see Uronen P et al. (2005) 299:137–148
 Leis JM, see Clark DL et al. (2005) 292:287–300
 Lennert-Cody CE, see Parnell PE et al. (2005) 296:39–52
 Lesen AE (2005) Relationship between benthic foraminifera and food resources in South San Francisco Bay, California, USA. 297:131–145
 Leung KMY, see Williams GA et al. (2005) 292:213–224
 Levasseur M, see Fauchot J et al. (2005) 296:241–250
 Lever M, see Eisert R et al. (2005) 300:213–228
 Lever MA, Valiela I (2005) Response of microphytobenthic biomass to experimental nutrient enrichment and grazer exclusion at different land-derived nitrogen loads. 294:117–129
 Levin LA, see Neira C et al. (2005) 292:111–126
 Levin S, see Sherman K et al. (2005) 300:275–279
 Lewis MN, see Eder EB (2005) 291:43–52
 Li WKW, see Ning X et al. (2005) 293:17–28
 Lindeboom H, see Weijerman M et al. (2005) 298:21–39
 Lindeman KC, see Paris CB et al. (2005) 296:93–106
 Lipinski M, see Dillane E et al. (2005) 292:225–232
 Litchman E, Neale PJ (2005) UV effects on photosynthesis, growth and acclimation of an estuarine diatom and cryptomonad. 300:53–62
 Livingston PA (2005) PICES' role in integrating marine ecosystem research in the North Pacific. 300:257–259
 Lluch-Belda D, see Sherman K et al. (2005) 300:275–279
 Lo WT, see Tew KS (2005) 292:181–193
 Loh WKW, see Schönberg CHL (2005) 299:157–166
 Long A, Wang WX (2005) Metallothionein induction and bioaccumulation kinetics of Cd and Ag in the marine fish *Terapon jarbua* challenged with dietary or waterborne Ag and Cu. 291:215–226
 Lopez NA, see Hill MS et al. (2005) 291:93–102
 López-Legentil S, Ruchty M, Domenech A, Turon X (2005) Life cycles and growth rates of two morphotypes of *Cystodytes* (Ascidiacea) in the western Mediterranean. 296:219–228
 Lovvorn JR, Cooper LW, Brooks ML, De Ruyck CC, Bump JK, Grebmeier JM (2005) Organic matter pathways to zooplankton and benthos under pack ice in late winter and open water in late summer in the north-central Bering Sea. 291:135–150
 Loya Y, see Shenkar N et al. (2005) 294:181–188
 Lubián LM, see Sobrino C et al. (2005) 293:29–35
 Luettich RA Jr, see Carr SD et al. (2005) 294:213–226
 Luo J, see Humston R et al. (2005) 291:237–248
 Luque S, see Bailleul F et al. (2005) 293:273–282
 Lusseau D (2005) Residency pattern of bottlenose dolphins *Tursiops* spp. in Milford Sound, New Zealand, is related to boat traffic. 295:265–272
 Lydersen C, see Birkeland A et al. (2005) 298:287–294
 Lyle JM, see Stark KE et al. (2005) 299:167–177
 Lynam CP, Heath MR, Hay SJ, Brierley AS (2005) Evidence for impacts by jellyfish on North Sea herring recruitment. 298:157–167
 Lynam CP, see Brierley AS et al. (2005) 295:105–111

M

- MacAvoy SE, Fisher CR, Carney RS, Macko SA (2005) Nutritional associations among fauna at hydrocarbon seep communities in the Gulf of Mexico. 292:51–60
- MacDonald IR, see Bergquist DC et al. (2005) 293:99–108
- Macho G, Molares J, Vázquez E (2005) Timing of larval release by three barnacles from the NW Iberian Peninsula. 298:251–260
- Macko SA, see MacAvoy SE et al. (2005) 292:51–60
- Macko SA, see Tyler AC et al. (2005) 294:161–172
- MacNeil C, see Dick JTA et al. (2005) 291:151–158
- Maggi E, see Benedetti-Cecchi L et al. (2005) 293:37–47
- Magni P, see Hyland J et al. (2005) 295:91–103
- Maina J, see McClanahan TR et al. (2005) 298:131–142
- Malta Ej, Ferreira DG, Vergara JJ, Pérez-Lloréns JL (2005) Nitrogen load and irradiance affect morphology, photosynthesis and growth of *Caulerpa prolifera* (Bryopsidales: Chlorophyta). 298:101–114
- Manning CA, Bucklin A (2005) Multivariate analysis of the copepod community of near-shore waters in the western Gulf of Maine. 292:233–249
- Marañón E, Cermeño P, Pérez V (2005) Continuity in the photosynthetic production of dissolved organic carbon from eutrophic to oligotrophic waters. 299:7–17
- Marañón E, see Cermeño P et al. (2005) 297:51–60
- Marsh AG, see Szela TL (2005) 296:281–289
- Marshall P, see Wooldridge S et al. (2005) 295:157–169
- Martin GB, Thorrold SR (2005) Temperature and salinity effects on magnesium, manganese, and barium incorporation in otoliths of larval and early juvenile spot *Leiostomus xanthurus*. 293:223–232
- Martinetto P, see Botto F et al. (2005) 293:155–164
- Matishov G, see Sherman K et al. (2005) 300:275–279
- Matthee CA, see Tolley KA et al. (2005) 297:225–231
- Matthews KA, see Palardy JE et al. (2005) 300:79–89
- Mavor RA, see Frederiksen M et al. (2005) 300:201–211
- McCambridge S, see Dick JTA et al. (2005) 291:151–158
- McClain CR, Rex MA, Jabbour R (2005) Deconstructing bathymetric body size patterns in deep-sea gastropods. 297:181–187
- McClanahan TR, Graham NAJ (2005) Recovery trajectories of coral reef fish assemblages within Kenyan marine protected areas. 294:241–248
- McClanahan TR, Maina J, Moothien-Pillay R, Baker AC (2005) Effects of geography, taxa, water flow, and temperature variation on coral bleaching intensity in Mauritius. 298:131–142
- McCleery RH, see Harris MP et al. (2005) 297:283–296
- McClellan CM, see Eby LA et al. (2005) 291:249–261
- McClintock JB, see Amsler CD et al. (2005) 294:141–159
- McCoy KD, see Riffaut L et al. (2005) 291:263–273
- McCracken M, see Swimmer Y et al. (2005) 295:273–278
- McGill RAR, see Quillfeldt P et al. (2005) 295:295–304
- McGlade J, see Sherman K et al. (2005) 300:275–279
- McGlathery KJ, see Tyler AC et al. (2005) 294:161–172
- McKenzie J, see Page B et al. (2005) 293:283–302
- McKiness ZP, Cavanaugh CM (2005) The ubiquitous mussel: *Bathymodiolus* aff. *brevis* symbiosis at the Central Indian Ridge hydrothermal vents. 295:183–190
- McLachlan A, see Defeo O (2005) 295:1–20
- McLellan M, see Collin R et al. (2005) 293:89–97
- McLeod KL, see Rosenburg AA (2005) 300:270–274
- M^cNaughton L, see Swimmer Y et al. (2005) 295:273–278
- Meldal BHM, see Cook AA et al. (2005) 291:103–113
- Méléder V, Barillé L, Rincé Y, Morançais M, Rosa P, Gaudin P (2005) Spatio-temporal changes in microphytobenthos structure analysed by pigment composition in a macrotidal flat (Bourgneuf Bay, France). 297:83–99
- Melle W, see Kaartvedt S et al. (2005) 299:1–5
- Mercer S, see Schwarz AM et al. (2005) 294:131–140
- Metaxas A, see Mullineaux LS et al. (2005) 293:1–16
- Metzner R, see Valdimarsson G (2005) 300:286–291
- Meyer B, Oetl B (2005) Effects of short-term starvation on composition and metabolism of larval Antarctic krill *Euphausia superba*. 292:263–270
- Michaelidis B, Ouzounis C, Paleras A, Pörtner HO (2005) Effects of long-term moderate hypercapnia on acid–base balance and growth rate in marine mussels *Mytilus galloprovincialis*. 293:109–118
- Middelburg JJ, see Evrard V et al. (2005) 295:49–55
- Middelburg JJ, see Gattuso JP et al. (2005) 294:9–22
- Miller MJ, see Kotake A et al. (2005) 293:213–221
- Miller TJ, see Jensen OP et al. (2005) 299:239–255
- Mills C, see Trimmer M et al. (2005) 298:79–94
- Mills SW, see Mullineaux LS et al. (2005) 293:1–16
- Mincks SL, Smith CR, DeMaster DJ (2005) Persistence of labile organic matter and microbial biomass in Antarctic shelf sediments: evidence of a sediment 'food bank'. 300:3–19
- Minyuk GS, see Shulman GE et al. (2005) 293:201–212
- Misund OA, Skjoldal HR (2005) Implementing the ecosystem approach: experiences from the North Sea, ICES, and the Institute of Marine Research, Norway. 300:260–265
- Mitani Y, see Mori Y et al. (2005) 295:257–263
- Mitchell JG, see Seymour JR et al. (2005) 300:21–37
- Moens T, see Derycke S et al. (2005) 300:91–103
- Molares J, see Macho G et al. (2005) 298:251–260
- Molina-Montenegro MA, Muñoz AA, Badano EI, Morales BW, Fuentes KM, Cavieres LA (2005) Positive associations between macroalgal species in a rocky intertidal zone and their effects on the physiological performance of *Ulva lactuca*. 292:173–180
- Molis M, see Valdivia N et al. (2005) 299:45–54
- Moncheva S, see Yunev OA et al. (2005) 294:95–107
- Montero O, see Sobrino C et al. (2005) 293:29–35
- Montiel A, Gerdes D, Hilbig B, Arntz WE (2005) Polychaete assemblages on the Magellan and Weddell Sea shelves: comparative ecological evaluation. 297:189–202
- Moothien-Pillay R, see McClanahan TR et al. (2005) 298:131–142
- Morales BW, see Molina-Montenegro MA et al. (2005) 292:173–180
- Morales-Bojórquez E, see García-Aguilar MC (2005) 297:297–302
- Morançais M, see Méléder V et al. (2005) 297:83–99
- Moreno IB, Zerbini AN, Danilewicz D, de Oliveira Santos MC, Simões-Lopes PC, Lailson-Brito J Jr., Azevedo AF (2005) Distribution and habitat characteristics of dolphins of the genus *Stenella* (Cetacea: Delphinidae) in the southwest Atlantic Ocean. 300:229–240
- Morgan CA, De Robertis A, Zabel RW (2005) Columbia River plume fronts. I. Hydrography, zooplankton distribution, and community composition. 299:19–31
- Morgan CA, see Brodeur RD et al. (2005) 298:41–57
- Morgan CA, see De Robertis A et al. (2005) 299:33–44
- Morgan CA, see Keister JE et al. (2005) 295:43–48
- Mori Y, Watanabe Y, Mitani Y, Sato K, Cameron MF, Naito Y (2005) A comparison of prey richness estimates for Weddell seals using diving profiles and image data. 295:257–263
- Morris JT, see Huang X (2005) 292:75–83
- Morritt D, see Williams GA et al. (2005) 292:213–224
- Moschella PS, see Thompson RC et al. (2005) 296:53–63

- Mosley MWJ, see Beukers-Stewart BD et al. (2005) 298:189–204
 Mostajir B, see Sargian P et al. (2005) 294:63–77
 Moutin T, Van Den Broeck N, Beker B, Dupouy C, Rimmelin P, Le Bouteiller A (2005) Phosphate availability controls *Trichodesmium* spp. biomass in the SW Pacific Ocean. 297:15–21
 Mukai H, see Hasegawa N et al. (2005) 293:59–68
 Mullineaux LS, Mills SW, Sweetman AK, Beaudreau AH, Metaxas A, Hunt HL (2005) Vertical, lateral and temporal structure in larval distributions at hydrothermal vents. 293:1–16
 Munehara H, see Iwata Y et al. (2005) 298:219–228
 Muñoz AA, see Molina-Montenegro MA et al. (2005) 292:173–180
 Murayama E, see Takagi Y et al. (2005) 294:249–256

N

- Nagasawa H, see Takagi Y et al. (2005) 294:249–256
 Nagel K, see Wasmund N et al. (2005) 297:23–31
 Nagelkerken I, see Dorenbosch M et al. (2005) 299:277–288
 Naito Y, see Mori Y et al. (2005) 295:257–263
 Naito Y, see Tanaka H et al. (2005) 291:307–312
 Nakano S, see Katano T et al. (2005) 298:59–67
 Natunewicz CC, see Petrone C et al. (2005) 293:177–190
 Nausch G, see Wasmund N et al. (2005) 297:23–31
 Navarro JM, see Velasco LA (2005) 291:115–124
 Neale PJ, see Litchman E (2005) 300:53–62
 Neilson ME, Wilson RR Jr (2005) mtDNA singletons as evidence of a post-invasion genetic bottleneck in yellowfin goby *Acanthogobius flavimanus* from San Francisco Bay, California. 296:197–208
 Neira C, Levin LA, Grosholz ED (2005) Benthic macrofaunal communities of three sites in San Francisco Bay invaded by hybrid *Spartina*, with comparison to uninvaded habitats. 292:111–126
 Nelson SG, see Vasquez EA et al. (2005) 298:1–8
 Ng TYT, Amiard-Triquet C, Rainbow PS, Amiard JC, Wang WX (2005) Physico-chemical form of trace metals accumulated by phytoplankton and their assimilation by filter-feeding invertebrates. 299:179–191
 Ng TYT, Wang WX (2005) Subcellular controls of silver biokinetics in the green mussel *Perna viridis* from two hydrographic zones. 299:193–204
 Nichols PD, see Alonzo F et al. (2005) 296:65–79
 Nichols PD, see Alonzo F et al. (2005) 296:81–91
 Nicol S, see Alonzo F et al. (2005) 296:65–79
 Nicol S, see Alonzo F et al. (2005) 296:81–91
 Nieto-Cid M, Álvarez-Salgado XA, Gago J, Pérez FF (2005) DOM fluorescence, a tracer for biogeochemical processes in a coastal upwelling system (NW Iberian Peninsula). 297:33–50
 Nikolsky VN, see Shulman GE et al. (2005) 293:201–212
 Nilsson J, see Choo KS et al. (2005) 292:127–138
 Ning X, Li WKW, Cai Y, Shi J (2005) Comparative analysis of bacterioplankton and phytoplankton in three ecological provinces of the northern South China Sea. 293:17–28
 Nobata E, see Kanaya G et al. (2005) 299:67–78
 Norkko J, Pilditch CA, Thrush SF, Wells RMG (2005) Effects of food availability and hypoxia on bivalves: the value of using multiple parameters to measure bivalve condition in environmental studies. 298:205–218
 Norton TA, see Thompson RC et al. (2005) 296:53–63
 Nylund GM, Pavia H (2005) Chemical versus mechanical inhibition of fouling in the red alga *Dilsea carnosa*. 299:111–121
 Nyssen F, Brey T, Dauby P, Graeve M (2005) Trophic position of Antarctic amphipods—enhanced analysis by a 2-dimensional biomarker assay. 300:135–145

O

- Oettl B, see Meyer B (2005) 292:263–270
 Oftedal OT, see Eisert R et al. (2005) 300:213–228
 Ohira T, see Takagi Y et al. (2005) 294:249–256
 Oka HP, see Kotake A et al. (2005) 293:213–221
 Okamura A, see Kotake A et al. (2005) 293:213–221
 Okolodkov YB, see Garrison DL et al. (2005) 300:39–52
 Ólafsson E, Ullberg J, Arroyo NL (2005) The clam *Macoma balthica* prevents *in situ* growth of microalgal mats: implications for meiofaunal assemblages. 298:179–188
 Olesen M, Strake S, Andrushaitis A (2005) Egestion of non-pellet-bound fecal material from the copepod *Acartia tonsa*: implication for vertical flux and degradation. 293:131–142
 Or YY, see Wu RSS (2005) 297:215–223
 O'Toole M, see Sherman K et al. (2005) 300:275–279
 Ouzounis C, see Michaelidis B et al. (2005) 293:109–118

P

- Paffenhöfer GA, Köster M (2005) Digestion of diatoms by planktonic copepods and doliolids. 297:303–310
 Page B, McKenzie J, Goldsworthy SD (2005) Dietary resource partitioning among sympatric New Zealand and Australian fur seals. 293:283–302
 Palardy JE, Grottoli AG, Matthews KA (2005) Effects of upwelling, depth, morphology and polyp size on feeding in three species of Panamanian corals. 300:79–89
 Paleras A, see Michaelidis B et al. (2005) 293:109–118
 Palsbøll PJ, Bérubé M, Anderson EC, Dunham KK (2005) High levels of statistical uncertainty in 'genetic' recapture estimates of male abundance in humpback whales. 295:305–307
 Paradis GL, see Ruttenberg BI et al. (2005) 297:273–281
 Pardo LM, Johnson LE (2005) Explaining variation in life-history traits: growth rate, size, and fecundity in a marine snail across an environmental gradient lacking predators. 296:229–239
 Paris CB, Cowen RK, Claro R, Lindeman KC (2005) Larval transport pathways from Cuban snapper (Lutjanidae) spawning aggregations based on biophysical modeling. 296:93–106
 Parker ER, see Trimmer M et al. (2005) 298:79–94
 Parnell PE, Lennert-Cody CE, Geelen L, Stanley LD, Dayton PK (2005) Effectiveness of a small marine reserve in southern California. 296:39–52
 Pavia H, see Nylund GM (2005) 299:111–121
 Peck DR, Congdon BC (2005) Colony-specific foraging behaviour and co-ordinated divergence of chick development in the wedge-tailed shearwater *Puffinus pacificus*. 299:289–296
 Pedersén M, see Choo KS et al. (2005) 292:127–138
 Pedersen OP, see Fosheim M et al. (2005) 300:147–158
 Pelletier D, see Ferraris J et al. (2005) 292:271–286
 Pelletier E, see Sargian P et al. (2005) 294:63–77
 Pérez FF, see Nieto-Cid M et al. (2005) 297:33–50
 Pérez V, see Marañón E et al. (2005) 299:7–17
 Pérez-Lloréns JL, see Malta Ej et al. (2005) 298:101–114
 Peters KJ, see Amsler CD et al. (2005) 294:141–159
 Petersen J, see Trimmer M et al. (2005) 298:79–94

- Peterson CH, see Eby LA et al. (2005) 291:249–261
 Peterson WT, see Hirst AG et al. (2005) 296:263–279
 Peterson WT, see Keister JE et al. (2005) 295:43–48
 Petrone C, Jancaitis LB, Jones MB, Natunewicz CC, Tilburg CE, Epifanio CE (2005) Dynamics of larval patches: spatial distribution of fiddler crab larvae in Delaware Bay and adjacent waters. 293:177–190
 Petrov A, see Hyland J et al. (2005) 295:91–103
 Phillips NE (2005) Growth of filter-feeding benthic invertebrates from a region with variable upwelling intensity. 295:79–89
 Pilditch CA, see Norkko J et al. (2005) 298:205–218
 Pillans RD, see Pillans S et al. (2005) 295:201–213
 Pillans S, Pillans RD, Johnstone RW, Kraft PG, Haywood MDE, Possingham HP (2005) Effects of marine reserve protection on the mud crab *Scylla serrata* in a sex-biased fishery in subtropical Australia. 295:201–213
 Pinaud D, Cherel Y, Weimerskirch H (2005) Effect of environmental variability on habitat selection, diet, provisioning behaviour and chick growth in yellow-nosed albatrosses. 298:295–304
 Pinnegar JK, see Trenkel VM et al. (2005) 299:257–268
 Pitt J, see Robertson DR et al. (2005) 295:229–244
 Pitt J, see Robertson DR et al. (2005) 295:245–256
 Planche S, see Herlory O et al. (2005) 298:95–100
 Pond DW, see Staniland IJ (2005) 294:283–294
 Ponton F, Biron DG, Joly C, Helluy S, Duneau D, Thomas F (2005) Ecology of parasitically modified populations: a case study from a gammarid–trematode system. 299:205–215
 Poore AGB, see Wright JT et al. (2005) 298:143–156
 Pörtner HO, see Michaelidis B et al. (2005) 293:109–118
 Posada JM, see Robertson DR et al. (2005) 295:229–244
 Posada JM, see Robertson DR et al. (2005) 295:245–256
 Pospelova V, Chmura GL, Boothman WS, Latimer JS (2005) Spatial distribution of modern dinoflagellate cysts in polluted estuarine sediments from Buzzards Bay (Massachusetts, USA) embayments. 292:23–40
 Possingham HP, see Pillans S et al. (2005) 295:201–213
 Poulsen LK, Kiørboe T (2005) Coprophagy and coprorhexy in the copepods *Acartia tonsa* and *Temora longicornis*: clearance rates and feeding behaviour. 299:217–227
 Powell LM, Bowman JP, Skerratt JH, Franzmann PD, Burton HR (2005) Ecology of a novel *Synechococcus* clade occurring in dense populations in saline Antarctic lakes. 291:65–80
 Powers MJ, see Eby LA et al. (2005) 291:249–261
 Priemé A, see Jensen SI et al. (2005) 293:49–58
 Probert I, see Houdan A et al. (2005) 292:139–146
 Proffitt CE, Devlin DJ (2005) Grazing by the intertidal gastropod *Melampus coffeus* greatly increases mangrove leaf litter degradation rates. 296:209–218
 Przeslawski R (2005) Combined effects of solar radiation and desiccation on the mortality and development of encapsulated embryos of rocky shore gastropods. 298:169–177

Q

- Qian PY, see Dahms HU (2005) 297:203–214
 Qian PY, see Dobretsov S et al. (2005) 297:119–129
 Qian PY, see Jin T (2005) 297:169–179
 Qian PY, see Lam C et al. (2005) 294:109–116
 Qian PY, see Thiagarajan V et al. (2005) 299:229–237
 Quillfeldt P, McGill RAR, Furness RW (2005) Diet and foraging areas of Southern Ocean seabirds and their prey inferred from stable isotopes: review and case study of Wilson's storm-petrel. 295:295–304

R

- Rainbow PS, see Ng TYT et al. (2005) 299:179–191
 Ramdohr S, see Eisert R et al. (2005) 300:213–228
 Rampen S, see Klein Breteler WCM et al. (2005) 291:125–133
 Rasheed M, see Wild C et al. (2005) 298:69–78
 Read AJ, see Johnston DW et al. (2005) 295:279–293
 Redman P, see Wanless S et al. (2005) 294:1–8
 Remerie T, see Derycke S et al. (2005) 300:91–103
 Renegar DA, Riegl BM (2005) Effect of nutrient enrichment and elevated CO₂ partial pressure on growth rate of Atlantic scleractinian coral *Acropora cervicornis*. 293:69–76
 Revitt DM, see Fitzsimons MF et al. (2005) 294:51–61
 Rex MA, see McClain CR et al. (2005) 297:181–187
 Ribak G, Heller J, Genin A (2005) Mucus-net feeding on organic particles by the vermetid gastropod *Dendropoma maximum* in and below the surf zone. 293:77–87
 Rice JC (2005) Implementation of the Ecosystem Approach to Fisheries Management—asynchronous co-evolution at the interface between science and policy. 300:265–270
 Richard P, see Herlory O et al. (2005) 298:95–100
 Richardson LL, Voss JD (2005) Changes in a coral population on reefs of the northern Florida Keys following a coral disease epizootic. 297:147–156
 Riegl BM, see Renegar DA (2005) 293:69–76
 Riffaut L, McCoy KD, Tirard C, Friesen VL, Boulinier T (2005) Population genetics of the common guillemot *Uria aalge* in the North Atlantic: geographic impact of oil spills. 291:263–273
 Rimmel P, see Moutin T et al. (2005) 297:15–21
 Rincé Y, see Méléder V et al. (2005) 297:83–99
 Ringdahl K, see Karlson K et al. (2005) 294:35–49
 Risk MJ, see Ward-Paige CA et al. (2005) 296:155–163
 Robertson DR, Ackerman JL, Choat JH, Posada JM, Pitt J (2005) Ocean surgeonfish *Acanthurus bahianus*. I. The geography of demography. 295:229–244
 Robertson DR, Choat JH, Posada JM, Pitt J, Ackerman JL (2005) Ocean surgeonfish *Acanthurus bahianus*. II. Fishing effects on longevity, size and abundance? 295:245–256
 Rocha C, see Fitzsimons MF et al. (2005) 294:51–61
 Rodríguez J, see Cermeño P et al. (2005) 297:51–60
 Rogers AD, see Cook AA et al. (2005) 291:103–113
 Rogers CN, see Wright JT et al. (2005) 298:143–156
 Rohwer F, see Kuntz NM et al. (2005) 294:173–180
 Rosa P, see Méléder V et al. (2005) 297:83–99
 Rosenberg AA, McLeod KL (2005) Implementing ecosystem-based approaches to management for the conservation of ecosystem services. 300:270–274
 Rosenberg R, see Karlson K et al. (2005) 294:35–49
 Ross DJ, see Hutson KS et al. (2005) 298:305–309
 Rossetti HL, see Beukers-Stewart BD et al. (2005) 298:189–204
 Rossi R, see Astolfi L et al. (2005) 297:233–243
 Røstad A, see Kaartvedt S et al. (2005) 299:1–5
 Rothery P, see Hirst AG et al. (2005) 296:263–279
 Roy H, see Wild C et al. (2005) 291:23–33
 Roy S, see Fauchot J et al. (2005) 296:241–250
 Ruchty M, see López-Legentil S et al. (2005) 296:219–228
 Russ GR, Stockwell B, Alcalá AC (2005) Inferring versus measuring rates of recovery in no-take marine reserves. 292:1–12
 Russell BD, Gillanders BM, Connell SD (2005) Proximity and size of neighbouring habitat affects invertebrate diversity. 296:31–38
 Rutherford LD Jr, Thuesen EV (2005) Metabolic performance

- and survival of medusae in estuarine hypoxia. 294:189–200
- Ruttenberg BI, Hamilton SL, Hickford MJH, Paradis GL, Sheehy MS, Standish JD, Ben-Tzvi O, Warner RR (2005) Elevated levels of trace elements in cores of otoliths and their potential for use as natural tags. 297:273–281
- Ruxton GD, Bailey DM (2005) Combining motility and bioluminescent signalling aids mate finding in deep-sea fish: a simulation study. 293:253–262
- S**
- Sakurai Y, see Iwata Y et al. (2005) 298:219–228
- Sala MM, Arin L, Balagué V, Felipe J, Guadayol Ò, Vaqué D (2005) Functional diversity of bacterioplankton assemblages in western Antarctic seawaters during late spring. 292:13–21
- Sandin SA, see Kuntz NM et al. (2005) 294:173–180
- Santos R, see Alexandre A et al. (2005) 298:115–122
- Santos R, see Cabaço S et al. (2005) 298:123–129
- Sargian P, Mostajir B, Chatila K, Ferreyra GA, Pelletier E, Demers S (2005) Non-synergistic effects of water-soluble crude oil and enhanced ultraviolet-B radiation on a natural plankton assemblage. 294:63–77
- Sassa C, Kawaguchi K (2005) Larval feeding habits of *Dia-phus theta*, *Protomyctophum thompsoni*, and *Tarletonbeania taylori* (Pisces: Myctophidae) in the transition region of the western North Pacific. 298:261–276
- Sato K, see Mori Y et al. (2005) 295:257–263
- Sato T, Ashidate M, Wada S, Goshima S (2005) Effects of male mating frequency and male size on ejaculate size and reproductive success of female spiny king crab *Paralithodes brevipes*. 296:251–262
- Schabetsberger RA, see De Robertis A et al. (2005) 299:33–44
- Scheffers SR, Bak RPM, van Duyl FC (2005) Why is bacterioplankton growth in coral reef framework cavities enhanced? 299:89–99
- Scheibling RE, see Sumi CBT (2005) 292:203–212
- Scheinberg RD, Landry MR, Calbet A (2005) Grazing of two common appendicularians on the natural prey assemblage of a tropical coastal ecosystem. 294:201–212
- Schneider B, see Wasmund N et al. (2005) 297:23–31
- Schoft N, see Klein Breteler WCM et al. (2005) 291:125–133
- Schönberg CHL, Loh WKW (2005) Molecular identity of the unique symbiotic dinoflagellates found in the bioeroding demosponge *Cliona orientalis*. 299:157–166
- Schwarz AM, Hawes I, Andrew N, Mercer S, Cummings V, Thrush S (2005) Primary production potential of non-geniculate coralline algae at Cape Evans, Ross Sea, Antarctica. 294:131–140
- Secor DH, see Kraus RT (2005) 291:301–305
- Secor DH, see Kraus RT (2005) 294:310
- Seitzinger S, see Sherman K et al. (2005) 300:275–279
- Seong KA, see Jeong HJ et al. (2005) 295:69–78
- Seppelt R, see Jensen OP et al. (2005) 299:239–255
- Serra R, see Sherman K et al. (2005) 300:275–279
- Serrão E, see Alexandre A et al. (2005) 298:115–122
- Seuront L, see Seymour JR et al. (2005) 300:21–37
- Seymour JR, Seuront L, Mitchell JG (2005) Microscale and small-scale temporal dynamics of a coastal planktonic microbial community. 300:21–37
- Shaw DN, see Harris MP et al. (2005) 297:283–296
- Shchepkin VY, see Shulman GE et al. (2005) 293:201–212
- Shchepkina AM, see Shulman GE et al. (2005) 293:201–212
- Sheaves M, see Baker R (2005) 291:197–213
- Sheehy MS, see Ruttenberg BI et al. (2005) 297:273–281
- Shenkar N, Fine M, Loya Y (2005) Size matters: bleaching dynamics of the coral *Oculina patagonica*. 294:181–188
- Sherman K, Sissenwine M, Christensen V, Duda A, Hempel G, Ibe C, Levin S, Lluch-Belda D, Matishov G, McGlade J, O'Toole M, Seitzinger S, Serra R, Skjoldal HR, Tang Q, Thulin J, Vandeweerdt V, Zwanenburg K (2005) A global movement toward an ecosystem approach to management of marine resources. 300:275–279
- Sherman TD, see Lartigue J (2005) 292:147–157
- Sherwood OA, see Ward-Paige CA et al. (2005) 296:155–163
- Shi J, see Ning X et al. (2005) 293:17–28
- Shick JM, Ferrier-Pagès C, Grover R, Allemand D (2005) Effects of starvation, ammonium concentration, and photosynthesis on the UV-dependent accumulation of mycosporine-like amino acids (MAAs) in the coral *Stylophora pistillata*. 295:135–156
- Shimoda K, see Yokoyama H et al. (2005) 296:115–128
- Shine J, see Hyland J et al. (2005) 295:91–103
- Short K, see Tudela S (2005) 300:282–286
- Shreeve RS, Tarling GA, Atkinson A, Ward P, Goss C, Watkins J (2005) Relative production of *Calanoides acutus* (Copepoda: Calanoida) and *Euphausia superba* (Antarctic krill) at South Georgia, and its implications at wider scales. 298:229–239
- Shulman GE, Nikolsky VN, Yuneva TV, Minyuk GS, Shchepkin VY, Shchepkina AM, Ivleva EV, Yunev OA, Dobrovolov IS, Bingel F, Kideys AE (2005) Fat content in Black Sea sprat as an indicator of fish food supply and ecosystem condition. 293:201–212
- Sievert SM, see Zemmeling HJ et al. (2005) 295:33–42
- Sigler MF, see Womble JN et al. (2005) 294:271–282
- Sikkel PC, Herzlieb SE, Kramer DL (2005) Compensatory cleaner-seeking behavior following spawning in female yellowtail damselfish. 296:1–11
- Simões-Lopes PC, see Moreno IB et al. (2005) 300:229–240
- Sissenwine M, see Sherman K et al. (2005) 300:275–279
- Sivyer DB, see Trimmer M et al. (2005) 298:79–94
- Skerratt JH, see Powell LM et al. (2005) 291:65–80
- Skjoldal HR, see Misund OA (2005) 300:260–265
- Skjoldal HR, see Sherman K et al. (2005) 300:275–279
- Smee DL, see Ferner MC et al. (2005) 300:193–200
- Smerdon GR, see Cook AA et al. (2005) 291:103–113
- Smith CR, see Mincks SL et al. (2005) 300:3–19
- Smith TM, Hindell JS (2005) Assessing effects of diel period, gear selectivity and predation on patterns of microhabitat use by fish in a mangrove dominated system in SE Australia. 294:257–270
- Snoeijs P, see Choo KS et al. (2005) 292:127–138
- Sobrinho C, Montero O, Lubián LM (2005) Effect of UV-A and UV-B on diel patterns of growth and metabolic activity in *Nannochloris atomus* cultures assessed by flow cytometry. 293:29–35
- Sogard SM, see Hurst TP et al. (2005) 293:233–240
- Song JY, see Jeong HJ et al. (2005) 295:69–78
- Soong K, Chang D, Chao SM (2005) Presence of spawn-inducing pheromones in two brittle stars (Echinodermata: Ophiuroidea). 292:195–201
- Souplet A, see Gaertner JC et al. (2005) 297:245–257
- Southwell CJ, Kerry KR, Ensor PH (2005) Predicting the distribution of crabeater seals *Lobodon carcinophaga* off east Antarctica during the breeding season. 299:297–309
- Sparks CAJ, see Brierley AS et al. (2005) 295:105–111
- Speakman JR, see Wanless S et al. (2005) 294:1–8
- Speight MR, see Gratwicke B (2005) 292:301–310
- Spencer ML, see Hurst TP et al. (2005) 293:233–240
- Standish JD, see Ruttenberg BI et al. (2005) 297:273–281
- Staniland IJ, Pond DW (2005) Investigating the use of milk

- fatty acids to detect dietary changes: a comparison with faecal analysis in Antarctic fur seals. 294:283–294
- Stanley LD, see Parnell PE et al. (2005) 296:39–52
- Stark KE, Jackson GD, Lyle JM (2005) Tracking arrow squid movements with an automated acoustic telemetry system. 299:167–177
- Steel D, see Baker CS et al. (2005) 295:309–311
- Steinberg PD, see Wright JT et al. (2005) 298:143–156
- Stergiou KI, see Browman HI (2005) 300:241–242
- Stergiou KI, see Browman HI (2005) 300:241–296
- Stockwell B, see Russ GR et al. (2005) 292:1–12
- Stoner AW, see Hurst TP et al. (2005) 293:233–240
- Storch S, Wilson RP, Hillis-Starr ZM, Adelung D (2005) Cold-blooded divers: temperature-dependent dive performance in the wild hawksbill turtle *Eretmochelys imbricata*. 293:263–271
- Strake S, see Olesen M et al. (2005) 293:131–142
- Strathmann RR, see von Dassow YJ (2005) 294:23–34
- Struck U, see Wild C et al. (2005) 298:69–78
- Sulkin S, see Harris B (2005) 291:169–175
- Sumaila UR (2005) Differences in economic perspectives and implementation of ecosystem-based management of marine resources. 300:279–282
- Sumi CBT, Scheibling RE (2005) Role of grazing by sea urchins *Strongylocentrotus droebachiensis* in regulating the invasive alga *Codium fragile* ssp. *tomentosoides* in Nova Scotia. 292:203–212
- Sumida PYG, Yoshinaga MY, Ciotti ÁM, Gaeta SA (2005) Benthic response to upwelling events off the SE Brazilian coast. 291:35–42
- Sweetman AK, see Mullineaux LS et al. (2005) 293:1–16
- Swimmer Y, Arauz R, Higgins B, McNaughton L, McCracken M, Ballesterio J, Brill R (2005) Food color and marine turtle feeding behavior: Can blue bait reduce turtle bycatch in commercial fisheries? 295:273–278
- Szela TL, Marsh AG (2005) Microtiter plate, optode respirometry, and inter-individual variance in metabolic rates among nauplii of *Artemia* sp. 296:281–289
- T**
- Takagi Y, Tohse H, Murayama E, Ohira T, Nagasawa H (2005) Diel changes in endolymph aragonite saturation rate and mRNA expression of otolith matrix proteins in the trout otolith organ. 294:249–256
- Takeoka H, see Katano T et al. (2005) 298:59–67
- Tamaki A, see Yokoyama H et al. (2005) 296:115–128
- Tamminen T, see Uronen P et al. (2005) 299:137–148
- Tanaka H, Naito Y, Davis ND, Urawa S, Ueda H, Fukuwaka M (2005) First record of the at-sea swimming speed of a Pacific salmon during its oceanic migration. 291:307–312
- Tande KS, see Fossheim M et al. (2005) 300:147–158
- Tande KS, see Zhou M et al. (2005) 300:159–178
- Tang Q, see Sherman K et al. (2005) 300:275–279
- Tankersley RA, see Carr SD et al. (2005) 294:213–226
- Tarling GA, see Shreeve RS et al. (2005) 298:229–239
- Terlizzi A, see Frascchetti S et al. (2005) 296:13–29
- Tew KS, Lo WT (2005) Distribution of Thaliacea in SW Taiwan coastal water in 1997, with special reference to *Doliolum denticulatum*, *Thalia democratica* and *T. orientalis*. 292:181–193
- Thiel M, see Valdivia N et al. (2005) 299:45–54
- Thiyagarajan V, Hung OS, Chiu JMY, Wu RSS, Qian PY (2005) Growth and survival of juvenile barnacle *Balanus amphitrite*: interactive effects of cyprid energy reserve and habitat. 299:229–237
- Thomas F, see Ponton F et al. (2005) 299:205–215
- Thompson RC, Moschella PS, Jenkins SR, Norton TA, Hawkins SJ (2005) Differences in photosynthetic marine biofilms between sheltered and moderately exposed rocky shores. 296:53–63
- Thorrold SR, see Martin GB (2005) 293:223–232
- Thrush S, see Schwarz AM et al. (2005) 294:131–140
- Thrush SF, see Norkko J et al. (2005) 298:205–218
- Thuesen EV, see Rutherford LD Jr (2005) 294:189–200
- Thulin J, see Sherman K et al. (2005) 300:275–279
- Thygesen UH, see Kiørboe T et al. (2005) 300:117–128
- Tidd AN, see Trenkel VM et al. (2005) 299:257–268
- Tilburg CE, see Petrone C et al. (2005) 293:177–190
- Tirard C, see Riffaut L et al. (2005) 291:263–273
- Tiselius P, see Calliari D (2005) 298:241–250
- Tohse H, see Takagi Y et al. (2005) 294:249–256
- Tolley KA, Groeneveld JC, Gopal K, Matthee CA (2005) Mitochondrial DNA panmixia in spiny lobster *Palinurus gilchristi* suggests a population expansion. 297:225–231
- Torgersen T, see Kaartvedt S et al. (2005) 299:1–5
- Toya T, see Kanaya G et al. (2005) 299:67–78
- Trenkel VM, Pinnegar JK, Dawson WA, du Buit MH, Tidd AN (2005) Spatial and temporal structure of predator–prey relationships in the Celtic Sea fish community. 299:257–268
- Trimmer M, Petersen J, Sivyer DB, Mills C, Young E, Parker ER (2005) Impact of long-term benthic trawl disturbance on sediment sorting and biogeochemistry in the southern North Sea. 298:79–94
- Trnski T, see Clark DL et al. (2005) 292:287–300
- Tsoi MY, see Dobretsov S et al. (2005) 297:119–129
- Tsukamoto K, see Kotake A et al. (2005) 293:213–221
- Tudela S, Short K (2005) Paradigm shifts, gaps, inertia, and political agendas in ecosystem-based fisheries management. 300:282–286
- Turon X, see López-Legentil S et al. (2005) 296:219–228
- Tyler AC, McGlathery KJ, Macko SA (2005) Uptake of urea and amino acids by the macroalgae *Ulva lactuca* (Chlorophyta) and *Gracilaria vermiculophylla* (Rhodophyta). 294:161–172
- U**
- Ueda H, see Tanaka H et al. (2005) 291:307–312
- Ullberg J, see Ólafsson E et al. (2005) 298:179–188
- Urawa S, see Tanaka H et al. (2005) 291:307–312
- Uronen P, Lehtinen S, Legrand C, Kuuppo P, Tamminen T (2005) Haemolytic activity and allelopathy of the haptophyte *Prymnesium parvum* in nutrient-limited and balanced growth conditions. 299:137–148
- Utoh T, see Kotake A et al. (2005) 293:213–221
- V**
- Valdimarsson G, Metzner R (2005) Aligning incentives for a successful ecosystem approach to fisheries management. 300:286–291
- Valdivia N, Heidemann A, Thiel M, Molis M, Wahl M (2005) Effects of disturbance on the diversity of hard-bottom macrobenthic communities on the coast of Chile. 299:45–54
- Valiela I, see Botto F et al. (2005) 293:155–164
- Valiela I, see Lever MA (2005) 294:117–129
- VanBlaricom GR, see Womble JN et al. (2005) 294:271–282
- Van Den Broeck N, see Moutin T et al. (2005) 297:15–21

- Vanderklift MA, Kendrick GA (2005) Contrasting influence of sea urchins on attached and drift macroalgae. 299:101–110
- van der Velde G, see Dorenbosch M et al. (2005) 299:277–288
- Vandeweerd V, see Sherman K et al. (2005) 300:275–279
- van Duyl FC, see Scheffers SR et al. (2005) 299:89–99
- Vanfleteren J, see Derycke S et al. (2005) 300:91–103
- Van Lenning K, see Houdan A et al. (2005) 292:139–146
- Vaqué D, see Sala MM et al. (2005) 292:13–21
- Vaselli S, see Benedetti-Cecchi L et al. (2005) 293:37–47
- Vasquez EA, Glenn EP, Brown JJ, Guntenspergen GR, Nelson SG (2005) Salt tolerance underlies the cryptic invasion of North American salt marshes by an introduced haplotype of the common reed *Phragmites australis* (Poaceae). 298:1–8
- Vause BJ, see Beukers-Stewart BD et al. (2005) 298:189–204
- Vázquez E, see Macho G et al. (2005) 298:251–260
- Velasco LA, Navarro JM (2005) Feeding physiology of two bivalves under laboratory and field conditions in response to variable food concentrations. 291:115–124
- Vergara JJ, see Malta Ej et al. (2005) 298:101–114
- Vermeij MJA (2005) *Substrate composition and adult distribution determine recruitment patterns in a Caribbean brooding coral*. 295:123–133
- Vestergaard O, see Hyland J et al. (2005) 295:91–103
- Vierstraete A, see Derycke S et al. (2005) 300:91–103
- Vincent ACJ, see Curtis JMR (2005) 291:81–91
- Vincx M, see Derycke S et al. (2005) 300:91–103
- Virtue P, see Alonzo F et al. (2005) 296:65–79
- Virtue P, see Alonzo F et al. (2005) 296:81–91
- Vlietstra LS (2005) Spatial associations between seabirds and prey: effects of large-scale prey abundance on small-scale seabird distribution. 291:275–287
- von Dassow YJ, Strathmann RR (2005) Full of eggs and no place to lay them: hidden cost of benthic development. 294:23–34
- Voss JD, see Richardson LL (2005) 297:147–156
- Voss M, see Wasmund N et al. (2005) 297:23–31
- W**
- Wada S, see Sato T et al. (2005) 296:251–262
- Wahl M, see Valdivia N et al. (2005) 299:45–54
- Waite L, Grant J, Davidson J (2005) Bay-scale spatial growth variation of mussels *Mytilus edulis* in suspended culture, Prince Edward Island, Canada. 297:157–167
- Wang JT, see Chen CA et al. (2005) 295:113–121
- Wang WX, see Long A (2005) 291:215–226
- Wang WX, see Ng TYT (2005) 299:193–204
- Wang WX, see Ng TYT et al. (2005) 299:179–191
- Waniek JJ, see Kelly-Gerreyn BA et al. (2005) 292:61–74
- Wanless S, Harris MP, Redman P, Speakman JR (2005) Low energy values of fish as a probable cause of a major seabird breeding failure in the North Sea. 294:1–8
- Wanless S, see Frederiksen M et al. (2005) 300:201–211
- Ward BB (2005) Temporal variability in nitrification rates and related biogeochemical factors in Monterey Bay, California, USA. 292:97–109
- Ward P, see Shreeve RS et al. (2005) 298:229–239
- Ward-Paige CA, Risk MJ, Sherwood OA (2005) Reconstruction of nitrogen sources on coral reefs: $\delta^{15}\text{N}$ and $\delta^{13}\text{C}$ in gorgonians from Florida Reef Tract. 296:155–163
- Warner RR, see Ruttenberg BI et al. (2005) 297:273–281
- Warren NL, see Green JA et al. (2005) 296:183–196
- Warwick R, see Hyland J et al. (2005) 295:91–103
- Wasmund N, Nausch G, Schneider B, Nagel K, Voss M (2005) Comparison of nitrogen fixation rates determined with different methods: a study in the Baltic Proper. 297:23–31
- Watanabe Y, see Mori Y et al. (2005) 295:257–263
- Watkins J, see Shreeve RS et al. (2005) 298:229–239
- Watson-Wright WM (2005) Policy and science: different roles in the pursuit of solutions to common problems. 300:291–296
- Weijerman M, Lindeboom H, Zuur AF (2005) Regime shifts in marine ecosystems of the North Sea and Wadden Sea. 298:21–39
- Weimerskirch H, see Pinaud D et al. (2005) 298:295–304
- Wells RMG, see Norkko J et al. (2005) 298:205–218
- Werner I, Auel H (2005) Seasonal variability in abundance, respiration and lipid composition of Arctic under-ice amphipods. 292:251–262
- Werry J, Lee SY (2005) Grapsid crabs mediate link between mangrove litter production and estuarine planktonic food chains. 293:165–176
- Westgate AJ, see Johnston DW et al. (2005) 295:279–293
- Wild C, Rasheed M, Jantzen C, Cook P, Struck U, Huettel M, Boetius A (2005) Benthic metabolism and degradation of natural particulate organic matter in carbonate and silicate reef sands of the northern Red Sea. 298:69–78
- Wild C, Roy H, Huettel M (2005) Role of pelletization in mineralization of fine-grained coastal sediments. 291:23–33
- Williams GA, De Pirro M, Leung KMY, Morritt D (2005) Physiological responses to heat stress on a tropical shore: the benefits of mushrooming behaviour in the limpet *Cellana grata*. 292:213–224
- Williamson JE, see Wright JT et al. (2005) 298:143–156
- Willson MF, see Womble JN et al. (2005) 294:271–282
- Wilson RP, see Storch S et al. (2005) 293:263–271
- Wilson RR Jr, see Neilson ME (2005) 296:197–208
- Witte U, see Kamp A (2005) 297:61–70
- Woakes AJ, see Green JA et al. (2005) 296:183–196
- Wolff M, see Koch V et al. (2005) 291:177–188
- Womble JN, Willson MF, Sigler MF, Kelly BP, VanBlaricom GR (2005) Distribution of Steller sea lions *Eumetopias jubatus* in relation to spring-spawning fish in SE Alaska. 294:271–282
- Wooldridge S, Done T, Berkelmans R, Jones R, Marshall P (2005) Precursors for resilience in coral communities in a warming climate: a belief network approach. 295:157–169
- Wright JT, Dworjanyn SA, Rogers CN, Steinberg PD, Williamson JE, Poore AGB (2005) Density-dependent sea urchin grazing: differential removal of species, changes in community composition and alternative community states. 298:143–156
- Wright PJ, see Frederiksen M et al. (2005) 300:201–211
- Wu RSS, Or YY (2005) Bioenergetics, growth and reproduction of amphipods are affected by moderately low oxygen regimes. 297:215–223
- Wu RSS, see Thiagarajan V et al. (2005) 299:229–237
- Y**
- Yamada Y, see Kotake A et al. (2005) 293:213–221
- Yang YW, see Chen CA et al. (2005) 295:113–121
- Yap HT, see Dizon RM (2005) 296:165–172
- Yokoyama H, Tamaki A, Harada K, Shimoda K, Koyama K, Ishihi Y (2005) Variability of diet-tissue isotopic fractionation in estuarine macrobenthos. 296:115–128
- Yoshinaga MY, see Sumida PYG et al. (2005) 291:35–42
- Young E, see Trimmer M et al. (2005) 298:79–94
- Young KA, see Hill MS et al. (2005) 291:93–102
- Yunev OA, Moncheva S, Carstensen J (2005) Long-term vari-

ability of vertical chlorophyll *a* and nitrate profiles in the open Black Sea: eutrophication and climate change. 294: 95–107

Yunev OA, see Shulman GE et al. (2005) 293:201–212

Yuneva TV, see Shulman GE et al. (2005) 293:201–212

Z

Zabel RW, see De Robertis A et al. (2005) 299:33–44

Zabel RW, see Morgan CA et al. (2005) 299:19–31

Zemmelink HJ, Houghton L, Sievert SM, Frew NM, Dacey

JWH (2005) Gradients in dimethylsulfide, dimethylsulfo-
niopropionate, dimethylsulfoxide, and bacteria near the
sea surface. 295:33–42

Zerbini AN, see Moreno IB et al. (2005) 300:229–240

Zhou M, see Fossheim M et al. (2005) 300:147–158

Zhou M, Zhu Y, Tande KS (2005) Circulation and behavior of
euphausiids in two Norwegian sub-Arctic fjords. 300:
159–178

Zhu Y, see Fossheim M et al. (2005) 300:147–158

Zhu Y, see Zhou M et al. (2005) 300:159–178

Zuur AF, see Weijerman M et al. (2005) 298:21–39

Zwanenburg K, see Sherman K et al. (2005) 300:275–279