

COMBINED AUTHOR AND TITLE INDEX

(Volumes 311 to 320, 2006)

A

- Abraham CL, Sydeman WJ (2006) Prey-switching by Cassin's auklet *Ptychoramphus aleuticus* reveals seasonal climate-related cycles of *Euphausia pacifica* and *Thysanoessa spinifera*. 313:271–283
- Ackerman JL, see Choat JH et al. (2006) 318:237–246
- Acuña JL, see Urban-Rich J et al. (2006) 317:101–110
- Adams AJ, Dahlgren CP, Kellison GT, Kendall MS, Layman CA, Ley JA, Nagelkerken I, Serafy JE (2006) Nursery function of tropical back-reef systems. 318:287–301
- Adams AJ, see Dahlgren CP et al. (2006) 312:291–295
- Adams AJ, see Layman CA et al. (2006) 318:307–308
- Aeby GS, Santavy DL (2006) Factors affecting susceptibility of the coral *Montastraea faveolata* to black-band disease. 318:103–110
- Aguilar JS, see Louzao M et al. (2006) 318:247–254
- Agurto C, see Sommer F et al. (2006) 319:167–173
- Aksnes DL, Troedsson C, Thompson EM (2006) A model of developmental time applied to planktonic embryos. 318:75–80
- Aksnes DL, Troedsson C, Thompson EM (2006) Integrating developmental clocking and growth in a life-history model for the planktonic chordate *Oikopleura dioica*. 318:81–88
- Alberti J, see Daleo P et al. (2006) 315:67–73
- Allen JT, see Henson SA et al. (2006) 313:73–84
- Almada VC, see Faria C (2006) 316:155–164
- Alunno-Bruscia M, see Langlet D et al. (2006) 317:143–156
- Álvarez-Marqués F, see Ceballos S et al. (2006) 317:171–186
- Alvarez-Ossorio MT, see Bode A et al. (2006) 318:89–102
- Andersen CM, see Calliari D et al. (2006) 312:177–188
- Andersen FØ, see Holmer M et al. (2006) 320:141–151
- Andriolo A, see Zerbini AN et al. (2006) 313:295–304
- Anninsky BE, see Finenko GA et al. (2006) 314:171–185
- Anthony KRN (2006) Enhanced energy status of corals on coastal, high-turbidity reefs. 319:111–116
- Anthony KRN, see Hoogenboom MO et al. (2006) 313:1–12
- Araki H, see Koh CH et al. (2006) 312:85–100
- Arias-González JE, Done TJ, Page CA, Cheal AJ, Kininmonth S, Garza-Pérez JR (2006) Towards a reefscape ecology: relating biomass and trophic structure of fish assemblages to habitat at Davies Reef, Australia. 320:29–41
- Arias-González JE, Morand S (2006) Trophic functioning with parasites: a new insight for ecosystem analysis. 320:43–53
- Arias-Schreiber M, see Soto KH et al. (2006) 312:277–290
- Armitage AR, Fong P (2006) Predation and physical disturbance by crabs reduce the relative impacts of nutrients in a tidal mudflat. 313:205–213
- Artigas LF, see Hubas C et al. (2006) 316:53–68
- Arvanitidis C, Valavanis VD, Eleftheriou A, Costello MJ, Faulwetter S, Gotsis P, Kitsos MS, Kirmtzoglou I, Zenetos A, Petrov A, Galil B, Papageorgiou N (2006) MedOBIS: biogeographic information system for the eastern Mediterranean and Black Sea. 316:225–230

- Ashidate M, see Sato T et al. (2006) 312:189–199
- Asmus H, see Polte P (2006) 312:235–243
- Atienza D, Saiz E, Calbet A (2006) Feeding ecology of the marine cladoceran *Penilia avirostris*: natural diet, prey selectivity and daily ration. 315:211–220
- Au WWL, see Benoit-Bird KJ (2006) 319:1–14
- Austen MC, see Bhadury P et al. (2006) 320:1–9
- Austen MCV, see Kaiser MJ et al. (2006) 311:1–14
- Auth TD, Brodeur RD (2006) Distribution and community structure of ichthyoplankton off the coast of Oregon, USA, in 2000 and 2002. 319:199–213
- Avery R, see Rex MA et al. (2006) 317:1–8
- Avishai A, see Zakai D et al. (2006) 311:93–102

B

- Baars JJMD, see Kater BJ et al. (2006) 318:221–227
- Baduini CL, Hunt GL Jr, Pinchuk AI, Coyle KO (2006) Patterns in diet reveal foraging site fidelity of short-tailed shearwaters in the southeastern Bering Sea. 320:279–292
- Bagheri S, see Finenko GA et al. (2006) 314:171–185
- Bagley PM, see King NJ et al. (2006) 319:263–274
- Bailey KM, see Litzow MA et al. (2006) 315:1–11
- Bak RPM, see Nugues MM (2006) 315:75–86
- Baker GG, see Frid A et al. (2006) 312:265–275
- Baker R, see Sheaves M et al. (2006) 318:303–306
- Ballance LT, see Vilchis LI et al. (2006) 315:279–292
- Barbeau MA, see Wong MC et al. (2006) 317:75–86
- Barbieri MA, see Bertrand A et al. (2006) 311:145–156
- Bargu S, Lefebvre K, Silver MW (2006) Effect of dissolved domoic acid on the grazing rate of krill *Euphausia pacifica*. 312:169–175
- Barker NP, see Teske PR et al. (2006) 314:283–293
- Barnes DKA (2006) Temporal-spatial stability of competition in marine boulder fields. 314:15–23
- Barnes DKA, see Bowden DA et al. (2006) 316:1–16
- Barnes DKA, Webb K, Linse K (2006) Slow growth of Antarctic bryozoans increases over 20 years and is anomalously high in 2003. 314:187–195
- Barnes PB, Davis AR, Roberts DE (2006) Sampling patchily distributed taxa: a case study using cost-benefit analyses for sponges and ascidians in coastal lakes of New South Wales, Australia. 319:55–64
- Barreiro A, Guisande C, Frangópulos M, González-Fernández A, Muñoz S, Pérez D, Magadán S, Maneiro I, Riveiro I, Iglesias P (2006) Feeding strategies of the copepod *Acartia clausi* on single and mixed diets of toxic and non-toxic strains of the dinoflagellate *Alexandrium minutum*. 316:115–125
- Bartley JD, see Guinotte JM et al. (2006) 316:269–283
- Bartolomé MA, see Martínez-Abraín A et al. (2006) 318:271–276
- Basson PW, see Price ARG et al. (2006) 319:85–91

- Batty P, see Ieno EN et al. (2006) 311:263–271
- Baumann H, Gröhsler T, Kornilovs G, Makarchouk A, Feldmann V, Temming A (2006) Temperature-induced regional and temporal growth differences in Baltic young-of-the-year sprat *Sprattus sprattus*. 317:225–236
- Bava J, see Botto F et al. (2006) 312:201–210
- Bayes MK, see Weetman D et al. (2006) 317:157–169
- Bayle-Sempere J, see Dempster T et al. (2006) 314:309–310
- Bazzino G, see Gilly WF et al. (2006) 313:125–133
- Bearhop S, Phillips RA, McGill R, Chérel Y, Dawson DA, Croxall JP (2006) Stable isotopes indicate sex-specific and long-term individual foraging specialisation in diving seabirds. 311:157–164
- Bell JJ, Burton M, Bullimore B, Newman PB, Lock K (2006) Morphological monitoring of subtidal sponge assemblages. 311:79–91
- Beman M, see Gilly WF et al. (2006) 313:125–133
- Ben Dov E, see Kramarsky-Winter E et al. (2006) 317:67–73
- Benayahu Y, see Perkol-Finkel S et al. (2006) 317:9–20
- Benedetti-Cecchi L, Bertocci I, Vaselli S, Maggi E (2006) Morphological plasticity and variable spatial patterns in different populations of the red alga *Rissoella verrucosa*. 315:87–98
- Benfield M, see Culverhouse PF et al. (2006) 312:297–309
- Benitez Villalobos F, Tyler PA, Young CM (2006) Temperature and pressure tolerance of embryos and larvae of the Atlantic seastars *Asterias rubens* and *Marthasterias glacialis* (Echinodermata: Asteroidea): potential for deep-sea invasion. 314:109–117
- Benoit-Bird KJ, Au WWL (2006) Extreme diel horizontal migrations by a tropical nearshore resident micronekton community. 319:1–14
- Benzie JAH, Smith-Keune C (2006) Microsatellite variation in Australian and Indonesian pearl oyster *Pinctada maxima* populations. 314:197–211
- Bergstrom DM, see Nevitt GA et al. (2006) 315:271–277
- Berkelmans R, see Ulstrup KE et al. (2006) 314:135–148
- Berman MS, see Melrose DC et al. (2006) 311:37–46
- Bertocci I, see Benedetti-Cecchi L et al. (2006) 315:87–98
- Bertrand A, Barbieri MA, Gerlotto F, Leiva F, Córdova J (2006) Determinism and plasticity of fish schooling behaviour as exemplified by the South Pacific jack mackerel *Trachurus murphyi*. 311:145–156
- Bérubé M, see Ramp C et al. (2006) 319:287–295
- Best BD, see Halpin PN et al. (2006) 316:239–246
- Bethlem C, see Zerbini AN et al. (2006) 313:295–304
- Bett BJ, see Jones DOB et al. (2006) 319:43–54
- Bhadury P, Austen MC, Bilton DT, Lambshead PJD, Rogers AD, Smerdon GR (2006) Development and evaluation of a DNA-barcoding approach for the rapid identification of nematodes. 320:1–9
- Billerbeck M, Werner U, Bosselmann K, Walpersdorf E, Huetzel M (2006) Nutrient release from an exposed intertidal sand flat. 316:35–51
- Bilton DT, see Bhadury P et al. (2006) 320:1–9
- Blanchot J, see Jacquet S et al. (2006) 320:65–78
- Bode A, Alvarez-Ossorio MT, Varela M (2006) Phytoplankton and macrophyte contributions to littoral food webs in the Galician upwelling estimated from stable isotopes. 318:89–102
- Bolam SG, see Widdows J et al. (2006) 319:27–41
- Bolton JJ, see Price ARG et al. (2006) 319:85–91
- Bonadonna F, see Nevitt GA et al. (2006) 315:271–277
- Booth DJ, see York PH et al. (2006) 312:223–234
- Borja Á, Muxika I, Franco J (2006) Long-term recovery of soft-bottom benthos following urban and industrial sewage treatment in the Nervión estuary (southern Bay of Biscay). 313:43–55
- Borkman DG, see Turner JT et al. (2006) 311:115–124
- Bos OG, Philippart CJM, Cadée GC, van der Meer J (2006) Recruitment variation in *Macoma balthica*: a laboratory examination of the match/mismatch hypothesis. 320:207–214
- Bosselmann K, see Billerbeck M et al. (2006) 316:35–51
- Botello G, Krug PJ (2006) 'Desperate larvae' revisited: age, energy and experience affect sensitivity to settlement cues in larvae of the gastropod *Alderia* sp. 312:149–159
- Botto F, Iribarne O, Gutierrez J, Bava J, Gagliardini A, Valiela I (2006) Ecological importance of passive deposition of organic matter into burrows of the SW Atlantic crab *Chasmagnathus granulatus*. 312:201–210
- Bouchet P, see Costello MJ et al. (2006) 316:257–268
- Bourque JF, Dodson JJ, Ryan DAJ, Marcogliese DJ (2006) Cestode parasitism as a regulator of early life-history survival in an estuarine population of rainbow smelt *Osmerus mordax*. 314:295–307
- Boutoute M, see Ruchonnet D et al. (2006) 311:165–174
- Bowden DA, Clarke A, Peck LS, Barnes DKA (2006) Antarctic sessile marine benthos: colonisation and growth on artificial substrata over three years. 316:1–16
- Boyle KS, Horn MH (2006) Comparison of feeding guild structure and ecomorphology of intertidal fish assemblages from central California and central Chile. 319:65–84
- Boyra A, see Dempster T et al. (2006) 314:309–310
- Bradford AL, Wade PR, Weller DW, Burdin AM, Ivashchenko YV, Tsidulko GA, VanBlaricom GR, Brownell RL Jr (2006) Survival estimates of western gray whales *Eschrichtius robustus* incorporating individual heterogeneity and temporary emigration. 315:293–307
- Bradshaw CJA, see Meekan MG et al. (2006) 319:275–285
- Breitbart M, see Kline DI et al. (2006) 314:119–125
- Brickner I, see Kramarsky-Winter E et al. (2006) 317:67–73
- Bright M, see Katz S et al. (2006) 320:89–99
- Brinsley MD, see Widdows J et al. (2006) 319:27–41
- Brochier T, see Guizien K et al. (2006) 311:47–66
- Brock JC, Yates KK, Halley RB, Kuffner IB, Wright CW, Hatcher BG (2006) Northern Florida reef tract benthic metabolism scaled by remote sensing. 312:123–139
- Brodeur RD, see Auth TD (2006) 319:199–213
- Brooks AJ, see Morgan SG et al. (2006) 314:271–281
- Brotas V, see Jesus B et al. (2006) 315:55–66
- Browman HI, see Costello MJ et al. (2006) 316:201–202
- Brownell RL Jr, see Bradford AL et al. (2006) 315:293–307
- Buddemeier RW, see Guinotte JM et al. (2006) 316:269–283
- Buestel D, see Langlet D et al. (2006) 317:143–156
- Bullimore B, see Bell JJ et al. (2006) 311:79–91
- Bulling MT, White PCL, Raffaelli D, Pierce GJ (2006) Using model systems to address the biodiversity–ecosystem functioning process. 311:295–309
- Bult T, see Ellis J et al. (2006) 316:69–83
- Buma AGJ, Wright SW, van den Enden R, van de Poll WH, Davidson AT (2006) PAR acclimation and UVBR-induced DNA damage in Antarctic marine microalgae. 315:33–42
- Burdin AM, see Bradford AL et al. (2006) 315:293–307
- Burton M, see Bell JJ et al. (2006) 311:79–91
- Buttino I, see Culverhouse PF et al. (2006) 312:297–309
- Byers JE, Pringle JM (2006) Going against the flow: retention, range limits and invasions in advective environments. 313:27–41
- Byrén L, Ejdung G, Elmgren R (2006) Uptake of sedimentary organic matter by the deposit-feeding Baltic amphipods *Monoporeia affinis* and *Pontoporeia femorata*. 313:135–143
- Byrnes JE, see Stachowicz JJ (2006) 311:251–262

C

- Caaras T, see Zakai D et al. (2006) 311:93–102
 Cadée GC, see Bos OG et al. (2006) 320:207–214
 Calbet A, see Atienza D et al. (2006) 315:211–220
 Calliari D, Andersen CM, Thor P, Gorokhova E, Tiselius P (2006) Salinity modulates the energy balance and reproductive success of co-occurring copepods *Acartia tonsa* and *A. clausi* in different ways. 312:177–188
 Camarilla-Coop S, see Gilly WF et al. (2006) 313:125–133
 Capone DG, see Hewson I et al. (2006) 311:67–77
 Capone DG, see Sohm JA (2006) 317:21–28
 Cariou T, see Hubas C et al. (2006) 316:53–68
 Carleton JH, see Meekan MG et al. (2006) 317:237–244
 Carotenuto Y, Ianora A, Di Pinto M, Sarno D, Miralto A (2006) Annual cycle of early developmental stage survival and recruitment in the copepods *Temora stylifera* and *Centropages typicus*. 314:227–238
 Carson HS, Hentschel BT (2006) Estimating the dispersal potential of polychaete species in the Southern California Bight: implications for designing marine reserves. 316:105–113
 Carta C, see Holmer M et al. (2006) 320:141–151
 Cartes C, see Palma AT et al. (2006) 316:139–153
 Castro LR, see Llanos-Rivera A (2006) 312:245–253
 Castro LR, see Yannicelli B et al. (2006) 319:175–189
 Catchpole TL, Frid CLJ, Gray TS (2006) Importance of discards from the English *Nephrops norvegicus* fishery in the North Sea to marine scavengers. 313:215–226
 Cauwet G, see Pujo-Pay M et al. (2006) 315:43–54
 Cavanaugh CM, see Katz S et al. (2006) 320:89–99
 Ceballos S, Viesca L, Álvarez-Marqués F (2006) Copepod egg production during highly productive late spring conditions: importance of freshly ingested food and lipid storage. 317:171–186
 Cebrian J, see Stutes AL et al. (2006) 312:29–43
 Chadwick NE, see Glassom D (2006) 318:111–122
 Chadwick NE, see Lapid ED (2006) 313:115–123
 Chadwick NE, see Zakai D et al. (2006) 311:93–102
 Chapman AL, see Peck LS et al. (2006) 318:213–220
 Chapman MG, see Clarke KR et al. (2006) 320:11–27
 Cheal AJ, see Arias-González JE et al. (2006) 320:29–41
 Chen HL, Tzeng WN (2006) Daily growth increment formation in otoliths of Pacific tarpon *Megalops cyprinoides* during metamorphosis. 312:255–263
 Chen SP, see Gao QF et al. (2006) 317:273–283
 Chen XM, see Stribling JM et al. (2006) 320:121–129
 Cherel Y, see Bearhop S et al. (2006) 311:157–164
 Cheung SG, see Gao QF et al. (2006) 317:273–283
 Chintala MM, Wigand C, Thursby G (2006) Comparison of *Geukensia demissa* populations in Rhode Island fringe salt marshes with varying nitrogen load. 320:101–108
 Chivers SJ, see Danil K (2006) 318:277–286
 Choat JH, Davies CR, Ackerman JL, Mapstone BD (2006) Age structure and growth in a large teleost, *Cheilinus undulatus*, with a review of size distribution in labrid fishes. 318:237–246
 Choquet R, see Rivalan P et al. (2006) 317:285–295
 Choy EJ, see Kang CK et al. (2006) 315:113–127
 Cifuentes LA, see Kaldy JE et al. (2006) 317:41–55
 Clarke A, see Bowden DA et al. (2006) 316:1–16
 Clarke A, see Peck LS et al. (2006) 318:213–220
 Clarke KR, Chapman MG, Somerfield PJ, Needham HR (2006) Dispersion-based weighting of species counts in assemblage analyses. 320:11–27
 Clarke KR, see Kaiser MJ et al. (2006) 311:1–14
 Colaço A, see Martins I et al. (2006) 320:253–258
 Conan P, see Pujo-Pay M et al. (2006) 315:43–54
 Connolly RM, see Jelbart JE et al. (2006) 319:93–102
 Connolly SR, see Hoogenboom MO et al. (2006) 313:1–12
 Consalvey M, see Jesus B et al. (2006) 315:55–66
 Copley JTP, Young CM (2006) Seasonality and zonation in the reproductive biology and population structure of the shrimp *Alvinocaris stactophila* (Caridea: Alvinocarididae) at a Louisiana Slope cold seep. 315:199–209
 Corcoran AA, see Stutes AL et al. (2006) 312:29–43
 Córdova J, see Bertrand A et al. (2006) 311:145–156
 Cornelisen CD, Thomas FIM (2006) Water flow enhances ammonium and nitrate uptake in a seagrass community. 312:1–13
 Cornwall JC, see Stribling JM et al. (2006) 320:121–129
 Costa V, see Martins I et al. (2006) 320:253–258
 Costello MJ, Bouchet P, Emblow CS, Legakis A (2006) European marine biodiversity inventory and taxonomic resources: state of the art and gaps in knowledge. 316:257–268
 Costello MJ, Vanden Berghe E (2006) 'Ocean biodiversity informatics': a new era in marine biology research and management. 316:203–214
 Costello MJ, Vanden Berghe E, Browman HI (2006) Ocean biodiversity informatics (OBI). Introduction. 316:201–202
 Costello MJ, see Arvanitidis C et al. (2006) 316:225–230
 Cowlshaw M, see Loh WKW et al. (2006) 320:177–184
 Coyle KO, see Baduini CL et al. (2006) 320:279–292
 Coyne MS, see Halpin PN et al. (2006) 316:239–246
 Crane J, see Käkälä A et al. (2006) 319:297–310
 Créach V, see Forster RM et al. (2006) 311:191–201
 Crouse J, see McClain CR (2006) 320:161–167
 Crouse J, see Rex MA et al. (2006) 317:1–8
 Crow GL, see Papastamatiou YP et al. (2006) 320:239–251
 Crowder LB, see Halpin PN et al. (2006) 316:239–246
 Croxall JP, see Bearhop S et al. (2006) 311:157–164
 Culik BM, see Koschinski S et al. (2006) 313:285–294
 Culverhouse PF, Williams R, Benfield M, Flood PR, Sell AF, Mazzocchi MG, Buttino I, Sieracki M (2006) Automatic image analysis of plankton: future perspectives. 312:297–309

D

- d'Agata F, see Meziane T et al. (2006) 312:15–27
 Dahlgren CP, Kellison GT, Adams AJ, Gillanders BM, Kendall MS, Layman CA, Ley JA, Nagelkerken I, Serafy JE (2006) Marine nurseries and effective juvenile habitats: concepts and applications. 312:291–295
 Dahlgren CP, see Adams AJ et al. (2006) 318:287–301
 Dahlgren CP, see Layman CA et al. (2006) 318:307–308
 Dahms HU, see Dobretsov S et al. (2006) 318:165–175
 Daleo P, Escapa M, Alberti J, Iribarne O (2006) Negative effects of an autogenic ecosystem engineer: interactions between coralline turf and an ephemeral green alga. 315:67–73
 Daly KL, see Scolardi KM et al. (2006) 317:111–126
 Daneri G, see Hernández KL et al. (2006) 315:19–31
 Danil K, Chivers SJ (2006) Habitat-based spatial and temporal variability in life history characteristics of female common dolphins *Delphinus delphis* in the eastern tropical Pacific. 318:277–286
 Dannewitz J, see Maes GE et al. (2006) 319:251–261
 Davenport J, see Houghton JDR et al. (2006) 314:159–170
 Davidson AT, see Buma AGJ et al. (2006) 315:33–42
 Davies CR, see Choat JH et al. (2006) 318:237–246
 Davis AR, see Barnes PB et al. (2006) 319:55–64

- Davis AR, see Griffiths SP et al. (2006) 313:227–239
 Davis CS, see Gallagher SM et al. (2006) 318:309
 Davis S, see Kaehler S et al. (2006) 316:17–22
 Davoult D, see Hubas C et al. (2006) 316:53–68
 Dawson DA, see Bearhop S et al. (2006) 311:157–164
 de Nys R, see Dworjanyn SA et al. (2006) 318:153–163
 de Nys R, see Swanson RL et al. (2006) 314:1–12
 DeCarlo EH, see Hoover RS et al. (2006) 318:187–201
 de Cuevas BA, see Speirs DC et al. (2006) 313:173–192
 Delesalle B, see Jacquet S et al. (2006) 320:65–78
 DeMaster DP, see Zerbini AN et al. (2006) 313:295–304
 de Mendonça JB Jr, see Maire O et al. (2006) 319:135–153
 Deming JW, see Rex MA et al. (2006) 317:1–8
 Dempster T, Sanchez-Jerez P, Tuya F, Fernandez-Jover D, Bayle-Sempere J, Boyra A, Haroun R (2006) Coastal aquaculture and conservation can work together. 314:309–310
 Diaz A, see Palma AT et al. (2006) 316:139–153
 Dill LM, see Frid A et al. (2006) 312:265–275
 Di Pinto M, see Carotenuto Y et al. (2006) 314:227–238
 Dobretsov S, Dahms HU, Harder T, Qian PY (2006) Allelochemical defense against epibiosis in the macroalga *Caulerpa racemosa* var. *turbinata*. 318:165–175
 Dodson JJ, see Bourque JF et al. (2006) 314:295–307
 Doherty PJ, see Meekan MG et al. (2006) 317:237–244
 Done TJ, see Arias-González JE et al. (2006) 320:29–41
 Dowd M, see Wong MC et al. (2006) 317:75–86
 Dower JF, see Dudas SE (2006) 320:195–205
 Doyle TK, see Houghton JDR et al. (2006) 314:159–170
 Dubinsky Z, see Zakai D et al. (2006) 311:93–102
 Duchêne JC, see Guizien K et al. (2006) 311:47–66
 Duchêne JC, see Maire O et al. (2006) 319:135–153
 Dudas SE, Dower JF (2006) Reproductive ecology and dispersal potential of varnish clam *Nuttallia obscurata*, a recent invader in the Northeast Pacific Ocean. 320:195–205
 Duffy JE (2006) Biodiversity and the functioning of seagrass ecosystems. 311:233–250
 Duffy JE, Stachowicz JJ (2006) Why biodiversity is important to oceanography: potential roles of genetic, species, and trophic diversity in pelagic ecosystem processes. 311:179–189
 Duffy-Anderson JT, see Wilson MT et al. (2006) 317:245–258
 Dufour SC, Felbeck H (2006) Symbiont abundance in thyasirids (Bivalvia) is related to particulate food and sulphide availability. 320:185–194
 Dumont CP, Himmelman JH, Russell MP (2006) Daily movement of the sea urchin *Strongylocentrotus droebachiensis* in different subtidal habitats in eastern Canada. 317:87–99
 Duncan KM, Holland KN (2006) Habitat use, growth rates and dispersal patterns of juvenile scalloped hammerhead sharks *Sphyrna lewini* in a nursery habitat. 312:211–221
 Dworjanyn SA, de Nys R, Steinberg PD (2006) Chemically mediated antifouling in the red alga *Delisea pulchra*. 318:153–163
- E**
- Edmunds PJ, see Idjadi JA (2006) 319:117–127
 Edwards M, see Leterme SC et al. (2006) 312:57–65
 Edwards MS, Estes JA (2006) Catastrophe, recovery and range limitation in NE Pacific kelp forests: a large-scale perspective. 320:79–87
 Ejdung G, see Byrén L et al. (2006) 313:135–143
 Eker-Develi E, Kideys AE, Tugrul S (2006) Role of Saharan dust on phytoplankton dynamics in the northeastern Mediterranean. 314:61–75
 Eldridge PM, see Kaldy JE et al. (2006) 317:41–55
 Eleftheriou A, see Arvanitidis C et al. (2006) 316:225–230
 Elliger CA, see Gilly WF et al. (2006) 313:125–133
 Ellis GM, see Ford JKB (2006) 316:185–199
 Ellis J, Ysebaert T, Hume T, Norkko A, Bult T, Herman P, Thrush S, Oldman J (2006) Predicting macrofaunal species distributions in estuarine gradients using logistic regression and classification systems. 316:69–83
 Ellis JR, see Weetman D et al. (2006) 317:157–169
 Elmgren R, see Byrén L et al. (2006) 313:135–143
 Emblow CS, see Costello MJ et al. (2006) 316:257–268
 Erlandsson J, Pal P, McQuaid CD (2006) Re-colonisation rate differs between co-existing indigenous and invasive intertidal mussels following major disturbance. 320:169–176
 Escalante AH, see Lucifora LO et al. (2006) 315:259–270
 Escapa M, see Daleo P et al. (2006) 315:67–73
 Estes JA, see Edwards MS (2006) 320:79–87
 Etter RJ, see Rex MA et al. (2006) 317:1–8
- F**
- Fabri MC, Galéron J, Larour M, Maudire G (2006) Combining the Biocean database for deep-sea benthic data with the online Ocean Biogeographic Information System. 316:215–224
 Fano EA, see Nizzoli D et al. (2006) 315:151–165
 Faria C, Almada VC (2006) Patterns of spatial distribution and behaviour of fish on a rocky intertidal platform at high tide. 316:155–164
 Faulwetter S, see Arvanitidis C et al. (2006) 316:225–230
 Faunce CH, Serafy JE (2006) Mangroves as fish habitat: 50 years of field studies. 318:1–18
 Fautin DG, see Guinotte JM et al. (2006) 316:269–283
 Feinberg LR, Shaw CT, Peterson WT (2006) Larval development of *Euphausia pacifica* in the laboratory: variability in developmental pathways. 316:127–137
 Feist BE, see Ruesink JL et al. (2006) 311:203–215
 Felbeck H, see Dufour SC (2006) 320:185–194
 Feldmann V, see Baumann H et al. (2006) 317:225–236
 Fernández C, see Sánchez Í (2006) 313:85–94
 Fernández D, see Urban-Rich J et al. (2006) 317:101–110
 Fernandez-Jover D, see Dempster T et al. (2006) 314:309–310
 Ferreyra G, see Longhi ML et al. (2006) 313:57–72
 Fiedler PC, see Vilchis LI et al. (2006) 315:279–292
 Finenko GA, Kideys AE, Anninsky BE, Shiganova TA, Roohi A, Tabari MR, Rostami H, Bagheri S (2006) Invasive ctenophore *Mnemiopsis leidyi* in the Caspian Sea: feeding, respiration, reproduction and predatory impact on the zooplankton community. 314:171–185
 Finlay K, Roff JC (2006) Ontogenetic growth rate responses of temperate marine copepods to chlorophyll concentration and light. 313:145–156
 Flood PR, see Culverhouse PF et al. (2006) 312:297–309
 Fong P, see Armitage AR (2006) 313:205–213
 Ford JKB, Ellis GM (2006) Selective foraging by fish-eating killer whales *Orcinus orca* in British Columbia. 316:185–199
 Ford MD, see Link JS (2006) 320:153–159
 Forster RM, Créach V, Sabbe K, Vyverman W, Stal LJ (2006) Biodiversity–ecosystem function relationship in microphytobenthic diatoms of the Westerschelde estuary. 311:191–201
 Fossette S, see Georges JY (2006) 318:255–262
 Franco J, see Borja Á et al. (2006) 313:43–55
 Frangópulos M, see Barreiro A et al. (2006) 316:115–125
 Freeman SA, see Halpin PN et al. (2006) 316:239–246

- Frid A, Baker GG, Dill LM (2006) Do resource declines increase predation rates on North Pacific harbor seals? A behavior-based plausibility model. 312:265–275
- Frid CLJ, see Catchpole TL et al. (2006) 313:215–226
- Friedlaender AS, Halpin PN, Qian SS, Lawson GL, Wiebe PH, Thiele D, Read AJ (2006) Whale distribution in relation to prey abundance and oceanographic processes in shelf waters of the Western Antarctic Peninsula. 317:297–310
- Friedrichs M, see Lassen J et al. (2006) 314:77–88
- Friis Møller E, see Juul-Pedersen T et al. (2006) 314:239–255
- Frisch Zaleski S, Murray SN (2006) Taxonomic diversity and geographic distributions of aquarium-traded species of *Caulerpa* (Chlorophyta: Caulerpaceae) in southern California, USA. 314:97–108
- Fromentin JM, see Royer F (2006) 319:237–249
- Froneman PW, see Teske PR et al. (2006) 314:283–293
- Fu FX, see Miao AJ et al. (2006) 318:141–152
- Fuhrman JA, see Hewson I et al. (2006) 311:67–77
- Fujioka E, see Halpin PN et al. (2006) 316:239–246
- Furness RW, see Käkälä A et al. (2006) 319:297–310

G

- Gagliardini A, see Botto F et al. (2006) 312:201–210
- Galéron J, see Fabri MC et al. (2006) 316:215–224
- Galil B, see Arvanitidis C et al. (2006) 316:225–230
- Gallager SM, Yamazaki H, Davis CS (2006) (Erratum to Vol 267:27–43, 2004). 318:309
- Gao QF, Shin PKS, Lin GH, Chen SP, Cheung SG (2006) Stable isotope and fatty acid evidence for uptake of organic waste by green-lipped mussels *Perna viridis* in a polyculture fish farm system. 317:273–283
- García VB, see Lucifora LO et al. (2006) 315:259–270
- Garpe KC, Yahya SAS, Lindahl U, Öhman MC (2006) Long-term effects of the 1998 coral bleaching event on reef fish assemblages. 315:237–247
- Garza-Pérez JR, see Arias-González JE et al. (2006) 320:29–41
- Gaxiola-Castro G, see Hereu CM et al. (2006) 318:123–140
- Genovart M, see Martínez-Abraín A et al. (2006) 318:271–276
- Genovese SJ, see Leichter JJ (2006) 316:95–103
- Georges JY, Fossette S (2006) Estimating body mass in leatherback turtles *Dermochelys coriacea*. 318:255–262
- Georges JY, see Grémillet D et al. (2006) 319:15–25
- Gerique C, see Martínez-Abraín A et al. (2006) 318:271–276
- Gerlotto F, see Bertrand A et al. (2006) 311:145–156
- Geurts van Kessel AJM, see Kater BJ et al. (2006) 318:221–227
- Gillanders BM, see Dahlgren CP et al. (2006) 312:291–295
- Gillanders BM, see Layman CA et al. (2006) 318:307–308
- Gilly WF, Elliger CA, Salinas CA, Camarilla-Coop S, Bazzino G, Beman M (2006) Spawning by jumbo squid *Dosidicus gigas* in San Pedro Mártir Basin, Gulf of California, Mexico. 313:125–133
- Ginzkey L, see Koschinski S et al. (2006) 313:285–294
- Girondot M, see Rivalan P et al. (2006) 317:285–295
- Glahn OA, see Stribling JM et al. (2006) 320:121–129
- Glasby TM, see York PH et al. (2006) 312:223–234
- Glassom D, Chadwick NE (2006) Recruitment, growth and mortality of juvenile corals at Eilat, northern Red Sea. 318:111–122
- Gobeil C, see Rouleau C et al. (2006) 311:131–143
- Gobler CJ, see Taylor GT et al. (2006) 312:67–83
- Gómez-Gutiérrez J, Robinson CJ (2006) Tidal current transport of epibenthic swarms of the euphausiid *Nyctiphanes simplex* in a shallow, subtropical bay on Baja California

- peninsula, México. 320:215–231
- González-Fernández A, see Barreiro A et al. (2006) 316:115–125
- González-Zevallos D, Yorio P (2006) Seabird use of discards and incidental captures at the Argentine hake trawl fishery in the Golfo San Jorge, Argentina. 316:175–183
- Gooding S, see Juul-Pedersen T et al. (2006) 314:239–255
- Gopal K, Tolley KA, Groeneveld JC, Matthee CA (2006) Mitochondrial DNA variation in spiny lobster *Palinurus delagoae* suggests genetically structured populations in the southwestern Indian Ocean. 319:191–198
- Goren M, see Karplus I et al. (2006) 319:215–223
- Gorokhova E, see Calliari D et al. (2006) 312:177–188
- Goshima S, see Sato T (2006) 313:193–204
- Goshima S, see Sato T et al. (2006) 312:189–199
- Gotsis P, see Arvanitidis C et al. (2006) 316:225–230
- Graf G, see Lassen J et al. (2006) 314:77–88
- Gray TS, see Catchpole TL et al. (2006) 313:215–226
- Green JK, see Swanson RL et al. (2006) 314:1–12
- Grémare A, see Maire O et al. (2006) 319:135–153
- Grémillet D, Pichegru L, Siorat F, Georges JY (2006) Conservation implications of the apparent mismatch between population dynamics and foraging effort in French northern gannets from the English Channel. 319:15–25
- Gribben PE, Wright JT (2006) Invasive seaweed enhances recruitment of a native bivalve: roles of refuge from predation and the habitat choice of recruits. 318:177–185
- Griffiths SP, Davis AR, West RJ (2006) Role of habitat complexity in structuring temperate rockpool ichthyofaunas. 313:227–239
- Groeneveld JC, see Gopal K et al. (2006) 319:191–198
- Gröhsler T, see Baumann H et al. (2006) 317:225–236
- Grosholz ED, see Morgan SG et al. (2006) 314:271–281
- Guinet C, see Ruchonnet D et al. (2006) 311:165–174
- Guinotte JM, Bartley JD, Iqbal A, Fautin DG, Buddemeier RW (2006) Modeling habitat distribution from organism occurrences and environmental data: case study using anemonefishes and their sea anemone hosts. 316:269–283
- Guisande C, see Barreiro A et al. (2006) 316:115–125
- Guizien K, Brochier T, Duchêne JC, Koh BS, Marsaleix P (2006) Dispersal of *Owenia fusiformis* larvae by wind-driven currents: turbulence, swimming behaviour and mortality in a three-dimensional stochastic model. 311:47–66
- Gurney WSC, see Speirs DC et al. (2006) 313:173–192
- Gutierrez J, see Botto F et al. (2006) 312:201–210

H

- Hagen W, see Ramp C et al. (2006) 319:287–295
- Hagihara A, see Suwa R et al. (2006) 320:131–1319
- Halford A, see Meekan MG et al. (2006) 317:237–244
- Halley RB, see Brock JC et al. (2006) 312:123–139
- Halpin PN, Read AJ, Best BD, Hyrenbach KD, Fujioka E, Coyne MS, Crowder LB, Freeman SA, Spoerri C (2006) OBIS-SEAMAP: developing a biogeographic research data commons for the ecological studies of marine mammals, seabirds, and sea turtles. 316:239–246
- Halpin PN, see Friedlaender AS et al. (2006) 317:297–310
- Hanel R, see Klimpel S et al. (2006) 315:249–257
- Hansen A, see Meekan MG et al. (2006) 317:237–244
- Harder T, see Dobretsov S et al. (2006) 318:165–175
- Harel M, see Kramarsky-Winter E et al. (2006) 317:67–73
- Harley CDG (2006) Effects of physical ecosystem engineering and herbivory on intertidal community structure. 317:29–39
- Haroun R, see Dempster T et al. (2006) 314:309–310

- Haroun RJ, see Tuyá F (2006) 311:15–28
- Harrison PJ, see Miao AJ et al. (2006) 318:141–152
- Harvey CJ, see Ruesink JL et al. (2006) 311:203–215
- Hatcher BG, see Brock JC et al. (2006) 312:123–139
- Hauser L, see Weetman D et al. (2006) 317:157–169
- Hayes KC, see Wetz MS et al. (2006) 320:109–120
- Hays GC, see Houghton JDR et al. (2006) 314:159–170
- Heath MR, see Speirs DC et al. (2006) 313:173–192
- Heaven C, see Scrosati R (2006) 320:293–295
- Heide-Jørgensen MP, see Zerbini AN et al. (2006) 313:295–304
- Heintz R, see Litzow MA et al. (2006) 315:1–11
- Helbling EW, see Hernández KL et al. (2006) 315:19–31
- Henriksen P, see Sommer F et al. (2006) 319:167–173
- Henson SA, Sanders R, Holeton C, Allen JT (2006) Timing of nutrient depletion, diatom dominance and a lower-boundary estimate of export production for Irminger Basin, North Atlantic. 313:73–84
- Hentschel BT, see Carson HS (2006) 316:105–113
- Hereu B (2006) Depletion of palatable algae by sea urchins and fishes in a Mediterranean subtidal community. 313:95–103
- Hereu CM, Lavaniegos BE, Gaxiola-Castro G, Ohman MD (2006) Composition and potential grazing impact of salp assemblages off Baja California during the 1997–1999 El Niño and La Niña. 318:123–140
- Herman P, see Ellis J et al. (2006) 316:69–83
- Hernández KL, Quiñones RA, Daneri G, Helbling EW (2006) Effects of solar radiation on bacterioplankton production in the upwelling system off central-southern Chile. 315:19–31
- Hewitt JE, see Lohrer AM et al. (2006) 315:13–18
- Hewson I, Steele JA, Capone DG, Fuhrman JA (2006) Temporal and spatial scales of variation in bacterioplankton assemblages of oligotrophic surface waters. 311:67–77
- Hiddink JG, see Tillin HM et al. (2006) 318:31–45
- Hill JM, McQuaid CD, Kaehler S (2006) Biogeographic and nearshore-offshore trends in isotope ratios of intertidal mussels and their food sources around the coast of southern Africa. 318:63–73
- Himmelman JH, see Dumont CP et al. (2006) 317:87–99
- Hinz H, see Kaiser MJ et al. (2006) 311:1–14
- Hirayama H, see Suzuki Y et al. (2006) 315:167–175
- Hoguet J, see Keppler CJ et al. (2006) 312:141–147
- Holeton C, see Henson SA et al. (2006) 313:73–84
- Holland KN, see Duncan KM (2006) 312:211–221
- Holmer M, Carta C, Andersen FØ (2006) Biogeochemical implications for phosphorus cycling in sandy and muddy rhizosphere sediments of *Zostera marina* meadows (Denmark). 320:141–151
- Holmes SP, Miller N (2006) Aspects of the ecology and population genetics of the bivalve *Corbula gibba*. 315:129–140
- Holmes TH, McCormick MI (2006) Location influences size-selective predation on newly settled reef fish. 317:203–209
- Holt SA, see Rooker JR et al. (2006) 313:249–259
- Hong JS, see Kang CK et al. (2006) 315:113–127
- Hong JS, see Ruesink JL et al. (2006) 311:203–215
- Hoogenboom MO, Anthony KRN, Connolly SR (2006) Energetic cost of photoinhibition in corals. 313:1–12
- Hoover D, see Hoover RS et al. (2006) 318:187–201
- Hoover RS, Hoover D, Miller M, Landry MR, DeCarlo EH, Mackenzie FT (2006) Zooplankton response to storm runoff in a tropical estuary: bottom-up and top-down controls. 318:187–201
- Horbelt W, see Speirs DC et al. (2006) 313:173–192
- Hori M (2006) Intertidal surfgrass as an allochthonous resource trap from the subtidal habitat. 314:89–96
- Horikoshi K, see Suzuki Y et al. (2006) 315:167–175
- Horn MH, see Boyle KS (2006) 319:65–84
- Houghton JDR, Doyle TK, Davenport J, Hays GC (2006) Developing a simple, rapid method for identifying and monitoring jellyfish aggregations from the air. 314:159–170
- Hubas C, Davoult D, Cariou T, Artigas LF (2006) Factors controlling benthic metabolism during low tide along a granulometric gradient in an intertidal bay (Roscoff Aber Bay, France). 316:53–68
- Hudson IR, see Jones DOB et al. (2006) 319:43–54
- Huettel M, see Billerbeck M et al. (2006) 316:35–51
- Huggett MJ, see Swanson RL et al. (2006) 314:1–12
- Hume T, see Ellis J et al. (2006) 316:69–83
- Hunt CD, see Turner JT et al. (2006) 311:115–124
- Hunt GL Jr, see Baduini CL et al. (2006) 320:279–292
- Hutchins DA, see Miao AJ et al. (2006) 318:141–152
- Hyrenbach KD, see Halpin PN et al. (2006) 316:239–246

I

- Ianora A, see Carotenuto Y et al. (2006) 314:227–238
- Ichinokawa M, Takahashi MM (2006) Size-dependent carbon flow in the epipelagic food web of the Western Equatorial Pacific. 313:13–26
- Ide K, Takahashi K, Nakano T, Sato M, Omori M (2006) Chemoreceptive foraging in a shallow-water scavenging lysianassid amphipod: role of amino acids in the location of carrion in *Scopelocheirus onagawae*. 317:193–202
- Idjadi JA, Edmunds PJ (2006) Scleractinian corals as facilitators for other invertebrates on a Caribbean reef. 319:117–127
- Ieno EN, Solan M, Batty P, Pierce GJ (2006) How biodiversity affects ecosystem functioning: roles of infaunal species richness, identity and density in the marine benthos. 311:263–271
- Iglesias P, see Barreiro A et al. (2006) 316:115–125
- Igual JM, see Louzao M et al. (2006) 318:247–254
- Imhoff JF, see Neulinger SC et al. (2006) 312:161–168
- Incera M, Lastra M, López J (2006) Effect of swash climate and food availability on sandy beach macrofauna along the NW coast of the Iberian Peninsula. 314:25–33
- Iqbal A, see Guinotte JM et al. (2006) 316:269–283
- Iribarne O, see Botto F et al. (2006) 312:201–210
- Iribarne O, see Daleo P et al. (2006) 315:67–73
- Ivashchenko YV, see Bradford AL et al. (2006) 315:293–307
- Iwahashi M, see Tanaka Y et al. (2006) 319:225–235

J

- Jacquet S, Delesalle B, Torrétón JP, Blanchot J (2006) Response of phytoplankton communities to increased anthropogenic influences (southwestern lagoon, New Caledonia). 320:65–78
- Janowitz GS, Kamykowski D (2006) Modeled *Karenia brevis* accumulation in the vicinity of a coastal nutrient front. 314:49–59
- Jelbart JE, Ross PM, Connolly RM (2006) Edge effects and patch size in seagrass landscapes: an experimental test using fish. 319:93–102
- Jennings S, see Tillin HM et al. (2006) 318:31–45
- Jesus B, Perkins RG, Consalvey M, Brotas V, Paterson DM (2006) Effects of vertical migrations by benthic microalgae on fluorescence measurements of photophysiology. 315:55–66

- Jinbo T, see Sato T et al. (2006) 312:189–199
 John DE, Wawrik B, Tabita FR, Paul JH (2006) Gene diversity and organization in *rbcl*-containing genome fragments from uncultivated *Synechococcus* in the Gulf of Mexico. 316:23–33
 Johnsen G, see Olsen LM et al. (2006) 319:103–110
 Johnson LE, see Pardo LM (2006) 315:177–186
 Johnson NA, see Rex MA et al. (2006) 317:1–8
 Johnston EL, see Piola RF (2006) 311:103–114
 Johnston R, see Sheaves M et al. (2006) 318:303–306
 Jones CM, see Smith NG (2006) 313:241–247
 Jones DOB, Hudson IR, Bett BJ (2006) Effects of physical disturbance on the cold-water megafaunal communities of the Faroe–Shetland Channel. 319:43–54
 Jones WB, see Kaldy JE et al. (2006) 317:41–55
 Joux F, see Pujo-Pay M et al. (2006) 315:43–54
 Jump CM, see Wilson MT et al. (2006) 317:245–258
 Juul-Pedersen T, Nielsen TG, Michel C, Friis Møller E, Tiselius P, Thor P, Olesen M, Selander E, Gooding S (2006) Sedimentation following the spring bloom in Disko Bay, West Greenland, with special emphasis on the role of copepods. 314:239–255

K

- Kaehler S, Pakhomov EA, Kalin RM, Davis S (2006) Trophic importance of kelp-derived suspended particulate matter in a through-flow sub-Antarctic system. 316:17–22
 Kaehler S, see Hill JM et al. (2006) 318:63–73
 Kaiser MJ, Clarke KR, Hinz H, Austen MCV, Somerfield PJ, Karakassis I (2006) Global analysis of response and recovery of benthic biota to fishing. 311:1–14
 Kaiser MJ, see Tillin HM et al. (2006) 318:31–45
 Käkälä A, Crane J, Votier SC, Furness RW, Käkälä R (2006) Fatty acid signatures as indicators of diet in great skuas *Stercorarius skua*, Shetland. 319:297–310
 Käkälä R, see Käkälä A et al. (2006) 319:297–310
 Kaldy JE, Eldridge PM, Cifuentes LA, Jones WB (2006) Utilization of DOC from seagrass rhizomes by sediment bacteria: ¹³C-tracer experiments and modeling. 317:41–55
 Kalin RM, see Kaehler S et al. (2006) 316:17–22
 Kamimura S, Tsuchiya M (2006) Effects of opportunistic feeding by the intertidal gastropods *Batillaria zonalis* and *B. flectosiphonata* on material flux on a tidal flat. 318:203–211
 Kamiyama T, Suzuki T (2006) Lack of accumulation of paralytic shellfish poisoning (PSP) toxins in the tintinnid ciliate *Favella taraikaensis* feeding on the toxic dinoflagellate *Alexandrium tamarense*. 317:57–65
 Kamykowski D, see Janowitz GS (2006) 314:49–59
 Kang CK, Lee YW, Choy EJ, Shin JK, Seo IS, Hong JS (2006) Microphytobenthos seasonality determines growth and reproduction in intertidal bivalves. 315:113–127
 Karakassis I, see Kaiser MJ et al. (2006) 311:1–14
 Karplus I, Katzenstein R, Goren M (2006) Predator recognition and social facilitation of predator avoidance in coral reef fish *Dascyllus marginatus* juveniles. 319:215–223
 Kaschner K, Watson R, Trites AW, Pauly D (2006) Mapping world-wide distributions of marine mammal species using a relative environmental suitability (RES) model. 316:285–310
 Kater BJ, Geurts van Kessel AJM, Baars JJMD (2006) Distribution of cockles *Cerastoderma edule* in the Eastern Scheldt: habitat mapping with abiotic variables. 318:221–227
 Katz S, Cavanaugh CM, Bright M (2006) Symbiosis of epi- and endocuticular bacteria with *Helicoradomenia* spp. (Mollusca, Aplousobranchia, Solenogastres) from deep-sea hydrothermal vents. 320:89–99
 Katzenstein R, see Karplus I et al. (2006) 319:215–223
 Kawaguchi K, see Watanabe H et al. (2006) 315:187–197
 Kellison GT, see Adams AJ et al. (2006) 318:287–301
 Kellison GT, see Dahlgren CP et al. (2006) 312:291–295
 Kellison GT, see Layman CA et al. (2006) 318:307–308
 Kendall MS, see Adams AJ et al. (2006) 318:287–301
 Kendall MS, see Dahlgren CP et al. (2006) 312:291–295
 Kendall MS, see Layman CA et al. (2006) 318:307–308
 Kendrick GA, see Orth RJ et al. (2006) 313:105–114
 Kennedy R, see O'Reilly R et al. (2006) 315:99–111
 Keppler CJ, Lewitus AJ, Ringwood AH, Hoguet J, Staton T (2006) Sublethal cellular effects of short-term raphidophyte and brevetoxin exposures on the eastern oyster *Crassostrea virginica*. 312:141–147
 Khan MNI, see Suwa R et al. (2006) 320:131–139
 Khim JS, see Koh CH et al. (2006) 312:85–100
 Kideys AE, see Eker-Develi E et al. (2006) 314:61–75
 Kideys AE, see Finenko GA et al. (2006) 314:171–185
 Kilham SS, see Wallace BP et al. (2006) 318:263–270
 King NJ, Bagley PM, Priede IG (2006) Depth zonation and latitudinal distribution of deep-sea scavenging demersal fishes of the Mid-Atlantic Ridge, 42 to 53°N. 319:263–274
 Kininmonth S, see Arias-González JE et al. (2006) 320:29–41
 Kiørboe T, see Sommer F et al. (2006) 319:167–173
 Kirmtzoglou I, see Arvanitidis C et al. (2006) 316:225–230
 Kitsos MS, see Arvanitidis C et al. (2006) 316:225–230
 Klimpel S, Rückert S, Piatkowski U, Palm HW, Hanel R (2006) Diet and metazoan parasites of silver scabbard fish *Lepidopus caudatus* from the Great Meteor Seamount (North Atlantic). 315:249–257
 Kline DI, Kuntz NM, Breitbart M, Knowlton N, Rohwer F (2006) Role of elevated organic carbon levels and microbial activity in coral mortality. 314:119–125
 Knowlton N, see Kline DI et al. (2006) 314:119–125
 Koga K, see Koh CH et al. (2006) 312:85–100
 Koh BS, see Guizien K et al. (2006) 311:47–66
 Koh CH, Khim JS, Araki H, Yamanishi H, Mogi H, Koga K (2006) Tidal resuspension of microphytobenthic chlorophyll *a* in a Nanaura mudflat, Saga, Ariake Sea, Japan: flood–ebb and spring–neap variations. 312:85–100
 Kojima S, see Suzuki Y et al. (2006) 315:167–175
 Kornilovs G, see Baumann H et al. (2006) 317:225–236
 Kortegård M, see Lassen J et al. (2006) 314:77–88
 Koschinski S, Culik BM, Trippel EA, Ginzkey L (2006) Behavioral reactions of free-ranging harbor porpoises *Phocoena phocoena* encountering standard nylon and BaSO₄ mesh gillnets and warning sound. 313:285–294
 Kramarsky-Winter E, Harel M, Siboni N, Ben Dov E, Brickner I, Loya Y, Kushmaro A (2006) Identification of a protist-coral association and its possible ecological role. 317:67–73
 Krug PJ, see Botello G (2006) 312:149–159
 Kubodera T, see Watanabe H et al. (2006) 315:187–197
 Kuffner IB, see Brock JC et al. (2006) 312:123–139
 Kuntz NM, see Kline DI et al. (2006) 314:119–125
 Kushmaro A, see Kramarsky-Winter E et al. (2006) 317:67–73

L

- Lamboeuf M, see Leonart J et al. (2006) 316:231–238
 Lambshead PJD, see Bhadury P et al. (2006) 320:1–9
 Landry MR, see Hoover RS et al. (2006) 318:187–201
 Langlet D, Alunno-Bruscia M, Rafélis M, Renard M, Roux M,

- Schein E, Buestel D (2006) Experimental and natural cathodoluminescence in the shell of *Crassostrea gigas* from Thau lagoon (France): ecological and environmental implications. 317:143–156
- Lapid ED, Chadwick NE (2006) Long-term effects of competition on coral growth and sweeper tentacle development. 313:115–123
- Larour M, see Fabri MC et al. (2006) 316:215–224
- Larsen PS, see Lassen J et al. (2006) 314:77–88
- Lassen J, Kortegård M, Riisgård HU, Friedrichs M, Graf G, Larsen PS (2006) Down-mixing of phytoplankton above filter-feeding mussels—interplay between water flow and biomixing. 314:77–88
- Lastra M, see Incera M et al. (2006) 314:25–33
- Lavaniegos BE, see Hereu CM et al. (2006) 318:123–140
- Lawson GL, see Friedlaender AS et al. (2006) 317:297–310
- Layman CA, Dahlgren CP, Kellison GT, Adams AJ, Gillanders BM, Kendall MS, Ley JA, Nagelkerken I, Serafy JE (2006) Marine nurseries and effective juvenile habitats. 318:307–308
- Layman CA, see Adams AJ et al. (2006) 318:287–301
- Layman CA, see Dahlgren CP et al. (2006) 312:291–295
- Lee RW, see Maricle BR (2006) 313:305–310
- Lee SY, see Meziane T et al. (2006) 312:15–27
- Lee YW, see Kang CK et al. (2006) 315:113–127
- Lefebvre K, see Bargu S et al. (2006) 312:169–175
- Legakis A, see Costello MJ et al. (2006) 316:257–268
- Leichter JJ, Genovese SJ (2006) Intermittent upwelling and subsidized growth of the scleractinian coral *Madracis mirabilis* on the deep fore-reef slope of Discovery Bay, Jamaica. 316:95–103
- Leiva F, see Bertrand A et al. (2006) 311:145–156
- Leterme SC, Seuront L, Edwards M (2006) Differential contribution of diatoms and dinoflagellates to phytoplankton biomass in the NE Atlantic Ocean and the North Sea. 312:57–65
- Lewitus AJ, see Keppler CJ et al. (2006) 312:141–147
- Lewitus AJ, see Wetz MS et al. (2006) 320:109–120
- Ley JA, see Adams AJ et al. (2006) 318:287–301
- Ley JA, see Dahlgren CP et al. (2006) 312:291–295
- Ley JA, see Layman CA et al. (2006) 318:307–308
- Lin GH, see Gao QF et al. (2006) 317:273–283
- Lindahl U, see Garpe KC et al. (2006) 315:237–247
- Link JS, Ford MD (2006) Widespread and persistent increase of *Ctenophora* in the continental shelf ecosystem off NE USA. 320:153–159
- Linse K, see Barnes DKA et al. (2006) 314:187–195
- Litzow MA, Bailey KM, Prahlg FG, Heintz R (2006) Climate regime shifts and reorganization of fish communities: the essential fatty acid limitation hypothesis. 315:1–11
- Liu Q, see Zhou Y et al. (2006) 317:127–141
- Liu S, see Zhou Y et al. (2006) 317:127–141
- Llanos-Rivera A, Castro LR (2006) Inter-population differences in temperature effects on *Engraulis ringens* yolk-sac larvae. 312:245–253
- Lleonart J, Taconet M, Lamboeuf M (2006) Integrating information on marine species identification for fishery purposes. 316:231–238
- Lock K, see Bell JJ et al. (2006) 311:79–91
- Loh WKW, Cowlishaw M, Wilson NG (2006) Diversity of *Symbiodinium* dinoflagellate symbionts from the Indo-Pacific sea slug *Pteraeolidia ianthina* (Gastropoda: Mollusca). 320:177–184
- Loher T, Seitz A (2006) Seasonal migration and environmental conditions of Pacific halibut *Hippoglossus stenolepis*, elucidated from pop-up archival transmitting (PAT) tags. 317:259–271
- Lohrer AM, Hewitt JE, Thrush SF (2006) Assessing far-field effects of terrigenous sediment loading in the coastal marine environment. 315:13–18
- Longhi ML, Ferreyra G, Schloss I, Roy S (2006) Variable phytoplankton response to enhanced UV-B and nitrate addition in mesocosm experiments at three latitudes (Canada, Brazil and Argentina). 313:57–72
- López J, see Incera M et al. (2006) 314:25–33
- López-Victoria M, Zea S, Weil E (2006) Competition for space between encrusting excavating Caribbean sponges and other coral reef organisms. 312:113–121
- Louzao M, Igual JM, McMinin M, Aguilar JS, Triay R, Oro D (2006) Small pelagic fish, trawling discards and breeding performance of the critically endangered Balearic shearwater: improving conservation diagnosis. 318:247–254
- Lowe CG, see Papastamatiou YP et al. (2006) 320:239–251
- Loya Y, see Kramarsky-Winter E et al. (2006) 317:67–73
- Loya Y, see Rosenfeld M et al. (2006) 314:127–133
- Lucifora LO, García VB, Menni RC, Escalante AH (2006) Food habits, selectivity, and foraging modes of the school shark *Galeorhinus galeus*. 315:259–270

M

- Maar M, Visser AW, Nielsen TG, Stips A, Saito H (2006) Turbulence and feeding behaviour affect the vertical distributions of *Oithona similis* and *Microsetella norvegica*. 313:157–172
- Mace AJ, Morgan SG (2006) Larval accumulation in the lee of a small headland: implications for the design of marine reserves. 318:19–29
- Mackenzie FT, see Hoover RS et al. (2006) 318:187–201
- Maes GE, Pujolar JM, Raeymaekers JAM, Dannewitz J, Volckaert FAM (2006) Microsatellite conservation and Bayesian individual assignment in four *Anguilla* species. 319:251–261
- Magadán S, see Barreiro A et al. (2006) 316:115–125
- Maggi E, see Benedetti-Cecchi L et al. (2006) 315:87–98
- Maia YG, see Zerbini AN et al. (2006) 313:295–304
- Maire O, Duchêne JC, Rosenberg R, de Mendonça JB Jr, Grémare A (2006) Effects of food availability on sediment reworking in *Abra ovata* and *A. nitida*. 319:135–153
- Makarchouk A, see Baumann H et al. (2006) 317:225–236
- Maneiro I, see Barreiro A et al. (2006) 316:115–125
- Manriquez K, see Palma AT et al. (2006) 316:139–153
- Mapstone BD, see Choat JH et al. (2006) 318:237–246
- Marcogliese DJ, see Bourque JF et al. (2006) 314:295–307
- Maricle BR, Lee RW (2006) Effects of environmental salinity on carbon isotope discrimination and stomatal conductance in *Spartina* grasses. 313:305–310
- Marinelli RL, see Waldbusser GG (2006) 311:217–231
- Marion SR, see Orth RJ et al. (2006) 313:105–114
- Marsaleix P, see Guizien K et al. (2006) 311:47–66
- Martin DL, Ross RM, Quetin LB, Murray AE (2006) Molecular approach (PCR-DGGE) to diet analysis in young Antarctic krill *Euphausia superba*. 319:155–165
- Martínez-Abraín A, Velando A, Oro D, Genovart M, Gerique C, Bartolomé MA, Villuendas E, Sarzo B (2006) Sex-specific mortality of European shags after the Prestige oil spill: demographic implications for the recovery of colonies. 318:271–276
- Martins I, Costa V, Porteiro FM, Colaço A, Santos RS (2006) Mercury concentrations in fish species caught at Mid-Atlantic Ridge hydrothermal vent fields. 320:253–258
- Matthee CA, see Gopal K et al. (2006) 319:191–198
- Maudire G, see Fabri MC et al. (2006) 316:215–224

- Mayzaud P, see Ruchonnet D et al. (2006) 311:165–174
- Mazzocchi MG, see Culverhouse PF et al. (2006) 312:297–309
- McClain CR, Crouse J (2006) Influence of ecological role on bathymetric patterns of deep-sea species: size clines in parasitic gastropods. 320:161–167
- McClain CR, see Rex MA et al. (2006) 317:1–8
- McConnaughey RA, see Yeung C (2006) 318:47–62
- McCormick MI, see Holmes TH (2006) 317:203–209
- McDermott CJ, Shima JS (2006) Ontogenetic shifts in microhabitat preference of the temperate reef fish *Forsterygion lapillum*: implications for population limitation. 320:259–256
- McGill R, see Bearhop S et al. (2006) 311:157–164
- McLean C, see Meekan MG et al. (2006) 319:275–285
- McMinn M, see Louzao M et al. (2006) 318:247–254
- McQuaid CD, see Erlandsson J et al. (2006) 320:169–176
- McQuaid CD, see Hill JM et al. (2006) 318:63–73
- McQuaid CD, see Porri F et al. (2006) 315:141–150
- McQuaid CD, see Teske PR et al. (2006) 314:283–293
- Meekan MG, Bradshaw CJA, Press M, McLean C, Richards A, Quasnichka S, Taylor JG (2006) Population size and structure of whale sharks *Rhinodon typus* at Ningaloo Reef, Western Australia. 319:275–285
- Meekan MG, Vigliola L, Hansen A, Doherty PJ, Halford A, Carleton JH (2006) Bigger is better: size-selective mortality throughout the life history of a fast-growing clupeid, *Spratelloides gracilis*. 317:237–244
- Melrose DC, Oviatt CA, O'Reilly JE, Berman MS (2006) Comparisons of fast repetition rate fluorescence estimated primary production and ¹⁴C uptake by phytoplankton. 311:37–46
- Menni RC, see Lucifora LO et al. (2006) 315:259–270
- Meziane T, d'Agata F, Lee SY (2006) Fate of mangrove organic matter along a subtropical estuary: small-scale exportation and contribution to the food of crab communities. 312:15–27
- Miao AJ, Hutchins DA, Yin K, Fu FX, Harrison PJ, Wang WX (2006) Macronutrient and iron limitation of phytoplankton growth in Hong Kong coastal waters. 318:141–152
- Michel C, see Juul-Pedersen T et al. (2006) 314:239–255
- Milazzo M, see Sarà G et al. (2006) 313:261–270
- Miller M, see Hoover RS et al. (2006) 318:187–201
- Miller N, see Holmes SP (2006) 315:129–140
- Miloh T, see Perkol-Finkel S et al. (2006) 317:9–20
- Miralto A, see Carotenuto Y et al. (2006) 314:227–238
- Mizobuchi A, see Ohi N et al. (2006) 316:85–93
- Modica A, see Sarà G et al. (2006) 313:261–270
- Mogi H, see Koh CH et al. (2006) 312:85–100
- Moku M, see Watanabe H et al. (2006) 315:187–197
- Montaño MNE, see Villanueva RD et al. (2006) 316:165–174
- Morand S, see Arias-González JE (2006) 320:43–53
- Moreira S, see Zerbini AN et al. (2006) 313:295–304
- Morgan SG, Spilseth SA, Page HM, Brooks AJ, Grosholz ED (2006) Spatial and temporal movement of the lined shore crab *Pachygrapsus crassipes* in salt marshes and its utility as an indicator of habitat condition. 314:271–281
- Morgan SG, see Mace AJ (2006) 318:19–29
- Morris JS, see Rex MA et al. (2006) 317:1–8
- Muñoz C, see Palma AT et al. (2006) 316:139–153
- Muñoz S, see Barreiro A et al. (2006) 316:115–125
- Murphy RJ, Underwood AJ, Pinkerton MH (2006) Quantitative imaging to measure photosynthetic biomass on an intertidal rock-platform. 312:45–55
- Murray AE, see Martin DL et al. (2006) 319:155–165
- Murray SN, see Frisch Zaleski S (2006) 314:97–108
- Muxika I, see Borja Á et al. (2006) 313:43–55
- N**
- Naeem S (2006) Expanding scales in biodiversity-based research: challenges and solutions for marine systems. 311:273–283
- Nagelkerken I, see Adams AJ et al. (2006) 318:287–301
- Nagelkerken I, see Dahlgren CP et al. (2006) 312:291–295
- Nagelkerken I, see Layman CA et al. (2006) 318:307–308
- Nakano T, see Ide K et al. (2006) 317:193–202
- Naudin JJ, see Pujo-Pay M et al. (2006) 315:43–54
- Nealson KH, see Suzuki Y et al. (2006) 315:167–175
- Needham HR, see Clarke KR et al. (2006) 320:11–27
- Neulinger SC, Sahling H, Süling J, Imhoff JF (2006) Presence of two phylogenetically distinct groups in the deep-sea mussel *Acharax* (Mollusca: Bivalvia: Solemyidae). 312:161–168
- Nevitt GA, Bergstrom DM, Bonadonna F (2006) The potential role of ammonia as a signal molecule for procellariiform seabirds. 315:271–277
- Newman PB, see Bell JJ et al. (2006) 311:79–91
- Nielsen TG, see Juul-Pedersen T et al. (2006) 314:239–255
- Nielsen TG, see Maar M et al. (2006) 313:157–172
- Nielsen TG, see Tønnesson K et al. (2006) 314:213–225
- Nizzoli D, Welsh DT, Fano EA, Viaroli P (2006) Impact of clam and mussel farming on benthic metabolism and nitrogen cycling, with emphasis on nitrate reduction pathways. 315:151–165
- Norkko A, see Ellis J et al. (2006) 316:69–83
- Nugues MM, Bak RPM (2006) Differential competitive abilities between Caribbean coral species and a brown alga: a year of experiments and a long-term perspective. 315:75–86
- Nunoura T, see Suzuki Y et al. (2006) 315:167–175
- O**
- Ohi N, Mizobuchi A, Taguchi S (2006) Light absorption of *Isochrysis galbana* (Prymnesiophyceae) under a day-night cycle with ultraviolet radiation. 316:85–93
- Öhman MC, see Garpe KC et al. (2006) 315:237–247
- Ohman MD, see Hereu CM et al. (2006) 318:123–140
- Ojeda FP, see Palma AT et al. (2006) 316:139–153
- Oldman J, see Ellis J et al. (2006) 316:69–83
- Olesen M, see Juul-Pedersen T et al. (2006) 314:239–255
- Olsen LM, Öztürk M, Sakshaug E, Johnsen G (2006) Photosynthesis-induced phosphate precipitation in seawater: ecological implications for phytoplankton. 319:103–110
- Omori M, see Ide K et al. (2006) 317:193–202
- O'Reilly JE, see Melrose DC et al. (2006) 311:37–46
- O'Reilly R, Kennedy R, Patterson A (2006) Destruction of con-specific bioturbation structures by *Amphiura filiformis* (Ophiuroida): evidence from luminophore tracers and *in situ* time-lapse sediment-profile imagery. 315:99–111
- Oriol L, see Pujo-Pay M et al. (2006) 315:43–54
- Oro D, see Louzao M et al. (2006) 318:247–254
- Oro D, see Martínez-Abraín A et al. (2006) 318:271–276
- Orth RJ, Kendrick GA, Marion SR (2006) Predation on *Posidonia australis* seeds in seagrass habitats of Rottnest Island, Western Australia: patterns and predators. 313:105–114
- Oviatt CA, see Melrose DC et al. (2006) 311:37–46
- Öztürk M, see Olsen LM et al. (2006) 319:103–110
- P**
- Paffenhöfer GA (2006) Oxygen consumption in relation to motion of marine planktonic copepods. 317:187–192

- Page CA, see Arias-González JE et al. (2006) 320:29–41
- Page HM, see Morgan SG et al. (2006) 314:271–281
- Pakhomov EA, see Kaehler S et al. (2006) 316:17–22
- Pakhomov EA, see Scolardi KM et al. (2006) 317:111–126
- Pal P, see Erlandsson J et al. (2006) 320:169–176
- Paladino FV, see Wallace BP et al. (2006) 318:263–270
- Palm HW, see Klimpel S et al. (2006) 315:249–257
- Palma AT, Pardo LM, Veas R, Cartes C, Silva M, Manriquez K, Diaz A, Muñoz C, Ojeda FP (2006) Coastal brachyuran decapods: settlement and recruitment under contrasting coastal geometry conditions. 316:139–153
- Papageorgiou N, see Arvanitidis C et al. (2006) 316:225–230
- Papastamatiou YP, Wetherbee BM, Lowe CG, Crow GL (2006) Distribution and diet of four species of carcharhinid shark in the Hawaiian Islands: resource partitioning and competitive exclusion. 320:239–251
- Pardo LM, Johnson LE (2006) Influence of water motion and reproductive attributes on movement and shelter use in the marine snail *Littorina saxatilis*. 315:177–186
- Pardo LM, see Palma AT et al. (2006) 316:139–153
- Parry M (2006) Feeding behavior of two ommastrephid squids *Ommastrephes bartramii* and *Sthenoteuthis oualaniensis* off Hawaii. 318:229–235
- Paterson DM, see Jesus B et al. (2006) 315:55–66
- Paterson DM, see Solan M et al. (2006) 311:175–178
- Patterson A, see O'Reilly R et al. (2006) 315:99–111
- Paul JH, see John DE et al. (2006) 316:23–33
- Pauly D, see Kaschner K et al. (2006) 316:285–310
- Pease BC, see York PH et al. (2006) 312:223–234
- Peck LS, Clarke A, Chapman AL (2006) Metabolism and development of pelagic larvae of Antarctic gastropods with mixed reproductive strategies. 318:213–220
- Peck LS, see Bowden DA et al. (2006) 316:1–16
- Pérez D, see Barreiro A et al. (2006) 316:115–125
- Perkins RG, see Jesus B et al. (2006) 315:55–66
- Perkol-Finkel S, Zilman G, Sella I, Miloh T, Benayahu Y (2006) Floating and fixed artificial habitats: effects of substratum motion on benthic communities in a coral reef environment. 317:9–20
- Peterson WT, see Feinberg LR et al. (2006) 316:127–137
- Petrov A, see Arvanitidis C et al. (2006) 316:225–230
- Philippart CJM, see Bos OG et al. (2006) 320:207–214
- Phillips NE, Shima JS (2006) Differential effects of suspended sediments on larval survival and settlement of New Zealand urchins *Evechinus chloroticus* and abalone *Haliotis iris*. 314:149–158
- Phillips RA, see Bearhop S et al. (2006) 311:157–164
- Piatkowski U, see Klimpel S et al. (2006) 315:249–257
- Pichegru L, see Grémillet D et al. (2006) 319:15–25
- Pierce GJ, see Bulling MT et al. (2006) 311:295–309
- Pierce GJ, see Ieno EN et al. (2006) 311:263–271
- Pierce GJ, see Solan M et al. (2006) 311:175–178
- Pinchuk AI, see Baduini CL et al. (2006) 320:279–292
- Pineda J, Starczak V, Stueckle TA (2006) Timing of successful settlement: demonstration of recruitment window in the barnacle *Semibalanus balanoides*. 320:233–237
- Pinkerton MH, see Murphy RJ et al. (2006) 312:45–55
- Piola RF, Johnston EL (2006) Differential resistance to extended copper exposure in four introduced bryozoans. 311:103–114
- Pizzorno JL, see Zerbini AN et al. (2006) 313:295–304
- Polte P, Asmus H (2006) Intertidal seagrass beds (*Zostera noltii*) as spawning grounds for transient fishes in the Wadden Sea. 312:235–243
- Pope ND, see Widdows J et al. (2006) 319:27–41
- Porri F, McQuaid CD, Radloff S (2006) Spatio-temporal variability of larval abundance and settlement of *Perna perna*: differential delivery of mussels. 315:141–150
- Porteiro FM, see Martins I et al. (2006) 320:253–258
- Pradel R, see Rivalan P et al. (2006) 317:285–295
- Prahl FG, see Litzow MA et al. (2006) 315:1–11
- Preisler RK, see Ritter AF (2006) 317:211–223
- Press M, see Meekan MG et al. (2006) 319:275–285
- Prévot-Julliard AC, see Rivalan P et al. (2006) 317:285–295
- Price ARG, Vincent LPA, Venkatachalam AJ, Bolton JJ, Basson PW (2006) Concordance between different measures of biodiversity in Indian Ocean macroalgae. 319:85–91
- Priede IG, see King NJ et al. (2006) 319:263–274
- Pringle JM, see Byers JE (2006) 313:27–41
- Pujolar JM, see Maes GE et al. (2006) 319:251–261
- Pujo-Pay M, Conan P, Joux F, Oriol L, Naudin JJ, Cauwet G (2006) Impact of phytoplankton and bacterial production on nutrient and DOM uptake in the Rhône River plume (NW Mediterranean). 315:43–54

Q

- Qian PY, see Dobretsov S et al. (2006) 318:165–175
- Qian SS, see Friedlaender AS et al. (2006) 317:297–310
- Quasnichka S, see Meekan MG et al. (2006) 319:275–285
- Quetin LB, see Martin DL et al. (2006) 319:155–165
- Quiñones RA, see Hernández KL et al. (2006) 315:19–31

R

- Radloff S, see Porri F et al. (2006) 315:141–150
- Raeymaekers JAM, see Maes GE et al. (2006) 319:251–261
- Rafélis M, see Langlet D et al. (2006) 317:143–156
- Raffaelli D (2006) Biodiversity and ecosystem functioning: issues of scale and trophic complexity. 311:285–294
- Raffaelli D, see Bulling MT et al. (2006) 311:295–309
- Raffaelli DG, see Solan M et al. (2006) 311:175–178
- Ralph PJ, see Ulstrup KE et al. (2006) 314:135–148
- Ramp C, Bérubé M, Hagen W, Sears R (2006) Survival of adult blue whales *Balaenoptera musculus* in the Gulf of St. Lawrence, Canada. 319:287–295
- Read AJ, see Friedlaender AS et al. (2006) 317:297–310
- Read AJ, see Halpin PN et al. (2006) 316:239–246
- Reid PC, see Stevens D et al. (2006) 316:247–255
- Renard M, see Langlet D et al. (2006) 317:143–156
- Rex MA, Etter RJ, Morris JS, Crouse J, McClain CR, Johnson NA, Stuart CT, Deming JW, Thies R, Avery R (2006) Global bathymetric patterns of standing stock and body size in the deep-sea benthos. 317:1–8
- Richard KR, see Wong MC et al. (2006) 317:75–86
- Richards A, see Meekan MG et al. (2006) 319:275–285
- Richardson AJ, see Stevens D et al. (2006) 316:247–255
- Rideout RM, Rose GA (2006) Suppression of reproduction in Atlantic cod *Gadus morhua*. 320:267–277
- Risgård HU, see Lassen J et al. (2006) 314:77–88
- Ringwood AH, see Keppler CJ et al. (2006) 312:141–147
- Ritter AF, Preisler RK (2006) Spatial variation in structure of an intertidal fish assemblage reflects daily settlement patterns. 317:211–223
- Rivalan P, Pradel R, Choquet R, Girondot M, Prévot-Julliard AC (2006) Estimating clutch frequency in the sea turtle *Dermochelys coriacea* using stopover duration. 317:285–295
- Riveiro I, see Barreiro A et al. (2006) 316:115–125
- Roberts DE, see Barnes PB et al. (2006) 319:55–64
- Robinson CJ, see Gómez-Gutiérrez J (2006) 320:215–231
- Roff JC, see Finlay K (2006) 313:145–156

- Rogers AD, see Bhadury P et al. (2006) 320:1–9
 Rohwer F, see Kline DI et al. (2006) 314:119–125
 Roohi A, see Finenko GA et al. (2006) 314:171–185
 Rooker JR, Turner JP, Holt SA (2006) Trophic ecology of *Sargassum*-associated fishes in the Gulf of Mexico determined from stable isotopes and fatty acids. 313:249–259
 Rose GA, see Rideout RM (2006) 320:267–277
 Rosenberg R, see Maire O et al. (2006) 319:135–153
 Rostami H, see Finenko GA et al. (2006) 314:171–185
 Rouleau C, Gobeil C, Tjälve H (2006) Cadmium accumulation in coastal demersal fish. 311:131–143
 Roux M, see Langlet D et al. (2006) 317:143–156
 Roy S, see Longhi ML et al. (2006) 313:57–72
 Royer F, Fromentin JM (2006) Recurrent and density-dependent patterns in long-term fluctuations of Atlantic bluefin tuna trap catches. 319:237–249
 Ruchonnet D, Boutoute M, Guinet C, Mayzaud P (2006) Fatty acid composition of Mediterranean fin whale *Balaenoptera physalus* blubber with respect to body heterogeneity and trophic interaction. 311:165–174
 Rückert S, see Klimpel S et al. (2006) 315:249–257
 Ruesink JL, Feist BE, Harvey CJ, Hong JS, Trimble AC, Wisenhardt LM (2006) Changes in productivity associated with four introduced species: ecosystem transformation of a 'pristine' estuary. 311:203–215
 Russell MP, see Dumont CP et al. (2006) 317:87–99
 Rutger SM, Wing SR (2006) Effects of freshwater input on shallow-water infaunal communities in Doubtful Sound, New Zealand. 314:35–47
 Ryan DAJ, see Bourque JF et al. (2006) 314:295–307
- ## S
- Sabbe K, see Forster RM et al. (2006) 311:191–201
 Sahling H, see Neulinger SC et al. (2006) 312:161–168
 Saito H, see Maar M et al. (2006) 313:157–172
 Saiz E, see Atienza D et al. (2006) 315:211–220
 Sakai K, see Rosenfeld M et al. (2006) 314:127–133
 Sakshaug E, see Olsen LM et al. (2006) 319:103–110
 Salinas CA, see Gilly WF et al. (2006) 313:125–133
 Sánchez Í, Fernández C (2006) Resource availability and invasibility in an intertidal macroalgal assemblage. 313:85–94
 Sanchez-Jerez P, see Dempster T et al. (2006) 314:309–310
 Sanders R, see Henson SA et al. (2006) 313:73–84
 Santavy DL, see Aeby GS (2006) 318:103–110
 Santos RS, see Martins I et al. (2006) 320:253–258
 Sañudo-Wilhelmy SA, see Taylor GT et al. (2006) 312:67–83
 Sarà G, Scilipoti D, Milazzo M, Modica A (2006) Use of stable isotopes to investigate dispersal of waste from fish farms as a function of hydrodynamics. 313:261–270
 Sarno D, see Carotenuto Y et al. (2006) 314:227–238
 Sarzo B, see Martínez-Abraín A et al. (2006) 318:271–276
 Sato M, see Ide K et al. (2006) 317:193–202
 Sato T, Ashidate M, Jinbo T, Goshima S (2006) Variation of sperm allocation with male size and recovery rate of sperm numbers in spiny king crab *Paralithodes brevipes*. 312:189–199
 Sato T, Goshima S (2006) Impacts of male-only fishing and sperm limitation in manipulated populations of an un-fished crab, *Hapalogaster dentata*. 313:193–204
 Satoh K, see Tanaka Y et al. (2006) 319:225–235
 Saucier FJ, see Sourisseau M et al. (2006) 314:257–270
 Schein E, see Langlet D et al. (2006) 317:143–156
 Schloss I, see Longhi ML et al. (2006) 313:57–72
 Schneider W, see Yannicelli B et al. (2006) 319:175–189
 Schönefeldt K, see van Bergeijk SA et al. (2006) 320:55–63
 Scilipoti D, see Sarà G et al. (2006) 313:261–270
 Scolardi KM, Daly KL, Pakhomov EA, Torres JJ (2006) Feeding ecology and metabolism of the Antarctic cydippid ctenophore *Callianira antarctica*. 317:111–126
 Scrosati R, Heaven C (2006) Field technique to quantify intensity of scouring by sea ice in rocky intertidal habitats. 320:293–295
 Sears R, see Ramp C et al. (2006) 319:287–295
 Sedlacek L, Thistle D (2006) Emergence on the continental shelf: differences among species and between microhabitats. 311:29–36
 Seitz A, see Loher T (2006) 317:259–271
 Selander E, see Juul-Pedersen T et al. (2006) 314:239–255
 Sell AF, see Culverhouse PF et al. (2006) 312:297–309
 Sella I, see Perkol-Finkel S et al. (2006) 317:9–20
 Seo IS, see Kang CK et al. (2006) 315:113–127
 Serafy JE, see Adams AJ et al. (2006) 318:287–301
 Serafy JE, see Dahlgren CP et al. (2006) 312:291–295
 Serafy JE, see Faunce CH (2006) 318:1–18
 Serafy JE, see Layman CA et al. (2006) 318:307–308
 Seuront L, see Leterme SC et al. (2006) 312:57–65
 Shaw CT, see Feinberg LR et al. (2006) 316:127–137
 Shaw PW, see Weetman D et al. (2006) 317:157–169
 Sheaves M, Baker R, Johnston R (2006) Marine nurseries and effective juvenile habitats: an alternative view. 318:303–306
 Shemesh A, see Rosenfeld M et al. (2006) 314:127–133
 Shiganova TA, see Finenko GA et al. (2006) 314:171–185
 Shima JS, see McDermott CJ (2006) 320:259–256
 Shima JS, see Phillips NE (2006) 314:149–158
 Shin JK, see Kang CK et al. (2006) 315:113–127
 Shin PKS, see Gao QF et al. (2006) 317:273–283
 Siboni N, see Kramarsky-Winter E et al. (2006) 317:67–73
 Sieracki M, see Culverhouse PF et al. (2006) 312:297–309
 Silva M, see Palma AT et al. (2006) 316:139–153
 Silver MW, see Bargo S et al. (2006) 312:169–175
 Simard Y, see Sourisseau M et al. (2006) 314:257–270
 Simões-Lopes PC, see Zerbini AN et al. (2006) 313:295–304
 Siorat F, see Grémillet D et al. (2006) 319:15–25
 Smerdon GR, see Bhadury P et al. (2006) 320:1–9
 Smith NG, Jones CM (2006) Substituting otoliths for chemical analyses: Does sagitta = lapillus? 313:241–247
 Smith-Keune C, see Benzie JAH (2006) 314:197–211
 Sobarzo M, see Yannicelli B et al. (2006) 319:175–189
 Sohm JA, Capone DG (2006) Phosphorus dynamics of the tropical and subtropical north Atlantic: *Trichodesmium* spp. versus bulk plankton. 317:21–28
 Solan M, Raffaelli DG, Paterson DM, White PCL, Pierce GJ (2006) Marine biodiversity and ecosystem function: empirical approaches and future research needs. Introduction. 311:175–178
 Solan M, see Ieno EN et al. (2006) 311:263–271
 Somerfield PJ, see Clarke KR et al. (2006) 320:11–27
 Somerfield PJ, see Kaiser MJ et al. (2006) 311:1–14
 Somerfield PJ, see Widdows J et al. (2006) 319:27–41
 Sommer F, Agurto C, Henriksen P, Kiørboe T (2006) Astaxanthin in the calanoid copepod *Calanus helgolandicus*: dynamics of esterification and vertical distribution in the German Bight, North Sea. 319:167–173
 Soto KH, Trites AW, Arias-Schreiber M (2006) Changes in diet and maternal attendance of South American sea lions

- indicate changes in the marine environment and prey abundance. 312:277–290
- Sourisseau M, Simard Y, Saucier FJ (2006) Krill aggregation in the St. Lawrence system, and supply of krill to the whale feeding grounds in the estuary from the gulf. 314:257–270
- Speirs DC, Gurney WSC, Heath MR, Horbelt W, Wood SN, de Cuevas BA (2006) Ocean-scale modelling of the distribution, abundance, and seasonal dynamics of the copepod *Calanus finmarchicus*. 313:173–192
- Spilseth SA, see Morgan SG et al. (2006) 314:271–281
- Spoerri C, see Halpin PN et al. (2006) 316:239–246
- Spotila JR, see Wallace BP et al. (2006) 318:263–270
- Stachowicz JJ, Byrnes JE (2006) Species diversity, invasion success, and ecosystem functioning: disentangling the influence of resource competition, facilitation, and extrinsic factors. 311:251–262
- Stachowicz JJ, see Duffy JE (2006) 311:179–189
- Staff FJ, see Widdows J et al. (2006) 319:27–41
- Stal LJ, see Forster RM et al. (2006) 311:191–201
- Stal LJ, see van Bergeijk SA et al. (2006) 320:55–63
- Starczak V, see Pineda J et al. (2006) 320:233–237
- Staton T, see Keppler CJ et al. (2006) 312:141–147
- Steele JA, see Hewson I et al. (2006) 311:67–77
- Steinberg PD, see Dworjanyn SA et al. (2006) 318:153–163
- Steinberg PD, see Swanson RL et al. (2006) 314:1–12
- Stevens D, Richardson AJ, Reid PC (2006) Continuous Plankton Recorder database: evolution, current uses and future directions. 316:247–255
- Stips A, see Maar M et al. (2006) 313:157–172
- Stribling JM, Glahn OA, Chen XM, Cornwell JC (2006) Microtopographic variability in plant distribution and biogeochemistry in a brackish-marsh system. 320:121–129
- Stuart CT, see Rex MA et al. (2006) 317:1–8
- Stueckle TA, see Pineda J et al. (2006) 320:233–237
- Stutes AL, Cebrian J, Corcoran AA (2006) Effects of nutrient enrichment and shading on sediment primary production and metabolism in eutrophic estuaries. 312:29–43
- Süling J, see Neulinger SC et al. (2006) 312:161–168
- Suwa R, Khan MNI, Hagihara A (2006) Canopy photosynthesis, canopy respiration and surplus production in a subtropical mangrove *Kandelia candel* forest, Okinawa Island, Japan. 320:131–139
- Suzuki M, see Suzuki Y et al. (2006) 315:167–175
- Suzuki T, see Kamiyama T (2006) 317:57–65
- Suzuki Y, Kojima S, Watanabe H, Suzuki M, Tsuchida S, Nunoura T, Hirayama H, Takai K, Neilson KH, Horikoshi K (2006) Single host and symbiont lineages of hydrothermal-vent gastropods *Ifremeria nautilei* (Provannidae): biogeography and evolution. 315:167–175
- Swanson RL, de Nys R, Huggett MJ, Green JK, Steinberg PD (2006) *In situ* quantification of a natural settlement cue and recruitment of the Australian sea urchin *Holopneustes purpurascens*. 314:1–12
- Sydemann WJ, see Abraham CL (2006) 313:271–283
- T**
- Tabari MR, see Finenko GA et al. (2006) 314:171–185
- Tabita FR, see John DE et al. (2006) 316:23–33
- Taconet M, see Leonart J et al. (2006) 316:231–238
- Taguchi S, see Ohi N et al. (2006) 316:85–93
- Takahashi K, see Ide K et al. (2006) 317:193–202
- Takahashi MM, see Ichinokawa M (2006) 313:13–26
- Takai K, see Suzuki Y et al. (2006) 315:167–175
- Tanaka Y, Satoh K, Iwahashi M, Yamada H (2006) Growth-dependent recruitment of Pacific bluefin tuna *Thunnus orientalis* in the northwestern Pacific Ocean. 319:225–235
- Taylor GT, Gobler CJ, Sañudo-Wilhelmy SA (2006) Speciation and concentrations of dissolved nitrogen as determinants of brown tide *Aureococcus anophagefferens* bloom initiation. 312:67–83
- Taylor JG, see Meekan MG et al. (2006) 319:275–285
- Temming A, see Baumann H et al. (2006) 317:225–236
- Teske PR, McQuaid CD, Froneman PW, Barker NP (2006) Impacts of marine biogeographic boundaries on phylogeographic patterns of three South African estuarine crustaceans. 314:283–293
- Thiele D, see Friedlaender AS et al. (2006) 317:297–310
- Thieltges DW (2006) Effect of infection by the metacercarial trematode *Renicola roscovita* on growth in intertidal blue mussel *Mytilus edulis*. 319:129–134
- Thies R, see Rex MA et al. (2006) 317:1–8
- Thistle D, see Sedlacek L (2006) 311:29–36
- Thomas FIM, see Cornelisen CD (2006) 312:1–13
- Thompson EM, see Aksnes DL et al. (2006) 318:75–80
- Thompson EM, see Aksnes DL et al. (2006) 318:81–88
- Thor P, see Calliari D et al. (2006) 312:177–188
- Thor P, see Juul-Pedersen T et al. (2006) 314:239–255
- Thorrold SR, see Walther BD (2006) 311:125–130
- Thrush S, see Ellis J et al. (2006) 316:69–83
- Thrush SF, see Lohrer AM et al. (2006) 315:13–18
- Thuesen EV, see Towanda T (2006) 315:221–236
- Thursby G, see Chintala MM et al. (2006) 320:101–108
- Tillin HM, Hiddink JG, Jennings S, Kaiser MJ (2006) Chronic bottom trawling alters the functional composition of benthic invertebrate communities on a sea-basin scale. 318:31–45
- Tiselius P, see Calliari D et al. (2006) 312:177–188
- Tiselius P, see Juul-Pedersen T et al. (2006) 314:239–255
- Tiselius P, see Tönnesson K et al. (2006) 314:213–225
- Tjälve H, see Rouleau C et al. (2006) 311:131–143
- Tolley KA, see Gopal K et al. (2006) 319:191–198
- Tönnesson K, Nielsen TG, Tiselius P (2006) Feeding and production of the carnivorous copepod *Pareuchaeta norvegica* in the Skagerrak. 314:213–225
- Torres JJ, see Scolardi KM et al. (2006) 317:111–126
- Torréon JP, see Jacquet S et al. (2006) 320:65–78
- Towanda T, Thuesen EV (2006) Ectosymbiotic behavior of *Cancer gracilis* and its trophic relationships with its host *Phacellophora camtschatica* and the parasitoid *Hyperia medusarum*. 315:221–236
- Triay R, see Louzao M et al. (2006) 318:247–254
- Trimble AC, see Ruesink JL et al. (2006) 311:203–215
- Trippel EA, see Koschinski S et al. (2006) 313:285–294
- Trites AW, see Kaschner K et al. (2006) 316:285–310
- Trites AW, see Soto KH et al. (2006) 312:277–290
- Troedsson C, see Aksnes DL et al. (2006) 318:75–80
- Troedsson C, see Aksnes DL et al. (2006) 318:81–88
- Tsidulko GA, see Bradford AL et al. (2006) 315:293–307
- Tsuchida S, see Suzuki Y et al. (2006) 315:167–175
- Tsuchiya M, see Kamimura S (2006) 318:203–211
- Tugrul S, see Eker-Develi E et al. (2006) 314:61–75
- Turner JP, see Rooker JR et al. (2006) 313:249–259
- Turner JT, Borkman DG, Hunt CD (2006) Zooplankton of Massachusetts Bay, USA, 1992–2003: relationships between the copepod *Calanus finmarchicus* and the North Atlantic Oscillation. 311:115–124
- Tuya F, Haroun RJ (2006) Spatial patterns and response to wave exposure of shallow water algal assemblages across the Canarian Archipelago: a multi-scaled approach. 311:15–28
- Tuya F, see Dempster T et al. (2006) 314:309–310

Tyler PA, see Benitez Villalobos F et al. (2006) 314:109–117
Tzeng WN, see Chen HL (2006) 312:255–263

U

Ulstrup KE, Berkelmans R, Ralph PJ, van Oppen MJH (2006) Variation in bleaching sensitivity of two coral species across a latitudinal gradient on the Great Barrier Reef: the role of zooxanthellae. 314:135–148
Underwood AJ, see Murphy RJ et al. (2006) 312:45–55
Urban-Rich J, Fernández D, Acuña JL (2006) Grazing impact on chromophoric dissolved organic matter (CDOM) by the larvacean *Oikopleura dioica*. 317:101–110

V

Valavanis VD, see Arvanitidis C et al. (2006) 316:225–230
Valiela I, see Botto F et al. (2006) 312:201–210
van Bergeijk SA, Wollenzien U, Schönefeldt K, Stal LJ (2006) Seasonal variation in dimethylsulfoniopropionate related to microphytobenthos composition in intertidal estuarine sediments. 320:55–63
VanBlaricom GR, see Bradford AL et al. (2006) 315:293–307
VanBlaricom GR, see Zerbini AN et al. (2006) 313:295–304
Vanden Berghe E, see Costello MJ (2006) 316:203–214
Vanden Berghe E, see Costello MJ et al. (2006) 316:201–202
van den Enden R, see Buma AGJ et al. (2006) 315:33–42
van de Poll WH, see Buma AGJ et al. (2006) 315:33–42
van der Meer J, see Bos OG et al. (2006) 320:207–214
van Oppen MJH, see Ulstrup KE et al. (2006) 314:135–148
Varela M, see Bode A et al. (2006) 318:89–102
Vaselli S, see Benedetti-Cecchi L et al. (2006) 315:87–98
Veas R, see Palma AT et al. (2006) 316:139–153
Velando A, see Martínez-Abraín A et al. (2006) 318:271–276
Venkatachalam AJ, see Price ARG et al. (2006) 319:85–91
Viaroli P, see Nizzoli D et al. (2006) 315:151–165
Viesca L, see Ceballos S et al. (2006) 317:171–186
Vigliola L, see Meekan MG et al. (2006) 317:237–244
Vilchis LI, Ballance LT, Fiedler PC (2006) Pelagic habitat of seabirds in the eastern tropical Pacific: effects of foraging ecology on habitat selection. 315:279–292
Villanueva RD, Yap HT, Montaña MNE (2006) Intensive fish farming in the Philippines is detrimental to the reef-building coral *Pocillopora damicornis*. 316:165–174
Villuendas E, see Martínez-Abraín A et al. (2006) 318:271–276
Vincent LPA, see Price ARG et al. (2006) 319:85–91
Visser AW, see Maar M et al. (2006) 313:157–172
Volckaert FAM, see Maes GE et al. (2006) 319:251–261
Votier SC, see Käkälä A et al. (2006) 319:297–310
Vyverman W, see Forster RM et al. (2006) 311:191–201

W

Wade PR, see Bradford AL et al. (2006) 315:293–307
Waldbusser GG, Marinelli RL (2006) Macrofaunal modification of porewater advection: role of species function, species interaction, and kinetics. 311:217–231
Wallace BP, Kilham SS, Paladino FV, Spotila JR (2006) Energy budget calculations indicate resource limitation in Eastern Pacific leatherback turtles. 318:263–270
Walpersdorf E, see Billerbeck M et al. (2006) 316:35–51
Walther BD, Thorrold SR (2006) Water, not food, contributes the majority of strontium and barium deposited in the

otoliths of a marine fish. 311:125–130
Wang WX, see Miao AJ et al. (2006) 318:141–152
Wang WX, see Wang X (2006) 312:101–111
Wang X, Wang WX (2006) Bioaccumulation and transfer of benzo(a)pyrene in a simplified marine food chain. 312:101–111
Watanabe H, Kubodera T, Moku M, Kawaguchi K (2006) Diel vertical migration of squid in the warm core ring and cold water masses in the transition region of the western North Pacific. 315:187–197
Watanabe H, see Suzuki Y et al. (2006) 315:167–175
Watson R, see Kaschner K et al. (2006) 316:285–310
Wawrik B, see John DE et al. (2006) 316:23–33
Webb K, see Barnes DKA et al. (2006) 314:187–195
Weetman D, Hauser L, Bayes MK, Ellis JR, Shaw PW (2006) Genetic population structure across a range of geographic scales in the commercially exploited marine gastropod *Buccinum undatum*. 317:157–169
Weil E, see López-Victoria M et al. (2006) 312:113–121
Weller DW, see Bradford AL et al. (2006) 315:293–307
Welsh DT, see Nizzoli D et al. (2006) 315:151–165
Werner U, see Billerbeck M et al. (2006) 316:35–51
West RJ, see Griffiths SP et al. (2006) 313:227–239
Wetherbee BM, see Papastamatiou YP et al. (2006) 320:239–251
Wetz MS, Hayes KC, Lewitus AJ, Wolny JL, White DL (2006) Variability in phytoplankton pigment biomass and taxonomic composition over tidal cycles in a salt marsh estuary. 320:109–120
White DL, see Wetz MS et al. (2006) 320:109–120
White PCL, see Bulling MT et al. (2006) 311:295–309
White PCL, see Solan M et al. (2006) 311:175–178
Widdows J, Brinsley MD, Pope ND, Staff FJ, Bolam SG, Somerfield PJ (2006) Changes in biota and sediment erodibility following the placement of fine dredged material on upper intertidal shores of estuaries. 319:27–41
Wiebe PH, see Friedlaender AS et al. (2006) 317:297–310
Wigand C, see Chintala MM et al. (2006) 320:101–108
Williams R, see Culverhouse PF et al. (2006) 312:297–309
Wilson MT, Jump CM, Duffy-Anderson JT (2006) Comparative analysis of the feeding ecology of two pelagic forage fishes: capelin *Mallotus villosus* and walleye pollock *Theragra chalcogramma*. 317:245–258
Wilson NG, see Loh WKW et al. (2006) 320:177–184
Wing SR, see Rutger SM (2006) 314:35–47
Wisehart LM, see Ruesink JL et al. (2006) 311:203–215
Wollenzien U, see van Bergeijk SA et al. (2006) 320:55–63
Wolny JL, see Wetz MS et al. (2006) 320:109–120
Wong MC, Barbeau MA, Dowd M, Richard KR (2006) Behavioural mechanisms underlying functional response of sea stars *Asterias vulgaris* preying on juvenile sea scallops *Placopecten magellanicus*. 317:75–86
Wood SN, see Speirs DC et al. (2006) 313:173–192
Wright CW, see Brock JC et al. (2006) 312:123–139
Wright JT, see Gribben PE (2006) 318:177–185
Wright SW, see Buma AGJ et al. (2006) 315:33–42

X

Xiang J, see Zhou Y et al. (2006) 317:127–141

Y

Yahya SAS, see Garpe KC et al. (2006) 315:237–247
Yam R, see Rosenfeld M et al. (2006) 314:127–133

Yamada H, see Tanaka Y et al. (2006) 319:225–235
Yamanishi H, see Koh CH et al. (2006) 312:85–100
Yamazaki H, see Gallager SM et al. (2006) 318:309
Yang H, see Zhou Y et al. (2006) 317:127–141
Yannicelli B, Castro LR, Schneider W, Sobarzo M (2006) Crustacean larvae distribution in the coastal upwelling zone off Central Chile. 319:175–189
Yap HT, see Villanueva RD et al. (2006) 316:165–174
Yates KK, see Brock JC et al. (2006) 312:123–139
Yeung C, McConnaughey RA (2006) Community structure of eastern Bering Sea epibenthic invertebrates from summer bottom-trawl surveys 1982 to 2002. 318:47–62
Yin K, see Miao AJ et al. (2006) 318:141–152
Yorio P, see González-Zevallos D (2006) 316:175–183
York PH, Booth DJ, Glasby TM, Pease BC (2006) Fish assemblages in habitats dominated by *Caulerpa taxifolia* and native seagrasses in south-eastern Australia. 312:223–234
Young CM, see Benitez Villalobos F et al. (2006) 314:109–117
Young CM, see Copley JTP (2006) 315:199–209
Ysebaert T, see Ellis J et al. (2006) 316:69–83

Z

Zakai D, Dubinsky Z, Avishai A, Caaras T, Chadwick NE (2006) Lunar periodicity of planula release in the reef-building coral *Stylophora pistillata*. 311:93–102
Zea S, see López-Victoria M et al. (2006) 312:113–121
Zenetos A, see Arvanitidis C et al. (2006) 316:225–230
Zerbini AN, Andriolo A, Heide-Jørgensen MP, Pizzorno JL, Maia YG, VanBlaricom GR, DeMaster DP, Simões-Lopes PC, Moreira S, Bethlem C (2006) Satellite-monitored movements of humpback whales *Megaptera novaeangliae* in the Southwest Atlantic Ocean. 313:295–304
Zhang F, see Zhou Y et al. (2006) 317:127–141
Zhang S, see Zhou Y et al. (2006) 317:127–141
Zhang T, see Zhou Y et al. (2006) 317:127–141
Zhou Y, Yang H, Zhang T, Liu S, Zhang S, Liu Q, Xiang J, Zhang F (2006) Influence of filtering and biodeposition by the cultured scallop *Chlamys farreri* on benthic-pelagic coupling in a eutrophic bay in China. 317:127–141
Zilman G, see Perkol-Finkel S et al. (2006) 317:9–20