

## COMBINED AUTHOR AND TITLE INDEX

## (Volumes 1 to 10, 2004–2010)

## A

- Abe O, see Okuyama J et al. (2010) 10:181–190  
 Abreu-Grobois FA, see Cuevas E et al. (2008) 10:123–133  
 Adamantopoulou S, see Karamanlidis AA et al. (2008) 5: 205–213  
 Agazzi S, see Bearzi G et al. (2008) 5:1–12  
 Aihartzia J, see Almenar D et al. (2009) 8:69–78  
 Albareda DA, see Shepard ELC et al. (2008) 10:47–60  
 Alba-Zúñiga A, Enríquez PL, Rangel-Salazar JL (2009) Population density and habitat use of the threatened Balsas screech owl in the Sierra de Huautla Biosphere Reserve, Mexico. 9:61–66  
 Alexander-Garner J, see Eguchi T et al. (2006) 2:7–13  
 Alfaro AC, see Nájera-Hillman E et al. (2009) 9:23–31  
 Alfaro Shigueto J, Mangel JC, Seminoff JA, Dutton PH (2008) Demography of loggerhead turtles *Caretta caretta* in the southeastern Pacific Ocean: fisheries-based observations and implications for management. 5:129–135  
 Aliabadian M, see Nijman V et al. (2008) 4:241–246  
 Alibhai SK, Jewell ZC, Law PR (2007) A footprint technique to identify white rhino *Ceratotherium simum* at individual and species levels. 4:205–218  
 Allen EB, see Gillespie IG (2008) 5:65–72  
 Allen MF, see Barrows CW (2007) 3:61–68  
 Allman R, see Lara MR et al. (2009) 7:221–228  
 Almenar D, Aihartzia J, Goiti U, Salsamendi E, Garin I (2009) Foraging behaviour of the long-fingered bat *Myotis capaccinii*: implications for conservation and management. 8:69–78  
 Álvarez A, see Pérez-Buitrago N et al. (2008) 6:55–65  
 Ammerman LK, McDonough M, Hristov NI, Kunz TH (2009) Census of the endangered Mexican long-nosed bat *Leptonycteris nivalis* in Texas, USA, using thermal imaging. 8:87–92  
 Amorocho DF, Reina RD (2007) Feeding ecology of the East Pacific green sea turtle *Chelonia mydas agassizii* at Gorgona National Park, Colombia. 3:43–51  
 Andersen LW, Born EW, Doidge DW, Gjertz I, Wiig Ø, Waples RS (2009) Genetic signals of historic and recent migration between sub-populations of Atlantic walrus *Odobenus rosmarus rosmarus* west and east of Greenland. 9:197–211  
 Anderson DJ, Huyvaert KP, Awkerman JA, Proaño CB, Milstead WB, Jiménez-Uzcátegui G, Cruz S, Grace JK (2008) Population status of the Critically Endangered waved albatross *Phoebastria irrorata*, 1999 to 2007. 5:185–192  
 Andrés O, see Rönn AC et al. (2009) 9:133–142  
 Andrews RD, see Baird RW et al. (2010) 10:107–121  
 Andrews RD, see Schorr GS et al. (2009) 10:203–213  
 Andrews RD, see Skinner JP et al. (2009) 10:61–69  
 Andrews-Goff V, Hindell MA, Field IC, Wheatley KE, Charassin J (2010) Factors influencing the winter haulout behaviour of Weddell seals: consequences for satellite telemetry. 10:83–92  
 Androukaki E, see Karamanlidis AA et al. (2008) 5:205–213  
 Antonelis GA, see Parrish FA et al. (2008) 4:299–308  
 Arai N, see Okuyama J et al. (2009) 10:39–45  
 Arai N, see Okuyama J et al. (2010) 10:181–190  
 Arcese P, see Gutowsky S et al. (2009) 9:247–254  
 Ar Gouilh M, see Puechmaille SJ et al. (2009) 8:15–23  
 Arlettaz R, see Weinberger IC et al. (2009) 8:41–48  
 Arlettaz R, see Zbinden JA et al. (2007) 3:305–312  
 Arocha F, see Beerkircher L et al. (2009) 9:81–90  
 Arzoumanian Z, see Holmberg J et al. (2009) 7:39–53  
 Austin TJ, see Bell CD et al. (2006) 2:63–69  
 Austin TJ, see Blumenthal JM et al. (2006) 2:51–61  
 Avens L, Taylor JC, Goshe LR, Jones TT, Hastings M (2009) Use of skeletochronological analysis to estimate the age of leatherback sea turtles *Dermochelys coriacea* in the western North Atlantic. 8:165–177  
 Avers L, see Snover ML et al. (2007) 3:95–104  
 Awkerman JA, see Anderson DJ et al. (2008) 5:185–192

## B

- Bachman SP, see Brummitt N et al. (2008) 6:127–135  
 Bagley DA, see Bresette MJ et al. (2010) 9:105–116  
 Bailey H, Mate BR, Palacios DM, Irvine L, Bograd SJ, Costa DP (2009) Behavioural estimation of blue whale movements in the Northeast Pacific from state-space model analysis of satellite tracks. 10:93–106  
 Bailey H, see Shillinger GL et al. (2010) 10:215–232  
 Bain DE, see Lusseau D et al. (2009) 6:211–221  
 Bain DE, see Williams R et al. (2009) 6:199–209  
 Baird RW, Schorr GS, Webster DL, McSweeney DJ, Hanson MB, Andrews RD (2010) Movements and habitat use of satellite-tagged false killer whales around the main Hawaiian Islands. 10:107–121  
 Baird RW, see Schorr GS et al. (2009) 10:203–213  
 Bairlein F, see Robinson RA et al. (2008) 7:87–99  
 Baker BW, see Espinoza EO et al. (2008) 9:239–246  
 Baker JD (2008) Variation in the relationship between offspring size and survival provides insight into causes of mortality in Hawaiian monk seals. 5:55–64  
 Baker JD, Littnan CL, Johnston DW (2006) Potential effects of sea level rise on the terrestrial habitats of endangered and endemic megafauna in the Northwestern Hawaiian Islands. 2:21–30  
 Bal D, see de Iongh HH (2007) 3:53–60  
 Balazs GH, see Dutton PH et al. (2008) 5:37–44  
 Balazs GH, see Howell EA et al. (2008) 5:267–278  
 Balazs GH, see Van Dam RP et al. (2007) 4:85–94  
 Balcomb KC, see Steiger GH et al. (2008) 4:247–256  
 Ballagh AC, see Williams AJ et al. (2009) 9:67–79  
 Barlow J, see Steiger GH et al. (2008) 4:247–256  
 Barnas KA, see Good TP et al. (2007) 3:11–21  
 Barrows CW, Allen MF (2007) Persistence and local extinctions of endangered lizard *Uma inornata* on isolated habitat patches. 3:61–68  
 Barse A, see Beerkircher L et al. (2009) 9:81–90  
 Bartolomé MA, see Martínez-Abraín A et al. (2007) 3:69–76  
 Bates PJ, see Puechmaille SJ et al. (2009) 8:15–23  
 Baumstark RD, see Fonnesebeck CJ et al. (2008) 6:87–94

- Bearder SK, see Maldonado AM et al. (2009) 9:143–149
- Bearzi G, Agazzi S, Gonzalvo J, Costa M, Bonizzoni S, Politi E, Piroddi C, Reeves RR (2008) Overfishing and the disappearance of short-beaked common dolphins from western Greece. 5:1–12
- Beaulieu M, see Ropert-Coudert Y et al. (2009) 10:21–27
- Beerkircher L, Arocha F, Barse A, Prince E, Restrepo V, Serafy J, Shivji M (2009) Effects of species misidentification on population assessment of overfished white marlin *Tetrapturus albidus* and roundscale spearfish *T. georgii*. 9:81–90
- Begg GA, see Williams AJ et al. (2009) 9:67–79
- Beggs JA, Horrocks JA, Krueger BH (2007) Increase in hawksbill sea turtle *Eretmochelys imbricata* nesting in Barbados, West Indies. 3:159–168
- Bekenov AB, see McConville AJ et al. (2009) 6:231–237
- Belk MC, see Rasmussen JE et al. (2009) 8:225–232
- Bell CD, Blumenthal JM, Austin TJ, Solomon JL, Ebanks-Petrie G, Broderick AC, Godley BJ (2006) Traditional Caymanian fishery may impede local marine turtle population recovery. 2:63–69
- Bell CD, see Blumenthal JM et al. (2006) 2:51–61
- Bell D, see Newton P et al. (2008) 6:41–53
- Bell DJ, see Bunbury N et al. (2008) 9:213–220
- Bell IP, see Fuentes MMPB et al. (2009) 9:33–40
- Benjamins S, Kulka DW, Lawson J (2008) Incidental catch of seabirds in Newfoundland and Labrador gillnet fisheries, 2001–2003. 5:149–160
- Berger J, see Harris G et al. (2009) 7:55–76
- Bertoncini AA, see Craig MT et al. (2008) 7:167–174
- Bertram DF, see Gutowsky S et al. (2009) 9:247–254
- Bishop CM, see Schofield G et al. (2009) 10:191–202
- Bjorndal KA, see Frick MG et al. (2009) 9:91–97
- Blanvillain G, Pease AP, Segars AL, Rostal DC, Richards AJ, Owens DW (2008) Comparing methods for the assessment of reproductive activity in adult male loggerhead sea turtles *Caretta caretta* at Cape Canaveral, Florida. 6:75–85
- Block BA, see Bograd SJ et al. (2010) 10:1–7
- Block BA, see Shillinger GL et al. (2010) 10:215–232
- Block BA, see Wilson SG (2009) 10:355–367
- Blumenthal JM, Solomon JL, Bell CD, Austin TJ, Ebanks-Petrie G, Coyne MS, Broderick AC, Godley BJ (2006) Satellite tracking highlights the need for international cooperation in marine turtle management. 2:51–61
- Blumenthal JM, see Bell CD et al. (2006) 2:63–69
- Blumenthal JM, see Godley BJ et al. (2007) 4:3–22
- Bograd SJ, Block BA, Costa DP, Godley BJ (2010) Biologging technologies: new tools for conservation. Introduction. 10:1–7
- Bograd SJ, see Bailey H et al. (2009) 10:93–106
- Bograd SJ, see Shillinger GL et al. (2010) 10:215–232
- Bolten AB, see Frick MG et al. (2009) 9:91–97
- Bonizzoni S, see Bearzi G et al. (2008) 5:1–12
- Bontadina F, see Weinberger IC et al. (2009) 8:41–48
- Born EW, see Andersen LW et al. (2009) 9:197–211
- Bosch M, see Rönn AC et al. (2009) 9:133–142
- Böttcher U, see Thiel R et al. (2009) 8:233–247
- Bourjea J, Frappier J, Quillard M, Ciccione S, Roos D, Hughes G, Grizel H (2007) Mayotte Island: another important green turtle nesting site in the southwest Indian Ocean. 3:273–282
- Bourjea J, see Lauret-Stepler M et al. (2007) 3:217–227
- Bradford AL, Weller DW, Wade PR, Burdin AM, Brownell RL Jr (2008) Population abundance and growth rate of western gray whales *Eschrichtius robustus*. 6:1–14
- Braun-McNeill J, Sasso CR, Epperly SP, Rivero C (2008) Feasibility of using sea surface temperature imagery to mitigate chelonid sea turtle–fishery interactions off the coast of northeastern USA. 5:257–266
- Braun-McNeill J, see Epperly SP et al. (2007) 3:283–293
- Breen B, see Nájera-Hillman E et al. (2009) 9:23–31
- Bresette MJ, Witherington BE, Herren RM, Bagley DA, Gorham JC, Traxler SL, Crady CK, Hardy R (2010) Size-class partitioning and herding in a foraging group of green turtles *Chelonia mydas*. 9:105–116
- Bretagnolle V, see Pascal M et al. (2008) 4:267–276
- Brill R, see Southwood A et al. (2008) 5:225–238
- Brinkmann I, see Peters E et al. (2009) 10:305–320
- Broderick AC, see Bell CD et al. (2006) 2:63–69
- Broderick AC, see Blumenthal JM et al. (2006) 2:51–61
- Broderick AC, see Formia A et al. (2007) 3:145–158
- Broderick AC, see Fuller WJ et al. (2007) 4:139–146
- Broderick AC, see Godley BJ et al. (2007) 4:3–22
- Broderick AC, see Hawkes LA et al. (2009) 7:137–154
- Broderick AC, see McGowan A et al. (2006) 2:15–20
- Brooks TM, see Hoffmann M et al. (2008) 6:113–125
- Brotos JM, Munilla Z, Grau AM, Rendell L (2008) Do pingers reduce interactions between bottlenose dolphins and nets around the Balearic Islands? 5:301–308
- Brown MW, see Vanderlaan ASM et al. (2008) 4:283–297
- Brown P, see Schofield G et al. (2009) 10:191–202
- Brownell RL Jr, see Bradford AL et al. (2008) 6:1–14
- Bruford MW, see Formia A et al. (2007) 3:145–158
- Bruford MW, see Rönn AC et al. (2009) 9:133–142
- Brummitt N, Bachman SP, Moat J (2008) Applications of the IUCN Red List: towards a global barometer for plant diversity. 6:127–135
- Brusher JH, Schull J (2008) Non-lethal age determination for juvenile goliath grouper *Epinephelus itajara* from southwest Florida. 7:205–212
- Budgen P, see Cooper JE et al. (2009) 9:229–238
- Bugoni L, Mancini PL, Monteiro DS, Nascimento L, Neves TS (2008) Seabird bycatch in the Brazilian pelagic longline fishery and a review of capture rates in the southwestern Atlantic Ocean. 5:137–147
- Buhleier B, see Parrish FA et al. (2008) 4:299–308
- Bumrungsri S, see Puechmaille SJ et al. (2009) 8:15–23
- Bunbury N, Stidworthy MF, Greenwood AG, Jones CG, Sawmy S, Cole RE, Edmunds K, Bell DJ (2008) Causes of mortality in free-living Mauritian pink pigeons *Columba mayeri*, 2002–2006. 9:213–220
- Bunce A, see Green JA et al. (2009) 10:269–279
- Burdin AM, see Bradford AL et al. (2008) 6:1–14
- Burgess WC, see Insley SJ et al. (2007) 4:147–155
- Burke JL, see Zador SG et al. (2008) 5:103–115
- Butchkoski CM, see Russell AL et al. (2008) 8:49–60
- Butler PJ, see Green JA et al. (2009) 10:269–279

## C

- Calambokidis J, see Steiger GH et al. (2008) 4:247–256
- Callahan JA, see Vanderlaan ASM et al. (2009) 6:273–285
- Calleson CS, Kipp Frohlich R (2007) Slower boat speeds reduce risks to manatees. 3:295–304
- Campbell LM, Cornwell ML (2008) Human dimensions of bycatch reduction technology: current assumptions and directions for future research. 5:325–334
- Campbell R, Holley D, Christianopolous D, Caputi N, Gales NG (2008) Mitigation of incidental mortality of Australian sea lions in the west coast rock lobster fishery. 5:345–358
- Cañadas A, Hammond PS (2008) Abundance and habitat preferences of the short-beaked common dolphin *Delphinus delphis* in the southwestern Mediterranean: implications for conservation. 4:309–331

- Caputi N, see Campbell R et al. (2008) 5:345–358  
 Carrier JC, see Whitney NM et al. (2010) 10:71–82  
 Casillas E, see Good TP et al. (2007) 3:11–21  
 Cass-Calay SL, Schmidt TW (2008) Monitoring changes in the catch rates and abundance of juvenile goliath grouper using the ENP creel survey, 1973–2006. 7:183–193  
 Castellanos D, see Graham RT et al. (2009) 7:195–204  
 Castelton MR, see Shillinger GL et al. (2010) 10:215–232  
 Cattau CE, see Martin J et al. (2008) 6:25–39  
 Cerchio S, see Steiger GH et al. (2008) 4:247–256  
 Chaloupka M, see Gilman E et al. (2008) 5:309–323  
 Chaloupka M, see Marcovaldi MÀ (2007) 3:133–143  
 Chapla ME, see Johnston DW et al. (2007) 3:249–257  
 Chapman DD, Pinhal D, Shivji MS (2009) Tracking the fin trade: genetic stock identification in western Atlantic scalloped hammerhead sharks *Sphyrna lewini*. 9:221–228  
 Charrassin J, see Andrews-Goff V et al. (2010) 10:83–92  
 Chatzisprou A, see Karamanlidis AA et al. (2008) 5:205–213  
 Cheyne SM (2009) Challenges and opportunities of primate rehabilitation—gibbons as a case study. 9:159–165  
 Chiaradia A, see Preston TJ et al. (2007) 4:95–103  
 Chilvers BL (2008) New Zealand sea lions *Phocarctos hookeri* and squid trawl fisheries: bycatch problems and management options. 5:193–204  
 Choat JH, see Williams AJ et al. (2009) 9:67–79  
 Christianopolous D, see Campbell R et al. (2008) 5:345–358  
 Chua L, see Ogden R et al. (2008) 9:255–261  
 Ciccione S, see Bourjea J et al. (2007) 3:273–282  
 Ciccione S, see Lauret-Stepler M et al. (2007) 3:217–227  
 Cole RE, see Bunbury N et al. (2008) 9:213–220  
 Coleman FC, see Mann DA et al. (2008) 7:229–236  
 Coleman FC, see Murie DJ et al. (2008) 7:213–220  
 Colón Colón LA, see Van Dam RP et al. (2007) 4:85–94  
 Colotelo AH, Cooke SJ, Smokorowski KE (2009) Application of forensic techniques to enhance fish conservation and management: injury detection using presumptive tests for blood. 9:169–178  
 Condori JL, see Cossíos ED et al. (2007) 3:313–320  
 Cooke SJ (2007) Biotelemetry and biologging in endangered species research and animal conservation: relevance to regional, national, and IUCN Red List threat assessments. 4:165–185  
 Cooke SJ, see Colotelo AH et al. (2009) 9:169–178  
 Cooper JE, Cooper ME, Budgen P (2009) Wildlife crime scene investigation: techniques, tools and technology. 9:229–238  
 Cooper ME, see Cooper JE et al. (2009) 9:229–238  
 Copello S, Quintana F, Pérez F (2008) Diet of the southern giant petrel in Patagonia: fishery-related items and natural prey. 6:15–23  
 Corbel H, see Fossette S et al. (2007) 4:33–41  
 Corbett JJ, see Vanderlaan ASM et al. (2009) 6:273–285  
 Cornwell ML, see Campbell LM (2008) 5:325–334  
 Cossíos ED, Madrid A, Condori JL, Fajardo U (2007) Update on the distribution of the Andean cat *Oreailurus jacobita* and the pampas cat *Lynx chailurus colocolo* in Peru. 3:313–320  
 Costa DP, see Bailey H et al. (2009) 10:93–106  
 Costa DP, see Bograd SJ et al. (2010) 10:1–7  
 Costa DP, see Simmons SE et al. (2010) 10:233–243  
 Costa M, see Bearzi G et al. (2008) 5:1–12  
 Coulson T, see McConville AJ et al. (2009) 6:231–237  
 Cowan RS, see Ogden R et al. (2008) 9:255–261  
 Coyne M, see Seminoff JA et al. (2007) 4:57–72  
 Coyne M, see Whiting SD et al. (2007) 3:1–9  
 Coyne MS, see Blumenthal JM et al. (2006) 2:51–61  
 Coyne MS, see Godley BJ et al. (2007) 4:3–22  
 Crady CK, see Bresette MJ et al. (2010) 9:105–116  
 Craig MT, Graham RT, Torres RA, Hyde JR, Freitas MO, Ferreira BP, Hostim-Silva M, Gerhardinger LC, Bertonicini AA, Robertson DR (2008) How many species of goliath grouper are there? Cryptic genetic divergence in a threatened marine fish and the resurrection of a geopolitical species. 7:167–174  
 Crick HQP, see Newson SE et al. (2008) 7:101–113  
 Crick HQP, see Robinson RA et al. (2008) 7:87–99  
 Crocker DE, see Simmons SE et al. (2010) 10:233–243  
 Crognale MA, Eckert SA, Levenson DH, Harms CA (2008) Leatherback sea turtle *Dermochelys coriacea* visual capacities and potential reduction of bycatch by pelagic longline fisheries. 5:249–256  
 Crowsight JPGM, see Harris G et al. (2009) 7:55–76  
 Cronin MA, Zuur AF, Rogan E, McConnell BJ (2009) Using mobile phone telemetry to investigate the haul-out behaviour of harbour seals *Phoca vitulina vitulina*. 10:255–267  
 Crowder LB, see Soykan CU et al. (2008) 5:91–102  
 Cruz S, see Anderson DJ et al. (2008) 5:185–192  
 Cryan PM, see Weller TJ et al. (2009) 8:129–145  
 Cuevas E, Abreu-Grobois FA, Guzmán-Hernández V, Liceaga-Correa MA, van Dam RP (2008) Post-nesting migratory movements of hawksbill turtles *Eretmochelys imbricata* in waters adjacent to the Yucatan Peninsula, Mexico. 10:123–133  
 Culioli JM, see Pascal M et al. (2008) 4:267–276  
 Currey LM, see Williams AJ et al. (2009) 9:67–79  
 Curtin AJ, Zug GR, Medica PA, Spotila JR (2008) Assessing age in the desert tortoise *Gopherus agassizii*: testing skeletochronology with individuals of known age. 5:21–27  
 Czech B, see Huettmann F (2006) 2:89–92  
 Czekala NM, see MacDonald EA et al. (2008) 4:277–281

## D

- da Fonseca GAB, see Hoffmann M et al. (2008) 6:113–125  
 Dagorn LC, see Holland KN et al. (2009) 10:287–293  
 Dahlheim ME, see Steiger GH et al. (2008) 4:247–256  
 Dann P, see Preston TJ et al. (2007) 4:95–103  
 Davenport J, see Doyle TK et al. (2007) 4:23–31  
 Davenport J, see Outerbridge ME et al. (2007) 3:181–189  
 Davies CR, see Williams AJ et al. (2009) 9:67–79  
 Davy C, see Zbinden JA et al. (2007) 3:305–312  
 Dawnay N, see Ogden R et al. (2009) 9:179–195  
 Dawson S, see Rayment W et al. (2009) 10:333–339  
 Debrot AO, see Nijman V et al. (2008) 4:241–246  
 de Freitas JA, see Nijman V et al. (2008) 4:241–246  
 de Jongh HH, Bal D (2007) Harmonization of Red Lists in Europe: some lessons learned in the Netherlands when applying the new IUCN Red List Categories and Criteria version. 3:53–60  
 Dejtardol A, see Puechmaille SJ et al. (2009) 8:15–23  
 Delgado GA, Glazer RA (2007) Interactions between translocated and native queen conch *Strombus gigas*: evaluating a restoration strategy. 3:259–266  
 Delgado J, see Pérez-Buitrago N et al. (2008) 6:55–65  
 Dendrinis P, see Karamanlidis AA et al. (2008) 5:205–213  
 de Ponte Machado M, see Mwema MM et al. (2010) 9:125–131  
 Diez CE, see Mrosovsky N et al. (2009) 8:147–155  
 Diez CE, see Van Dam RP et al. (2007) 4:85–94  
 Dimopoulos P, see Schofield G et al. (2006) 2:71–79  
 Dimopoulos P, see Schofield G et al. (2009) 10:191–202  
 Divoll T, see Evers DC et al. (2009) 7:249–256  
 Doidge DW, see Andersen LW et al. (2009) 9:197–211  
 Domingo-Roura X, see Rönn AC et al. (2009) 9:133–142

- Doucet JL, see Monticelli D et al. (2008) 4:257–266  
 Doyle TK, Houghton JDR, O'Súilleabháin PF, Hobson VJ, Marnell F, Davenport J, Hays GC (2007) Leatherback turtles satellite-tagged in European waters. 4:23–31  
 Dulvy NK, see Newson SE et al. (2008) 7:101–113  
 Dunham AE, see Reina RD et al. (2008) 7:155–161  
 Dunn JL, see Mazzaro LM (2009) 10:159–163  
 Durkee P, see Hemming JM et al. (2008) 6:95–107  
 Dutton PH, Balazs GH, LeRoux RA, Murakawa SKK, Zarate P, Martínez LS (2008) Composition of Hawaiian green turtle foraging aggregations: mtDNA evidence for a distinct regional population. 5:37–44  
 Dutton PH, see Alfaro Shigueto J et al. (2008) 5:129–135  
 Dutton PH, see Eguchi T et al. (2006) 2:7–13  
 Dutton PH, see Eguchi T et al. (2007) 3:191–203  
 Dutton PH, see Seminoff JA et al. (2007) 4:57–72

## E

- Ebanks-Petrie G, see Bell CD et al. (2006) 2:63–69  
 Ebanks-Petrie G, see Blumenthal JM et al. (2006) 2:51–61  
 Eckert SA, see Crognale MA et al. (2008) 5:249–256  
 Edmunds K, see Bunbury N et al. (2008) 9:213–220  
 Eguchi T, Gerrodette T, Pitman RL, Seminoff JA, Dutton PH (2007) At-sea density and abundance estimates of the olive ridley turtle *Lepidochelys olivacea* in the eastern tropical Pacific. 3:191–203  
 Eguchi T, Seminoff JA, Garner SA, Alexander-Garner J, Dutton PH (2006) Flipper tagging with archival data recorders for short-term assessment of diving in nesting female turtles. 2:7–13  
 Ellis MM, Weekley CW, Menges ES (2007) Evaluating stability in *Ziziphus celata*, a highly endangered clonal shrub endemic to Lake Wales Ridge, central Florida. 3:125–132  
 Enríquez PL, see Alba-Zúñiga A et al. (2009) 9:61–66  
 Epperly S, see Gardner B et al. (2008) 5:279–289  
 Epperly SP, Braun-McNeill J, Richards PM (2007) Trends in catch rates of sea turtles in North Carolina, USA. 3:283–293  
 Epperly SP, see Braun-McNeill J et al. (2008) 5:257–266  
 Espinoza EO, Baker BW, Moores TD, Voin D (2008) Forensic identification of elephant and giraffe hair artifacts using HATR FTIR spectroscopy and discriminant analysis. 9:239–246  
 Ethier D, see Gutowsky S et al. (2009) 9:247–254  
 Evans S, see Hamann M et al. (2006) 2:81–88  
 Evers DC, Graham RT, Perkins CR, Michener R, Divoll T (2009) Mercury concentrations in the goliath grouper of Belize: an anthropogenic stressor of concern. 7:249–256

## F

- Fa JE, Funk SM (2007) Global endemicity centres for terrestrial vertebrates: an ecoregions approach. 3:31–42  
 Fadely BS, see Lander ME et al. (2010) 10:145–158  
 Fajardo U, see Cossíos ED et al. (2007) 3:313–320  
 Ferreira BP, see Craig MT et al. (2008) 7:167–174  
 Field IC, see Andrews-Goff V et al. (2010) 10:83–92  
 Firestone J, see Vanderlaan ASM et al. (2009) 6:273–285  
 Fitzgerald SM, see Zador SG et al. (2008) 5:103–115  
 Foley D, see Swimmer Y et al. (2009) 10:245–254  
 Foley DG, see Seminoff JA et al. (2007) 4:57–72  
 Fonnesebeck CJ, Garrison LP, Ward-Geiger LI, Baumstark RD (2008) Bayesian hierarchical model for evaluating the risk of vessel strikes on North Atlantic right whales in the SE United States. 6:87–94

- Forchhammer MC, see Robinson RA et al. (2008) 7:87–99  
 Ford JKB, see Steiger GH et al. (2008) 4:247–256  
 Ford RE, see Gonzalez-Socoloske D et al. (2009) 8:249–257  
 Formia A, Broderick AC, Glen F, Godley BJ, Hays GC, Brufford MW (2007) Genetic composition of the Ascension Island green turtle rookery based on mitochondrial DNA: implications for sampling and diversity. 3:145–158  
 Fossette S, Corbel H, Gaspar P, Le Maho Y, Georges JY (2007) An alternative technique for the long-term satellite tracking of leatherback turtles. 4:33–41  
 Francis CM, see Robinson RA et al. (2008) 7:87–99  
 Frappell PB, see Green JA et al. (2009) 10:269–279  
 Frappier J, see Bourjea J et al. (2007) 3:273–282  
 Freeman MMR (2008) Challenges of assessing cetacean population recovery and conservation status. 6:173–184  
 Freitas MO, see Craig MT et al. (2008) 7:167–174  
 Frias-Torres S (2006) Habitat use of juvenile goliath grouper *Epinephelus itajara* in the Florida Keys, USA. 2:1–6  
 Frias-Torres S, Luo J (2008) Using dual-frequency sonar to detect juvenile goliath grouper *Epinephelus itajara* in mangrove habitat. 7:237–242  
 Frias-Torres S, see Murie DJ et al. (2008) 7:213–220  
 Frick MG, Williams KL, Bolten AB, Bjørndal KA, Martins HR (2009) Foraging ecology of oceanic-stage loggerhead turtles *Caretta caretta*. 9:91–97  
 Fritsches K, see Southwood A et al. (2008) 5:225–238  
 Fuentes MMPB, Maynard JA, Guinea M, Bell IP, Werdell PJ, Hamann M (2009) Proxy indicators of sand temperature help project impacts of global warming on sea turtles in northern Australia. 9:33–40  
 Fukui D, Okazaki K, Maeda K (2009) Diet of three sympatric insectivorous bat species on Ishigaki Island, Japan. 8:117–128  
 Fuller WJ, Broderick AC, Phillips RA, Silk JRD, Godley BJ (2007) Utility of geolocating light loggers for indicating at-sea movements in sea turtles. 4:139–146  
 Funk SM, see Fa JE (2007) 3:31–42  
 Funk SM, see Pérez-Buitrago N et al. (2008) 6:55–65

## G

- Gabriele CM, see Steiger GH et al. (2008) 4:247–256  
 Gales NG, see Campbell R et al. (2008) 5:345–358  
 Gallastegui MC, see Prellezo R (2008) 5:335–344  
 Gannon JG, see Scolardi KM et al. (2009) 9:1–11  
 Gaos A, see Peckham SH et al. (2008) 5:171–183  
 García MA, see Pérez-Buitrago N et al. (2008) 6:55–65  
 Gardner B, Sullivan PJ, Epperly S, Morreale SJ (2008) Hierarchical modeling of bycatch rates of sea turtles in the western North Atlantic. 5:279–289  
 Garin I, see Almenar D et al. (2009) 8:69–78  
 Garner SA, see Eguchi T et al. (2006) 2:7–13  
 Garret N, see Nájera-Hillman E et al. (2009) 9:23–31  
 Garrison LP, see Fonnesebeck CJ et al. (2008) 6:87–94  
 Gascon C, see Hoffmann M et al. (2008) 6:113–125  
 Gaspar P, see Fossette S et al. (2007) 4:33–41  
 Georges JY, see Fossette S et al. (2007) 4:33–41  
 Gerhardinger LC, see Craig MT et al. (2008) 7:167–174  
 Gerlach J (2008) Conservation of the Seychelles sheath-tailed bat *Coleura seychellensis* on Silhouette Island, Seychelles. 8:5–13  
 Gerrodette T, see Eguchi T et al. (2007) 3:191–203  
 Gierhart W, see Hemming JM et al. (2006) 2:37–49  
 Gilbert DJ, see Middleton DAJ et al. (2007) 3:331–334  
 Gill JA, see Robinson RA et al. (2008) 7:87–99  
 Gilles A, see Scheidat M et al. (2008) 5:215–223

- Gillespie IG, Allen EB (2008) Restoring the rare forb *Erodium macrophyllum* to exotic grassland in southern California. 5:65–72
- Gilman E, Kobayashi D, Chaloupka M (2008) Reducing seabird bycatch in the Hawaii longline tuna fishery. 5:309–323
- Gjertz I, see Andersen LW et al. (2009) 9:197–211
- Glasspool AF, see Outerbridge ME et al. (2007) 3:181–189
- Glazer RA, see Delgado GA (2007) 3:259–266
- Gleiss A, see Shepard ELC et al. (2008) 10:47–60
- Glen F, see Formia A et al. (2007) 3:145–158
- Gless JM, Salmon M, Wyneken J (2008) Behavioral responses of juvenile leatherbacks *Dermochelys coriacea* to lights used in the longline fishery. 5:239–247
- Godfrey MH, Godley BJ (2008) Seeing past the red: flawed IUCN global listings for sea turtles. 6:155–159
- Godfrey MH, Roberts DL, Godley BJ (2008) Taking it as red: an introduction to the Theme Section on the IUCN Red List of Threatened Species. 6:109–111
- Godfrey MH, see Godley BJ et al. (2007) 4:3–22
- Godfrey MH, see Hawkes LA et al. (2009) 7:137–154
- Godfrey MH, see Mrosovsky N (2008) 6:185–191
- Godley BJ (2006) Endangered Species Research—a journal on the move! 2:i–ii
- Godley BJ (2009) Incorporating climate change into endangered species conservation: Introduction. 7:85–86
- Godley BJ (2009) Forensic methods in conservation research. 9:167–168
- Godley BJ, Blumenthal JM, Broderick AC, Coyne MS, Godfrey MH, Hawkes LA, Witt MJ (2007) Satellite tracking of sea turtles: Where have we been and where do we go next? 4:3–22
- Godley BJ, Wilson RP (2008) Tracking vertebrates for conservation: Introduction. 4:1–2
- Godley BJ, see Bell CD et al. (2006) 2:63–69
- Godley BJ, see Blumenthal JM et al. (2006) 2:51–61
- Godley BJ, see Bograd SJ et al. (2010) 10:1–7
- Godley BJ, see Formia A et al. (2007) 3:145–158
- Godley BJ, see Fuller WJ et al. (2007) 4:139–146
- Godley BJ, see Godfrey MH (2008) 6:155–159
- Godley BJ, see Godfrey MH et al. (2008) 6:109–111
- Godley BJ, see Hawkes LA et al. (2009) 7:137–154
- Godley BJ, see McGowan A et al. (2006) 2:15–20
- Godley BJ, see Robinson RA et al. (2008) 7:87–99
- Godley BJ, see Tomás J et al. (2008) 5:161–169
- Goiti U, see Almenar D et al. (2009) 8:69–78
- Gomes LGL, see Nijman V et al. (2008) 4:241–246
- Gómez JA, see Martínez-Abraín A et al. (2007) 3:69–76
- Gómez Laich A, Wilson RP, Quintana F, Shepard ELC (2008) Identification of imperial cormorant *Phalacrocorax atriceps* behaviour using accelerometers. 10:29–37
- Gómez Laich A, see Shepard ELC et al. (2007) 4:157–164
- Gómez Laich A, see Shepard ELC et al. (2008) 10:47–60
- González-Sansón G, see Pina-Amargós F (2009) 7:243–247
- Gonzalez-Socoloske D, Olivera-Gomez LD, Ford RE (2009) Detection of free-ranging West Indian manatees *Trichechus manatus* using side-scan sonar. 8:249–257
- Gonzalvo J, see Bearzi G et al. (2008) 5:1–12
- Good TP, McClure MM, Sandford BP, Barnas KA, Marsh DM, Ryan BA, Casillas E (2007) Quantifying the effect of Caspian tern predation on threatened and endangered Pacific salmon in the Columbia River estuary. 3:11–21
- Gore S, see McGowan A et al. (2006) 2:15–20
- Gorham JC, see Bresette MJ et al. (2010) 9:105–116
- Goshe LR, see Avens L et al. (2009) 8:165–177
- Gozalbes P, see Tomás J et al. (2008) 5:161–169
- Grace JK, see Anderson DJ et al. (2008) 5:185–192
- Grachev IuA, see McConville AJ et al. (2009) 6:231–237
- Graham RT, Rhodes KL, Castellanos D (2009) Characterization of the goliath grouper *Epinephelus itajara* fishery of southern Belize for conservation planning. 7:195–204
- Graham RT, see Craig MT et al. (2008) 7:167–174
- Graham RT, see Evers DC et al. (2009) 7:249–256
- Graham RT, see Rhodes KL (2009) 7:163–165
- Grantham HS, Petersen SL, Possingham HP (2008) Reducing bycatch in the South African pelagic longline fishery: the utility of different approaches to fisheries closures. 5:291–299
- Grau AM, see Brotons JM et al. (2008) 5:301–308
- Green JA, White CR, Bunce A, Frappell PB, Butler PJ (2009) Energetic consequences of plunge diving in gannets. 10:269–279
- Green SL, see Vanderlaan ASM et al. (2009) 6:273–285
- Greenwood AG, see Bunbury N et al. (2008) 9:213–220
- Grizel H, see Bourjea J et al. (2007) 3:273–282
- Grizel H, see Lauret-Stepler M et al. (2007) 3:217–227
- Gröhsler T, see Thiel R et al. (2009) 8:233–247
- Groves M, see Ogden R et al. (2008) 9:255–261
- Gucu AC (2009) Preliminary study on the effects of photo traps used to monitor Mediterranean monk seal *Monachus monachus*. 10:281–285
- Guilbert J, see Ruffell J et al. (2009) 8:25–31
- Guinea M, see Fuentes MMPB et al. (2009) 9:33–40
- Gutowsky S, Janssen MH, Arcese P, Kyser TK, Ethier D, Wunder MB, Bertram DF, McFarlane Tranquilla L, Lougheed C, Norris DR (2009) Concurrent declines in nestling diet quality and reproductive success of a threatened seabird over 150 years. 9:247–254
- Guzmán-Hernández V, see Cuevas E et al. (2008) 10:123–133

## H

- Halsey LG, see Shepard ELC et al. (2008) 10:47–60
- Hamann M, Schäuble CS, Simon T, Evans S (2006) Demographic and health parameters of green sea turtles *Chelonia mydas* foraging in the Gulf of Carpentaria, Australia. 2:81–88
- Hamann M, see Fuentes MMPB et al. (2009) 9:33–40
- Hamann M, see Salmon M et al. (2009) 9:41–47
- Hammond PS, see Cañadas A (2008) 4:309–331
- Hanson MB, see Baird RW et al. (2010) 10:107–121
- Hanson MB, see Schorr GS et al. (2009) 10:203–213
- Hanuisse N, see Ropert-Coudert Y et al. (2009) 10:21–27
- Hardy R, see Bresette MJ et al. (2010) 9:105–116
- Harms CA, see Crognale MA et al. (2008) 5:249–256
- Harris G, Thirgood S, Hopcraft JGC, Crowsight JPGM, Berger J (2009) Global decline in aggregated migrations of large terrestrial mammals. 7:55–76
- Hart KM, Hyrenbach KD (2009) Satellite telemetry of marine megavertebrates: the coming of age of an experimental science. 10:9–20
- Hartmann U, see Thiel R et al. (2009) 8:233–247
- Harwood J, see Robinson RA et al. (2008) 7:87–99
- Hassrick JL, see Simmons SE et al. (2010) 10:233–243
- Hastings M, see Avens L et al. (2009) 8:165–177
- Hawkes LA, Broderick AC, Godfrey MH, Godley BJ (2009) Climate change and marine turtles. 7:137–154
- Hawkes LA, see Godley BJ et al. (2007) 4:3–22
- Hawkins AFA, see Hoffmann M et al. (2008) 6:113–125
- Hay I, see Wienecke B et al. (2009) 8:157–164
- Hayes BD, see Hayes FE et al. (2009) 6:223–229
- Hayes FE, Sanasie B, Samad I (2009) Status and conservation of the critically endangered Trinidad piping-guan *Aburria pipile*. 7:77–84

- Hayes FE, Shameerudeen CL, Sanasie B, Hayes BD, Ramjohn CL, Lucas FB (2009) Ecology and behaviour of the critically endangered Trinidad piping-guan *Aburria pipile*. 6:223–229
- Hays GC, see Doyle TK et al. (2007) 4:23–31
- Hays GC, see Formia A et al. (2007) 3:145–158
- Hays GC, see Newson SE et al. (2008) 7:101–113
- Hays GC, see Robinson RA et al. (2008) 7:87–99
- Hays GC, see Schofield G et al. (2006) 2:71–79
- Hays GC, see Schofield G et al. (2009) 10:191–202
- Hazel J, Lawler IR, Marsh H, Robson S (2007) Vessel speed increases collision risk for the green turtle *Chelonia mydas*. 3:105–113
- Hemming JM, Winger PV, Herrington SJ, Gierhart W, Herod H, Ziewitz J (2006) Water and sediment quality at mussel (Unionidae) habitats in the Ochlockonee River of Florida and Georgia. 2:37–49
- Hemming JM, Winger PV, Rauschenberger H, Herrington K, Durkee P, Scollan D (2008) Water and sediment quality survey of threatened and endangered freshwater mussel habitat in the Chipola River Basin, Florida. 6: 95–107
- Hennen DR, see Thomson JD et al. (2007) 4:195–203
- Herman LM, see Steiger GH et al. (2008) 4:247–256
- Herod H, see Hemming JM et al. (2006) 2:37–49
- Herren RM, see Brette MJ et al. (2010) 9:105–116
- Herrington K, see Hemming JM et al. (2008) 6:95–107
- Herrington SJ, see Hemming JM et al. (2006) 2:37–49
- Hildebrand JA, see McDonald MA et al. (2009) 9:13–21
- Hillers A, Loua NS, Rödel MO (2008) Assessment of the distribution and conservation status of the viviparous toad *Nimbaphrynoides occidentalis* on Monts Nimba, Guinea. 5: 13–19
- Hillhouse HL, see Stubbendieck J et al. (2010) 9:99–104
- Hilton G, see McGowan A et al. (2006) 2:15–20
- Hindell MA, see Andrews-Goff V et al. (2010) 10:83–92
- Hobson VJ, see Doyle TK et al. (2007) 4:23–31
- Hoffmann M, Brooks TM, da Fonseca GAB, Gascon C, Hawkins AFA, James RE, Langhammer P, Mittermeier RA, Pilgrim JD, Rodrigues ASL, Silva JMC (2008) Conservation planning and the IUCN Red List. 6:113–125
- Hohn AA, see Snover ML et al. (2007) 3:95–104
- Holland KN, Meyer CG, Dagorn LC (2009) Inter-animal telemetry: results from first deployment of acoustic 'business card' tags. 10:287–293
- Holley D, see Campbell R et al. (2008) 5:345–358
- Holmberg J, Norman B, Arzoumanian Z (2009) Estimating population size, structure, and residency time for whale sharks *Rhincodon typus* through collaborative photo-identification. 7:39–53
- Hopcraft JGC, see Harris G et al. (2009) 7:55–76
- Horning M, Mellish JAE (2009) Spatially explicit detection of predation on individual pinnipeds from implanted post-mortem satellite data transmitters. 10:135–143
- Horning M, see Thomson JD et al. (2007) 4:195–203
- Horrocks JA, see Beggs JA et al. (2007) 3:159–168
- Hostim-Silva M, see Craig MT et al. (2008) 7:167–174
- Houghton JDR, see Doyle TK et al. (2007) 4:23–31
- Houghton JDR, see Newson SE et al. (2008) 7:101–113
- Howell EA, Kobayashi DR, Parker DM, Balazs GH, Polovina JJ (2008) TurtleWatch: a tool to aid in the bycatch reduction of loggerhead turtles *Caretta caretta* in the Hawaii-based pelagic longline fishery. 5:267–278
- Howes BJ, Pither R, Prior KA (2009) Conservation implications should guide the application of conservation genetics research. 8:193–199
- Hristov NI, see Ammerman LK et al. (2009) 8:87–92
- Huettmann F, Czech B (2006) The steady state economy for global shorebird and habitat conservation. 2:89–92
- Hughes G, see Bourjea J et al. (2007) 3:273–282
- Huntley B, see Robinson RA et al. (2008) 7:87–99
- Hutson AM, see Newson SE et al. (2008) 7:101–113
- Hutson AM, see Robinson RA et al. (2008) 7:87–99
- Huyvaert KP, see Anderson DJ et al. (2008) 5:185–192
- Hyde JR, see Craig MT et al. (2008) 7:167–174
- Hyrenbach KD, see Hart KM (2009) 10:9–20

## I

- Ikanda D, Packer C (2008) Ritual vs. retaliatory killing of African lions in the Ngorongoro Conservation Area, Tanzania. 6:67–74
- Inman RD, Nussear KE, Tracy CR (2009) Detecting trends in desert tortoise population growth: elusive behavior inflates variance in estimates of population density. 10: 295–304
- Insley SJ, Robson BW, Yack T, Ream RR, Burgess WC (2007) Acoustic determination of activity and flipper stroke rate in foraging northern fur seal females. 4:147–155
- Irfan-Ullah M, see Kumara HN et al. (2009) 7:29–38
- Irvine L, see Bailey H et al. (2009) 10:93–106
- Isaac JL (2008) Effects of climate change on life history: implications for extinction risk in mammals. 7:115–123

## J

- Jacobs DS, see Jones G et al. (2009) 8:93–115
- Jacobs L, see Williot P et al. (2009) 6:251–257
- Jacobsen JK, see Steiger GH et al. (2008) 4:247–256
- James MC, see Sherrill-Mix SA (2007) 4:187–193
- James RE, see Hoffmann M et al. (2008) 6:113–125
- Janssen MH, see Gutowsky S et al. (2009) 9:247–254
- Jewell ZC, see Alibhai SK et al. (2007) 4:205–218
- Jiménez-Uzcátegui G, see Anderson DJ et al. (2008) 5: 185–192
- Johnson AH, see Noren DP et al. (2009) 8:179–192
- Johnson WM, see Karamanlidis AA et al. (2008) 5:205–213
- Johnsson-Glans C, see Rönn AC et al. (2009) 9:133–142
- Johnston DW, Chapla ME, Williams LE, Mattila DK (2007) Identification of humpback whale *Megaptera novaeangliae* wintering habitat in the Northwestern Hawaiian Islands using spatial habitat modeling. 3:249–257
- Johnston DW, see Baker JD et al. (2006) 2:21–30
- Jones CG, see Bunbury N et al. (2008) 9:213–220
- Jones DL, see Lara MR et al. (2009) 7:221–228
- Jones G, Jacobs DS, Kunz TH, Willig MR, Racey PA (2009) Carpe noctem: the importance of bats as bioindicators. 8:93–115
- Jones G, see Knight T (2009) 8:79–86
- Jones TT, see Avens L et al. (2009) 8:165–177
- Jonsell M, see Komonen A et al. (2008) 6:149–154

## K

- Kamel SJ, see Mrosovsky N et al. (2009) 8:147–155
- Karamanlidis AA, Androukaki E, Adamantopoulou S, Chatzisprou A, Johnson WM, Kotomatas S, Papadopoulos A, Paravas V, Paximadis G, Pires R, Tounta E, Dendrinos P (2008) Assessing accidental entanglement as a threat to the Mediterranean monk seal *Monachus monachus*. 5:205–213

- Kato A, see Preston TJ et al. (2007) 4:95–103  
 Kato A, see Ropert-Coudert Y et al. (2009) 10:21–27  
 Katsanevakis S (2004) Population ecology of the endangered fan mussel *Pinna nobilis* in a marine lake. 1:51–59  
 Katselidis KA, see Schofield G et al. (2006) 2:71–79  
 Katselidis KA, see Schofield G et al. (2009) 10:191–202  
 Kaumanns W, see Schwitzer C (2009) 8:201–209  
 Kaumanns W, see Schwitzer N et al. (2007) 3:239–247  
 Kawabata Y, see Okuyama J et al. (2009) 10:39–45  
 Keane A, see McConville AJ et al. (2009) 6:231–237  
 Kenney RD, see Vanderlaan ASM et al. (2008) 4:283–297  
 Kenney RD, see Vanderlaan ASM et al. (2009) 6:273–285  
 Kessenich TJ, see Scolardi KM et al. (2009) 9:1–11  
 Khin Khin Kyaw, see Puechmaille SJ et al. (2009) 8:15–23  
 Khin Mie Mie, see Puechmaille SJ et al. (2009) 8:15–23  
 Kinas P, see Reisser J et al. (2008) 5:73–82  
 King P, see Nájera-Hillman E et al. (2009) 9:23–31  
 King SRB, see Koprowski JL et al. (2007) 4:227–232  
 Kinne O (2004) Protecting Nature. 1:1–2  
 Kinne O (2004) Foreword to articles on IR Research. 1:3  
 Kinne O (2004) The essence of IR involvement. 1:5–6  
 Kinne O (2004) Successful re-introduction of the newts *Triturus cristatus* and *T. vulgaris*. 1:25–40  
 Kinne O (2004) 25 Years Inter-Research 1979–2004. 1:61–62  
 Kinne O, Kunert J, Zimmermann W (2004) Breeding, rearing and raising the red-bellied toad *Bombina orientalis* in the laboratory. 1:11–23  
 Kinne O, Kunert J, Zimmermann W (2004) Land and equipment. 1:7–9  
 Kipp Frohlich R, see Calleson CS (2007) 3:295–304  
 Kirkwood R, see Preston TJ et al. (2007) 4:95–103  
 Kitchens WM, see Martin J et al. (2008) 6:25–39  
 Klaumann I, see Peters E et al. (2009) 10:305–320  
 Knight T, Jones G (2009) Importance of night roosts for bat conservation: roosting behaviour of the lesser horseshoe bat *Rhinolophus hipposideros*. 8:79–86  
 Kobayashi D, see Gilman E et al. (2008) 5:309–323  
 Kobayashi DR, see Howell EA et al. (2008) 5:267–278  
 Kobayashi M, see Okuyama J et al. (2009) 10:39–45  
 Koch V, see Mancini A (2009) 7:1–10  
 Koch V, see Peckham SH et al. (2008) 5:171–183  
 Kock KH, see Scheidat M et al. (2008) 5:215–223  
 Koehn JD, Nicol SJ, McKenzie JA, Lieschke JA, Lyon JP, Pomorin K (2007) Spatial ecology of an endangered native Australian Percichthyid fish, the trout cod *Maccullochella macquariensis*. 4:219–225  
 Koelsch JK, see Scolardi KM et al. (2009) 9:1–11  
 Koenig CC, see Mann DA et al. (2008) 7:229–236  
 Koenig CC, see Murie DJ et al. (2008) 7:213–220  
 Komonen A, Jonsell M, Ranius T (2008) Red-listing saproxylic beetles in Fennoscandia: current status and future perspectives. 6:149–154  
 Koopman HN, see Swaim ZT et al. (2009) 6:259–271  
 Koprowski JL, King SRB, Merrick MJ (2007) Expanded home ranges in a peripheral population: space use by endangered Mt. Graham red squirrels. 4:227–232  
 Kotomatas S, see Karamanlidis AA et al. (2008) 5:205–213  
 Kraus SD, see Swaim ZT et al. (2009) 6:259–271  
 Krueger BH, see Beggs JA et al. (2007) 3:159–168  
 Krüger F, see Peters E et al. (2009) 10:305–320  
 Kuhn CE, see Simmons SE et al. (2010) 10:233–243  
 Kulka DW, see Benjamins S et al. (2008) 5:149–160  
 Kumar S, see Kumara HN et al. (2009) 7:29–38  
 Kumara HN, Irfan-Ullah M, Kumar S (2009) Mapping potential distribution of slender loris subspecies in peninsular India. 7:29–38  
 Kunert J, see Kinne O et al. (2004) 1:7–9  
 Kunert J, see Kinne O et al. (2004) 1:11–23  
 Kunz TH, see Ammerman LK et al. (2009) 8:87–92  
 Kunz TH, see Jones G et al. (2009) 8:93–115  
 Kyne PM, see Pillans RD et al. (2009) 10:321–332  
 Kyser TK, see Gutowsky S et al. (2009) 9:247–254
- ## L
- Ladrón de Guevara-P P, see Steiger GH et al. (2008) 4:247–256  
 Lander ME, Loughlin TR, Logsdon MG, VanBlaricom GR, Fadely BS (2010) Foraging effort of juvenile Steller sea lions *Eumetopias jubatus* with respect to heterogeneity of sea surface temperature. 10:145–158  
 Landholt LM, see Stubbendieck J et al. (2010) 9:99–104  
 Landry AM Jr, see Seney EE (2008) 4:73–84  
 Langhammer P, see Hoffmann M et al. (2008) 6:113–125  
 Lara MR, Schull J, Jones DL, Allman R (2009) Early life history stages of goliath grouper *Epinephelus itajara* (Pisces: Epinephelidae) from Ten Thousand Islands, Florida. 7:221–228  
 Larson A, see Noren DP et al. (2009) 8:179–192  
 Lauret-Stepler M, Bourjea J, Roos D, Pelletier D, Ryan PG, Ciccione S, Grizel H (2007) Reproductive seasonality and trend of *Chelonia mydas* in the SW Indian Ocean: a 20 yr study based on track counts. 3:217–227  
 Law PR, see Alibhai SK et al. (2007) 4:205–218  
 Lawler IR, see Hazel J et al. (2007) 3:105–113  
 Lawson J, see Benjamins S et al. (2008) 5:149–160  
 Leaper R, see Wienecke B et al. (2009) 8:157–164  
 Learmonth JA, see Robinson RA et al. (2008) 7:87–99  
 Le Maho Y, see Fossette S et al. (2007) 4:33–41  
 Lemckert FL, see Penman TD et al. (2007) 3:115–124  
 Lemckert FL, see Penman TD et al. (2008) 5:45–53  
 LeRoux RA, see Dutton PH et al. (2008) 5:37–44  
 Levenson DH, see Crognale MA et al. (2008) 5:249–256  
 Lewison RL, see Soykan CU et al. (2008) 5:91–102  
 Li Z, Rogers ME (2007) Censusing populations of white-headed langurs on limestone hills: problems and solutions. 3:321–329  
 Liceaga-Correa MA, see Cuevas E et al. (2008) 10:123–133  
 Liebsch N, see Shepard ELC et al. (2007) 4:157–164  
 Liebsch N, see Shepard ELC et al. (2008) 10:47–60  
 Liebsch N, see Wilson RP et al. (2007) 4:123–137  
 Lieschke JA, see Koehn JD et al. (2007) 4:219–225  
 Lilley MKS, see Schofield G et al. (2009) 10:191–202  
 Lim NTL, Ng PKL (2007) Home range, activity cycle and natal den usage of a female Sunda pangolin *Manis javanica* (Mammalia: Pholidota) in Singapore. 4:233–240  
 Linklater WL, see MacDonald EA et al. (2008) 4:277–281  
 Littnan CL, see Baker JD et al. (2006) 2:21–30  
 Locascio JV, see Mann DA et al. (2008) 7:229–236  
 Logsdon MG, see Lander ME et al. (2010) 10:145–158  
 Long JL, see Whiting SD et al. (2007) 3:1–9  
 López-Giráldez F, see Rönn AC et al. (2009) 9:133–142  
 Lorne JK, Salmon M (2007) Effects of exposure to artificial lighting on orientation of hatchling sea turtles on the beach and in the ocean. 3:23–30  
 Lorvelec O, see Pascal M et al. (2008) 4:267–276  
 Loua NS, see Hillers A et al. (2008) 5:13–19  
 Loughheed C, see Gutowsky S et al. (2009) 9:247–254  
 Loughlin TR, see Lander ME et al. (2010) 10:145–158  
 Lucas FB, see Hayes FE et al. (2009) 6:223–229  
 Lucke K, see Shepard ELC et al. (2007) 4:157–164  
 Luo J, see Frias-Torres S (2008) 7:237–242

- Lusseau D, Bain DE, Williams R, Smith JC (2009) Vessel traffic disrupts the foraging behavior of southern resident killer whales *Orcinus orca*. 6:211–221
- Lusseau D, see Williams R et al. (2009) 6:199–209
- Lyon BN, see Seminoff JA et al. (2007) 4:57–72
- Lyon JP, see Koehn JD et al. (2007) 4:219–225
- M**
- Macdonald DW, see Shepard ELC et al. (2008) 10:47–60
- Macdonald DW, see Steinfurth A et al. (2007) 4:105–112
- MacDonald EA, Linklater WL, Steinman KJ, Czekala NM (2008) Rapid colour-change pregnancy test for rhinoceros using faeces. 4:277–281
- Mackie I, see Puechmaile SJ et al. (2009) 8:15–23
- Maclean IMD, see Robinson RA et al. (2008) 7:87–99
- MacLeod CD (2009) Global climate change, range changes and potential implications for the conservation of marine cetaceans: a review and synthesis. 7:125–136
- MacLeod CD, see Newson SE et al. (2008) 7:101–113
- Madrid A, see Cossíos ED et al. (2007) 3:313–320
- Maeda K, see Fukui D et al. (2009) 8:117–128
- Mahony MJ, see Penman TD et al. (2007) 3:115–124
- Mahony MJ, see Penman TD et al. (2008) 5:45–53
- Maldonado AM, Nijman V, Bearder SK (2009) Trade in night monkeys *Aotus* spp. in the Brazil–Colombia–Peru tri-border area: international wildlife trade regulations are ineffectively enforced. 9:143–149
- Maldonado-Diaz D, see Peckham SH et al. (2008) 5:171–183
- Mancini A, Koch V (2009) Sea turtle consumption and black market trade in Baja California Sur, Mexico. 7:1–10
- Mancini A, see Peckham SH et al. (2008) 5:171–183
- Mancini PL, see Bugoni L et al. (2008) 5:137–147
- Mangel JC, see Alfaro Shigueto J et al. (2008) 5:129–135
- Mann DA, Locascio JV, Coleman FC, Koenig CC (2008) Goliath grouper *Epinephelus itajara* sound production and movement patterns on aggregation sites. 7:229–236
- Mapstone BD, see Williams AJ et al. (2009) 9:67–79
- Marcovaldi MÂ, Chaloupka M (2007) Conservation status of the loggerhead sea turtle in Brazil: an encouraging outlook. 3:133–143
- Margaritoulis D, see Zbinden JA et al. (2007) 3:305–312
- Marnell F, see Doyle TK et al. (2007) 4:23–31
- Marsh DM, see Good TP et al. (2007) 3:11–21
- Marsh H, see Hazel J et al. (2007) 3:105–113
- Marsh H, see Reynolds JE III et al. (2009) 7:23–28
- Marshall GJ, see Parrish FA et al. (2008) 4:299–308
- Martin J, Kitchens WM, Cattau CE, Oli MK (2008) Relative importance of natural disturbances and habitat degradation on snail kite population dynamics. 6:25–39
- Martínez LS, see Dutton PH et al. (2008) 5:37–44
- Martínez-Abraín A, Viedma C, Bartolomé MA, Gómez JA, Oro D (2007) Hunting sites as ecological traps for coots in southern Europe: implications for the conservation of a threatened species. 3:69–76
- Martins HR, see Frick MG et al. (2009) 9:91–97
- Mate BR, see Bailey H et al. (2009) 10:93–106
- Mattila DK, see Johnston DW et al. (2007) 3:249–257
- Maynard JA, see Fuentes MMPB et al. (2009) 9:33–40
- Mazzaro LM, Dunn JL (2009) Descriptive account of long-term health and behavior of two satellite-tagged captive harbor seals *Phoca vitulina*. 10:159–163
- McClellan CM, Read AJ (2009) Confronting the gauntlet: understanding incidental capture of green turtles through fine-scale movement studies. 10:165–179
- McClenachan L (2009) Historical declines of goliath grouper populations in South Florida, USA. 7:175–181
- McClure MM, see Good TP et al. (2007) 3:11–21
- McConnell BJ, see Cronin MA et al. (2009) 10:255–267
- McConville AJ, Grachev IuA, Keane A, Coulson T, Bekenov AB, Milner-Gulland EJ (2009) Reconstructing the observation process to correct for changing detection probability of a critically endangered species. 6:231–237
- McCracken GF, see Russell AL et al. (2008) 8:49–60
- McDonald MA, Hildebrand JA, Mesnick S (2009) Worldwide decline in tonal frequencies of blue whale songs. 9:13–21
- McDonough M, see Ammerman LK et al. (2009) 8:87–92
- McEwing R, see Ogden R et al. (2008) 9:255–261
- McEwing R, see Ogden R et al. (2009) 9:179–195
- McEwing R, see Peppin L et al. (2009) 9:263–270
- McFarlane Tranquilla L, see Gutowsky S et al. (2009) 9:247–254
- McGough HN, see Ogden R et al. (2008) 9:255–261
- McGowan A, Broderick AC, Gore S, Hilton G, Woodfield NK, Godley BJ (2006) Breeding seabirds in the British Virgin Islands. 2:15–20
- McKenzie JA, see Koehn JD et al. (2007) 4:219–225
- McMillan O, see Pérez-Buitrago N et al. (2008) 6:55–65
- McMillan WO, see Van Dam RP et al. (2007) 4:85–94
- McNaughton L, see Swimmer Y et al. (2009) 10:245–254
- McSweeney DJ, see Baird RW et al. (2010) 10:107–121
- McSweeney DJ, see Schorr GS et al. (2009) 10:203–213
- Medica PA, see Curtin AJ et al. (2008) 5:21–27
- Mellish JAE, see Horning M (2009) 10:135–143
- Mellish JAE, see Thomson JD et al. (2007) 4:195–203
- Mendes S, see Newson SE et al. (2008) 7:101–113
- Menges ES, see Ellis MM et al. (2007) 3:125–132
- Mengistu AA, see Weinsheimer F et al. (2010) 9:117–124
- Mercier D, see Williot P et al. (2009) 6:251–257
- Merrick MJ, see Koprowski JL et al. (2007) 4:227–232
- Mesnick S, see McDonald MA et al. (2009) 9:13–21
- Meyer CG, see Holland KN et al. (2009) 10:287–293
- Michaud J, Taggart CT (2007) Lipid and gross energy content of North Atlantic right whale food, *Calanus finmarchicus*, in the Bay of Fundy. 3:77–94
- Michener R, see Evers DC et al. (2009) 7:249–256
- Middleton DAJ, Starr PJ, Gilbert DJ (2007) Modelling the impact of fisheries bycatch on Hector's dolphin: comment on Slooten (2007). 3:331–334
- Miller AC, Payne BS (2007) A re-examination of the endangered Higgins eye pearl mussel *Lampsilis higginsii* in the upper Mississippi River, USA. 3:229–237
- Milner-Gulland EJ, see McConville AJ et al. (2009) 6:231–237
- Milstead WB, see Anderson DJ et al. (2008) 5:185–192
- Mittermeier RA, see Hoffmann M et al. (2008) 6:113–125
- Moat J, see Brummitt N et al. (2008) 6:127–135
- Monteiro DS, see Bugoni L et al. (2008) 5:137–147
- Monticelli D, Ramos JA, Doucet JL (2008) Influence of woodland cover on habitat selection and reproductive parameters of tropical roseate terns: implications for colony management. 4:257–266
- Moore JE, see Soykan CU et al. (2008) 5:91–102
- Moore TD, see Espinoza EO et al. (2008) 9:239–246
- Morgan DT, see Shepard ELC et al. (2008) 10:47–60
- Morreale SJ, see Gardner B et al. (2008) 5:279–289
- Moxey L, see Swimmer Y et al. (2009) 10:245–254
- Mrosovsky N, Godfrey MH (2008) The path from grey literature to Red Lists. 6:185–191
- Mrosovsky N, Kamel SJ, Diez CE, van Dam RP (2009) Methods of estimating natural sex ratios of sea turtles from incubation temperatures and laboratory data. 8:147–155
- Munilla Z, see Brotons JM et al. (2008) 5:301–308



- Murakawa SKK, see Dutton PH et al. (2008) 5:37–44  
 Murchie CD, see Williams AJ et al. (2009) 9:67–79  
 Murie DJ, Parkyn DC, Koenig CC, Coleman FC, Schull J, Frias-Torres S (2008) Evaluation of finrays as a non-lethal ageing method for protected goliath grouper *Epinephelus itajara*. 7:213–220  
 Murray KT (2009) Characteristics and magnitude of sea turtle bycatch in US mid-Atlantic gillnet gear. 8:211–224  
 Mwema MM, de Ponte Machado M, Ryan PG (2010) Breeding seabirds at Dassen Island, South Africa: chances of surviving great white pelican predation. 9:125–131  
 Myers AE, see Shepard ELC et al. (2008) 10:47–60

## N

- Naito Y, see Okuyama J et al. (2009) 10:39–45  
 Nájera-Hillman E, Alfaro AC, O'Shea S, Breen B, Garret N, King P (2009) Habitat-use model for the New Zealand endemic frog *Leiopelma hochstetteri*. 9:23–31  
 Nascimento L, see Bugoni L et al. (2008) 5:137–147  
 Nekaris KAI, see Parker L et al. (2008) 5:29–36  
 Neumann R, see Thiel R et al. (2009) 8:233–247  
 Neves TS, see Bugoni L et al. (2008) 5:137–147  
 Newman C, see Shepard ELC et al. (2008) 10:47–60  
 Newson SE, Mendes S, Crick HQP, Dulvy NK, Houghton JDR, Hays GC, Hutson AM, MacLeod CD, Pierce GJ, Robinson RA (2008) Indicators of the impact of climate change on migratory species. 7:101–113  
 Newton AC, Oldfield S (2008) Red Listing the world's tree species: a review of recent progress. 6:137–147  
 Newton P, Nguyen TV, Robertson S, Bell D (2008) Pangolins in peril: using local hunters' knowledge to conserve elusive species in Vietnam. 6:41–53  
 Ng PKL, see Lim NTL (2007) 4:233–240  
 Nguyen TV, see Newton P et al. (2008) 6:41–53  
 Nicholls D, see Peppin L et al. (2009) 9:263–270  
 Nichols WJ, see Peckham SH et al. (2008) 5:171–183  
 Nicol SJ, see Koehn JD et al. (2007) 4:219–225  
 Nielsen A, see Swimmer Y et al. (2009) 10:245–254  
 Nijman V, Aliabadian M, Debrot AO, de Freitas JA, Gomes LGL, Prins TG, Vonk R (2008) Conservation status of Caribbean coot *Fulica caribaea* in the Netherlands Antilles and other parts of the Caribbean. 4:241–246  
 Nijman V, Yang Martinez C, Shepherd CR (2009) Saved from trade: donated and confiscated gibbons in zoos and rescue centres in Indonesia. 9:151–157  
 Nijman V, see Maldonado AM et al. (2009) 9:143–149  
 Nijman V, see Parker L et al. (2008) 5:29–36  
 Norberg SE, see Skinner JP et al. (2009) 10:61–69  
 Noren DP, Johnson AH, Rehder D, Larson A (2009) Close approaches by vessels elicit surface active behaviors by southern resident killer whales. 8:179–192  
 Norman B, see Holmberg J et al. (2009) 7:39–53  
 Norris DR, see Gutowsky S et al. (2009) 9:247–254  
 Nussear KE, see Inman RD et al. (2009) 10:295–304  
 Nwe T, see Puechmaille SJ et al. (2009) 8:15–23

## O

- Ogden R, Dawnay N, McEwing R (2009) Wildlife DNA forensics—bridging the gap between conservation genetics and law enforcement. 9:179–195  
 Ogden R, McGough HN, Cowan RS, Chua L, Groves M, McEwing R (2008) SNP-based method for the genetic identification of ramin *Gonystylus* spp. timber and

- products: applied research meeting CITES enforcement needs. 9:255–261  
 Ogden R, see Peppin L et al. (2009) 9:263–270  
 Okazaki K, see Fukui D et al. (2009) 8:117–128  
 Okuyama J, Kawabata Y, Naito Y, Arai N, Kobayashi M (2009) Monitoring beak movements with an acceleration datalogger: a useful technique for assessing the feeding and breathing behaviors of sea turtles. 10:39–45  
 Okuyama J, Shimizu T, Abe O, Yoseda K, Arai N (2010) Wild versus head-started hawksbill turtles *Eretmochelys imbricata*: post-release behavior and feeding adaptations. 10:181–190  
 Oldfield S, see Newton AC (2008) 6:137–147  
 Oli MK, see Martin J et al. (2008) 6:25–39  
 Olivera-Gomez LD, see Gonzalez-Socoloske D et al. (2009) 8:249–257  
 Oro D, see Martínez-Abraín A et al. (2007) 3:69–76  
 O'Shea S, see Nájera-Hillman E et al. (2009) 9:23–31  
 O'Shea TJ, see Weller TJ et al. (2009) 8:129–145  
 O'Suilleabháin PF, see Doyle TK et al. (2007) 4:23–31  
 Outerbridge ME, Davenport J, Glasspool AF (2007) Distribution, population assessment and conservation of the endemic Bermuda killifishes *Fundulus bermudae* and *Fundulus relictus*. 3:181–189  
 Owens DW, see Blanvillain G et al. (2008) 6:75–85

## P

- Packer C, see Ikanda D (2008) 6:67–74  
 Palacios DM, see Bailey H et al. (2009) 10:93–106  
 Paladino FV, see Price ER et al. (2004) 1:41–48  
 Paladino FV, see Reina RD et al. (2008) 7:155–161  
 Paladino FV, see Shillinger GL et al. (2010) 10:215–232  
 Pantis JD, see Schofield G et al. (2006) 2:71–79  
 Pantis JD, see Schofield G et al. (2009) 10:191–202  
 Papadopoulos A, see Karamanlidis AA et al. (2008) 5:205–213  
 Paravas V, see Karamanlidis AA et al. (2008) 5:205–213  
 Parker D, see Seminoff JA et al. (2007) 4:57–72  
 Parker DM, see Howell EA et al. (2008) 5:267–278  
 Parker L, Nijman V, Nekaris KAI (2008) When there is no forest left: fragmentation, local extinction, and small population sizes in the Sri Lankan western purple-faced langur. 5:29–36  
 Parkyn DC, see Murie DJ et al. (2008) 7:213–220  
 Parrish FA, Marshall GJ, Buhleier B, Antonelis GA (2008) Foraging interaction between monk seals and large predatory fish in the Northwestern Hawaiian Islands. 4:299–308  
 Parrish JK, see Zador SG et al. (2008) 5:103–115  
 Parsons S, see Ruffell J (2009) 8:33–39  
 Parsons S, see Ruffell J et al. (2009) 8:25–31  
 Pascal M, Lorvelec O, Bretagnolle V, Culioli JM (2008) Improving the breeding success of a colonial seabird: a cost-benefit comparison of the eradication and control of its rat predator. 4:267–276  
 Paximadis G, see Karamanlidis AA et al. (2008) 5:205–213  
 Payne BS, see Miller AC (2007) 3:229–237  
 Pease AP, see Blanvillain G et al. (2008) 6:75–85  
 Peck SL, see Rasmussen JE et al. (2009) 8:225–232  
 Peckham SH, Maldonado-Diaz D, Koch V, Mancini A, Gaos A, Tinker MT, Nichols WJ (2008) High mortality of loggerhead turtles due to bycatch, human consumption and strandings at Baja California Sur, Mexico, 2003 to 2007. 5:171–183  
 Pelard M, see Williot P et al. (2009) 6:251–257  
 Pelletier D, see Lauret-Stepler M et al. (2007) 3:217–227  
 Penman TD, Lemckert FL, Mahony MJ (2008) Applied con-

- ervation management of a threatened forest dependent frog, *Heleioporus australiacus*. 5:45–53
- Penman TD, Mahony MJ, Towerton AL, Lemckert FL (2007) Spatial models of giant burrowing frog distributions. 3:115–124
- Peppin L, McEwing R, Webster S, Rogers A, Nicholls D, Ogden R (2009) Development of a field test for the detection of illegal bear products. 9:263–270.
- Pérez F, see Copello S et al. (2008) 6:15–23
- Pérez-Buitrago N, García MA, Sabat A, Delgado J, Álvarez A, Mcmillan O, Funk SM (2008) Do headstart programs work? Survival and body condition in headstarted Mona Island iguanas *Cyclura cornuta stejnegeri*. 6:55–65
- Perkins CR, see Evers DC et al. (2009) 7:249–256
- Peters E, Brinkmann I, Krüger F, Zwirlein S, Klaumann I (2009) Reintroduction of the European mink *Mustela lutreola* in Saarland, Germany. Preliminary data on the use of space and activity as revealed by radio-tracking and live-trapping. 10:305–320
- Petersen SL, Phillips RA, Ryan PG, Underhill LG (2008) Albacross overlap with fisheries in the Benguela Upwelling System: implications for conservation and management. 5:117–127
- Petersen SL, see Grantham HS et al. (2008) 5:291–299
- Phillips RA, see Fuller WJ et al. (2007) 4:139–146
- Phillips RA, see Petersen SL et al. (2008) 5:117–127
- Piedra R, see Price ER et al. (2004) 1:41–48
- Piedra R, see Shillinger GL et al. (2010) 10:215–232
- Pierce GJ, see Newson SE et al. (2008) 7:101–113
- Pierce GJ, see Robinson RA et al. (2008) 7:87–99
- Pilcher N (2004) To fix or not to fix? A review of Mrosovsky's 'Predicting extinction'. 1:49–50
- Pilgrim JD, see Hoffmann M et al. (2008) 6:113–125
- Pillans RD, Stevens JD, Kyne PM, Salini J (2009) Observations on the distribution, biology, short-term movements and habitat requirements of river sharks *Glyphis* spp. in northern Australia. 10:321–332
- Pina-Amargós F, González-Sansón G (2009) Movement patterns of goliath grouper *Epinephelus itajara* around south-east Cuba: implications for conservation. 7:243–247
- Pinaud D, see Thiebot JB (2010) 10:341–353
- Pinhal D, see Chapman DD et al. (2009) 9:221–228
- Pires R, see Karamanlidis AA et al. (2008) 5:205–213
- Piroddi C, see Bearzi G et al. (2008) 5:1–12
- Pither R, see Howes BJ et al. (2009) 8:193–199
- Pitman RL, see Eguchi T et al. (2007) 3:191–203
- Piyapan P, see Puechmaille SJ et al. (2009) 8:15–23
- Politi E, see Bearzi G et al. (2008) 5:1–12
- Polovina JJ, see Howell EA et al. (2008) 5:267–278
- Pomarin K, see Koehn JD et al. (2007) 4:219–225
- Possingham HP, see Grantham HS et al. (2008) 5:291–299
- Pratt HL, Jr, see Whitney NM et al. (2010) 10:71–82
- Pratt TC, see Whitney NM et al. (2010) 10:71–82
- Prellezo R, Gallastegui MC (2008) Gear-selectivity-based regulation in a mixed fishery. 5:335–344
- Preston TJ, Ropert-Coudert Y, Kato A, Chiaradia A, Kirkwood R, Dann P, Reina RD (2007) Foraging behaviour of little penguins *Eudyptula minor* in an artificially modified environment. 4:95–103
- Price ER, Wallace BP, Reina RD, Spotila JR, Paladino FV, Piedra R, Vélez E (2004) Size, growth, and reproductive output of adult female leatherback turtles *Dermochelys coriacea*. 1:41–48
- Prince E, see Beerkircher L et al. (2009) 9:81–90
- Prins TG, see Nijman V et al. (2008) 4:241–246
- Prior KA, see Howes BJ et al. (2009) 8:193–199
- Proaño CB, see Anderson DJ et al. (2008) 5:185–192
- Proietti M, see Reisser J et al. (2008) 5:73–82
- Puechmaille SJ, Soisook P, Yokubol M, Piyapan P, Ar Gouilh M, Khin Mie Mie, Khin Khin Kyaw, Mackie I, Bumrungrsri S, Dejaradol A, Nwe T, Si Si Hla Bu, Satasook C, Bates PJ, Teeling EC (2009) Population size, distribution, threats and conservation status of two endangered bat species *Craseonycteris thonglongyai* and *Hipposideros turpis*. 8:15–23
- Punt AE, see Zador SG et al. (2008) 5:103–115

## Q

- Quillard M, see Bourjea J et al. (2007) 3:273–282
- Quintana F, see Copello S et al. (2008) 6:15–23
- Quintana F, see Gómez Laich A et al. (2008) 10:29–37
- Quintana F, see Shepard ELC et al. (2007) 4:157–164
- Quintana F, see Shepard ELC et al. (2008) 10:47–60

## R

- Racey PA (2009) Bats: status, threats and conservation successes. 8:1–3
- Racey PA, see Jones G et al. (2009) 8:93–115
- Raga JA, see Tomás J et al. (2008) 5:161–169
- Ragen TJ, see Reynolds JE III et al. (2009) 7:23–28
- Rainho A, see Rebelo H (2008) 8:61–68
- Ramjohn CL, see Hayes FE et al. (2009) 6:223–229
- Ramos JA, see Monticelli D et al. (2008) 4:257–266
- Rangel-Salazar JL, see Alba-Zúñiga A et al. (2009) 9:61–66
- Ranius T, see Komonen A et al. (2008) 6:149–154
- Rasmussen JE, Belk MC, Peck SL (2009) Endangered species augmentation: a case study of alternative rearing methods. 8:225–232
- Rassoulzadegan F, see Weinbauer MG (2007) 3:205–215
- Rauschenberger H, see Hemming JM et al. (2008) 6:95–107
- Rayment W, Dawson S, Slooten L (2009) Use of T-PODs for acoustic monitoring of *Cephalorhynchus* dolphins: a case study with Hector's dolphins in a marine protected area. 10:333–339
- Read AJ, see McClellan CM (2009) 10:165–179
- Ream RR, see Insley SJ et al. (2007) 4:147–155
- Rebelo H, Rainho A (2008) Bat conservation and large dams: spatial changes in habitat use caused by Europe's largest reservoir. 8:61–68
- Reeves RR, see Bearzi G et al. (2008) 5:1–12
- Rehder D, see Noren DP et al. (2009) 8:179–192
- Rehfishch MM, see Robinson RA et al. (2008) 7:87–99
- Reina RD, Spotila JR, Paladino FV, Dunham AE (2008) Changed reproductive schedule of eastern Pacific leatherback turtles *Dermochelys coriacea* following the 1997–98 El Niño to La Niña transition. 7:155–161
- Reina RD, see Amorochio DF (2007) 3:43–51
- Reina RD, see Preston TJ et al. (2007) 4:95–103
- Reina RD, see Price ER et al. (2004) 1:41–48
- Reisser J, Proietti M, Kinas P, Sazima I (2008) Photographic identification of sea turtles: method description and validation, with an estimation of tag loss. 5:73–82
- Rendell L, see Brotons JM et al. (2008) 5:301–308
- Restrepo V, see Beerkircher L et al. (2009) 9:81–90
- Reynolds JE III, Marsh H, Ragen TJ (2009) Marine mammal conservation. 7:23–28
- Reynolds JE III, see Scolardi KM et al. (2009) 9:1–11
- Rhodes KL, Graham RT (2009) Range-wide status and conservation of the goliath grouper *Epinephelus itajara*: Introduction. 7:163–165

- Rhodes KL, see Graham RT et al. (2009) 7:195–204  
 Richards AJ, see Blanvillain G et al. (2008) 6:75–85  
 Richards PM, see Epperly SP et al. (2007) 3:283–293  
 Riel P, see Thiel R et al. (2009) 8:233–247  
 Rivero C, see Braun-McNeill J et al. (2008) 5:257–266  
 Roberton S, see Newton P et al. (2008) 6:41–53  
 Roberts DL, see Godfrey MH et al. (2008) 6:109–111  
 Robertson DR, see Craig MT et al. (2008) 7:167–174  
 Robinson PW, see Simmons SE et al. (2010) 10:233–243  
 Robinson RA, Crick HQP, Learmonth JA, Maclean IMD, Thomas CD, Bairlein F, Forchhammer MC, Francis CM, Gill JA, Godley BJ, Harwood J, Hays GC, Huntley B, Hutson AM, Pierce GJ, Rehfish MM, Sims DW, Santos MB, Sparks TH, Stroud DA, Visser ME (2008) Travelling through a warming world: climate change and migratory species. 7:87–99  
 Robinson RA, see Newson SE et al. (2008) 7:101–113  
 Robson BW, see Insley SJ et al. (2007) 4:147–155  
 Robson S, see Hazel J et al. (2007) 3:105–113  
 Rödder D, see Weinsheimer F et al. (2010) 9:117–124  
 Rödel MO, see Hillers A et al. (2008) 5:13–19  
 Rodrigues ASL, see Hoffmann M et al. (2008) 6:113–125  
 Rodríguez JP (2008) National Red Lists: the largest global market for IUCN Red List Categories and Criteria. 6: 193–198  
 Rogan E, see Cronin MA et al. (2009) 10:255–267  
 Rogers A, see Peppin L et al. (2009) 9:263–270  
 Rogers ME, see Li Z (2007) 3:321–329  
 Rolland RM, see Swaim ZT et al. (2009) 6:259–271  
 Rönn AC, Andrés O, López-Giráldez F, Johnsson-Glans C, Verschoor EJ, Domingo-Roura X, Bruford MW, Syvänen AC, Bosch M (2009) First generation microarray-system for identification of primate species subject to bushmeat trade. 9:133–142  
 Roos D, see Bourjea J et al. (2007) 3:273–282  
 Roos D, see Lauret-Steppler M et al. (2007) 3:217–227  
 Ropert-Coudert Y, Beaulieu M, Hanuise N, Kato A (2009) Diving into the world of biologging. 10:21–27  
 Ropert-Coudert Y, see Preston TJ et al. (2007) 4:95–103  
 Rostal DC, see Blanvillain G et al. (2008) 6:75–85  
 Rouault T, see Williot P et al. (2009) 6:251–257  
 Rubio C, see Shaver DJ (2007) 4:43–55  
 Rudd MA (2009) National values for regional aquatic species at risk in Canada. 6:239–249  
 Ruffell J, Guilbert J, Parsons S (2009) Translocation of bats as a conservation strategy: previous attempts and potential problems. 8:25–31  
 Ruffell J, Parsons S (2009) Assessment of the short-term success of a translocation of lesser short-tailed bats *Mystacina tuberculata*. 8:33–39  
 Russell AL, Butchkoski CM, Saidak L, McCracken GF (2008) Road-killed bats, highway design, and the commuting ecology of bats. 8:49–60  
 Ryan BA, see Good TP et al. (2007) 3:11–21  
 Ryan PG, see Lauret-Steppler M et al. (2007) 3:217–227  
 Ryan PG, see Mwema MM et al. (2010) 9:125–131  
 Ryan PG, see Petersen SL et al. (2008) 5:117–127  
 Salmon M, Hamann M, Wyneken J, Schauble C (2009) Early swimming activity of hatchling flatback sea turtles *Natator depressus*: a test of the 'predation risk' hypothesis. 9: 41–47  
 Salmon M, see Gless JM et al. (2008) 5:239–247  
 Salmon M, see Lorne JK (2007) 3:23–30  
 Salsamendi E, see Almenar D et al. (2009) 8:69–78  
 Samad I, see Hayes FE et al. (2009) 7:77–84  
 Sanasie B, see Hayes FE et al. (2009) 6:223–229  
 Sanasie B, see Hayes FE et al. (2009) 7:77–84  
 Sandford BP, see Good TP et al. (2007) 3:11–21  
 Santos MB, see Robinson RA et al. (2008) 7:87–99  
 Sasso CR, see Braun-McNeill J et al. (2008) 5:257–266  
 Satasook C, see Puechmaille SJ et al. (2009) 8:15–23  
 Sawmy S, see Bunbury N et al. (2008) 9:213–220  
 Sazima I, see Reisser J et al. (2008) 5:73–82  
 Schauble C, see Salmon M et al. (2009) 9:41–47  
 Schäuble CS, see Hamann M et al. (2006) 2:81–88  
 Scheidat M, Gilles A, Kock KH, Siebert U (2008) Harbour porpoise *Phocoena phocoena* abundance in the southwestern Baltic Sea. 5:215–223  
 Schmidt CD, see Stubbendieck J et al. (2010) 9:99–104  
 Schmidt TW, see Cass-Calay SL (2008) 7:183–193  
 Schofield G, Katselidis KA, Dimopoulos P, Pantis JD, Hays GC (2006) Behaviour analysis of the loggerhead sea turtle *Caretta caretta* from direct in-water observation. 2:71–79  
 Schofield G, Lilley MKS, Bishop CM, Brown P, Katselidis KA, Dimopoulos P, Pantis JD, Hays GC (2009) Conservation hotspots: implications of intense spatial area use by breeding male and female loggerheads at the Mediterranean's largest rookery. 10:191–202  
 Schorr GS, Baird RW, Hanson MB, Webster DL, McSweeney DJ, Andrews RD (2009) Movements of satellite-tagged Blainville's beaked whales off the island of Hawai'i. 10: 203–213  
 Schorr GS, see Baird RW et al. (2010) 10:107–121  
 Schroeder B, see Van Dam RP et al. (2007) 4:85–94  
 Schull J, see Brusher JH (2008) 7:205–212  
 Schull J, see Lara MR et al. (2009) 7:221–228  
 Schull J, see Murie DJ et al. (2008) 7:213–220  
 Schwacke LH, see Scolardi KM et al. (2009) 9:1–11  
 Schwitzer C, Kaumanns W (2009) Litter size, infant mortality and female body weight in captive black-and-white ruffed lemurs *Varecia variegata*. 8:201–209  
 Schwitzer C, see Schwitzer N et al. (2007) 3:239–247  
 Schwitzer N, Kaumanns W, Seitz PC, Schwitzer C (2007) Cathemeral activity patterns of the blue-eyed black lemur *Eulemur macaco flavifrons* in intact and degraded forest fragments. 3:239–247  
 Scolardi KM, Schwacke LH, Koelsch JK, Reynolds JE III, Kessenich TJ, Sprinkel JM, Gannon JG (2009) Trends in counts of manatees *Trichechus manatus latirostris* from 1987 to 2006 in waters of Sarasota County, Florida, USA. 9:1–11  
 Scollan D, see Hemming JM et al. (2008) 6:95–107  
 Segars AL, see Blanvillain G et al. (2008) 6:75–85  
 Seitz PC, see Schwitzer N et al. (2007) 3:239–247  
 Seminoff JA, Zárata P, Coyne M, Foley DG, Parker D, Lyon BN, Dutton PH (2007) Post-nesting migrations of Galápagos green turtles *Chelonia mydas* in relation to oceanographic conditions: integrating satellite telemetry with remotely sensed ocean data. 4:57–72  
 Seminoff JA, see Alfaro Shigueto J et al. (2008) 5:129–135  
 Seminoff JA, see Eguchi T et al. (2006) 2:7–13  
 Seminoff JA, see Eguchi T et al. (2007) 3:191–203  
 Seney EE, Landry AM Jr (2008) Movements of Kemp's ridley sea turtles nesting on the upper Texas coast: implications for management. 4:73–84

## S

- Saba VS, see Wallace BP (2009) 7:11–21  
 Sabat A, see Pérez-Buitrago N et al. (2008) 6:55–65  
 Safina C, see Soykan CU et al. (2008) 5:91–102  
 Saidak L, see Russell AL et al. (2008) 8:49–60  
 Salden DR, see Steiger GH et al. (2008) 4:247–256  
 Salini J, see Pillans RD et al. (2009) 10:321–332

- Serafy J, see Beerkircher L et al. (2009) 9:81–90
- Serdynska AR, see Vanderlaan ASM et al. (2008) 4:283–297
- Shameerudeen CL, see Hayes FE et al. (2009) 6:223–229
- Shaver DJ, Rubio C (2007) Post-nesting movement of wild and head-started Kemp's ridley sea turtles *Lepidochelys kempii* in the Gulf of Mexico. 4:43–55
- Shepard ELC, Wilson RP, Liebsch N, Quintana F, Gómez Laich A, Lucke K (2007) Flexible paddle sheds new light on speed: a novel method for the remote measurement of swim speed in aquatic animals. 4:157–164
- Shepard ELC, Wilson RP, Quintana F, Gómez Laich A, Liebsch N, Albareda DA, Halsey LG, Gleiss A, Morgan DT, Myers AE, Newman C, Macdonald DW (2008) Identification of animal movement patterns using tri-axial accelerometry. 10:47–60
- Shepard ELC, see Gómez Laich A et al. (2008) 10:29–37
- Shepard ELC, see Wilson RP et al. (2007) 4:123–137
- Shepherd CR, see Nijman V et al. (2009) 9:151–157
- Sherrill-Mix SA, James MC (2007) Evaluating potential tagging effects on leatherback sea turtles. 4:187–193
- Shillinger GL, Swithenbank AM, Bograd SJ, Bailey H, Castleton MR, Wallace BP, Spotila JR, Paladino FV, Piedra R, Block BA (2010) Identification of high-use internesting habitats for eastern Pacific leatherback turtles: role of the environment and implications for conservation. 10:215–232
- Shimizu T, see Okuyama J et al. (2010) 10:181–190
- Shivji M, see Beerkircher L et al. (2009) 9:81–90
- Shivji MS, see Chapman DD et al. (2009) 9:221–228
- Si Si Hla Bu, see Puechmaille SJ et al. (2009) 8:15–23
- Siebert U, see Scheidat M et al. (2008) 5:215–223
- Silk JRD, see Fuller WJ et al. (2007) 4:139–146
- Silva JMC, see Hoffmann M et al. (2008) 6:113–125
- Simmons SE, Crocker DE, Hassrick JL, Kuhn CE, Robinson PW, Tremblay Y, Costa DP (2010) Climate-scale hydrographic features related to foraging success in a capital breeder, the northern elephant seal *Mirounga angustirostris*. 10:233–243
- Simon T, see Hamann M et al. (2006) 2:81–88
- Simpfendorfer CA, see Williams AJ et al. (2009) 9:67–79
- Sims DW, see Robinson RA et al. (2008) 7:87–99
- Skinner JP, Norberg SE, Andrews RD (2009) Head striking during fish capture attempts by Steller sea lions and the potential for using head surge acceleration to predict feeding behavior. 10:61–69
- Slooten E (2007) Conservation management in the face of uncertainty: effectiveness of four options for managing Hector's dolphin bycatch. 3:169–179
- Slooten E (2007) Criticism is unfounded: reply to Middleton et al. (2007). 3:335–339
- Slooten L, see Rayment W et al. (2009) 10:333–339
- Smith JC, see Lusseau D et al. (2009) 6:211–221
- Smith JC, see Williams R et al. (2009) 6:199–209
- Smokorowski KE, see Colotelo AH et al. (2009) 9:169–178
- Snover ML, Avens L, Hohn AA (2007) Back-calculating length from skeletal growth marks in loggerhead sea turtles *Caretta caretta*. 3:95–104
- Soisook P, see Puechmaille SJ et al. (2009) 8:15–23
- Solomon JL, see Bell CD et al. (2006) 2:63–69
- Solomon JL, see Blumenthal JM et al. (2006) 2:51–61
- Southwood A, Fritsches K, Brill R, Swimmer Y (2008) Sound, chemical, and light detection in sea turtles and pelagic fishes: sensory-based approaches to bycatch reduction in longline fisheries. 5:225–238
- Soykan CU, Moore JE, Żydelis R, Crowder LB, Safina C, Lewison RL (2008) Why study bycatch? An introduction to the Theme Section on fisheries bycatch. 5:91–102
- Sparks TH, see Robinson RA et al. (2008) 7:87–99
- Spindler M, see Steinfurth A et al. (2007) 4:105–112
- Spotila JR, see Curtin AJ et al. (2008) 5:21–27
- Spotila JR, see Price ER et al. (2004) 1:41–48
- Spotila JR, see Reina RD et al. (2008) 7:155–161
- Spotila JR, see Shillinger GL et al. (2010) 10:215–232
- Spratte S, see Thiel R et al. (2009) 8:233–247
- Sprinkel JM, see Scolardi KM et al. (2009) 9:1–11
- Starr PJ, see Middleton DAJ et al. (2007) 3:331–334
- Steiger GH, Calambokidis J, Straley JM, Herman LM, Cerchio S, Salden DR, Urbán-R J, Jacobsen JK, von Ziegesar O, Balcomb KC, Gabriele CM, Dahlheim ME, Uchida S, Ford JKB, Ladrón de Guevara-P P, Yamaguchi M, Barlow J (2008) Geographic variation in killer whale attacks on humpback whales in the North Pacific: implications for predation pressure. 4:247–256
- Steinfurth A, Vargas FH, Wilson RP, Spindler M, Macdonald DW (2007) Space use by foraging Galápagos penguins during chick rearing. 4:105–112
- Steinman KJ, see MacDonald EA et al. (2008) 4:277–281
- Stevens JD, see Pillans RD et al. (2009) 10:321–332
- Stidworthy MF, see Bunbury N et al. (2008) 9:213–220
- Straley JM, see Steiger GH et al. (2008) 4:247–256
- Stroud DA, see Robinson RA et al. (2008) 7:87–99
- Stubbendieck J, Schmidt CD, Hillhouse HL, Landholt LM (2010) Influences of wind and sandblasting on the endangered blowout penstemon. 9:99–104
- Sullivan PJ, see Gardner B et al. (2008) 5:279–289
- Swaim ZT, Westgate AJ, Koopman HN, Rolland RM, Kraus SD (2009) Metabolism of ingested lipids by North Atlantic right whales. 6:259–271
- Swimmer Y, McNaughton L, Foley D, Moxey L, Nielsen A (2009) Movements of olive ridley sea turtles *Lepidochelys olivacea* and associated oceanographic features as determined by improved light-based geolocation. 10:245–254
- Swimmer Y, see Southwood A et al. (2008) 5:225–238
- Swithenbank AM, see Shillinger GL et al. (2010) 10:215–232
- Syvänen AC, see Rönn AC et al. (2009) 9:133–142

## T

- Taggart CT, see Michaud J (2007) 3:77–94
- Taggart CT, see Vanderlaan ASM et al. (2008) 4:283–297
- Taggart CT, see Vanderlaan ASM et al. (2009) 6:273–285
- Taylor JC, see Avens L et al. (2009) 8:165–177
- Teeling EC, see Puechmaille SJ et al. (2009) 8:15–23
- Teilmann J, see Tougaard J et al. (2007) 4:113–122
- Thiebot JB, Pinaud D (2010) Quantitative method to estimate species habitat use from light-based geolocation data. 10:341–353
- Thiel R, Winkler HM, Riel P, Neumann R, Gröhsler T, Böttcher U, Spratte S, Hartmann U (2009) Endangered anadromous lampreys in the southern Baltic Sea: spatial distribution, long-term trend, population status. 8:233–247
- Thirgood S, see Harris G et al. (2009) 7:55–76
- Thomas CD, see Robinson RA et al. (2008) 7:87–99
- Thomson JD, Mellish JAE, Hennen DR, Horning M (2007) Juvenile Steller sea lion dive behavior following temporary captivity. 4:195–203
- Tinker MT, see Peckham SH et al. (2008) 5:171–183
- Tomás J, Gozalbes P, Raga JA, Godley BJ (2008) Bycatch of loggerhead sea turtles: insights from 14 years of stranding data. 5:161–169
- Torres RA, see Craig MT et al. (2008) 7:167–174

- Tougaard J, Teilmann J, Tougaard S (2007) Harbour seal spatial distribution estimated from Argos satellite telemetry: overcoming positioning errors. 4:113–122
- Tougaard S, see Tougaard J et al. (2007) 4:113–122
- Tounta E, see Karamanlidis AA et al. (2008) 5:205–213
- Towerton AL, see Penman TD et al. (2007) 3:115–124
- Tracy CR, see Inman RD et al. (2009) 10:295–304
- Traxler SL, see Bresette MJ et al. (2010) 9:105–116
- Tremblay RL (2008) Ecological correlates and short-term effects of relocation of a rare epiphytic orchid after Hurricane Georges. 5:83–90
- Tremblay Y, see Simmons SE et al. (2010) 10:233–243
- U**
- Uchida S, see Steiger GH et al. (2008) 4:247–256
- Underhill LG, see Petersen SL et al. (2008) 5:117–127
- Urbán-R J, see Steiger GH et al. (2008) 4:247–256
- V**
- Van Dam RP, Diez CE, Balazs GH, Colón Colón LA, McMillan WO, Schroeder B (2007) Sex-specific migration patterns of hawksbill turtles breeding at Mona Island, Puerto Rico. 4:85–94
- van Dam RP, see Cuevas E et al. (2008) 10:123–133
- van Dam RP, see Mrosovsky N et al. (2009) 8:147–155
- van den Hoff J, see Wienecke B et al. (2009) 8:157–164
- VanBlaricom GR, see Lander ME et al. (2010) 10:145–158
- Vanderlaan ASM, Corbett JJ, Green SL, Callahan JA, Wang C, Kenney RD, Taggart CT, Firestone J (2009) Probability and mitigation of vessel encounters with North Atlantic right whales. 6:273–285
- Vanderlaan ASM, Taggart CT, Serdynska AR, Kenney RD, Brown MW (2008) Reducing the risk of lethal encounters: vessels and right whales in the Bay of Fundy and on the Scotian Shelf. 4:283–297
- Vargas FH, see Steinfurth A et al. (2007) 4:105–112
- Vélez E, see Price ER et al. (2004) 1:41–48
- Ventosa-Febles EA (2007) Distribution and habitat characteristics of *Trichilia triacantha* (Meliaceae) in Puerto Rico. 3:267–271
- Verschoor EJ, see Rönn AC et al. (2009) 9:133–142
- Viedma C, see Martínez-Abraín A et al. (2007) 3:69–76
- Visser ME, see Robinson RA et al. (2008) 7:87–99
- Voin D, see Espinoza EO et al. (2008) 9:239–246
- Vonk R, see Nijman V et al. (2008) 4:241–246
- von Ziegesar O, see Steiger GH et al. (2008) 4:247–256
- W**
- Wade PR, see Bradford AL et al. (2008) 6:1–14
- Wallace BP, Saba VS (2009) Environmental and anthropogenic impacts on intra-specific variation in leatherback turtles: opportunities for targeted research and conservation. 7:11–21
- Wallace BP, see Price ER et al. (2004) 1:41–48
- Wallace BP, see Shillinger GL et al. (2010) 10:215–232
- Wang C, see Vanderlaan ASM et al. (2009) 6:273–285
- Waples RS, see Andersen LW et al. (2009) 9:197–211
- Ward-Geiger LI, see Fonnesebeck CJ et al. (2008) 6:87–94
- Webb GJW (2008) The dilemma of accuracy in IUCN Red List categories, as exemplified by hawksbill turtles *Eretmochelys imbricata*. 6:161–172
- Webster DL, see Baird RW et al. (2010) 10:107–121
- Webster DL, see Schorr GS et al. (2009) 10:203–213
- Webster S, see Peppin L et al. (2009) 9:263–270
- Weekley CW, see Ellis MM et al. (2007) 3:125–132
- Weinbauer MG, Rassoulzadegan F (2007) Extinction of microbes: evidence and potential consequences. 3:205–215
- Weinberger IC, Bontadina F, Arlettaz R (2009) Translocation as a conservation tool to supplement relic bat colonies: a pioneer study with endangered horseshoe bats. 8:41–48
- Weinsheimer F, Mengistu AA, Rödder D (2010) Potential distribution of threatened *Leptopelis* spp. (Anura, Arthropelidae) in Ethiopia derived from climate and land-cover data. 9:117–124
- Welch DJ, see Williams AJ et al. (2009) 9:67–79
- Weller DW, see Bradford AL et al. (2008) 6:1–14
- Weller TJ, Cryan PM, O'Shea TJ (2009) Broadening the focus of bat conservation and research in the USA for the 21st century. 8:129–145
- Werdell PJ, see Fuentes MMPB et al. (2009) 9:33–40
- Westgate AJ, see Swaim ZT et al. (2009) 6:259–271
- Wheatley KE, see Andrews-Goff V et al. (2010) 10:83–92
- White CR, see Green JA et al. (2009) 10:269–279
- Whiting SD, Long JL, Coyne M (2007) Migration routes and foraging behaviour of olive ridley turtles *Lepidochelys olivacea* in northern Australia. 3:1–9
- Whitney NM, Pratt HL, Jr, Pratt TC, Carrier JC (2010) Identifying shark mating behaviour using three-dimensional acceleration loggers. 10:71–82
- Wienecke B, Leaper R, Hay I, van den Hoff J (2009) Retro-fitting historical data in population studies: southern giant petrels in the Australian Antarctic Territory. 8:157–164
- Wiig Ø, see Andersen LW et al. (2009) 9:197–211
- Williams AJ, Davies CR, Mapstone BD, Currey LM, Welch DJ, Begg GA, Ballagh AC, Choat JH, Murchie CD, Simpfendorfer CA (2009) Age-based demography of humpback grouper *Cromileptes altivelis*: implications for fisheries management and conservation. 9:67–79
- Williams KL, see Frick MG et al. (2009) 9:91–97
- Williams LE, see Johnston DW et al. (2007) 3:249–257
- Williams R, Bain DE, Smith JC, Lusseau D (2009) Effects of vessels on behaviour patterns of individual southern resident killer whales *Orcinus orca*. 6:199–209
- Williams R, see Lusseau D et al. (2009) 6:211–221
- Willig MR, see Jones G et al. (2009) 8:93–115
- Williot P, Rouault T, Pelard M, Mercier D, Jacobs L (2009) Artificial reproduction and larval rearing of captive endangered Atlantic sturgeon *Acipenser sturio*. 6:251–257
- Wilson RP, Shepard ELC, Liebsch N (2007) Prying into the intimate details of animal lives: use of a daily diary on animals. 4:123–137
- Wilson RP, see Godley BJ (2008) 4:1–2
- Wilson RP, see Gómez Laich A et al. (2008) 10:29–37
- Wilson RP, see Shepard ELC et al. (2007) 4:157–164
- Wilson RP, see Shepard ELC et al. (2008) 10:47–60
- Wilson RP, see Steinfurth A et al. (2007) 4:105–112
- Wilson SG, Block BA (2009) Habitat use in Atlantic bluefin tuna *Thunnus thynnus* inferred from diving behavior. 10:355–367
- Winger PV, see Hemming JM et al. (2006) 2:37–49
- Winger PV, see Hemming JM et al. (2008) 6:95–107
- Winkler HM, see Thiel R et al. (2009) 8:233–247
- Witherington BE, see Bresette MJ et al. (2010) 9:105–116
- Witt MJ, see Godley BJ et al. (2007) 4:3–22
- Wood KR (2006) Conservation status of the Hawaiian endemic fern *Diplazium molokaiense* (Athryiaceae) in Honomanu, East Maui, Hawai'i. 2:31–35
- Woodfield NK, see McGowan A et al. (2006) 2:15–20

Wunder MB, see Gutowsky S et al. (2009) 9:247–254  
Wyneken J, see Gless JM et al. (2008) 5:239–247  
Wyneken J, see Salmon M et al. (2009) 9:41–47

## Y

Yack T, see Insley SJ et al. (2007) 4:147–155  
Yamaguchi M, see Steiger GH et al. (2008) 4:247–256  
Yang Martinez C, see Nijman V et al. (2009) 9:151–157  
Yokubol M, see Puechmaille SJ et al. (2009) 8:15–23  
Yoseda K, see Okuyama J et al. (2010) 10:181–190

## Z

Zador SG, Parrish JK, Punt AE, Burke JL, Fitzgerald SM  
(2008) Determining spatial and temporal overlap of an

endangered seabird with a large commercial trawl fishery.  
5:103–115  
Zarate P, see Dutton PH et al. (2008) 5:37–44  
Zárate P, see Seminoff JA et al. (2007) 4:57–72  
Zbinden JA, Davy C, Margaritoulis D, Arlettaz R (2007) Large  
spatial variation and female bias in the estimated sex ratio  
of loggerhead sea turtle hatchlings of a Mediterranean  
rookery. 3:305–312  
Ziewitz J, see Hemming JM et al. (2006) 2:37–49  
Zimmermann W, see Kinne O et al. (2004) 1:11–23  
Zimmermann W, see Kinne O et al. (2004) 1:7–9  
Zollett EA (2009) Bycatch of protected species and other spe-  
cies of concern in US east coast commercial fisheries.  
9:49–59  
Zug GR, see Curtin AJ et al. (2008) 5:21–27  
Zuur AF, see Cronin MA et al. (2009) 10:255–267  
Zwirlein S, see Peters E et al. (2009) 10:305–320  
Żydelis R, see Soykan CU et al. (2008) 5:91–102