

COMBINED AUTHOR AND TITLE INDEX

(Volumes 11 to 20, 2010–2013)

A

- Abe O, see Nishizawa H et al. (2011) 14:141–148
 Abreu M, see Jiménez S et al. (2011) 15:241–254
 Abreu-Grobois FA, see Moncada F et al. (2010) 11:61–68
 Adam O, see Samaran F et al. (2010) 12:157–165
 Adams JD, see Silber GK et al. (2012) 17:245–254
 Adler S, see Gilles A et al. (2011) 14:157–169
 Adler S, see Gallus A et al. (2012) 18:265–278
 Afanasiev V, see Solovyeva DV et al. (2012) 17:217–225
 Agha M, see Lovich J et al. (2012) 19:63–74
 Agostinho AA, see Hahn L et al. (2011) 15:103–114
 Ainley D, see Lewison R et al. (2012) 17:93–121
 al-Mousawi B, see Hastie LC et al. (2010) 11:21–33
 Alacs E, see Fielder D et al. (2012) 17:63–71
 Albuquerque Martins CC, see Andriolo A et al. (2010) 11:233–243
 Alemu JB I, Cazabon-Mannette MNE, Cunningham AA, Dempewolf L, Hailey A, Mannette RP, Naranjit KT, Perkins MW, Schmidt-Roach ACJ (2013) Presence of the chytrid fungus *Batrachochytrium dendrobatidis* in a Vulnerable frog in Trinidad, West Indies. 20:131–136
 Alfonso F, see Link A et al. (2010) 13:41–50
 Allen JM, see Robbins J et al. (2011) 13:117–121
 Allen ZC, Shah NJ, Grant A, Derand GD, Bell D (2010) Hawksbill turtle monitoring in Cousin Island Special Reserve, Seychelles: an eight-fold increase in annual nesting numbers. 11:195–200
 Almeida AP, Eckert SA, Bruno SC, Scalfoni JT, Giffoni B, López-Mendilaharsu M, Thomé JCA (2011) Satellite-tracked movements of female *Dermochelys coriacea* from southeastern Brazil. 15:77–86
 Almeida AP, Moreira LMP, Bruno SC, Thomé JCA, Martins AS, Bolten AB, Bjørndal KA (2011) Green turtle nesting on Trindade Island, Brazil: abundance, trends, and biometrics. 14:193–201
 Almeida AP, see Marcovaldi MÂ et al. (2010) 12:263–272
 Almeida PR, see Mateus CS et al. (2012) 16:183–198
 Alves MJ, see Mateus CS et al. (2012) 16:183–198
 Ambu L, see Bruford MW et al. (2010) 12:249–261
 Ames JA, see Hatfield BB et al. (2011) 13:219–229
 Amori G, Chiozza F, Rondinini C, Luiselli L (2011) World-wide conservation hotspots for Soricomorpha focusing on endemic island taxa: an analysis at two taxonomic levels. 15:143–149
 Ancrenaz M, see Bruford MW et al. (2010) 12:249–261
 Andau M, see Bruford MW et al. (2010) 12:249–261
 Anderson ORJ, Small CJ, Croxall JP, Dunn EK, Sullivan BJ, Yates O, Black A (2011) Global seabird bycatch in long-line fisheries. 14:91–106
 Andrews AG, see Witteveen BH et al. (2011) 14:217–225
 Andrews RD, see Baird RW et al. (2012) 18:47–61
 Andrianaivoarivelo BA, Jenkins RKB, Petit EJ, Ramilijaona O, Razafindrakoto N, Racey PA (2012) *Rousettus madagascariensis* (Chiroptera: Pteropodidae) shows a prefer-

ence for native and commercially unimportant fruits. 19:19–27

- Andriolo A, Kinan PG, Engel MH, Albuquerque Martins CC, Rufino AM (2010) Humpback whales within the Brazilian breeding ground: distribution and population size estimate. 11:233–243
 Androukaki E, see Murphy S et al. (2012) 16:149–163
 Ángeles-Pérez G, see Rodríguez-Ramírez EC et al. (2013) 20:205–216
 Angers B, see Cossíos ED et al. (2012) 16:283–294
 Angiolillo M, see Canese S et al. (2011) 14:171–176
 Appeldoorn RS, see Schärer MT et al. (2012) 19:29–38
 Arai N, see Nishizawa H et al. (2011) 14:141–148
 Archer FI, see Morin PA et al. (2012) 19:129–147
 Arcos JM, see Lewison R et al. (2012) 17:93–121
 Arendt MD, Boynton J, Schwenner JA, Byrd JL, Segars AL, Whitaker JD, Parker L, Owens DW, Blanvillain GM, Quattro JM, Roberts MA (2012) Spatial clustering of loggerhead sea turtles in coastal waters of the NW Atlantic Ocean: implications for management surveys. 18:219–231
 Arthington AH, see Knight JT et al. (2012) 17:169–178
 Arthur K, see Hamann M et al. (2010) 11:245–269
 Attum O, Farag WE, Baha El Din SM, Kingsbury B (2010) Retention rate of hard-released translocated Egyptian tortoises *Testudo kleinmanni*. 12:11–15
 Au WWL, see Stimpert AK et al. (2012) 19:11–17
 Auttila M, see Niemi M et al. (2012) 19:99–108
 Averill-Murray RC, see Esque TC et al. (2010) 12:167–177
 Avery HW, see Franks BR et al. (2011) 13:191–201
 Ayres KL, see Hanson MB et al. (2010) 11:69–82

B

- Bach JM, see Baisez A et al. (2011) 15:265–270
 Bach P, see Rabehagasoa N et al. (2012) 17:83–92
 Bachmann L, see Heide-Jørgensen MP et al. (2010) 13:73–78
 Bachmann L, see Wiig Ø et al. (2011) 14:235–242
 Bagley D, see Moncada F et al. (2010) 11:61–68
 Bagley DA, see Weishampel JF et al. (2010) 12:41–47
 Baha El Din SM, see Attum O et al. (2010) 12:11–15
 Bailey H, see Blanco GS et al. (2012) 18:233–245
 Bailleul F, Lesage V, Power M, Doidge DW, Hammill MO (2012) Differences in diving and movement patterns of two groups of beluga whales in a changing Arctic environment reveal discrete populations. 17:27–41
 Baird RW, Hanson MB, Schorr GS, Webster DL, McSweeney DJ, Gorgone AM, Mahaffy SD, Holzer DM, Oleson EM, Andrews RD (2012) Range and primary habitats of Hawaiian insular false killer whales: informing determination of critical habitat. 18:47–61
 Baird RW, see Hanson MB et al. (2010) 11:69–82
 Baisez A, Bach JM, Leon C, Parouty T, Terrade R, Hoffmann M, Laffaille P (2011) Migration delays and mortality of

- adult Atlantic salmon *Salmo salar* en route to spawning grounds on the River Allier, France. 15:265–270
- Baker CS, see Oremus M et al. (2012) 19:1–10
- Baker CS, see Witteveen BH et al. (2011) 14:217–225
- Baker JD, see Gobush KS et al. (2011) 15:29–37
- Baker JD, see Johanos TC et al. (2010) 11:123–132
- Balazs GH, see Roden SE et al. (2013) 20:227–234
- Balcomb KC III, see Fearnbach H et al. (2011) 13:173–180
- Balcomb KC, see Hanson MB et al. (2010) 11:69–82
- Balcomb-Bartok K, see Hanson MB et al. (2010) 11:69–82
- Baldwin R, see Corkeron PJ et al. (2011) 15:39–52
- Ballance LT, see Forney KA et al. (2012) 16:113–133
- Bambico TM, see Kittinger JN et al. (2012) 17:139–156
- Barata PCR, see Hamann M et al. (2010) 11:245–269
- Barham PJ, see Sherley RB et al. (2010) 11:101–111
- Barletta M, see Guebert-Bartholo FM et al. (2011) 13:131–143
- Barlow J, see Becker EA et al. (2012) 16:97–112
- Barlow J, see Forney KA et al. (2012) 16:113–133
- Barlow J, see Witteveen BH et al. (2011) 14:217–225
- Baumstark R, see Keller CA et al. (2012) 18:73–87
- Beahop S, see Lewison R et al. (2012) 17:93–121
- Becker BL, see Johanos TC et al. (2010) 11:123–132
- Becker CD, Mounce HL, Rassmussen TA, Rauch-Sasseen A, Swinnerton KJ, Leonard DL (2010) Nest success and parental investment in the Critically Endangered Maui parrotbill *Pseudonestor xanthophrys* with implications for recovery. 11:189–194
- Becker EA, Foley DG, Forney KA, Barlow J, Redfern JV, Gentemann CL (2012) Forecasting cetacean abundance patterns to enhance management decisions. 16:97–112
- Becker EA, see Forney KA et al. (2012) 16:113–133
- Beckman EJ, see Benham PM et al. (2011) 13:145–157
- Bekele A, see Kebede F et al. (2012) 17:237–244
- Bell D, see Allen ZC et al. (2010) 11:195–200
- Benavides MT, Horn RL, Feldheim KA, Shivji MS, Clarke SC, Wintner S, Natanson L, Braccini M, Boomer JJ, Gulak SJB, Chapman DD (2011) Global phylogeography of the dusky shark *Carcharhinus obscurus*: implications for fisheries management and monitoring the shark fin trade. 14:13–22
- Bender MG, Floeter SR, Ferreira CEL, Hanazaki N (2012) Mismatches between global, national and local red lists and their consequences for Brazilian reef fish conservation. 18:247–254
- Benham PM, Beckman EJ, DuBay SG, Flores LM, Johnson AB, Lelevier MJ, Schmitt CJ, Wright NA, Witt CC (2011) Satellite imagery reveals new critical habitat for Endangered bird species in the high Andes of Peru. 13:145–157
- Benjamins S, Kulka DW, Lawson J (2010) Recent incidental catch of sharks in gillnet fisheries of Newfoundland and Labrador, Canada. 11:133–146
- Benke H, see Gallus A et al. (2012) 18:265–278
- Bentivegna F, see Chaieb O et al. (2012) 18:35–45
- Berchok CL, see Stafford KM et al. (2012) 18:95–103
- Berg Soto A, Cagnazzi D, Everingham Y, Parra GJ, Noad M, Marsh H (2013) Acoustic alarms elicit only subtle responses in the behaviour of tropical coastal dolphins in Queensland, Australia. 20:271–282
- Berggren P, see Christiansen F et al. (2010) 11:91–99
- Bergmann CE, see Stokes LW et al. (2011) 14:1–11
- Bernal N, see Villalba ML et al. (2012) 16:85–94
- Berón MP, see Favero M et al. (2013) 19:187–199
- Berry KH, see Esque TC et al. (2010) 12:167–177
- Best BD, Halpin PN, Read AJ, Fujioka E, Good CP, LaBrecque EA, Schick RS, Roberts JJ, Hazen LJ, Qian SS, Palka DL, Garrison LP, McLellan WA (2012) Online cetacean habitat modeling system for the US east coast and Gulf of Mexico. 18:1–15
- Bettridge S, see Silber GK et al. (2012) 17:245–254
- Bhagat HB, see Braulik GT et al. (2012) 17:201–215
- Bhatti ZI, see Braulik GT et al. (2012) 17:201–215
- Bickham JW, see Morin PA et al. (2012) 19:129–147
- Binckley CA, see Sieg AE et al. (2011) 15:195–204
- Binder TR, see Thiem JD et al. (2011) 15:1–11
- Bjorndal KA, see Almeida AP et al. (2011) 14:193–201
- Bjorndal KA, see Frankel NS et al. (2012) 17:133–138
- Bjorndal KA, see Hamann M et al. (2010) 11:245–269
- Bjorndal KA, see Moncada F et al. (2010) 11:61–68
- Bjurlin C, see Lovich J et al. (2012) 19:63–74
- Black A, see Anderson ORJ et al. (2011) 14:91–106
- Blanco G, see Favero M et al. (2013) 19:187–199
- Blanco GS, Morreale SJ, Bailey H, Seminoff JA, Paladino FV, Spotila JR (2012) Post-nesting movements and feeding grounds of a resident East Pacific green turtle *Chelonia mydas* population from Costa Rica. 18:233–245
- Blanvillain GM, see Arendt MD et al. (2012) 18:219–231
- Blasi MF, Boitani L (2012) Modelling fine-scale distribution of the bottlenose dolphin *Tursiops truncatus* using physiographic features on Filicudi (southern Tyrrhenian Sea, Italy). 17:269–288
- Blum MJ, see Walter RP et al. (2012) 16:261–272
- Boarman WI, see Esque TC et al. (2010) 12:167–177
- Boersma PD, see Lewison R et al. (2012) 17:93–121
- Boitani L, see Blasi MF (2012) 17:269–288
- Bolten AB, see Almeida AP et al. (2011) 14:193–201
- Bolten AB, see Hamann M et al. (2010) 11:245–269
- Bonde RK, see Wilson RC et al. (2011) 14:107–112
- Boomer JJ, see Benavides MT et al. (2011) 14:13–22
- Booth DT, see Pereira CM et al. (2012) 17:43–51
- Booth R, see Wade PR et al. (2011) 13:99–109
- Borboroglu PG, see Lewison R et al. (2012) 17:93–121
- Boulinier T, see Lewison R et al. (2012) 17:93–121
- Boynton J, see Arendt MD et al. (2012) 18:219–231
- Braccini M, see Benavides MT et al. (2011) 14:13–22
- Bradai MN, see Chaieb O et al. (2012) 18:35–45
- Bradford AL, see Weller DW et al. (2012) 18:193–199
- Bräger S, see Gallus A et al. (2012) 18:265–278
- Braulik GT, Bhatti ZI, Ehsan T, Hussain B, Khan AR, Khan A, Khan U, Kundi KU, Rajput R, Reichert AP, Northridge SP, Bhagat HB, Garstang R (2012) Robust abundance estimate for endangered river dolphin subspecies in South Asia. 17:201–215
- Braynen MT, see Cheung WWL et al. (2013) 20:27–39
- Brazeiro A, see Jiménez S et al. (2011) 15:241–254
- Brereton T, see Lambert E et al. (2011) 15:205–222
- Breuel KF, see Wilson RC et al. (2011) 14:107–112
- Brewer JS, see Chesser JD (2011) 13:245–252
- Brewster KR, see Van Wilgenburg SL et al. (2012) 16:17–29
- Broderick AC, see Hamann M et al. (2010) 11:245–269
- Brooke M de L, O'Connell TC, Wingate D, Madeiros J, Hilton GM, Ratcliffe N (2010) Potential for rat predation to cause decline of the globally threatened Henderson petrel *Pterodroma atrata*: evidence from the field, stable isotopes and population modelling. 11:47–59
- Brooks EJ, Sloman KA, Sims DW, Danylchuk AJ (2011) Validating the use of baited remote underwater video surveys for assessing the diversity, distribution and abundance of sharks in the Bahamas. 13:231–243
- Brown MW, see Pendleton DE et al. (2012) 18:147–161
- Brown P, see Oremus M et al. (2012) 19:1–10

- Brownell RL Jr, see Curry BE et al. (2013) 19:223–243
 Brownell RL Jr, see LeDuc RG et al. (2012) 18:163–167
 Brownell RL Jr, see Weller DW et al. (2012) 18:193–199
 Bruford M, see Nijman V et al. (2011) 13:159–161
 Bruford MW, Ancrenaz M, Chikhi L, Lackmann-Ancrenaz I, Andau M, Ambu L, Goossens B (2010) Projecting genetic diversity and population viability for the fragmented orang-utan population in the Kinabatangan floodplain, Sabah, Malaysia. 12:249–261
 Bruno SC, see Almeida AP et al. (2011) 14:193–201
 Bruno SC, see Almeida AP et al. (2011) 15:77–86
 Bull CM, see Ebrahimi M (2012) 18:169–178
 Bunnefeld N, see Kinahan AA (2012) 18:105–114
 Burdin AM, see LeDuc RG et al. (2012) 18:163–167
 Burdin AM, see Weller DW et al. (2012) 18:193–199
 Burghardt T, see Sherley RB et al. (2010) 11:101–111
 Butler GL, Wooden IJ (2012) Dietary habits of a large, long-lived endangered Australian percichthyid, the eastern freshwater cod *Maccullochella ikei*. 16:199–209
 Byrd JI, see Arendt MD et al. (2012) 18:219–231
- C**
- Cagnazzi D, see Berg Soto A et al. (2013) 20:271–282
 Cahoon MK, Littnan CL, Longenecker K, Carpenter JR (2013) Dietary comparison of two Hawaiian monk seal populations: the role of diet as a driver of divergent population trends. 20:137–146
 Calambokidis J, see Weller DW et al. (2012) 18:193–199
 Camiñas JA, see Moncada F et al. (2010) 11:61–68
 Campbell HA, Dwyer RG, Fitzgibbons S, Klein CJ, Lauridsen G, McKeown A, Olsson A, Sullivan S, Watts ME, Westcott DA (2012) Prioritising the protection of habitat utilised by southern cassowaries *Casuarus casuaris johnsonii*. 17:53–61
 Campbell LM, see Hamann M et al. (2010) 11:245–269
 Campbell N, see Sherley RB et al. (2010) 11:101–111
 Cañadas A, see Hooker SK et al. (2011) 13:203–218
 Candy JR, see Hanson MB et al. (2010) 11:69–82
 Candy SG, van den Hoff J (2010) Optimal sampling regime for detecting significant differences in peak mass of chicks: a case study with the wandering albatross *Diomedea exulans*. 11:167–173
 Canese S, Cardinali A, Romeo T, Giusti M, Salvati E, Angiolillo M, Greco S (2011) Diving behavior of the giant devil ray in the Mediterranean Sea. 14:171–176
 Cardinali A, see Canese S et al. (2011) 14:171–176
 Carosfeld J, see Hahn L et al. (2011) 15:103–114
 Carpenter JR, see Cahoon MK et al. (2013) 20:137–146
 Carreras C, see Hamann M et al. (2010) 11:245–269
 Carthy RR, see Salmon M et al. (2012) 16:295–299
 Casale P, Mazaris AD, Freggi D (2011) Estimation of age at maturity of loggerhead sea turtles *Caretta caretta* in the Mediterranean using length-frequency data. 13:123–129
 Casale P, see Hamann M et al. (2010) 11:245–269
 Castelblanco-Martínez DN, Nourisson C, Quintana-Rizzo E, Padilla-Saldivar J, Schmitter-Soto JJ (2012) Potential effects of human pressure and habitat fragmentation on population viability of the Antillean manatee *Trichechus manatus manatus*: a predictive model. 18:129–145
 Cazabon-Mannette MNE, see Alemu JB I et al. (2013) 20:131–136
 Ceballos-Mago N, Chivers DJ (2010) Local knowledge and perceptions of pet primates and wild Margarita capuchins on Isla de Margarita and Isla de Coche in Venezuela. 13:63–72
 Ceballos-Mago N, González CE, Chivers DJ (2010) Impact of the pet trade on the Margarita capuchin monkey *Cebus apella margaritae*. 12:57–68
 Célérier A, see Parks SE et al. (2011) 15:63–76
 Chaieb O, Elouaer A, Maffucci F, Karaa S, Bradai MN, ElHili H, Bentivegna F, Said K, Chatti N (2012) Population structure and dispersal patterns of loggerhead sea turtles *Caretta caretta* in Tunisian coastal waters, central Mediterranean. 18:35–45
 Chaloupka M, see Hamann M et al. (2010) 11:245–269
 Chaloupka M, see Pilcher N (2013) 20:49–57
 Chan SKF, see Hamann M et al. (2010) 11:245–269
 Chapman DD, see Benavides MT et al. (2011) 14:13–22
 Charbonnet AM, see Lopez JD et al. (2010) 12:141–155
 Chatti N, see Chaieb O et al. (2012) 18:35–45
 Chen CC, see Schmidt JV et al. (2010) 12:117–124
 Cheng IJ, see Roden SE et al. (2013) 20:227–234
 Cheng IS, see Hamann M et al. (2010) 11:245–269
 Chenoweth E, see Witteveen BH et al. (2011) 14:217–225
 Cherel Y, see Delord K et al. (2010) 13:1–16
 Chesser JD, Brewer JS (2011) Factors influencing seedling recruitment in a critically endangered pitcher plant, *Sarracenia rubra* ssp. *alabamensis*. 13:245–252
 Cheung WWL, Sadovy Y, Braynen MT, Gittens LG (2013) Are the last remaining Nassau grouper *Epinephelus striatus* fisheries sustainable? Status quo in the Bahamas. 20:27–39
 Chikhi L, see Bruford MW et al. (2010) 12:249–261
 Chiozza F, see Amori G et al. (2011) 15:143–149
 Chipps SR, see Spindler BD et al. (2012) 16:225–234
 Chivers DJ, see Ceballos-Mago N (2010) 13:63–72
 Chivers DJ, see Ceballos-Mago N et al. (2010) 12:57–68
 Choudhury BI, see Menon S et al. (2010) 11:175–181
 Christiansen F, Lusseau D, Stensland E, Berggren P (2010) Effects of tourist boats on the behaviour of Indo-Pacific bottlenose dolphins off the south coast of Zanzibar. 11:91–99
 Clapham PJ, see Ivashchenko YV (2012) 18:201–217
 Clapham PJ, see LeDuc RG et al. (2012) 18:163–167
 Clark SR, see Hamer DJ et al. (2011) 14:203–216
 Clarke SC, see Benavides MT et al. (2011) 14:13–22
 Cleve C, Perrine J, Holzman B, Hines E (2011) Addressing biased occurrence data in predicting potential Sierra Nevada red fox habitat for survey prioritization. 14:179–191
 Clough D, see Schwitzer N et al. (2010) 12:215–225
 Cole TVN, see Pendleton DE et al. (2012) 18:147–161
 Collins T, see Corkeron PJ et al. (2011) 15:39–52
 Conrad JR, Wyneken J, Garner JA, Garner S (2011) Experimental study of dune vegetation impact and control on leatherback sea turtle *Dermochelys coriacea* nests. 15:13–27
 Constantine R, see Oremus M et al. (2012) 19:1–10
 Constantine R, see Schaffar A et al. (2013) 19:245–254
 Conway E, see Goudie RI et al. (2011) 13:181–189
 Cook T, see Pichegru L et al. (2013) 19:255–264
 Cooke SJ, Paukert C, Hogan Z (2012) Endangered river fish: factors hindering conservation and restoration. 17:179–191
 Cooke SJ, see Hahn L et al. (2011) 15:103–114
 Cooke SJ, see Hasler CT et al. (2011) 14:79–89
 Cooke SJ, see Thiem JD et al. (2011) 15:1–11
 Copello S, see Favero M et al. (2013) 19:187–199

- Corkeron PJ, Minton G, Collins T, Findlay K, Willson A, Baldwin R (2011) Spatial models of sparse data to inform cetacean conservation planning: an example from Oman. 15:39–52
- Corkeron PJ, see Mussoline SE et al. (2012) 17:17–26
- Cornulier T, see Hayward MW et al. (2011) 15:53–61
- Corrigan C, see Hooker SK et al. (2011) 13:203–218
- Cossíos ED, Walker RS, Lucherini M, Ruiz-García M, Angers B (2012) Population structure and conservation of a high-altitude specialist, the Andean cat *Leopardus jacobita*. 16:283–294
- Costa MF, see Guebert-Bartholo FM et al. (2011) 13:131–143
- Cotté C, Guinet C, Taupier-Letage I, Petiau E (2010) Habitat use and abundance of striped dolphins in the western Mediterranean Sea prior to the morbillivirus epizootic resurgence. 12:203–214
- Cotté C, see Delord K et al. (2010) 13:1–16
- Coyne MS, see Hamann M et al. (2010) 11:245–269
- Crain BJ, Tremblay RL (2012) Update on the distribution of *Lepanthes caritensis*, a rare Puerto Rican endemic orchid. 18:89–94
- Crowder LB, see Hamann M et al. (2010) 11:245–269
- Crowder LB, see Snover ML et al. (2010) 13:25–31
- Croxall JP, see Anderson ORJ et al. (2011) 14:91–106
- Cunningham AA, see Alemu JB I et al. (2013) 20:131–136
- Currey RJC, see Henderson SD et al. (2013) 20:99–107
- Currey RJC, see Rowe LE et al. (2010) 11:83–89
- Curry BE, Ralls K, Brownell RL Jr (2013) Prospects for captive breeding of poorly known small cetacean species. 19:223–243
- Cuthill IC, see Sherley RB et al. (2010) 11:101–111
- Cypher BL, see Germano DJ et al. (2013) 19:265–276
- D**
- da Câmara LF, see Hahn L et al. (2011) 15:103–114
- Dackiewicz J, see Hayward MW et al. (2011) 15:53–61
- Dähne M, see Gallus A et al. (2012) 18:265–278
- Dalla Rosa L, see Robbins J et al. (2011) 13:117–121
- Dalskov J, see Kindt-Larsen L et al. (2012) 19:75–83
- Danylchuk AJ, see Brooks EJ et al. (2011) 13:231–243
- Darling JD, see Frasier TR et al. (2011) 14:39–48
- Dawson JW, see Thiem JD et al. (2011) 15:1–11
- Dawson S, see Rayment W et al. (2011) 14:149–156
- Dawson SM, Northridge S, Waples D, Read AJ (2013) To ping or not to ping: the use of active acoustic devices in mitigating interactions between small cetaceans and gillnet fisheries. 19:201–221
- Dawson SM, see Henderson SD et al. (2013) 20:99–107
- Dawson SM, see Rowe LE et al. (2010) 11:83–89
- de Luna AG, see Link A et al. (2010) 13:41–50
- De Robertis A, see Wade PR et al. (2011) 13:99–109
- Deacon M, see Jepsen N et al. (2012) 16:77–84
- Deaville R, see Lambert E et al. (2011) 15:205–222
- Delord K, Cotté C, Péron C, Marteau C, Pruvost P, Gasco N, Duhamel G, Cherel Y, Weimerskirch H (2010) At-sea distribution and diet of an endangered top predator: relationship between white-chinned petrels and commercial longline fisheries. 13:1–16
- Dempewolf L, see Alemu JB I et al. (2013) 20:131–136
- Dendrinis P, see Murphy S et al. (2012) 16:149–163
- Derand GD, see Allen ZC et al. (2010) 11:195–200
- DeRuiter SL, Larbi Doukara K (2012) Loggerhead turtles dive in response to airgun sound exposure. 16:55–63
- Diez CE, see Hamann M et al. (2010) 11:245–269
- Dilts TE, see Inman RD et al. (2013) 20:1–18
- Dittman AH, see Kendall NW et al. (2010) 13:51–61
- Doidge DW, see Bailleul F et al. (2012) 17:27–41
- Domingo A, see Jiménez S et al. (2011) 15:241–254
- Donaldson MR, see Hasler CT et al. (2011) 14:79–89
- Donati G, see Nijman V et al. (2011) 13:159–161
- Doniol-Valcroze T, Lesage V, Giard J, Michaud R (2012) Challenges in marine mammal habitat modelling: evidence of multiple foraging habitats from the identification of feeding events in blue whales. 17:255–268
- Douglas-Hamilton I, see Soltis J et al. (2012) 18:255–263
- Douse AF, see Fleming LV et al. (2011) 14:243–257
- Dow Piniak WE, Eckert KL (2011) Sea turtle nesting habitat in the Wider Caribbean Region. 15:129–141
- Doyle WJ, see Schloesser JT et al. (2012) 16:211–224
- Drake KK, see Esque TC et al. (2010) 12:167–177
- Drauch Schreier A, Rodzen J, Ireland S, May B (2012) Genetic techniques inform conservation aquaculture of the endangered Kootenai River white sturgeon *Acipenser transmontanus*. 16:65–75
- DuBay SG, see Benham PM et al. (2011) 13:145–157
- Dudzinski K, see Whitt AD et al. (2013) 20:59–69
- Dueck L, see Heide-Jørgensen MP et al. (2010) 13:73–78
- Dueck L, see Wiig Ø et al. (2011) 14:235–242
- Dueck LL, see Pomerleau C et al. (2011) 15:167–177
- Duhamel G, see Delord K et al. (2010) 13:1–16
- Dumont P, see Thiem JD et al. (2011) 15:1–11
- Dunn EK, see Anderson ORJ et al. (2011) 14:91–106
- Dunn TE, see Lambert E et al. (2011) 15:205–222
- Durban JW, see Fearnbach H et al. (2011) 13:173–180
- Dutton PH, see Hamann M et al. (2010) 11:245–269
- Dutton PH, see Roden SE et al. (2013) 20:227–234
- Dwyer RG, see Campbell HA et al. (2012) 17:53–61
- E**
- Ebner BC, see Fulton CJ et al. (2012) 19:39–45
- Ebrahimi M, Bull CM (2012) Food supplementation reduces post-release dispersal during simulated translocation of the Endangered pygmy bluetongue lizard *Tiliqua adelaidensis*. 18:169–178
- Echternacht AC, see Pasachnik SA et al. (2011) 14:113–126
- Eckert KL, see Dow Piniak WE (2011) 15:129–141
- Eckert SA, see Almeida AP et al. (2011) 15:77–86
- Eguchi T, see Gerrodette T (2011) 15:159–166
- Ehrhart L, see Moncada F et al. (2010) 11:61–68
- Ehrhart LM, see Weishampel JF et al. (2010) 12:41–47
- Ehsan T, see Braulik GT et al. (2012) 17:201–215
- ElHili H, see Chaieb O et al. (2012) 18:35–45
- Ellifrit DK, see Fearnbach H et al. (2011) 13:173–180
- Ellwanger N, Gould L (2011) Variations in behavioural patterns between *Lemur catta* groups living in different forest types: implications for conservation. 14:259–270
- Elouaer A, see Chaieb O et al. (2012) 18:35–45
- Emmons CK, see Hanson MB et al. (2010) 11:69–82
- Emrick VR, Tweddale S, St. Germain M (2010) Characterization of golden-cheeked warbler *Dendroica chrysoparia* habitat at Fort Hood, Texas, USA. 11:215–220
- Engel MH, see Andriolo A et al. (2010) 11:233–243
- English KK, see Hahn L et al. (2011) 15:103–114
- Ennen J, see Lovich J et al. (2012) 19:63–74
- Epperly SP, see Hamann M et al. (2010) 11:245–269
- Epperly SP, see Richards PM et al. (2011) 15:151–158

Epperly SP, see Stokes LW et al. (2011) 14:1–11
 Erbe C, McPherson C (2012) Acoustic characterisation of bycatch mitigation pingers on shark control nets in Queensland, Australia. 19:109–121
 Eschmann C, see Moore RS et al. (2010) 12:227–234
 Esque TC, Nussear KE, Drake KK, Walde AD, Berry KH, Averill-Murray RC, Woodman AP, Boarman WI, Medica PA, Mack J, Heaton JS (2010) Effects of subsidized predators, resource variability, and human population density on desert tortoise populations in the Mojave Desert, USA. 12:167–177
 Esque TC, see Inman RD et al. (2013) 20:1–18
 Estes JA, see Hatfield BB et al. (2011) 13:219–229
 Etiendem DN, Tagg N, Hens L, Pereboom Z (2013) Impact of human activities on Cross River gorilla *Gorilla gorilla diehli* habitats in the Mawambi Hills, southwest Cameroon. 20:167–179
 Evangelista PH, see Kebede F et al. (2012) 17:237–244
 Evans N, see Narayan E et al. (2012) 18:279–289
 Everingham Y, see Berg Soto A et al. (2013) 20:271–282

F

Fa J, see Nijman V et al. (2011) 13:159–161
 Farag WE, see Attum O et al. (2010) 12:11–15
 Favero M, Blanco G, Copello S, Seco Pon JP, Patterlini C, Mariano-Jelicich R, García G, Berón MP (2013) Seabird bycatch in the Argentinean demersal longline fishery, 2001–2010. 19:187–199
 Fearnbach H, Durban JW, Ellifrit DK, Balcomb KC III (2011) Size and long-term growth trends of Endangered fish-eating killer whales. 13:173–180
 Feck AD, Hamann M (2013) Effect of sea turtle rehabilitation centres in Queensland, Australia, on people's perceptions of conservation. 20:153–165
 Feldheim KA, see Benavides MT et al. (2011) 14:13–22
 Ferguson MC, see Forney KA et al. (2012) 16:113–133
 Ferguson SH, see Pomerleau C et al. (2011) 15:167–177
 Ferreira CEL, see Bender MG et al. (2012) 18:247–254
 Fiedler PC, see Forney KA et al. (2012) 16:113–133
 Fielder D, Vernes K, Alacs E, Georges A (2012) Mitochondrial variation among Australian freshwater turtles (genus *Myuchelys*), with special reference to the Endangered *M. bellii*. 17:63–71
 Findlay K, see Corkeron PJ et al. (2011) 15:39–52
 Fitzgibbons S, see Campbell HA et al. (2012) 17:53–61
 Fitzpatrick BM, see Pasachnik SA et al. (2011) 14:113–126
 FitzSimmons NN, see Hamann M et al. (2010) 11:245–269
 Fleming LV, Douse AF, Williams NP (2011) Captive breeding of peregrine and other falcons in Great Britain and implications for conservation of wild populations. 14:243–257
 Floeter SR, see Bender MG et al. (2012) 18:247–254
 Flores LM, see Benham PM et al. (2011) 13:145–157
 Foley DG, see Becker EA et al. (2012) 16:97–112
 Ford JKB, see Hanson MB et al. (2010) 11:69–82
 Ford MJ, see Hanson MB et al. (2010) 11:69–82
 Formia A, see Hamann M et al. (2010) 11:245–269
 Forney KA, Ferguson MC, Becker EA, Fiedler PC, Redfern JV, Barlow J, Vilchis IL, Ballance LT (2012) Habitat-based spatial models of cetacean density in the eastern Pacific Ocean. 16:113–133
 Forney KA, see Becker EA et al. (2012) 16:97–112
 Fox AD, see Solovyeva DV et al. (2012) 17:217–225

Fox JW, see Solovyeva DV et al. (2012) 17:217–225
 Frankel NS, Vander Zanden HB, Reich KJ, Williams KL, Bjørndal KA (2012) Mother-offspring stable isotope discrimination in loggerhead sea turtles *Caretta caretta*. 17:133–138
 Franks BR, Avery HW, Spotila JR (2011) Home range and movement of desert tortoises *Gopherus agassizii* in the Mojave Desert of California, USA. 13:191–201
 Frasier TR, Koroscil SM, White BN, Darling JD (2011) Assessment of population substructure in relation to summer feeding ground use in the eastern North Pacific gray whale. 14:39–48
 Frederiksen M, see Lewison R et al. (2012) 17:93–121
 Freggi D, see Casale P et al. (2011) 13:123–129
 Frey A, see Roden SE et al. (2013) 20:227–234
 Friedlaender AS, see Johnston DW et al. (2012) 18:63–71
 Friedlaender AS, see Robbins J et al. (2011) 13:117–121
 Fujioka E, see Best BD et al. (2012) 18:1–15
 Fujisaki I, see Hart KM (2010) 11:221–232
 Fulka Jr J, see Loi P et al. (2011) 14:227–233
 Fulton CJ, Starrs D, Ruibal MP, Ebner BC (2012) Counting crayfish: active searching and baited cameras trump conventional hoop netting in detecting *Euastacus armatus*. 19:39–45

G

Gabriele CM, see Witteveen BH et al. (2011) 14:217–225
 Gagne RB, see Walter RP et al. (2012) 16:261–272
 Gallagher AJ, see Hammerschlag N et al. (2011) 13:111–116
 Gallus A, Dähne M, Verfuß UK, Bräger S, Adler S, Siebert U, Benke H (2012) Use of static passive acoustic monitoring to assess the status of the 'Critically Endangered' Baltic harbour porpoise in German waters. 18:265–278
 Galmes MA, see Sarasola JH et al. (2010) 11:207–213
 Ganzhorn JU, see Raharivololona BM (2010) 11:113–122
 Ganzhorn JU, see Schwitzer C et al. (2011) 14:31–38
 Garcia G, see Favero M et al. (2013) 19:187–199
 Garcia de Leaniz C, see Thomas GR et al. (2010) 12:1–9
 Garner J, see Garrett K et al. (2010) 11:147–155
 Garner JA, see Conrad JR et al. (2011) 15:13–27
 Garner S, see Conrad JR et al. (2011) 15:13–27
 Garrett K, Wallace BP, Garner J, Paladino FV (2010) Variations in leatherback turtle nest environments: consequences for hatching success. 11:147–155
 Garrigue C, see Schaffar A et al. (2013) 19:245–254
 Garrison L, see Keller CA et al. (2012) 18:73–87
 Garrison LP, see Best BD et al. (2012) 18:1–15
 Garstang R, see Braulik GT et al. (2012) 17:201–215
 Garthe S, see Ludynia K et al. (2010) 12:31–40
 Gasco N, see Delord K et al. (2010) 13:1–16
 Gelatt TS, see Kuhn CE et al. (2010) 12:125–139
 Genovart M, see Lewison R et al. (2012) 17:93–121
 Gentemann CL, see Becker EA et al. (2012) 16:97–112
 George JC, see Morin PA et al. (2012) 19:129–147
 Georges A, Spencer RJ, Welsh M, Shaffer HB, Walsh R, Zhang X (2011) Application of the precautionary principle to taxa of uncertain status: the case of the Bellinger River turtle. 14:127–134
 Georges A, see Fielder D et al. (2012) 17:63–71
 Germano DJ, Saslaw LR, Smith PT, Cypher BL (2013) Survivorship and reproduction of translocated Tipton kangaroo rats in the San Joaquin Valley, California. 19:265–276

- Gerrodette T, Eguchi T (2011) Precautionary design of a marine protected area based on a habitat model. 15: 159–166
- Gerrodette T, see Johanos TC et al. (2010) 11:123–132
- Giard J, see Doniol-Valcroze T et al. (2012) 17:255–268
- Giffoni B, see Almeida AP et al. (2011) 15:77–86
- Gilbert M, see Wheeler B et al. (2012) 17:1–16
- Gilles A, Adler S, Kaschner K, Scheidat M, Siebert U (2011) Modelling harbour porpoise seasonal density as a function of the German Bight environment: implications for management. 14:157–169
- Gilliam JF, see Walter RP et al. (2012) 16:261–272
- Gilmartin WG, see Johanos TC et al. (2010) 11:123–132
- Giraldo-Beltran P, see Link A et al. (2010) 13:41–50
- Girondot M (2010) Estimating density of animals during migratory waves: a new model applied to marine turtles at nesting sites. 12:95–105
- Girondot M, see Hamann M et al. (2010) 11:245–269
- Gisborne B, see Hanson MB et al. (2010) 11:69–82
- Gisborne B, see Weller DW et al. (2012) 18:193–199
- Gittens LG, see Cheung WWL et al. (2013) 20:27–39
- Giusti M, see Canese S et al. (2011) 14:171–176
- Glatt L, see Schwitzer C et al. (2011) 14:31–38
- Glazier EW, see Kittinger JN et al. (2012) 17:139–156
- Gobush KS, Baker JD, Gulland FMD (2011) Effectiveness of an antihelminthic treatment in improving the body condition and survival of Hawaiian monk seals. 15:29–37
- Godfrey MH, see Hamann M et al. (2010) 11:245–269
- Godley BJ, see Hamann M et al. (2010) 11:245–269
- Godley BJ, see Lewison R et al. (2012) 17:93–121
- Goetz KT, Montgomery RA, Ver Hoef JM, Hobbs RC, Johnson DS (2012) Identifying essential summer habitat of the endangered beluga whale *Delphinapterus leucas* in Cook Inlet, Alaska. 16:135–147
- Goldsworthy SD, see Shaughnessy PD et al. (2011) 13:87–98
- Gómez F, see Valverde RA et al. (2010) 12:77–86
- Gómez-Gallardo A, see Salvadeo CJ et al. (2010) 11:13–19
- Gomez-Gallardo Unzueta A, see Weller DW et al. (2012) 18: 193–199
- Gonçalves ÂC, see Volcan MV et al. (2011) 13:79–85
- González CE, see Ceballos-Mago N et al. (2010) 12:57–68
- González-Solís J, see Lewison R et al. (2012) 17:93–121
- Good CP, see Best BD et al. (2012) 18:1–15
- Good CP, see Pendleton DE et al. (2012) 18:147–161
- Goossens B, see Bruford MW et al. (2010) 12:249–261
- Goossens B, see Stark DJ et al. (2012) 16:31–43
- Gorgone AM, see Baird RW et al. (2012) 18:47–61
- Goudie RI, Scheidegger C, Hanel C, Munier A, Conway E (2011) New population models help explain declines in the globally rare boreal felt lichen *Erioderma pedicellatum* in Newfoundland. 13:181–189
- Gould L, see Ellwanger N (2011) 14:259–270
- Graeb BDS, see Spindler BD et al. (2012) 16:225–234
- Grant A, see Allen ZC et al. (2010) 11:195–200
- Greco S, see Canese S et al. (2011) 14:171–176
- Green JA, see Lewison R et al. (2012) 17:93–121
- Gregg EJ (2011) Insights into North Pacific right whale *Eubalaena japonica* habitat from historic whaling records. 15:223–239
- Grémillet D, see Lewison R et al. (2012) 17:93–121
- Grogan A, see Kelly A et al. (2010) 12:107–115
- Guebert-Bartholo FM, Barletta M, Costa MF, Monteiro-Filho ELA (2011) Using gut contents to assess foraging patterns of juvenile green turtles *Chelonia mydas* in the Paranaguá Estuary, Brazil. 13:131–143
- Guillera-Aroita G, Lahoz-Monfort JJ, Milner-Gulland EJ, Young RP, Nicholson E (2010) Using occupancy as a state variable for monitoring the Critically Endangered Alaotran gentle lemur *Haplemur alaotrensis*. 11:157–166
- Guimond E, see Hasler CT et al. (2011) 14:79–89
- Guinet C, see Cotté C et al. (2010) 12:203–214
- Guinet C, see Samaran F et al. (2010) 12:157–165
- Gulak SJB, see Benavides MT et al. (2011) 14:13–22
- Gulesserian M, Slip D, Heller G, Harcourt R (2011) Modelling the behaviour state of humpback whales *Megaptera novaeangliae* in response to vessel presence off Sydney, Australia. 15:255–264
- Gulland FMD, see Gobush KS et al. (2011) 15:29–37

H

- Hahn L, Agostinho AA, English KK, Carosfeld J, da Câmara LF, Cooke SJ (2011) Use of radiotelemetry to track threatened dorados *Salminus brasiliensis* in the upper Uruguay River, Brazil. 15:103–114
- Hailey A, see Alemu JB I et al. (2013) 20:131–136
- Hain EF, see Walter RP et al. (2012) 16:261–272
- Hall K, see Lambert E et al. (2011) 15:205–222
- Halpin PN, see Best BD et al. (2012) 18:1–15
- Hamann M, Godfrey MH, Seminoff JA, Arthur K, Barata PCR, Bjorndal KA, Bolten AB, Broderick AC, Campbell LM, Carreras C, Casale P, Chaloupka M, Chan SKF, Coyne MS, Crowder LB, Diez CE, Dutton PH, Epperly SP, FitzSimmons NN, Formia A, Girondot M, Hays GC, Cheng IS, Kaska Y, Lewison R, Mortimer JA, Nichols WJ, Reina RD, Shanker K, Spotila JR, Tomás J, Wallace BP, Work TM, Zbinden J, Godley BJ (2010) Global research priorities for sea turtles: informing management and conservation in the 21st century. 11:245–269
- Hamann M, see Feck AD (2013) 20:153–165
- Hamann M, see Kamrowski RL et al. (2012) 19:85–98
- Hamer DJ, Ward TM, Shaughnessy PD, Clark SR (2011) Assessing the effectiveness of the Great Australian Bight Marine Park in protecting the endangered Australian sea lion *Neophoca cinerea* from bycatch mortality in shark gillnets. 14:203–216
- Hamer DJ, see Shaughnessy PD et al. (2011) 13:87–98
- Hamer KC, see Lewison R et al. (2012) 17:93–121
- Hammerschlag N, Sulikowski J (2011) Killing for conservation: the need for alternatives to lethal sampling of apex predatory sharks. 14:135–140
- Hammerschlag N, Gallagher AJ, Lazarre DM, Slonim C (2011) Range extension of the Endangered great hammerhead shark *Sphyrna mokarran* in the Northwest Atlantic: preliminary data and significance for conservation. 13:111–116
- Hammill MO, see Bailleul F et al. (2012) 17:27–41
- Hammill MO, see Rioux È et al. (2012) 18:179–191
- Hamner RM, see Oremus M et al. (2012) 19:1–10
- Hanazaki N, see Bender MG et al. (2012) 18:247–254
- Hancock-Hanser BL, see Morin PA et al. (2012) 19:129–147
- Handley J, see Pichegru L et al. (2013) 19:255–264
- Hanel C, see Goudie RI et al. (2011) 13:181–189
- Hansen E, see Stafford KM et al. (2012) 18:95–103
- Hanson MB, Baird RW, Ford JKB, Hempelmann-Halos J, Van Doornik DM, Candy JR, Emmons CK, Schorr GS, Gisborne B, Ayres KL, Wasser SK, Balcomb KC, Balcomb-Bartok K, Sneva JG, Ford MJ (2010) Species and stock identification of prey consumed by endangered

- southern resident killer whales in their summer range. 11:69–82
- Hanson MB, see Baird RW et al. (2012) 18:47–61
- Harcourt R, see Gulesserian M et al. (2011) 15:255–264
- Harfush-Melendez M, see Ocana M et al. (2012) 16:45–54
- Harris MD, see Hatfield BB et al. (2011) 13:219–229
- Hart KM, Fujisaki I (2010) Satellite tracking reveals habitat use by juvenile green sea turtles *Chelonia mydas* in the Everglades, Florida, USA. 11:221–232
- Hasbún CR, see Liles MJ et al. (2011) 14:23–30
- Hasler CT, Donaldson MR, Sunder RPB, Guimond E, Patterson DA, Mossop B, Hinch SG, Cooke SJ (2011) Osmoregulatory, metabolic, and nutritional condition of summer-run male Chinook salmon in relation to their fate and migratory behavior in a regulated river. 14:79–89
- Hastie LC, Tarr EC, al-Mousawi B, Young MR (2010) Medium-term recruitment patterns in Scottish freshwater pearl mussel *Margaritifera margaritifera* populations. 11:21–33
- Hataway D, see Stokes LW et al. (2011) 14:1–11
- Hatch LT, see Mussoline SE et al. (2012) 17:17–26
- Hatfield BB, Ames JA, Estes JA, Tinker MT, Johnson AB, Staedler MM, Harris MD (2011) Sea otter mortality in fish and shellfish traps: estimating potential impacts and exploring possible solutions. 13:219–229
- Hatin D, see Thiem JD et al. (2011) 15:1–11
- Hawkes LA, see Moncada F et al. (2010) 11:61–68
- Hays GC, see Hamann M et al. (2010) 11:245–269
- Hayward MW, Kowalczyk R, Krasinski ZA, Krańska M, Dackiewicz J, Cornulier T (2011) Restoration and intensive management have no effect on evolutionary strategies. 15:53–61
- Hazen LJ, see Best BD et al. (2012) 18:1–15
- Hazlitt SL, see Long JA et al. (2011) 14:49–59
- Hazlitt SL, see Long JA et al. (2011) 14:177
- Heaton JS, see Esque TC et al. (2010) 12:167–177
- Heide-Jørgensen MP, Laidre KL, Wiig Ø, Postma L, Dueck L, Bachmann L (2010) Large-scale sexual segregation of bowhead whales. 13:73–78
- Heide-Jørgensen MP, see Pomerleau C et al. (2011) 15:167–177
- Heide-Jørgensen MP, see Wiig Ø et al. (2011) 14:235–242
- Heller G, see Gulesserian M et al. (2011) 15:255–264
- Hempelman-Halos J, see Hanson MB et al. (2010) 11:69–82
- Henderson SD, Dawson SM, Rayment W, Currey RJC (2013) Are the 'resident' dolphins of Doubtful Sound becoming less resident?. 20:99–107
- Hens L, see Etiendem DN et al. (2013) 20:167–179
- Heppell SS, see Ocana M et al. (2012) 16:45–54
- Heppell SS, see Richards PM et al. (2011) 15:151–158
- Hero JM, see Narayan E et al. (2012) 18:279–289
- Heupel MR, see White J et al. (2013) 19:277–284
- Higgins BM, see Stokes LW et al. (2011) 14:1–11
- Hildebrand JA, see Marques TA et al. (2011) 13:163–172
- Hildebrand JA, see Marques TA et al. (2012) 16:95
- Hill TD, see Schloesser JT et al. (2012) 16:211–224
- Hilton GM, see Brooke M de L et al. (2010) 11:47–59
- Hilton GM, see Lewison R et al. (2012) 17:93–121
- Hiltunen R, see Miranto M et al. (2012) 17:227–236
- Hinch SG, see Hasler CT et al. (2011) 14:79–89
- Hines E, see Cleve C et al. (2011) 14:179–191
- Hines E, see Keller CA et al. (2012) 18:73–87
- Hirons A, see Witteveen BH et al. (2011) 14:217–225
- Hoback WW, see Pasbrig CA et al. (2012) 16:235–247
- Hobbs RC, see Goetz KT et al. (2012) 16:135–147
- Hobbs RC, see Rugh DJ et al. (2010) 12:69–75
- Hobson KA, see Van Wilgenburg SL et al. (2012) 16:17–29
- Hoffmann M, see Baisez A et al. (2011) 15:265–270
- Hogan JD, see Walter RP et al. (2012) 16:261–272
- Hogan Z, see Cooke SJ et al. (2012) 17:179–191
- Hohn AA, see Snover ML et al. (2010) 13:25–31
- Holder GS, see Knight JT et al. (2012) 17:169–178
- Holzer DM, see Baird RW et al. (2012) 18:47–61
- Holzman B, see Cleve C et al. (2011) 14:179–191
- Hooker SK, Cañadas A, Hyrenbach KD, Corrigan C, Polovina JJ, Reeves RR (2011) Making protected area networks effective for marine top predators. 13:203–218
- Hooker SK, see Whitehead H (2012) 19:47–61
- Horn RL, see Benavides MT et al. (2011) 14:13–22
- Hough KR, see Wade PR et al. (2011) 13:99–109
- Hoyos JG, see Saavedra-Rodríguez CA et al. (2012) 16:273–281
- Huebinger RM, see Morin PA et al. (2012) 19:129–147
- Huntington BE, see Kiel C et al. (2012) 19:171–176
- Hussain B, see Braulik GT et al. (2012) 17:201–215
- Hyrenbach KD, see Hooker SK et al. (2011) 13:203–218
- Hyrenbach KD, see Lewison R et al. (2012) 17:93–121
- Hyvärinen M, see Miranto M et al. (2012) 17:227–236

I

- Ibrahim K, see van de Merwe JP et al. (2012) 18:27–34
- Inman RD, Esque TC, Nussear KE, Leitner P, Matocq MD, Weisberg PJ, Dilts TE, Vandergast AG (2013) Is there room for all of us? Renewable energy and *Xerospermophilus mohavensis*. 20:1–18
- Ireland S, see Drauch Schreier A et al. (2012) 16:65–75
- Ivashchenko YV, Clapham PJ (2012) Soviet catches of right whales *Eubalaena japonica* and bowhead whales *Balaena mysticetus* in the North Pacific Ocean and the Okhotsk Sea. 18:201–217

J

- Jandres MV, see Liles MJ et al. (2011) 14:23–30
- Jaquemet S, see Rabehagasoa N et al. (2012) 17:83–92
- Jenkins RKB, see Andrianaivoarivelo RA et al. (2012) 19:19–27
- Jepsen N, Deacon M, Koed A (2012) Decline of the North Sea houting: protective measures for an endangered anadromous fish. 16:77–84
- Jepson PD, see Lambert E et al. (2011) 15:205–222
- Jiao Y, see Li Y (2011) 13:253–261
- Jiménez S, Domingo A, Abreu M, Brazeiro A (2011) Structure of the seabird assemblage associated with pelagic longline vessels in the southwestern Atlantic: implications for bycatch. 15:241–254
- Johanos TC, Becker BL, Baker JD, Ragen TJ, Gilmartin WG, Gerrodette T (2010) Impacts of sex ratio reduction on male aggression in the Critically Endangered Hawaiian monk seal *Monachus schauinslandi*. 11:123–132
- Johnson AB, see Benham PM et al. (2011) 13:145–157
- Johnson AB, see Hatfield BB et al. (2011) 13:219–229
- Johnson D, see Rowe LE et al. (2010) 11:83–89
- Johnson DS, see Goetz KT et al. (2012) 16:135–147
- Johnson MP, see Parks SE et al. (2011) 15:63–76
- Johnston DW, Friedlaender AS, Read AJ, Nowacek DP (2012) Initial density estimates of humpback whales

Megaptera novaeangliae in the inshore waters of the western Antarctic Peninsula during the late autumn. 18: 63–71

Jones R, see Ludynia K et al. (2010) 12:31–40

Jones TV, see Mitchell NJ et al. (2012) 17:73–82

Joseph E, see Murphy S et al. (2012) 16:149–163

Joung SJ, see Schmidt JV et al. (2010) 12:117–124

K

Kalmbach D, see Stafford KM et al. (2012) 18:95–103

Kamel SJ (2013) Vegetation cover predicts temperature in nests of the hawksbill sea turtle: implications for beach management and offspring sex ratios. 20:41–48

Kamrowski RL, Limpus C, Moloney J, Hamann M (2012) Coastal light pollution and marine turtles: assessing the magnitude of the problem. 19:85–98

Kandel K, see Regmi GR et al. (2013) 20:217–226

Kappeler P, see Schwitzer N et al. (2010) 12:215–225

Karaa S, see Chaieb O et al. (2012) 18:35–45

Karamanlidis AA, see Murphy S et al. (2012) 16:149–163

Kaschner K, see Gilles A et al. (2011) 14:157–169

Kaska Y, see Hamann M et al. (2010) 11:245–269

Katopodis C, see Thiem JD et al. (2011) 15:1–11

Kattan GH, see Saavedra-Rodríguez CA et al. (2012) 16: 273–281

Kaumanns W, see Schwitzer N et al. (2010) 12:215–225

Kebede F, Bekele A, Moehlman PD, Evangelista PH (2012) Endangered Grevy's zebra in the Alledeghi Wildlife Reserve, Ethiopia: species distribution modeling for the determination of optimum habitat. 17:237–244

Keller CA, Garrison L, Baumstark R, Ward-Geiger LI, Hines E (2012) Application of a habitat model to define calving habitat of the North Atlantic right whale in the south-eastern United States. 18:73–87

Kelly A, Scrivens R, Grogan A (2010) Post-release survival of orphaned wild-born polecats *Mustela putorius* reared in captivity at a wildlife rehabilitation centre in England. 12:107–115

Kemp A (2011) Comparison of embryological development in the threatened Australian lungfish *Neoceratodus forsteri* from two sites in a Queensland river system. 15:87–101

Kemper J, see Ludynia K et al. (2010) 12:31–40

Kendall NW, Dittman AH, Quinn TP (2010) Comparative maturation schedules of two Columbia River sockeye salmon *Oncorhynchus nerka* populations. 13:51–61

Kennedy A, see Wade PR et al. (2011) 13:99–109

Kennedy AS, see LeDuc RG et al. (2012) 18:163–167

Khan A, see Braulik GT et al. (2012) 17:201–215

Khan AR, see Braulik GT et al. (2012) 17:201–215

Khan ML, see Menon S et al. (2010) 11:175–181

Khan U, see Braulik GT et al. (2012) 17:201–215

Kiel C, Huntington BE, Miller MW (2012) Tractable field metrics for restoration and recovery monitoring of staghorn coral *Acropora cervicornis*. 19:171–176

Kinahan AA, Bunnefeld N (2012) Effectiveness and cost efficiency of monitoring mountain nyala in Bale Mountains National Park, Ethiopia. 18:105–114

Kinas PG, see Andriolo A et al. (2010) 11:233–243

Kindt-Larsen L, Dalskov J, Stage B, Larsen F (2012) Observing incidental harbour porpoise *Phocoena phocoena* bycatch by remote electronic monitoring. 19:75–83

King LE, see Soltis J et al. (2012) 18:255–263

King RT, see Richards PM et al. (2011) 15:151–158

Kingsbury B, see Attum O et al. (2010) 12:11–15

Kittinger JN, Bambico TM, Watson TK, Glazier EW (2012) Sociocultural significance of the endangered Hawaiian monk seal and the human dimensions of conservation planning. 17:139–156

Klein CJ, see Campbell HA et al. (2012) 17:53–61

Klimek A, see Weller DW et al. (2012) 18:193–199

Klumb RA, see Spindler BD et al. (2012) 16:225–234

Knapp CR, Perez-Heydrich C (2012) Using non-conspicuous metrics to examine selected impacts of disturbance on a long-lived reptile. 17:193–200

Knight JT, Arthington AH, Holder GS, Talbot RB (2012) Conservation biology and management of the endangered Oxleyan pygmy perch *Nannoperca oxleyana* in Australia. 17:169–178

Knowlton AR, see Lagueux KM et al. (2011) 14:69–77

Kobayashi M, see Nishizawa H et al. (2011) 14:141–148

Koch V, see López-Castro MC et al. (2010) 11:35–45

Koed A, see Jepsen N et al. (2012) 16:77–84

Koehn JD, Lintermans M (2012) A strategy to rehabilitate fishes of the Murray-Darling Basin, south-eastern Australia. 16:165–181

Koopman HN, see McKinstry CAE et al. (2013) 20:195–204

Koroscil SM, see Frasier TR et al. (2011) 14:39–48

Koupal KD, see Pasbrig CA et al. (2012) 16:235–247

Kovacs KM, see Stafford KM et al. (2012) 18:95–103

Kowalczyk R, see Hayward MW et al. (2011) 15:53–61

Krasińska M, see Hayward MW et al. (2011) 15:53–61

Krasiński ZA, see Hayward MW et al. (2011) 15:53–61

Kraus SD, see Lagueux KM et al. (2011) 14:69–77

Krog C, see Larsen F et al. (2013) 20:147–152

Kuchling G, see Mitchell NJ et al. (2012) 17:73–82

Kuhn CE, Tremblay Y, Ream RR, Gelatt TS (2010) Coupling GPS tracking with dive behavior to examine the relationship between foraging strategy and fine-scale movements of northern fur seals. 12:125–139

Kulka DW, see Benjamins S et al. (2010) 11:133–146

Kundi KU, see Braulik GT et al. (2012) 17:201–215

Kunnasranta M, see Niemi M et al. (2012) 19:99–108

L

Laberee K, see Long JA et al. (2011) 14:49–59

Laberee K, see Long JA et al. (2011) 14:177

LaBrecque EA, see Best BD et al. (2012) 18:1–15

Lackmann-Ancrenaz I, see Bruford MW et al. (2010) 12:249–261

Laffaille P, see Baisez A et al. (2011) 15:265–270

Lagueux KM, Zani MA, Knowlton AR, Kraus SD (2011) Response by vessel operators to protection measures for right whales *Eubalaena glacialis* in the southeast US calving ground. 14:69–77

Lahoz-Monfort JJ, see Guillera-Aroita G et al. (2010) 11:157–166

Laidre KL, see Heide-Jørgensen MP et al. (2010) 13:73–78

Laidre KL, see Wiig Ø et al. (2011) 14:235–242

Laliberté JR, see Whitt AD et al. (2013) 20:59–69

Lambert E, MacLeod CD, Hall K, Brereton T, Dunn TE, Wall D, Jepsen PD, Deaville R, Pierce GJ (2011) Quantifying likely cetacean range shifts in response to global climatic change: implications for conservation strategies in a changing world. 15:205–222

Lanés LEK, see Volcan MV et al. (2011) 13:79–85

- Lang AR, see Weller DW et al. (2012) 18:193–199
- Lang ET, see Lopez JD et al. (2010) 12:141–155
- Larbi Doukara K, see DeRuiter SL (2012) 16:55–63
- Larsen F, Krog C, Ritzau Eigaard O (2013) Determining optimal pinger spacing for harbour porpoise bycatch mitigation. 20:147–152
- Larsen F, see Kindt-Larsen L et al. (2012) 19:75–83
- Lauridsen G, see Campbell HA et al. (2012) 17:53–61
- Lawson J, see Benjamins S et al. (2010) 11:133–146
- Lazarre DM, see Hammerschlag N et al. (2011) 13:111–116
- LeBlanc AM, Wibbels T, Shaver D, Walker JS (2012) Temperature-dependent sex determination in the Kemp's ridley sea turtle: effects of incubation temperatures on sex ratios. 19:123–128
- LeDuc RG, Taylor BL, Martien KK, Robertson KM, Pitman RL, Salinas JC, Burdin AM, Kennedy AS, Wade PR, Clapham PJ, Brownell RL Jr (2012) Genetic analysis of right whales in the eastern North Pacific confirms severe extirpation risk. 18:163–167
- LeDuc RG, see Wade PR et al. (2011) 13:99–109
- Leitner P, see Inman RD et al. (2013) 20:1–18
- Lelevier MJ, see Benham PM et al. (2011) 13:145–157
- Lemckert F (2010) Habitat relationships and presence of the threatened heath frog *Litoria littlejohni* (Anura: Hylidae) in central New South Wales, Australia. 11:271–278
- Leon C, see Baisez A et al. (2011) 15:265–270
- Leonard DL, see Becker CD et al. (2010) 11:189–194
- Lesage V, see Bailleul F et al. (2012) 17:27–41
- Lesage V, see Doniol-Valcroze T et al. (2012) 17:255–268
- Lesage V, see Pomerleau C et al. (2011) 15:167–177
- Lesage V, see Rioux È et al. (2012) 18:179–191
- Leung L, see Starr C et al. (2010) 12:17–23
- Lewison R, Oro D, Godley BJ, Underhill L, Bearhop S, Wilson RP, Ainley D, Arcos JM, Boersma PD, Borboroglu PG, Boulmier T, Frederiksen M, Genovart M, González-Solís J, Green JA, Grémillet D, Hamer KC, Hilton GM, Hyrenbach KD, Martínez-Abraín A, Montevecchi WA, Phillips RA, Ryan PG, Sagar P, Sydeman WJ, Wanless S, Watanuki Y, Weimerskirch H, Yorio P (2012) Research priorities for seabirds: improving conservation and management in the 21st century. 17:93–121
- Lewison R, see Hamann M et al. (2010) 11:245–269
- Lhota S, see Stark DJ et al. (2012) 16:31–43
- Li Y, Jiao Y (2011) Influences of gillnet fishing on lake sturgeon bycatch in Lake Erie and implications for conservation. 13:253–261
- Liles MJ, Jandres MV, López WA, Mariona GI, Hasbún CR, Seminoff JA (2011) Hawksbill turtles *Eretmochelys imbricata* in El Salvador: nesting distribution and mortality at the largest remaining nesting aggregation in the eastern Pacific Ocean. 14:23–30
- Lima EHSM, see Marcovaldi MÁ et al. (2010) 12:263–272
- Limpus C, see Kamrowski RL et al. (2012) 19:85–98
- Limpus CJ, see Pereira CM et al. (2012) 17:43–51
- Lindqvist C, see Wiig Ø et al. (2011) 14:235–242
- Link A, de Luna AG, Alfonso F, Giraldo-Beltran P, Ramirez F (2010) Initial effects of fragmentation on the density of three neotropical primate species in two lowland forests of Colombia. 13:41–50
- Lintermans M (2012) Managing potential impacts of reservoir enlargement on threatened *Macquaria australasica* and *Gadopsis bispinosus* in southeastern Australia. 16:1–16
- Lintermans M, see Koehn JD (2012) 16:165–181
- Littnan CL, see Cahoon MK et al. (2013) 20:137–146
- Lluch-Belda D, see Salvadeo CJ et al. (2010) 11:13–19
- Lockyer C, see Murphy S et al. (2012) 16:149–163
- Lohmann CMF, see Salmon M et al. (2012) 16:295–299
- Lohmann KJ, see Salmon M et al. (2012) 16:295–299
- Loi P, Wakayama T, Saragustury J, Fulka Jr J, Ptak G (2011) Biological time machines: a realistic approach for cloning an extinct mammal. 14:227–233
- Long JA, Hazlitt SL, Nelson TA, Laberee K (2011) Estimating 30-year change in coastal old-growth habitat for a forest-nesting seabird in British Columbia, Canada. 14:49–59
- Long JA, Hazlitt SL, Nelson TA, Laberee K (2011) (Erratum to Vol. 14:49–59, 2011) 14:177
- Longenecker K, see Cahoon MK et al. (2013) 20:137–146
- Lopez GG, see Marcovaldi MÁ et al. (2010) 12:263–272
- Lopez GG, see Marcovaldi MÁ et al. (2012) 17:123–132
- Lopez JD, Peterson MS, Lang ET, Charbonnet AM (2010) Linking habitat and life history for conservation of the rare saltmarsh topminnow *Fundulus jenkinsi*: morphometrics, reproduction, and trophic ecology. 12:141–155
- López WA, see Liles MJ et al. (2011) 14:23–30
- López-Castro MC, Koch V, Mariscal-Loza A, Nichols WJ (2010) Long-term monitoring of black turtles *Chelonia mydas* at coastal foraging areas off the Baja California Peninsula. 11:35–45
- López-Mendilaharsu M, see Almeida AP et al. (2011) 15:77–86
- López-Mendilaharsu M, see Marcovaldi MÁ et al. (2012) 17:123–132
- Lorrain A, see Rabehagaso N et al. (2012) 17:83–92
- Loughran C, see Lovich J et al. (2012) 19:63–74
- Lovich J, Agha M, Meulblok M, Meyer K, Ennen J, Loughran C, Madrak S, Bjurlin C (2012) Climatic variation affects clutch phenology in Agassiz's desert tortoise *Gopherus agassizii*. 19:63–74
- Lucherini M, see Cossíos ED et al. (2012) 16:283–294
- Ludynia K, Jones R, Kemper J, Garthe S, Underhill LG (2010) Foraging behaviour of bank cormorants in Namibia: implications for conservation. 12:31–40
- Luiselli L, see Amori G et al. (2011) 15:143–149
- Luque S, see Pomerleau C et al. (2011) 15:167–177
- Lusseau D, see Christiansen F et al. (2010) 11:91–99
- Lydersen C, see Stafford KM et al. (2012) 18:95–103

M

- Macdonald DW, see Villalba ML et al. (2012) 16:85–94
- Mack J, see Esque TC et al. (2010) 12:167–177
- Mackey B, see Murphy S et al. (2012) 16:149–163
- Macko SA, see Snover ML et al. (2010) 13:25–31
- MacLeod CD, see Lambert E et al. (2011) 15:205–222
- MacLeod CD, see Salvadeo CJ et al. (2010) 11:13–19
- Madeiras J, see Brooke M de L et al. (2010) 11:47–59
- Madon B, see Schaffar A et al. (2013) 19:245–254
- Madrak S, see Lovich J et al. (2012) 19:63–74
- Maffucci F, see Chaieb O et al. (2012) 18:35–45
- Magath V, Thiel R (2013) Stock recovery, spawning period and spawning area expansion of the twaite shad *Alosa fallax* in the Elbe estuary, southern North Sea. 20:109–119
- Mahaffy SD, see Baird RW et al. (2012) 18:47–61
- Mannette RP, see Alemu JB I et al. (2013) 20:131–136
- Marcovaldi MÁ, Lopez GG, Soares LS, Lima EHSM, Thomé JCA, Almeida AP (2010) Satellite-tracking of female log-

- gerhead turtles highlights fidelity behavior in northeastern Brazil. 12:263–272
- Marcovaldi MÁ, Lopez GG, Soares LS, López-Mendilaharsu M (2012) Satellite tracking of hawksbill turtles *Eretmochelys imbricata* nesting in northern Bahia, Brazil: turtle movements and foraging destinations. 17: 123–132
- Mariano-Jelicich R, see Favero M et al. (2013) 19:187–199
- Mariona GI, see Liles MJ et al. (2011) 14:23–30
- Mariscal-Loza A, see López-Castro MC et al. (2010) 11: 35–45
- Marques TA, Munger L, Thomas L, Wiggins S, Hildebrand JA (2011) Estimating North Pacific right whale *Eubalæna japonica* density using passive acoustic cue counting. 13:163–172
- Marques TA, Munger L, Thomas L, Wiggins S, Hildebrand JA (2012) (Erratum to Vol. 13:163–172, 2011) 16:95
- Marsh H, see Berg Soto A et al. (2013) 20:271–282
- Marsh H, see Rajamani L (2010) 13:17–23
- Marteau C, see Delord K et al. (2010) 13:1–16
- Martien KK, see LeDuc RG et al. (2012) 18:163–167
- Martien KK, see Morin PA et al. (2012) 19:129–147
- Martínez-Abraín A, see Lewison R et al. (2012) 17:93–121
- Martins AS, see Almeida AP et al. (2011) 14:193–201
- Mateus CS, Rodríguez-Muñoz R, Quintella BR, Alves MJ, Almeida PR (2012) Lampreys of the Iberian Peninsula: distribution, population status and conservation. 16: 183–198
- Matkin C, see Witteveen BH et al. (2011) 14:217–225
- Matocq MD, see Inman RD et al. (2013) 20:1–18
- Matthiopoulos J, see Murphy S et al. (2012) 16:149–163
- Mattila D, see Stimpert AK et al. (2012) 19:11–17
- Mattila DK, see Robbins J et al. (2011) 13:117–121
- May B, see Drauch Schreier A et al. (2012) 16:65–75
- Mayo CA, see Pendleton DE et al. (2012) 18:147–161
- Mazaris AD, see Casale P et al. (2011) 13:123–129
- McClellan K, see Reeves RR et al. (2013) 20:71–97
- McDonald KR, see Phillott AD et al. (2010) 11:183–188
- McIntosh RR, see Shaughnessy PD et al. (2011) 13:87–98
- McIntyre PB, see Walter RP et al. (2012) 16:261–272
- McKeown A, see Campbell HA et al. (2012) 17:53–61
- McKinstry CAE, Westgate AJ, Koopman HN (2013) Annual variation in the nutritional value of Stage V *Calanus finmarchicus*: implications for right whales and other copepod predators. 20:195–204
- McLellan WA, see Best BD et al. (2012) 18:1–15
- McPherson C, see Erbe C (2012) 19:109–121
- McQuaid CD, see Pichegru L et al. (2013) 19:255–264
- McRae CJ, Warren KD, Shrimpton JM (2012) Spawning site selection in interior Fraser River coho salmon *Oncorhynchus kisutch*: an imperiled population of anadromous salmon from a snow-dominated watershed. 16: 249–260
- McSweeney DJ, see Baird RW et al. (2012) 18:47–61
- McVee J, see Murphy S et al. (2012) 16:149–163
- Medica PA, see Esque TC et al. (2010) 12:167–177
- Medina Y, see Richards PM et al. (2011) 15:151–158
- Meekan MG, see Schmidt JV et al. (2010) 12:117–124
- Ménard F, see Rabehagasoa N et al. (2012) 17:83–92
- Menon S, Choudhury BI, Khan ML, Peterson AT (2010) Ecological niche modeling and local knowledge predict new populations of *Gymnocladus assamicus* a critically endangered tree species. 11:175–181
- Meulblok M, see Lovich J et al. (2012) 19:63–74
- Meyer K, see Lovich J et al. (2012) 19:63–74
- Michaud J, Taggart CT (2011) Spatial variation in right whale food, *Calanus finmarchicus*, in the Bay of Fundy. 15:179–194
- Michaud R, see Doniol-Valcroze T et al. (2012) 17:255–268
- Miller MW, see Kiel C et al. (2012) 19:171–176
- Milner-Gulland EJ, see Guillera-Aroita G et al. (2010) 11: 157–166
- Minton G, see Corkeron PJ et al. (2011) 15:39–52
- Miranto M, Hyvärinen M, Hiltunen R, Schulman L (2012) *Ex situ* conservation of threatened native plants in Finland: analysis of the current status. 17:227–236
- Mitchell NJ, Jones TV, Kuchling G (2012) Simulated climate change increases juvenile growth in a Critically Endangered tortoise. 17:73–82
- Moehlman PD, see Kebede F et al. (2012) 17:237–244
- Moloney J, see Kamrowski RL et al. (2012) 19:85–98
- Moncada F, Abreu-Grobois FA, Bagley D, Bjorndal KA, Bolten AB, Camiñas JA, Ehrhart L, Muhlia-Melo A, Nodarse G, Schroeder BA, Zurita J, Hawkes LA (2010) Movement patterns of loggerhead turtles *Caretta caretta* in Cuban waters inferred from flipper tag recaptures. 11: 61–68
- Moncada F, see Richards PM et al. (2011) 15:151–158
- Monger BC, see Pendleton DE et al. (2012) 18:147–161
- Monteiro-Filho ELA, see Guebert-Bartholo FM et al. (2011) 13:131–143
- Montevicchi WA, see Lewison R et al. (2012) 17:93–121
- Montgomery RA, see Goetz KT et al. (2012) 16:135–147
- Moore M, see Richardson J et al. (2012) 19:149–156
- Moore RS, Nekaris KAI, Eschmann C (2010) Habitat use by western purple-faced langurs *Trachypithecus vetulus nestor* (Colobinae) in a fragmented suburban landscape. 12:227–234
- Moore SE, see Stafford KM et al. (2012) 18:95–103
- Moreira LMP, see Almeida AP et al. (2011) 14:193–201
- Morin PA, Archer FI, Pease VL, Hancock- Hanser BL, Robertson KM, Huebinger RM, Martien KK, Bickham JW, George JC, Postma LD, Taylor BL (2012) Empirical comparison of single nucleotide polymorphisms and microsatellites for population and demographic analyses of bowhead whales. 19:129–147
- Morin PA, see Roden SE et al. (2013) 20:227–234
- Morreale SJ, see Blanco GS et al. (2012) 18:233–245
- Mortimer JA, see Hamann M et al. (2010) 11:245–269
- Mossop B, see Hasler CT et al. (2011) 14:79–89
- Mounce HL, see Becker CD et al. (2010) 11:189–194
- Mucci A, see Narayan E et al. (2012) 18:279–289
- Muhlia-Melo A, see Moncada F et al. (2010) 11:61–68
- Mullers RHE, Navarro RA (2010) Foraging behaviour of Cape gannets as an indicator of colony health status. 12: 193–202
- Munger L, see Marques TA et al. (2011) 13:163–172
- Munger L, see Marques TA et al. (2012) 16:95
- Munger L, see Wade PR et al. (2011) 13:99–109
- Munier A, see Goudie RI et al. (2011) 13:181–189
- Murphy S, Spradlin TR, Mackey B, McVee J, Androukaki E, Tounta E, Karamanlidis AA, Dendrinis P, Joseph E, Lockyer C, Matthiopoulos J (2012) Age estimation, growth and age-related mortality of Mediterranean monk seals *Monachus monachus*. 16:149–163
- Mussoline SE, Risch D, Hatch LT, Weinrich MT, Wiley DN, Thompson MA, Corkeron PJ, Van Parijs SM (2012) Seasonal and diel variation in North Atlantic right whale up-calls: implications for management and conservation in the northwestern Atlantic Ocean. 17:17–26

N

- Napp J, see Wade PR et al. (2011) 13:99–109
 Naranjit KT, see Alemu JB I et al. (2013) 20:131–136
 Narayan E, Hero JM, Evans N, Nicolson V, Mucci A (2012) Non-invasive evaluation of physiological stress hormone responses in a captive population of the greater bilby *Macrotis lagotis*. 18:279–289
 Natanson L, see Benavides MT et al. (2011) 14:13–22
 Navarro RA, see Mullers RHE (2010) 12:193–202
 Neil A, see Richardson J et al. (2012) 19:149–156
 Neilson J, see Witteveen BH et al. (2011) 14:217–225
 Nekaris KAI, see Moore RS et al. (2010) 12:227–234
 Nekaris KAI, see Nijman V et al. (2011) 13:159–161
 Nekaris KAI, see Regmi GR et al. (2013) 20:217–226
 Nekaris KAI, see Schwitzer C et al. (2011) 14:31–38
 Nekaris KAI, see Starr C et al. (2010) 12:17–23
 Nelson TA, see Long JA et al. (2011) 14:49–59
 Nelson TA, see Long JA et al. (2011) 14:177
 Nemeth MI, see Schärer MT et al. (2012) 19:29–38
 Nichols WJ, see Hamann M et al. (2010) 11:245–269
 Nichols WJ, see López-Castro MC et al. (2010) 11:35–45
 Nicholson E, see Guillera-Arroita G et al. (2010) 11:157–166
 Nicolson V, see Narayan E et al. (2012) 18:279–289
 Niemi M, Auttila M, Viljanen M, Kunnasranta M (2012) Movement data and their application for assessing the current distribution and conservation needs of the endangered Saimaa ringed seal. 19:99–108
 Nijman V, Nekaris KAI, Donati G, Bruford M, Fa J (2011) Primate conservation: measuring and mitigating trade in primates. 13:159–161
 Nijman V, see Regmi GR et al. (2013) 20:217–226
 Nijman V, see Stark DJ et al. (2012) 16:31–43
 Nishizawa H, Abe O, Okuyama J, Kobayashi M, Arai N (2011) Population genetic structure and implications for natal philopatry of nesting green turtles *Chelonia mydas* in the Yaeyama Islands, Japan. 14:141–148
 Noad M, see Berg Soto A et al. (2013) 20:271–282
 Nodarse G, see Moncada F et al. (2010) 11:61–68
 Nodarse G, see Richards PM et al. (2011) 15:151–158
 Norman BM, see Schmidt JV et al. (2010) 12:117–124
 Northridge S, see Dawson SM et al. (2013) 19:201–221
 Northridge SP, see Braulik GT et al. (2012) 17:201–215
 Nosal EM, see Stimpert AK et al. (2012) 19:11–17
 Nourisson C, see Castelblanco-Martínez DN et al. (2012) 18:129–145
 Nowacek D, see Richardson J et al. (2012) 19:149–156
 Nowacek DP, see Johnston DW et al. (2012) 18:63–71
 Nowacek DP, see Parks SE et al. (2011) 15:63–76
 Nowacek DP, see Robbins J et al. (2011) 13:117–121
 Nowell K, see Villalba ML et al. (2012) 16:85–94
 Nupen L, see Pichegru L et al. (2013) 19:255–264
 Nussear KE, see Esque TC et al. (2010) 12:167–177
 Nussear KE, see Inman RD et al. (2013) 20:1–18

O

- O'Connell TC, see Brooke M de L et al. (2010) 11:47–59
 Ocana M, Harfush-Melendez M, Heppell SS (2012) Mass nesting of olive ridley sea turtles *Lepidochelys olivacea* at La Escobilla, Mexico: linking nest density and rates of destruction. 16:45–54
 Okuyama J, see Nishizawa H et al. (2011) 14:141–148
 Oleson EM, see Baird RW et al. (2012) 18:47–61

- Olsson A, see Campbell HA et al. (2012) 17:53–61
 Oremus M, Hamner RM, Stanley M, Brown P, Baker CS, Constantine R (2012) Distribution, group characteristics and movements of the Critically Endangered Maui's dolphin *Cephalorhynchus hectori maui*. 19:1–10
 Oro D, see Lewison R et al. (2012) 17:93–121
 Orphanides CD, Palka DL (2013) Analysis of harbor porpoise gillnet bycatch, compliance, and enforcement trends in the US northwestern Atlantic, January 1999 to May 2010. 20:251–270
 Orrego CM, see Valverde RA et al. (2010) 12:77–86
 Osbahr K, see Saavedra-Rodríguez CA et al. (2012) 16:273–281
 Owens DW, see Arendt MD et al. (2012) 18:219–231

P

- Padilla-Saldivar J, see Castelblanco-Martínez DN et al. (2012) 18:129–145
 Page B, see Shaughnessy PD et al. (2011) 13:87–98
 Paladino FV, see Blanco GS et al. (2012) 18:233–245
 Paladino FV, see Garrett K et al. (2010) 11:147–155
 Paladino FV, see Sieg AE et al. (2011) 15:195–204
 Palka DL, see Best BD et al. (2012) 18:1–15
 Palka DL, see Orphanides CD (2013) 20:251–270
 Palsbøll PJ, see Wiig Ø et al. (2011) 14:235–242
 Paragamian VL (2012) Kootenai River white sturgeon: synthesis of two decades of research. 17:157–167
 Parker L, see Arendt MD et al. (2012) 18:219–231
 Parks SE, Searby A, Célérier A, Johnson MP, Nowacek DP, Tyack PL (2011) Sound production behavior of individual North Atlantic right whales: implications for passive acoustic monitoring. 15:63–76
 Parouty T, see Baisez A et al. (2011) 15:265–270
 Parra GJ, see Berg Soto A et al. (2013) 20:271–282
 Pasachnik SA, Echternacht AC, Fitzpatrick BM (2011) Population genetics of the Honduran spiny-tailed iguana *Ctenosaura melanosterna*: implications for conservation and management. 14:113–126
 Pasbrig CA, Koupal KD, Schainost S, Hoback WW (2012) Changes in range-wide distribution of plains topminnow *Fundulus sciadicus*. 16:235–247
 Patterlini C, see Favero M et al. (2013) 19:187–199
 Patterson DA, see Hasler CT et al. (2011) 14:79–89
 Patterson TA, see Pomerleau C et al. (2011) 15:167–177
 Paukert C, see Cooke SJ et al. (2012) 17:179–191
 Paukert CP, see Schloesser JT et al. (2012) 16:211–224
 Pease VL, see Morin PA et al. (2012) 19:129–147
 Pelletier É, see Rioux È et al. (2012) 18:179–191
 Pendleton DE, Sullivan PJ, Brown MW, Cole TVN, Good CP, Mayo CA, Monger BC, Phillips S, Record NR, Pershing AJ (2012) Weekly predictions of North Atlantic right whale *Eubalaena glacialis* habitat reveal influence of prey abundance and seasonality of habitat preferences. 18:147–161
 Pereboom Z, see Etiendem DN et al. (2013) 20:167–179
 Pereira CM, Booth DT, Limpus CJ (2012) Swimming performance and metabolic rate of flatback *Natator depressus* and loggerhead *Caretta caretta* sea turtle hatchlings during the swimming frenzy. 17:43–51
 Perez-Heydrich C, see Knapp CR (2012) 17:193–200
 Perkins MW, see Alemu JB I et al. (2013) 20:131–136
 Péron C, see Delord K et al. (2010) 13:1–16
 Perrine J, see Cleve C et al. (2011) 14:179–191

- Pershing AJ, see Pendleton DE et al. (2012) 18:147–161
 Peterson AT, see Menon S et al. (2010) 11:175–181
 Peterson MS, see Lopez JD et al. (2010) 12:141–155
 Petiau E, see Cotté C et al. (2010) 12:203–214
 Petit EJ, see Andrianaivoarivelo RA et al. (2012) 19:19–27
 Phillips RA, see Lewison R et al. (2012) 17:93–121
 Phillips S, see Pendleton DE et al. (2012) 18:147–161
 Phillott AD, McDonald KR, Skerratt LF (2010) Return rates of male hylid frogs *Litoria genimaculata*, *L. nannotis*, *L. rheocola* and *Nyctimystes dayi* after toe-tipping. 11:183–188
 Pichegru L, Cook T, Handley J, Voogt N, Watermeyer J, Nupen L, McQuaid CD (2013) Sex-specific foraging behaviour and a field sexing technique for Endangered African penguins. 19:255–264
 Pierce GJ, see Lambert E et al. (2011) 15:205–222
 Pilcher N, Chaloupka M (2013) Using community-based monitoring to estimate demographic parameters for a remote nesting population of the Critically Endangered leatherback turtle. 20:49–57
 Pitman RL, see LeDuc RG et al. (2012) 18:163–167
 Plotkin PT (2010) Nomadic behaviour of the highly migratory olive ridley sea turtle *Lepidochelys olivacea* in the eastern tropical Pacific Ocean. 13:33–40
 Polovina JJ, see Hooker SK et al. (2011) 13:203–218
 Pomerleau C, Patterson TA, Luque S, Lesage V, Heide-Jørgensen MP, Dueck LL, Ferguson SH (2011) Bowhead whale *Balaena mysticetus* diving and movement patterns in the eastern Canadian Arctic: implications for foraging ecology. 15:167–177
 Postma L, see Heide-Jørgensen MP et al. (2010) 13:73–78
 Postma L, see Rioux È et al. (2012) 18:179–191
 Postma LD, see Morin PA et al. (2012) 19:129–147
 Postma LD, see Wiig Ø et al. (2011) 14:235–242
 Potier M, see Rabehagasoa N et al. (2012) 17:83–92
 Power M, see Bailleul F et al. (2012) 17:27–41
 Priston NEC, see Wright JH (2010) 11:1–12
 Pruvost P, see Delord K et al. (2010) 13:1–16
 Ptak G, see Loi P et al. (2011) 14:227–233
- Q**
- Qian SS, see Best BD et al. (2012) 18:1–15
 Quattro JM, see Arendt MD et al. (2012) 18:219–231
 Quinn TP, see Kendall NW et al. (2010) 13:51–61
 Quintana-Rizzo E, see Castelblanco-Martínez DN et al. (2012) 18:129–145
 Quintella BR, see Mateus CS et al. (2012) 16:183–198
- R**
- Rabehagasoa N, Lorrain A, Bach P, Potier M, Jaquemet S, Richard P, Ménard F (2012) Isotopic niches of the blue shark *Prionace glauca* and the silky shark *Carcharhinus falciformis* in the southwestern Indian Ocean. 17:83–92
 Racey PA, see Andrianaivoarivelo RA et al. (2012) 19:19–27
 Ragen TJ, see Johanos TC et al. (2010) 11:123–132
 Raharivololona BM, Ganzhorn JU (2010) Seasonal variations in gastrointestinal parasites excreted by the gray mouse lemur *Microcebus murinus* in Madagascar. 11:113–122
 Rajamani L, Marsh H (2010) Using parallel regional- and local-scale initiatives to inform conservation management of rare wildlife: a case study of the dugong *Dugong dugon* in Sabah, Malaysia. 13:17–23
 Rajput R, see Braulik GT et al. (2012) 17:201–215
 Ralls K, see Curry BE et al. (2013) 19:223–243
 Ramilijaona O, see Andrianaivoarivelo RA et al. (2012) 19:19–27
 Ramirez F, see Link A et al. (2010) 13:41–50
 Ramírez-Macías D, Vázquez-Haikin A, Vázquez-Juárez R (2012) Whale shark *Rhincodon typus* populations along the west coast of the Gulf of California and implications for management. 18:115–128
 Rankin S, see Wade PR et al. (2011) 13:99–109
 Rassmussen TA, see Becker CD et al. (2010) 11:189–194
 Ratcliffe N, see Brooke M de L et al. (2010) 11:47–59
 Rauch-Sasseen A, see Becker CD et al. (2010) 11:189–194
 Rayment W, Dawson S, Scali S, Slooten L (2011) Listening for a needle in a haystack: passive acoustic detection of dolphins at very low densities. 14:149–156
 Rayment W, see Henderson SD et al. (2013) 20:99–107
 Razafindrakoto N, see Andrianaivoarivelo RA et al. (2012) 19:19–27
 Read AJ (2013) Development of conservation strategies to mitigate the bycatch of harbor porpoises in the Gulf of Maine. 20:235–250
 Read AJ, see Best BD et al. (2012) 18:1–15
 Read AJ, see Dawson SM et al. (2013) 19:201–221
 Read AJ, see Johnston DW et al. (2012) 18:63–71
 Ream RR, see Kuhn CE et al. (2010) 12:125–139
 Record NR, see Pendleton DE et al. (2012) 18:147–161
 Redfern JV, see Becker EA et al. (2012) 16:97–112
 Redfern JV, see Forney KA et al. (2012) 16:113–133
 Reeves RR, McClellan K, Werner TB (2013) Marine mammal bycatch in gillnet and other entangling net fisheries, 1990 to 2011. 20:71–97
 Reeves RR, see Hooker SK et al. (2011) 13:203–218
 Regmi GR, Nekaris KAI, Kandel K, Nijman V (2013) Crop-raiding macaques: predictions, patterns and perceptions from Langtang National Park, Nepal. 20:217–226
 Reich KJ, see Frankel NS et al. (2012) 17:133–138
 Reichert AP, see Braulik GT et al. (2012) 17:201–215
 Reina RD, see Hamann M et al. (2010) 11:245–269
 Reina RD, see Sieg AE et al. (2011) 15:195–204
 Reynolds III JE, see Wilson RC et al. (2011) 14:107–112
 Richard P, see Rabehagasoa N et al. (2012) 17:83–92
 Richards PM, Epperly SP, Heppell SS, King RT, Sasso CR, Moncada F, Nodarse G, Shaver DJ, Medina Y, Zurita J (2011) Sea turtle population estimates incorporating uncertainty: a new approach applied to western North Atlantic loggerheads *Caretta caretta*. 15:151–158
 Richardson J, Wood AG, Neil A, Nowacek D, Moore M (2012) Changes in distribution, relative abundance, and species composition of large whales around South Georgia from opportunistic sightings: 1992 to 2011. 19:149–156
 Rioux È, Lesage V, Postma L, Pelletier É, Turgeon J, Stewart REA, Stern G, Hammill MO (2012) Use of stable isotopes and trace elements to determine harvest composition and wintering assemblages of belugas at a contemporary ecological scale. 18:179–191
 Risch D, see Mussoline SE et al. (2012) 17:17–26
 Ritzau Eigaard O, see Larsen F et al. (2013) 20:147–152
 Robbins J, Dalla Rosa L, Allen JM, Mattila DK, Secchi ER, Friedlaender AS, Stevick PT, Nowacek DP, Steel D (2011) Return movement of a humpback whale between the Antarctic Peninsula and American Samoa: a seasonal migration record. 13:117–121
 Roberts JJ, see Best BD et al. (2012) 18:1–15

Roberts MA, see Arendt MD et al. (2012) 18:219–231
 Robertson KM, see LeDuc RG et al. (2012) 18:163–167
 Robertson KM, see Morin PA et al. (2012) 19:129–147
 Robins JG, see Stark DJ et al. (2012) 16:31–43
 Robson DB (2010) Reproductive ecology of the western silvery aster *Symphotrichum sericeum* in Canada. 12: 49–55
 Roden SE, Morin PA, Frey A, Balazs GH, Zarate P, Cheng JJ, Dutton PH (2013) Green turtle population structure in the Pacific: new insights from single nucleotide polymorphisms and microsatellites. 20:227–234
 Rodríguez-Luna E, see Shedden-González A (2010) 12: 25–30
 Rodríguez-Muñoz R, see Mateus CS et al. (2012) 16:183–198
 Rodríguez-Ramírez EC, Sánchez-González A, Ángeles-Pérez G (2013) Current distribution and coverage of Mexican beech forests *Fagus grandifolia* subsp. *mexicana* in Mexico. 20:205–216
 Rodzen J, see Drauch Schreier A et al. (2012) 16:65–75
 Romeo T, see Canese S et al. (2011) 14:171–176
 Rondinini C, see Amori G et al. (2011) 15:143–149
 Roudebush WE, see Wilson RC et al. (2011) 14:107–112
 Rowe LE, Currey RJC, Dawson SM, Johnson D (2010) Assessment of epidermal condition and calf size of Fiordland bottlenose dolphin *Tursiops truncatus* populations using dorsal fin photographs and photogrammetry. 11: 83–89
 Rowe S, see Wheeler B et al. (2012) 17:1–16
 Rowell TJ, see Schärer MT et al. (2012) 19:29–38
 Rufino AM, see Andriolo A et al. (2010) 11:233–243
 Rugh DJ, Shelden KEW, Hobbs RC (2010) Range contraction in a beluga whale population. 12:69–75
 Ruibal MP, see Fulton CJ et al. (2012) 19:39–45
 Ruiz-García M, see Cossíos ED et al. (2012) 16:283–294
 Ryan PG, see Lewison R et al. (2012) 17:93–121

S

Saavedra-Rodríguez CA, Kattan GH, Osbahr K, Hoyos JG (2012) Multiscale patterns of habitat and space use by the pacarana *Dinomys branickii*: factors limiting its distribution and abundance. 16:273–281
 Sadovy Y, see Cheung WWL et al. (2013) 20:27–39
 Sagar P, see Lewison R et al. (2012) 17:93–121
 Said K, see Chaieb O et al. (2012) 18:35–45
 Salinas JC, see LeDuc RG et al. (2012) 18:163–167
 Salmon M, Carthy RR, Lohmann CMF, Lohmann KJ, Wyneken J (2012) Collecting a sample of loggerhead sea turtle hatchlings before a natural emergence does not reduce nest productivity. 16:295–299
 Salvadeo CJ, Lluch-Belda D, Gómez-Gallardo A, Urbán-Ramírez J, MacLeod CD (2010) Climate change and a poleward shift in the distribution of the Pacific white-sided dolphin in the northeastern Pacific. 11:13–19
 Salvati E, see Canese S et al. (2011) 14:171–176
 Samaran F, Adam O, Guinet C (2010) Discovery of a mid-latitude sympatric area for two Southern Hemisphere blue whale subspecies. 12:157–165
 Sánchez-González A, see Rodríguez-Ramírez EC et al. (2013) 20:205–216
 Sandin SA, see Vardi T et al. (2012) 19:157–169
 Santidrián Tomillo P, see Sieg AE et al. (2011) 15:195–204
 Santillán MÁ, see Sarasola JH et al. (2010) 11:207–213
 Saragustury J, see Loi P et al. (2011) 14:227–233
 Sarasola JH, Santillán MÁ, Galmes MA (2010) Crowned eagles rarely prey on livestock in central Argentina: persecution is not justified. 11:207–213
 Saslaw LR, see Germano DJ et al. (2013) 19:265–276
 Sasso CR, see Richards PM et al. (2011) 15:151–158
 Savage A, see Soltis J et al. (2012) 18:255–263
 Scalfoni JT, see Almeida AP et al. (2011) 15:77–86
 Scali S, see Rayment W et al. (2011) 14:149–156
 Schaffar A, Madon B, Garrigue C, Constantine R (2013) Behavioural effects of whale-watching activities on an Endangered population of humpback whales wintering in New Caledonia. 19:245–254
 Schainost S, see Pasbrig CA et al. (2012) 16:235–247
 Schärer MT, Rowell TJ, Nemeth MI, Appeldoorn RS (2012) Sound production associated with reproductive behavior of Nassau grouper *Epinephelus striatus* at spawning aggregations. 19:29–38
 Scheidat M, see Gilles A et al. (2011) 14:157–169
 Scheidegger C, see Goudie RI et al. (2011) 13:181–189
 Schick RS, see Best BD et al. (2012) 18:1–15
 Schloesser JT, Paukert CP, Doyle WJ, Hill TD, Steffensen KD, Travnichek VH (2012) Heterogeneous detection probabilities for imperiled Missouri River fishes: implications for large-river monitoring programs. 16:211–224
 Schmidt JV, Chen CC, Sheikh SI, Meekan MG, Norman BM, Joung SJ (2010) Paternity analysis in a litter of whale shark embryos. 12:117–124
 Schmidt-Roach ACJ, see Alemu JB I et al. (2013) 20:131–136
 Schmitt CJ, see Benham PM et al. (2011) 13:145–157
 Schmitter-Soto JJ, see Castelblanco-Martínez DN et al. (2012) 18:129–145
 Schorr GS, see Baird RW et al. (2012) 18:47–61
 Schorr GS, see Hanson MB et al. (2010) 11:69–82
 Schroeder BA, see Moncada F et al. (2010) 11:61–68
 Schulman L, see Miranto M et al. (2012) 17:227–236
 Schwenter JA, see Arendt MD et al. (2012) 18:219–231
 Schwierzke-Wade L, see Wilson RC et al. (2011) 14:107–112
 Schwitzer C, Glatt L, Nekaris KAI, Ganzhorn JU (2011) Responses of animals to habitat alteration: an overview focussing on primates. 14:31–38
 Schwitzer C, see Schwitzer N et al. (2010) 12:215–225
 Schwitzer N, Clough D, Zahner H, Kaumanns W, Kappeler P, Schwitzer C (2010) Parasite prevalence in blue-eyed black lemurs *Eulemur flavifrons* in differently degraded forest fragments. 12:215–225
 Scrivens R, see Kelly A et al. (2010) 12:107–115
 Searby A, see Parks SE et al. (2011) 15:63–76
 Secchi ER, see Robbins J et al. (2011) 13:117–121
 Seco Pon JP, see Favero M et al. (2013) 19:187–199
 Segars AL, see Arendt MD et al. (2012) 18:219–231
 Seminoff JA, see Blanco GS et al. (2012) 18:233–245
 Seminoff JA, see Hamann M et al. (2010) 11:245–269
 Seminoff JA, see Liles MJ et al. (2011) 14:23–30
 Shaffer HB, see Georges A et al. (2011) 14:127–134
 Shah AK, see Stokes LW et al. (2011) 14:1–11
 Shah NJ, see Allen ZC et al. (2010) 11:195–200
 Shanee N (2012) Trends in local wildlife hunting, trade and control in the Tropical Andes Biodiversity Hotspot, northeastern Peru. 19:177–186
 Shanker K, see Hamann M et al. (2010) 11:245–269
 Shaughnessy PD, Goldsworthy SD, Hamer DJ, Page B, McIntosh RR (2011) Australian sea lions *Neophoca cinerea* at colonies in South Australia: distribution and abundance, 2004 to 2008. 13:87–98
 Shaughnessy PD, see Hamer DJ et al. (2011) 14:203–216

- Shaver D, see LeBlanc AM et al. (2012) 19:123–128
- Shaver DJ, see Richards PM et al. (2011) 15:151–158
- Shedden-González A, Rodríguez-Luna E (2010) Responses of a translocated howler monkey *Alouatta palliata* group to new environmental conditions. 12:25–30
- Sheikh SI, see Schmidt JV et al. (2010) 12:117–124
- Shelden KEW, see Rugh DJ et al. (2010) 12:69–75
- Shelden KEW, see Wade PR et al. (2011) 13:99–109
- Shepherd CR (2010) Illegal primate trade in Indonesia exemplified by surveys carried out over a decade in North Sumatra. 11:201–205
- Sherley RB, Burghardt T, Barham PJ, Campbell N, Cuthill IC (2010) Spotting the difference: towards fully-automated population monitoring of African penguins *Spheniscus demersus*. 11:101–111
- Shivji MS, see Benavides MT et al. (2011) 14:13–22
- Shokhrin V, see Solovyeva DV et al. (2012) 17:217–225
- Shrimpton JM, see McRae CJ et al. (2012) 16:249–260
- Siebert U, see Gallus A et al. (2012) 18:265–278
- Siebert U, see Gilles A et al. (2011) 14:157–169
- Sieg AE, Binckley CA, Wallace BP, Santidrián Tomillo P, Reina RD, Paladino FV, Spotila JR (2011) Sex ratios of leatherback turtles: hatchery translocation decreases metabolic heating and female bias. 15:195–204
- Silber GK, Adams JD, Bettridge S (2012) Vessel operator response to a voluntary measure for reducing collisions with whales. 17:245–254
- Simpfendorfer CA, see White J et al. (2013) 19:277–284
- Simpfendorfer CA, see Wiley TR (2010) 12:179–191
- Sims DW, see Brooks EJ et al. (2011) 13:231–243
- Skerratt LF, see Phillott AD et al. (2010) 11:183–188
- Skinner R, see Wiersma YF (2011) 15:115–127
- Slip D, see Gulesserian M et al. (2011) 15:255–264
- Slooman KA, see Brooks EJ et al. (2011) 13:231–243
- Slonim C, see Hammerschlag N et al. (2011) 13:111–116
- Slooten E (2013) Effectiveness of area-based management in reducing bycatch of the New Zealand dolphin. 20:121–130
- Slooten L, see Rayment W et al. (2011) 14:149–156
- Small CJ, see Anderson ORJ et al. (2011) 14:91–106
- Smith PT, see Germano DJ et al. (2013) 19:265–276
- Sneva JG, see Hanson MB et al. (2010) 11:69–82
- Snoddy JE, Southwood Williard A (2010) Movements and post-release mortality of juvenile sea turtles released from gillnets in the lower Cape Fear River, North Carolina, USA. 12:235–247
- Snover ML, Hohn AA, Crowder LB, Macko SA (2010) Combining stable isotopes and skeletal growth marks to detect habitat shifts in juvenile loggerhead sea turtles *Caretta caretta*. 13:25–31
- Soares LS, see Marcovaldi MÂ et al. (2010) 12:263–272
- Soares LS, see Marcovaldi MÂ et al. (2012) 17:123–132
- Solovyeva DV, Afanasiev V, Fox JW, Shokhrin V, Fox AD (2012) Use of geolocators reveals previously unknown Chinese and Korean scaly-sided merganser wintering sites. 17:217–225
- Soltis J, Wilson RP, Douglas-Hamilton I, Vollrath F, King LE, Savage A (2012) Accelerometers in collars identify behavioral states in captive African elephants *Loxodonta africana*. 18:255–263
- Soulé PT, see White PB et al. (2012) 18:17–25
- Southwood Williard A, see Snoddy JE (2010) 12:235–247
- Spencer RJ, see Georges A et al. (2011) 14:127–134
- Spindler BD, Chipps SR, Klumb RA, Graeb BDS, Wimberly MC (2012) Habitat and prey availability attributes associated with juvenile and early adult pallid sturgeon occurrence in the Missouri River, USA. 16:225–234
- Spotila JR, see Blanco GS et al. (2012) 18:233–245
- Spotila JR, see Franks BR et al. (2011) 13:191–201
- Spotila JR, see Hamann M et al. (2010) 11:245–269
- Spotila JR, see Sieg AE et al. (2011) 15:195–204
- Spradlin TR, see Murphy S et al. (2012) 16:149–163
- St. Germain M, see Emrick VR et al. (2010) 11:215–220
- Staedler MM, see Hatfield BB et al. (2011) 13:219–229
- Stafford KM, Moore SE, Berchok CL, Wiig Ø, Lydersen C, Hansen E, Kalmbach D, Kovacs KM (2012) Spitsbergen's endangered bowhead whales sing through the polar night. 18:95–103
- Stage B, see Kindt-Larsen L et al. (2012) 19:75–83
- Stallsmith B (2010) Status of the flame chub *Hemitremia flammea* in Alabama, USA. 12:87–93
- Stallsmith B (2013) Status of the stippled studfish *Fundulus bifax*, a killifish endemic to the Tallapoosa River basin, USA. 20:19–25
- Stanley M, see Oremus M et al. (2012) 19:1–10
- Stark DJ, Nijman V, Lhota S, Robins JG, Goossens B (2012) Modeling population viability of local proboscis monkey *Nasalis larvatus* populations: conservation implications. 16:31–43
- Starr C, Nekaris KAI, Streicher U, Leung L (2010) Traditional use of slow lorises *Nycticebus bengalensis* and *N. pygmaeus* in Cambodia: an impediment to their conservation. 12:17–23
- Starrs D, see Fulton CJ et al. (2012) 19:39–45
- Steel D, see Robbins J et al. (2011) 13:117–121
- Steel D, see Witteveen BH et al. (2011) 14:217–225
- Steffensen KD, see Schloesser JT et al. (2012) 16:211–224
- Stensland E, see Christiansen F et al. (2010) 11:91–99
- Stern G, see Rioux È et al. (2012) 18:179–191
- Stevick PT, see Robbins J et al. (2011) 13:117–121
- Stewart REA, see Rioux È et al. (2012) 18:179–191
- Stimpert AK, Mattila D, Nosal EM, Au WWL (2012) Tagging young humpback whale calves: methodology and diving behavior. 19:11–17
- Stokes LW, Hataway D, Epperly SP, Shah AK, Bergmann CE, Watson JW, Higgins BM (2011) Hook ingestion rates in loggerhead sea turtles *Caretta caretta* as a function of animal size, hook size, and bait. 14:1–11
- Straley JM, see Witteveen BH et al. (2011) 14:217–225
- Streicher U, see Starr C et al. (2010) 12:17–23
- Sulikowski J, see Hammerschlag N (2011) 14:135–140
- Sullivan BJ, see Anderson ORJ et al. (2011) 14:91–106
- Sullivan PJ, see Pendleton DE et al. (2012) 18:147–161
- Sullivan S, see Campbell HA et al. (2012) 17:53–61
- Sunder RPB, see Hasler CT et al. (2011) 14:79–89
- Swartz S, see Weller DW et al. (2012) 18:193–199
- Swinnerton KJ, see Becker CD et al. (2010) 11:189–194
- Sydeman WJ, see Lewison R et al. (2012) 17:93–121
- Szanişzlo W, see Weller DW et al. (2012) 18:193–199

T

- Tagg N, see Etiendem DN et al. (2013) 20:167–179
- Taggart CT, see Michaud J (2011) 15:179–194
- Talbot RB, see Knight JT et al. (2012) 17:169–178
- Tarr EC, see Hastie LC et al. (2010) 11:21–33
- Taupier-Letage I, see Cotté C et al. (2010) 12:203–214
- Taylor BL, see LeDuc RG et al. (2012) 18:163–167
- Taylor BL, see Morin PA et al. (2012) 19:129–147

- Taylor EB, see Woodruff PE (2013) 20:181–194
 Taylor J, see Thomas GR et al. (2010) 12:1–9
 Terrade R, see Baisez A et al. (2011) 15:265–270
 Thiel R, see Magath V (2013) 20:109–119
 Thiem JD, Binder TR, Dawson JW, Dumont P, Hatin D, Katopodis C, Zhu DZ, Cooke SJ (2011) Behaviour and passage success of upriver-migrating lake sturgeon *Acipenser fulvescens* in a vertical slot fishway on the Richelieu River, Quebec, Canada. 15:1–11
 Thomas GR, Taylor J, Garcia de Leaniz C (2010) Captive breeding of the endangered freshwater pearl mussel *Margaritifera margaritifera*. 12:1–9
 Thomas L, see Marques TA et al. (2011) 13:163–172
 Thomas L, see Marques TA et al. (2012) 16:95
 Thomé JCA, see Almeida AP et al. (2011) 14:193–201
 Thomé JCA, see Almeida AP et al. (2011) 15:77–86
 Thomé JCA, see Marcovaldi MÂ et al. (2010) 12:263–272
 Thompson MA, see Mussoline SE et al. (2012) 17:17–26
 Tinker MT, see Hatfield BB et al. (2011) 13:219–229
 Tobin AJ, see White J et al. (2013) 19:277–284
 Tomás J, see Hamann M et al. (2010) 11:245–269
 Tordoir MT, see Valverde RA et al. (2010) 12:77–86
 Tounta E, see Murphy S et al. (2012) 16:149–163
 Travnichek VH, see Schloesser JT et al. (2012) 16:211–224
 Tremblay RL, see Crain BJ (2012) 18:89–94
 Tremblay Y, see Kuhn CE et al. (2010) 12:125–139
 Turgeon J, see Rioux È et al. (2012) 18:179–191
 Tweddale S, see Emrick VR et al. (2010) 11:215–220
 Tyack PL, see Parks SE et al. (2011) 15:63–76

U

- Underhill L, see Lewison R et al. (2012) 17:93–121
 Underhill LG, see Ludynia K et al. (2010) 12:31–40
 Urbán J, see Weller DW et al. (2012) 18:193–199
 Urbán-Ramírez J, see Salvadeo CJ et al. (2010) 11:13–19

V

- Valverde RA, Wingard S, Gómez F, Tordoir MT, Orrego CM (2010) Field lethal incubation temperature of olive ridley sea turtle *Lepidochelys olivacea* embryos at a mass nesting rookery. 12:77–86
 van de Gevel SL, see White PB et al. (2012) 18:17–25
 van de Merwe JP, West EJ, Ibrahim K (2012) Effects of off-road vehicle tyre ruts on the beach dispersal of green sea turtle *Chelonia mydas* hatchlings. 18:27–34
 van den Hoff J, see Candy SG (2010) 11:167–173
 Van Doornik DM, see Hanson MB et al. (2010) 11:69–82
 Van Parijs SM, see Mussoline SE et al. (2012) 17:17–26
 Van Wilgenburg SL, Hobson KA, Brewster KR, Welker JM (2012) Assessing dispersal in threatened migratory birds using stable hydrogen isotope (δD) analysis of feathers. 16:17–29
 Vander Zanden HB, see Frankel NS et al. (2012) 17:133–138
 Vandergast AG, see Inman RD et al. (2013) 20:1–18
 Vardi T, Williams DE, Sandin SA (2012) Population dynamics of threatened elkhorn coral in the northern Florida Keys, USA. 19:157–169
 Vasquez O, see Wade PR et al. (2011) 13:99–109
 Vázquez-Haikin A, see Ramírez-Macías D et al. (2012) 18:115–128

- Vázquez-Juárez R, see Ramírez-Macías D et al. (2012) 18:115–128
 Ver Hoef JM, see Goetz KT et al. (2012) 16:135–147
 Verfuß UK, see Gallus A et al. (2012) 18:265–278
 Vernes K, see Fielder D et al. (2012) 17:63–71
 Vilchis IL, see Forney KA et al. (2012) 16:113–133
 Viljanen M, see Niemi M et al. (2012) 19:99–108
 Villalba ML, Bernal N, Nowell K, Macdonald DW (2012) Distribution of two Andean small cats (*Leopardus jacobita* and *Leopardus colocolo*) in Bolivia and the potential impacts of traditional beliefs on their conservation. 16:85–94
 Volcan MV, Gonçalves ÂC, Lanés LEK (2011) Distribution, habitat and conservation status of two threatened annual fishes (Rivulidae) from southern Brazil. 13:79–85
 Vollrath F, see Soltis J et al. (2012) 18:255–263
 von Ziegesar O, see Witteveen BH et al. (2011) 14:217–225
 Voogt N, see Pichegru L et al. (2013) 19:255–264

W

- Wade PR, De Robertis A, Hough KR, Booth R, Kennedy A, LeDuc RG, Munger L, Napp J, Sheldon KEW, Rankin S, Vasquez O, Wilson C (2011) Rare detections of North Pacific right whales in the Gulf of Alaska, with observations of their potential prey. 13:99–109
 Wade PR, see LeDuc RG et al. (2012) 18:163–167
 Wakayama T, see Loi P et al. (2011) 14:227–233
 Walde AD, see Esque TC et al. (2010) 12:167–177
 Walker JS, see LeBlanc AM et al. (2012) 19:123–128
 Walker RS, see Cossíos ED et al. (2012) 16:283–294
 Wall D, see Lambert E et al. (2011) 15:205–222
 Wallace BP, see Garrett K et al. (2010) 11:147–155
 Wallace BP, see Hamann M et al. (2010) 11:245–269
 Wallace BP, see Sieg AE et al. (2011) 15:195–204
 Walsh R, see Georges A et al. (2011) 14:127–134
 Walter RP, Hogan JD, Blum MJ, Gagne RB, Hain EF, Gilliam JF, McIntyre PB (2012) Climate change and conservation of endemic amphidromous fishes in Hawaiian streams. 16:261–272
 Wanless S, see Lewison R et al. (2012) 17:93–121
 Waples D, see Dawson SM et al. (2013) 19:201–221
 Ward TM, see Hamer DJ et al. (2011) 14:203–216
 Ward-Geiger LI, see Keller CA et al. (2012) 18:73–87
 Warren KD, see McRae CJ et al. (2012) 16:249–260
 Wasser SK, see Hanson MB et al. (2010) 11:69–82
 Watanuki Y, see Lewison R et al. (2012) 17:93–121
 Watermeyer J, see Pichegru L et al. (2013) 19:255–264
 Watson JW, see Stokes LW et al. (2011) 14:1–11
 Watson TK, see Kittinger JN et al. (2012) 17:139–156
 Watts ME, see Campbell HA et al. (2012) 17:53–61
 Webster DL, see Baird RW et al. (2012) 18:47–61
 Weimerskirch H, see Delord K et al. (2010) 13:1–16
 Weimerskirch H, see Lewison R et al. (2012) 17:93–121
 Weinrich MT, see Mussoline SE et al. (2012) 17:17–26
 Weisberg PJ, see Inman RD et al. (2013) 20:1–18
 Weishampel AC, see Weishampel JF et al. (2010) 12:41–47
 Weishampel JF, Bagley DA, Ehrhart LM, Weishampel AC (2010) Nesting phenologies of two sympatric sea turtle species related to sea surface temperatures. 12:41–47
 Welker JM, see Van Wilgenburg SL et al. (2012) 16:17–29
 Weller DW, Klimek A, Bradford AL, Calambokidis J, Lang AR, Gisborne B, Burdin AM, Szaniszló W, Urbán J, Gomez-Gallardo Unzueta A, Swartz S, Brownell RL Jr

- (2012) Movements of gray whales between the western and eastern North Pacific. 18:193–199
- Welsh M, see Georges A et al. (2011) 14:127–134
- Werner TB, see Reeves RR et al. (2013) 20:71–97
- West EJ, see van de Merwe JP et al. (2012) 18:27–34
- Westcott DA, see Campbell HA et al. (2012) 17:53–61
- Westgate AJ, see McKinstry CAE et al. (2013) 20:195–204
- Wetzel DL, see Wilson RC et al. (2011) 14:107–112
- Wheeler B, Gilbert M, Rowe S (2012) Definition of critical summer and fall habitat for bowhead whales in the eastern Canadian Arctic. 17:1–16
- Whitaker JD, see Arendt MD et al. (2012) 18:219–231
- White BN, see Frasier TR et al. (2011) 14:39–48
- White J, Heupel MR, Simpfendorfer CA, Tobin AJ (2013) Shark-like batoids in Pacific fisheries: prevalence and conservation concerns. 19:277–284
- White PB, van de Gevel SL, Soulé PT (2012) Succession and disturbance in an endangered red spruce–Fraser fir forest in the southern Appalachian Mountains, North Carolina, USA. 18:17–25
- Whitehead H, Hooker SK (2012) Uncertain status of the northern bottlenose whale *Hyperoodon ampullatus*: population fragmentation, legacy of whaling and current threats. 19:47–61
- Whitt AD, Dudzinski K, Laliberté JR (2013) North Atlantic right whale distribution and seasonal occurrence in nearshore waters off New Jersey, USA, and implications for management. 20:59–69
- Wibbels T, see LeBlanc AM et al. (2012) 19:123–128
- Wiersma YF, Skinner R (2011) Predictive distribution model for the boreal felt lichen *Erioderma pedicellatum* in Newfoundland, Canada. 15:115–127
- Wiggins S, see Marques TA et al. (2011) 13:163–172
- Wiggins S, see Marques TA et al. (2012) 16:95
- Wiig Ø, Heide-Jørgensen MP, Lindqvist C, Laidre KL, Postma LD, Dueck L, Palsbøll PJ, Bachmann L (2011) Recaptures of genotyped bowhead whales *Balaena mysticetus* in eastern Canada and West Greenland. 14:235–242
- Wiig Ø, see Heide-Jørgensen MP et al. (2010) 13:73–78
- Wiig Ø, see Stafford KM et al. (2012) 18:95–103
- Wiley DN, see Mussoline SE et al. (2012) 17:17–26
- Wiley TR, Simpfendorfer CA (2010) Using public encounter data to direct recovery efforts for the endangered small-tooth sawfish *Pristis pectinata*. 12:179–191
- Williams DE, see Vardi T et al. (2012) 19:157–169
- Williams KL, see Frankel NS et al. (2012) 17:133–138
- Williams NP, see Fleming LV et al. (2011) 14:243–257
- Willson A, see Corkeron PJ et al. (2011) 15:39–52
- Wilson C, see Wade PR et al. (2011) 13:99–109
- Wilson RC, Reynolds III JE, Wetzel DL, Schwierzke-Wade L, Bonde RK, Breuel KF, Roubesh WE (2011) Secretion of anti-Müllerian hormone in the Florida manatee *Trichechus manatus latirostris*, with implications for assessing conservation status. 14:107–112
- Wilson RP, see Lewison R et al. (2012) 17:93–121
- Wilson RP, see Soltis J et al. (2012) 18:255–263
- Wimberly MC, see Spindler BD et al. (2012) 16:225–234
- Wingard S, see Valverde RA et al. (2010) 12:77–86
- Wingate D, see Brooke M de L et al. (2010) 11:47–59
- Wintner S, see Benavides MT et al. (2011) 14:13–22
- Witt CC, see Benham PM et al. (2011) 13:145–157
- Witteveen BH, Straley JM, Chenoweth E, Baker CS, Barlow J, Matkin C, Gabriele CM, Neilson J, Steel D, von Ziegler O, Andrews AG, Hirons A (2011) Using movements, genetics and trophic ecology to differentiate inshore from offshore aggregations of humpback whales in the Gulf of Alaska. 14:217–225
- Wood AG, see Richardson J et al. (2012) 19:149–156
- Wood KR (2011) Rediscovery, conservation status and taxonomic assessment of *Melicope degeneri* (Rutaceae), Kaua'i, Hawai'i. 14:61–68
- Wooden IJ, see Butler GL (2012) 16:199–209
- Woodman AP, see Esque TC et al. (2010) 12:167–177
- Woodruff PE, Taylor EB (2013) Assessing the distinctiveness of the Cultus pygmy sculpin, a threatened endemic, from the widespread coastrange sculpin *Cottus aleuticus*. 20:181–194
- Work TM, see Hamann M et al. (2010) 11:245–269
- Wright JH, Priston NEC (2010) Hunting and trapping in Lebalem Division, Cameroon: bushmeat harvesting practices and human reliance. 11:1–12
- Wright NA, see Benham PM et al. (2011) 13:145–157
- Wyneken J, see Conrad JR et al. (2011) 15:13–27
- Wyneken J, see Salmon M et al. (2012) 16:295–299

Y

- Yates O, see Anderson ORJ et al. (2011) 14:91–106
- Yorio P, see Lewison R et al. (2012) 17:93–121
- Young MR, see Hastie LC et al. (2010) 11:21–33
- Young RP, see Guillera-Arroita G et al. (2010) 11:157–166

Z

- Zahner H, see Schwitzer N et al. (2010) 12:215–225
- Zani MA, see Lagueux KM et al. (2011) 14:69–77
- Zarate P, see Roden SE et al. (2013) 20:227–234
- Zbinden J, see Hamann M et al. (2010) 11:245–269
- Zhang X, see Georges A et al. (2011) 14:127–134
- Zhu DZ, see Thiem JD et al. (2011) 15:1–11
- Zurita J, see Moncada F et al. (2010) 11:61–68
- Zurita J, see Richards PM et al. (2011) 15:151–158