

## COMBINED AUTHOR AND TITLE INDEX

## (Volumes 321 to 330, 2006–2007)

## A

- Abbiati M, see Virgilio M et al. (2006) 326:157–165  
 Aboigor J, see Nieto Ó et al. (2006) 328:41–49  
 Acevedo-Gutiérrez A, see Myhre S (2007) 329:205–210  
 Aguilar-Perera A (2006) Disappearance of a Nassau grouper spawning aggregation off the southern Mexican Caribbean coast. 327:289–296  
 Ahmed MZ, see Shepard ELC et al. (2006) 328:205–213  
 Akoumianaki I, Papaspyrou S, Nicolaidou A (2006) Dynamics of macrofaunal body size in a deltaic environment. 321:55–66  
 Aksnes DL, see Sørnes TA (2006) 325:181–186  
 Alegre F, see Casale P et al. (2006) 324:281–285  
 Allen DM, Haertel-Borer SS, Milan BJ, Bushek D, Dame RF (2007) Geomorphological determinants of nekton use of intertidal salt marsh creeks. 329:57–71  
 Altieri AH (2006) Inducible variation in hypoxia tolerance across the intertidal–subtidal distribution of the blue mussel *Mytilus edulis*. 325:295–300  
 Altstatt JM, see Miner CM et al. (2006) 327:107–117  
 Amaro T, see van Nes EH et al. (2007) 330:39–47  
 Amice E, see Longphuirt SN et al. (2006) 328:143–154  
 Anderson CR, Brzezinski MA, Washburn L, Kudela R (2006) Circulation and environmental conditions during a toxicogenic *Pseudo-nitzschia australis* bloom in the Santa Barbara Channel, California. 327:119–133  
 Anderson JT, see Nejtgaard JC et al. (2006) 321:99–121  
 Anger K, see Cieluch U et al. (2007) 329:169–178  
 Anthony JA, see Jodice PGR et al. (2006) 325:267–279  
 Arauz R, see Swimmer Y et al. (2006) 323:253–261  
 Arbones B, see Rodríguez F et al. (2006) 323:59–73  
 Arntz WE, see Gili JM et al. (2006) 322:43–49  
 Arntz WE, see Premke K et al. (2006) 325:121–135  
 Asine AS, see Ménard F et al. (2006) 323:223–231  
 Attrill MJ, see Hauser A et al. (2006) 325:93–100  
 Attrill MJ, see Power M (2007) 330:213–222  
 Avens L, see Sasso CR et al. (2006) 324:287–292  
 Avery R, Etter RJ (2006) Microstructural differences in the reinforcement of a gastropod shell against predation. 323:159–170

## B

- Backeljau T, see Virgilio M et al. (2006) 326:157–165  
 Badillo J, see Casale P et al. (2006) 324:281–285  
 Badylak S, see Philips EJ et al. (2006) 322:99–115  
 Badylak S, see Philips EJ et al. (2006) 324:309  
 Bailey SA, see Duggan IC et al. (2006) 324:57–66  
 Baird AH, see Markey KL et al. (2007) 330:127–137  
 Baird ME, see Suthers IM et al. (2006) 322:225–238  
 Baker CS, see Olavarria C et al. (2007) 330:257–268  
 Baker R, Sheaves M (2006) Visual surveys reveal high densi-

- ties of large piscivores in shallow estuarine nurseries. 323:75–82  
 Baldwin DH, see Labenia JS et al. (2007) 329:1–11  
 Ballesterio J, see Swimmer Y et al. (2006) 323:253–261  
 Ballesteros E, see Coma R et al. (2006) 327:51–60  
 Balode M, see Stolte W et al. (2006) 327:71–82  
 Båmstedt U, see Riemann L et al. (2006) 325:29–42  
 Båmstedt U, see Titelman J et al. (2006) 325:43–58  
 Bannister J, see Olavarria C et al. (2007) 330:257–268  
 Bannon RO, see Decker MB et al. (2007) 329:99–113  
 Barbeau MA, see Lauzon-Guay JS et al. (2006) 323:171–183  
 Bard FX, see Ménard F et al. (2006) 323:223–231  
 Barillé L, Cognie B, Beninger P, Decottignies P, Rincé Y (2006) Feeding responses of the gastropod *Crepidula fornicata* to changes in seston concentration. 322:169–178  
 Barnett A, Bellwood DR, Hoey AS (2006) Trophic ecomorphology of cardinalfish. 322:249–257  
 Barrett PT, see Wellenreuther M et al. (2007) 330:235–246  
 Basedow SL, Tande KS (2006) Cannibalism by female *Calanus finmarchicus* on naupliar stages. 327:247–255  
 Baskett ML (2006) Prey size refugia and trophic cascades in marine reserves. 328:285–293  
 Baxter CH, see Gilly WF et al. (2006) 324:1–17  
 Bazzino G, see Gilly WF et al. (2006) 324:1–17  
 Beach KS, see Kuffner IB et al. (2006) 323:107–117  
 Beaugrand G, see Kirby RR et al. (2007) 330:31–38  
 Beauvais S, Pedrotti ML, Egge J, Iversen K, Marrasé C (2006) Effects of turbulence on TEP dynamics under contrasting nutrient conditions: implications for aggregation and sedimentation processes. 323:47–57  
 Beauvais S, Pedrotti ML, Egge J, Iversen K, Marrasé C (2006) (Erratum to Vol 323:47–57, 2006) 324:309  
 Becerro MA, see Kuffner IB et al. (2006) 323:107–117  
 Becker BH, Peery MZ, Beissinger SR (2007) Ocean climate and prey availability affect the trophic level and reproductive success of the marbled murrelet, an endangered seabird. 329:267–279  
 Beiras R, see Nieto Ó et al. (2006) 328:41–49  
 Beissinger SR, see Becker BH et al. (2007) 329:267–279  
 Bello M, see Molinet C et al. (2006) 324:95–104  
 Bellwood DR, see Barnett A et al. (2006) 322:249–257  
 Belmonte G, see Bussotti S et al. (2006) 325:109–119  
 Benhamou S, see Girard C et al. (2006) 322:281–289  
 Beninger P, see Barillé L et al. (2006) 322:169–178  
 Beninger PG, Cannuel R (2006) Acquisition of particle processing capability in the oyster *Crassostrea gigas*: ontogeny of the mantle pseudofeces rejection tracts. 325:153–163  
 Bergquist DC, Eckner JT, Urcuyo IA, Cordes EE, Hourdez S, Macko SA, Fisher CR (2007) Using stable isotopes and quantitative community characteristics to determine a local hydrothermal vent food web. 330:49–65  
 Bernardez C, see Pallas A et al. (2006) 324:173–184  
 Bernhardt MJ, see Olson MB et al. (2006) 326:207–220

- Bigelow K, see Swimmer Y et al. (2006) 323:253–261
- Bignert A, see Österblom H et al. (2006) 323:233–238
- Billerbeck M, Werner U, Polerecky L, Walpersdorf E, deBeer D, Huettel M (2006) Surficial and deep pore water circulation governs spatial and temporal scales of nutrient recycling in intertidal sand flat sediment. 326:61–76
- Bishop MJ, Carnegie RB, Stokes NA, Peterson CH, Burreson EM (2006) Complications of a non-native oyster introduction: facilitation of a local parasite. 325:145–152
- Bjorndal KA, see Tiwari M et al. (2006) 326:283–293
- Bledsoe E, see Philips EJ et al. (2006) 322:99–115
- Bledsoe E, see Philips EJ et al. (2006) 324:309
- Block BA, see Gilly WF et al. (2006) 324:1–17
- Blockley DJ, Chapman MG (2006) Recruitment determines differences between assemblages on shaded or unshaded seawalls. 327:27–36
- Boero F, see Bussotti S et al. (2006) 325:109–119
- Bolch C, see Fehling J et al. (2006) 323:91–105
- Bolker BM, see Tiwari M et al. (2006) 326:283–293
- Bollens SM, see Visintainer TA et al. (2006) 321:227–243
- Bolten AB, see Tiwari M et al. (2006) 326:283–293
- Bonin PC, Michotey VD (2006) Nitrogen budget in a microbial mat in the Camargue (southern France). 322:75–84
- Bonitto V, see Grober-Dunsmore R et al. (2006) 321:123–132
- Borrett SR, see Nejstgaard JC et al. (2006) 321:99–121
- Bos OG, Philippart C JM, van der Meer J (2007) Effects of temporary food limitation on development and mortality of *Macoma balthica* larvae. 330:155–162
- Bosire JO, Dahdouh-Guebas F, Kairo JG, Wartel S, Kazungu J, Koedam N (2006) Success rates of recruited tree species and their contribution to the structural development of reforested mangrove stands. 325:85–91
- Botsford LW, see Jorgensen SJ et al. (2006) 327:157–170
- Bouley P, Kimmerer WJ (2006) Ecology of a highly abundant, introduced cyclopoid copepod in a temperate estuary. 324:219–228
- Bouma TJ, see Peralta G et al. (2006) 327:135–142
- Boustany A, see Gilly WF et al. (2006) 324:1–17
- Boyd KG, see McDougall KE et al. (2006) 325:137–144
- Boyd WS, see Lewis TL et al. (2007) 329:131–144
- Bracken MES, Stachowicz JJ (2007) Top-down modification of bottom-up processes: selective grazing reduces macroalgal nitrogen uptake. 330:75–82
- Bradshaw CJA, see McMahon CR et al. (2007) 329:239–252
- Brander K, see Stige LC et al. (2006) 325:227–241
- Brasseur M, see Olavarria C et al. (2007) 330:257–268
- Braun-McNeill J, see Sasso CR et al. (2006) 324:287–292
- Brill R, see Swimmer Y et al. (2006) 323:253–261
- Brix KV, see Rainbow PS et al. (2006) 321:167–181
- Brockington S, Peck LS, Tyler PA (2007) Gametogenesis and gonad mass cycles in the common circumpolar Antarctic echinoid *Sterechinus neumayeri*. 330:139–147
- Broitman BR, Kinlan BP (2006) Spatial scales of benthic and pelagic producer biomass in a coastal upwelling ecosystem. 327:15–25
- Bronk DA, see Nejstgaard JC et al. (2006) 321:99–121
- Brown BE, see McDougall KE et al. (2006) 325:137–144
- Brown CW, see Decker MB et al. (2007) 329:99–113
- Brown JA, see Killen SS (2006) 321:255–266
- Browne MA, see Cartwright SR et al. (2006) 326:187–194
- Brun FG, Vergara JJ, Peralta G, García-Sánchez MP, Hernández I, Pérez-Lloréns JL (2006) Clonal building, simple growth rules and phylloclimatic as key steps to develop functional–structural seagrass models. 323:133–148
- Brun FG, see Peralta G et al. (2006) 327:135–142
- Bryan TL, Metaxas A (2007) Predicting suitable habitat for deep-water gorgonian corals on the Atlantic and Pacific Continental Margins of North America. 330:113–126
- Brzezinski MA, see Anderson CR et al. (2006) 327:119–133
- Buckley LJ, Caldarone EM, Lough RG, St. Onge-Burns JM (2006) Ontogenetic and seasonal trends in recent growth rates of Atlantic cod and haddock larvae on Georges Bank: effects of photoperiod and temperature. 325:205–226
- Buján R, see Nieto Ó et al. (2006) 328:41–49
- Bulleri F (2006) Duration of overgrowth affects survival of encrusting coralline algae. 321:79–85
- Burd JJ Jr, see Whaley SD et al. (2007) 330:83–99
- Burgess WC, see Oleson EM et al. (2007) 330:269–284
- Burnell G, see Knights AM et al. (2006) 326:167–174
- Burreson EM, see Bishop MJ et al. (2006) 325:145–152
- Buschbaum C, Buschbaum G, Schrey I, Thielges DW (2007) Shell-boring polychaetes affect gastropod shell strength and crab predation. 329:123–130
- Buschbaum G, see Buschbaum C et al. (2007) 329:123–130
- Bushek D, see Allen DM et al. (2007) 329:57–71
- Buskey EJ, see Waggett RJ (2006) 323:205–211
- Bussotti S, Terlizzi A, Fraschetti S, Belmonte G, Boero F (2006) Spatial and temporal variability of sessile benthos in shallow Mediterranean marine caves. 325:109–119
- Bythell JC, see Guppy R (2006) 328:133–142

## C

- Caballero S, see Olavarria C et al. (2007) 330:257–268
- Cabral JA, see Lopes RJ et al. (2006) 323:11–20
- Cáceres M, see Molinet C et al. (2006) 324:95–104
- Calambokidis J, see Oleson EM et al. (2007) 330:269–284
- Caldarone EM, see Buckley LJ et al. (2006) 325:205–226
- Callier MD, Weise AM, McKindsey CW, Desrosiers G (2006) Sedimentation rates in a suspended mussel farm (Great-Entry Lagoon, Canada): biodeposit production and dispersion. 322:129–141
- Cañadas A, see Gómez de Segura A et al. (2007) 329:289–299
- Cannuel R, see Beninger PG (2006) 325:153–163
- Capella J, see Olavarria C et al. (2007) 330:257–268
- Carleton JH, see Lo-Yat A et al. (2006) 325:195–203
- Carlsson P, see Stolte W et al. (2006) 327:71–82
- Carnegie RB, see Bishop MJ et al. (2006) 325:145–152
- Carstensen J, Henriksen OD, Teilmann J (2006) Impacts of offshore wind farm construction on harbour porpoises: acoustic monitoring of echolocation activity using porpoise detectors (T-PODs). 321:295–308
- Cartwright SR, Coleman RA, Browne MA (2006) Ecologically relevant effects of pulse application of copper on the limpet *Patella vulgata*. 326:187–194
- Casale P, Lazar B, Pont S, Tomás J, Zizzo N, Alegre F, Badillo J, Di Summa A, Freggi D, Lacković G, Raga JA, Rositani L, Tvrtković N (2006) Sex ratios of juvenile loggerhead sea turtles *Caretta caretta* in the Mediterranean Sea. 324:281–285
- Caselle JE, see Topping DT et al. (2006) 326:257–267
- Casini M, see Österblom H et al. (2006) 323:233–238
- Castillo M, see Molinet C et al. (2006) 324:95–104
- Cattrijsse A, Hampel H (2006) European intertidal marshes: a review of their habitat functioning and value for aquatic organisms. 324:293–307
- Cebrian E, Uriz MJ (2006) Grazing on fleshy seaweeds by sea urchins facilitates sponge *Cliona viridis* growth. 323:83–89
- Cervino JM, Winiarski-Cervino K, Polson SW, Goreau T, Smith GW (2006) Identification of bacteria associated with a disease affecting the marine sponge *Ianthella basta* in

- New Britain, Papua New Guinea. 324:139–150
- Chan BKK, Morritt D, De Pirro M, Leung KMY, Williams GA (2006) Summer mortality: effects on the distribution and abundance of the acorn barnacle *Tetraclita japonica* on tropical shores. 328:195–204
- Chan KS, see Stige LC et al. (2006) 325:227–241
- Chaplin G, see Heck KL Jr. et al. (2006) 326:145–156
- Chapman MG, see Blockley DJ (2006) 327:27–36
- Chapman MG, see Moreira J et al. (2006) 322:179–188
- Chapman MG, see Roberts DE et al. (2006) 321:19–30
- Charmantier G, see Cieluch U et al. (2007) 329:169–178
- Charmantier-Daures M, see Cieluch U et al. (2007) 329:169–178
- Charrier G, Coombs SH, McQuinn IH, Laroche J (2007) Genetic structure of whiting *Merlangius merlangus* in the northeast Atlantic and adjacent waters. 330:201–211
- Chauvaud L, see Longphuir SN et al. (2006) 328:143–154
- Chen Z, see Ou L et al. (2006) 327:95–106
- Cherel Y, Hobson KA (2007) Geographical variation in carbon stable isotope signatures of marine predators: a tool to investigate their foraging areas in the Southern Ocean. 329:281–287
- Chester CM, see Peterson BJ et al. (2006) 328:93–103
- Cichra M, see Philips EJ et al. (2006) 322:99–115
- Cichra M, see Philips EJ et al. (2006) 324:309
- Cieluch U, Anger K, Charmantier-Daures M, Charmantier G (2007) Osmoregulation and immunolocalization of Na<sup>+</sup>/K<sup>+</sup>-ATPase during the ontogeny of the mitten crab *Eriocheir sinensis* (Decapoda, Grapsoidea). 329:169–178
- Ciutat A, Widdows J, Readman JW (2006) Influence of cockle *Cerastoderma edule* bioturbation and tidal-current cycles on resuspension of sediment and polycyclic aromatic hydrocarbons. 328:51–64
- Claissie D, see Minier C et al. (2006) 322:143–154
- Clapham P, see Olavarria C et al. (2007) 330:257–268
- Claquin P, see Longphuir SN et al. (2006) 328:143–154
- Clarke KR, see Pemberton KL et al. (2006) 322:51–59
- Clements KD, see Wellenreuther M et al. (2007) 330:235–246
- Cognie B, see Barillé L et al. (2006) 322:169–178
- Coleman RA, see Cartwright SR et al. (2006) 326:187–194
- Colin SP, Costello JH, Kordula H (2006) Upstream foraging by medusae. 327:143–155
- Coma R, Linares C, Ribes M, Diaz D, Garrabou J, Ballesteros E (2006) Consequences of a mass mortality in populations of *Eunicella singularis* (Cnidaria: Octocorallia) in Menorca (NW Mediterranean). 327:51–60
- Connell SD, see Irving AD (2006) 324:127–137
- Conway DVP, see dos Santos A et al. (2007) 329:145–155
- Coombs SH, see Charrier G et al. (2007) 330:201–211
- Cooper WJ, see Herwig RP et al. (2006) 324:37–55
- Cordell JR, see Herwig RP et al. (2006) 324:37–55
- Cordes EE, see Bergquist DC et al. (2007) 330:49–65
- Corgos A, see Pallas A et al. (2006) 324:173–184
- Cortés E, see Neer JA et al. (2007) 329:211–223
- Costello JH, see Colin SP et al. (2006) 327:143–155
- Cotton PA, see Hauser A et al. (2006) 325:93–100
- Cox EF, Ribes M, Kinzie RA III (2006) Temporal and spatial scaling of planktonic responses to nutrient inputs into a subtropical embayment. 324:19–35
- Coyne M, see Page B et al. (2006) 323:263–279
- Creed JC, De Paula AF (2007) Substratum preference during recruitment of two invasive alien corals onto shallow-subtidal tropical rocky shores. 330:101–111
- Crespo BG, see Rodríguez F et al. (2006) 323:59–73
- Crowder LB, see Rilov G et al. (2007) 329:225–238
- Crowe TP, see Knights AM et al. (2006) 326:167–174
- Culver CS, see Page HM et al. (2006) 325:101–107
- Cummings VJ, see Lundquist CJ et al. (2006) 324:67–81
- Cummins SP, see Roberts DE et al. (2006) 321:19–30

## D

- Dacey JWH, see Hill RW (2006) 322:239–248
- Dahldouh-Guebas F, see Bosire JO et al. (2006) 325:85–91
- Dahlöf I, see Sundbäck K et al. (2007) 330:13–30
- Dahms HU, see Qian PY et al. (2006) 324:151–165
- Dame RF, see Allen DM et al. (2007) 329:57–71
- Davidson K, see Fehling J et al. (2006) 323:91–105
- Davis AR, see Roberts DE et al. (2006) 321:19–30
- Davis JW, see Labenia JS et al. (2007) 329:1–11
- deBeer D, see Billerbeck M et al. (2006) 326:61–76
- de Beer D, see Van Gaever S et al. (2006) 321:143–155
- Decker MB, Brown CW, Hood RR, Purcell JE, Gross TF, Matanoski JC, Bannon RO, Setzler-Hamilton EM (2007) Predicting the distribution of the scyphomedusa *Chrysaora quinquecirrha* in Chesapeake Bay. 329:99–113
- Decottignies P, see Barillé L et al. (2006) 322:169–178
- D'Elia CF, see Pomeroy LR et al. (2006) 325:301–309
- DeLorenzo Costa A, Durbin EG, Mayo CA, Lyman EG (2006) Environmental factors affecting zooplankton in Cape Cod Bay: implications for right whale dynamics. 323:281–298
- De Mesel I, Derycke S, Swings J, Vincx M, Moens T (2006) Role of nematodes in decomposition processes: Does within-trophic group diversity matter? 321:157–166
- de Nys R, see Nylund GM et al. (2007) 329:73–84
- de Nys R, see Paul NA et al. (2006) 323:1–9
- De Paula AF, see Creed JC (2007) 330:101–111
- De Pirro M, see Chan BKK et al. (2006) 328:195–204
- Derycke S, see De Mesel I et al. (2006) 321:157–166
- Desrosiers G, see Callier MD et al. (2006) 322:129–141
- de Vargas C, see Shaked Y (2006) 325:59–71
- Diaz D, see Coma R et al. (2006) 327:51–60
- Diaz D, see Hereu B et al. (2006) 325:187–194
- Dijkman NA, Kromkamp JC (2006) Phospholipid-derived fatty acids as chemotaxonomic markers for phytoplankton: application for inferring phytoplankton composition. 324:113–125
- Dinnel PA, see Herwig RP et al. (2006) 324:37–55
- Di Summa A, see Casale P et al. (2006) 324:281–285
- Dobretsov S, see Qian PY et al. (2006) 324:151–165
- Dodemont R, see Olavarria C et al. (2007) 330:257–268
- Donoghue M, see Olavarria C et al. (2007) 330:257–268
- dos Santos A, Santos AMP, Conway DVP (2007) Horizontal and vertical distribution of cirripede cyprid larvae in an upwelling system off the Portuguese coast. 329:145–155
- Doyle SP, see Rochette R et al. (2007) 330:179–188
- Dring MJ, see Strong JA et al. (2006) 321:87–97
- Dubois S, Barillé L, Cognie B, Beninger P (2006) Feeding mechanism of the polychaete *Sabellaria alveolata* revisited: reply to Riisgård & Nielsen (2006). 328:307–311
- Ducklow HW, see Tang KW et al. (2006) 325:15–27
- Dufour S, see Durif CMF et al. (2006) 327:171–181
- Dugan JE, see Page HM et al. (2006) 325:101–107
- Duggan IC, Bailey SA, van Overdijk CDA, MacIsaac HJ (2006) Invasion risk of active and diapausing invertebrates from residual ballast in ships entering Chesapeake Bay. 324:57–66
- Duineveld GCA, see van Nes EH et al. (2007) 330:39–47
- Dunbar RB, see Roark EB et al. (2006) 327:1–14
- Dunton KH, see Miller HL III (2007) 329:85–97
- Durbin EG, see DeLorenzo Costa A et al. (2006) 323:281–298
- Durif CMF, Dufour S, Elie P (2006) Impact of silvering stage, age, body size and condition on reproductive potential of the European eel. 327:171–181

## E

- Eckner JT, see Bergquist DC et al. (2007) 330:49–65  
 Edgell TC, see Rochette R et al. (2007) 330:179–188  
 Edwards M, see Kirby RR et al. (2007) 330:31–38  
 Egge J, see Beauvais S et al. (2006) 323:47–57  
 Egge J, see Beauvais S et al. (2006) 324:309  
 Eklöf JS, Henriksson R, Kautsky N (2006) Effects of tropical open-water seaweed farming on seagrass ecosystem structure and function. 325:73–84  
 Elie P, see Durif CMF et al. (2006) 327:171–181  
 Elith J, see Leathwick JR et al. (2006) 321:267–281  
 Engström P, see Trimmer M et al. (2006) 326:37–47  
 Enriquez S, Rodríguez-Román A (2006) Effect of water flow on the photosynthesis of three marine macrophytes from a fringing-reef lagoon. 323:119–132  
 Epifanio RA, Maia LF, Pawlik JR, Fenical W (2007) Antipredatory secosterols from the octocoral *Pseudopterogorgia americana*. 329:307–310  
 Epperly SP, see Sasso CR et al. (2006) 324:287–292  
 Esler D, see Lewis TL et al. (2007) 329:131–144  
 Etter RJ, see Avery R (2006) 323:159–170

## F

- Fan TY, Lin KH, Kuo FW, Soong K, Liu LL, Fang LS (2006) Diel patterns of larval release by five brooding scleractinian corals. 321:133–142  
 Fang LS, see Fan TY et al. (2006) 321:133–142  
 Fehling J, Davidson K, Bolch C, Tett P (2006) Seasonality of *Pseudo-nitzschia* spp. (Bacillariophyceae) in western Scottish waters. 323:91–105  
 Feinberg LR, see Gómez-Gutiérrez J et al. (2006) 323:185–194  
 Fenical W, see Epifanio RA et al. (2007) 329:307–310  
 Fielder S, see Taylor MW et al. (2006) 328:237–247  
 Figueira WF, see Rilov G et al. (2007) 329:225–238  
 Figueiras FG, see Rodríguez F et al. (2006) 323:59–73  
 Finke N, see Vandieken V et al. (2006) 322:29–41  
 Fisher CR, see Bergquist DC et al. (2007) 330:49–65  
 Fisher JL (2006) Seasonal timing and duration of brachyuran larvae in a high-latitude fjord. 323:213–222  
 Flórez-González L, see Olavarria C et al. (2007) 330:257–268  
 Foggo A, see Hall-Spencer J et al. (2006) 326:1–9  
 Ford PW, see Grigg NJ et al. (2007) 329:157–168  
 Fourqurean JW, see Peterson BJ et al. (2006) 328:93–103  
 Francis MP, see Leathwick JR et al. (2006) 321:267–281  
 Franco Á, see Nieto Ó et al. (2006) 328:41–49  
 Frascchetti S, see Bussotti S et al. (2006) 325:109–119  
 Frazer TK, see Grober-Dunsmore R et al. (2006) 321:123–132  
 Freggi D, see Casale P et al. (2006) 324:281–285  
 Freire J, see Pallas A et al. (2006) 324:173–184  
 French BL, see Labenia JS et al. (2007) 329:1–11  
 Friis Møller L, Riisgård HU (2007) Respiration in the scyphozoan jellyfish *Aurelia aurita* and two hydromedusae (*Sarsia tubulosa* and *Aequorea vitrina*): effect of size, temperature and growth. 330:149–154  
 Frischer ME, see Nejstgaard JC et al. (2006) 321:99–121

## G

- Gagnon P, see Scheibling RE (2006) 325:1–14  
 Galgani F, see Minier C et al. (2006) 322:143–154  
 Galzin R, see Lo-Yat A et al. (2006) 325:195–203  
 Garcia-Calvo B, see Pallas A et al. (2006) 324:173–184

- García-Sánchez MP, see Brun FG et al. (2006) 323:133–148  
 Gardner JPA, see Kröger K et al. (2006) 326:85–98  
 Garrabou J, see Coma R et al. (2006) 327:51–60  
 Garrido JL, see Rodríguez F et al. (2006) 323:59–73  
 Garrido S, Marçalo A, Zwolinski J, van der Lingen CD (2007) Laboratory investigations on the effect of prey size and concentration on the feeding behaviour of *Sardina pilchardus*. 330:189–199  
 Garrigue C, see Olavarria C et al. (2007) 330:257–268  
 Gendron L, Sainte-Marie B (2006) Growth of juvenile lobster *Homarus americanus* off the Magdalen Islands (Quebec, Canada) and projection of instar and age at commercial size. 326:221–233  
 Genin A, see Kent R et al. (2006) 323:299–303  
 Genovese SJ, see Trussell GC et al. (2006) 323:149–158  
 Gensemer RW, see Herwig RP et al. (2006) 324:37–55  
 Gibb SW, see McDougall KE et al. (2006) 325:137–144  
 Gili JM, Rossi S, Pagès F, Orejas C, Teixidó N, López-González PJ, Arntz WE (2006) A new trophic link between the pelagic and benthic systems on the Antarctic shelf. 322:43–49  
 Gillespie E, see Hall-Spencer J et al. (2006) 326:1–9  
 Gillham K, see Hall-Spencer J et al. (2006) 326:1–9  
 Gilly WF, Markaida U, Baxter CH, Block BA, Boustany A, Zeidberg L, Reisenbichler K, Robison B, Bazzino G, Salinas C (2006) Vertical and horizontal migrations by the jumbo squid *Dosidicus gigas* revealed by electronic tagging. 324:1–17  
 Girard C, Sudre J, Benhamou S, Roos D, Luschi P (2006) Homing in green turtles *Chelonia mydas*: oceanic currents act as a constraint rather than as an information source. 322:281–289  
 Gislason H, see Rindorf A et al. (2006) 325:243–253  
 Gocke K, see Hoppe HG et al. (2006) 323:21–33  
 Goebel NL, Kremer JN (2007) Temporal and spatial variability of photosynthetic parameters and community respiration in Long Island Sound. 329:23–42  
 Goetz KT, Rugh DJ, Read AJ, Hobbs RC (2007) Habitat use in a marine ecosystem: beluga whales *Delphinapterus leucas* in Cook Inlet, Alaska. 330:247–256  
 Goldsworthy SD, see Page B et al. (2006) 323:263–279  
 Gómez de Segura A, Hammond PS, Cañadas A, Raga JA (2007) Comparing cetacean abundance estimates derived from spatial models and design-based line transect methods. 329:289–299  
 Gómez-Gutiérrez J, Feinberg LR, Shaw T, Peterson WT (2006) Variability in brood size and female length of *Euphausia pacifica* among three populations in the North Pacific. 323:185–194  
 Goreau T, see Cervino JM et al. (2006) 324:139–150  
 Goulet TL (2006) Most corals may not change their symbionts. 321:1–7  
 Graña J, see Nieto Ó et al. (2006) 328:41–49  
 Granéli E, see Stolte W et al. (2006) 327:71–82  
 Green C, see Trathan PN et al. (2006) 323:239–251  
 Grémillet D, see Ropert-Coudert Y et al. (2006) 328:275–284  
 Gribben PE, see Nylund GM et al. (2007) 329:73–84  
 Griekspoor P, see Titelman J et al. (2006) 325:43–58  
 Grigg NJ, Webster IT, Ford PW (2007) Non-destructive measurement of the time evolution of burrowing shrimp mound topography. 329:157–168  
 Grober-Dunsmore R, Bonito V, Frazer TK (2006) Potential inhibitors to recovery of *Acropora palmata* populations in St. John, US Virgin Islands. 321:123–132  
 Grorud-Colvert K, Sponaugle S (2006) Influence of condition on behavior and survival potential of a newly settled coral reef fish, the bluehead wrasse *Thalassoma bifasciatum*.

327:279–288

- Gross TF, see Decker MB et al. (2007) 329:99–113  
 Grossart HP, see Tang KW et al. (2006) 325:15–27  
 Grzebyk D, see Stolte W et al. (2006) 327:71–82  
 Guarini JM, see Longphuirt SN et al. (2006) 328:143–154  
 Guilderson TP, see Roark EB et al. (2006) 327:1–14  
 Guppy R, Bythell JC (2006) Environmental effects on bacterial diversity in the surface mucus layer of the reef coral *Montastraea faveolata*. 328:133–142

## H

- Haertel-Borer SS, see Allen DM et al. (2007) 329:57–71  
 Halliday J, see Lundquist CJ et al. (2006) 324:67–81  
 Hall-Spencer J, White N, Gillespie E, Gillham K, Foggo A (2006) Impact of fish farms on maerl beds in strongly tidal areas. 326:1–9  
 Hamel JF, see Mercier A et al. (2007) 329:179–189  
 Hamilton DJ, see Lauzon-Guay JS et al. (2006) 323:171–183  
 Hammer AC, Pitchford JW (2006) Mixotrophy, allelopathy and the population dynamics of phagotrophic algae (cryptophytes) in the Darss Zingst Bodden estuary, southern Baltic. 328:105–115  
 Hammond PS, see Gómez de Segura A et al. (2007) 329:289–299  
 Hampel H, see Cattrisse A (2006) 324:293–307  
 Hansen BW, see Nielsen P et al. (2006) 328:171–182  
 Hansen T, see Sommer F et al. (2006) 324:105–112  
 Harvell CD, see Ward JR et al. (2007) 329:115–121  
 Hashimoto S, Horimoto N, Ishimaru T, Saino T (2006) Metabolic balance of gross primary production and community respiration in Sagami Bay, Japan. 321:31–40  
 Hastie T, see Leathwick JR et al. (2006) 321:267–281  
 Hauser A, Attrill MJ, Cotton PA (2006) Effects of habitat complexity on the diversity and abundance of macrofauna colonising artificial kelp holdfasts. 325:93–100  
 Hauser N, see Olavarría C et al. (2007) 330:257–268  
 Hawkins SJ, see Martins GM et al. (2007) 329:43–55  
 Hays GC, see McMahon CR et al. (2007) 329:239–252  
 Hays GC, see Myers AE (2006) 322:259–267  
 Heck KL Jr., Valentine JF, Pennock JR, Chaplin G, Spitzer PM (2006) Effects of nutrient enrichment and grazing on shoalgrass *Halodule wrightii* and its epiphytes: results of a field experiment. 326:145–156  
 Hecq JH, see Maes J et al. (2006) 326:269–282  
 Hedd A, Montevecchi WA (2006) Diet and trophic position of Leach's storm-petrel *Oceanodroma leucorhoa* during breeding and moult, inferred from stable isotope analysis of feathers. 322:291–301  
 Henriksen OD, see Carstensen J et al. (2006) 321:295–308  
 Henriksson R, see Eklöf JS et al. (2006) 325:73–84  
 Hereu B, Diaz D, Pasqual J, Zabala M, Sala E (2006) Temporal patterns of spawning of the dusky grouper *Epinephelus marginatus* in relation to environmental factors. 325:187–194  
 Herlory O, see Longphuirt SN et al. (2006) 328:143–154  
 Hernández I, see Brun FG et al. (2006) 323:133–148  
 Herwig RP, Cordell JR, Perrins JC, Dinnel PA, Gensemer RW, Stubblefield WA, Ruiz GM, Kopp JA, House ML, Cooper WJ (2006) Ozone treatment of ballast water on the oil tanker *S/T Tonsina*: chemistry, biology and toxicity. 324:37–55  
 Hewitt JE, see Lundquist CJ et al. (2006) 324:67–81  
 Hildebrand JA, see Oleson EM et al. (2007) 330:269–284  
 Hill RW, Dacey JWH (2006) Metabolism of dimethylsulfoniopropionate (DMSP) by juvenile Atlantic menhaden

*Brevoortia tyrannus*. 322:239–248

- Hinrichsen HH, see Reglero P et al. (2007) 330:223–233  
 Hirst A, López-Urrutia A (2006) Effects of evolution on egg development time. 326:29–35  
 Hirst AJ (2006) Influence of taxonomic resolution on multivariate analyses of arthropod and macroalgal reef assemblages. 324:83–93  
 Hobbs RC, see Goetz KT et al. (2007) 330:247–256  
 Hobson KA, see Cherel Y (2007) 329:281–287  
 Hobson KA, see Søreide JE et al. (2006) 328:17–28  
 Hoenig JM, see Lambert DM et al. (2006) 321:215–225  
 Hoesterey JC, see Page HM et al. (2006) 325:101–107  
 Hoey AS, see Barnett A et al. (2006) 322:249–257  
 Holt GJ, see Perez-Dominguez R et al. (2006) 321:41–53  
 Holt SA, see Perez-Dominguez R et al. (2006) 321:41–53  
 Holzman R, see Kent R et al. (2006) 323:299–303  
 Hong H, see Ou L et al. (2006) 327:95–106  
 Hood RR, see Decker MB et al. (2007) 329:99–113  
 Hop H, see Søreide JE et al. (2006) 328:17–28  
 Hoppe HG, Gocke K, Koppe R, Kraus G (2006) Changing bacterioplankton growth characteristics on a large spatial scale: oligotrophic versus mesotrophic ocean. 323:21–33  
 Horiguchi T, see Kodama K et al. (2006) 324:197–206  
 Horimoto N, see Hashimoto S et al. (2006) 321:31–40  
 Hourdez S, see Bergquist DC et al. (2007) 330:49–65  
 House ML, see Herwig RP et al. (2006) 324:37–55  
 Hovel KA, see Reed BJ (2006) 326:133–143  
 Hovel KA, see Sirota L (2006) 326:115–131  
 Huang B, see Ou L et al. (2006) 327:95–106  
 Huang LM, see Liu S et al. (2006) 321:193–202  
 Huettel M, see Billerbeck M et al. (2006) 326:61–76  
 Hultgren KM, Thanh PD, Sato M (2006) Geographic variation in decoration selectivity of *Micippa platipes* and *Tiarinia cornigera* in Japan. 326:235–244  
 Humphrey C, see Markey KL et al. (2007) 330:127–137  
 Hunt GL Jr., see Hyrenbach KD et al. (2006) 324:271–279  
 Huonnic P, see Longphuirt SN et al. (2006) 328:143–154  
 Hyrenbach KD, Veit RR, Weimerskirch H, Hunt GL Jr. (2006) Seabird associations with mesoscale eddies: the subtropical Indian Ocean. 324:271–279

## I

- Ikeda T, Sano F, Yamaguchi A, Matsuishi T (2006) Metabolism of mesopelagic and bathypelagic copepods in the western North Pacific Ocean. 322:199–211  
 Ingram BL, see Roark EB et al. (2006) 327:1–14  
 Irons DB, see Jodice PGR et al. (2006) 325:267–279  
 Irving AD, Connell SD (2006) Physical disturbance by kelp abrades erect algae from the understory. 324:127–137  
 Ishimaru T, see Hashimoto S et al. (2006) 321:31–40  
 Iversen K, see Beauvais S et al. (2006) 323:47–57  
 Iversen K, see Beauvais S et al. (2006) 324:309

## J

- Jackson GA, see Tang KW et al. (2006) 325:15–27  
 Jackson GD, see Pecl GT et al. (2006) 328:1–15  
 Jacobsen A, see Nejstgaard JC et al. (2006) 321:99–121  
 Janson S, see Stolte W et al. (2006) 327:71–82  
 Jelinski DE, see Mews M et al. (2006) 328:155–160  
 Jenkins SR, see Martins GM et al. (2007) 329:43–55  
 Jenner C, see Olavarría C et al. (2007) 330:257–268  
 Jenner MN, see Olavarría C et al. (2007) 330:257–268

- Jeong HJ, see Seong KA et al. (2006) 322:85–97  
 Jochem FJ, see Peterson BJ et al. (2006) 328:93–103  
 Jodice PGR, Roby DD, Turco KR, Suryan RM, Irons DB, Piatt JF, Shultz MT, Roseneau DG, Kettle AB, Anthony JA (2006) Assessing the nutritional stress hypothesis: relative influence of diet quantity and quality on seabird productivity. 325:267–279  
 Johansen I, see Søreide JE et al. (2006) 328:17–28  
 Johnston EL, see Perrett LA et al. (2006) 326:195–205  
 Joint I, see Pemberton KL et al. (2006) 322:51–59  
 Jones GP, Santana L, McCook LJ, McCormick MI (2006) Resource use and impact of three herbivorous damselfishes on coral reef communities. 328:215–224  
 Jones TT, see Seminoff JA et al. (2006) 322:269–280  
 Jørgensen BB, see Vandieken V et al. (2006) 322:15–27  
 Jørgensen BB, see Vandieken V et al. (2006) 322:29–41  
 Jørgensen SJ, Kaplan DM, Klimley AP, Morgan SG, O'Farrell MR, Botsford LW (2006) Limited movement in blue rockfish *Sebastes mystinus*: internal structure of home range. 327:157–170  
 Juanes F, see Manderson JP et al. (2006) 328:249–265

## K

- Kairo JG, see Bosire JO et al. (2006) 325:85–91  
 Kamykowski D, see Sinclair GA et al. (2006) 328:117–124  
 Kamykowski D, see Sinclair GA et al. (2006) 328:125–131  
 Kang JH, see Seong KA et al. (2006) 322:85–97  
 Kanouse S, La Peyre MK, Nyman JA (2006) Nekton use of *Ruppia maritima* and non-vegetated bottom habitat types within brackish marsh ponds. 327:61–69  
 Kaplan DM, see Jørgensen SJ et al. (2006) 327:157–170  
 Kato A, see Ropert-Coudert Y et al. (2006) 328:275–284  
 Kautsky N, see Eklöf JS et al. (2006) 325:73–84  
 Kazungu J, see Bosire JO et al. (2006) 325:85–91  
 Kent R, Holzman R, Genin A (2006) Preliminary evidence on group-size dependent feeding success in the damselfish *Dascyllus marginatus*. 323:299–303  
 Keough MJ, see Macreadie PI et al. (2006) 326:49–59  
 Kettle AB, see Jodice PGR et al. (2006) 325:267–279  
 Killen SS, Brown JA (2006) Energetic cost of reduced foraging under predation threat in newly hatched ocean pout. 321:255–266  
 Kim GH, see Seong KA et al. (2006) 322:85–97  
 Kim K, see Ward JR et al. (2007) 329:115–121  
 Kim S, see Seong KA et al. (2006) 322:85–97  
 Kimmerer WJ (2006) Response of anchovies dampens effects of the invasive bivalve *Corbula amurensis* on the San Francisco Estuary foodweb. 324:207–218  
 Kimmerer WJ, see Bouley P (2006) 324:219–228  
 King GM, see Teuten EL et al. (2006) 324:167–172  
 Kinlan BP, see Broitman BR (2006) 327:15–25  
 Kinzie RA III, see Cox EF et al. (2006) 324:19–35  
 Kiørboe T, see Poulsen LK (2006) 323:195–204  
 Kiørboe T, see Tang KW et al. (2006) 325:15–27  
 Kirby RR, Beaugrand G, Lindley JA, Richardson AJ, Edwards M, Reid PC (2007) Climate effects and benthic–pelagic coupling in the North Sea. 330:31–38  
 Klages M, see Premke K et al. (2006) 325:121–135  
 Klimley AP, see Jørgensen SJ et al. (2006) 327:157–170  
 Knights AM, Crowe TP, Burnell G (2006) Mechanisms of larval transport: vertical distribution of bivalve larvae varies with tidal conditions. 326:167–174  
 Kodama K, Horiguchi T, Kume G, Nagayama S, Shimizu T, Shiraishi H, Morita M, Shimizu M (2006) Effects of hypoxia on early life history of the stomatopod *Oratosquilla*

- oratoria* in a coastal sea. 324:197–206  
 Koedam N, see Bosire JO et al. (2006) 325:85–91  
 Kopp JA, see Herwig RP et al. (2006) 324:37–55  
 Koppe R, see Hoppe HG et al. (2006) 323:21–33  
 Kordula H, see Colin SP et al. (2006) 327:143–155  
 Koski M, see Söpanen S et al. (2006) 327:223–232  
 Kraus G, see Hoppe HG et al. (2006) 323:21–33  
 Kremer JN, see Goebel NL (2007) 329:23–42  
 Kröger K, Gardner JPA, Rowden AA, Wear RG (2006) Recovery of a subtidal soft-sediment macroinvertebrate assemblage following experimentally induced effects of a harmful algal bloom. 326:85–98  
 Kromkamp JC, see Dijkman NA (2006) 324:113–125  
 Kudela R, see Anderson CR et al. (2006) 327:119–133  
 Kuffner IB, Walters LJ, Becerro MA, Paul VJ, Ritson-Williams R, Beach KS (2006) Inhibition of coral recruitment by macroalgae and cyanobacteria. 323:107–117  
 Kumagai NH (2006) Distance effects on patterns and processes of dispersal in an octocoral-associated amphipod. 321:203–214  
 Kume G, see Kodama K et al. (2006) 324:197–206  
 Kuo FW, see Fan TY et al. (2006) 321:133–142  
 Kuuppo P, see Söpanen S et al. (2006) 327:223–232

## L

- Labat JP, see Perissinotto R et al. (2007) 330:1–11  
 Labenia JS, Baldwin DH, French BL, Davis JW, Scholz NL (2007) Behavioral impairment and increased predation mortality in cutthroat trout exposed to carbaryl. 329:1–11  
 Labruno C, see Ménard F et al. (2006) 323:223–231  
 Lacković G, see Casale P et al. (2006) 324:281–285  
 Laffan SD, see Taylor MW et al. (2006) 328:237–247  
 Lambert DM, Lipcius RN, Hoenig JM (2006) Assessing effectiveness of the blue crab spawning stock sanctuary in Chesapeake Bay using tag-return methodology. 321:215–225  
 Lambert DM, see Seitz RD et al. (2006) 326:11–27  
 La Peyre MK, see Kanouse S et al. (2006) 327:61–69  
 Lappalainen A, see Westerbom M et al. (2006) 328:161–170  
 Laroche J, see Charrier G et al. (2007) 330:201–211  
 Larsen A, see Nejtgaard JC et al. (2006) 321:99–121  
 Larson F, see Sundbäck K et al. (2007) 330:13–30  
 Latasa M (2007) Improving estimations of phytoplankton class abundances using CHEMTAX. 329:13–21  
 Lauzon-Guay JS, Barbeau MA, Watmough J, Hamilton DJ (2006) Model for growth and survival of mussels *Mytilus edulis* reared in Prince Edward Island, Canada. 323:171–183  
 Lauzon-Guay JS, Scheibling RE (2007) Behaviour of sea urchin *Strongylocentrotus droebachiensis* grazing fronts: food-mediated aggregation and density-dependent facilitation. 329:191–204  
 Lazar B, see Casale P et al. (2006) 324:281–285  
 Leandro SM, Queiroga H, Rodríguez-Graña L, Tiselius P (2006) Temperature-dependent development and somatic growth in two allopatric populations of *Acartia clausi* (Copepoda: Calanoida). 322:189–197  
 Leathwick JR, Elith J, Francis MP, Hastie T, Taylor P (2006) Variation in demersal fish species richness in the oceans surrounding New Zealand: an analysis using boosted regression trees. 321:267–281  
 LeDuc CA, see Oleson EM et al. (2007) 330:269–284  
 Legrand C, see Söpanen S et al. (2006) 327:223–232  
 Lehtonen KK, Leiniö S, Schneider R, Leivuori M (2006) Bio-

- markers of pollution effects in the bivalves *Mytilus edulis* and *Macoma balthica* collected from the southern coast of Finland (Baltic Sea). 322:155–168
- Leiniö S, see Lehtonen KK et al. (2006) 322:155–168
- Leivuori M, see Lehtonen KK et al. (2006) 322:155–168
- Lemke JL, Ryer CH (2006) Relative predation vulnerability of three juvenile (Age-0) North Pacific flatfish species: possible influence of nursery-specific predation pressures. 328:267–273
- Lessard EJ, see Olson MB et al. (2006) 326:207–220
- Lesser MP, see Trussell GC et al. (2006) 323:149–158
- Letelier RM, see White AE et al. (2006) 323:35–45
- Leung KMY, see Chan BKK et al. (2006) 328:195–204
- Lewis S, see Ropert-Coudert Y et al. (2006) 328:275–284
- Lewis TL, Esler D, Boyd WS (2007) Effects of predation by sea ducks on clam abundance in soft-bottom intertidal habitats. 329:131–144
- Lewy P, see Rindorf A et al. (2006) 325:243–253
- Leynaert A, see Longphuir SN et al. (2006) 328:143–154
- Lin KH, see Fan TY et al. (2006) 321:133–142
- Lin L, see Ou L et al. (2006) 327:95–106
- Linares C, see Coma R et al. (2006) 327:51–60
- Lindahl O, see Waite AM (2006) 326:77–83
- Lindley JA, see Kirby RR et al. (2007) 330:31–38
- Lindquist N, see Lopanik NB et al. (2006) 327:183–191
- Link JS, see Methratta ET (2006) 326:245–256
- Lipcius RN, see Lambert DM et al. (2006) 321:215–225
- Lipcius RN, see Seitz RD et al. (2006) 326:11–27
- Lips I, see Stolte W et al. (2006) 327:71–82
- Liu LL, see Fan TY et al. (2006) 321:133–142
- Liu S, Wang WX, Huang LM (2006) Phosphorus dietary assimilation and efflux in the marine copepod *Acartia erythroa*. 321:193–202
- Long JD, see Nejtgaard JC et al. (2006) 321:99–121
- Longmore AR, see Macreadie PI et al. (2006) 326:49–59
- Longphuir SN, Leynaert A, Guarini JM, Chauvaud L, Claquin P, Herlory O, Amice E, Huonnic P, Ragueneau O (2006) Discovery of microphytobenthos migration in the subtidal zone. 328:143–154
- Lopanik NB, Targett NM, Lindquist N (2006) Ontogeny of a symbiont-produced chemical defense in *Bugula neritina* (Bryozoa). 327:183–191
- Lopes RJ, Pardal MA, Múrias T, Cabral JA, Marques JC (2006) Influence of macroalgal mats on abundance and distribution of dunlin *Calidris alpina* in estuaries: a long-term approach. 323:11–20
- López A, see MacLeod CD et al. (2006) 326:295–307
- López-González PJ, see Gili JM et al. (2006) 322:43–49
- López-Urrutia A, see Hirst A (2006) 326:29–35
- Lough RG, see Buckley LJ et al. (2006) 325:205–226
- Lowe CG, see Topping DT et al. (2006) 326:257–267
- Lo-Yat A, Meekan MG, Carleton JH, Galzin R (2006) Large-scale dispersal of the larvae of nearshore and pelagic fishes in the tropical oceanic waters of French Polynesia. 325:195–203
- Lundquist CJ, Thrush SF, Hewitt JE, Halliday J, MacDonald I, Cummings VJ (2006) Spatial variability in recolonisation potential: influence of organism behaviour and hydrodynamics on the distribution of macrofaunal colonists. 324:67–81
- Luoma SN, see Rainbow PS et al. (2006) 321:167–181
- Luschi P, see Girard C et al. (2006) 322:281–289
- Lusseau SM, Wing SR (2006) Importance of local production versus pelagic subsidies in the diet of an isolated population of bottlenose dolphins *Tursiops* sp.. 321:283–293
- Lyman EG, see DeLorenzo Costa A et al. (2006) 323:281–298
- Lyman SJ, see Rilov G et al. (2007) 329:225–238
- M**
- MacDonald I, see Lundquist CJ et al. (2006) 324:67–81
- Mace AJ, Morgan SG (2006) Biological and physical coupling in the lee of a small headland: contrasting transport mechanisms for crab larvae in an upwelling region. 324:185–196
- MacIsaac HJ, see Duggan IC et al. (2006) 324:57–66
- Macko SA, see Bergquist DC et al. (2007) 330:49–65
- MacLean JC, see Todd CD et al. (2006) 328:183–193
- MacLeod CD, Santes MB, López A, Pierce GJ (2006) Relative prey size consumption in toothed whales: implications for prey selection and level of specialisation. 326:295–307
- Macpherson E, Raventos N (2006) Relationship between pelagic larval duration and geographic distribution of Mediterranean littoral fishes. 327:257–265
- Macreadie PI, Ross DJ, Longmore AR, Keough MJ (2006) Denitrification measurements of sediments using cores and chambers. 326:49–59
- Macri EL, see Strom SL et al. (2006) 328:75–92
- Maes J, Van de Putte A, Hecq JH, Volckaert FAM (2006) State-dependent energy allocation in the pelagic Antarctic silverfish *Pleuragramma antarcticum*: trade-off between winter reserves and buoyancy. 326:269–282
- Maggs CA, see Strong JA et al. (2006) 321:87–97
- Maia LF, see Epifanio RA et al. (2007) 329:307–310
- Manderson JP, Pessutti J, Shaheen P, Juanes F (2006) Dynamics of early juvenile winter flounder predation risk on a North West Atlantic estuarine nursery ground. 328:249–265
- Marçalo A, see Garrido S et al. (2007) 330:189–199
- Markaida U, see Gilly WF et al. (2006) 324:1–17
- Markey KL, Baird AH, Humphrey C, Negri AP (2007) Insecticides and a fungicide affect multiple coral life stages. 330:127–137
- Marques JC, see Lopes RJ et al. (2006) 323:11–20
- Marrasé C, see Beauvais S et al. (2006) 323:47–57
- Marrasé C, see Beauvais S et al. (2006) 324:309
- Marshall GJ, see Seminoff JA et al. (2006) 322:269–280
- Martin GB, Wuenschel MJ (2006) Effect of temperature and salinity on otolith element incorporation in juvenile gray snapper *Lutjanus griseus*. 324:229–239
- Martínez-Martínez J, see Nejtgaard JC et al. (2006) 321:99–121
- Martins GM, Hawkins SJ, Thompson RC, Jenkins SR (2007) Community structure and functioning in intertidal rock pools: effects of pool size and shore height at different successional stages. 329:43–55
- Matanoski JC, see Decker MB et al. (2007) 329:99–113
- Matsuishi T, see Ikeda T et al. (2006) 322:199–211
- Mayo CA, see DeLorenzo Costa A et al. (2006) 323:281–298
- Mayzaud P, see Perissinotto R et al. (2007) 330:1–11
- McCook LJ, see Jones GP et al. (2006) 328:215–224
- McCormick MI, see Jones GP et al. (2006) 328:215–224
- McCracken M, see Swimmer Y et al. (2006) 323:253–261
- McDonald MA, see Oleson EM et al. (2007) 330:269–284
- McDougall KE, Gibb SW, Boyd KG, Brown BE (2006) 'Chlorophyll-like' compounds as novel biomarkers of stress in corals. 325:137–144
- McKenzie J, see Page B et al. (2006) 323:263–279
- McKindsey CW, see Callier MD et al. (2006) 322:129–141
- McMahon CR, Bradshaw CJA, Hays GC (2007) Satellite tracking reveals unusual diving characteristics for a marine reptile, the olive ridley turtle *Lepidochelys olivacea*. 329:239–252
- McNaughton L, see Swimmer Y et al. (2006) 323:253–261

- McQuaid CD, Phillips TE (2006) Mesoscale variation in reproduction, recruitment and population structure of intertidal mussels with low larval input: a bay/open coast comparison. 327:193–206
- McQuinn IH, see Charrier G et al. (2007) 330:201–211
- Meekan MG, see Lo-Yat A et al. (2006) 325:195–203
- Ménard F, Labrune C, Shin YJ, Asine AS, Bard FX (2006) Opportunistic predation in tuna: a size-based approach. 323:223–231
- Menezes GM, Sigler MF, Silva HM, Pinho MR (2006) Structure and zonation of demersal fish assemblages off the Azores Archipelago (mid-Atlantic). 324:241–260
- Mercier A, Ycaza RH, Hamel JF (2007) Long-term study of gamete release in a broadcast-spawning holothurian: predictable lunar and diel periodicities. 329:179–189
- Metaxas A, see Bryan TL (2007) 330:113–126
- Metcalfe JD, see Shepard ELC et al. (2006) 328:205–213
- Methratta ET, Link JS (2006) Seasonal variation in groundfish habitat associations in the Gulf of Maine–Georges Bank region. 326:245–256
- Mews M, Zimmer M, Jelinski DE (2006) Species-specific decomposition rates of beach-cast wrack in Barkley Sound, British Columbia, Canada. 328:155–160
- Michotey VD, see Bonin PC (2006) 322:75–84
- Milan BJ, see Allen DM et al. (2007) 329:57–71
- Miller HL III, Dunton KH (2007) Stable isotope ( $^{13}\text{C}$ ) and  $\text{O}_2$  micro-optode alternatives for measuring photosynthesis in seaweeds. 329:85–97
- Miller KL, see Stierhoff KL et al. (2006) 325:255–266
- Milligan E, see Sinclair GA et al. (2006) 328:117–124
- Milligan E, see Sinclair GA et al. (2006) 328:125–131
- Minchinton TE, see Miner CM et al. (2006) 327:107–117
- Miner CM, Altstatt JM, Raimondi PT, Minchinton TE (2006) Recruitment failure and shifts in community structure following mass mortality limit recovery prospects of black abalone. 327:107–117
- Minier C, Moore MN, Galgani F, Claisse D (2006) Multixenobiotic resistance protein expression in *Mytilus edulis*, *M. galloprovincialis* and *Crassostrea gigas* from the French coasts. 322:143–154
- Moens T, see De Mesel I et al. (2006) 321:157–166
- Molinet C, Valle-Levinson A, Moreno CA, Cáceres M, Bello M, Castillo M (2006) Effects of sill processes on the distribution of epineustonic competent larvae in a stratified system of Southern Chile. 324:95–104
- Møller LF, Riisgård HU (2006) Filter feeding in the burrowing amphipod *Corophium volutator*. 322:213–224
- Montague CL, see Stevens PW et al. (2006) 327:267–277
- Montevicchi WA, see Hedd A (2006) 322:291–301
- Moodley L, see Van Gaever S et al. (2006) 321:143–155
- Moore MN, see Minier C et al. (2006) 322:143–154
- Mord CW, see Strom SL et al. (2006) 328:75–92
- Moreira J, Chapman MG, Underwood AJ (2006) Seawalls do not sustain viable populations of limpets. 322:179–188
- Moreno CA, see Molinet C et al. (2006) 324:95–104
- Morgan SG, see Jorgensen SJ et al. (2006) 327:157–170
- Morgan SG, see Mace AJ (2006) 324:185–196
- Morita M, see Kodama K et al. (2006) 324:197–206
- Moro D, see Olavarria C et al. (2007) 330:257–268
- Morrith D, see Chan BKK et al. (2006) 328:195–204
- Mortensen J, see Nielsen P et al. (2006) 328:171–182
- Morton A, see Trathan PN et al. (2006) 323:239–251
- Mosegaard H, see Reglero P et al. (2007) 330:223–233
- Múrias T, see Lopes RJ et al. (2006) 323:11–20
- Mustonen O, see Westerbom M et al. (2006) 328:161–170
- Musyl M, see Swimmer Y et al. (2006) 323:253–261
- Myers AE, Hays GC (2006) Do leatherback turtles *Dermochelys coriacea* forage during the breeding season? A combination of data-logging devices provide new insights. 322:259–267
- Myhre S, Acevedo-Gutiérrez A (2007) Recovery of sea urchin *Diadema antillarum* populations is correlated to increased coral and reduced macroalgal cover. 329:205–210

## N

- Nagayama S, see Kodama K et al. (2006) 324:197–206
- Nausch G, see Nausch M (2006) 321:9–17
- Nausch M (2006) Bioavailability of dissolved organic phosphorus in the Baltic Sea. 321:9–17
- N'Diaye M, see Nieto Ó et al. (2006) 328:41–49
- Neer JA, Rose KA, Cortés E (2007) Simulating the effects of temperature on individual and population growth of *Rhinoptera bonasus*: a coupled bioenergetics and matrix modeling approach. 329:211–223
- Negri AP, see Markey KL et al. (2007) 330:127–137
- Nejstgaard JC, Frischer ME, Verity PG, Anderson JT, Jacobsen A, Zirbel MJ, Larsen A, Martínez-Martínez J, Sazhin AF, Walters T, Bronk DA, Whipple SJ, Borrett SR, Patten BC, Long JD (2006) Plankton development and trophic transfer in seawater enclosures with nutrients and *Phaeocystis pouchetii* added. 321:99–121
- Newman BK, Papadopoulos I, Vorsatz J, Wooldridge TH (2006) Influence of temperature on the larval development of *Upogebia africana* and *U. capensis* (Decapoda: Thalassinidae: Upogebiidae) in the laboratory. 325:165–180
- Ng JSS, Williams GA (2006) Intraspecific variation in foraging behaviour: influence of shore height on temporal organization of activity in the chiton *Acanthopleura japonica*. 321:183–192
- Nicholls JC, see Trimmer M et al. (2006) 326:37–47
- Nichols PD, see Perissinotto R et al. (2007) 330:1–11
- Nickel M, see Vandieken V et al. (2006) 322:15–27
- Nicolaidou A, see Akoumianaki I et al. (2006) 321:55–66
- Nielsen C, see Riisgård HU (2006) 328:295–305
- Nielsen P, Mortensen J, Vismann B, Hansen BW (2006) Physiological tolerance of marine calanoid copepod eggs to sulphide. 328:171–182
- Nieto Ó, Aboigor J, Buján R, N'Diaye M, Graña J, Saco-Álvarez L, Franco Á, Soriano JA, Beiras R (2006) Temporal variation in the levels of polycyclic aromatic hydrocarbons (PAHs) off the Galician Coast after the 'Prestige' oil spill. 328:41–49
- Nilsen M, Pedersen T, Nilssen EM (2006) Macro-benthic biomass, productivity ( $P/B$ ) and production in a high-latitude ecosystem, North Norway. 321:67–77
- Nilsen T, see Titelman J et al. (2006) 325:43–58
- Nilssen EM, see Nilsen M et al. (2006) 321:67–77
- Nishimura O, see Sakamaki T (2006) 328:29–40
- Norkko J, Thrush SF (2006) Ecophysiology in environmental impact assessment: implications of spatial differences in seasonal variability of bivalve condition. 326:175–186
- Nylund GM, Gribben PE, de Nys R, Steinberg PD, Pavia H (2007) Surface chemistry versus whole-cell extracts: antifouling tests with seaweed metabolites. 329:73–84
- Nyman JA, see Kanouse S et al. (2006) 327:61–69

## O

- O'Farrell MR, see Jorgensen SJ et al. (2006) 327:157–170
- Olavarria C, Baker CS, Garrigue C, Poole M, Hauser N,



- Caballero S, Flórez-González L, Brasseur M, Bannister J, Capella J, Clapham P, Dodemont R, Donoghue M, Jenner C, Jenner MN, Moro D, Oremus M, Paton D, Rosenbaum H, Russell K (2007) Population structure of South Pacific humpback whales and the origin of the eastern Polynesian breeding grounds. 330:257–268
- Oleson EM, Calambokidis J, Burgess WC, McDonald MA, LeDuc CA, Hildebrand JA (2007) Behavioral context of call production by eastern North Pacific blue whales. 330:269–284
- Olmstead NH, see Seitz RD et al. (2006) 326:11–27
- Olson MB, Lessard EJ, Wong CHJ, Bernhardt MJ (2006) Copepod feeding selectivity on microplankton, including the toxigenic diatoms *Pseudo-nitzschia* spp., in the coastal Pacific Northwest. 326:207–220
- Olson MB, see Strom SL et al. (2006) 328:75–92
- Olsson O, see Österblom H et al. (2006) 323:233–238
- Orejas C, see Gili JM et al. (2006) 322:43–49
- Oremus M, see Olavarria C et al. (2007) 330:257–268
- Österblom H, Casini M, Olsson O, Bignert A (2006) Fish, seabirds and trophic cascades in the Baltic Sea. 323:233–238
- Ottersen G, see Stige LC et al. (2006) 325:227–241
- Ou L, Huang B, Lin L, Hong H, Zhang F, Chen Z (2006) Phosphorus stress of phytoplankton in the Taiwan Strait determined by bulk and single-cell alkaline phosphatase activity assays. 327:95–106
- P**
- Page B, McKenzie J, Sumner MD, Coyne M, Goldsworthy SD (2006) Spatial separation of foraging habitats among New Zealand fur seals. 323:263–279
- Page HM, Dugan JE, Culver CS, Hoesterey JC (2006) Exotic invertebrate species on offshore oil platforms. 325:101–107
- Pagès F, see Gili JM et al. (2006) 322:43–49
- Pallas A, Garcia-Calvo B, Corgos A, Bernardez C, Freire J (2006) Distribution and habitat use patterns of benthic decapod crustaceans in shallow waters: a comparative approach. 324:173–184
- Panagiotopoulos C, Sempéré R (2007) Sugar dynamics in large particles during *in vitro* incubation experiments. 330:67–74
- Panosso R, see Stolte W et al. (2006) 327:71–82
- Papadopoulos I, see Newman BK et al. (2006) 325:165–180
- Papaspyrou S, see Akoumianaki I et al. (2006) 321:55–66
- Pardal MA, see Lopes RJ et al. (2006) 323:11–20
- Pasqual J, see Hereu B et al. (2006) 325:187–194
- Paton D, see Olavarria C et al. (2007) 330:257–268
- Patten BC, see Nejtgaard JC et al. (2006) 321:99–121
- Patterson MR, see Trussell GC et al. (2006) 323:149–158
- Paul NA, de Nys R, Steinberg PD (2006) Seaweed–herbivore interactions at a small scale: direct tests of feeding deterrence by filamentous algae. 323:1–9
- Paul VJ, see Kuffner IB et al. (2006) 323:107–117
- Pavia H, see Nylund GM et al. (2007) 329:73–84
- Pawlik J, see Qian PY et al. (2006) 324:151–165
- Pawlik JR, see Epifanio RA et al. (2007) 329:307–310
- Peat H, see Trathan PN et al. (2006) 323:239–251
- Peck LS, see Brockington S et al. (2007) 330:139–147
- Pecl GT, Tracey SR, Semmens JM, Jackson GD (2006) Use of acoustic telemetry for spatial management of southern calamary *Sepiotheuthis australis*, a highly mobile inshore squid species. 328:1–15
- Pedersen T, see Nilsen M et al. (2006) 321:67–77
- Pedrotti ML, see Beauvais S et al. (2006) 323:47–57
- Pedrotti ML, see Beauvais S et al. (2006) 324:309
- Peery MZ, see Becker BH et al. (2007) 329:267–279
- Pemberton KL, Clarke KR, Joint I (2006) Quantifying uncertainties associated with the measurement of primary production. 322:51–59
- Pennock JR, see Heck KL Jr. et al. (2006) 326:145–156
- Peralta G, Brun FG, Pérez-Lloréns JL, Bouma TJ (2006) Direct effects of current velocity on the growth, morphometry and architecture of seagrasses: a case study on *Zostera noltii*. 327:135–142
- Peralta G, see Brun FG et al. (2006) 323:133–148
- Pérez-Dominguez R, Holt SA, Holt GJ (2006) Environmental variability in seagrass meadows: effects of nursery environment cycles on growth and survival in larval red drum *Sciaenops ocellatus*. 321:41–53
- Pérez-Lloréns JL, see Brun FG et al. (2006) 323:133–148
- Pérez-Lloréns JL, see Peralta G et al. (2006) 327:135–142
- Perissinotto R, Mayzaud P, Nichols PD, Labat JP (2007) Grazing by *Pyrosoma atlanticum* (Tunicata, Thaliacea) in the south Indian Ocean. 330:1–11
- Perrett LA, Johnston EL, Poore AGB (2006) Impact by association: direct and indirect effects of copper exposure on mobile invertebrate fauna. 326:195–205
- Perrins JC, see Herwig RP et al. (2006) 324:37–55
- Pessutti J, see Manderson JP et al. (2006) 328:249–265
- Petersen DG, see Sundbäck K et al. (2007) 330:13–30
- Peterson BJ, Chester CM, Jochem FJ, Fourqurean JW (2006) Potential role of sponge communities in controlling phytoplankton blooms in Florida Bay. 328:93–103
- Peterson CH, see Bishop MJ et al. (2006) 325:145–152
- Peterson WT, see Gómez-Gutiérrez J et al. (2006) 323:185–194
- Philippart CJM, see Bos OG et al. (2007) 330:155–162
- Phillips TE, see McQuaid CD (2006) 327:193–206
- Phlips EJ, Badylak S, Bledsoe E, Cichra M (2006) Factors affecting the distribution of *Pyrodictinium bahamense* var. *bahamense* in coastal waters of Florida. 322:99–115
- Phlips EJ, Badylak S, Bledsoe E, Cichra M (2006) (Erratum to Vol 322:99–115, 2006) 324:309
- Piatt JF, see Jodice PGR et al. (2006) 325:267–279
- Pierce GJ, see MacLeod CD et al. (2006) 326:295–307
- Pinho MR, see Menezes GM et al. (2006) 324:241–260
- Pitchford JW, see Hammer AC (2006) 328:105–115
- Poirier L, see Rainbow PS et al. (2006) 321:167–181
- Polerecky L, see Billerbeck M et al. (2006) 326:61–76
- Polson SW, see Cervino JM et al. (2006) 324:139–150
- Pomeroy LR, D'Elia CF, Schaffner LC (2006) Limits to top-down control of phytoplankton by oysters in Chesapeake Bay. 325:301–309
- Poncet J, see Trathan PN et al. (2006) 323:239–251
- Pont S, see Casale P et al. (2006) 324:281–285
- Poole M, see Olavarria C et al. (2007) 330:257–268
- Poore AGB, see Perrett LA et al. (2006) 326:195–205
- Poulsen LK, Kiørboe T (2006) Vertical flux and degradation rates of copepod fecal pellets in a zooplankton community dominated by small copepods. 323:195–204
- Power M, Attrill MJ (2007) Temperature-dependent temporal variation in the size and growth of Thames estuary smelt *Osmerus eperlanus*. 330:213–222
- Premke K, Klages M, Arntz WE (2006) Aggregations of Arctic deep-sea scavengers at large food falls: temporal distribution, consumption rates and population structure. 325:121–135
- Purcell JE, see Decker MB et al. (2007) 329:99–113
- Pütz K, see Raya Rey A et al. (2007) 330:285–295

## Q

- Qian PY, Dobretsov S, Dahms HU, Pawlik J (2006) Antifouling activity and microbial diversity of two congeneric sponges *Callyspongia* spp. from Hong Kong and the Bahamas. 324: 151–165
- Qian PY, see Thiagarajan V et al. (2006) 327:207–222
- Queiroga H, see Leandro SM et al. (2006) 322:189–197

## R

- Raga JA, see Casale P et al. (2006) 324:281–285
- Raga JA, see Gómez de Segura A et al. (2007) 329:289–299
- Ragueneau O, see Longphuir SN et al. (2006) 328:143–154
- Raimondi PT, see Miner CM et al. (2006) 327:107–117
- Rainbow PS, Poirier L, Smith BD, Brix KV, Luoma SN (2006) Trophic transfer of trace metals from the polychaete worm *Nereis diversicolor* to the polychaete *N. virens* and the decapod crustacean *Palaemonetes varians*. 321:167–181
- Raventos N, see Macpherson E (2006) 327:257–265
- Raya Rey A, Trathan P, Pütz K, Schiavini A (2007) Effect of oceanographic conditions on the winter movements of rockhopper penguins *Eudyptes chrysocome chrysocome* from Staten Island, Argentina. 330:285–295
- Raymond B, see Woehler EJ et al. (2006) 324:261–270
- Read AJ, see Goetz KT et al. (2007) 330:247–256
- Readman JW, see Ciutat A et al. (2006) 328:51–64
- Reddy CM, see Teuten EL et al. (2006) 324:167–172
- Reed BJ, Hovel KA (2006) Seagrass habitat disturbance: how loss and fragmentation of eelgrass *Zostera marina* influences epifaunal abundance and diversity. 326:133–143
- Reglero P, Mosegaard H, Hinrichsen HH (2007) Date of otolith first increment formation in Baltic sprat *Sprattus sprattus* and its relation to onset of maturity. 330:223–233
- Reich KJ, Worthy GAJ (2006) An isotopic assessment of the feeding habits of free-ranging manatees. 322:303–309
- Reid PC, see Kirby RR et al. (2007) 330:31–38
- Reisenbichler K, see Gilly WF et al. (2006) 324:1–17
- Ribes M, see Coma R et al. (2006) 327:51–60
- Ribes M, see Cox EF et al. (2006) 324:19–35
- Richardson AJ, see Kirby RR et al. (2007) 330:31–38
- Riemann L, Titelman J, Båmstedt U (2006) Links between jellyfish and microbes in a jellyfish dominated fjord. 325: 29–42
- Riemann L, see Titelman J et al. (2006) 325:43–58
- Riisgård HU, Nielsen C (2006) Feeding mechanism of the polychaete *Sabellaria alveolata* revisited: comment on Dubois et al. (2005). 328:295–305
- Riisgård HU, see Friis Møller L (2007) 330:149–154
- Riisgård HU, see Møller LF (2006) 322:213–224
- Rilov G, Figueira WF, Lyman SJ, Crowder LB (2007) Complex habitats may not always benefit prey: linking visual field with reef fish behavior and distribution. 329:225–238
- Rilov G, Schiel DR (2006) Trophic linkages across seascapes: subtidal predators limit effective mussel recruitment in rocky intertidal communities. 327:83–93
- Rincé Y, see Barillé L et al. (2006) 322:169–178
- Rindorf A, Gislason H, Lewy P (2006) Prey switching of cod and whiting in the North Sea. 325:243–253
- Risgaard-Petersen N, see Trimmer M et al. (2006) 326:37–47
- Rissik D, see Suthers IM et al. (2006) 322:225–238
- Ritchie KB (2006) Regulation of microbial populations by coral surface mucus and mucus-associated bacteria. 322:1–14
- Ritson-Williams R, see Kuffner IB et al. (2006) 323:107–117
- Roark EB, Guilderson TP, Dunbar RB, Ingram BL (2006) Radiocarbon-based ages and growth rates of Hawaiian

- deep-sea corals. 327:1–14
- Roberts DE, Cummins SP, Davis AR, Chapman MG (2006) Structure and dynamics of sponge-dominated assemblages on exposed and sheltered temperate reefs. 321: 19–30
- Robertson BA, see Whaley SD et al. (2007) 330:83–99
- Robison B, see Gilly WF et al. (2006) 324:1–17
- Roby DD, see Jodice PGR et al. (2006) 325:267–279
- Rochette R, Doyle SP, Edgell TC (2007) Interaction between an invasive decapod and a native gastropod: predator foraging tactics and prey architectural defenses. 330: 179–188
- Rodríguez F, Garrido JL, Crespo BG, Arbones B, Figueiras FG (2006) Size-fractionated phytoplankton pigment groups in the NW Iberian upwelling system: impact of the Iberian Poleward Current. 323:59–73
- Rodríguez-Graña L, see Leandro SM et al. (2006) 322: 189–197
- Rodríguez-Román A, see Enríquez S (2006) 323:119–132
- Roos D, see Girard C et al. (2006) 322:281–289
- Ropert-Coudert Y, Wilson RP, Grémillet D, Kato A, Lewis S, Ryan PG (2006) Electrocardiogram recordings in free-ranging gannets reveal minimum difference in heart rate during flapping versus gliding flight. 328:275–284
- Rose KA, see Neer JA et al. (2007) 329:211–223
- Rosel PE, see Tolley KA (2006) 327:297–308
- Rosenbaum H, see Olavarria C et al. (2007) 330:257–268
- Roseneau DG, see Jodice PGR et al. (2006) 325:267–279
- Rositani L, see Casale P et al. (2006) 324:281–285
- Ross DJ, see Macreadie PI et al. (2006) 326:49–59
- Rossi S, see Gili JM et al. (2006) 322:43–49
- Rowden AA, see Kröger K et al. (2006) 326:85–98
- Rugh DJ, see Goetz KT et al. (2007) 330:247–256
- Ruiz GM, see Herwig RP et al. (2006) 324:37–55
- Russell K, see Olavarria C et al. (2007) 330:257–268
- Ruttenberg BI, Warner RR (2006) Spatial variation in the chemical composition of natal otoliths from a reef fish in the Galápagos Islands. 328:225–236
- Ruttenberg BI, see White JW (2007) 329:301–305
- Ryan PG, see Ropert-Coudert Y et al. (2006) 328:275–284
- Ryer CH, see Lemke JL (2006) 328:267–273

## S

- Saco-Álvarez L, see Nieto Ó et al. (2006) 328:41–49
- Saino T, see Hashimoto S et al. (2006) 321:31–40
- Sainte-Marie B, see Gendron L (2006) 326:221–233
- Saiz E, see Skovgaard A (2006) 327:37–49
- Sakamaki T, Nishimura O (2006) Dynamic equilibrium of sediment carbon content in an estuarine tidal flat: characterization and mechanisms. 328:29–40
- Sala E, see Hereu B et al. (2006) 325:187–194
- Salinas C, see Gilly WF et al. (2006) 324:1–17
- Sano F, see Ikeda T et al. (2006) 322:199–211
- Santana L, see Jones GP et al. (2006) 328:215–224
- Santos AMP, see dos Santos A et al. (2007) 329:145–155
- Santos MB, see MacLeod CD et al. (2006) 326:295–307
- Sarà G (2006) Hydrodynamic effects on the origin and quality of organic matter for bivalves: an integrated isotopic, biochemical and transplant study. 328:65–73
- Sasso CR, Braun-McNeill J, Avens L, Epperly SP (2006) Effects of transients on estimating survival and population growth in juvenile loggerhead turtles. 324:287–292
- Sato M, see Hultgren KM et al. (2006) 326:235–244
- Sazhin AF, see Nejstgaard JC et al. (2006) 321:99–121
- Schaeffer B, see Sinclair GA et al. (2006) 328:117–124

- Schaeffer B, see Sinclair GA et al. (2006) 328:125–131
- Schaffner LC, see Pomeroy LR et al. (2006) 325:301–309
- Scheffer M, see van Nes EH et al. (2007) 330:39–47
- Scheibling RE, Gagnon P (2006) Competitive interactions between the invasive green alga *Codium fragile* ssp. *tomentosoides* and native canopy-forming seaweeds in Nova Scotia (Canada). 325:1–14
- Scheibling RE, see Lauzon-Guay JS (2007) 329:191–204
- Schiavini A, see Raya Rey A et al. (2007) 330:285–295
- Schiel DR, see Rilov G (2006) 327:83–93
- Schneider R, see Lehtonen KK et al. (2006) 322:155–168
- Scholz NL, see Labenia JS et al. (2007) 329:1–11
- Schrey I, see Buschbaum C et al. (2007) 329:123–130
- Seebo MS, see Seitz RD et al. (2006) 326:11–27
- Seitz RD, Lipcius RN, Olmstead NH, Seebo MS, Lambert DM (2006) Influence of shallow-water habitats and shoreline development on abundance, biomass, and diversity of benthic prey and predators in Chesapeake Bay. 326:11–27
- Seminoff JA, Jones TT, Marshall GJ (2006) Underwater behaviour of green turtles monitored with video-time-depth recorders: what's missing from dive profiles? 322:269–280
- Semmens JM, see Pecl GT et al. (2006) 328:1–15
- Sempéré R, see Panagiotopoulos C (2007) 330:67–74
- Seong KA, Jeong HJ, Kim S, Kim GH, Kang JH (2006) Bacterivory by co-occurring red-tide algae, heterotrophic nanoflagellates, and ciliates. 322:85–97
- Setzler-Hamilton EM, see Decker MB et al. (2007) 329:99–113
- Shaheen P, see Manderson JP et al. (2006) 328:249–265
- Shahidul Islam M, Tanaka M (2006) Ontogenetic dietary shift of Japanese sea bass during larva-juvenile transition in Ariake Bay. 323:305–310
- Shaked Y, de Vargas C (2006) Pelagic photosymbiosis: rDNA assessment of diversity and evolution of dinoflagellate symbionts and planktonic foraminiferal hosts. 325:59–71
- Shaw T, see Gómez-Gutiérrez J et al. (2006) 323:185–194
- Sheaves M, see Baker R (2006) 323:75–82
- Shepard ELC, Ahmed MZ, Southall EJ, Witt MJ, Metcalfe JD, Sims DW (2006) Diel and tidal rhythms in diving behaviour of pelagic sharks identified by signal processing of archival tagging data. 328:205–213
- Sheridan P, see Travis SE (2006) 322:117–127
- Shimizu M, see Kodama K et al. (2006) 324:197–206
- Shimizu T, see Kodama K et al. (2006) 324:197–206
- Shin PKS, see Thiyyagarajan V et al. (2006) 327:207–222
- Shin YJ, see Ménard F et al. (2006) 323:223–231
- Shiraishi H, see Kodama K et al. (2006) 324:197–206
- Shoji J, Tanaka M (2006) Growth-selective survival in piscivorous larvae of Japanese Spanish mackerel *Scomberomorus niphonius*: early selection and significance of ichthyoplankton prey supply. 321:245–254
- Shultz MT, see Jodice PGR et al. (2006) 325:267–279
- Sigler MF, see Menezes GM et al. (2006) 324:241–260
- Sigler MF, see Womble JN (2006) 325:281–293
- Silva HM, see Menezes GM et al. (2006) 324:241–260
- Simenstad C, see Visintainer TA et al. (2006) 321:227–243
- Sims DW, see Shepard ELC et al. (2006) 328:205–213
- Sinclair GA, Kamykowski D, Milligan E, Schaeffer B (2006) Nitrate uptake by *Karenia brevis*. I. Influences of prior environmental exposure and biochemical state on diel uptake of nitrate. 328:117–124
- Sinclair GA, Kamykowski D, Milligan E, Schaeffer B (2006) Nitrate uptake by *Karenia brevis*. II. Behavior and uptake physiology in a nitrate-depleted mesocosm with a bottom nutrient source. 328:125–131
- Sirota L, Hovel KA (2006) Simulated eelgrass *Zostera marina* structural complexity: effects of shoot length, shoot density, and surface area on the epifaunal community of San Diego Bay, California, USA. 326:115–131
- Skovgaard A, Saiz E (2006) Seasonal occurrence and role of protistan parasites in coastal marine zooplankton. 327:37–49
- Smith BD, see Rainbow PS et al. (2006) 321:167–181
- Smith GW, see Cervino JM et al. (2006) 324:139–150
- Sommer F, Hansen T, Sommer U (2006) Transfer of diazotrophic nitrogen to mesozooplankton in Kiel Fjord, Western Baltic Sea: a mesocosm study. 324:105–112
- Sommer U, see Sommer F et al. (2006) 324:105–112
- Soo L, see Thiyyagarajan V et al. (2006) 327:207–222
- Soong K, see Fan TY et al. (2006) 321:133–142
- Sopanen S, Koski M, Kuuppo P, Uronen P, Legrand C, Tamminen T (2006) Toxic haptophyte *Prymnesium parvum* affects grazing, survival, egestion and egg production of the calanoid copepods *Eurytemora affinis* and *Acartia bifilosa*. 327:223–232
- Søreide JE, Tamelander T, Hop H, Hobson KA, Johansen I (2006) Sample preparation effects on stable C and N isotope values: a comparison of methods in Arctic marine food web studies. 328:17–28
- Soriano JA, see Nieto Ó et al. (2006) 328:41–49
- Sørnes TA, Aksnes DL (2006) Concurrent temporal patterns in light absorbance and fish abundance. 325:181–186
- Sørnes TA, see Titelman J et al. (2006) 325:43–58
- Southall EJ, see Shepard ELC et al. (2006) 328:205–213
- Spitz YH, see White AE et al. (2006) 323:35–45
- Spitzer PM, see Heck KL Jr. et al. (2006) 326:145–156
- Sponaugle S, see Grorud-Colvert K (2006) 327:279–288
- Stachowicz JJ, see Bracken MES (2007) 330:75–82
- Steinberg PD, see Nylund GM et al. (2007) 329:73–84
- Steinberg PD, see Paul NA et al. (2006) 323:1–9
- Stenseth NC, see Stige LC et al. (2006) 325:227–241
- Stevens PW, Montague CL, Sulak KJ (2006) Fate of fish production in a seasonally flooded saltmarsh. 327:267–277
- Stierhoff KL, Targett TE, Miller KL (2006) Ecophysiological responses of juvenile summer and winter flounder to hypoxia: experimental and modeling analyses of effects on estuarine nursery quality. 325:255–266
- Stige LC, Ottersen G, Brander K, Chan KS, Stenseth NC (2006) Cod and climate: effect of the North Atlantic Oscillation on recruitment in the North Atlantic. 325:227–241
- Stokes NA, see Bishop MJ et al. (2006) 325:145–152
- Stolte W, Balode M, Carlsson P, Grzebyk D, Janson S, Lips I, Panosso R, Ward CJ, Granéli E (2006) Stimulation of nitrogen-fixing cyanobacteria in a Baltic Sea plankton community by land-derived organic matter or iron addition. 327:71–82
- St. Onge-Burns JM, see Buckley LJ et al. (2006) 325:205–226
- Strom SL, Olson MB, Macri EL, Mord CW (2006) Cross-shelf gradients in phytoplankton community structure, nutrient utilization, and growth rate in the coastal Gulf of Alaska. 328:75–92
- Strong JA, Dring MJ, Maggs CA (2006) Colonisation and modification of soft substratum habitats by the invasive macroalga *Sargassum muticum*. 321:87–97
- Stubblefield WA, see Herwig RP et al. (2006) 324:37–55
- Sudre J, see Girard C et al. (2006) 322:281–289
- Sulak KJ, see Stevens PW et al. (2006) 327:267–277
- Sumner MD, see Page B et al. (2006) 323:263–279
- Sundbäck K, Petersen DG, Dahllöf I, Larson F (2007) Combined nutrient-toxicant effects on a shallow-water marine sediment system: sensitivity and resilience of ecosystem functions. 330:13–30
- Suryan RM, see Jodice PGR et al. (2006) 325:267–279
- Suthers IM, Taggart CT, Rissik D, Baird ME (2006) Day and

night ichthyoplankton assemblages and zooplankton biomass size spectrum in a deep ocean island wake. 322: 225–238

Suthers IM, see Taylor MW et al. (2006) 328:237–247

Swimmer Y, Arauz R, McCracken M, McNaughton L, Ballestero J, Musyl M, Bigelow K, Brill R (2006) Diving behavior and delayed mortality of olive ridley sea turtles *Lepidochelys olivacea* after their release from longline fishing gear. 323:253–261

Swings J, see De Mesel I et al. (2006) 321:157–166

Sydeman WJ, see Thayer JA (2007) 329:253–265

## T

Taggart CT, see Suthers IM et al. (2006) 322:225–238

Tamelaender T, see Soreide JE et al. (2006) 328:17–28

Tamminen T, see Sapanen S et al. (2006) 327:223–232

Tanaka M, see Shahidul Islam M (2006) 323:305–310

Tanaka M, see Shoji J (2006) 321:245–254

Tande KS, see Basedow SL (2006) 327:247–255

Tang KW, Grossart HP, Yam EM, Jackson GA, Ducklow HW, Kiørboe T (2006) Mesocosm study of particle dynamics and control of particle-associated bacteria by flagellate grazing. 325:15–27

Tanton J, see Trathan PN et al. (2006) 323:239–251

Targett NM, see Lopanik NB et al. (2006) 327:183–191

Targett TE, see Stierhoff KL et al. (2006) 325:255–266

Taylor MW, Laffan SD, Fielder S, Suthers IM (2006) Key habitat and home range of mulloway *Argyrosomus japonicus* in a south-east Australian estuary: finding the estuarine niche to optimise stocking. 328:237–247

Taylor P, see Leathwick JR et al. (2006) 321:267–281

Teilmann J, see Carstensen J et al. (2006) 321:295–308

Teixidó N, see Gili JM et al. (2006) 322:43–49

Terlizzi A, see Bussotti S et al. (2006) 325:109–119

Tett P, see Fehling J et al. (2006) 323:91–105

Teuten EL, King GM, Reddy CM (2006) Natural <sup>14</sup>C in *Saccoglossus bromophenolosus* compared to <sup>14</sup>C in surrounding sediments. 324:167–172

Thanh PD, see Hultgren KM et al. (2006) 326:235–244

Thayer JA, Sydeman WJ (2007) Spatio-temporal variability in prey harvest and reproductive ecology of a piscivorous seabird, *Cerorhinca monocerata*, in an upwelling system. 329:253–265

Thieltges DW, see Buschbaum C et al. (2007) 329:123–130

Thiyagarajan V, Soo L, Shin PKS, Qian PY (2006) Spatio-temporal variation in sediment biochemistry alters larval habitat selection and juvenile performance in the polychaete *Capitella* sp. I. 327:207–222

Thompson RC, see Martins GM et al. (2007) 329:43–55

Thrush SF, see Lundquist CJ et al. (2006) 324:67–81

Thrush SF, see Norkko J (2006) 326:175–186

Tiselius P, see Leandro SM et al. (2006) 322:189–197

Titelman J, Riemann L, Sørnes TA, Nilsen T, Griekspoor P, Båmstedt U (2006) Turnover of dead jellyfish: stimulation and retardation of microbial activity. 325:43–58

Titelman J, see Riemann L et al. (2006) 325:29–42

Tiwari M, Bjørndal KA, Bolten AB, Bolker BM (2006) Evaluation of density-dependent processes and green turtle *Chelonia mydas* hatchling production at Tortuguero, Costa Rica. 326:283–293

Todd CD, Whyte BDM, MacLean JC, Walker AM (2006) Ectoparasitic sea lice (*Lepeophtheirus salmonis* and *Caligus elongatus*) infestations of wild, adult, one sea-winter Atlantic salmon *Salmo salar* returning to Scotland. 328: 183–193

Tolley KA, Rosel PE (2006) Population structure and historical demography of eastern North Atlantic harbour porpoises inferred through mtDNA sequences. 327:297–308

Tomás J, see Casale P et al. (2006) 324:281–285

Topping DT, Lowe CG, Caselle JE (2006) Site fidelity and seasonal movement patterns of adult California sheephead *Semicossyphus pulcher* (Labridae): an acoustic monitoring study. 326:257–267

Tracey SR, see Pecl GT et al. (2006) 328:1–15

Trathan P, see Raya Rey A et al. (2007) 330:285–295

Trathan PN, Green C, Tanton J, Peat H, Poncet J, Morton A (2006) Foraging dynamics of macaroni penguins *Eudyptes chrysolophus* at South Georgia during brood-guard. 323: 239–251

Travis SE, Sheridan P (2006) Genetic structure of natural and restored shoalgrass *Halodule wrightii* populations in the NW Gulf of Mexico. 322:117–127

Trimmer M, Risgaard-Petersen N, Nicholls JC, Engström P (2006) Direct measurement of anaerobic ammonium oxidation (anammox) and denitrification in intact sediment cores. 326:37–47

Trussell GC, Lesser MP, Patterson MR, Genovese SJ (2006) Depth-specific differences in growth of the reef sponge *Callyspongia vaginalis*: role of bottom-up effects. 323: 149–158

Turco KR, see Jodice PGR et al. (2006) 325:267–279

Tvrković N, see Casale P et al. (2006) 324:281–285

Tyler PA, see Brockington S et al. (2007) 330:139–147

## U

Underwood AJ, see Moreira J et al. (2006) 322:179–188

Urcuyo IA, see Bergquist DC et al. (2007) 330:49–65

Uriz MJ, see Cebrian E (2006) 323:83–89

Uronen P, see Sapanen S et al. (2006) 327:223–232

Uthicke S (2006) Photosynthetic efficiency and rapid light curves of sediment-biofilms along a water quality gradient in the Great Barrier Reef, Australia. 322:61–73

## V

Valentine JF, see Heck KL Jr. et al. (2006) 326:145–156

Valle-Levinson A, see Molinet C et al. (2006) 324:95–104

Van de Putte A, see Maes J et al. (2006) 326:269–282

van der Lingén CD, see Garrido S et al. (2007) 330:189–199

van der Meer J, see Bos OG et al. (2007) 330:155–162

Vandieken V, Finke N, Jørgensen BB (2006) Pathways of carbon oxidation in an Arctic fjord sediment (Svalbard) and isolation of psychrophilic and psychrotolerant Fe(III)-reducing bacteria. 322:29–41

Vandieken V, Nickel M, Jørgensen BB (2006) Carbon mineralization in Arctic sediments northeast of Svalbard: Mn(IV) and Fe(III) reduction as principal anaerobic respiratory pathways. 322:15–27

Van Gaever S, Moodley L, de Beer D, Vanreusel A (2006) Meiobenthos at the Arctic Håkon Mosby Mud Volcano, with a parental-caring nematode thriving in sulphide-rich sediments. 321:143–155

van Nes EH, Amaro T, Scheffer M, Duineveld GCA (2007) Possible mechanisms for a marine benthic regime shift in the North Sea. 330:39–47

van Overdijk CDA, see Duggan IC et al. (2006) 324:57–66

Vanreusel A, see Van Gaever S et al. (2006) 321:143–155

Veit RR, see Hyrenbach KD et al. (2006) 324:271–279

Ventura M (2006) Linking biochemical and elemental compo-

- sition in freshwater and marine crustacean zooplankton. 327:233–246
- Vergara JJ, see Brun FG et al. (2006) 323:133–148
- Verity PG, see Nejstgaard JC et al. (2006) 321:99–121
- Vincx M, see De Mesel I et al. (2006) 321:157–166
- Virgilio M, Backeljau T, Abbiati M (2006) Mitochondrial DNA and allozyme patterns of *Hediste diversicolor* (Polychaeta: Nereididae): the importance of small scale genetic structuring. 326:157–165
- Visintainer TA, Bollens SM, Simenstad C (2006) Community composition and diet of fishes as a function of tidal channel geomorphology. 321:227–243
- Vismann B, see Nielsen P et al. (2006) 328:171–182
- Volckaert FAM, see Maes J et al. (2006) 326:269–282
- Vorsatz J, see Newman BK et al. (2006) 325:165–180
- W**
- Waggett RJ, Buskey EJ (2006) Copepod sensitivity to flow fields: detection by copepods of predatory ctenophores. 323:205–211
- Wai TC, Williams GA (2006) Effect of grazing on coralline algae in seasonal, tropical, low-shore rock pools: spatio-temporal variation in settlement and persistence. 326:99–113
- Waite AM, Lindahl O (2006) Bloom and decline of the toxic flagellate *Chattonella marina* in a Swedish fjord. 326:77–83
- Walker AM, see Todd CD et al. (2006) 328:183–193
- Walpersdorf E, see Billerbeck M et al. (2006) 326:61–76
- Walters LJ, see Kuffner IB et al. (2006) 323:107–117
- Walters T, see Nejstgaard JC et al. (2006) 321:99–121
- Wang WX, see Liu S et al. (2006) 321:193–202
- Ward CJ, see Stolte W et al. (2006) 327:71–82
- Ward JR, Kim K, Harvell CD (2007) Temperature affects coral disease resistance and pathogen growth. 329:115–121
- Warner RR, see Ruttenberg BI (2006) 328:225–236
- Wartel S, see Bosire JO et al. (2006) 325:85–91
- Washburn L, see Anderson CR et al. (2006) 327:119–133
- Watmough J, see Lauzon-Guay JS et al. (2006) 323:171–183
- Watts DJ, see Woehler EJ et al. (2006) 324:261–270
- Wear RG, see Kröger K et al. (2006) 326:85–98
- Webster DR, see Woodson CB et al. (2007) 330:163–177
- Webster IT, see Grigg NJ et al. (2007) 329:157–168
- Weimerskirch H, see Hyrenbach KD et al. (2006) 324:271–279
- Weise AM, see Callier MD et al. (2006) 322:129–141
- Weissburg MJ, see Woodson CB et al. (2007) 330:163–177
- Wellenreuther M, Barrett PT, Clements KD (2007) Ecological diversification in habitat use by subtidal triplefin fishes (Tripterygiidae). 330:235–246
- Werner U, see Billerbeck M et al. (2006) 326:61–76
- Westerbom M, Lappalainen A, Mustonen O (2006) Invariant size selection of blue mussels by roach despite variable prey size distributions. 328:161–170
- Whaley SD, Burd JJ Jr, Robertson BA (2007) Using estuarine landscape structure to model distribution patterns in nekton communities and in juveniles of fishery species. 330:83–99
- Whipple SJ, see Nejstgaard JC et al. (2006) 321:99–121
- White AE, Spitz YH, Letelier RM (2006) Modeling carbohydrate ballasting by *Trichodesmium* spp.. 323:35–45
- White JW, Ruttenberg BI (2007) Discriminant function analysis in marine ecology: some oversights and their solutions. 329:301–305
- White N, see Hall-Spencer J et al. (2006) 326:1–9
- Whyte BDM, see Todd CD et al. (2006) 328:183–193
- Widdows J, see Ciutat A et al. (2006) 328:51–64
- Williams GA, see Chan BKK et al. (2006) 328:195–204
- Williams GA, see Ng JSS (2006) 321:183–192
- Williams GA, see Wai TC (2006) 326:99–113
- Wilson RP, see Ropert-Coudert Y et al. (2006) 328:275–284
- Wing SR, see Lusseau SM (2006) 321:283–293
- Winiarski-Cervino K, see Cervino JM et al. (2006) 324:139–150
- Witt MJ, see Shepard ELC et al. (2006) 328:205–213
- Woehler EJ, Raymond B, Watts DJ (2006) Convergence or divergence: where do short-tailed shearwaters forage in the Southern Ocean? 324:261–270
- Womble JN, Sigler MF (2006) Seasonal availability of abundant, energy-rich prey influences the abundance and diet of a marine predator, the Steller sea lion *Eumetopias jubatus*. 325:281–293
- Wong CHJ, see Olson MB et al. (2006) 326:207–220
- Woodson CB, Webster DR, Weissburg MJ, Yen J (2007) Cue hierarchy and foraging of calanoid copepods: ecological implications of oceanographic structure. 330:163–177
- Wooldridge TH, see Newman BK et al. (2006) 325:165–180
- Worthy GAJ, see Reich KJ (2006) 322:303–309
- Wuenschel MJ, see Martin GB (2006) 324:229–239
- Y**
- Yam EM, see Tang KW et al. (2006) 325:15–27
- Yamaguchi A, see Ikeda T et al. (2006) 322:199–211
- Ycaza RH, see Mercier A et al. (2007) 329:179–189
- Yen J, see Woodson CB et al. (2007) 330:163–177
- Z**
- Zabala M, see Hereu B et al. (2006) 325:187–194
- Zeidberg L, see Gilly WF et al. (2006) 324:1–17
- Zhang F, see Ou L et al. (2006) 327:95–106
- Zimmer M, see Mews M et al. (2006) 328:155–160
- Zirbel MJ, see Nejstgaard JC et al. (2006) 321:99–121
- Zizzo N, see Casale P et al. (2006) 324:281–285
- Zwolinski J, see Garrido S et al. (2007) 330:189–199