

COMBINED AUTHOR AND TITLE INDEX

(Volumes 331 to 340, 2007)

A

- Abascal FJ, see Medina A et al. (2007) 337:221–230
 Abbiati M, see Costantini F et al. (2007) 340:109–119
 Abdelrhman MA (2007) Modeling coupling between eelgrass *Zostera marina* and water flow. 338:81–96
 Abelló P, see Aguzzi J et al. (2007) 335:167–174
 Achury A, see Brehmer P et al. (2007) 334:263–272
 Afanasyev V, see Phalan B et al. (2007) 340:271–286
 Aguilar A, see Cardona L et al. (2007) 335:123–131
 Aguzzi J, Company JB, Abelló P, García JA (2007) Ontogenetic changes in vertical migratory rhythms of benthopelagic shrimps *Pasiphaea multidentata* and *P. sivado*. 335:167–174
 Aiken CM, Navarrete SA, Castillo MI, Castilla JC (2007) Along-shore larval dispersal kernels in a numerical ocean model of the central Chilean coast. 339:13–24
 Airoidi L, Hawkins SJ (2007) Negative effects of sediment deposition on grazing activity and survival of the limpet *Patella vulgata*. 332:235–240
 Aitken A, see Cusson M et al. (2007) 331:291–304
 Alarcón G, see Grob C et al. (2007) 332:53–62
 Alcoverro T, see Prado P et al. (2007) 340:63–71
 Allen JI, Clarke KR (2007) Effects of demersal trawling on ecosystem functioning in the North Sea: a modelling study. 336:63–75
 Almada VC, see Henriques M et al. (2007) 340:259–270
 Almandoz GO, see Schloss IR et al. (2007) 332:93–106
 Albany GR, see Feary DA et al. (2007) 333:243–248
 Almesjö L, see Rolff C et al. (2007) 332:107–118
 Althaus F, see Schlacher TA et al. (2007) 340:73–88
 Altieri A, see Zabin CJ (2007) 337:175–185
 Amaki K, see Fujikura K et al. (2007) 333:185–193
 Amaral A, see Chicharo MA et al. (2007) 332:241–245
 Amat F, see Ruiz O et al. (2007) 335:155–165
 Ambrose RF, see Miller AW et al. (2007) 332:41–51
 Ameneiro J, see Vázquez E et al. (2007) 338:119–129
 An S, see Kang CK et al. (2007) 334:131–143
 Andersen T, see Olsen Y et al. (2007) 331:67–83
 Andersen T, see Tamminen T (2007) 340:121–138
 Anderson MJ, see Ford RB et al. (2007) 340:17–27
 Anderson MJ, see Terlizzi A et al. (2007) 332:25–39
 André C, see Bekkevold D et al. (2007) 337:187–196
 Andrew NL, see Mapstone BD et al. (2007) 332:143–153
 Aragón L, see Medina A et al. (2007) 337:221–230
 Arai N, see Fossette S et al. (2007) 338:233–247
 Aranda G, see Medina A et al. (2007) 337:221–230
 Archambault P, see Cusson M et al. (2007) 331:291–304
 Archambault P, see Richard M et al. (2007) 338:131–143
 Arnould JPY, see Littnan CL et al. (2007) 338:257–267
 Aronson RB, see Moody RM (2007) 331:49–65
 Atweberhan M, see McClanahan TR et al. (2007) 337:1–13
 Attrill MJ, see McQuatters-Gollop A et al. (2007) 339:301–306

B

- Báez JC, Real R, García-Soto C, de la Serna JM, Macías D, Camiñas JA (2007) Loggerhead turtle by-catch depends on distance to the coast, independent of fishing effort: implications for conservation and fisheries management. 338:249–256
 Baker AC, Romanski AM (2007) Multiple symbiotic partnerships are common in scleractinian corals, but not in octocorals: Comment on Goulet (2006). 335:237–242
 Baker CS, see Oremus M et al. (2007) 336:275–289
 Balestrini CF, see Schloss IR et al. (2007) 332:93–106
 Balode M, see Kozłowski-Suzuki B et al. (2007) 337:15–26
 Bang A, Grønkjær P, Folkvord A (2007) Possible fitness costs of high and low standard metabolic rates in larval herring *Clupea harengus*, as determined by otolith microstructure. 331:233–242
 Barillé L, see Beninger PG et al. (2007) 334:165–177
 Barker NP, see Zardi GI et al. (2007) 337:135–144
 Barnes PA, see Murdoch TJT et al. (2007) 339:123–130
 Barry JP, see Fujikura K et al. (2007) 333:185–193
 Barry JP, see Pane EF (2007) 334:1–9
 Barry JP, see Thistle D et al. (2007) 340:9–16
 Bathmann U, see Jansen S (2007) 337:145–153
 Baums IB, see Miller MW et al. (2007) 335:227–231
 Bayle Sempere JT, see González-Correa JM et al. (2007) 336:111–119
 Bazzino G, see Davis RW et al. (2007) 333:291–302
 Beck CA, Rea LD, Iverson SJ, Kennish JM, Pitcher KW, Fadely BS (2007) Blubber fatty acid profiles reveal regional, seasonal, age-class and sex differences in the diet of young Steller sea lions in Alaska. 338:269–280
 Beck M, see Valentine JF et al. (2007) 333:37–50
 Bekkevold D, Clausen LAW, Mariani S, André C, Christensen TB, Mosegaard H (2007) Divergent origins of sympatric herring population components determined using genetic mixture analysis. 337:187–196
 Bell JJ (2007) Contrasting patterns of species and functional composition of coral reef sponge assemblages. 339:73–81
 Bellwood DR, see Fox RJ (2007) 339:49–59
 Belmonte A, see Medina A et al. (2007) 337:221–230
 Benedetti-Cecchi L, Osio GC (2007) Replication and mitigation of effects of confounding variables in environmental impact assessment: effect of marinas on rocky-shore assemblages. 334:21–35
 Benedetti-Cecchi L, see Bertocci I et al. (2007) 338:11–20
 Benedetti-Cecchi L, see Terlizzi A et al. (2007) 332:25–39
 Benfield MC, see Keenan SF et al. (2007) 331:219–231
 Beninger PG, Decottignies P, Guiheneuf F, Barillé L, Rincé Y (2007) Comparison of particle processing by two introduced suspension feeders: selection in *Crepidula fornicata* and *Crassostrea gigas*. 334:165–177
 Beninger PG, see Decottignies P et al. (2007) 334:179–192

- Bensoussan N, Gattuso JP (2007) Community primary production and calcification in a NW Mediterranean ecosystem dominated by calcareous macroalgae. 334:37–45
- Bentivegna F, see Hochscheid S et al. (2007) 340:287–298
- Bentzen P, see Bradbury IR (2007) 340:245–257
- Benvenuti S, see Zavallaga CB et al. (2007) 336:291–303
- Berggren P, see Stensland E (2007) 332:225–234
- Berrebi P, see Hoareau TB et al. (2007) 333:303–308
- Berteaux D, see Doniol-Valcroze T et al. (2007) 335:207–216
- Bertocci I, Vaselli S, Maggi E, Benedetti-Cecchi L (2007) Changes in temporal variance of rocky shore organism abundances in response to manipulation of mean intensity and temporal variability of aerial exposure. 338:11–20
- Beukema JJ, see Dekker R (2007) 337:117–134
- Bi H, Ruppel RE, Peterson WT (2007) Modeling the pelagic habitat of salmon off the Pacific Northwest (USA) coast using logistic regression. 336:249–265
- Bianchi AA, see Schloss IR et al. (2007) 332:93–106
- Billes A, see Georges JY et al. (2007) 338:225–232
- Björkman KM, see McAndrew PM et al. (2007) 332:63–75
- Blackburn JK, see Keenan SF et al. (2007) 331:219–231
- Blackmon D, see Valentine JF et al. (2007) 333:37–50
- Block BA, see Weng KC et al. (2007) 338:211–224
- Boersma M, see Malzahn AM et al. (2007) 334:205–212
- Boersma PD, Rebstock GA, Stokes DL, Majluf P (2007) Oceans apart: conservation models for two temperate penguin species shaped by the marine environment. 335:217–225
- Bohonak AJ, see Viaud-Martínez KA et al. (2007) 338:281–294
- Bolding K, see Maar M et al. (2007) 339:199–213
- Bollens SM, see Cordell JR et al. (2007) 333:213–227
- Bonito V, see Grober-Dunsmore R et al. (2007) 335:233–236
- Bonnet D, see Hirst AG et al. (2007) 340:189–205
- Bonsdorff E, see Norling K et al. (2007) 332:11–23
- Borgå K, see Svendsen TC et al. (2007) 337:155–164
- Borrell A, see Cardona L et al. (2007) 335:123–131
- Bos AR, van Katwijk MM (2007) Planting density, hydrodynamic exposure and mussel beds affect survival of transplanted intertidal eelgrass. 336:121–129
- Bourget E, see Tremblay R et al. (2007) 340:1–8
- Bowen BW, see Craig MT et al. (2007) 334:245–254
- Bowen WD, see Tucker S et al. (2007) 339:271–282
- Bowlby HD, Hanson JM, Hutchings JA (2007) Resident and dispersal behavior among individuals within a population of American lobster *Homarus americanus*. 331:207–218
- Boyle KS, see Mann DA et al. (2007) 338:307–310
- Bradai MN, see Hochscheid S et al. (2007) 340:287–298
- Bradbury IR, Bentzen P (2007) Non-linear genetic isolation by distance: implications for dispersal estimation in anadromous and marine fish populations. 340:245–257
- Bradshaw CJA, see Field IC et al. (2007) 331:281–290
- Bradshaw CJA, see Wall SM et al. (2007) 337:265–277
- Branch GM, see Robinson TB et al. (2007) 340:163–171
- Brehmer P, Gerlotto F, Laurent C, Cotel P, Achury A, Samb B (2007) Schooling behaviour of small pelagic fish: phenotypic expression of independent stimuli. 334:263–272
- Breitburg DL, see Fulford RS et al. (2007) 336:43–61
- Brewer PG, see Thistle D et al. (2007) 340:9–16
- Bricelj VM, MacQuarrie SP (2007) Effects of brown tide (*Aureococcus anophagefferens*) on hard clam *Mercenaria mercenaria* larvae and implications for benthic recruitment. 331:147–159
- Bright M, see Gollner S et al. (2007) 337:39–49
- Brock E, Nylund GM, Pavia H (2007) Chemical inhibition of barnacle larval settlement by the brown alga *Fucus vesiculosus*. 337:165–174
- Broderick AC, see Witt MJ et al. (2007) 337:231–244
- Brokovich E, see Mass T et al. (2007) 334:93–102
- Brousseau DJ, Goldberg R (2007) Effect of predation by the invasive crab *Hemigrapsus sanguineus* on recruiting barnacles *Semibalanus balanoides* in western Long Island Sound, USA. 339:221–228
- Browman HI, see Johnson SC (2007) 332:247–248
- Browman HI, see Marshall CT (2007) 335:249–310
- Bruce E, see Hunt CD et al. (2007) 331:35–47
- Bruggemann JH, see McClanahan TR et al. (2007) 337:1–13
- Bruggemann JH, see McClanahan TR et al. (2007) 340:221–234
- Bryan T, see Metaxas A (2007) 339:313–314
- Buckel JA, see Morley JW et al. (2007) 334:273–286
- Buckel JA, see Slater JJ et al. (2007) 339:259–269
- Budge SM, Springer AM, Iverson SJ, Sheffield G (2007) Fatty acid biomarkers reveal niche separation in an Arctic benthic food web. 336:305–309
- Buffa G, see Sarà G et al. (2007) 331:243–253
- Burchard H, see Maar M et al. (2007) 339:199–213
- Burg D, see Thomas T et al. (2007) 332:291–299
- Burt GR, see Langston WJ et al. (2007) 333:173–184
- Burton HR, see Field IC et al. (2007) 331:281–290
- Buscaino G, see Sarà G et al. (2007) 331:243–253
- Buskey EJ, see Waggett RJ (2007) 334:193–198

C

- Calbet A, see Henriksen CI et al. (2007) 331:119–129
- Camiñas JA, see Báez JC et al. (2007) 338:249–256
- Campbell RG, see Durbin EG (2007) 331:305–307
- Camus L, see Svendsen TC et al. (2007) 337:155–164
- Cannicci S, see Rorandelli R et al. (2007) 336:225–233
- Cánovas F, see González-Wangüemert M et al. (2007) 334:237–244
- Capone DG, see Shipe RF et al. (2007) 338:33–45
- Cardona L, Revelles M, Sales M, Aguilar A, Borrell A (2007) Meadows of the seagrass *Posidonia oceanica* are a significant source of organic matter for adjoining ecosystems. 335:123–131
- Carleton JH, Hamner WM (2007) The hyperbenthic plankton community: composition, distribution, and abundance in a coral reef lagoon. 336:77–88
- Carleton JH, McKinnon AD (2007) Resident mysids: secondary production, consumption, and trophic role in a coral reef lagoon. 336:89–98
- Carlson JK, see Heupel MR et al. (2007) 337:287–297
- Carlsson P, see Kozłowski-Suzuki B et al. (2007) 337:15–26
- Carman KR, see Thistle D et al. (2007) 340:9–16
- Carpenter EJ, see Eberl R (2007) 333:205–212
- Carpenter EJ, see Shipe RF et al. (2007) 338:33–45
- Carriquiry JD, see Jorgensen P et al. (2007) 333:81–93
- Carstensen J, Heiskanen AS (2007) Phytoplankton responses to nutrient status: application of a screening method to the northern Baltic Sea. 336:29–42
- Casagrande RA, see Lambert AM (2007) 337:299–301
- Casal HJA, see Stergiou KI et al. (2007) 333:117–128
- Casper BM, see Mann DA et al. (2007) 338:307–310
- Castilla JC, see Aiken CM et al. (2007) 339:13–24
- Castilla JC, see Manríquez PH (2007) 332:155–165
- Castillo MI, see Aiken CM et al. (2007) 339:13–24
- Castonguay M, see Robert D et al. (2007) 337:209–219
- Castro LR, see Krautz MC et al. (2007) 335:175–185
- Catry P, see Phalan B et al. (2007) 340:271–286
- Cavicchioli R, see Thomas T et al. (2007) 332:291–299
- Chabanet P, see McClanahan TR et al. (2007) 340:221–234
- Chadwick NE, see Guzner B et al. (2007) 333:143–150
- Chamberlain CP, see Newsome SD et al. (2007) 332:211–224
- Chambers RM, see Heyl TP et al. (2007) 339:169–184

- Chancerelle Y, see Mapstone BD et al. (2007) 332:143–153
 Chapman MG, see Clynick BG et al. (2007) 332:201–210
 Chapman MG, see Smoother AF (2007) 340:89–99
 Chauvaud L, see Martin S et al. (2007) 335:19–29
 Chauvaud L, see Martin S et al. (2007) 335:31–41
 Chen H, Li B, Hu J, Chen J, Wu J (2007) Effects of *Spartina alterniflora* invasion on benthic nematode communities in the Yangtze Estuary. 336:99–110
 Chen J, see Chen H et al. (2007) 336:99–110
 Chesman BS, see Langston WJ et al. (2007) 333:173–184
 Cheung WWL, Watson R, Morato T, Pitcher TJ, Pauly D (2007) Intrinsic vulnerability in the global fish catch. 332:1–12
 Chícharo L, see Chícharo MA et al. (2007) 332:241–245
 Chícharo MA, Amaral A, Morais P, Chícharo L (2007) Effect of sex on ratios and concentrations of DNA and RNA in three marine species. 332:241–245
 Chown SL, see Lee JE (2007) 339:307–310
 Choy EJ, see Kang CK et al. (2007) 334:131–143
 Christensen TB, see Bekkevold D et al. (2007) 337:187–196
 Christian J, see Valentine JF et al. (2007) 333:37–50
 Church MJ, see McAndrew PM et al. (2007) 332:63–75
 Ciannelli L, see Knutsen H et al. (2007) 333:249–255
 Clarke KR, see Allen JI (2007) 336:63–75
 Clausen LAW, see Bekkevold D et al. (2007) 337:187–196
 Clavier J, see Martin S et al. (2007) 335:19–29
 Clavier J, see Martin S et al. (2007) 335:31–41
 Cleary DFR, Renema W (2007) Relating species traits of foraminifera to environmental variables in the Spermonde Archipelago, Indonesia. 334:73–82
 Clemmesen C, see Malzahn AM et al. (2007) 334:205–212
 Clynick BG, Chapman MG, Underwood AJ (2007) Effects of epibiota on assemblages of fish associated with urban structures. 332:201–210
 Coates KA, see Murdoch TJT et al. (2007) 339:123–130
 Codina R, see Schloss IR et al. (2007) 332:93–106
 Cohen RG, see Ruiz O et al. (2007) 335:155–165
 Colin PL, see Hamner WM et al. (2007) 334:83–92
 Collier CJ, Lavery PS, Masini RJ, Ralph PJ (2007) Morphological, growth and meadow characteristics of the seagrass *Posidonia sinuosa* along a depth-related gradient of light availability. 337:103–115
 Company JB, see Aguzzi J et al. (2007) 335:167–174
 Conand C, see Hoareau TB et al. (2007) 333:303–308
 Congdon BC, see Erwin CA (2007) 331:255–266
 Cook P, see Huettel M et al. (2007) 340:139–153
 Cordell JR, Rasmussen M, Bollens SM (2007) Biology of the introduced copepod *Pseudodiaptomus inopinus* in a northeast Pacific estuary. 333:213–227
 Costantini F, Fauvelot C, Abbiati M (2007) Fine-scale genetic structuring in *Corallium rubrum*: evidence of inbreeding and limited effective larval dispersal. 340:109–119
 Cotel P, see Brehmer P et al. (2007) 334:263–272
 Craig MT, Eble JA, Bowen BW, Robertson DR (2007) High genetic connectivity across the Indian and Pacific Oceans in the reef fish *Myripristis berndti* (Holocentridae). 334:245–254
 Croxall JP, see Phalan B et al. (2007) 340:271–286
 Cusson M, Archambault P, Aitken A (2007) Biodiversity of benthic assemblages on the Arctic continental shelf: historical data from Canada. 331:291–304
 Cuzin-Roudy J, see Tarling GA et al. (2007) 331:161–179
 cesses of larval fish supply to the coral reefs of the upper Florida Keys. 331:85–100
 Dall'Antonia L, see Zavalaga CB et al. (2007) 336:291–303
 D'Amato D, see Sarà G et al. (2007) 331:243–253
 Dashfield SL, see Somerfield PJ et al. (2007) 336:177–186
 Davenport J, Davenport JL (2007) Interaction of thermal tolerance and oxygen availability in the eurythermal gastropods *Littorina littorea* and *Nucella lapillus*. 332:167–170
 Davenport JL, see Davenport J (2007) 332:167–170
 Davey E, see Rosenberg R et al. (2007) 331:23–34
 Davies AJ, Johnson MP, Maggs CA (2007) Limpet grazing and loss of *Ascophyllum nodosum* canopies on decadal time scales. 339:131–141
 Davis RW, Jaquet N, Gendron D, Markaida U, Bazzino G, Gilly W (2007) Diving behavior of sperm whales in relation to behavior of a major prey species, the jumbo squid, in the Gulf of California, Mexico. 333:291–302
 Davis SE III, see Hoeinghaus DJ (2007) 334:199–204
 Davoult D, see Spilmont N et al. (2007) 333:95–101
 Dean JM, see Sarà G et al. (2007) 331:243–253
 Decottignies P, Beninger PG, Rincé Y, Robins RJ, Riera P (2007) Exploitation of natural food sources by two sympatric, invasive suspension-feeders: *Crassostrea gigas* and *Crepidula fornicata*. 334:179–192
 Decottignies P, see Beninger PG et al. (2007) 334:165–177
 de Juan S, Thrush SF, Demestre M (2007) Functional changes as indicators of trawling disturbance on a benthic community located in a fishing ground (NW Mediterranean Sea). 334:117–129
 Dekker R, Beukema JJ (2007) Long-term and large-scale variability in productivity of the tellinid bivalve *Macoma balthica* on Wadden Sea tidal flats. 337:117–134
 de la Serna JM, see Báez JC et al. (2007) 338:249–256
 de la Serna JM, see Medina A et al. (2007) 337:221–230
 Demestre M, see de Juan S et al. (2007) 334:117–129
 de Nys R, see Guenther J et al. (2007) 340:101–108
 Desrosiers G, see Richard M et al. (2007) 338:131–143
 De Stigter HC, see Garcia R et al. (2007) 340:207–220
 Dewar H, see Weng KC et al. (2007) 338:211–224
 Dick S, see Giménez L (2007) 338:159–168
 Dieckmann U, Heino M (2007) Probabilistic maturation reaction norms: their history, strengths, and limitations. 335:253–269
 Dieckmann U, see Grift RE et al. (2007) 334:213–224
 Dill LM, see Laroche RK et al. (2007) 338:199–209
 Dimopoulos P, see Schofield G et al. (2007) 336:267–274
 Dingsør GE, see Hjermann DØ et al. (2007) 339:283–299
 Distel DL (2007) Molecular biorepositories and biomaterials management: enhancing the value of high-throughput molecular methodologies for the natural sciences. 332:307–310
 Dodson JJ, see Winkler G et al. (2007) 332:171–187
 Dong LF, see Thornton DCO et al. (2007) 337:63–77
 Doniol-Valcroze T, Berteaux D, Larouche P, Sears R (2007) Influence of thermal fronts on habitat selection by four rorqual whale species in the Gulf of St. Lawrence. 335:207–216
 Dorenbosch M, Verberk WCEP, Nagelkerken I, van der Velde G (2007) Influence of habitat configuration on connectivity between fish assemblages of Caribbean seagrass beds, mangroves and coral reefs. 334:103–116
 Dubilier N, see Pradillon F et al. (2007) 333:103–116
 Dubinsky Z, see Mass T et al. (2007) 334:93–102
 Dubois S, Orvain F, Marin-Léal JC, Ropert M, Lefebvre S (2007) Small-scale spatial variability of food partitioning between cultivated oysters and associated suspension-feeding species, as revealed by stable isotopes. 336:151–160

D

- Dahllöf I, see Hjorth M et al. (2007) 338:21–31
 D'Alessandro E, Sponaugle S, Lee T (2007) Patterns and pro-

- Dupont S, Wilson K, Obst M, Sköld H, Nakano H, Thorndyke MC (2007) Marine ecological genomics: when genomics meets marine ecology. 332:257–273
- Durant JM, see Hjermann DØ et al. (2007) 339:283–299
- Durbin EG, Campbell RG (2007) Reassessment of the gut pigment method for estimating *in situ* zooplankton ingestion. 331:305–307

E

- Eberl R, Carpenter EJ (2007) Association of the copepod *Macrosetella gracilis* with the cyanobacterium *Trichodesmium* spp. in the North Pacific Gyre. 333:205–212
- Eble JA, see Craig MT et al. (2007) 334:245–254
- Edwards M, see McQuatters-Gollop A et al. (2007) 339:301–306
- Egan S, see Thomas T et al. (2007) 332:291–299
- Eikeset AM, see Hjermann DØ et al. (2007) 339:283–299
- Einbinder S, see Mass T et al. (2007) 334:93–102
- Elkin C, Marshall DJ (2007) Desperate larvae: influence of deferred costs and habitat requirements on habitat selection. 335:143–153
- Elmgren R, see Rolff C et al. (2007) 332:107–118
- Emslie SD, see Zavalaga CB et al. (2007) 336:291–303
- Enstipp MR, Grémillet D, Jones DR (2007) Investigating the functional link between prey abundance and seabird predatory performance. 331:267–279
- Epping E, see Garcia R et al. (2007) 340:207–220
- Erez J, see Mass T et al. (2007) 334:93–102
- Erwin CA, Congdon BC (2007) Day-to-day variation in sea-surface temperature reduces sooty tern *Sterna fuscata* foraging success on the Great Barrier Reef, Australia. 331:255–266
- Erzini K, see Stergiou KI et al. (2007) 333:117–128
- Espeland SH, see Knutsen H et al. (2007) 333:249–255
- Esteban GF, Finlay BJ (2007) Exceptional species richness of ciliated Protozoa in pristine intertidal rock pools. 335:133–141
- Etnier MA, see Newsome SD et al. (2007) 332:211–224
- Etnoyer P, Morgan LE (2007) Predictive habitat model for deep gorgonians needs better resolution: Comment on Bryan & Metaxas (2007). 339:311–312

F

- Fadely BS, see Beck CA et al. (2007) 338:269–280
- Fauth JE, see Fisher EM et al. (2007) 339:61–71
- Fauvelot C, see Costantini F et al. (2007) 340:109–119
- Feary DA, Almany GR, Jones GP, McCormick MI (2007) Coral degradation and the structure of tropical reef fish communities. 333:243–248
- Fernández I. C, Raimbault P (2007) Nitrogen regeneration in the NE Atlantic Ocean and its impact on seasonal new, regenerated and export production. 337:79–92
- Ferrario ME, see Schloss IR et al. (2007) 332:93–106
- Ferraroli S, see Fossette S et al. (2007) 338:233–247
- Ferraroli S, see Georges JY et al. (2007) 338:225–232
- Ferraton F, Harmelin-Vivien M, Mellon-Duval C, Souplet A (2007) Spatio-temporal variation in diet may affect condition and abundance of juvenile European hake in the Gulf of Lions (NW Mediterranean). 337:197–208
- Ferreya GA, see Schloss IR et al. (2007) 332:93–106
- Ferro S, see Sarà G et al. (2007) 331:243–253
- Field IC, Bradshaw CJA, Burton HR, Hindell MA (2007) Dif-

- ferential resource allocation strategies in juvenile elephant seals in the highly seasonal Southern Ocean. 331:281–290
- Fine M, see Magnusson SH et al. (2007) 332:119–128
- Finlay BJ, see Esteban GF (2007) 335:133–141
- Fisher CR, see Gollner S et al. (2007) 337:39–49
- Fisher EM, Fauth JE, Hallock P, Woodley CM (2007) Lesion regeneration rates in reef-building corals *Montastraea* spp. as indicators of colony condition. 339:61–71
- Fisk A, see Svendsen TC et al. (2007) 337:155–164
- Flammang P, see Santos R (2007) 332:129–142
- Fleeger JW, see Thistle D et al. (2007) 340:9–16
- Folkvord A, see Bang A et al. (2007) 331:233–242
- Forbes V, see Hjorth M et al. (2007) 338:21–31
- Ford RB, Anderson MJ, Kelly S (2007) Subtle and negligible effects of rainfall on estuarine infauna: evidence from three years of event-driven sampling. 340:17–27
- Fortier L, see Robert D et al. (2007) 337:209–219
- Fossette S, Ferraroli S, Tanaka H, Ropert-Coudert Y, Arai N, Sato K, Naito Y, Le Maho Y, Georges JY (2007) Dispersal and dive patterns in gravid leatherback turtles during the nesting season in French Guiana. 338:233–247
- Fossette S, see Georges JY et al. (2007) 338:225–232
- Fourqurean JW, see Murdoch TJT et al. (2007) 339:123–130
- Fox CH, Swanson AK (2007) Nested PCR detection of microscopic life-stages of laminarian macroalgae and comparison with adult forms along intertidal height gradients. 332:1–10
- Fox J, see Phalan B et al. (2007) 340:271–286
- Fox RJ, Bellwood DR (2007) Quantifying herbivory across a coral reef depth gradient. 339:49–59
- Fram JP, see Martin MA et al. (2007) 337:51–61
- Frank KT, see Shackell NL (2007) 336:235–247
- Frank M, see Rosenberg R et al. (2007) 331:23–34
- Frantzis A, see Viaud-Martínez KA et al. (2007) 338:281–294
- Fraschetti S, see Terlizzi A et al. (2007) 332:25–39
- Frazer TK, see Grober-Dunsmore R et al. (2007) 335:233–236
- Frederiksen M, Furness RW, Wanless S (2007) Regional variation in the role of bottom-up and top-down processes in controlling sandeel abundance in the North Sea. 337:279–286
- Freeman AS (2007) Specificity of induced defenses in *Mytilus edulis* and asymmetrical predator deterrence. 334:145–153
- Fretey J, see Georges JY et al. (2007) 338:225–232
- Frew RD, see Hepburn CD et al. (2007) 339:99–108
- Fujikura K, Amaki K, Barry JP, Fujiwara Y, Furushima Y, Iwase R, Yamamoto H, Maruyama T (2007) Long-term *in situ* monitoring of spawning behavior and fecundity in *Calypptogena* spp. 333:185–193
- Fujiwara Y, see Fujikura K et al. (2007) 333:185–193
- Fukasawa M, see Grob C et al. (2007) 332:53–62
- Fukuda A, see Phalan B et al. (2007) 340:271–286
- Fukuwaka M, see Morita K (2007) 335:289–294
- Fulford RS, Breitburg DL, Newell RIE, Kemp WM, Luckenbach M (2007) Effects of oyster population restoration strategies on phytoplankton biomass in Chesapeake Bay: a flexible modeling approach. 336:43–61
- Furness RW, see Frederiksen M et al. (2007) 337:279–286
- Furushima Y, see Fujikura K et al. (2007) 333:185–193

G

- Galaz T, see Medina A et al. (2007) 337:221–230
- Gales NJ, see Wall SM et al. (2007) 337:265–277
- García JA, see Aguzzi J et al. (2007) 335:167–174

- García R, Koho KA, De Stigter HC, Epping E, Koning E, Thomsen L (2007) Distribution of meiobenthos in the Nazaré canyon and adjacent slope (western Iberian Margin) in relation to sedimentary composition. 340:207–220
- García S, see Medina A et al. (2007) 337:221–230
- García-Charton JA, see González-Wangüemert M et al. (2007) 334:237–244
- García-Soto C, see Báez JC et al. (2007) 338:249–256
- Garthe S, see Hamer KC et al. (2007) 338:295–305
- Garvey M, see Moriceau B et al. (2007) 333:129–142
- Gattuso JP, see Bensoussan N (2007) 334:37–45
- Gendron D, see Davis RW et al. (2007) 333:291–302
- Genovese S, see Sarà G et al. (2007) 331:243–253
- Georges JY, Fossette S, Billes A, Ferraroli S, Fretey J, Grémillet D, Le Maho Y, Myers AE, Tanaka H, Hays GC (2007) Meta-analysis of movements in Atlantic leatherback turtles during the nesting season: conservation implications. 338:225–232
- Georges JY, see Fossette S et al. (2007) 338:233–247
- Gerlotto F, see Brehmer P et al. (2007) 334:263–272
- Ghaleb B, see Williams B et al. (2007) 335:85–94
- Gilchrist GW, see Heyl TP et al. (2007) 339:169–184
- Gilhooly WP, see Heyl TP et al. (2007) 339:169–184
- Gilly W, see Davis RW et al. (2007) 333:291–302
- Giménez L, Dick S (2007) Settlement of shore crab *Carcinus maenas* on a mesotidal open habitat as a function of transport mechanisms. 338:159–168
- Gismervik I, see Olsen Y et al. (2007) 331:67–83
- Glasspool AF, see Murdoch TJT et al. (2007) 339:123–130
- Godley BJ, see Witt MJ et al. (2007) 337:231–244
- Goecker ME, see Valentine JF et al. (2007) 333:37–50
- Goldberg R, see Brousseau DJ (2007) 339:221–228
- Gol'din PE, see Viaud-Martínez KA et al. (2007) 338:281–294
- Gollner S, Zekely J, Govenar B, Le Bris N, Nemeschkal HL, Fisher CR, Bright M (2007) Tubeworm-associated permanent meiobenthic communities from two chemically different hydrothermal vent sites on the East Pacific Rise. 337:39–49
- Gomei M, see Rorandelli R et al. (2007) 336:225–233
- Gonçalves EJ, see Henriques M et al. (2007) 340:259–270
- González M, see Krautz MC et al. (2007) 335:175–185
- González-Correa JM, Bayle Sempere JT, Sánchez-Jerez P, Valle C (2007) *Posidonia oceanica* meadows are not declining globally. Analysis of population dynamics in marine protected areas of the Mediterranean Sea. 336:111–119
- González-Wangüemert M, Pérez-Ruzafa Á, Cánovas F, García-Charton JA, Marcos C (2007) Temporal genetic variation in populations of *Diplodus sargus* from the SW Mediterranean Sea. 334:237–244
- Gordo C, see Vázquez E et al. (2007) 338:119–129
- Gosselin LA, Rehak R (2007) Initial juvenile size and environmental severity: influence of predation and wave exposure on hatching size in *Nucella ostrina*. 339:143–155
- Goulet TL (2007) Most scleractinian corals and octocorals host a single symbiotic zooxanthella clade. 335:243–248
- Govenar B, see Gollner S et al. (2007) 337:39–49
- Govender A, see Robinson TB et al. (2007) 340:163–171
- Govil SR, see Shipe RF et al. (2007) 338:33–45
- Graham NAJ, see McClanahan TR et al. (2007) 337:1–13
- Graham NAJ, see McClanahan TR et al. (2007) 340:221–234
- Granéli E, see Kozłowski-Suzuki B et al. (2007) 337:15–26
- Gray J, see Murdoch TJT et al. (2007) 339:123–130
- Grémare A, see Norling K et al. (2007) 332:11–23
- Grémillet D, see Enstipp MR et al. (2007) 331:267–279
- Grémillet D, see Georges JY et al. (2007) 338:225–232
- Grémillet D, see Hamer KC et al. (2007) 338:295–305
- Griffiths CL, see Robinson TB et al. (2007) 340:163–171
- Grift RE, Heino M, Rijnsdorp AD, Kraak SBM, Dieckmann U (2007) Three-dimensional maturation reaction norms for North Sea plaice. 334:213–224
- Grob C, Ulloa O, Li WKW, Alarcón G, Fukasawa M, Watanabe S (2007) Picoplankton abundance and biomass across the eastern South Pacific Ocean along latitude 32.5°S. 332:53–62
- Grober-Dunsmore R, Bonito V, Frazer TK (2007) Discernment of sexual recruits is not critical for assessing population recovery of *Acropora palmata*. 335:233–236
- Grondin HP, see Hoareau TB et al. (2007) 333:303–308
- Grønkjær P, see Bang A et al. (2007) 331:233–242
- Guenther J, Heimann K, de Nys R (2007) Pedicellariae of the crown-of-thorns sea star *Acanthaster planci* are not an effective defence against fouling. 340:101–108
- Guichard F, see Tewfik A et al. (2007) 335:111–121
- Guidetti P, Sala E (2007) Community-wide effects of marine reserves in the Mediterranean Sea. 335:43–56
- Guiheneuf F, see Beninger PG et al. (2007) 334:165–177
- Guillaume MMM, see McClanahan TR et al. (2007) 337:1–13
- Gunnarsson J, see Rosenberg R et al. (2007) 331:23–34
- Gutzmann E, see Sommer S et al. (2007) 337:27–37
- Guzner B, Novoplansky A, Chadwick NE (2007) Population dynamics of the reef-building coral *Acropora hemprichii* as an indicator of reef condition. 333:143–150

H

- Hadfield MG, see Koehl MAR et al. (2007) 335:1–18
- Hadfield MG, see Miles CM et al. (2007) 340:155–162
- Hahn S, Reinhardt K, Ritz MS, Janicke T, Montalti D, Peter HU (2007) Oceanographic and climatic factors differentially affect reproduction performance of Antarctic skuas. 334:287–297
- Hallock P, see Fisher EM et al. (2007) 339:61–71
- Hamer KC, Humphreys EM, Garthe S, Henicke J, Peters G, Grémillet D, Phillips RA, Harris MP, Wanless S (2007) Annual variation in diets, feeding locations and foraging behaviour of gannets in the North Sea: flexibility, consistency and constraint. 338:295–305
- Hamner PP, see Hamner WM et al. (2007) 334:83–92
- Hamner WM, Colin PL, Hamner PP (2007) Export–import dynamics of zooplankton on a coral reef in Palau. 334:83–92
- Hamner WM, see Carleton JH (2007) 336:77–88
- Han YS, Tzeng WN (2007) Sex-dependent habitat use by the Japanese eel *Anguilla japonica* in Taiwan. 338:193–198
- Hancock N, see Vopel K et al. (2007) 333:161–171
- Hansen BW, see Henriksen CI et al. (2007) 331:119–129
- Hansen PJ, Lundholm N, Rost B (2007) Growth limitation in marine red-tide dinoflagellates: effects of pH versus inorganic carbon availability. 334:63–71
- Hansen PJ, see Middelboe AL (2007) 338:107–117
- Hansen PJ, see Smith M (2007) 338:61–70
- Hanson JM, see Bowlby HD et al. (2007) 331:207–218
- Hansteen T, see Zumholz K et al. (2007) 333:195–204
- Harcourt RG, see Littnan CL et al. (2007) 338:257–267
- Harding LW Jr, see Miller WD (2007) 331:11–22
- Hargrave B, see Svendsen TC et al. (2007) 337:155–164
- Harmelin-Vivien M, see Ferraton F et al. (2007) 337:197–208
- Harris MP, see Hamer KC et al. (2007) 338:295–305
- Harris RP, see Hirst AG et al. (2007) 340:189–205
- Hawkins SJ, see Airoldi L (2007) 332:235–240
- Hawkins SJ, see Moore P et al. (2007) 334:11–19
- Hay ME, see Hollebone AL (2007) 336:211–223

- Hayashizaki K, see Kon K et al. (2007) 340:55–62
- Hays GC, see Georges JY et al. (2007) 338:225–232
- Hays GC, see Hochscheid S et al. (2007) 340:287–298
- Hays GC, see Schofield G et al. (2007) 336:267–274
- Heck KL Jr, see Valentine JF et al. (2007) 333:37–50
- Heck KL Jr., see Vanderklift MA et al. (2007) 340:235–243
- Heimann K, see Guenther J et al. (2007) 340:101–108
- Heino M, see Dieckmann U (2007) 335:253–269
- Heino M, see Griff RE et al. (2007) 334:213–224
- Heiskanen AS, see Carstensen J (2007) 336:29–42
- Helminen H, see Lagus A et al. (2007) 332:77–92
- Helmuth B, see Schneider KR (2007) 339:156–167
- Henkel TP, see Pawlik JR et al. (2007) 339:93–98
- Hennicke J, see Hamer KC et al. (2007) 338:295–305
- Henriksen CI, Saiz E, Calbet A, Hansen BW (2007) Feeding activity and swimming patterns of *Acartia grani* and *Oithona davisae* nauplii in the presence of motile and non-motile prey. 331:119–129
- Henriksen P, see Hjorth M et al. (2007) 338:21–31
- Henriques M, Gonçalves EJ, Almada VC (2007) Rapid shifts in a marine fish assemblage follow fluctuations in winter sea conditions. 340:259–270
- Hense I (2007) Regulatory feedback mechanisms in cyanobacteria-driven systems: a model study. 339:41–47
- Hepburn CD, Holborow JD, Wing SR, Frew RD, Hurd CL (2007) Exposure to waves enhances the growth rate and nitrogen status of the giant kelp *Macrocystis pyrifera*. 339:99–108
- Heupel MR, Carlson JK, Simpfendorfer CA (2007) Shark nursery areas: concepts, definition, characterization and assumptions. 337:287–297
- Heyl TP, Gilhooly WP, Chambers RM, Gilchrist GW, Macko SA, Ruppel CD, Van Dover CL (2007) Characteristics of vesicomid clams and their environment at the Blake Ridge cold seep, South Carolina, USA. 339:169–184
- Higuchi H, see Phalan B et al. (2007) 340:271–286
- Hindell MA, see Field IC et al. (2007) 331:281–290
- Hindell MA, see Wall SM et al. (2007) 337:265–277
- Hirst AG, Bonnet D, Harris RP (2007) Seasonal dynamics and mortality rates of *Calanus helgolandicus* over two years at a station in the English Channel. 340:189–205
- Hirst AG, see Kimmerer WJ et al. (2007) 336:187–202
- Hjermann DØ, Melsom A, Dingsør GE, Durant JM, Eikeset AM, Røed LP, Ottersen G, Storvik G, Stenseth NC (2007) Fish and oil in the Lofoten–Barents Sea system: synoptic review of the effect of oil spills on fish populations. 339:283–299
- Hjorth M, Vester J, Henriksen P, Forbes V, Dahllöf I (2007) Functional and structural responses of marine plankton food web to pyrene contamination. 338:21–31
- Hoareau TB, Lecomte-Finiger R, Grondin HP, Conand C, Berrebi P (2007) Oceanic larval life of La Réunion 'bichiques', amphidromous gobiid post-larvae. 333:303–308
- Hochscheid S, Bentivegna F, Bradai MN, Hays GC (2007) Overwintering behaviour in sea turtles: dormancy is optional. 340:287–298
- Hockey PAR, see Robinson TB et al. (2007) 340:163–171
- Hoeinghaus DJ, Davis SE III (2007) Size-based trophic shifts of saltmarsh dwelling blue crabs elucidated by dual stable C and N isotope analyses. 334:199–204
- Hofmann GE, Place SP (2007) Genomics-enabled research in marine ecology: challenges, risks and pay-offs. 332:249–255
- Holborow JD, see Hepburn CD et al. (2007) 339:99–108
- Holland KN, see Meyer CG et al. (2007) 333:13–25
- Hollebone AL, Hay ME (2007) Population dynamics of the non-native crab *Petrolisthes armatus* invading the South Atlantic Bight at densities of thousands m⁻². 336:211–223
- Hollows CF, Johnston EL, Marshall DJ (2007) Copper reduces fertilisation success and exacerbates Allee effects in the field. 333:51–60
- Holzer K, see Murdoch TJJ et al. (2007) 339:123–130
- Honjo T, see Yamasaki Y et al. (2007) 339:83–92
- Hoogmoed MS, see Witt MJ et al. (2007) 337:231–244
- Hooper JNA, see Schlacher TA et al. (2007) 340:73–88
- Hopcroft RR, see Kimmerer WJ et al. (2007) 336:187–202
- How J, see Vanderklift MA et al. (2007) 340:235–243
- Hu J, see Chen H et al. (2007) 336:99–110
- Huettel M, Cook P, Janssen F, Lavik G, Middelburg JJ (2007) Transport and degradation of a dinoflagellate bloom in permeable sublittoral sediment. 340:139–153
- Hulth S, see Norling K et al. (2007) 332:11–23
- Humphreys EM, see Hamer KC et al. (2007) 338:295–305
- Hung OS, Thiyagarajan V, Zhang R, Wu RSS, Qian PY (2007) Attachment of *Balanus amphitrite* larvae to biofilms originating from contrasting environments. 333:229–242
- Hunt CD, Tanis D, Bruce E, Taylor M (2007) Optical signatures of seawater and potential use for verification of mid-ocean ballast water exchange. 331:35–47
- Hurd CL, see Hepburn CD et al. (2007) 339:99–108
- Hurst TP, see Laurel BJ et al. (2007) 338:183–192
- Hutchings JA, see Bowlby HD et al. (2007) 331:207–218
- Hyndes GA, see Lavery PS et al. (2007) 338:97–106

I

- Ibarra-Obando SE, see Jorgensen P et al. (2007) 333:81–93
- Ikeda T, Sano F, Yamaguchi A (2007) Respiration in marine pelagic copepods: a global-bathymetric model. 339:215–219
- Innocenti AM, see Serra IA et al. (2007) 338:71–79
- Intrieri MC, see Serra IA et al. (2007) 338:71–79
- Iverson RL, see Putland JN (2007) 340:173–187
- Iverson SJ, see Beck CA et al. (2007) 338:269–280
- Iverson SJ, see Budge SM et al. (2007) 336:305–309
- Iverson SJ, see Tucker S et al. (2007) 339:271–282
- Iwase R, see Fujikura K et al. (2007) 333:185–193

J

- Jachowski N, see McAndrew PM et al. (2007) 332:63–75
- James MC, Sherrill-Mix SA, Myers RA (2007) Population characteristics and seasonal migrations of leatherback sea turtles at high latitudes. 337:245–254
- James MC, see Jonsen ID et al. (2007) 337:255–264
- Janicke T, see Hahn S et al. (2007) 334:287–297
- Jansen S, Bathmann U (2007) Algae viability within copepod faecal pellets: evidence from microscopic examinations. 337:145–153
- Jansen S, see Langer G et al. (2007) 331:139–146
- Janssen F, see Huettel M et al. (2007) 340:139–153
- Jaquet N, see Davis RW et al. (2007) 333:291–302
- Jeong HJ, Song JE, Kang NS, Kim S, Yoo YD, Park JY (2007) Feeding by heterotrophic dinoflagellates on the common marine heterotrophic nanoflagellate *Cafeteria* sp. 333:151–160
- Jessopp MJ, McAllen RJ (2007) Water retention and limited larval dispersal: implications for short and long distance dispersers in marine reserves. 333:27–36
- Johns DJ, see Witt MJ et al. (2007) 337:231–244
- Johnson CL (2007) Retention of dormant copepods in deep

- basins of the Southern California Bight. 336:203–210
 Johnson LE, see Winkler G et al. (2007) 332:171–187
 Johnson MP, see Davies AJ et al. (2007) 339:131–141
 Johnson SC, Browman HI (2007) *Introducing genomics, proteomics and metabolomics in marine ecology: Introduction*. 332:247–248
 Johnston EL, see Hollows CF et al. (2007) 333:51–60
 Jónasdóttir SH, see Thor P et al. (2007) 331:131–138
 Jones DR, see Enstipp MR et al. (2007) 331:267–279
 Jones GP, see Feary DA et al. (2007) 333:243–248
 Jonsen ID, Myers RA, James MC (2007) Identifying leatherback turtle foraging behaviour from satellite telemetry using a switching state-space model. 337:255–264
 Jordán F, see Vasas V et al. (2007) 336:1–14
 Jorgensen P, Ibarra-Obando SE, Carriquiry JD (2007) Top-down and bottom-up stabilizing mechanisms in eelgrass meadows differentially affected by coastal upwelling. 333:81–93
 Juinio-Meñez MA, see Ravago-Gotanco RG et al. (2007) 336:161–168

K

- Kang CK, Choy EJ, Paik SK, Park HJ, Lee KS, An S (2007) Contributions of primary organic matter sources to macroinvertebrate production in an intertidal salt marsh (*Scirpus triquetra*) ecosystem. 334:131–143
 Kang NS, see Jeong HJ et al. (2007) 333:151–160
 Kangro K, Olli K, Tamminen T, Lignell R (2007) Species-specific responses of a cyanobacteriadominated phytoplankton community to artificial nutrient limitation in the Baltic Sea. 336:15–27
 Kao SJ, see Lin HJ et al. (2007) 335:95–109
 Kao WY, see Lin HJ et al. (2007) 335:95–109
 Karjalainen M, see Kozłowsky-Suzuki B et al. (2007) 337:15–26
 Karl DM, see McAndrew PM et al. (2007) 332:63–75
 Karlson K (2007) Diurnal bioturbating activities of *Monoporeia affinis*: effects on benthic oxygen and nutrient fluxes. 331:195–205
 Kato A, see Ropert-Coudert Y et al. (2007) 333:281–289
 Katselidis KA, see Schofield G et al. (2007) 336:267–274
 Keeling MJ, see Price ARG et al. (2007) 331:101–108
 Keenan SF, Benfield MC, Blackburn JK (2007) Importance of the artificial light field around offshore petroleum platforms for the associated fish community. 331:219–231
 Kelly S, see Ford RB et al. (2007) 340:17–27
 Kemp WM, see Fulford RS et al. (2007) 336:43–61
 Kennish JM, see Beck CA et al. (2007) 338:269–280
 Keough MJ, see Ross DJ et al. (2007) 340:41–53
 Kim S, see Jeong HJ et al. (2007) 333:151–160
 Kimmerer WJ, Hirst AG, Hopcroft RR, McKinnon AD (2007) Estimating juvenile copepod growth rates: corrections, inter-comparisons and recommendations. 336:187–202
 Kirsch KD, see Valentine JF et al. (2007) 333:37–50
 Kloser R, see Schlacher TA et al. (2007) 340:73–88
 Klügel A, see Zumholz K et al. (2007) 333:195–204
 Knott NA, see Ross DJ et al. (2007) 340:41–53
 Knutsen H, Moland Olsen E, Ciannelli L, Espeland SH, Knutsen JA, Simonsen JH, Skreslet S, Stenseth NC (2007) Egg distribution, bottom topography and small-scale cod population structure in a coastal marine system. 333:249–255
 Knutsen JA, see Knutsen H et al. (2007) 333:249–255
 Kobiyama A, see Koike K et al. (2007) 337:303–309
 Koch PL, see Newsome SD et al. (2007) 332:211–224
 Kock AA, see Laroche RK et al. (2007) 338:199–209
 Koehl MAR, Strother JA, Reidenbach MA, Koseff JR, Hadfield MG (2007) Individual-based model of larval transport to coral reefs in turbulent, wave-driven flow: behavioral responses to dissolved settlement inducer. 335:1–18
 Koho KA, see Garcia R et al. (2007) 340:207–220
 Koike K, Nishiyama A, Takishita K, Kobiyama A, Ogata T (2007) Appearance of *Dinophysis fortii* following blooms of certain cryptophyte species. 337:303–309
 Komnenou A, see Viaud-Martínez KA et al. (2007) 338:281–294
 Kon K, Kurokura H, Hayashizaki K (2007) Role of microhabitats in food webs of benthic communities in a mangrove forest. 340:55–62
 Koning E, see Garcia R et al. (2007) 340:207–220
 Koseff JR, see Koehl MAR et al. (2007) 335:1–18
 Koski M, see Kozłowsky-Suzuki B et al. (2007) 337:15–26
 Koski M, see Thor P et al. (2007) 331:131–138
 Kovacs KM, see Krafft BA et al. (2007) 335:199–206
 Kozłowsky-Suzuki B, Karjalainen M, Koski M, Carlsson P, Stolte W, Balode M, Granéli E (2007) Disruption of the microbial food web and inhibition of metazooplankton development in the presence of iron- and DOM-stimulated Baltic Sea cyanobacteria. 337:15–26
 Kraak SBM (2007) Does the probabilistic maturation reaction norm approach disentangle phenotypic plasticity from genetic change? 335:295–300
 Kraak SBM, see Grift RE et al. (2007) 334:213–224
 Krafft BA, Kovacs KM, Lydersen C (2007) Distribution of sex and age groups of ringed seals *Pusa hispida* in the fast-ice breeding habitat of Kongsfjorden, Svalbard. 335:199–206
 Krautz MC, Castro LR, González M (2007) Interaction of two key pelagic species in the Humboldt Current: euphausiid predation on anchoveta eggs estimated by immunoassays. 335:175–185
 Kroutil RM, see Valentine JF et al. (2007) 333:37–50
 Kühl M, see Magnusson SH et al. (2007) 332:119–128
 Kurle CM, see Newsome SD et al. (2007) 332:211–224
 Kurokura H, see Kon K et al. (2007) 340:55–62

L

- Laakmann S, see Malzahn AM et al. (2007) 334:205–212
 Lagus A, Suomela J, Helminen H, Lehtimäki JM, Sipura J, Sivonen K, Suominen L (2007) Interaction effects of N:P ratios and frequency of nutrient supply on the plankton community in the northern Baltic Sea. 332:77–92
 Lambert AM, Casagrande RA (2007) Characteristics of a successful estuarine invader: evidence of self-compatibility in native and non-native lineages of *Phragmites australis*. 337:299–301
 Lancelot C, see Vasas V et al. (2007) 336:1–14
 Langer G, Nehrke G, Jansen S (2007) Dissolution of *Calcidiscus leptoporus* coccoliths in copepod guts? A morphological study. 331:139–146
 Langston WJ, Burt GR, Chesman BS (2007) Feminisation of male clams *Scrobicularia plana* from estuaries in Southwest UK and its induction by endocrine-disrupting chemicals. 333:173–184
 Lankford TE Jr, see Morley JW et al. (2007) 334:273–286
 Lankford TE Jr, see Slater JJ et al. (2007) 339:259–269
 Laroche RK, Kock AA, Dill LM, Oosthuizen WH (2007) Effects of provisioning ecotourism activity on the behaviour of white sharks *Carcharodon carcharias*. 338:199–209
 Larouche P, see Doniol-Valcroze T et al. (2007) 335:207–216
 Larouche P, see Ouellet P et al. (2007) 339:229–241

- Laurel BJ, Stoner AW, Hurst TP (2007) Density-dependent habitat selection in marine flatfish: the dynamic role of ontogeny and temperature. 338:183–192
- Laurent C, see Brehmer P et al. (2007) 334:263–272
- Lavery PS, Reid T, Hyndes GA, Van Elven BR (2007) Effect of leaf movement on epiphytic algal biomass of seagrass leaves. 338:97–106
- Lavery PS, see Collier CJ et al. (2007) 337:103–115
- Lavik G, see Huettel M et al. (2007) 340:139–153
- Law R (2007) Fisheries-induced evolution: present status and future directions. 335:271–277
- Le Bouteiller A, see Masotti I et al. (2007) 338:47–59
- Le Bris N, see Gollner S et al. (2007) 337:39–49
- Lecomte-Finiger R, see Hoareau TB et al. (2007) 333:303–308
- Lee JE, Chown SL (2007) *Mytilus* on the move: transport of an invasive bivalve to the Antarctic. 339:307–310
- Lee KS, see Kang CK et al. (2007) 334:131–143
- Lee OO, Yang LH, Li X, Pawlik JR, Qian PY (2007) Surface bacterial community, fatty acid profile, and antifouling activity of two congeneric sponges from Hong Kong and the Bahamas. 339:25–40
- Lee T, see D'Alessandro E et al. (2007) 331:85–100
- Lefebvre S, see Dubois S et al. (2007) 336:151–160
- Lehtimäki JM, see Lagus A et al. (2007) 332:77–92
- Le Maho Y, see Fossette S et al. (2007) 338:233–247
- Le Maho Y, see Georges JY et al. (2007) 338:225–232
- Li B, see Chen H et al. (2007) 336:99–110
- Li KW, see Grob C et al. (2007) 332:53–62
- Li X, see Lee OO et al. (2007) 339:25–40
- Lignell R, see Kangro K et al. (2007) 336:15–27
- Lilley SA, see Schiel DR (2007) 339:1–11
- Lin HJ, Wu CY, Kao SJ, Kao WY, Meng PJ (2007) Mapping anthropogenic nitrogen through point sources in coral reefs using $\delta^{15}\text{N}$ in macroalgae. 335:95–109
- Link JS, see Methratta ET (2007) 338:169–181
- Littnan CL, Arnould JPY, Harcourt RG (2007) Effect of proximity to the shelf edge on the diet of female Australian fur seals. 338:257–267
- Long JD, Trussell GC (2007) Geographic variation in seaweed induced responses to herbivory. 333:75–80
- Longmore AR, see Ross DJ et al. (2007) 340:41–53
- López JL (2007) Applications of proteomics in marine ecology. 332:275–279
- Lowe CG, see Weng KC et al. (2007) 338:211–224
- Luckenbach M, see Fulford RS et al. (2007) 336:43–61
- Lundholm N, see Hansen PJ et al. (2007) 334:63–71
- Lydersen C, see Krafft BA et al. (2007) 335:199–206
- M**
- Maar M, Nielsen TG, Bolding K, Burchard H, Visser AW (2007) Grazing effects of blue mussel *Mytilus edulis* on the pelagic food web under different turbulence conditions. 339:199–213
- Maar M, see Nielsen TG (2007) 339:185–198
- MacArthur LD, see Vanderklift MA et al. (2007) 340:235–243
- Macías D, see Báez JC et al. (2007) 338:249–256
- Macko SA, see Heyl TP et al. (2007) 339:169–184
- MacQuarrie SP, see Bricelj VM (2007) 331:147–159
- Maggi E, see Bertocci I et al. (2007) 338:11–20
- Maggs CA, see Davies AJ et al. (2007) 339:131–141
- Magnusson SH, Fine M, Kühl M (2007) Light microclimate of endolithic phototrophs in the scleractinian corals *Montipora monasteriata* and *Porites cylindrica*. 332:119–128
- Magsino RM, see Ravago-Gotanco RG et al. (2007) 336:161–168
- Maina J, see McClanahan TR et al. (2007) 340:221–234
- Majluf P, see Boersma PD et al. (2007) 335:217–225
- Malzahn AM, Clemmesen C, Wiltshire KH, Laakmann S, Boersma M (2007) Comparative nutritional condition of larval dab *Limanda limanda* and lesser sandeel *Ammodytes marinus* in a highly variable environment. 334:205–212
- Mann DA, Casper BM, Boyle KS, Tricas TC (2007) On the attraction of larval fishes to reef sounds. 338:307–310
- Manríquez PH, Castilla JC (2007) Roles of larval behaviour and microhabitat traits in determining spatial aggregations in the ascidian *Pyura chilensis*. 332:155–165
- Manuel S, see Murdoch TJT et al. (2007) 339:123–130
- Mapstone BD, Andrew NL, Chancerelle Y, Salvat B (2007) Mediating effects of sea urchins on interactions among corals, algae and herbivorous fish in the Moorea lagoon, French Polynesia. 332:143–153
- Marcos C, see González-Wangüemert M et al. (2007) 334:237–244
- Marcoux M, Whitehead H, Rendell L (2007) Sperm whale feeding variation by location, year, social group and clan: evidence from stable isotopes. 333:309–314
- Mariani S, see Bekkevold D et al. (2007) 337:187–196
- Marin-Léal JC, see Dubois S et al. (2007) 336:151–160
- Markaida U, see Davis RW et al. (2007) 333:291–302
- Marshall CT, Browman HI (2007) *Disentangling the causes of maturation trends in exploited fish populations*: Introduction. 335:249–310
- Marshall CT, McAdam BJ (2007) Integrated perspectives on genetic and environmental effects on maturation can reduce potential for errors of inference. 335:301–310
- Marshall DJ, see Elkin C (2007) 335:143–153
- Marshall DJ, see Hollows CF et al. (2007) 333:51–60
- Martin C, see Witt MJ et al. (2007) 337:231–244
- Martin MA, Fram JP, Stacey MT (2007) Seasonal chlorophyll a fluxes between the coastal Pacific Ocean and San Francisco Bay. 337:51–61
- Martin S, Clavier J, Chauvaud L, Thouzeau G (2007) Community metabolism in temperate maerl beds. I. Carbon and carbonate fluxes. 335:19–29
- Martin S, Clavier J, Chauvaud L, Thouzeau G (2007) Community metabolism in temperate maerl beds. II. Nutrient fluxes. 335:31–41
- Martineau C, see Winkler G et al. (2007) 332:171–187
- Martínez Vergara M, see Viaud-Martínez KA et al. (2007) 338:281–294
- Martire ML, see Sarà G et al. (2007) 331:243–253
- Maruyama T, see Fujikura K et al. (2007) 333:185–193
- Masini RJ, see Collier CJ et al. (2007) 337:103–115
- Masotti I, Ruiz-Pino D, Le Bouteiller A (2007) Photosynthetic characteristics of *Trichodesmium* in the southwest Pacific Ocean: importance and significance. 338:47–59
- Mass T, Einbinder S, Brokovich E, Shashar N, Vago R, Erez J, Dubinsky Z (2007) Photoacclimation of *Stylophora pistillata* to light extremes: metabolism and calcification. 334:93–102
- Matsubara T, see Yamasaki Y et al. (2007) 339:83–92
- Mazzola S, see Sarà G et al. (2007) 331:243–253
- Mazzuca S, see Serra IA et al. (2007) 338:71–79
- McAdam BJ, see Marshall CT (2007) 335:301–310
- McAllen RJ, see Jessopp MJ (2007) 333:27–36
- McAndrew PM, Björkman KM, Church MJ, Morris PJ, Jachowski N, Williams PJ leB, Karl DM (2007) Metabolic response of oligotrophic plankton communities to deep water nutrient enrichment. 332:63–75
- McCann KS, see Tewfik A et al. (2007) 335:111–121
- McClanahan TR, Ateweberhan M, Graham NAJ, Wilson SK,

- Sebastián CR, Guillaume MMM, Bruggemann JH (2007) Western Indian Ocean coral communities: bleaching responses and susceptibility to extinction. 337:1–13
- McClanahan TR, Graham NAJ, Maina J, Chabanet P, Bruggemann JH, Polunin NVC (2007) Influence of instantaneous variation on estimates of coral reef fish populations and communities. 340:221–234
- McCormick MI, see Feary DA et al. (2007) 333:243–248
- McCormick MI, see Sampey A et al. (2007) 339:243–257
- McKinnon AD, see Carleton JH (2007) 336:89–98
- McKinnon AD, see Kimmerer WJ et al. (2007) 336:187–202
- McKinnon AD, see Sampey A et al. (2007) 339:243–257
- McMurray SE, see Pawlik JR et al. (2007) 339:93–98
- McQuaid CD, see Nicastro KR et al. (2007) 336:169–175
- McQuaid CD, see Zardi GI et al. (2007) 334:155–163
- McQuaid CD, see Zardi GI et al. (2007) 337:135–144
- McQuatters-Gollop A, Raitos DE, Edwards M, Attrill MJ (2007) Spatial patterns of diatom and dinoflagellate seasonal cycles in the NE Atlantic Ocean. 339:301–306
- Medina A, Abascal FJ, Aragón L, Mourente G, Aranda G, Galaz T, Belmonte A, de la Serna JM, García S (2007) Influence of sampling gear in assessment of reproductive parameters for bluefin tuna in the western Mediterranean. 337:221–230
- Medina GR, see Ruiz O et al. (2007) 335:155–165
- Meekan MG, see Sampey A et al. (2007) 339:243–257
- Mellon-Duval C, see Ferraton F et al. (2007) 337:197–208
- Melsom A, see Hjermann DØ et al. (2007) 339:283–299
- Meng PJ, see Lin HJ et al. (2007) 335:95–109
- Metaxas A, Bryan T (2007) Predictive habitat model for deep gorgonians needs better resolution: Reply to Etnoyer & Morgan. 339:313–314
- Methratta ET, Link JS (2007) Ontogenetic variation in habitat association for four groundfish species in the Gulf of Maine – Georges Bank region. 338:169–181
- Meyer CG, Holland KN, Papastamatiou YP (2007) Seasonal and diel movements of giant trevally *Caranx ignobilis* at remote Hawaiian atolls: implications for the design of Marine Protected Areas. 333:13–25
- Middelboe AL, Hansen PJ (2007) High pH in shallow-water macroalgal habitats. 338:107–117
- Middelburg JJ, see Huettel M et al. (2007) 340:139–153
- Migliaccio M, see Serra IA et al. (2007) 338:71–79
- Migné A, see Spilmont N et al. (2007) 333:95–101
- Miles CM, Hadfield MG, Wayne ML (2007) Heritability for egg size in the serpulid polychaete *Hydroides elegans*. 340:155–162
- Miller AW, Ruiz GM, Minton MS, Ambrose RF (2007) Differentiating successful and failed molluscan invaders in estuarine ecosystems. 332:41–51
- Miller MW, Baums IB, Williams DE (2007) Visual discernment of sexual recruits is not feasible for *Acropora palmata*. 335:227–231
- Miller WD, Harding LW Jr (2007) Climate forcing of the spring bloom in Chesapeake Bay. 331:11–22
- Minton MS, see Miller AW et al. (2007) 332:41–51
- Miyaji T, Tanabe K, Schöne BR (2007) Environmental controls on daily shell growth of *Phacosoma japonicum* (Bivalvia: Veneridae) from Japan. 336:141–150
- Moland Olsen E, see Knutsen H et al. (2007) 333:249–255
- Montalti D, see Hahn S et al. (2007) 334:287–297
- Moody RM, Aronson RB (2007) Trophic heterogeneity in salt marshes of the northern Gulf of Mexico. 331:49–65
- Moore P, Hawkins SJ, Thompson RC (2007) Role of biological habitat amelioration in altering the relative responses of congeneric species to climate change. 334:11–19
- Morais P, see Chícharo MA et al. (2007) 332:241–245
- Morato T, see Cheung WWL et al. (2007) 333:1–12
- Morgan LE, see Etnoyer P (2007) 339:311–312
- Moriceau B, Garvey M, Ragueneau O, Passow U (2007) Evidence for reduced biogenic silica dissolution rates in diatom aggregates. 333:129–142
- Morita K, Fukuwaka M (2007) Why age and size at maturity have changed in Pacific salmon. 335:289–294
- Morley JW, Buckel JA, Lankford TE Jr (2007) Winter energy storage dynamics and cohort structure of young-of-the-year bluefish *Pomatomus saltatrix* off North Carolina. 334:273–286
- Morris PJ, see McAndrew PM et al. (2007) 332:63–75
- Mosegaard H, see Bekkevold D et al. (2007) 337:187–196
- Mourente G, see Medina A et al. (2007) 337:221–230
- Moutopoulos DK, see Stergiou KI et al. (2007) 333:117–128
- Muir DCG, see Svendsen TC et al. (2007) 337:155–164
- Munk P (2007) Cross-frontal variation in growth rate and prey availability of larval North Sea cod *Gadus morhua*. 334:225–235
- Murdoch TJT, Glasspool AF, Outerbridge M, Ward J, Manuel S, Gray J, Nash A, Coates KA, Pitt J, Fourqurean JW, Barnes PA, Vierros M, Holzer K, Smith SR (2007) Large-scale decline in offshore seagrass meadows in Bermuda. 339:123–130
- Murphy EJ, see Tarling GA et al. (2007) 331:161–179
- Myers AE, see Georges JY et al. (2007) 338:225–232
- Myers RA, see James MC et al. (2007) 337:245–254
- Myers RA, see Jonsen ID et al. (2007) 337:255–264

N

- Nagasoe S, see Yamasaki Y et al. (2007) 339:83–92
- Nagelkerken I, see Dorenbosch M et al. (2007) 334:103–116
- Naito Y, see Fossette S et al. (2007) 338:233–247
- Nakano H, see Dupont S et al. (2007) 332:257–273
- Nash A, see Murdoch TJT et al. (2007) 339:123–130
- Navarrete SA, see Aiken CM et al. (2007) 339:13–24
- Navarro JC, see Ruiz O et al. (2007) 335:155–165
- Nedwell DB, see Thornton DCO et al. (2007) 337:63–77
- Nehrke G, see Langer G et al. (2007) 331:139–146
- Nemeschkal HL, see Gollner S et al. (2007) 337:39–49
- Newell RIE, see Fulford RS et al. (2007) 336:43–61
- Newsome SD, Etnier MA, Kurle CM, Waldbauer JR, Chamberlain CP, Koch PL (2007) Historic decline in primary productivity in western Gulf of Alaska and eastern Bering Sea: isotopic analysis of northern fur seal teeth. 332:211–224
- Ng C, see Thomas T et al. (2007) 332:291–299
- Nicastro KR, Zardi GI, McQuaid CD (2007) Behavioural response of invasive *Mytilus galloprovincialis* and indigenous *Perna perna* mussels exposed to risk of predation. 336:169–175
- Nicastro KR, see Zardi GI et al. (2007) 334:155–163
- Nielsen TG, Maar M (2007) Effects of a blue mussel *Mytilus edulis* bed on vertical distribution and composition of the pelagic food web. 339:185–198
- Nielsen TG, see Maar M et al. (2007) 339:199–213
- Nishiyama A, see Koike K et al. (2007) 337:303–309
- Norling K, Rosenberg R, Hulth S, Grémare A, Bonsdorff E (2007) Importance of functional biodiversity and species-specific traits of benthic fauna for ecosystem functions in marine sediment. 332:11–23
- Norling K, see Rosenberg R et al. (2007) 331:23–34
- Novoplansky A, see Guzner B et al. (2007) 333:143–150
- Nunn BL, Timperman AT (2007) Marine proteomics. 332:281–289

- Nydam M, Stachowicz JJ (2007) Predator effects on fouling community development. 337:93–101
 Nylund GM, see Brock E et al. (2007) 337:165–174

O

- Obst M, see Dupont S et al. (2007) 332:257–273
 Ochoa HA, see Schloss IR et al. (2007) 332:93–106
 Ogata T, see Koike K et al. (2007) 337:303–309
 Oliveri A, see Sarà G et al. (2007) 331:243–253
 Olivier F, see Tremblay R et al. (2007) 340:1–8
 Olli K, see Kangro K et al. (2007) 336:15–27
 Olsen Y, Andersen T, Gismervik I, Vadstein O (2007) Protozoan and metazoan zooplankton-mediated carbon flows in nutrient-enriched coastal planktonic communities. 331:67–83
 Oosthuizen WH, see Laroche RK et al. (2007) 338:199–209
 Oremus M, Poole MM, Steel D, Baker CS (2007) Isolation and interchange among insular spinner dolphin communities in the South Pacific revealed by individual identification and genetic diversity. 336:275–289
 Orvain F, see Dubois S et al. (2007) 336:151–160
 Oshima Y, see Yamasaki Y et al. (2007) 339:83–92
 Osio GC, see Benedetti-Cecchi L (2007) 334:21–35
 O'Sullivan JB, see Weng KC et al. (2007) 338:211–224
 Ottersen G, see Hjermann DØ et al. (2007) 339:283–299
 Ouellet P, Savard L, Larouche P (2007) Spring oceanographic conditions and northern shrimp *Pandalus borealis* recruitment success in the north-western Gulf of St. Lawrence. 339:229–241
 Outerbridge M, see Murdoch TJT et al. (2007) 339:123–130
 Öztürk AA, see Viaud-Martínez KA et al. (2007) 338:281–294
 Öztürk B, see Viaud-Martínez KA et al. (2007) 338:281–294

P

- Paik SK, see Kang CK et al. (2007) 334:131–143
 Pane EF, Barry JP (2007) Extracellular acid–base regulation during short-term hypercapnia is effective in a shallow-water crab, but ineffective in a deep-sea crab. 334:1–9
 Pantis JD, see Schofield G et al. (2007) 336:267–274
 Papastamatiou YP, see Meyer CG et al. (2007) 333:13–25
 Park HJ, see Kang CK et al. (2007) 334:131–143
 Park JY, see Jeong HJ et al. (2007) 333:151–160
 Passow U, see Moriceau B et al. (2007) 333:129–142
 Paul VJ, see Ritson-Williams R (2007) 340:29–39
 Pauly D, see Cheung WWL et al. (2007) 333:1–12
 Pavia H, see Brock E et al. (2007) 337:165–174
 Pawlik JR, McMurray SE, Henkel TP (2007) Abiotic factors control sponge ecology in Florida mangroves. 339:93–98
 Pawlik JR, see Lee OO et al. (2007) 339:25–40
 Penrose R, see Witt MJ et al. (2007) 337:231–244
 Peplies J, see Pradillon F et al. (2007) 333:103–116
 Pérez-Ruzafa Á, see González-Wangüemert M et al. (2007) 334:237–244
 Peter HU, see Hahn S et al. (2007) 334:287–297
 Peters G, see Hamer KC et al. (2007) 338:295–305
 Peterson BJ, see Valentine JF et al. (2007) 333:37–50
 Peterson CH, see Powers MJ et al. (2007) 339:109–122
 Peterson WT, see Bi H et al. (2007) 336:249–265
 Pfannkuche O, see Sommer S et al. (2007) 337:27–37
 Phalan B, Phillips RA, Silk JRD, Afanasyev V, Fukuda A, Fox J, Catry P, Higuchi H, Croxall JP (2007) Foraging behaviour of four albatross species by night and day. 340:271–286

- Phillips RA, see Hamer KC et al. (2007) 338:295–305
 Phillips RA, see Phalan B et al. (2007) 340:271–286
 Piatkowski U, see Zumholz K et al. (2007) 333:195–204
 Pihl L, see Wennhage H (2007) 335:187–198
 Pitcher KW, see Beck CA et al. (2007) 338:269–280
 Pitcher TJ, see Cheung WWL et al. (2007) 333:1–12
 Pitt J, see Murdoch TJT et al. (2007) 339:123–130
 Place SP, see Hofmann GE (2007) 332:249–255
 Platt T, see Wu Y et al. (2007) 335:57–68
 Poisson A, see Schloss IR et al. (2007) 332:93–106
 Polunin NVC, see McClanahan TR et al. (2007) 340:221–234
 Poole MM, see Oremus M et al. (2007) 336:275–289
 Powers MJ, Peterson CH, Summerson HC, Powers SP (2007) Macroalgal growth on bivalve aquaculture netting enhances nursery habitat for mobile invertebrates and juvenile fishes. 339:109–122
 Powers SP, see Powers MJ et al. (2007) 339:109–122
 Pradillon F, Schmidt A, Peplies J, Dubilier N (2007) Species identification of marine invertebrate early stages by whole-larvae *in situ* hybridisation of 18S ribosomal RNA. 333:103–116
 Prado P, Tomas F, Alcoverro T, Romero J (2007) Extensive direct measurements of *Posidonia oceanica* defoliation confirm the importance of herbivory in temperate seagrass meadows. 340:63–71
 Price ARG, Keeling MJ, Stewart IN (2007) A robustness metric integrating spatial and temporal information: application to coral reefs exposed to local and regional disturbances. 331:101–108
 Pringle JM, Wares JP (2007) Going against the flow: maintenance of alongshore variation in allele frequency in a coastal ocean. 335:69–84
 Procaccini G, see Serra IA et al. (2007) 338:71–79
 Putland JN, Iverson RL (2007) Ecology of *Acartia tonsa* in Apalachicola Bay, Florida, and implications of river water diversion. 340:173–187
 Putzeys S, see Vázquez E et al. (2007) 338:119–129

Q

- Qian PY, see Hung OS et al. (2007) 333:229–242
 Qian PY, see Lee OO et al. (2007) 339:25–40
 Quintana F, Wilson RP, Yorio P (2007) Dive depth and plumage air in wettable birds: the extraordinary case of the imperial cormorant. 334:299–310

R

- Ragueneau O, see Moriceau B et al. (2007) 333:129–142
 Raimbault P, see Fernández IC (2007) 337:79–92
 Raitos DE, see McQuatters-Gollop A et al. (2007) 339:301–306
 Ralph PJ, see Collier CJ et al. (2007) 337:103–115
 Rasmussen M, see Cordell JR et al. (2007) 333:213–227
 Ravago-Gotanco RG, Magsino RM, Juinio-Meñez MA (2007) Influence of the North Equatorial Current on the population genetic structure of *Tridacna crocea* (Mollusca: Tridacnidae) along the eastern Philippine seaboard. 336:161–168
 Rea LD, see Beck CA et al. (2007) 338:269–280
 Real R, see Báez JC et al. (2007) 338:249–256
 Rebstock GA, see Boersma PD et al. (2007) 335:217–225
 Rehak R, see Gosselin LA (2007) 339:143–155
 Reid T, see Lavery PS et al. (2007) 338:97–106
 Reidenbach MA, see Koehl MAR et al. (2007) 335:1–18

- Reinhardt K, see Hahn S et al. (2007) 334:287–297
 Rendell L, see Marcoux M et al. (2007) 333:309–314
 Renema W, see Cleary DFR et al. (2007) 334:73–82
 Revelles M, see Cardona L et al. (2007) 335:123–131
 Richard M, Archambault P, Thouzeau G, Desrosiers G (2007) Summer influence of 1 and 2 yr old mussel cultures on benthic fluxes in Grande-Entrée lagoon, Îles-de-la-Madeleine (Québec, Canada). 338:131–143
 Ridoux V, see Viaud-Martínez KA et al. (2007) 338:281–294
 Riera P, see Decottignies P et al. (2007) 334:179–192
 Rijnsdorp AD, see Grift RE et al. (2007) 334:213–224
 Rincé Y, see Beninger PG et al. (2007) 334:165–177
 Rincé Y, see Decottignies P et al. (2007) 334:179–192
 Risk M, see Williams B et al. (2007) 335:85–94
 Ritson-Williams R, Paul VJ (2007) Marine benthic invertebrates use multimodal cues for defense against reef fish. 340:29–39
 Rittschof D, see Tremblay R et al. (2007) 340:1–8
 Ritz MS, see Hahn S et al. (2007) 334:287–297
 Rivers DO, Short FT (2007) Effect of grazing by Canada geese *Branta canadensis* on an intertidal eelgrass *Zostera marina* meadow. 333:271–279
 Robert D, Castonguay M, Fortier L (2007) Early growth and recruitment in Atlantic mackerel *Scomber scombrus*: discriminating the effects of fast growth and selection for fast growth. 337:209–219
 Robertson DR, see Craig MT et al. (2007) 334:245–254
 Robins RJ, see Decottignies P et al. (2007) 334:179–192
 Robinson TB, Branch GM, Griffiths CL, Govender A, Hockey PAR (2007) Changes in South African rocky intertidal invertebrate community structure associated with the invasion of the mussel *Mytilus galloprovincialis*. 340:163–171
 Røed LP, see Hjermand Ø et al. (2007) 339:283–299
 Rolff C, Almesjö L, Elmgren R (2007) Nitrogen fixation and abundance of the diazotrophic cyanobacterium *Aphanizomenon* sp. in the Baltic Proper. 332:107–118
 Romanski AM, see Baker AC (2007) 335:237–242
 Romero J, see Prado P et al. (2007) 340:63–71
 Ropert M, see Dubois S et al. (2007) 336:151–160
 Ropert-Coudert Y, see Fossette S et al. (2007) 338:233–247
 Ropert-Coudert Y, Wilson RP, Yoda K, Kato A (2007) Assessing performance constraints in penguins with externally-attached devices. 333:281–289
 Rorandelli R, Gomei M, Vannini M, Cannicci S (2007) Feeding and masking selection in *Inachus phalangium* (Decapoda, Majidae): dressing up has never been so complicated. 336:225–233
 Rosel PE, see Viaud-Martínez KA et al. (2007) 338:281–294
 Rosenberg R, Davey E, Gunnarsson J, Norling K, Frank M (2007) Application of computer-aided tomography to visualize and quantify biogenic structures in marine sediments. 331:23–34
 Rosenberg R, see Norling K et al. (2007) 332:11–23
 Ross DJ, Keough MJ, Longmore AR, Knott NA (2007) Impacts of two introduced suspension feeders in Port Phillip Bay, Australia. 340:41–53
 Rost B, see Hansen PJ et al. (2007) 334:63–71
 Rousseau V, see Vasas V et al. (2007) 336:1–14
 Ruesink JL (2007) Biotic resistance and facilitation of a non-native oyster on rocky shores. 331:1–9
 Ruiz GM, see Miller AW et al. (2007) 332:41–51
 Ruiz O, Medina GR, Cohen RG, Amat F, Navarro JC (2007) Diversity of the fatty acid composition of *Artemia* spp. cysts from Argentinean populations. 335:155–165
 Ruiz-Pino D, see Masotti I et al. (2007) 338:47–59
 Ruiz-Pino D, see Schloss IR et al. (2007) 332:93–106
 Ruppel CD, see Heyl TP et al. (2007) 339:169–184
 Ruppel RE, see Bi H et al. (2007) 336:249–265
- ## S
- Saiz E, see Henriksen CI et al. (2007) 331:119–129
 Sala E, see Guidetti P (2007) 335:43–56
 Sales M, see Cardona L et al. (2007) 335:123–131
 Salvat B, see Mapstone BD et al. (2007) 332:143–153
 Samb B, see Brehmer P et al. (2007) 334:263–272
 Sampey A, McKinnon AD, Meekan MG, McCormick MI (2007) Glimpse into guts: overview of the feeding of larvae of tropical shorefishes. 339:243–257
 Sánchez-Jerez P, see González-Correa JM et al. (2007) 336:111–119
 Sangrà P, see Vázquez E et al. (2007) 338:119–129
 Sano F, see Ikeda T et al. (2007) 339:215–219
 Santos R, Flammang P (2007) Intra- and interspecific variation of attachment strength in sea urchins. 332:129–142
 Sarà G, Dean JM, D'Amato D, Buscaino G, Oliveri A, Genovese S, Ferro S, Buffa G, Martire ML, Mazzola S (2007) Effect of boat noise on the behaviour of bluefin tuna *Thunnus thynnus* in the Mediterranean Sea. 331:243–253
 Sathyendranath S, see Wu Y et al. (2007) 335:57–68
 Sato K, see Fossette S et al. (2007) 338:233–247
 Savard L, see Ouellet P et al. (2007) 339:229–241
 Schiel DR, Lilley SA (2007) Gradients of disturbance to an algal canopy and the modification of an intertidal community. 339:1–11
 Schlacher TA, Schlacher-Hoenlinger MA, Williams A, Althaus F, Hooper JNA, Kloser R (2007) Richness and distribution of sponge megabenthos in continental margin canyons off southeastern Australia. 340:73–88
 Schlacher-Hoenlinger MA, see Schlacher TA et al. (2007) 340:73–88
 Schloss IR, Ferreyra GA, Ferrario ME, Almandoz GO, Codina R, Bianchi AA, Balestrini CF, Ochoa HA, Ruiz Pino D, Poisson A (2007) Role of plankton communities in sea-air variations in pCO₂ in the SW Atlantic Ocean. 332:93–106
 Schmidt A, see Pradillon F et al. (2007) 333:103–116
 Schneider KR, Helmuth B (2007) Spatial variability in habitat temperature may drive patterns of selection between an invasive and native mussel species. 339:156–167
 Schofield G, Katselidis KA, Pantis JD, Dimopoulos P, Hays GC (2007) Female–female aggression: structure of interaction and outcome in loggerhead sea turtles. 336:267–274
 Schöne BR, see Miyaji T et al. (2007) 336:141–150
 Sears R, see Doniol-Valcroze T et al. (2007) 335:207–216
 Sebastián CR, see McClanahan TR et al. (2007) 337:1–13
 Sedlacek L, see Thistle D et al. (2007) 340:9–16
 Serra IA, Procaccini G, Intrieri MC, Migliaccio M, Mazzuca S, Innocenti AM (2007) Comparison of ISSR and SSR markers for analysis of genetic diversity in the seagrass *Posidonia oceanica*. 338:71–79
 Seuront L, see Spilmont N et al. (2007) 333:95–101
 Shackell NL, Frank KT (2007) Compensation in exploited marine fish communities on the Scotian Shelf, Canada. 336:235–247
 Shashar N, see Mass T et al. (2007) 334:93–102
 Shearer M, Van Dover CL (2007) Temporal and spatial variation in the reproductive ecology of the vent-endemic amphipod *Ventrella sulfuris* in the eastern Pacific. 331:181–194
 Sheffield G, see Budge SM et al. (2007) 336:305–309
 Sherrill-Mix SA, see James MC et al. (2007) 337:245–254
 Shikata T, see Yamasaki Y et al. (2007) 339:83–92
 Shimasaki Y, see Yamasaki Y et al. (2007) 339:83–92

- Shipe RF, Carpenter EJ, Govil SR, Capone DG (2007) Limitation of phytoplankton production by Si and N in the western Atlantic Ocean. 338:33–45
- Shoji J, Tanaka M (2007) Density-dependence in post-recruit Japanese seaperch *Lateolabrax japonicus* in the Chikugo River, Japan. 334:255–262
- Short FT, see Rivers DO (2007) 333:271–279
- Shreeve RS, see Tarling GA et al. (2007) 331:161–179
- Shreeve RS, see Tarling GA et al. (2007) 338:145–158
- Silk JRD, see Phalan B et al. (2007) 340:271–286
- Simonsen JH, see Knutsen H et al. (2007) 333:249–255
- Simpfendorfer CA, see Heupel MR et al. (2007) 337:287–297
- Sinclair D, see Williams B et al. (2007) 335:85–94
- Sipura J, see Lagus A et al. (2007) 332:77–92
- Sivonen K, see Lagus A et al. (2007) 332:77–92
- Sköld H, see Dupont S et al. (2007) 332:257–273
- Skreslet S, see Knutsen H et al. (2007) 333:249–255
- Slater JJ, Lankford TE Jr, Buckel JA (2007) Overwintering ability of young-of-the-year bluefish *Pomatomus saltatrix*: effect of ration and cohort of origin on survival. 339:259–269
- Smith M, Hansen PJ (2007) Interaction between *Mesodinium rubrum* and its prey: importance of prey concentration, irradiance and pH. 338:61–70
- Smith SR, see Murdoch TJT et al. (2007) 339:123–130
- Smoothey AF, Chapman MG (2007) Small-scale variability in the dispersion of the sea urchin *Heliocidaris erythrogramma* among boulders. 340:89–99
- Somerfield PJ, Dashfield SL, Warwick RM (2007) Three-dimensional spatial structure: nematodes in a sandy tidal flat. 336:177–186
- Sommer S, Gutzmann E, Pfannkuche O (2007) Sediments hosting gas hydrates: oases for metazoan meiofauna. 337:27–37
- Song JE, see Jeong HJ et al. (2007) 333:151–160
- Souplet A, see Ferraton F et al. (2007) 337:197–208
- Southwell CJ, see Wall SM et al. (2007) 337:265–277
- Spilmont N, Migné A, Seuront L, Davoult D (2007) Short-term variability of intertidal benthic community production during emersion and the implication in annual budget calculation. 333:95–101
- Sponaugle S, see D'Alessandro E et al. (2007) 331:85–100
- Springer AM, see Budge SM et al. (2007) 336:305–309
- Stacey MT, see Martin MA et al. (2007) 337:51–61
- Stachowicz JJ, see Nydam M (2007) 337:93–101
- Steel D, see Oremus M et al. (2007) 336:275–289
- Stenseth NC, see Hjermann DØ et al. (2007) 339:283–299
- Stenseth NC, see Knutsen H et al. (2007) 333:249–255
- Stensland E, Berggren P (2007) Behavioural changes in female Indo-Pacific bottlenose dolphins in response to boat-based tourism. 332:225–234
- Stergiou KI, Moutopoulos DK, Casal HJA, Erzini K (2007) Trophic signatures of small-scale fishing gears: implications for conservation and management. 333:117–128
- Stewart IN, see Price ARG et al. (2007) 331:101–108
- Stokes DL, see Boersma PD et al. (2007) 335:217–225
- Stolte W, see Kozlowsky-Suzuki B et al. (2007) 337:15–26
- Stone R, see Williams B et al. (2007) 335:85–94
- Stoner AW, see Laurel BJ et al. (2007) 338:183–192
- Storvik G, see Hjermann DØ et al. (2007) 339:283–299
- Strother JA, see Koehl MAR et al. (2007) 335:1–18
- Summerson HC, see Powers MJ et al. (2007) 339:109–122
- Suomela J, see Lagus A et al. (2007) 332:77–92
- Suominen L, see Lagus A et al. (2007) 332:77–92
- Svendsen TC, Camus L, Hargrave B, Fisk A, Muir DCG, Borgå K (2007) Polyaromatic hydrocarbons, chlorinated and brominated organic contaminants as tracers of feeding ecology in polar benthic amphipods. 337:155–164
- Swanson AK, see Fox CH (2007) 332:1–10
- T**
- Takishita K, see Koike K et al. (2007) 337:303–309
- Tamminen T, Andersen T (2007) Seasonal phytoplankton nutrient limitation patterns as revealed by bioassays over Baltic Sea gradients of salinity and eutrophication. 340:121–138
- Tamminen T, see Kangro K et al. (2007) 336:15–27
- Tanabe K, see Miyaji T et al. (2007) 336:141–150
- Tanaka H, see Fossette S et al. (2007) 338:233–247
- Tanaka H, see Georges JY et al. (2007) 338:225–232
- Tanaka M, see Shoji J (2007) 334:255–262
- Tang CCL, see Wu Y et al. (2007) 335:57–68
- Tang DL, see Zheng GM (2007) 333:61–74
- Tang KW, see Thor P et al. (2007) 331:131–138
- Tanis D, see Hunt CD et al. (2007) 331:35–47
- Targett TE, see Tyler RM (2007) 333:257–269
- Tarling GA, Cuzin-Roudy J, Thorpe SE, Shreeve RS, Ward P, Murphy EJ (2007) Recruitment of Antarctic krill *Euphausia superba* in the South Georgia region: adult fecundity and the fate of larvae. 331:161–179
- Tarling GA, Shreeve RS, Ward P (2007) Life-cycle and population dynamics of *Rhincalanus gigas* (Copepoda: Calanoida) in the Scotia Sea. 338:145–158
- Taylor M, see Hunt CD et al. (2007) 331:35–47
- Terlizzi A, Anderson MJ, Fraschetti S, Benedetti-Cecchi L (2007) Scales of spatial variation in Mediterranean subtidal sessile assemblages at different depths. 332:25–39
- Teske PR, see Zardi GI et al. (2007) 337:135–144
- Tewfik A, Guichard F, McCann KS (2007) Influence of acute and chronic disturbance on macrophyte landscape zonation. 335:111–121
- Thistle D, Sedlacek L, Carman KR, Fleegeer JW, Brewer PG, Barry JP (2007) Exposure to carbon dioxide-rich seawater is stressful for some deep-sea species: an *in situ*, behavioural study. 340:9–16
- Thistle D, see Vopel K et al. (2007) 333:161–171
- Thiyagarajan V, see Hung OS et al. (2007) 333:229–242
- Thomas T, Egan S, Burg D, Ng C, Ting L, Cavicchioli R (2007) Integration of genomics and proteomics into marine microbial ecology. 332:291–299
- Thompson RC, see Moore P et al. (2007) 334:11–19
- Thomsen L, see Garcia R et al. (2007) 340:207–220
- Thor P, Koski M, Tang KW, Jónasdóttir SH (2007) Supplemental effects of diet mixing on absorption of ingested organic carbon in the marine copepod *Acartia tonsa*. 331:131–138
- Thorndyke MC, see Dupont S et al. (2007) 332:257–273
- Thornton DCO, Dong LF, Underwood GJC, Nedwell DB (2007) Sediment–water inorganic nutrient exchange and nitrogen budgets in the Colne Estuary, UK. 337:63–77
- Thorpe JE (2007) Maturation responses of salmonids to changing developmental opportunities. 335:285–288
- Thorpe SE, see Tarling GA et al. (2007) 331:161–179
- Thouzeau G, see Martin S et al. (2007) 335:19–29
- Thouzeau G, see Martin S et al. (2007) 335:31–41
- Thouzeau G, see Richard M et al. (2007) 338:131–143
- Thrush SF, see de Juan S et al. (2007) 334:117–129
- Timperman AT, see Nunn BL (2007) 332:281–289
- Ting L, see Thomas T et al. (2007) 332:291–299
- Tomas F, see Prado P et al. (2007) 340:63–71
- Tremblay R, Olivier F, Bourget E, Rittschof D (2007) Physiological condition of *Balanus amphitrite* cyprid larvae determines habitat selection success. 340:1–8
- Tricas TC, see Mann DA et al. (2007) 338:307–310
- Trussell GC, see Long JD (2007) 333:75–80
- Tucker S, Bowen WD, Iverson SJ (2007) Dimensions of diet segregation in grey seals *Halichoerus grypus* revealed

through stable isotopes of carbon ($\delta^{13}\text{C}$) and nitrogen ($\delta^{15}\text{N}$). 339:271–282

- Tupper M (2007) Identification of nursery habitats for commercially valuable humphead wrasse *Cheilinus undulatus* and large groupers (Pisces: Serranidae) in Palau. 332:189–199
- Tyler RM, Targett TE (2007) Juvenile weakfish *Cynoscion regalis* distribution in relation to diel-cycling dissolved oxygen in an estuarine tributary. 333:257–269
- Tzeng WN, see Han YS (2007) 338:193–198

U

- Ulloa O, see Grob C et al. (2007) 332:53–62
- Underwood AJ, see Clynick BG et al. (2007) 332:201–210
- Underwood GJC, see Thornton DCO et al. (2007) 337:63–77

V

- Vadstein O, see Olsen Y et al. (2007) 331:67–83
- Vago R, see Mass T et al. (2007) 334:93–102
- Valentine JF, Heck KL Jr, Blackmon D, Goecker ME, Christian J, Kroutil RM, Kirsch KD, Peterson BJ, Beck M, Vanderklift MA (2007) Food web interactions along seagrass–coral reef boundaries: effects of piscivore reductions on cross-habitat energy exchange. 333:37–50
- Valentine JF, see Vanderklift MA et al. (2007) 340:235–243
- Valle C, see González-Correa JM et al. (2007) 336:111–119
- Vanderklift MA, How J, Wernberg T, MacArthur LD, Heck KL Jr., Valentine JF (2007) Proximity to reef influences density of small predatory fishes, while type of seagrass influences intensity of their predation on crabs. 340:235–243
- Vanderklift MA, see Valentine JF et al. (2007) 333:37–50
- van der Velde G, see Dorenbosch M et al. (2007) 334:103–116
- Van Dover CL, see Heyl TP et al. (2007) 339:169–184
- Van Dover CL, see Shearer M (2007) 331:181–194
- Van Elven BR, see Lavery PS et al. (2007) 338:97–106
- van Katwijk MM, see Bos AR (2007) 336:121–129
- Vannini M, see Rorandelli R et al. (2007) 336:225–233
- Vasas V, Lancelot C, Rousseau V, Jordán F (2007) Eutrophication and overfishing in temperate nearshore pelagic food webs: a network perspective. 336:1–14
- Vaselli S, see Bertocci I et al. (2007) 338:11–20
- Vázquez E, Ameneiro J, Putzeys S, Gordo C, Sangrà P (2007) Distribution of meroplankton communities in the Bransfield Strait, Antarctica. 338:119–129
- Verberk WCEP, see Dorenbosch M et al. (2007) 334:103–116
- Vester J, see Hjorth M et al. (2007) 338:21–31
- Viant MR (2007) Metabolomics of aquatic organisms: the new 'omics' on the block. 332:301–306
- Viaud-Martínez KA, Martínez Vergara M, Gol'din PE, Ridoux V, Öztürk AA, Öztürk B, Rosel PE, Frantzis A, Komnenou A, Bohonak AJ (2007) Morphological and genetic differentiation of the Black Sea harbour porpoise *Phocoena phocoena*. 338:281–294
- Vierros M, see Murdoch TJT et al. (2007) 339:123–130
- Viitasalo S (2007) Effects of bioturbation by three macrozoobenthic species and predation by necto-benthic mysids on cladoceran benthic eggs. 336:131–140
- Vincent WF, see Winkler G et al. (2007) 332:171–187
- Visser AW, see Maar M et al. (2007) 339:199–213
- Vopel A, see Vopel K et al. (2007) 333:161–171
- Vopel K, Vopel A, Thistle D, Hancock N (2007) Effects of spatangoid heart urchins on O_2 supply into coastal sediment. 333:161–171

W

- Waggett RJ, Buskey EJ (2007) Copepod escape behavior in non-turbulent and turbulent hydrodynamic regimes. 334:193–198
- Waldbauer JR, see Newsome SD et al. (2007) 332:211–224
- Walker JW (2007) Effects of fine sediments on settlement and survival of the sea urchin *Evechinus chloroticus* in north-eastern New Zealand. 331:109–118
- Wall SM, Bradshaw CJA, Southwell CJ, Gales NJ, Hindell MA (2007) Crabeater seal diving behaviour in eastern Antarctica. 337:265–277
- Waniek JJ, see Ward BA (2007) 334:47–61
- Wanless S, see Frederiksen M et al. (2007) 337:279–286
- Wanless S, see Hamer KC et al. (2007) 338:295–305
- Ward BA, Waniek JJ (2007) Phytoplankton growth conditions during autumn and winter in the Irminger Sea, North Atlantic. 334:47–61
- Ward J, see Murdoch TJT et al. (2007) 339:123–130
- Ward P, see Tarling GA et al. (2007) 331:161–179
- Ward P, see Tarling GA et al. (2007) 338:145–158
- Wares JP, see Pringle JM (2007) 335:69–84
- Warwick RM, see Somerfield PJ et al. (2007) 336:177–186
- Watanabe S, see Grob C et al. (2007) 332:53–62
- Watson R, see Cheung WWL et al. (2007) 333:1–12
- Wayne ML, see Miles CM et al. (2007) 340:155–162
- Weng KC, O'Sullivan JB, Lowe CG, Winkler CE, Dewar H, Block BA (2007) Movements, behavior and habitat preferences of juvenile white sharks *Carcharodon carcharias* in the eastern Pacific. 338:211–224
- Wennhage H, Pihl L (2007) From flatfish to sticklebacks: assemblage structure of epibenthic fauna in relation to macroalgal blooms. 335:187–198
- Wernberg T, see Vanderklift MA et al. (2007) 340:235–243
- Whitehead H, see Marcoux M et al. (2007) 333:309–314
- Williams A, see Schlacher TA et al. (2007) 340:73–88
- Williams B, Risk M, Stone R, Sinclair D, Ghaleb B (2007) Oceanographic changes in the North Pacific Ocean over the past century recorded in deep-water gorgonian corals. 335:85–94
- Williams DE, see Miller MW et al. (2007) 335:227–231
- Williams PJLeB, see McAndrew PM et al. (2007) 332:63–75
- Wilson K, see Dupont S et al. (2007) 332:257–273
- Wilson RP, see Quintana F et al. (2007) 334:299–310
- Wilson RP, see Ropert-Coudert Y et al. (2007) 333:281–289
- Wilson SK, see McClanahan TR et al. (2007) 337:1–13
- Wiltshire KH, see Malzahn AM et al. (2007) 334:205–212
- Wing SR, see Hepburn CD et al. (2007) 339:99–108
- Winkler CE, see Weng KC et al. (2007) 338:211–224
- Winkler G, Martineau C, Dodson JJ, Vincent WF, Johnson LE (2007) Trophic dynamics of two sympatric mysid species in an estuarine transition zone. 332:171–187
- Witt MJ, Broderick AC, Johns DJ, Martin C, Penrose R, Hoogmoed MS, Godley BJ (2007) Prey landscapes help identify potential foraging habitats for leatherback turtles in the NE Atlantic. 337:231–244
- Wolcott BD (2007) Mechanical size limitation and life-history strategy of an intertidal seaweed. 338:1–10
- Woodley CM, see Fisher EM et al. (2007) 339:61–71
- Wright PJ (2007) Understanding the maturation process for field investigations of fisheries-induced evolution. 335:279–283
- Wu CY, see Lin HJ et al. (2007) 335:95–109
- Wu J, see Chen H et al. (2007) 336:99–110
- Wu RSS, see Hung OS et al. (2007) 333:229–242
- Wu Y, Platt T, Tang CCL, Sathyendranath S (2007) Short-term changes in chlorophyll distribution in response to a moving storm: a modelling study. 335:57–68

Y

- Yamaguchi A, see Ikeda T et al. (2007) 339:215–219
Yamamoto H, see Fujikura K et al. (2007) 333:185–193
Yamasaki Y, Nagasoe S, Matsubara T, Shikata T, Shimasaki Y, Oshima Y, Honjo T (2007) Allelopathic interactions between the bacillariophyte *Skeletonema costatum* and the raphidophyte *Heterosigma akashiwo*. 339:83–92
Yang LH, see Lee OO et al. (2007) 339:25–40
Yoda K, see Ropert-Coudert Y et al. (2007) 333:281–289
Yoo YD, see Jeong HJ et al. (2007) 333:151–160
Yorio P, see Quintana F et al. (2007) 334:299–310

Z

- Zabin CJ, Altieri A (2007) A Hawaiian limpet facilitates recruitment of a competitively dominant invasive barnacle. 337:175–185
Zardi GI, McQuaid CD, Nicasastro KR (2007) Balancing survival and reproduction: seasonality of wave action, attachment strength and reproductive output in indigenous *Perna perna* and invasive *Mytilus galloprovincialis* mussels. 334:155–163
Zardi GI, McQuaid CD, Teske PR, Barker NP (2007) Unexpected genetic structure of mussel populations in South Africa: indigenous *Perna perna* and invasive *Mytilus galloprovincialis*. 337:135–144
Zardi GI, see Nicasastro KR et al. (2007) 336:169–175
Zavalaga CB, Benvenuti S, Dall'Antonia L, Emslie SD (2007) Diving behavior of blue-footed boobies *Sula nebouxii* in northern Peru in relation to sex, body size and prey type. 336:291–303
Zekely J, see Gollner S et al. (2007) 337:39–49
Zhang R, see Hung OS et al. (2007) 333:229–242
Zheng GM, Tang DL (2007) Offshore and nearshore chlorophyll increases induced by typhoon winds and subsequent terrestrial rainwater runoff. 333:61–74
Zumholz K, Klügel A, Hansteen T, Piatkowski U (2007) Stalolith microchemistry traces the environmental history of the boreoatlantic armhook squid *Gonatus fabricii*. 333:195–204