

## COMBINED AUTHOR AND TITLE INDEX

## (Volumes 351 to 360, 2007–2008)

## A

- Abelson A, see Ben-Tzvi O et al. (2008) 359:229–238  
 Abril G, see Deborde J et al. (2008) 355:59–71  
 Afonso P, Fontes J, Holland KN, Santos RS (2008) Social status determines behaviour and habitat usage in a temperate parrotfish: implications for marine reserve design. 359: 215–227  
 Agatsuma Y, see Endo H et al. (2007) 352:125–135  
 Airolidi L, see Connell SD et al. (2008) 360:63–72  
 Akagi HM, see Wildish DJ et al. (2008) 357:51–66  
 Alcoverro T, see Prado P et al. (2008) 359:89–98  
 Al-Habsi SH, Sweeting CJ, Polunin NVC, Graham NAJ (2008)  $\delta^{15}\text{N}$  and  $\delta^{13}\text{C}$  elucidation of size-structured food webs in a Western Arabian Sea demersal trawl assemblage. 353:55–63  
 Allcock AL, see Jessopp M et al. (2007) 352:67–75  
 Álvarez-Salgado XA, see Piedracoba S et al. (2008) 353:27–40  
 Álvarez-Salgado XA, see Piedracoba S et al. (2008) 353:41–53  
 Al-Zibdah M, see Ben-Tzvi O et al. (2008) 359:229–238  
 Amara R, Meziane T, Gilliers C, Hermel G, Laffargue P (2007) Growth and condition indices in juvenile sole *Solea solea* measured to assess the quality of essential fish habitat. 351:201–208  
 Anadón R, see López E et al. (2007) 352:161–175  
 Anderson EM, Lovvorn JR (2008) Gray whales may increase feeding opportunities for avian benthivores. 360:291–296  
 Andersson MGI, see Brion N et al. (2008) 357:87–99  
 Anglès S, see Basterretxea G et al. (2007) 352:53–65  
 Anil AC, see Hegde S et al. (2008) 356:93–101  
 Anschutz P, see Deborde J et al. (2008) 355:59–71  
 Anthes N, see Gagern A et al. (2008) 353:131–135  
 Aoki MN, see Itoh H et al. (2007) 352:101–112  
 Arkhipkin AI, see Ashford JR et al. (2007) 351:249–260  
 Armstrong DA, see Roegner GC et al. (2007) 351:177–188  
 Arntz WE, see Fetzer I (2008) 356:189–202  
 Ashford JR, Arkhipkin AI, Jones CM (2007) Otolith chemistry reflects frontal systems in the Antarctic Circumpolar Current. 351:249–260  
 Ashjian CJ, see Berline L et al. (2008) 360:163–178  
 Asmus H, see Baird D et al. (2007) 351:25–41  
 Asmus H, see Widdows J et al. (2008) 358:125–136  
 Asmus R, see Baird D et al. (2007) 351:25–41  
 Asmus RM, see Widdows J et al. (2008) 358:125–136  
 Attrill MJ, see Tweedley JR et al. (2008) 354:305–309  
 Ault JS, see Luo J et al. (2008) 357:101–109  
 Aure J, Strand Ø, Erga SR, Strohmeier T (2007) Primary production enhancement by artificial upwelling in a western Norwegian fjord. 352:39–52  
 Awruch CA, Frusher SD, Pankhurst NW, Stevens JD (2008) Non-lethal assessment of reproductive characteristics for management and conservation of sharks. 355:277–285

## B

- Bachelet G, see Deborde J et al. (2008) 355:59–71  
 Baeyens W, see Brion N et al. (2008) 357:87–99  
 Bahamon N, see Coll M et al. (2008) 355:131–147  
 Baird D, Asmus H, Asmus R (2007) Trophic dynamics of eight intertidal communities of the Sylt-Rømø Bight ecosystem, northern Wadden Sea. 351:25–41  
 Bak RPM, see Vermeij MJA et al. (2007) 351:91–102  
 Bala SI, see Lewis DM (2008) 359:261–274  
 Båmstedt U, see Hosia A (2007) 351:113–127  
 Barbieri LR, see Luo J et al. (2008) 357:101–109  
 Barnes DKA, see Smale DA et al. (2008) 355:85–94  
 Barreiro R, see Couceiro L et al. (2008) 354:141–146  
 Bartholomew A, Shine RL (2008) Space size relative to prey width (Sp/Py) influences macrofaunal colonization of artificial structures. 358:95–102  
 Bartilotti C, see dos Santos A et al. (2008) 359:171–183  
 Basterretxea G, Garcés E, Jordi A, Anglès S, Masó M (2007) Modulation of nearshore harmful algal blooms by *in situ* growth rate and water renewal. 352:53–65  
 Bathmann U, see Fach BA et al. (2008) 360:147–161  
 Baumgartner MF, see Tarrant AM et al. (2008) 355:193–207  
 Bautista B, see Mercado JM et al. (2008) 359:51–68  
 Bautista-Guerrero E, see Carballo JL et al. (2008) 356: 113–122  
 Bell JJ (2008) Similarity in connectivity patterns for two gastropod species lacking pelagic larvae. 357:185–194  
 Bell JJ, see Unsworth RKF et al. (2008) 353:213–224  
 Bellwood DR, see Bonaldo RM (2008) 360:237–244  
 Bellwood DR, see Johansen JL et al. (2008) 360:219–226  
 Bellwood DR, see Mantyka CS (2007) 352:177–185  
 Ben-Hamadou R, see Garrido S et al. (2008) 354:245–256  
 Ben-Tzvi O, Kiflawi M, Gaines SD, Al-Zibdah M, Sheehy MS, Paradis GL, Abelson A (2008) Tracking recruitment pathways of *Chromis viridis* in the Gulf of Aqaba using otolith chemistry. 359:229–238  
 Benvenuti S, see Elliott KH et al. (2008) 354:289–303  
 Bergman B, see Degerholm J et al. (2008) 360:73–84  
 Berkeley SA, see Sogard SM et al. (2008) 360:227–236  
 Berline L, Spitz YH, Ashjian CJ, Campbell RG, Maslowski W, Moore SE (2008) Euphausiid transport in the Western Arctic Ocean. 360:163–178  
 Berthon JF, see Eker-Develi E et al. (2008) 359:69–87  
 Bezanson L, see Rowe S et al. (2008) 354:257–265  
 Bigot L, see Maire O et al. (2007) 351:139–150  
 Bilkovic DM, Roggero MM (2008) Effects of coastal development on nearshore estuarine nekton communities. 358: 27–39  
 Binedell V, see Stockin KA et al. (2008) 355:287–295  
 Birdsong T, see La Peyre MK (2008) 356:51–61  
 Bishop MJ, Cole MR, Taylor SL, Wilkie EM, Kelaher BP (2008)

- Size-specific predation by dominant consumers maintains a 'trophic cul-de-sac'. 354:75–83
- Boero F, Bouillon J, Gravili C, Miglietta MP, Parsons T, Piraino S (2008) Gelatinous plankton: irregularities rule the world (sometimes). 356:299–310
- Boix D, see Brucet S et al. (2008) 355:183–191
- Bonaldo RM, Bellwood DR (2008) Size-dependent variation in the functional role of the parrotfish *Scarus rivulatus* on the Great Barrier Reef, Australia. 360:237–244
- Bond N, see Parrish JK et al. (2007) 352:275–288
- Booth JD, see Chiswell SM (2008) 354:201–217
- Bouchard C, Fortier L (2008) Effects of polynyas on the hatching season, early growth and survival of polar cod *Boreogadus saida* in the Laptev Sea. 355:247–256
- Boucher G, see Rzeznik-Orignac J et al. (2008) 359:145–150
- Bouillon J, see Boero F et al. (2008) 356:299–310
- Bouma TJ, see Hendriks IE et al. (2008) 356:163–173
- Bourass Z, see Limén H et al. (2008) 359:161–170
- Bowen WD, see Tucker S et al. (2008) 354:267–276
- Boyce DG, Tittensor DP, Worm B (2008) Effects of temperature on global patterns of tuna and billfish richness. 355:267–276
- Bradshaw C, see Hedman JE et al. (2008) 356:25–38
- Breitbarth E, Wohlers J, Kläs J, LaRoche J, Peeken I (2008) Nitrogen fixation and growth rates of *Trichodesmium* IMS-101 as a function of light intensity. 359:25–36
- Brepohl DC, see Jaschinski S et al. (2008) 358:103–114
- Brinsley MD, see Widdows J et al. (2008) 358:125–136
- Brion N, Andersson MGI, Elskens M, Diaconu C, Baeyens W, Dehairs F, Middelburg JJ (2008) Nitrogen cycling, retention and export in a eutrophic temperate macrotidal estuary. 357:87–99
- Britton-Simmons K, Eckman JE, Duggins DO (2008) Effect of tidal currents and tidal stage on estimates of bed size in the kelp *Nereocystis luetkeana*. 355:95–105
- Brodeur RD, see Suchman CL et al. (2008) 358:161–172
- Brown E, see Friedlander AM et al. (2007) 351:221–233
- Brucet S, Compte J, Boix D, López-Flores R, Quintana XD (2008) Feeding of nauplii, copepodites and adults of *Calanipeda aquaedulcis* (Calanoida) in Mediterranean salt marshes. 355:183–191
- Brzezinski MA, see Page HM et al. (2008) 360:47–62
- Buffaz L, see Planque B (2008) 357:213–223
- Burrows MT, Harvey R, Robb L (2008) Wave exposure indices from digital coastlines and the prediction of rocky shore community structure. 353:1–12
- Byrd GV, see Renner M et al. (2008) 357:301–311
- Byrd GV, see Springer AM et al. (2007) 352:289–297
- Castro P, Valiela I, Freitas H (2007) Eutrophication in Portuguese estuaries evidenced by  $\delta^{15}\text{N}$  of macrophytes. 351:43–51
- Catenazzi A, Donnelly MA (2008) Sea lion *Otaria flavescens* as host of the common vampire bat *Desmodus rotundus*. 360:285–289
- Cattaneo-Vietti R, see Mangialajo L et al. (2008) 358:63–74
- Cazelles B, see Rouyer T et al. (2008) 359:11–23
- Cermeño P, Figueiras FG (2008) Species richness and cell-size distribution: size structure of phytoplankton communities. 357:79–85
- Chang KH, see Doi H et al. (2008) 353:107–113
- Chant RJ, see Hunt HL et al. (2007) 352:145–159
- Chapman MG, see Goodsell PJ et al. (2007) 351:15–23
- Chapman MG, Underwood AJ (2008) Scales of variation of gastropod densities over multiple spatial scales: comparison of common and rare species. 354:147–160
- Chavez FP, see Ryan JP et al. (2008) 354:21–34
- Chen J, see Quan W et al. (2007) 352:89–99
- Cherel Y, see Lea MA et al. (2008) 358:273–287
- Cheshire A, see Connell SD et al. (2008) 360:63–72
- Cheung SG, see Gao QF et al. (2008) 353:137–146
- Chiantore M, see Mangialajo L et al. (2008) 358:63–74
- Chícharo MA, see Garrido S et al. (2008) 354:245–256
- Chiswell SM, Booth JD (2008) Sources and sinks of larval settlement in *Jasus edwardsii* around New Zealand: Where do larvae come from and where do they go? 354:201–217
- Chiu JMY, Zhang R, Wang H, Thiyagarajan V, Qian PY (2008) Nutrient effects on intertidal community: from bacteria to invertebrates. 358:41–50
- Chmura A, see Newman SH et al. (2007) 352:299–309
- Chockley BR, St. Mary CM, Osenberg CW (2008) Population sinks in the Upper Florida Keys: the importance of demographic variation in population dynamics of the marine shrimp *Stenopus hispidus*. 360:135–145
- Christian D, see Reyier EA et al. (2008) 359:249–260
- Christiansen JS, see Præbel K et al. (2008) 360:189–199
- Chu FLE, Lund ED, Podbesek JA (2008) Quantitative significance of n-3 essential fatty acid contribution by heterotrophic protists in marine pelagic food webs. 354:85–95
- Clark KL, see Wing SR et al. (2008) 360:115–123
- Clark MS, see Peck LS et al. (2008) 358:181–189
- Clavier J, see Deborde J et al. (2008) 355:59–71
- Clifford K, see Hyde JR et al. (2008) 357:245–253
- Cole MR, see Bishop MJ et al. (2008) 354:75–83
- Coll M, Bahamon N, Sardà F, Palomera I, Tudela S, Suuronen P (2008) Improved trawl selectivity: effects on ecosystems in the South Catalan Sea (NW Mediterranean). 355:131–147
- Coll M, see Libralato S et al. (2008) 355:107–129
- Collier CJ, Lavery PS, Ralph PJ, Masini RJ (2008) Physiological characteristics of the seagrass *Posidonia sinuosa* along a depth-related gradient of light availability. 353:65–79
- Compte J, see Brucet S et al. (2008) 355:183–191
- Connell SD, Russell BD, Turner DJ, Shepherd SA, Kildea T, Miller D, Airoidi L, Cheshire A (2008) Recovering a lost baseline: missing kelp forests from a metropolitan coast. 360:63–72
- Connell SD, see Roberts BK (2008) 358:75–84
- Connolly RM, see Smith TM et al. (2008) 359:203–213
- Converse K, see Newman SH et al. (2007) 352:299–309
- Conway DVP, see dos Santos A et al. (2008) 359:171–183
- Cornulier T, see de Stephanis R et al. (2008) 353:275–288
- Correa JA, see Lardies MA et al. (2008) 358:203–210
- Cortés D, see Mercado JM et al. (2008) 359:51–68
- Corzo A, see García-Robledo E et al. (2008) 356:139–151
- Costa MJ, see Franco MA et al. (2008) 358:51–62

## C

- Côté IM, see Holt BG et al. (2008) 357:283–289  
 Couceiro L, Míguez A, Ruiz JM, Barreiro R (2008) Introduced status of *Cyclope neritea* (Gastropoda, Nassariidae) in the NW Iberian Peninsula confirmed by mitochondrial sequence data. 354:141–146  
 Cowen RK, see Llopiz JK (2008) 358:231–244  
 Crespo BG, Teixeira IG, Figueiras FG, Castro CG (2008) Microplankton composition off NW Iberia at the end of the upwelling season: source areas of harmful dinoflagellate blooms. 355:31–43  
 Cresswell K, see Wiedenmann J et al. (2008) 358:191–202  
 Crowe TP, see Jessopp M et al. (2007) 352:67–75  
 Cunha ME, see Garrido S et al. (2008) 354:245–256

## D

- Dahdouh-Guebas F, see Di Nitto D et al. (2008) 356:175–188  
 Dall'Antonia L, see Elliott KH et al. (2008) 354:289–303  
 Daly EA, see Suchman CL et al. (2008) 358:161–172  
 Damaso C, see Morato T et al. (2008) 357:23–32  
 Dambacher JM, see Metcalf SJ et al. (2008) 360:25–36  
 Danyushevsky L, see Doubleday ZA et al. (2008) 360:125–133  
 Daszak P, see Newman SH et al. (2007) 352:299–309  
 Daunt F, see Watanuki Y et al. (2008) 356:283–293  
 David V, see Lobry J et al. (2008) 358:13–25  
 Davis CS, see Hu Q et al. (2008) 360:179–187  
 Davis J, see Ridgway T et al. (2008) 354:161–168  
 Davoren GK, see Elliott KH et al. (2008) 354:289–303  
 Deagle BE, Gales NJ, Hindell MA (2008) Variability in foraging behaviour of chick-rearing macaroni penguins *Eudyptes chrysolophus* and its relation to diet. 359:295–309  
 DeAngelis BM, McCandless CT, Kohler NE, Recksiek CW, Skomal GB (2008) First characterization of shark nursery habitat in the United States Virgin Islands: evidence of habitat partitioning by two shark species. 358:257–271  
 Deborde J, Abril G, Mouret A, Jézéquel D, Thouzeau G, Clavier J, Bachelet G, Anschütz P (2008) Effects of seasonal dynamics in a *Zostera noltii* meadow on phosphorus and iron cycles in a tidal mudflat (Arcachon Bay, France). 355:59–71  
 Debrot AO, see Vermeij MJA et al. (2007) 351:91–102  
 De Caralt S, Uriz MJ, Wijffels RH (2008) Grazing, differential size-class dynamics and survival of the Mediterranean sponge *Corticium candelabrum*. 360:97–106  
 Declair H, see Di Nitto D et al. (2008) 356:175–188  
 Deegan LA, see Drake DC et al. (2008) 354:35–46  
 Defeo O, see Gutiérrez NL et al. (2008) 353:147–156  
 Degerholm J, Gundersen K, Bergman B, Söderbäck E (2008) Seasonal significance of N<sub>2</sub> fixation in coastal and offshore waters of the northwestern Baltic Sea. 360:73–84  
 de Goeij JM, van den Berg H, van Oostveen MM, Epping EHG, van Duyl FC (2008) Major bulk dissolved organic carbon (DOC) removal by encrusting coral reef cavity sponges. 357:139–151  
 Dehairs F, see Brion N et al. (2008) 357:87–99  
 Deibel D, see Thompson RJ et al. (2008) 357:33–49  
 de Leeuw JJ, see Teal LR et al. (2008) 358:219–230  
 de Lomas JG, see García-Robledo E et al. (2008) 356:139–151  
 Demarcq H, Richardson AJ, Field JG (2008) Generalised model of primary production in the southern Benguela upwelling system. 354:59–74  
 de Stephanis R, Cornulier T, Verborgh P, Salazar Sierra J, Pérez Gimeno N, Guinet C (2008) Summer spatial distribution of cetaceans in the Strait of Gibraltar in relation to the oceanographic context. 353:275–288  
 Devine JA, see Kaartvedt S et al. (2008) 360:201–209  
 Devred E, see Forget MH et al. (2007) 352:27–38  
 Diaconu C, see Brion N et al. (2008) 357:87–99  
 Dias JA, see Dolbeth M et al. (2007) 352:113–124  
 Dill LM, see Kerford MR et al. (2008) 358:289–294  
 Di Nitto D, Dahdouh-Guebas F, Kairo JG, Declair H, Koedam N (2008) Digital terrain modelling to investigate the effects of sea level rise on mangrove propagule establishment. 356:175–188  
 DiTullio GR, see Hare CE et al. (2007) 352:9–16  
 Dodson JJ, see Hedger RD et al. (2008) 355:235–246  
 Doi H, Chang KH, Obayashi Y, Yoshihara M, Shime M, Yamamoto T, Nishibe Y, Nakano S (2008) Attached microalgae contribute to planktonic food webs in bays with fish and pearl oyster farms. 353:107–113  
 Dolbeth M, Ferreira Ó, Teixeira H, Marques JC, Dias JA, Pardal MA (2007) Beach morphodynamic impact on a macrobenthic community along a subtidal depth gradient. 352:113–124  
 Donnelly MA, see Catenazzi A (2008) 360:285–289  
 dos Santos A, Santos AMP, Conway DVP, Bartilotti C, Lourenço P, Queiroga H (2008) Diel vertical migration of decapod larvae in the Portuguese coastal upwelling ecosystem: implications for offshore transport. 359:171–183  
 Doubleday ZA, Pecl GT, Semmens JM, Danyushevsky L (2008) Using stylet elemental signatures to determine the population structure of *Octopus maorum*. 360:125–133  
 Dove S, see Eckes MJ et al. (2008) 353:203–211  
 Drake DC, Peterson BJ, Deegan LA, Harris LA, Miller EE, Warren RS (2008) Plant nitrogen dynamics in fertilized and natural New England salt marshes: a paired <sup>15</sup>N tracer study. 354:35–46  
 Drew GS, see Piatt JF et al. (2007) 352:221–234  
 Duarte CM, see Hendriks IE et al. (2008) 356:163–173  
 Dubroca L, see Lea MA et al. (2008) 358:273–287  
 Duchène JC, see Maire O et al. (2007) 351:139–150  
 Dugan JE, see Page HM et al. (2008) 360:47–62  
 Duggins DO, see Britton-Simmons K et al. (2008) 355:95–105

## E

- Eckes MJ, Siebeck UE, Dove S, Grutter AS (2008) Ultraviolet sunscreens in reef fish mucus. 353:203–211  
 Eckman JE, see Britton-Simmons K et al. (2008) 355:95–105  
 Eddie B, Krembs C, Neuer S (2008) Characterization and growth response to temperature and salinity of psychrophilic, halotolerant *Chlamydomonas* sp. ARC isolated from Chukchi Sea ice. 354:107–117  
 Edmunds PJ, see Green DH et al. (2008) 359:1–10  
 Edwards KP, Hare JA, Werner FE, Seim H (2007) Using 2-dimensional dispersal kernels to identify the dominant influences on larval dispersal on continental shelves. 352:77–87  
 Ehlers A, Worm B, Reusch TBH (2008) Importance of genetic diversity in eelgrass *Zostera marina* for its resilience to global warming. 355:1–7  
 Eker-Develi E, Berthon JF, van der Linde D (2008) Phytoplankton class determination by microscopic and HPLC-CHEMTAX analyses in the southern Baltic Sea. 359:69–87  
 Elliott KH, Woo K, Gaston AJ, Benvenuti S, Dall'Antonia L, Davoren GK (2008) Seabird foraging behaviour indicates prey type. 354:289–303  
 Elliott M, see Franco A et al. (2008) 354:219–228  
 Ellis GM, see Matkin CO et al. (2008) 356:269–281  
 Elskens M, see Brion N et al. (2008) 357:87–99

- Emerson BC, see Holt BG et al. (2008) 357:283–289
- Emmerson LM, see Tierney M et al. (2008) 355:297–307
- Endo H, Nakabayashi N, Agatsuma Y, Taniguchi K (2007) Food of the sea urchins *Strongylocentrotus nudus* and *Hemicentrotus pulcherrimus* associated with vertical distributions in fucoid beds and crustose coralline flats in northern Honshu, Japan. 352:125–135
- Engström-Öst J, Mattila J (2008) Foraging, growth and habitat choice in turbid water: an experimental study with fish larvae in the Baltic Sea. 359:275–281
- Epping EHG, see de Goeij JM et al. (2008) 357:139–151
- Erftemeijer PLA, van Beek JKL, Ochieng CA, Jager Z, Los HJ (2008) Eelgrass seed dispersal via floating generative shoots in the Dutch Wadden Sea: a model approach. 358:115–124
- Erga SR, see Aure J et al. (2007) 352:39–52
- Escalera L, see Pizarro G et al. (2008) 353:89–105
- Esser F, Winterberg M, Sebesvari Z, Harder T (2008) Effects of halogenated metabolites from infaunal polychaetes on larval settlement of the spionid polychaete *Streblospio benedicti*. 355:161–172
- ### F
- Fach BA, Meyer B, Wolf-Gladrow D, Bathmann U (2008) Biochemically based modeling study of Antarctic krill *Euphausia superba* growth and development. 360:147–161
- Fanelli E, Cartes JE (2008) Spatio-temporal changes in gut contents and stable isotopes in two deep Mediterranean pandalids: influence on the reproductive cycle. 355:219–233
- Faunce CH, Serafy JE (2008) Selective use of mangrove shorelines by snappers, grunts, and great barracuda. 356:153–162
- Ferreira Ó, see Dolbeth M et al. (2007) 352:113–124
- Fetzer I, Arntz WE (2008) Reproductive strategies of benthic invertebrates in the Kara Sea (Russian Arctic): adaptation of reproduction modes to cold water. 356:189–202
- Fevolden SE, see Præbel K et al. (2008) 360:189–199
- Fichet D, see Rzeznik-Orignac J et al. (2008) 359:145–150
- Field J, see Warwick R et al. (2008) 354:1
- Field JG, see Demarcq H et al. (2008) 354:59–74
- Figueiras FG, see Cermeño P (2008) 357:79–85
- Figueiras FG, see Crespo BG et al. (2008) 355:31–43
- Figueiras FG, see Piedracoba S et al. (2008) 353:27–40
- Fisher NS, see Mathews T et al. (2008) 360:1–12
- Fisher R, see Sogard SM et al. (2008) 360:227–236
- Fleeger JW, see Galván K et al. (2008) 359:37–49
- Fontes J, see Afonso P et al. (2008) 359:215–227
- Forget MH, Fuentes-Yaco C, Sathyendranath S, Platt T, Pommer J, Devred E (2007) Computation of primary production from remote sensing of ocean colour at the northwestern Atlantic C-SOLAS Lagrangian site. 352:27–38
- Fortier L, see Bouchard C (2008) 355:247–256
- Frade PR, see Vermeij MJA et al. (2007) 351:91–102
- Franco A, Elliott M, Franzoi P, Torricelli P (2008) Life strategies of fishes in European estuaries: the functional guild approach. 354:219–228
- Franco JM, see Pizarro G et al. (2008) 353:89–105
- Franco MA, Soetaert K, Van Oevelen D, Van Gansbeke D, Costa MJ, Vincx M, Vanaverbeke J (2008) Density, vertical distribution and trophic responses of metazoan meiobenthos to phytoplankton deposition in contrasting sediment types. 358:51–62
- Franzoi P, see Franco A et al. (2008) 354:219–228
- Fraser KPP, see Smale DA et al. (2008) 355:85–94
- Frederiksen M, Mavor RA, Wanless S (2007) Seabirds as environmental indicators: the advantages of combining data sets. 352:205–211
- Freitas H, see Castro P et al. (2007) 351:43–51
- Frew RD, see Wing SR et al. (2008) 360:115–123
- Friedlander AM, Brown E, Monaco ME (2007) Defining reef fish habitat utilization patterns in Hawaii: comparisons between marine protected areas and areas open to fishing. 351:221–233
- Fromentin JM, see Rouyer T et al. (2008) 359:11–23
- Froneman PW, see Richoux NB (2008) 357:121–137
- Frusher SD, see Awruch CA et al. (2008) 355:277–285
- Fry B, see Galván K et al. (2008) 359:37–49
- Fu C, see Quan W et al. (2007) 352:89–99
- Fuentes-Yaco C, see Forget MH et al. (2007) 352:27–38
- Fugate DC, see Hunt HL et al. (2007) 352:145–159
- Fujiki T, Hosaka T, Kimoto H, Ishimaru T, Saino T (2008) *In situ* observation of phytoplankton productivity by an underwater profiling buoy system: use of fast repetition rate fluorometry. 353:81–88
- Fukami H, see Suzuki G et al. (2008) 355:149–159
- Fulton CJ, see Johansen JL et al. (2008) 360:219–226
- ### G
- Gaertner D, see Hallier JP (2008) 353:255–264
- Gage MJG, see Holt BG et al. (2008) 357:283–289
- Gagern A, Schürg T, Michiels NK, Schulte G, Sprenger D, Anthes N (2008) Behavioural response to interference competition in a sessile suspension feeder. 353:131–135
- Gaines SD, see Ben-Tzvi O et al. (2008) 359:229–238
- Gaines SD, see Selkoe KA et al. (2007) 351:209–220
- Gales NJ, see Deagle BE et al. (2008) 359:295–309
- Galván K, Fleeger JW, Fry B (2008) Stable isotope addition reveals dietary importance of phytoplankton and microphytobenthos to saltmarsh infauna. 359:37–49
- Gao QF, Xu WZ, Liu XS, Cheung SG, Shin PKS (2008) Seasonal changes in C, N and P budgets of green-lipped mussels *Perna viridis* and removal of nutrients from fish farming in Hong Kong. 353:137–146
- Garcés E, see Basterretxea G et al. (2007) 352:53–65
- García-Robledo E, Corzo A, de Lomas JG, van Bergeijk SA (2008) Biogeochemical effects of macroalgal decomposition on intertidal microbenthos: a microcosm experiment. 356:139–151
- Garrard SL, see Unsworth RKF et al. (2008) 353:213–224
- Garrido JL, see Piedracoba S et al. (2008) 353:41–53
- Garrido S, Ben-Hamadou R, Oliveira PB, Cunha ME, Chicharo MA, van der Lingen CD (2008) Diet and feeding intensity of sardine *Sardina pilchardus*: correlation with satellite-derived chlorophyll data. 354:245–256
- Garvey M, Moriceau B, Passow U (2007) Applicability of the FDA assay to determine the viability of marine phytoplankton under different environmental conditions. 352:17–26
- Gaston AJ, see Cairns DK et al. (2008) 356:239–250
- Gaston AJ, see Elliott KH et al. (2008) 354:289–303
- Gélinas Y, see Stevens CJ et al. (2008) 356:225–237
- Geller J, Sotka EE, Kado R, Palumbi SR, Schwindt E (2008) Sources of invasions of a northeastern Pacific acorn barnacle, *Balanus glandula*, in Japan and Argentina. 358:211–218
- Genovese SJ, see Leichter JJ et al. (2008) 356:123–138
- Gilcoto M, see Piedracoba S et al. (2008) 353:27–40
- Gilek M, see Hedman JE et al. (2008) 356:25–38
- Gilg MR, Kirby SE, Sullivan R, Knapp LW, Hilbish TJ (2007)

- Dispersal vs. retention: correspondence of species-specific reproductive cycles and settlement periods in a blue mussel hybrid zone. 351:151–161
- Gilliers C, see Amara R et al. (2007) 351:201–208
- Gladstone W (2007) Selection of a spawning aggregation site by *Chromis hypsilepis* (Pisces: Pomacentridae): habitat structure, transport potential, and food availability. 351:235–247
- Gobler CJ, see Wall CC et al. (2008) 357:165–174
- González-Gil S, see Pizarro G et al. (2008) 353:89–105
- González-Solís J, see Navarro J et al. (2007) 351:261–271
- Goodsell PJ, Chapman MG, Underwood AJ (2007) Differences between biota in anthropogenically fragmented habitats and in naturally patchy habitats. 351:15–23
- Gopalakrishna VV, see Hegde S et al. (2008) 356:93–101
- Gosselin M, see Juul-Pedersen T et al. (2008) 353:13–25
- Gosselin M, see Pommier J et al. (2008) 356:81–92
- Goulet D, see Goulet TL et al. (2008) 355:45–58
- Goulet TL, Simmons C, Goulet D (2008) Worldwide biogeography of *Symbiodinium* in tropical octocorals. 355:45–58
- Graham NAJ, see Al-Habsi SH et al. (2008) 353:55–63
- Gravili C, see Boero F et al. (2008) 356:299–310
- Green DH, Edmunds PJ, Carpenter RC (2008) Increasing relative abundance of *Porites astreoides* on Caribbean reefs mediated by an overall decline in coral cover. 359:1–10
- Green J, see Mountain D et al. (2008) 353:225–242
- Grémare A, see Maire O et al. (2007) 351:139–150
- Gribsholt B, see Rossi F et al. (2008) 354:47–57
- Gross T, see North EW et al. (2008) 359:99–115
- Grutter AS, see Eckes MJ et al. (2008) 353:203–211
- Grutter AS, see Penfold R et al. (2008) 357:111–119
- Guichard F, see Petrović F (2008) 356:203–214
- Guinet C, see de Stephanis R et al. (2008) 353:275–288
- Guinet C, see Lea MA et al. (2008) 358:273–287
- Gundersen K, see Degerholm J et al. (2008) 360:73–84
- Gunnarsson JS, see Hedman JE et al. (2008) 356:25–38
- Gutiérrez NL, Martínez A, Defeo O (2008) Identifying environmental constraints at the edge of a species' range: scallop *Psychochlamys patagonica* in the SW Atlantic Ocean. 353:147–156
- ## H
- Hale R, Swearer SE (2008) Otolith microstructural and microchemical changes associated with settlement in the diadromous fish *Galaxias maculatus*. 354:229–234
- Hallier JP, Gaertner D (2008) Drifting fish aggregation devices could act as an ecological trap for tropical tuna species. 353:255–264
- Hama T, see Itoh H et al. (2007) 352:101–112
- Hamer KC, see Magalhães MC et al. (2008) 359:283–293
- Hansen PJ, see Søderberg LM (2007) 351:103–112
- Harder T, see Esser F et al. (2008) 355:161–172
- Harding AMA, Piatt JF, Schmutz JA (2007) Seabird behavior as an indicator of food supplies: sensitivity across the breeding season. 352:269–274
- Harding AMA, see Piatt JF et al. (2007) 352:221–234
- Hare CE, Leblanc K, DiTullio GR, Kudela RM, Zhang Y, Lee PA, Riseman S, Hutchins DA (2007) Consequences of increased temperature and CO<sub>2</sub> for phytoplankton community structure in the Bering Sea. 352:9–16
- Hare JA, see Edwards KP et al. (2007) 352:77–87
- Harris LA, see Drake DC et al. (2008) 354:35–46
- Harrison PL, see Mangubhai S (2008) 360:85–96
- Harvey HR, Secor DH, Ju SJ (2008) The use of extractable lipofuscin for age determination of crustaceans: Reply to Sheehy (2008). 353:307–311
- Harvey JT, see Parrish JK et al. (2007) 352:275–288
- Harvey R, see Burrows MT et al. (2008) 353:1–12
- Hatin D, see Hedger RD et al. (2008) 355:235–246
- Hauser DDW, Logsdon MG, Holmes EE, VanBlaricom GR, Osborne RW (2007) Summer distribution patterns of southern resident killer whales *Orcinus orca*: core areas and spatial segregation of social groups. 351:301–310
- Hawkins SJ, see Martins GM et al. (2008) 356:15–24
- Hawkins SJ, see Pinn EH et al. (2008) 355:173–182
- Hayashibara T, see Suzuki G et al. (2008) 355:149–159
- Hays GC, see Lambardi P et al. (2008) 353:289–301
- Heck KL Jr, see Kramer KL (2007) 352:310
- Heck KL Jr, see McKay KM (2008) 356:295–298
- Hedger RD, Martin F, Hatin D, Caron F, Whoriskey FG, Dodson JJ (2008) Active migration of wild Atlantic salmon *Salmo salar* smolt through a coastal embayment. 355:235–246
- Hedman JE, Bradshaw C, Thorsson MH, Gilek M, Gunnarsson JS (2008) Fate of contaminants in Baltic Sea sediments: role of bioturbation and settling organic matter. 356:25–38
- Hegde S, Anil AC, Patil JS, Mitbavkar S, Krishnamurthy V, Gopalakrishna VV (2008) Influence of environmental settings on the prevalence of *Trichodesmium* spp. in the Bay of Bengal. 356:93–101
- Hegeman J, see van Duyl FC et al. (2008) 358:137–150
- Heip C, see Rossi F et al. (2008) 354:47–57
- Heip C, see Warwick R et al. (2008) 354:1
- Heithaus MR, see Kerford MR et al. (2008) 358:289–294
- Hendriks IE, Sintes T, Bouma TJ, Duarte CM (2008) Experimental assessment and modeling evaluation of the effects of the seagrass *Posidonia oceanica* on flow and particle trapping. 356:163–173
- Hermel G, see Amara R et al. (2007) 351:201–208
- Hilbish TJ, see Gilg MR et al. (2007) 351:151–161
- Hill R, Ralph PJ (2007) Post-bleaching viability of expelled zooxanthellae from the scleractinian coral *Pocillopora damicornis*. 352:137–144
- Hill T, see Peck LS et al. (2008) 358:181–189
- Hindell JS, see Smith TM et al. (2008) 359:203–213
- Hindell M, see Lea MA et al. (2008) 358:273–287
- Hindell MA, see Deagle BE et al. (2008) 359:295–309
- Hindell MA, see Tierney M et al. (2008) 355:297–307
- Hinton M, Ramsdell JS (2008) Brevetoxin in two planktivorous fishes after exposure to *Karenia brevis*: implications for food-web transfer to bottlenose dolphins. 356:251–258
- Hobday AJ, see Metcalf SJ et al. (2008) 360:25–36
- Hobson KA, see Karnovsky NJ et al. (2008) 357:291–299
- Hoegh-Guldberg O, see Ridgway T et al. (2008) 354:161–168
- Hofmann GE, see Place SP et al. (2008) 356:1–14
- Holland KN, see Afonso P et al. (2008) 359:215–227
- Holmes EE, see Hauser DDW et al. (2007) 351:301–310
- Holohan BA, see Li B et al. (2008) 357:67–77
- Holt BG, Emerson BC, Newton J, Gage MJG, Côté IM (2008) Stable isotope analysis of the *Hypoplectrus* species complex reveals no evidence for dietary niche divergence. 357:283–289
- Hood RR, see North EW et al. (2008) 359:99–115
- Hoogstraten A, see van Duyl FC et al. (2008) 358:137–150
- Horii T, see Onitsuka T et al. (2007) 351:129–138
- Horinouchi M, see Nakamura Y et al. (2008) 355:257–266
- Hosaka T, see Fujiki T et al. (2008) 353:81–88
- Hosia A, Båmstedt U (2007) Seasonal changes in the gelatinous zooplankton community and hydromedusa abundances in Korsfjord and Fanafjord, western Norway. 351:113–127

- Houk P, van Woessik R (2008) Dynamics of shallow-water assemblages in the Saipan Lagoon. 356:39–50
- Howar J, see Robinette DP et al. (2007) 352:259–268
- Howe ER, Simenstad CA (2007) Restoration trajectories and food web linkages in San Francisco Bay's estuarine marshes: a manipulative translocation experiment. 351: 65–76
- Hu Q, Davis CS, Petrik CM (2008) A simplified age-stage model for copepod population dynamics. 360:179–187
- Huang CH, Lin HJ, Huang TC, Su HM, Hung JJ (2008) Responses of phytoplankton and periphyton to system-scale removal of oyster-culture racks from a eutrophic tropical lagoon. 358:1–12
- Huang TC, see Huang CH et al. (2008) 358:1–12
- Huettmann F, see Cairns DK et al. (2008) 356:239–250
- Hung JJ, see Huang CH et al. (2008) 358:1–12
- Hunt GL Jr, see Karnovsky NJ et al. (2008) 357:291–299
- Hunt GL Jr, see Renner M et al. (2008) 357:301–311
- Hunt HL, Maltais MJ, Fugate DC, Chant RJ (2007) Spatial and temporal variability in juvenile bivalve dispersal: effects of sediment transport and flow regime. 352:145–159
- Hurst TP, see Ryer CH (2008) 357:207–212
- Hutchings JA, see Rowe S et al. (2008) 354:257–265
- Hutchins DA, see Hare CE et al. (2007) 352:9–16
- Hyde JR, Kimbrell C, Robertson L, Clifford K, Lynn E, Vetter R (2008) Multiple paternity and maintenance of genetic diversity in the live-bearing rockfishes *Sebastes* spp. 357: 245–253

## I

- Ishihara Y, see Yokoyama H et al. (2008) 358:173–179
- Ishimaru T, see Fujiki T et al. (2008) 353:81–88
- Itoh H, Aoki MN, Tsuchiya Y, Sato T, Shinagawa H, Komatsu T, Mikami A, Hama T (2007) Fate of organic matter in faecal pellets egested by epifaunal mesograzers in a *Sargassum* forest and implications for biogeochemical cycling. 352:101–112
- Iverson SJ, Springer AM, Kitaysky AS (2007) Seabirds as indicators of food web structure and ecosystem variability: qualitative and quantitative diet analyses using fatty acids. 352:235–244
- Iverson S, see Karnovsky NJ et al. (2008) 357:291–299
- Iverson SJ, see Nordstrom CA et al. (2008) 360:245–263
- Iverson SJ, see Springer AM et al. (2007) 352:289–297
- Iverson SJ, see Tucker S et al. (2008) 354:267–276

## J

- Jacinto RIR, see Vermeij MJA et al. (2007) 351:91–102
- Jackson EL, see Tweedley JR et al. (2008) 354:305–309
- Jackson NL, Smith DR, Nordstrom KF (2008) Physical and chemical changes in the foreshore of an estuarine beach: implications for viability and development of horseshoe crab *Limulus polyphemus* eggs. 355:209–218
- Jacobson KC, Teel D, Van Doornik DM, Casillas E (2008) Parasite-associated mortality of juvenile Pacific salmon caused by the trematode *Nanophyetus salmincola* during early marine residence. 354:235–244
- Jager Z, see Erftemeijer PLA et al. (2008) 358:115–124
- Jaschinski S, Brepohl DC, Sommer U (2008) Carbon sources and trophic structure in an eelgrass *Zostera marina* bed, based on stable isotope and fatty acid analyses. 358: 103–114
- Jeffrey RA, see Mathews T et al. (2008) 360:1–12

- Jenkins GP, see Smith TM et al. (2008) 359:203–213
- Jenkins SR, see Martins GM et al. (2008) 356:15–24
- Jessopp M, Mulholland OR, McAllen R, Johnson MP, Crowe TP, Allcock AL (2007) Coastline configuration as a determinant of structure in larval assemblages. 352:67–75
- Jézéquel D, see Deborde J et al. (2008) 355:59–71
- Jin B, see Quan W et al. (2007) 352:89–99
- Johansen JL, Bellwood DR, Fulton CJ (2008) Coral reef fishes exploit flow refuges in high-flow habitats. 360:219–226
- Johnsen E, Skaret G (2008) Adaptive mass formations in fish shoals founded in conflicting motivation. 358:295–300
- Johnson CL, see Tarrant AM et al. (2008) 355:193–207
- Johnson D, see Mountain D et al. (2008) 353:225–242
- Johnson MP, see Jessopp M et al. (2007) 352:67–75
- Johnston R, Sheaves M (2008) Cross-channel distribution of small fish in tropical and subtropical coastal wetlands is trophic-, taxonomic-, and wetland depth-dependent. 357: 255–270
- Johnston R, see Sheaves M (2008) 357:225–243
- Joly P, see Plourde S (2008) 353:165–175
- Jompa J, see Unsworth RKF et al. (2008) 353:213–224
- Jones CM, see Ashford JR et al. (2007) 351:249–260
- Jones CM, see Penfold R et al. (2008) 357:111–119
- Jordi A, see Basterretxea G et al. (2007) 352:53–65
- Ju SJ, see Harvey HR et al. (2008) 353:307–311
- Juniper SK, see Limén H et al. (2008) 359:161–170
- Juniper SK, see Stevens CJ et al. (2008) 356:225–237
- Juul-Pedersen T, Michel C, Gosselin M, Seuthe L (2008) Seasonal changes in the sinking export of particulate material under first-year sea ice on the Mackenzie Shelf (western Canadian Arctic). 353:13–25

## K

- Kaartvedt S, Torgersen T, Klevjer TA, Røstad A, Devine JA (2008) Behavior of individual mesopelagic fish in acoustic scattering layers of Norwegian fjords. 360:201–209
- Kado R, see Geller J et al. (2008) 358:211–218
- Kahl LA, Vardi A, Schofield O (2008) Effects of phytoplankton physiology on export flux. 354:3–19
- Kai S, Sakai K (2008) Effect of colony size and age on resource allocation between growth and reproduction in the corals *Goniastrea aspera* and *Favites chinensis*. 354:133–139
- Kairo JG, see Di Nitto D et al. (2008) 356:175–188
- Kanaya G, Takagi S, Kikuchi E (2008) Spatial dietary variations in *Laternula marilina* (Bivalva) and *Hediste* spp. (Polychaeta) along environmental gradients in two brackish lagoons. 359:133–144
- Karnovsky NJ, Hobson KA, Iverson S, Hunt GL Jr (2008) Seasonal changes in diets of seabirds in the North Water Polynya: a multiple-indicator approach. 357:291–299
- Kasai A, see Suzuki KW et al. (2008) 358:245–256
- Kautsky N, see Norling P (2007) 351:163–175
- Kawamura T, see Onitsuka T et al. (2007) 351:129–138
- Kędra M, see Włodarska-Kowalczyk M (2007) 351:53–63
- Keister JE, see Suchman CL et al. (2008) 358:161–172
- Kelaher BP, see Bishop MJ et al. (2008) 354:75–83
- Kemp WM, see Testa JM (2008) 356:63–79
- Kennedy VS, see North EW et al. (2008) 359:99–115
- Kerford MR, Wirsing AJ, Heithaus MR, Dill LM (2008) Danger on the rise: diurnal tidal state mediates an exchange of food for safety by the bar-bellied sea snake *Hydrophis elegans*. 358:289–294
- Kettle AB, see Piatt JF et al. (2007) 352:221–234
- Kiflawi M, see Ben-Tzvi O et al. (2008) 359:229–238
- Kikuchi E, see Kanaya G et al. (2008) 359:133–144

- Kildea T, see Connell SD et al. (2008) 360:63–72  
 Kilpatrick AM, see Newman SH et al. (2007) 352:299–309  
 Kim JH, see Molis M et al. (2008) 354:97–105  
 Kimbrell C, see Hyde JR et al. (2008) 357:245–253  
 Kimoto H, see Fujiki T et al. (2008) 353:81–88  
 Kingsford MJ, see Pitt KA et al. (2007) 351:1–13  
 Kirby SE, see Gilg MR et al. (2007) 351:151–161  
 Kitaysky AS, Piatt JF, Wingfield JC (2007) Stress hormones link food availability and population processes in seabirds. 352:245–258  
 Kitaysky AS, see Iverson SJ et al. (2007) 352:235–244  
 Kitazato H, see Nomaki H et al. (2008) 357:153–164  
 Kitchingman A, see Morato T et al. (2008) 357:17–21  
 Klaas C, Verity PG, Schultes S (2008) Determination of copepod grazing on natural plankton communities: correcting for trophic cascade effects. 357:195–206  
 Kläs J, see Breitbarth E et al. (2008) 359:25–36  
 Klevjer TA, see Kaartvedt S et al. (2008) 360:201–209  
 Knapp LW, see Gilg MR et al. (2007) 351:151–161  
 Ko YW, see Molis M et al. (2008) 354:97–105  
 Koedam N, see Di Nitto D et al. (2008) 356:175–188  
 Kohler NE, see DeAngelis BM et al. (2008) 358:257–271  
 Koike I, see Nakamura Y et al. (2008) 355:257–266  
 Komatsu T, see Itoh H et al. (2007) 352:101–112  
 Koop K, see Pitt KA et al. (2007) 351:1–13  
 Körner J, see Molis M et al. (2008) 354:97–105  
 Köster M, Krause C, Paffenhöfer GA (2008) Time-series measurements of oxygen consumption of copepod nauplii. 353:157–164  
 Kraak SBM, see Mollet FM et al. (2007) 351:189–199  
 Kramer KL, Heck KL Jr (2007) (Erratum to Vol. 349:111–123, 2007) 352:310  
 Krause C, see Köster M et al. (2008) 353:157–164  
 Krembs C, see Eddie B et al. (2008) 354:107–117  
 Krishnamurthy V, see Hegde S et al. (2008) 356:93–101  
 Kubota H, see Takasuka A et al. (2008) 360:211–217  
 Kudela RM, see Hare CE et al. (2007) 352:9–16  
 Kuramochi T, Sudo Y, Tamaki E, Shiroma K, Naganuma T (2008) Long-term collection of benthic and benthopelagic organisms from a deep-water inlet offshore from Okinawa, Japan. 358:301–307  
 Kuris AM, see Penfold R et al. (2008) 357:111–119  
 Kurokura H, see Nakamura Y et al. (2008) 355:257–266
- L**
- La Peyre MK, Birdsong T (2008) Physical variation of non-vegetated marsh edge habitats, and use patterns by nekton in Barataria Bay, Louisiana, USA. 356:51–61  
 Laffargue P, see Amara R et al. (2007) 351:201–208  
 Lai S, see Morato T et al. (2008) 357:17–21  
 Lambardi P, Lutjeharms JRE, Mencacci R, Hays GC, Luschi P (2008) Influence of ocean currents on long-distance movement of leatherback sea turtles in the Southwest Indian Ocean. 353:289–301  
 Lammers E, see Newman SH et al. (2007) 352:299–309  
 Lanyon JM, see Skilleter GA et al. (2007) 351:287–300  
 Lardies MA, Medina MH, Correa JA (2008) Intraspecific biogeographic pattern breakage in the snapping shrimp *Betaeus emarginatus* caused by coastal copper mine tailings. 358:203–210  
 Larkin MF, see Luo J et al. (2008) 357:101–109  
 LaRoche J, see Breitbarth E et al. (2008) 359:25–36  
 Larson F, Sundbäck K (2008) Role of microphytobenthos in recovery of functions in a shallow-water sediment system after hypoxic events. 357:1–16  
 Lavery PS, see Collier CJ et al. (2008) 353:65–79  
 Laws RA, see McGee D et al. (2008) 356:103–112  
 Lea MA, Guinet C, Cherel Y, Hindell M, Dubroca L, Thalmann S (2008) Colony-based foraging segregation by Antarctic fur seals at the Kerguelen Archipelago. 358:273–287  
 Leblanc K, see Hare CE et al. (2007) 352:9–16  
 Lee PA, see Hare CE et al. (2007) 352:9–16  
 Leichter JJ, Stokes MD, Genovese SJ (2008) Deep water macroalgal communities adjacent to the Florida Keys reef tract. 356:123–138  
 Lepage M, see Lobry J et al. (2008) 358:13–25  
 Lewis DM, Bala SI (2008) An examination of saltatory predation strategies employed by fish larvae foraging in a variety of different turbulent regimes. 359:261–274  
 Leyte-Morales GE, see Carballo JL et al. (2008) 356:113–122  
 Li B, Ward JE, Holohan BA (2008) Transparent exopolymer particles (TEP) from marine suspension feeders enhance particle aggregation. 357:67–77  
 Li B, see Quan W et al. (2007) 352:89–99  
 Li M, see North EW et al. (2008) 359:99–115  
 Libralato S, Coll M, Tudela S, Palomera I, Pranovi F (2008) Novel index for quantification of ecosystem effects of fishing as removal of secondary production. 355:107–129  
 Lidgard S (2008) Predation on marine bryozoan colonies: taxa, traits and trophic groups. 359:117–131  
 Liger E, see Mercado JM et al. (2008) 359:51–68  
 Limén H, Stevens CJ, Bourass Z, Juniper SK (2008) Trophic ecology of siphonostomatoid copepods at deep-sea hydrothermal vents in the northeast Pacific. 359:161–170  
 Limén H, see Stevens CJ et al. (2008) 356:225–237  
 Lin HJ, see Huang CH et al. (2008) 358:1–12  
 Lindeborg M, see Toth GB (2008) 354:125–132  
 Lindsay MJ, Patterson HM, Swearer SE (2008) Habitat as a surrogate measure of reef fish diversity in the zoning of the Lord Howe Island Marine Park, Australia. 353:265–273  
 Liu XS, see Gao QF et al. (2008) 353:137–146  
 Llopiz JK, Cowen RK (2008) Precocious, selective and successful feeding of larval billfishes in the oceanic Straits of Florida. 358:231–244  
 Lloyd DC, Zacherl DC, Walker S, Paradis G, Sheehy M, Warner RR (2008) Egg source, temperature and culture seawater affect elemental signatures in *Kelletia kelletii* larval statoliths. 353:115–130  
 Lobry J, David V, Pasquaud S, Lepage M, Sautour B, Rochard E (2008) Diversity and stability of an estuarine trophic network. 358:13–25  
 Loeffel R, see Parrish JK et al. (2007) 352:275–288  
 Logsdon MG, see Hauser DDW et al. (2007) 351:301–310  
 López E, Viesca L, Anadón R (2007) Seasonal variation in abundance and feeding rates of the first stages of copepods in a temperate sea. 352:161–175  
 López-Flores R, see Brucet S et al. (2008) 355:183–191  
 Los HJ, see Erfteimeijer PLA et al. (2008) 358:115–124  
 Lourenço P, see dos Santos A et al. (2008) 359:171–183  
 Lovvorn JR, see Anderson EM (2008) 360:291–296  
 Lund ED, see Chu FLE et al. (2008) 354:85–95  
 Luo J, Ault JS, Larkin MF, Barbieri LR (2008) Salinity measurements from pop-up archival transmitting (PAT) tags and their application to geolocation estimation for Atlantic tarpon. 357:101–109  
 Luo Y, see Quan W et al. (2007) 352:89–99  
 Luschi P, see Lambardi P et al. (2008) 353:289–301  
 Lusseau D, see Stockin KA et al. (2008) 355:287–295  
 Lutjeharms JRE, see Lambardi P et al. (2008) 353:289–301  
 Lyle JM, see Metcalf SJ et al. (2008) 360:25–36  
 Lynn E, see Hyde JR et al. (2008) 357:245–253

## M

- Machete M, see Morato T et al. (2008) 357:17–21
- Machete M, see Morato T et al. (2008) 357:23–32
- Madsen SJ, Nielsen TG, Tervo OM, Söderkvist J (2008) Importance of feeding for egg production in *Calanus finmarchicus* and *C. glacialis* during the Arctic spring. 353:177–190
- Magalhães MC, Santos RS, Hamer KC (2008) Dual-foraging of *Cory's* shearwaters in the Azores: feeding locations, behaviour at sea and implications for food provisioning of chicks. 359:283–293
- Maier C, see van Duyl FC et al. (2008) 358:137–150
- Maire O, Duchêne JC, Bigot L, Grémare A (2007) Linking feeding activity and sediment reworking in the deposit-feeding bivalve *Abra ovata* with image analysis, laser telemetry, and luminophore tracers. 351:139–150
- Maltais MJ, see Hunt HL et al. (2007) 352:145–159
- Mangel M, see Wiedenmann J et al. (2008) 358:191–202
- Mangialajo L, Chiantore M, Cattaneo-Vietti R (2008) Loss of furoid algae along a gradient of urbanisation, and structure of benthic assemblages. 358:63–74
- Mangubhai S, Harrison PL (2008) Asynchronous coral spawning patterns on equatorial reefs in Kenya. 360:85–96
- Mantua N, see Parrish JK et al. (2007) 352:275–288
- Mantyka CS, Bellwood DR (2007) Macroalgal grazing selectivity among herbivorous coral reef fishes. 352:177–185
- Marques JC, see Dolbeth M et al. (2007) 352:113–124
- Márquez-Guzman, J, see van Tussenbroek BI et al. (2008) 354:119–124
- Martin F, see Hedger RD et al. (2008) 355:235–246
- Martínez A, see Gutiérrez NL et al. (2008) 353:147–156
- Martins GM, Thompson RC, Hawkins SJ, Neto AI, Jenkins SR (2008) Rocky intertidal community structure in oceanic islands: scales of spatial variability. 356:15–24
- Masini RJ, see Collier CJ et al. (2008) 353:65–79
- Masłowski W, see Berline L et al. (2008) 360:163–178
- Masó M, see Basterretxea G et al. (2007) 352:53–65
- Mathews T, Fisher NS, Jeffree RA, Teyssié JL (2008) Assimilation and retention of metals in teleost and elasmobranch fishes following dietary exposure. 360:1–12
- Matkin CO, Saulitis EL, Ellis GM, Olesiuk P, Rice SD (2008) Ongoing population-level impacts on killer whales *Orcinus orca* following the 'Exxon Valdez' oil spill in Prince William Sound, Alaska. 356:269–281
- Mattila J, see Engström-Öst J (2008) 359:275–281
- Mavor RA, see Frederiksen M et al. (2007) 352:205–211
- McAllen R, see Jessopp M et al. (2007) 352:67–75
- McCandless CT, see DeAngelis BM et al. (2008) 358:257–271
- McCormick MI, see Penfold R et al. (2008) 357:111–119
- McGee D, Laws RA, Cahoon LB (2008) Live benthic diatoms from the upper continental slope: extending the limits of marine primary production. 356:103–112
- McKay KM, Heck KL Jr (2008) Presence of the Jonah crab *Cancer borealis* significantly reduces kelp consumption by the green sea urchin *Strongylocentrotus droebachiensis*. 356:295–298
- McKenzie CH, see Thompson RJ et al. (2008) 357:33–49
- McKenzie J, Wynne KM (2008) Spatial and temporal variation in the diet of Steller sea lions in the Kodiak Archipelago, 1999 to 2005. 360:265–283
- McKenzie LA, see Minchinton TE (2008) 354:181–189
- McKeown DL, see Wildish DJ et al. (2008) 357:51–66
- McLeod RJ, see Wing SR et al. (2008) 360:115–123
- McManus MA, see Ryan JP et al. (2008) 354:21–34
- Medina MH, see Lardies MA et al. (2008) 358:203–210
- Melack JM, see Page HM et al. (2008) 360:47–62
- Mencacci R, see Lambardi P et al. (2008) 353:289–301
- Menden-Deuer S (2008) Spatial and temporal characteristics of plankton-rich layers in a shallow, temperate fjord. 355:21–30
- Menezes G, see Morato T et al. (2008) 357:17–21
- Mercado JM, Ramírez T, Cortés D, Sebastián M, Liger E, Bautista B (2008) Partitioning the effects of changes in nitrate availability and phytoplankton community structure on relative nitrate uptake. 359:51–68
- Metcalfe SJ, Dambacher JM, Hobday AJ, Lyle JM (2008) Importance of trophic information, simplification and aggregation error in ecosystem models. 360:25–36
- Meyer B, see Fach BA et al. (2008) 360:147–161
- Meynier L, Pusineri C, Spitz J, Santos MB, Pierce GJ, Ridoux V (2008) Intraspecific dietary variation in the short-beaked common dolphin *Delphinus delphis* in the Bay of Biscay: importance of fat fish. 354:277–287
- Meziane T, see Amara R et al. (2007) 351:201–208
- Michel C, see Juul-Pedersen T et al. (2008) 353:13–25
- Michel C, see Pommier J et al. (2008) 356:81–92
- Michiels NK, see Gagern A et al. (2008) 353:131–135
- Middelburg JJ, see Brion N et al. (2008) 357:87–99
- Middelburg JJ, see Rossi F et al. (2008) 354:47–57
- Miglietta MP, see Boero F et al. (2008) 356:299–310
- Miguez A, see Couceiro L et al. (2008) 354:141–146
- Mikami A, see Itoh H et al. (2007) 352:101–112
- Miller A, see Peck LS et al. (2008) 358:181–189
- Miller D, see Connell SD et al. (2008) 360:63–72
- Miller EE, see Drake DC et al. (2008) 354:35–46
- Minchinton TE, McKenzie LA (2008) Nutrient enrichment affects recruitment of oysters and barnacles in a mangrove forest. 354:181–189
- Minello TJ, see Roth BM et al. (2008) 359:185–202
- Mitbavkar S, see Hegde S et al. (2008) 356:93–101
- Miyajima T, see Nakamura Y et al. (2008) 355:257–266
- Miyazaki N, see Watanuki Y et al. (2008) 356:283–293
- Molis M, Körner J, Ko YW, Kim JH (2008) Specificity of inducible seaweed anti-herbivory defences depends on identity of macroalgae and herbivores. 354:97–105
- Mollet FM, Kraak SBM, Rijnsdorp AD (2007) Fisheries-induced evolutionary changes in maturation reaction norms in North Sea sole *Solea solea*. 351:189–199
- Monaco ME, see Friedlander AM et al. (2007) 351:221–233
- Montevocchi WA (2007) Binary dietary responses of northern gannets *Sula bassana* indicate changing food web and oceanographic conditions. 352:213–220
- Monticelli D, Ramos JA, Quartly GD (2007) Effects of annual changes in primary productivity and ocean indices on breeding performance of tropical roseate terns in the western Indian Ocean. 351:273–286
- Moore SE, see Berline L et al. (2008) 360:163–178
- Morato T, Machete M, Kitchingman A, Tempera F, Lai S, Menezes G, Pitcher TJ, Santos RS (2008) Abundance and distribution of seamounts in the Azores. 357:17–21
- Morato T, Varkey DA, Damaso C, Machete M, Santos M, Prieto R, Santos RS, Pitcher TJ (2008) Evidence of a seamount effect on aggregating visitors. 357:23–32
- Moriceau B, see Garvey M et al. (2007) 352:17–26
- Morote E, Olivar MP, Pankhurst PM, Villate F, Uriarte I (2008) Trophic ecology of bullet tuna *Auxis rochei* larvae and ontogeny of feeding-related organs. 353:243–254
- Mountain D, Green J, Sibunka J, Johnson D (2008) Growth and mortality of Atlantic cod *Gadus morhua* and haddock *Melanogrammus aeglefinus* eggs and larvae on Georges Bank, 1995 to 1999. 353:225–242
- Mouret A, see Deborde J et al. (2008) 355:59–71
- Mulholland OR, see Jessopp M et al. (2007) 352:67–75
- Murphy RJ, see Underwood AJ (2008) 358:85–94



## N

- Naganuma T, see Kuramochi T et al. (2008) 358:301–307  
 Nakabayashi N, see Endo H et al. (2007) 352:125–135  
 Nakamura Y, Horinouchi M, Shibuno T, Tanaka Y, Miyajima T, Koike I, Kurokura H, Sano M (2008) Evidence of ontogenetic migration from mangroves to coral reefs by black-tail snapper *Lutjanus fulvus*: stable isotope approach. 355:257–266  
 Nakano S, see Doi H et al. (2008) 353:107–113  
 Nakatsuka T, see Nomaki H et al. (2008) 357:153–164  
 Nakayama K, see Suzuki KW et al. (2008) 358:245–256  
 Navarro J, González-Solís J, Viscor G (2007) Nutritional and feeding ecology in Cory's shearwater *Calonectris diomedea* during breeding. 351:261–271  
 Neto AI, see Martins GM et al. (2008) 356:15–24  
 Neuer S, see Eddie B et al. (2008) 354:107–117  
 Nevins H, see Parrish JK et al. (2007) 352:275–288  
 Newell M, see Watanuki Y et al. (2008) 356:283–293  
 Newman SH, Chmura A, Converse K, Kilpatrick AM, Patel N, Lammers E, Daszak P (2007) Aquatic bird disease and mortality as an indicator of changing ecosystem health. 352:299–309  
 Newton J, see Holt BG et al. (2008) 357:283–289  
 Nielsen TG, see Madsen SJ et al. (2008) 353:177–190  
 Nielsen TG, see Thor P et al. (2008) 359:151–160  
 Nieto-Cid M, see Piedracoba S et al. (2008) 353:27–40  
 Nieto-Cid M, see Piedracoba S et al. (2008) 353:41–53  
 Nishibe Y, see Doi H et al. (2008) 353:107–113  
 Nojima S, see Nozawa Y et al. (2008) 358:151–160  
 Nomaki H, Ogawa NO, Ohkouchi N, Suga H, Toyofuku T, Shimanaga M, Nakatsuka T, Kitazato H (2008) Benthic foraminifera as trophic links between phytodetritus and benthic metazoans: carbon and nitrogen isotopic evidence. 357:153–164  
 Nordstrom CA, Wilson LJ, Iverson SJ, Tollit DJ (2008) Evaluating quantitative fatty acid signature analysis (QFASA) using harbour seals *Phoca vitulina richardsi* in captive feeding studies. 360:245–263  
 Nordstrom KF, see Jackson NL et al. (2008) 355:209–218  
 Norling P, Kautsky N (2007) Structural and functional effects of *Mytilus edulis* on diversity of associated species and ecosystem functioning. 351:163–175  
 North EW, Schlag Z, Hood RR, Li M, Zhong L, Gross T, Kennedy VS (2008) Vertical swimming behavior influences the dispersal of simulated oyster larvae in a coupled particle-tracking and hydrodynamic model of Chesapeake Bay. 359:99–115  
 Nozawa Y, Tokeshi M, Nojima S (2008) Structure and dynamics of a high-latitude scleractinian coral community in Amakusa, southwestern Japan. 358:151–160  
 Nur N, see Robinette DP et al. (2007) 352:259–268

## O

- Obayashi Y, see Doi H et al. (2008) 353:107–113  
 Ochieng CA, see Erfemeijer PLA et al. (2008) 358:115–124  
 O'Connor NJ (2007) Stimulation of molting in megalopae of the Asian shore crab *Hemigrapsus sanguineus*: physical and chemical cues. 352:1–8  
 O'Donnell MJ, see Place SP et al. (2008) 356:1–14  
 Ogawa NO, see Nomaki H et al. (2008) 357:153–164  
 Ohkouchi N, see Nomaki H et al. (2008) 357:153–164  
 Ohta T, see Suzuki KW et al. (2008) 358:245–256  
 Olesiuk P, see Matkin CO et al. (2008) 356:269–281  
 Olivar MP, see Morote E et al. (2008) 353:243–254

- Oliveira PB, see Garrido S et al. (2008) 354:245–256  
 Onitsuka T, Kawamura T, Horii T, Takiguchi N, Takami H, Watanabe Y (2007) Synchronized spawning of abalone *Haliotis diversicolor* triggered by typhoon events in Sagami Bay, Japan. 351:129–138  
 Oozeki Y, see Takasuka A et al. (2008) 360:211–217  
 Orams MB, see Stockin KA et al. (2008) 355:287–295  
 Osborne RW, see Hauser DDW et al. (2007) 351:301–310  
 Osenberg CW, see Chockley BR et al. (2008) 360:135–145

## P

- Paduan JD, see Ryan JP et al. (2008) 354:21–34  
 Paffenhöfer GA, see Köster M et al. (2008) 353:157–164  
 Page HM, Reed DC, Brzezinski MA, Melack JM, Dugan JE (2008) Assessing the importance of land and marine sources of organic matter to kelp forest food webs. 360:47–62  
 Palomera I, see Coll M et al. (2008) 355:131–147  
 Palomera I, see Libralato S et al. (2008) 355:107–129  
 Palumbi SR, see Geller J et al. (2008) 358:211–218  
 Pankhurst NW, see Awruch CA et al. (2008) 355:277–285  
 Pankhurst PM, see Morote E et al. (2008) 353:243–254  
 Paradis G, see Lloyd DC et al. (2008) 353:115–130  
 Paradis GL, see Ben-Tzvi O et al. (2008) 359:229–238  
 Pardal MA, see Dolbeth M et al. (2007) 352:113–124  
 Parrish JK, Bond N, Nevins H, Mantua N, Loeffel R, Peterson WT, Harvey JT (2007) Beached birds and physical forcing in the California Current System. 352:275–288  
 Parsons T, see Boero F et al. (2008) 356:299–310  
 Pasquaud S, see Lobry J et al. (2008) 358:13–25  
 Passow U, see Garvey M et al. (2007) 352:17–26  
 Patel N, see Newman SH et al. (2007) 352:299–309  
 Patil JS, see Hegde S et al. (2008) 356:93–101  
 Patterson HM, see Lindsay MJ et al. (2008) 353:265–273  
 Paul VJ, see Slattery M (2008) 354:169–179  
 Peck LS, Webb KE, Miller A, Clark MS, Hill T (2008) Temperature limits to activity, feeding and metabolism in the Antarctic starfish *Odontaster validus*. 358:181–189  
 Peck LS, see Smale DA et al. (2008) 355:85–94  
 Pecl GT, see Doubleday ZA et al. (2008) 360:125–133  
 Peeken I, see Breitbarth E et al. (2008) 359:25–36  
 Penfold R, Grutter AS, Kuris AM, McCormick MI, Jones CM (2008) Interactions between juvenile marine fish and gnathiid isopods: predation versus micropredation. 357:111–119  
 Pérez FF, see Piedracoba S et al. (2008) 353:41–53  
 Pérez Gimeno N, see de Stephanis R et al. (2008) 353:275–288  
 Peterson BJ, see Drake DC et al. (2008) 354:35–46  
 Peterson BJ, see Wall CC et al. (2008) 357:165–174  
 Peterson WT, see Parrish JK et al. (2007) 352:275–288  
 Peterson WT, see Suchman CL et al. (2008) 358:161–172  
 Petrik CM, see Hu Q et al. (2008) 360:179–187  
 Petrović F, Guichard F (2008) Scales of *Mytilus* spp. population dynamics: importance of adult displacement and aggregation. 356:203–214  
 Piatt JF, Harding AMA, Shultz M, Speckman SG, van Pelt TI, Drew GS, Kettle AB (2007) Seabirds as indicators of marine food supplies: Cairns revisited. 352:221–234  
 Piatt JF, Sydeman WJ, Wiese F (2007) Introduction: a modern role for seabirds as indicators. 352:199–204  
 Piatt JF, see Harding AMA et al. (2007) 352:269–274  
 Piatt JF, see Kitaysky AS et al. (2007) 352:245–258  
 Piatt JF, see Renner M et al. (2008) 357:301–311  
 Piedracoba S, Nieto-Cid M, Souto C, Gilcoto M, Rosón G, Álvarez-Salgado XA, Varela R, Figueiras FG (2008) Phys-

- ical–biological coupling in the coastal upwelling system of the Ría de Vigo (NW Spain). I: *In situ* approach. 353:27–40
- Piedracoba S, Nieto-Cid M, Teixeira IG, Garrido JL, Álvarez-Salgado XA, Rosón G, Castro CG, Pérez FF (2008) Physical–biological coupling in the coastal upwelling system of the Ría de Vigo (NW Spain). II: *In vitro* approach. 353:41–53
- Pierce GJ, see Meynier L et al. (2008) 354:277–287
- Pijnappels MHJ, see Vonk JA et al. (2008) 360:107–114
- Piñeira J, Quesada H, Rolán-Alvarez E, Caballero A (2008) Genetic discontinuity associated with an environmentally induced barrier to gene exchange in the marine snail *Littorina saxatilis*. 357:175–184
- Pinn EH, Thompson RC, Hawkins SJ (2008) Piddocks (Mollusca: Bivalvia: Pholadidae) increase topographical complexity and species diversity in the intertidal. 355:173–182
- Piraino S, see Boero F et al. (2008) 356:299–310
- Pitcher TJ, see Morato T et al. (2008) 357:17–21
- Pitcher TJ, see Morato T et al. (2008) 357:23–32
- Pitt KA, Kingsford MJ, Rissik D, Koop K (2007) Jellyfish modify the response of planktonic assemblages to nutrient pulses. 351:1–13
- Pizarro G, Escalera L, González-Gil S, Franco JM, Reguera B (2008) Growth, behaviour and cell toxin quota of *Dinophysis acuta* during a daily cycle. 353:89–105
- Place SP, O'Donnell MJ, Hofmann GE (2008) Gene expression in the intertidal mussel *Mytilus californianus*: physiological response to environmental factors on a biogeographic scale. 356:1–14
- Planque B, Buffaz L (2008) Quantile regression models for fish recruitment–environment relationships: four case studies. 357:213–223
- Platt T, see Forget MH et al. (2007) 352:27–38
- Platt T, see Wu Y et al. (2008) 355:9–20
- Plourde S, Joly P (2008) Comparison of *in situ* egg production rate in *Calanus finmarchicus* and *Metridia longa*: discriminating between methodological and species-specific effects. 353:165–175
- Podbesek JA, see Chu FLE et al. (2008) 354:85–95
- Pohle GW, see Wildish DJ et al. (2008) 357:51–66
- Polunin NVC, see Al-Habsi SH et al. (2008) 353:55–63
- Pommier J, Michel C, Gosselin M (2008) Particulate organic carbon export in the upper twilight zone during the decline of the spring bloom. 356:81–92
- Pommier J, see Forget MH et al. (2007) 352:27–38
- Pond DW, see Stevens CJ et al. (2008) 356:225–237
- Pope ND, see Widdows J et al. (2008) 358:125–136
- Prado P, Alcoverro T, Romero J (2008) Seasonal response of *Posidonia oceanica* epiphyte assemblages to nutrient increase. 359:89–98
- Præbel K, Westgaard JI, Fevolden SE, Christiansen JS (2008) Circumpolar genetic population structure of capelin *Malotus villosus*. 360:189–199
- Pranovi F, see Libralato S et al. (2008) 355:107–129
- Prieto R, see Morato T et al. (2008) 357:23–32
- Prior AE, see Sheehy MRJ (2008) 353:191–202
- Pusineri C, see Meynier L et al. (2008) 354:277–287

## Q

- Qian PY, see Chiu JMY et al. (2008) 358:41–50
- Quan W, Fu C, Jin B, Luo Y, Li B, Chen J, Wu J (2007) Tidal marshes as energy sources for commercially important nektonic organisms: stable isotope analysis. 352:89–99
- Quartly GD, see Monticelli D et al. (2007) 351:273–286
- Queiroga H, see dos Santos A et al. (2008) 359:171–183

- Quesada H, see Piñeira J et al. (2008) 357:175–184
- Quintana XD, see Brucet S et al. (2008) 355:183–191

## R

- Ralph PJ, see Collier CJ et al. (2008) 353:65–79
- Ralph PJ, see Hill R (2007) 352:137–144
- Ramírez T, see Mercado JM et al. (2008) 359:51–68
- Ramos JA, see Monticelli D et al. (2007) 351:273–286
- Ramsdell JS, see Hinton M (2008) 356:251–258
- Recksiek CW, see DeAngelis BM et al. (2008) 358:257–271
- Redden AM, see Thompson RJ et al. (2008) 357:33–49
- Reed DC, see Page HM et al. (2008) 360:47–62
- Reguera B, see Pizarro G et al. (2008) 353:89–105
- Renner M, Hunt GL Jr, Piatt JF, Byrd GV (2008) Seasonal and distributional patterns of seabirds along the Aleutian Archipelago. 357:301–311
- Reusch TBH, see Ehlers A et al. (2008) 355:1–7
- Reyier EA, Shenker JM, Christian D (2008) Role of an estuarine fisheries reserve in the production and export of ichthyoplankton. 359:249–260
- Rice SD, see Matkin CO et al. (2008) 356:269–281
- Richard P, see Rzeznik-Orignac J et al. (2008) 359:145–150
- Richardson AJ, see Demarcq H et al. (2008) 354:59–74
- Richardson JS, see Sakamaki T (2008) 360:13–24
- Richoux NB, Froneman PW (2008) Trophic ecology of dominant zooplankton and macrofauna in a temperate, oligotrophic South African estuary: a fatty acid approach. 357:121–137
- Ridgway T, Riginos C, Davis J, Hoegh-Guldberg O (2008) Genetic connectivity patterns of *Pocillopora verrucosa* in southern African Marine Protected Areas. 354:161–168
- Ridoux V, see Meynier L et al. (2008) 354:277–287
- Riginos C, see Ridgway T et al. (2008) 354:161–168
- Rijnsdorp AD, see Mollet FM et al. (2007) 351:189–199
- Rijnsdorp AD, see Teal LR et al. (2008) 358:219–230
- Riseman S, see Hare CE et al. (2007) 352:9–16
- Rissik D, see Pitt KA et al. (2007) 351:1–13
- Robb L, see Burrows MT et al. (2008) 353:1–12
- Roberts BK, Connell SD (2008) Detecting benthic responses to human-induced change: effectiveness of alternate taxonomic classification and indices. 358:75–84
- Robertson L, see Hyde JR et al. (2008) 357:245–253
- Robinette DP, Howar J, Sydeman WJ, Nur N (2007) Spatial patterns of recruitment in a demersal fish as revealed by seabird diet. 352:259–268
- Rochard E, see Lobry J et al. (2008) 358:13–25
- Rodgers KL, Wing SR (2008) Spatial structure and movement of blue cod *Paraperis colias* in Doubtful Sound, New Zealand, inferred from  $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$ . 359:239–248
- Roegner GC, Armstrong DA, Shanks AL (2007) Wind and tidal influences on larval crab recruitment to an Oregon estuary. 351:177–188
- Roggero MM, see Bilkovic DM (2008) 358:27–39
- Rolán-Alvarez E, see Piñeira J et al. (2008) 357:175–184
- Romero J, see Prado P et al. (2008) 359:89–98
- Rose KA, see Roth BM et al. (2008) 359:185–202
- Rosón G, see Piedracoba S et al. (2008) 353:27–40
- Rosón G, see Piedracoba S et al. (2008) 353:41–53
- Rossi F, Gribsholt B, Middelburg JJ, Heip C (2008) Context-dependent effects of suspension feeding on intertidal ecosystem functioning. 354:47–57
- Røstad A, see Kaartvedt S et al. (2008) 360:201–209
- Roth BM, Rose KA, Rozas LP, Minello TJ (2008) Relative influence of habitat fragmentation and inundation on brown shrimp *Farfantepenaeus aztecus* production in northern

- Gulf of Mexico salt marshes. 359:185–202  
 Rothley KD, see Semeniuk CAD (2008) 357:271–282  
 Rouyer T, Fromentin JM, Stenseth NC, Cazelles B (2008) Analysing multiple time series and extending significance testing in wavelet analysis. 359:11–23  
 Rowe S, Hutchings JA, Skjærraasen JE, Bezanson L (2008) Morphological and behavioural correlates of reproductive success in Atlantic cod *Gadus morhua*. 354:257–265  
 Rozas LP, see Roth BM et al. (2008) 359:185–202  
 Ruiz JM, see Couceiro L et al. (2008) 354:141–146  
 Russell BD, see Connell SD et al. (2008) 360:63–72  
 Ryan JP, McManus MA, Paduan JD, Chavez FP (2008) Phytoplankton thin layers caused by shear in frontal zones of a coastal upwelling system. 354:21–34  
 Ryer CH, Hurst TP (2008) Indirect predator effects on age-0 northern rock sole *Lepidopsetta polyxystra*: growth suppression and temporal reallocation of feeding. 357:207–212  
 Rzeznik-Orignac J, Boucher G, Fichet D, Richard P (2008) Stable isotope analysis of food source and trophic position of intertidal nematodes and copepods. 359:145–150

## S

- Saino T, see Fujiki T et al. (2008) 353:81–88  
 Sakai K, see Kai S (2008) 354:133–139  
 Sakamaki T, Richardson JS (2008) Effects of small rivers on chemical properties of sediment and diets for primary consumers in estuarine tidal flats. 360:13–24  
 Salazar Sierra J, see de Stephanis R et al. (2008) 353:275–288  
 Salinas De León P, see Unsworth RKF et al. (2008) 353:213–224  
 Sano M, see Nakamura Y et al. (2008) 355:257–266  
 Santos AMP, see dos Santos A et al. (2008) 359:171–183  
 Santos M, see Morato T et al. (2008) 357:23–32  
 Santos MB, see Meynier L et al. (2008) 354:277–287  
 Santos RS, see Afonso P et al. (2008) 359:215–227  
 Santos RS, see Magalhães MC et al. (2008) 359:283–293  
 Santos RS, see Morato T et al. (2008) 357:17–21  
 Santos RS, see Morato T et al. (2008) 357:23–32  
 Sardà F, see Coll M et al. (2008) 355:131–147  
 Sassa S, Watabe Y (2008) Threshold, optimum and critical geoenvironmental conditions for burrowing activity of sand bubbler crab, *Scopimera globosa*. 354:191–199  
 Sathyendranath S, see Forget MH et al. (2007) 352:27–38  
 Sathyendranath S, see Wu Y et al. (2008) 355:9–20  
 Sato K, see Watanuki Y et al. (2008) 356:283–293  
 Sato T, see Itoh H et al. (2007) 352:101–112  
 Saulitis EL, see Matkin CO et al. (2008) 356:269–281  
 Sautour B, see Lobry J et al. (2008) 358:13–25  
 Schlag Z, see North EW et al. (2008) 359:99–115  
 Schmutz JA, see Harding AMA et al. (2007) 352:269–274  
 Schofield O, see Kahl LA et al. (2008) 354:3–19  
 Schulte G, see Gagern A et al. (2008) 353:131–135  
 Schultes S, see Klaas C et al. (2008) 357:195–206  
 Schürg T, see Gagern A et al. (2008) 353:131–135  
 Schwarzschild AC, Zieman JC (2008) Apical dominance and the importance of clonal integration to apical growth in the seagrass *Syringodium filiforme*. 360:37–46  
 Schwindt E, see Geller J et al. (2008) 358:211–218  
 Sebastián M, see Mercado JM et al. (2008) 359:51–68  
 Sebesvari Z, see Esser F et al. (2008) 355:161–172  
 Secor DH, see Harvey HR et al. (2008) 353:307–311  
 Seim H, see Edwards KP et al. (2007) 352:77–87  
 Selkoe KA, Vogel A, Gaines SD (2007) Effects of ephemeral circulation on recruitment and connectivity of nearshore fish populations spanning Southern and Baja California. 351:209–220  
 Semeniuk CAD, Rothley KD (2008) Costs of group-living for a normally solitary forager: effects of provisioning tourism on southern stingrays *Dasyatis americana*. 357:271–282  
 Semmens JM, see Doubleday ZA et al. (2008) 360:125–133  
 Serafy JE, see Faunce CH (2008) 356:153–162  
 Seuthe L, see Juul-Pedersen T et al. (2008) 353:13–25  
 Shanks AL, see Roegner GC et al. (2007) 351:177–188  
 Sheaves M, Johnston R (2008) Influence of marine and freshwater connectivity on the dynamics of subtropical estuarine wetland fish metapopulations. 357:225–243  
 Sheaves M, see Johnston R (2008) 357:255–270  
 Sheehy M, see Lloyd DC et al. (2008) 353:115–130  
 Sheehy M, see Standish JD et al. (2008) 356:259–268  
 Sheehy MRJ (2008) Questioning the use of biochemical extraction to measure lipofuscin for age determination of crabs: Comment on Ju et al. (1999, 2001). 353:303–306  
 Sheehy MRJ, Prior AE (2008) Progress on an old question for stock assessment of the edible crab *Cancer pagurus*. 353:191–202  
 Sheehy MS, see Ben-Tzvi O et al. (2008) 359:229–238  
 Shenker JM, see Reyier EA et al. (2008) 359:249–260  
 Shepherd SA, see Connell SD et al. (2008) 360:63–72  
 Sherr BF, see Sherr EB (2007) 352:187–197  
 Sherr EB, Sherr BF (2007) Heterotrophic dinoflagellates: a significant component of microzooplankton biomass and major grazers of diatoms in the sea. 352:187–197  
 Shibuno T, see Nakamura Y et al. (2008) 355:257–266  
 Shimamura M, see Nomaki H et al. (2008) 357:153–164  
 Shime M, see Doi H et al. (2008) 353:107–113  
 Shin PKS, see Gao QF et al. (2008) 353:137–146  
 Shinagawa H, see Itoh H et al. (2007) 352:101–112  
 Shine RL, see Bartholomew A (2008) 358:95–102  
 Shirayama Y, see Suzuki G et al. (2008) 355:149–159  
 Shiroma K, see Kuramochi T et al. (2008) 358:301–307  
 Shultz M, see Piatt JF et al. (2007) 352:221–234  
 Sibunka J, see Mountain D et al. (2008) 353:225–242  
 Siebeck UE, see Eckes MJ et al. (2008) 353:203–211  
 Simenstad CA, see Howe ER (2007) 351:65–76  
 Simmons C, see Goulet TL et al. (2008) 355:45–58  
 Sintes T, see Hendriks IE et al. (2008) 356:163–173  
 Skaret G, see Johnsen E (2008) 358:295–300  
 Skilleter GA, Wegscheidl C, Lanyon JM (2007) Effects of grazing by a marine mega-herbivore on benthic assemblages in a subtropical seagrass bed. 351:287–300  
 Skjærraasen JE, see Rowe S et al. (2008) 354:257–265  
 Skomal GB, see DeAngelis BM et al. (2008) 358:257–271  
 Slattery M, Paul VJ (2008) Indirect effects of bleaching on predator deterrence in the tropical Pacific soft coral *Sinu-laria maxima*. 354:169–179  
 Smale DA, Barnes DKA, Fraser KPP, Peck LS (2008) Benthic community response to iceberg scouring at an intensely disturbed shallow water site at Adelaide Island, Antarctica. 355:85–94  
 Smith DJ, see Unsworth RKF et al. (2008) 353:213–224  
 Smith DR, see Jackson NL et al. (2008) 355:209–218  
 Smith TM, Hindell JS, Jenkins GP, Connolly RM (2008) Edge effects on fish associated with seagrass and sand patches. 359:203–213  
 Söderbäck E, see Degerholm J et al. (2008) 360:73–84  
 Söderberg LM, Hansen PJ (2007) Growth limitation due to high pH and low inorganic carbon concentrations in temperate species of the dinoflagellate genus *Ceratium*. 351:103–112  
 Söderkvist J, see Madsen SJ et al. (2008) 353:177–190  
 Soetaert K, see Franco MA et al. (2008) 358:51–62

- Sogard SM, Berkeley SA, Fisher R (2008) Maternal effects in rockfishes *Sebastes* spp.: a comparison among species. 360:227–236
- Sommer U, see Jaschinski S et al. (2008) 358:103–114
- Sotka EE, see Geller J et al. (2008) 358:211–218
- Southwell C, see Tierney M et al. (2008) 355:297–307
- Souto C, see Piedracoba S et al. (2008) 353:27–40
- Speckman SG, see Piatt JF et al. (2007) 352:221–234
- Spitz J, see Meynier L et al. (2008) 354:277–287
- Spitz YH, see Berline L et al. (2008) 360:163–178
- Sprenger D, see Gagern A et al. (2008) 353:131–135
- Springer AM, Byrd GV, Iverson SJ (2007) Hot oceanography: planktivorous seabirds reveal ecosystem responses to warming of the Bering Sea. 352:289–297
- Springer AM, see Iverson SJ et al. (2007) 352:235–244
- Standish JD, Sheehy M, Warner RR (2008) Use of otolith natal elemental signatures as natural tags to evaluate connectivity among open-coast fish populations. 356:259–268
- Stapel J, see Vonk JA et al. (2008) 360:107–114
- Stebbing T, see Warwick R et al. (2008) 354:1
- Stenseth NC, see Rouyer T et al. (2008) 359:11–23
- Stevens CJ, Limén H, Pond DW, Gélinas Y, Juniper SK (2008) Ontogenetic shifts in the trophic ecology of two alvinocaridid shrimp species at hydrothermal vents on the Mariana Arc, western Pacific Ocean. 356:225–237
- Stevens CJ, see Limén H et al. (2008) 359:161–170
- Stevens JD, see Awruch CA et al. (2008) 355:277–285
- St. Mary CM, see Chockley BR et al. (2008) 360:135–145
- Stockin KA, Lusseau D, Binedell V, Wiseman N, Orams MB (2008) Tourism affects the behavioural budget of the common dolphin *Delphinus* sp. in the Hauraki Gulf, New Zealand. 355:287–295
- Stokes MD, see Leichter JJ et al. (2008) 356:123–138
- Strand Ø, see Aure J et al. (2007) 352:39–52
- Strohmeier T, see Aure J et al. (2007) 352:39–52
- Su HM, see Huang CH et al. (2008) 358:1–12
- Suchman CL, Daly EA, Keister JE, Peterson WT, Brodeur RD (2008) Feeding patterns and predation potential of scyphomedusae in a highly productive upwelling region. 358:161–172
- Sudo Y, see Kuramochi T et al. (2008) 358:301–307
- Suga H, see Nomaki H et al. (2008) 357:153–164
- Sullivan R, see Gilg MR et al. (2007) 351:151–161
- Sundbäck K, see Larson F (2008) 357:1–16
- Suuronen P, see Coll M et al. (2008) 355:131–147
- Suzuki G, Hayashibara T, Shirayama Y, Fukami H (2008) Evidence of species-specific habitat selectivity of *Acropora* corals based on identification of new recruits by two molecular markers. 355:149–159
- Suzuki KW, Kasai A, Ohta T, Nakayama K, Tanaka M (2008) Migration of Japanese temperate bass *Lateolabrax japonicus* juveniles within the Chikugo River estuary revealed by  $\delta^{13}\text{C}$  analysis. 358:245–256
- Swearer SE, see Hale R (2008) 354:229–234
- Swearer SE, see Lindsay MJ et al. (2008) 353:265–273
- Sweeting CJ, see Al-Habsi SH et al. (2008) 353:55–63
- Sweetman AK, Witte U (2008) Response of an abyssal macrofaunal community to a phytodetrital pulse. 355:73–84
- Sydeman WJ, see Piatt JF et al. (2007) 352:199–204
- Sydeman WJ, see Robinette DP et al. (2007) 352:259–268
- Takasuka A, Oozeki Y, Kubota H (2008) Multi-species regime shifts reflected in spawning temperature optima of small pelagic fish in the western North Pacific. 360:211–217
- Takiguchi N, see Onitsuka T et al. (2007) 351:129–138
- Tamaki E, see Kuramochi T et al. (2008) 358:301–307
- Tanaka M, see Suzuki KW et al. (2008) 358:245–256
- Tanaka Y, see Nakamura Y et al. (2008) 355:257–266
- Tang CCL, see Wu Y et al. (2008) 355:9–20
- Taniguchi K, see Endo H et al. (2007) 352:125–135
- Tarrant AM, Baumgartner MF, Verslycke T, Johnson CL (2008) Differential gene expression in diapausing and active *Calanus finmarchicus* (Copepoda). 355:193–207
- Taylor SL, see Bishop MJ et al. (2008) 354:75–83
- Teal LR, de Leeuw JJ, van der Veer HW, Rijnsdorp AD (2008) Effects of climate change on growth of 0-group sole and plaice. 358:219–230
- Teel D, see Jacobson KC et al. (2008) 354:235–244
- Teixeira H, see Dolbeth M et al. (2007) 352:113–124
- Teixeira IG, see Crespo BG et al. (2008) 355:31–43
- Teixeira IG, see Piedracoba S et al. (2008) 353:41–53
- Tempera F, see Morato T et al. (2008) 357:17–21
- Tervo OM, see Madsen SJ et al. (2008) 353:177–190
- Testa JM, Kemp WM (2008) Variability of biogeochemical processes and physical transport in a partially stratified estuary: a box-modeling analysis. 356:63–79
- Teyssié JL, see Mathews T et al. (2008) 360:1–12
- Thalmann S, see Lea MA et al. (2008) 358:273–287
- Thiyagarajan V, see Chiu JMY et al. (2008) 358:41–50
- Thompson RC, see Martins GM et al. (2008) 356:15–24
- Thompson RC, see Pinn EH et al. (2008) 355:173–182
- Thompson RJ, Deibel D, Redden AM, McKenzie CH (2008) Vertical flux and fate of particulate matter in a Newfoundland fjord at sub-zero water temperatures during spring. 357:33–49
- Thor P, Nielsen TG, Tiselius P (2008) Mortality rates of epipelagic copepods in the post-spring bloom period in Disko Bay, western Greenland. 359:151–160
- Thorsson MH, see Hedman JE et al. (2008) 356:25–38
- Thouzeau G, see Deborde J et al. (2008) 355:59–71
- Thurber AR (2007) Diets of Antarctic sponges: links between the pelagic microbial loop and benthic metazoan food web. 351:77–89
- Tierney M, Southwell C, Emmerson LM, Hindell MA (2008) Evaluating and using stable-isotope analysis to infer diet composition and foraging ecology of Adélie penguins *Pygoscelis adeliae*. 355:297–307
- Tiselius P, see Thor P et al. (2008) 359:151–160
- Tittensor DP, see Boyce DG et al. (2008) 355:267–276
- Tokeshi M, see Nozawa Y et al. (2008) 358:151–160
- Tollit DJ, see Nordstrom CA et al. (2008) 360:245–263
- Torgersen T, see Kaartvedt S et al. (2008) 360:201–209
- Torricelli P, see Franco A et al. (2008) 354:219–228
- Toth GB, Lindeborg M (2008) Water-soluble compounds from the breadcrumb sponge *Halichondria panicea* deter attachment of the barnacle *Balanus improvisus*. 354:125–132
- Toyofuku T, see Nomaki H et al. (2008) 357:153–164
- Tsuchiya Y, see Itoh H et al. (2007) 352:101–112
- Tucker S, Bowen WD, Iverson SJ (2008) Convergence of diet estimates derived from fatty acids and stable isotopes within individual grey seals. 354:267–276
- Tudela S, see Coll M et al. (2008) 355:131–147
- Tudela S, see Libralato S et al. (2008) 355:107–129
- Turner DJ, see Connell SD et al. (2008) 360:63–72
- Tweddley JR, Jackson EL, Attrill MJ (2008) *Zostera marina* seagrass beds enhance the attachment of the invasive alga *Sargassum muticum* in soft sediments. 354:305–309

## T

- Takagi S, see Kanaya G et al. (2008) 359:133–144
- Takahashi A, see Watanuki Y et al. (2008) 356:283–293
- Takami H, see Onitsuka T et al. (2007) 351:129–138

## U

- Underwood AJ, Murphy RJ (2008) Unexpected patterns of facilitatory grazing revealed by quantitative imaging. 358:85–94
- Underwood AJ, see Chapman MG (2008) 354:147–160
- Underwood AJ, see Goodsell PJ et al. (2007) 351:15–23
- Unsworth RKF, Salinas De León P, Garrard SL, Jompa J, Smith DJ, Bell JJ (2008) High connectivity of Indo-Pacific seagrass fish assemblages with mangrove and coral reef habitats. 353:213–224
- Uriarte I, see Morote E et al. (2008) 353:243–254
- Uriz MJ, see De Caralt S et al. (2008) 360:97–106

## V

- Valiela I, see Castro P et al. (2007) 351:43–51
- Vanaverbeke J, see Franco MA et al. (2008) 358:51–62
- van Beek JKL, see Erfteimeijer PLA et al. (2008) 358:115–124
- van Bergeijk SA, see García-Robledo E et al. (2008) 356:139–151
- VanBlaricom GR, see Hauser DDW et al. (2007) 351:301–310
- van den Berg H, see de Goeij JM et al. (2008) 357:139–151
- van der Linde D, see Eker-Develi E et al. (2008) 359:69–87
- van der Lingen CD, see Garrido S et al. (2008) 354:245–256
- van der Veer HW, see Teal LR et al. (2008) 358:219–230
- Van Doornik DM, see Jacobson KC et al. (2008) 354:235–244
- van Duyl FC, Hegeman J, Hoogstraten A, Maier C (2008) Dissolved carbon fixation by sponge–microbe consortia of deep water coral mounds in the northeastern Atlantic Ocean. 358:137–150
- van Duyl FC, see de Goeij JM et al. (2008) 357:139–151
- Van Gansbeke D, see Franco MA et al. (2008) 358:51–62
- Van Oevelen D, see Franco MA et al. (2008) 358:51–62
- van Oostveen MM, see de Goeij JM et al. (2008) 357:139–151
- van Pelt TI, see Piatt JF et al. (2007) 352:221–234
- van Tussenbroek BI, Wong JGR, Márquez-Guzman, J (2008) Synchronized anthesis and predation on pollen in the marine angiosperm *Thalassia testudinum* (Hydrocharitaceae). 354:119–124
- van Woesik R, see Houk P (2008) 356:39–50
- Vardi A, see Kahl LA et al. (2008) 354:3–19
- Varela R, see Piedracoba S et al. (2008) 353:27–40
- Varkey DA, see Morato T et al. (2008) 357:23–32
- Verborgh P, see de Stephanis R et al. (2008) 353:275–288
- Verity PG, see Klaas C et al. (2008) 357:195–206
- Vermeij MJA, Frade PR, Jacinto RIR, Debrot AO, Bak RPM (2007) Effects of reproductive mode on habitat-related differences in the population structure of eight Caribbean coral species. 351:91–102
- Verslycke T, see Tarrant AM et al. (2008) 355:193–207
- Vetter R, see Hyde JR et al. (2008) 357:245–253
- Viesca L, see López E et al. (2007) 352:161–175
- Villate F, see Morote E et al. (2008) 353:243–254
- Vincx M, see Franco MA et al. (2008) 358:51–62
- Viscor G, see Navarro J et al. (2007) 351:261–271
- Vogel A, see Selkoe KA et al. (2007) 351:209–220
- Vonk JA, Pijnappels MHJ, Stapel J (2008) *In situ* quantification of *Tripneustes gratilla* grazing and its effects on three co-occurring tropical seagrass species. 360:107–114

## W

- Walker S, see Lloyd DC et al. (2008) 353:115–130
- Wall CC, Peterson BJ, Gobler CJ (2008) Facilitation of sea-

- grass *Zostera marina* productivity by suspension-feeding bivalves. 357:165–174
- Wang H, see Chiu JMY et al. (2008) 358:41–50
- Wanless S, see Frederiksen M et al. (2007) 352:205–211
- Wanless S, see Watanuki Y et al. (2008) 356:283–293
- Ward JE, see Li B et al. (2008) 357:67–77
- Warner RR, see Lloyd DC et al. (2008) 353:115–130
- Warner RR, see Standish JD et al. (2008) 356:259–268
- Warren RS, see Drake DC et al. (2008) 354:35–46
- Warwick R, Field J, Heip C, Stebbing T (2008) In Memoriam John Stuart Gray. 354:1
- Watabe Y, see Sassa S (2008) 354:191–199
- Watanabe Y, see Onitsuka T et al. (2007) 351:129–138
- Watanuki Y, Daunt F, Takahashi A, Newell M, Wanless S, Sato K, Miyazaki N (2008) Microhabitat use and prey capture of a bottom-feeding top predator, the European shag, shown by camera loggers. 356:283–293
- Webb KE, see Peck LS et al. (2008) 358:181–189
- Wegscheidl C, see Skilleter GA et al. (2007) 351:287–300
- Werner FE, see Edwards KP et al. (2007) 352:77–87
- Westgaard JI, see Præbel K et al. (2008) 360:189–199
- Whoriskey FG, see Hedger RD et al. (2008) 355:235–246
- Widdows J, Pope ND, Brinsley MD, Asmussen H, Asmussen RM (2008) Effects of seagrass beds (*Zostera noltii* and *Z. marina*) on near-bed hydrodynamics and sediment resuspension. 358:125–136
- Wiedenmann J, Cresswell K, Mangel M (2008) Temperature-dependent growth of Antarctic krill: predictions for a changing climate from a cohort model. 358:191–202
- Wiese F, see Piatt JF et al. (2007) 352:199–204
- Wijffels RH, see De Caralt S et al. (2008) 360:97–106
- Wildish DJ, Akagi HM, McKeown DL, Pohle GW (2008) Pockmarks influence benthic communities in Passamaquoddy Bay, Bay of Fundy, Canada. 357:51–66
- Wilkie EM, see Bishop MJ et al. (2008) 354:75–83
- Wilson LJ, see Nordstrom CA et al. (2008) 360:245–263
- Wing SR, McLeod RJ, Clark KL, Frew RD (2008) Plasticity in the diet of two echinoderm species across an ecotone: microbial recycling of forest litter and bottom-up forcing of population structure. 360:115–123
- Wing SR, see Rodgers KL (2008) 359:239–248
- Wingfield JC, see Kitaysky AS et al. (2007) 352:245–258
- Winterberg M, see Esser F et al. (2008) 355:161–172
- Wirsing AJ, see Kerford MR et al. (2008) 358:289–294
- Węśławski JM, see Włodarska-Kowalczyk M (2008) 356:215–224
- Wiseman N, see Stockin KA et al. (2008) 355:287–295
- Witte U, see Sweetman AK (2008) 355:73–84
- Włodarska-Kowalczyk M, Kędra M (2007) Surrogacy in natural patterns of benthic distribution and diversity: selected taxa versus lower taxonomic resolution. 351:53–63
- Włodarska-Kowalczyk M, Węśławski JM (2008) Mesoscale spatial structures of soft-bottom macrozoobenthos communities: effects of physical control and impoverishment. 356:215–224
- Wohlens J, see Breitbarth E et al. (2008) 359:25–36
- Wolf-Gladrow D, see Fach BA et al. (2008) 360:147–161
- Wong JGR, see van Tussenbroek BI et al. (2008) 354:119–124
- Woo K, see Elliott KH et al. (2008) 354:289–303
- Worm B, see Boyce DG et al. (2008) 355:267–276
- Worm B, see Ehlers A et al. (2008) 355:1–7
- Wu J, see Quan W et al. (2007) 352:89–99
- Wu Y, Platt T, Tang CCL, Sathyendranath S (2008) Regional differences in the timing of the spring bloom in the Labrador Sea. 355:9–20
- Wynne KM, see McKenzie J (2008) 360:265–283

**X**

Xu WZ, see Gao QF et al. (2008) 353:137–146

**Y**

Yamamoto S, see Yokoyama H et al. (2008) 358:173–179

Yamamoto T, see Doi H et al. (2008) 353:107–113

Yokoyama H, Ishihi Y, Yamamoto S (2008) Diet–tissue isotopic fractionation of the Pacific oyster *Crassostrea gigas*. 358:173–179

Yoshihara M, see Doi H et al. (2008) 353:107–113

**Z**

Zacherl DC, see Lloyd DC et al. (2008) 353:115–130

Zhang R, see Chiu JMY et al. (2008) 358:41–50

Zhang Y, see Hare CE et al. (2007) 352:9–16

Zhong L, see North EW et al. (2008) 359:99–115

Zieman JC, see Schwarzschild AC (2008) 360:37–46