

COMBINED AUTHOR AND TITLE INDEX

(Volumes 361 to 370, 2008)

A

- Able KW, see Sackett DK et al. (2008) 364:199–212
 Abril G, see Kristensen E et al. (2008) 370:53–67
 Achituv Y, see Kuguru B et al. (2008) 369:115–129
 Adey JM, Smith IP, Atkinson RJA, Tuck ID, Taylor AC (2008) 'Ghost fishing' of target and non-target species by Norway lobster *Nephrops norvegicus* creels. 366:119–127
 Adjeroud M, see Lenihan HS et al. (2008) 370:127–141
 Adlerstein S, see Goñi R et al. (2008) 366:159–174
 Aeby GS, see Gochfeld DJ (2008) 362:119–128
 Aguila C, see Teichberg M et al. (2008) 368:117–126
 Albaigés J, see Alonso-Gutiérrez J et al. (2008) 362:25–36
 Albins MA, Hixon MA (2008) Invasive Indo-Pacific lionfish *Pterois volitans* reduce recruitment of Atlantic coral-reef fishes. 367:233–238
 Alcoverro T, see Martínez-Crego B et al. (2008) 361:93–109
 Allemand D, see Rodolfo-Metalpa R et al. (2008) 369:103–114
 Alongi DM, Trott LA, Rachmansyah, Tirendi F, McKinnon AD, Undu MC (2008) Growth and development of mangrove forests overlying smothered coral reefs, Sulawesi and Sumatra, Indonesia. 370:97–109
 Alonso-Gutiérrez J, Costa MM, Figueras A, Albaigés J, Viñas M, Solanas AM, Novoa B (2008) *Alcanivorax* strain detected among the cultured bacterial community from sediments affected by the 'Prestige' oil spill. 362:25–36
 Alvarez-Berastegui D, see Goñi R et al. (2008) 366:159–174
 Álvarez-Salgado XA, see Otero J et al. (2008) 362:181–192
 Anderson TW, see Galst CJ (2008) 365:177–186
 Andrews AG, see Taggart SJ et al. (2008) 365:151–163
 Aoki MN, see Wada S et al. (2008) 370:33–44
 Armoza-Zvuloni R, see Zvuloni A et al. (2008) 363:103–108
 Arnould JPY, see Hoskins AJ et al. (2008) 366:293–303
 Arntz WE, see Quéric NV et al. (2008) 370:87–95
 Arrieta JM, see Quéric NV et al. (2008) 370:87–95
 Arthur KE, Boyle MC, Limpus CJ (2008) Ontogenetic changes in diet and habitat use in green sea turtle (*Chelonia mydas*) life history. 362:303–311
 Atkinson A, Siegel V, Pakhomov EA, Rothery P, Loeb V, Ross RM, Quetin LB, Schmidt K, Fretwell P, Murphy EJ, Tarling GA, Fleming AH (2008) Oceanic circumpolar habitats of Antarctic krill. 362:1–23
 Atkinson A, see Korb RE et al. (2008) 368:75–91
 Atkinson RJA, see Adey JM et al. (2008) 366:119–127
 Attwood CG, see Götz A et al. (2008) 362:245–259
 Aumeeruddy R, see Gaertner JC et al. (2008) 366:175–186
 Aurioles-Gamboia D, see Villegas-Amtmann S et al. (2008) 363:299–309
 Auth TD, see Brodeur RD et al. (2008) 366:187–202

B

- Baden SP, see Jephson T et al. (2008) 369:63–76
 Bala K, see Lasker HR et al. (2008) 367:153–161
 Baldrige AK, Smith LD (2008) Temperature constraints on phenotypic plasticity explain biogeographic patterns in predator trophic morphology. 365:25–34
 Ballance LT, see Redfern JV et al. (2008) 363:1–14
 Bandelj V, Socal G, Park YS, Lek S, Coppola J, Camatti E, Capuzzo E, Milani L, Solidoro C (2008) Analysis of multi-trophic plankton assemblages in the Lagoon of Venice. 368:23–40
 Banks SC, see Piggott MP et al. (2008) 365:127–136
 Barker NP, see Nicastro KR et al. (2008) 368:189–195
 Barker R, see Lake S et al. (2008) 366:259–270
 Barlow J, see Redfern JV et al. (2008) 363:1–14
 Barrett NS, see Pederson HG et al. (2008) 366:91–98
 Battershill C, see Whalan S et al. (2008) 368:145–154
 Battershill CN, see Ettinger-Epstein P et al. (2008) 365:103–113
 Baukus A, see Stevick PT et al. (2008) 363:15–28
 Baylis AMM, Page B, Goldsworthy SD (2008) Colony-specific foraging areas of lactating New Zealand fur seals. 361:279–290
 Beare DJ, see Heath MR (2008) 363:183–203
 Bearhop S, see Votier SC et al. (2008) 367:223–232
 Beaugrand G, Helaouët P (2008) Simple procedures to assess and compare the ecological niche of species. 363:29–37
 Becker EA, see Redfern JV et al. (2008) 363:1–14
 Beckley LE, see Muhling BA et al. (2008) 364:157–167
 Beger M, Possingham HP (2008) Environmental factors that influence the distribution of coral reef fishes: modeling occurrence data for broad-scale conservation and management. 361:1–13
 Beheregaray LB, see Piggott MP et al. (2008) 365:127–136
 Bell ED, see Engelhard GH et al. (2008) 369:213–227
 Bell JJ (2008) Sponges as agents of biological disturbance. 368:127–135
 Bell SS, see Ellis WL (2008) 370:207–219
 Belmonte Ríos A, see Rooker JR et al. (2008) 368:231–239
 Ben Rais Lasram F, Tomasini JA, Guilhaumon F, Romdhane MS, Do Chi T, Mouillot D (2008) Ecological correlates of dispersal success of Lessepsian fishes. 363:273–286
 Benedetti-Cecchi L, see Bulleri F (2008) 364:77–86
 Benedetti-Cecchi L, see Vaselli S et al. (2008) 364:57–66
 Benedetti-Cecchi L, see Vaselli S et al. (2008) 368:9–22
 Benoit-Bird KJ, Zirbel MJ, McManus MA (2008) Diel variation of zooplankton distributions in Hawaiian waters favors horizontal diel migration by midwater micronekton. 367:109–123

- Benoit-Bird KJ, see McManus MA et al. (2008) 365:91–101
- Bentzen P, see Bradbury IR et al. (2008) 368:255–268
- Berger MS, Jelinski DE (2008) Spatial patterns of maternal investment in *Strongylocentrotus franciscanus* along a marine–terrestrial gradient. 364:119–127
- Bernard G, see Goñi R et al. (2008) 366:159–174
- Bertocci I, see Vaselli S et al. (2008) 364:57–66
- Bertocci I, see Vaselli S et al. (2008) 368:9–22
- Bilewitch JP, see Lasker HR et al. (2008) 367:153–161
- Birch GF, McCreedy S, Long ER, Taylor SS, Spyarakis G (2008) Contaminant chemistry and toxicity of sediments in Sydney Harbour, Australia: spatial extent and chemistry–toxicity relationships. 363:71–87
- Birrell CL, McCook LJ, Willis BL, Harrington L (2008) Chemical effects of macroalgae on larval settlement of the broadcast spawning coral *Acropora millepora*. 362:129–137
- Bishop C, see Trathan PN et al. (2008) 370:285–294
- Black KD, see Navarro N et al. (2008) 361:47–58
- Blanchard JL, see Engelhard GH et al. (2008) 369:213–227
- Blockley D, see Chapman MG et al. (2008) 366:49–57
- Bochdansky AB, GrønkJær P, Pepin P, Leggett WC (2008) Food limitation in larval fish: ontogenetic variation in feeding scope and its potential effect on survival. 367:239–248
- Bodin M, see Gullström M et al. (2008) 363:241–255
- Bograd SJ, see Wells BK et al. (2008) 364:15–29
- Boissin E, Hoareau TB, Féral JP, Chenuil A (2008) Extreme selfing rates in the cosmopolitan brittle star species complex *Amphipholis squamata*: data from progeny-array and heterozygote deficiency. 361:151–159
- Bollens SM see Cohen SE (2008) 368:241–254
- Bonhomme P, see Goñi R et al. (2008) 366:159–174
- Borges AV, see Kristensen E et al. (2008) 370:53–67
- Bost CA, see Weimerskirch H et al. (2008) 362:291–302
- Bothwell J, see Nagelkerken I et al. (2008) 368:155–164
- Bouillon S, see Kristensen E et al. (2008) 370:53–67
- Bouma TJ, see Peralta G et al. (2008) 368:103–115
- Box SJ, see Foster NL et al. (2008) 367:143–152
- Boyd PW (2008) Introduction and synthesis. (Theme Section: Implications of large-scale iron fertilization of the oceans). 364:213–218
- Boyd PW, see Cullen JJ (2008) 364:295–301
- Boyd PW, see Watson AJ et al. (2008) 364:303–309
- Boyer KE, see Huntington BE (2008) 367:133–142
- Boyle MC, see Arthur KE et al. (2008) 362:303–311
- Bradbury IR, Campana SE, Bentzen P (2008) Otolith elemental composition and adult tagging reveal spawning site fidelity and estuarine dependency in rainbow smelt. 368:255–268
- Bradshaw CJA, see Thums M et al. (2008) 370:249–261
- Branch GM, Odendaal F, Robinson TB (2008) Long-term monitoring of the arrival, expansion and effects of the alien mussel *Mytilus galloprovincialis* relative to wave action. 370:171–183
- Branch GM, see Pillay D et al. (2008) 370:19–31
- Brante A, Fernández M, Viard F (2008) Effect of oxygen conditions on intracapsular development in two calyptraeid species with different modes of larval development. 368:197–207
- Briand K, see Chabot D et al. (2008) 363:227–240
- Bricelj VM, see MacQuarrie SP (2008) 366:59–74
- Brinsley MD, see Widdows J et al. (2008) 362:45–57
- Brodeur RD, Peterson WT, Auth TD, Soulen HL, Parnel MM, Emerson AA (2008) Abundance and diversity of coastal fish larvae as indicators of recent changes in ocean and climate conditions in the Oregon upwelling zone. 366:187–202
- Brogan J, see McCormick TB et al. (2008) 362:225–232
- Bronstein O, see Shenkar N et al. (2008) 367:163–171
- Brown BE, Dunne RP (2008) Solar radiation modulates bleaching and damage protection in a shallow water coral. 362:99–107
- Brown CJ, Hobday AJ, Ziegler PE, Welsford DC (2008) Darwinian fisheries science needs to consider realistic fishing pressures over evolutionary time scales. 369:257–266
- Brown P, see Trathan PN et al. (2008) 370:285–294
- Brun FG, Olivé I, Malta E, Vergara JJ, Hernández I, Pérez-Lloréns JL (2008) Increased vulnerability of *Zostera noltii* to stress caused by low light and elevated ammonium levels under phosphate deficiency. 365:67–75
- Buck CL, see Williams CT et al. (2008) 363:287–298
- Buckley LM, see McCormick TB et al. (2008) 362:225–232
- Budd AF, see Pandolfi JM (2008) 369:89–102
- Bulleri F, Benedetti-Cecchi L (2008) Facilitation of the introduced green alga *Caulerpa racemosa* by resident algal turfs: experimental evaluation of underlying mechanisms. 364:77–86
- Burger AE, see Ronconi RA (2008) 366:245–258
- Burgess GH, see Natanson LJ et al. (2008) 361:267–278
- Burkholder JM, see Hégaret H et al. (2008) 361:169–179
- Burnaford JL, Vasquez M (2008) Solar radiation plays a role in habitat selection by the sea star *Pisaster ochraceus*. 368:177–187
- Burton H, see Lake S et al. (2008) 366:259–270
- Bury S, see Rayner MJ et al. (2008) 370:271–284
- Bushek D, see Taylor J (2008) 361:301–306
- Bustamante P, see Kojadinovic J et al. (2008) 361:239–251
- Buxton CD, see Pederson HG et al. (2008) 366:91–98
- Byron D, see Mattila J et al. (2008) 361:15–20

C

- Cabanas JM, see Otero J et al. (2008) 362:181–192
- Cadiou G, see Goñi R et al. (2008) 366:159–174
- Calliari D, see Rodríguez-Graña L et al. (2008) 362:69–83
- Camatti E, see Bandelj V et al. (2008) 368:23–40
- Campana SE, see Bradbury IR et al. (2008) 368:255–268
- Campbell P, see Natanson LJ et al. (2008) 361:267–278
- Campos A, see Fonseca P et al. (2008) 369:267–271
- Camus PA, Daroch K, Opazo LF (2008) Potential for omnivory and apparent intraguild predation in rocky intertidal herbivore assemblages from northern Chile. 361:35–45
- Capuzzo E, see Bandelj V et al. (2008) 368:23–40
- Carpenter R, see Morrow K (2008) 361:119–127
- Carranza A, Colwell RK, Rangel TFLVB (2008) Distribution of megabenthic gastropods along environmental gradients: the mid-domain effect and beyond. 367:193–202
- Carroll J, Gobler CJ, Peterson BJ (2008) Resource-restricted growth of eelgrass in New York estuaries: light limitation, and alleviation of nutrient stress by hard clams. 369:51–62
- Carvalho WF, see Guenther M et al. (2008) 363:109–119
- Casas G, see Otero J et al. (2008) 362:181–192
- Cervin G, see Nylund GM et al. (2008) 369:39–50
- Chabot D, Sainte-Marie B, Briand K, Hanson JM (2008) Atlantic cod and snow crab predator–prey size relationship in the Gulf of St. Lawrence, Canada. 363:227–240
- Chadwick NE, see Kuguru B et al. (2008) 369:115–129
- Chan BKK, Murata A, Lee PF (2008) Latitudinal gradient in the distribution of intertidal barnacles of the *Tetraclita* species complex in Asian waters. 362:201–210
- Chan BKK, see Tsang LM et al. (2008) 364:107–118
- Chancollon O, see Pusineri C et al. (2008) 361:21–34

- Chapman MG, Underwood AJ, Blockley D (2008) Effects of method of deployment of artificial units of habitat on microgastropod colonization. 366:49–57
- Chapman MG, see Murphy RJ et al. (2008) 365:45–55
- Chatterjee T, see Tsang LM et al. (2008) 364:107–118
- Chenuil A, see Boissin E et al. (2008) 361:151–159
- Cherel Y, Ducatez S, Fontaine C, Richard P, Guinet C (2008) Stable isotopes reveal the trophic position and mesopelagic fish diet of female southern elephant seals breeding on the Kerguelen Islands. 370:239–247
- Cherel Y, Le Corre M, Jaquemet S, Ménard F, Richard P, Weimerskirch H (2008) Resource partitioning within a tropical seabird community: new information from stable isotopes. 366:281–291
- Cheung WWL, Close C, Lam V, Watson R, Pauly D (2008) Application of macroecological theory to predict effects of climate change on global fisheries potential. 365:187–197
- Chiaradia A, see Hoskins AJ et al. (2008) 366:293–303
- Chilvers BL, see Meynier L et al. (2008) 366:271–279
- Christensen JT, Richardson K (2008) Stable isotope evidence of long-term changes in the North Sea food web structure. 368:1–8
- Chu KH, see Tsang LM et al. (2008) 364:107–118
- Cieri M, see Fry B et al. (2008) 369:193–204
- Clarke A (2008) Ecological stoichiometry in six species of Antarctic marine benthos. 369:25–37
- Close C, see Cheung WWL et al. (2008) 365:187–197
- Clout MN, see Rayner MJ et al. (2008) 370:271–284
- Coakes A, see Whitehead H et al. (2008) 361:291–300
- Cohen SE, Bollens SM (2008) Diet and growth of non-native Mississippi silversides and yellowfin gobies in restored and natural wetlands in the San Francisco Estuary. 368:241–254
- Cole RG, see Pande A et al. (2008) 366:147–158
- Collier CJ, see Prado P et al. (2008) 361:69–82
- Collins MA, see Trathan PN et al. (2008) 370:285–294
- Colwell RK, see Carranza A et al. (2008) 367:193–202
- Compagno LJV, see Natanson LJ et al. (2008) 361:267–278
- Conde D, see Rodríguez-Graña L et al. (2008) 362:69–83
- Condon RH, Steinberg DK (2008) Development, biological regulation, and fate of ctenophore blooms in the York River estuary, Chesapeake Bay. 369:153–168
- Conroy MJ, see MacNeil MA et al. (2008) 367:249–260
- Consalvey M, see Hennige SJ et al. (2008) 369:77–88
- Coppola J, see Bandelj V et al. (2008) 368:23–40
- Correia PL, see Fonseca P et al. (2008) 369:267–271
- Cosson RP, see Kojadinovic J et al. (2008) 361:239–251
- Costa DP, see Hoskins AJ et al. (2008) 366:293–303
- Costa DP, see Villegas-Amtmann S et al. (2008) 363:299–309
- Costa MM, see Alonso-Gutiérrez J et al. (2008) 362:25–36
- Coupland GT, McDonald JI (2008) Extraordinarily high earthworm abundance in deposits of marine macrodetritus along two semi-arid beaches. 361:181–189
- Cowan JH Jr, see Wells RJD et al. (2008) 361:213–225
- Cramer KL, Perryman WL, Gerrodette T (2008) Declines in reproductive output in two dolphin populations depleted by the yellowfin tuna purse-seine fishery. 369:273–285
- Cranford PJ, see Hargrave BT et al. (2008) 365:137–149
- Crawford CM, see Macleod CK et al. (2008) 365:17–24
- Crespo EA, see Dans SL et al. (2008) 369:287–296
- Criquet G, see Goñi R et al. (2008) 366:159–174
- Cruz T, see Jacinto D (2008) 366:129–135
- Cudney-Bueno R, see Prescott R (2008) 367:185–192
- Cullen JJ, Boyd PW (2008) Predicting and verifying the intended and unintended consequences of large-scale ocean iron fertilization. 364:295–301
- D**
- D'Angelo C, Denzel A, Vogt A, Matz MV, Oswald F, Salih A, Nienhaus GU, Wiedenmann J (2008) Blue light regulation of host pigment in reef-building corals. 364:97–106
- Dagorn L, see Gaertner JC et al. (2008) 366:175–186
- Dahllöf I, see Hjorth M et al. (2008) 363:121–130
- Dale RK, Miller DC (2008) Hydrologic interactions of infaunal polychaetes and intertidal groundwater discharge. 363:205–215
- Dann P, see Hoskins AJ et al. (2008) 366:293–303
- Dans SL, Crespo EA, Pedraza SN, Degradi M, Garaffo GV (2008) Dusky dolphin and tourist interaction: effect on diurnal feeding behavior. 369:287–296
- Darby FA, Turner RE (2008) Effects of eutrophication on salt marsh root and rhizome biomass accumulation. 363:63–70
- Daroch K, see Camus PA et al. (2008) 361:35–45
- Davey E, see Rosenberg R et al. (2008) 363:171–182
- David B, see Hétérier V et al. (2008) 364:67–76
- Davidson L, see Fire SE et al. (2008) 368:283–294
- Davidson RJ, see Pande A et al. (2008) 366:147–158
- Davies AJ, Johnson MP, Maggs CA (2008) Subsidy by *Ascophyllum nodosum* increases growth rate and survivorship of *Patella vulgata*. 366:43–48
- Davis RF, see Fritz JJ et al. (2008) 365:1–16
- Davis RW, see Madden KM et al. (2008) 365:263–275
- de Baar HJW, Gerringa LJA, Laan P, Timmermans KR (2008) Efficiency of carbon removal per added iron in ocean iron fertilization. 364:269–282
- Deegan LA, see Fry B et al. (2008) 369:193–204
- Degrati M, see Dans SL et al. (2008) 369:287–296
- Delboni CGM, see Dias GM et al. (2008) 362:149–156
- De Maddalena A, see Natanson LJ et al. (2008) 361:267–278
- DeMartini EE, Friedlander AM, Sandin SA, Sala E (2008) Differences in fish-assemblage structure between fished and unfished atolls in the northern Line Islands, central Pacific. 365:199–215
- DeMetrio G, see Rooker JR et al. (2008) 368:231–239
- de Moura RL, see Minte-Vera CV et al. (2008) 367:283–293
- Denman KL (2008) Climate change, ocean processes and ocean iron fertilization. 364:219–225
- de Nys R, see Ettinger-Epstein P et al. (2008) 365:103–113
- de Nys R, see Whalan S et al. (2008) 368:145–154
- Denzel A, see D'Angelo C et al. (2008) 364:97–106
- De Ridder C, see Hétérier V et al. (2008) 364:67–76
- Dias GM, Delboni CGM, Duarte LFL (2008) Effects of competition on sexual and clonal reproduction of a tunicate: the importance of competitor identity. 362:149–156
- Díaz E, Txurruka JM, Villate F (2008) Biochemical composition and condition in anchovy larvae *Engraulis encrasicolus* during growth. 361:227–238
- Dingsør GE, see Watanabe Y et al. (2008) 366:209–217
- Dionne M, see MacKenzie RA (2008) 368:217–230
- Do Chi T, see Ben Rais Lasram F et al. (2008) 363:273–286
- Domeier ML, Nasby-Lucas N (2008) Migration patterns of white sharks *Carcharodon carcharias* tagged at Guadalupe Island, Mexico, and identification of an eastern Pacific shared offshore foraging area. 370:221–237
- Dondero F, see Jones OAH et al. (2008) 369:169–179
- Dorenbosch M, see Grol MGG et al. (2008) 366:137–146
- Doucette GJ, see Kvittek RG et al. (2008) 367:35–47
- Doucette LI, see Hargrave BT et al. (2008) 365:137–149
- Drew CA, Eggleston DB (2008) Juvenile fish densities in Florida Keys mangroves correlate with landscape characteristics. 362:233–243
- Drolet D, see Himmelman JH et al. (2008) 361:161–168
- Duarte LFL, see Dias GM et al. (2008) 362:149–156

- Ducatez S, see Chérel Y et al. (2008) 370:239–247
 Duchêne JC, see Rosenberg R et al. (2008) 363:171–182
 Dudgeon CL, Noad MJ, Lanyon JM (2008) Abundance and demography of a seasonal aggregation of zebra sharks *Stegostoma fasciatum*. 368:269–281
 Duignan PJ, see Meynier L et al. (2008) 366:271–279
 Dumont CP, see Himmelman JH et al. (2008) 361:161–168
 Dunne RP, see Brown BE (2008) 362:99–107

E

- Ebert DA, see Natanson LJ et al. (2008) 361:267–278
 Edmunds PJ, Gates RD (2008) Acclimatization in tropical reef corals. 361:307–310
 Eggleston DB, see Drew CA (2008) 362:233–243
 Ellis WL, Bell SS (2008) Tidal influence on a fringing mangrove intertidal fish community as observed by *in situ* video recording: implications for studies of tidally migrating nekton. 370:207–219
 Emerson AA, see Brodeur RD et al. (2008) 366:187–202
 Endo T, see Takami H et al. (2008) 367:203–212
 Engelhard GH, van der Kooij J, Bell ED, Pinnegar JK, Blanchard JL, Mackinson S, Righton DA (2008) Fishing mortality versus natural predation on diurnally migrating sand-eels *Ammodytes marinus*. 369:213–227
 Erwin PM, Thacker RW (2008) Phototrophic nutrition and symbiont diversity of two Caribbean sponge–cyanobacteria symbioses. 362:139–147
 Ettinger-Epstein P, Whalan S, Battershill CN, de Nys R (2008) A hierarchy of settlement cues influences larval behaviour in a coral reef sponge. 365:103–113
 Ettinger-Epstein P, see Whalan S et al. (2008) 368:145–154
 Evans RD (2008) Assessment of an underwater biopsy probe for collecting teleost fish tissue samples. 368:305–308

F

- Fach B, see Oguz T et al. (2008) 369:229–256
 Fässler SMM, Kaiser MJ (2008) Phylogenetically mediated anti-predator responses in bivalve molluscs. 363:217–225
 Féral JP, see Boissin E et al. (2008) 361:151–159
 Fernández L, see Sotelo G et al. (2008) 362:211–223
 Fernández M, see Brante A et al. (2008) 368:197–207
 Ferrier-Pagès C, see Rodolfo-Metalpa R et al. (2008) 369:103–114
 Feuerpfel P, see Schoor A et al. (2008) 364:31–46
 Field JC, see Wells BK et al. (2008) 364:15–29
 Figueras A, see Alonso-Gutiérrez J et al. (2008) 362:25–36
 Fire SE, Flewelling LJ, Naar J, Twiner MJ, Henry MS, Pierce RH, Gannon DP, Wang Z, Davidson L, Wells RS (2008) Prevalence of brevetoxins in prey fish of bottlenose dolphins in Sarasota Bay, Florida. 368:283–294
 First MR, Hollibaugh JT (2008) Protistan bacterivory and benthic microbial biomass in an intertidal creek mudflat. 361:59–68
 Fisher NS, see Mathews T et al. (2008) 367:23–33
 Fleming A, see Trathan PN et al. (2008) 370:285–294
 Fleming AH, see Atkinson A et al. (2008) 362:1–23
 Flewelling LJ, see Fire SE et al. (2008) 368:283–294
 Flindt MR, see Kristensen E et al. (2008) 370:53–67
 Floeter J, see Kempf A et al. (2008) 367:295–308
 Floeter SR, see Halpern BS (2008) 364:147–156
 Flores H, Van de Putte AP, Siegel V, Pakhomov EA, van Franeker JA, Meesters HWG, Volckaert FAM (2008) Distribution, abundance and ecological relevance of pelagic

- fishes in the Lazarev Sea, Southern Ocean. 367:271–282
 Flores Hernandez D, see Villéger S et al. (2008) 364:135–146
 Fodrie FJ, Herzka SZ (2008) Tracking juvenile fish movement and nursery contribution within arid coastal embayments via otolith microchemistry. 361:253–265
 Fonnesebeck CJ, see MacNeil MA et al. (2008) 367:249–260
 Fonseca G, see Gallucci F et al. (2008) 367:173–183
 Fonseca P, Correia PL, Campos A, Lau PY, Henriques V (2008) Fishery-independent estimation of benthic species density—a novel approach applied to Norway lobster *Nephrops norvegicus*. 369:267–271
 Fontaine C, see Chérel Y et al. (2008) 370:239–247
 Forbes AT, see Pillay D et al. (2008) 370:19–31
 Forbes VE, see Hjorth M et al. (2008) 363:121–130
 Forbes VE, see Ramskov T (2008) 369:181–192
 Forcada A, see Goñi R et al. (2008) 366:159–174
 Forster RM, see van der Wal D et al. (2008) 367:57–72
 Försterra G, Häussermann V (2008) Unusual symbiotic relationships between microendolithic phototrophic organisms and azooxanthellate cold-water corals from Chilean fjords. 370:121–125
 Fossheim M, Primicerio R (2008) Habitat choice by marine zooplankton in a high-latitude ecosystem. 364:47–56
 Foster NL, Box SJ, Mumby PJ (2008) Competitive effects of macroalgae on the fecundity of the reef-building coral *Montastraea annularis*. 367:143–152
 Fox SE, see Teichberg M et al. (2008) 368:117–126
 Francini-Filho RB, see Minte-Vera CV et al. (2008) 367:283–293
 Frank M, see Rosenberg R et al. (2008) 363:171–182
 Frederiksen M, see Wanless S et al. (2008) 370:263–269
 Freeman D, see Pande A et al. (2008) 366:147–158
 Freestone D, Rayfuse R (2008) Ocean iron fertilization and international law. 364:227–233
 Fretwell P, see Atkinson A et al. (2008) 362:1–23
 Friedlander AM, see DeMartini EE et al. (2008) 365:199–215
 Fritz JJ, Neale PJ, Davis RF, Peloquin JA (2008) Response of Antarctic phytoplankton to solar UVR exposure: inhibition and recovery of photosynthesis in coastal and pelagic assemblages. 365:1–16
 Frusher SD, see Pederson HG et al. (2008) 366:91–98
 Fry B, Cieri M, Hughes J, Tobias C, Deegan LA, Peterson B (2008) Stable isotope monitoring of benthic–planktonic coupling using salt marsh fish. 369:193–204
 Fry B, see Wells RJD et al. (2008) 361:213–225
 Fuiman LA, see Madden KM et al. (2008) 365:263–275
 Fukumori K, Okuda N, Hamaoka H, Fukumoto T, Takahashi D, Omori K (2008) Stable isotopes reveal life history polymorphism in the coastal fish *Apogon notatus*. 362:279–289
 Fukumoto T, see Fukumori K et al. (2008) 362:279–289
 Fulgosi FC, see Natanson LJ et al. (2008) 361:267–278
 Furman BT, Heck KL Jr (2008) Effects of nutrient enrichment and grazers on coral reefs: an experimental assessment. 363:89–101
 Furness RW, see Votier SC et al. (2008) 367:223–232
 Fyfe R, see Votier SC et al. (2008) 367:223–232

G

- Gaertner JC, Taquet M, Dagorn L, Mérigot B, Aumeeruddy R, Sancho G, Itano D (2008) Visual censuses around drifting fish aggregating devices (FADs): a new approach for assessing the diversity of fish in open-ocean waters. 366:175–186
 Gallucci F, Moens T, Vanreusel A, Fonseca G (2008) Active colonisation of disturbed sediments by deep-sea nema-

- todes: evidence for the patch mosaic model. 367:173–183
- Galst CJ, Anderson TW (2008) Fish–habitat associations and the role of disturbance in surfgrass beds. 365:177–186
- Galuardi B, Nielsen A, Lutcavage M (2008) Optimizing smoothed sea surface temperature for improving archival tag geolocation. 365:35–44
- Gannon DP, see Fire SE et al. (2008) 368:283–294
- Garaffo GV, see Dans SL et al. (2008) 369:287–296
- García-Charton JA, see Goñi R et al. (2008) 366:159–174
- García-Rodríguez FJ, Perez-Enriquez R (2008) Lack of genetic differentiation of blue spiny lobster *Panulirus inflatus* along the Pacific coast of Mexico inferred from mtDNA sequences. 361:203–212
- Gardner C, see Mills DJ et al. (2008) 364:1–13
- Gardner JPA, see Pande A et al. (2008) 366:147–158
- Gates RD, see Edmunds PJ (2008) 361:307–310
- Gaughan DJ, see Muhling BA et al. (2008) 364:157–167
- Gaymer CF, Himmelman JH (2008) A keystone predatory sea star in the intertidal zone is controlled by a higher-order predatory sea star in the subtidal zone. 370:143–153
- Gaymer CF, see Himmelman JH et al. (2008) 361:161–168
- Geiß-Brunschweiler U, see Schoor A et al. (2008) 364:31–46
- Genin A, see Mass T (2008) 369:131–137
- Gerringa LJA, see de Baar HJW et al. (2008) 364:269–282
- Gerrodette T, see Cramer KL et al. (2008) 369:273–285
- Gerrodette T, see Redfern JV et al. (2008) 363:1–14
- Glud RN, see Mikkelsen DM et al. (2008) 368:65–74
- Gnanadesikan A, Marinov I (2008) Export is not enough: nutrient cycling and carbon sequestration. 364:289–294
- Gobler CJ, see Carroll J et al. (2008) 369:51–62
- Gochfeld DJ, Aeby GS (2008) Antibacterial chemical defenses in Hawaiian corals provide possible protection from disease. 362:119–128
- Goetze E, Kjørboe T (2008) Heterospecific mating and species recognition in the planktonic marine copepods *Temora stylifera* and *T. longicornis*. 370:185–198
- Goldberg JD, see Kvitek RG et al. (2008) 367:35–47
- Goldsworthy SD, see Baylis AMM et al. (2008) 361:279–290
- Goñi R, Adlerstein S, Alvarez-Berastegui D, Forcada A, Reñones O, Criquet G, Polti S, Cadiou G, Valle C, Lenfant P, Bonhomme P, Pérez-Ruzafa A, Sánchez-Lizaso JL, García-Charton JA, Bernard G, Stelzenmüller V, Planes S (2008) Spillover from six western Mediterranean marine protected areas: evidence from artisanal fisheries. 366:159–174
- González ÁF, see Otero J et al. (2008) 362:181–192
- Gonzalez-Rodriguez E, see Guenther M et al. (2008) 363:109–119
- Goodyear CP, Luo J, Prince ED, Hoolihan JP, Snodgrass D, Orbesen ES, Serafy JE (2008) Vertical habitat use of Atlantic blue marlin *Makaira nigricans*: interaction with pelagic longline gear. 365:233–245
- Gorokhova E, see Lehtiniemi M (2008) 362:193–200
- Götz A, Kerwath SE, Attwood CG, Sauer WHH (2008) Effects of fishing on population structure and life history of roman *Chrysoblephus laticeps* (Sparidae). 362:245–259
- Grau C, see Sabatés A et al. (2008) 364:169–180
- Greenstreet SPR, Piet GJ (2008) Assessing the sampling effort required to estimate α species diversity in the groundfish assemblages of the North Sea. 364:181–197
- Gregr EJ, Trites AW (2008) A novel presence-only validation technique for improved Steller sea lion *Eumetopias jubatus* critical habitat descriptions. 365:247–261
- Grémare A, see Rosenberg R et al. (2008) 363:171–182
- Griffin JL, see Jones OAH et al. (2008) 369:169–179
- Grimes CB, see Wells BK et al. (2008) 364:15–29
- Grol MGG, Dorenbosch M, Kokkelmans EMG, Nagelkerken I (2008) Mangroves and seagrass beds do not enhance growth of early juveniles of a coral reef fish. 366:137–146
- Grønkvær P, see Bochdansky AB et al. (2008) 367:239–248
- Groom SB, see Otero J et al. (2008) 362:181–192
- Gross K, see Harvey CJ et al. (2008) 365:165–176
- Grothues TM, see Sackett DK et al. (2008) 364:199–212
- Guenther M, Gonzalez-Rodriguez E, Carvalho WF, Rezende CE, Mugrabe G, Valentin JL (2008) Plankton trophic structure and particulate organic carbon production during a coastal downwelling-upwelling cycle. 363:109–119
- Guerra Á, see Otero J et al. (2008) 362:181–192
- Guilhaumon F, see Ben Rais Lasram F et al. (2008) 363:273–286
- Guinet C, see Cherel Y et al. (2008) 370:239–247
- Gulak SJB, see Natanson LJ et al. (2008) 361:267–278
- Gullström M, Bodin M, Nilsson PG, Öhman MC (2008) Seagrass structural complexity and landscape configuration as determinants of tropical fish assemblage composition. 363:241–255
- Gustafsson C, see Mattila J et al. (2008) 361:15–20
- Gutiérrez-Rodríguez C, see Lasker HR et al. (2008) 367:153–161

H

- Hagemann M, see Schoor A et al. (2008) 364:31–46
- Halpern BS, Floeter SR (2008) Functional diversity responses to changing species richness in reef fish communities. 364:147–156
- Halpern BS, see Lester SE (2008) 367:49–56
- Hama T, see Wada S et al. (2008) 370:33–44
- Hamaoka H, see Fukumori K et al. (2008) 362:279–289
- Hameed S, see Kimmel DG (2008) 366:111–117
- Hannes A, see Lasker HR et al. (2008) 367:153–161
- Hanson JM, see Chabot D et al. (2008) 363:227–240
- Hargrave BT, Doucette LI, Cranford PJ, Law BA, Milligan TG (2008) Influence of mussel aquaculture on sediment organic enrichment in a nutrient-rich coastal embayment. 365:137–149
- Harrington L, see Birrell CL et al. (2008) 362:129–137
- Harris A, see Sheppard CRC et al. (2008) 362:109–117
- Harris MP, see Wanless S et al. (2008) 370:263–269
- Harrod C, see Mallela J (2008) 368:41–51
- Harvey CJ, Gross K, Simon VH, Hastie J (2008) Trophic and fishery interactions between Pacific hake and rockfish: effect on rockfish population rebuilding times. 365:165–176
- Hastie J, see Harvey CJ et al. (2008) 365:165–176
- Hauber ME, see Rayner MJ et al. (2008) 370:271–284
- Häussermann V, see Försterra G (2008) 370:121–125
- Hay ME, see Parker JD et al. (2008) 364:87–95
- Heath MR, Beare DJ (2008) New primary production in north-west European shelf seas, 1960–2003. 363:183–203
- Heaven CS, Scrosati RA (2008) Benthic community composition across gradients of intertidal elevation, wave exposure, and ice scour in Atlantic Canada. 369:13–23
- Heck KL Jr, see Furman BT (2008) 363:89–101
- Heck KL Jr, see Mattila J et al. (2008) 361:15–20
- Hégaret H, Shumway SE, Wikfors GH, Pate S, Burkholder JM (2008) Potential transport of harmful algae via relocation of bivalve molluscs. 361:169–179
- Helaouët P, see Beaugrand G (2008) 363:29–37
- Helle JH, see Martinson EC et al. (2008) 370:1–18
- Hemida F, see Natanson LJ et al. (2008) 361:267–278
- Hench JL, see Lenihan HS et al. (2008) 370:127–141
- Henkel TP, see Pawlik JR et al. (2008) 368:137–143
- Hennige SJ, Smith DJ, Perkins R, Consalvey M, Paterson DM,

- Suggett DJ (2008) Photoacclimation, growth and distribution of massive coral species in clear and turbid waters. 369:77–88
- Henriques V, see Fonseca P et al. (2008) 369:267–271
- Henry MS, see Fire SE et al. (2008) 368:283–294
- Herman PMJ, see van der Wal D et al. (2008) 367:57–72
- Hermansson M, see Nylund GM et al. (2008) 369:39–50
- Hernández I, see Brun FG et al. (2008) 365:67–75
- Herzka SZ, see Fodrie FJ (2008) 361:253–265
- Hesp SA, see Muhling BA et al. (2008) 364:157–167
- Hétérier V, David B, De Ridder C, Rigaud T (2008) Ectosymbiosis is a critical factor in the local benthic biodiversity of the Antarctic deep sea. 364:67–76
- Hewes CD, Reiss CS, Kahru M, Mitchell BG, Holm-Hansen O (2008) Control of phytoplankton biomass by dilution and mixed layer depth in the western Weddell-Scotia Confluence. 366:15–29
- Hewitt R, see Wells BK et al. (2008) 364:15–29
- Hidaka M, see Suwa R et al. (2008) 361:129–137
- Hill R, see Ulstrup KE et al. (2008) 361:139–150
- Himmelman JH, Dumont CP, Gaymer CF, Vallières C, Drolet D (2008) Spawning synchrony and aggregative behaviour of cold-water echinoderms during multi-species mass spawnings. 361:161–168
- Himmelman JH, see Gaymer CF (2008) 370:143–153
- Hindell JS, Jenkins GP, Womersley B (2008) Habitat utilisation and movement of black bream *Acanthopagrus butcheri* (Sparidae) in an Australian estuary. 366:219–229
- Hindell M, see Kirkwood R et al. (2008) 369:297–309
- Hindell M, see Lake S et al. (2008) 366:259–270
- Hindell MA, see Thums M et al. (2008) 370:249–261
- Hines JE, see Monticelli D et al. (2008) 365:277–287
- Hipfner JM (2008) Matches and mismatches: ocean climate, prey phenology and breeding success in a zooplanktivorous seabird. 368:295–304
- Hirose M, see Suwa R et al. (2008) 361:129–137
- Hirst AG, see Kiørboe T (2008) 367:15–22
- Hixon MA, see Albins MA (2008) 367:233–238
- Hjorth M, Forbes VE, Dahllöf I (2008) Plankton stress responses from PAH exposure and nutrient enrichment. 363:121–130
- Hoareau TB, see Boissin E et al. (2008) 361:151–159
- Hobday AJ, see Brown CJ et al. (2008) 369:257–266
- Hollibaugh JT, see First MR (2008) 361:59–68
- Holm-Hansen O, see Hewes CD et al. (2008) 366:15–29
- Hoolihan JP, see Goodyear CP et al. (2008) 365:233–245
- Hoskins AJ, Dann P, Ropert-Coudert Y, Kato A, Chiaradia A, Costa DP, Arnold JPY (2008) Foraging behaviour and habitat selection of the little penguin *Eudyptula minor* during early chick rearing in Bass Strait, Australia. 366:293–303
- Huebert KB (2008) Barokinesis and depth regulation by pelagic coral reef fish larvae. 367:261–269
- Huesemann MH (2008) Ocean fertilization and other climate change mitigation strategies: an overview. 364:243–250
- Hughes J, see Fry B et al. (2008) 369:193–204
- Human B, see Natanson LJ et al. (2008) 361:267–278
- Hume F, see Kirkwood R et al. (2008) 369:297–309
- Hunte W, see Vallès H et al. (2008) 363:257–272
- Huntington BE, Boyer KE (2008) Effects of red macroalgal (*Gracilariopsis* sp.) abundance on eelgrass *Zostera marina* in Tomales Bay, California, USA. 367:133–142
- I**
- Ides SJ, see van der Wal D et al. (2008) 367:57–72
- Incze LS, see Stevick PT et al. (2008) 363:15–28
- Itano D, see Gaertner JC et al. (2008) 366:175–186
- Iversen MH, see Poulsen LK (2008) 367:1–13
- Iverson SJ, see Williams CT et al. (2008) 363:287–298
- J**
- Jacinto D, Cruz T (2008) Tidal settlement of the intertidal barnacles *Chthamalus* spp. in SW Portugal: interaction between diel and semi-lunar cycles. 366:129–135
- Jaquemet S, see Cherel Y et al. (2008) 366:281–291
- Jaquet N, see Whitehead H et al. (2008) 361:291–300
- Jefferies A, see Radford C et al. (2008) 362:37–43
- Jelinski DE, see Berger MS (2008) 364:119–127
- Jenkins GP, see Hindell JS et al. (2008) 366:219–229
- Jennings S, Maxwell TAD, Schratzberger M, Milligan SP (2008) Body-size dependent temporal variations in nitrogen stable isotope ratios in food webs. 370:199–206
- Jephson T, Nyström P, Moksnes PO, Baden SP (2008) Trophic interactions in *Zostera marina* beds along the Swedish coast. 369:63–76
- Jickells TD, see Watson AJ et al. (2008) 364:303–309
- Johansson F, see Natanson LJ et al. (2008) 361:267–278
- Johnson CR, see Mills DJ et al. (2008) 364:1–13
- Johnson LE, see Lamote M (2008) 368:93–102
- Johnson ML, Tarling GA (2008) Influence of individual state on swimming capacity and behaviour of Antarctic krill *Euphausia superba*. 366:99–110
- Johnson MP, see Davies AJ et al. (2008) 366:43–48
- Johnson SL, Yund PO (2008) Multiple paternity and subsequent fusion-rejection interactions in a kin-structured population. 364:129–134
- Jones CM, see Muhling BA et al. (2008) 364:157–167
- Jones E, see Thornber CS et al. (2008) 363:51–62
- Jones OAH, Dondero F, Viarengo A, Griffin JL (2008) Metabolic profiling of *Mytilus galloprovincialis* and its potential applications for pollution assessment. 369:169–179
- K**
- Kaczmarek LT, see Sekar R et al. (2008) 362:85–98
- Kahru M, see Hewes CD et al. (2008) 366:15–29
- Kaiser MJ, see Fässler SMM (2008) 363:217–225
- Karl DM, Letelier RM (2008) Nitrogen fixation-enhanced carbon sequestration in low nitrate, low chlorophyll seascapes. 364:257–268
- Kato A, see Hoskins AJ et al. (2008) 366:293–303
- Kaufman AJ, see Rooker JR et al. (2008) 368:231–239
- Kautsky L, see Råberg S (2008) 361:111–118
- Kawamura T, see Takami H et al. (2008) 367:203–212
- Kelly S, see Pande A et al. (2008) 366:147–158
- Kempf A, Floeter J, Temming A (2008) Predator-prey overlap induced Holling type III functional response in the North Sea fish assemblage. 367:295–308
- Kerwath SE, see Götz A et al. (2008) 362:245–259
- Kiene RP, see Merzouk A et al. (2008) 369:1–11
- Kilminster KL, Walker DI, Thompson PA, Raven JA (2008) Changes in growth, internode distance and nutrient concentrations of the seagrass *Halophila ovalis* with exposure to sediment sulphide. 361:83–91
- Kimmel DG, Hameed S (2008) Update on the relationship between the North Atlantic Oscillation and *Calanus finmarchicus*. 366:111–117
- Kiørboe T, Hirst AG (2008) Optimal development time in pelagic copepods. 367:15–22
- Kiørboe T, see Goetze E (2008) 370:185–198

- Kirkwood R, Hume F, Hindell M (2008) Sea temperature variations mediate annual changes in the diet of Australian fur seals in Bass Strait. 369:297–309
- Knaeps E, see van der Wal D et al. (2008) 367:57–72
- Kojadinovic J, Ménard F, Bustamante P, Cosson RP, Le Corre M (2008) Trophic ecology of marine birds and pelagic fishes from Reunion Island as determined by stable isotope analysis. 361:239–251
- Kokkelmans EMG, see Grol MGG et al. (2008) 366:137–146
- Komatsu T, see Wada S et al. (2008) 370:33–44
- Korb RE, Whitehouse MJ, Atkinson A, Thorpe SE (2008) Magnitude and maintenance of the phytoplankton bloom at South Georgia: a naturally iron-replete environment. 368:75–91
- Koski M, see Söpanen S et al. (2008) 361:191–202
- Kotchen MJ, see Lenihan HS et al. (2008) 370:127–141
- Kramer DL, see Vallès H et al. (2008) 363:257–272
- Kraus SD, see Stevick PT et al. (2008) 363:15–28
- Kristensen E, Flindt MR, Ulomi S, Borges AV, Abril G, Bouillon S (2008) Emission of CO₂ and CH₄ to the atmosphere by sediments and open waters in two Tanzanian mangrove forests. 370:53–67
- Kubota H, see Takasuka A et al. (2008) 366:231–244
- Kuguru B, Chadwick NE, Achituv Y, Zandbank K, Tchernov D (2008) Mechanisms of habitat segregation between corallimorpharians: photosynthetic parameters and *Symbiodinium* types. 369:115–129
- Kuuppo P, see Söpanen S et al. (2008) 361:191–202
- Kvitek RG, Goldberg JD, Smith GJ, Doucette GJ, Silver MW (2008) Domoic acid contamination within eight representative species from the benthic food web of Monterey Bay, California, USA. 367:35–47
- L**
- Laan P, see de Baar HJW et al. (2008) 364:269–282
- Lake S, Burton H, Barker R, Hindell M (2008) Annual reproductive rates of Weddell seals in eastern Antarctica from 1973 to 2000. 366:259–270
- Lam V, see Cheung WWL et al. (2008) 365:187–197
- Lamote M, Johnson LE (2008) Temporal and spatial variation in the early recruitment of fucoid algae: the role of microhabitats and temporal scales. 368:93–102
- Lanyon JM, see Dudgeon CL et al. (2008) 368:269–281
- Larkum AWD, see Ulstrup KE et al. (2008) 361:139–150
- Lasker HR, Gutiérrez-Rodríguez C, Bala K, Hannes A, Bilewitch JP (2008) Male reproductive success during spawning events of the octocoral *Pseudopterogorgia elisabethae*. 367:153–161
- Lau PY, see Fonseca P et al. (2008) 369:267–271
- Lavery PS, see Prado P et al. (2008) 361:69–82
- Law BA, see Hargrave BT et al. (2008) 365:137–149
- Law CS (2008) Predicting and monitoring the effects of large-scale ocean iron fertilization on marine trace gas emissions. 364:283–288
- Le Corre M, see Cherel Y et al. (2008) 366:281–291
- Le Corre M, see Kojadinovic J et al. (2008) 361:239–251
- Le Corre M, see Weimerskirch H et al. (2008) 362:291–302
- Leakey RJG, see Navarro N et al. (2008) 361:47–58
- Lee PF, see Chan BKK et al. (2008) 362:201–210
- Legendre L, Rivkin RB (2008) Planktonic food webs: microbial hub approach. 365:289–309
- Leggett WC, see Bochsansky AB et al. (2008) 367:239–248
- Légrand C, see Söpanen S et al. (2008) 361:191–202
- Lehtinen S, see Söpanen S et al. (2008) 361:191–202
- Lehtiniemi M, Gorokhova E (2008) Predation of the introduced cladoceran *Cercopagis pengoi* on the native copepod *Eurytemora affinis* in the northern Baltic Sea. 362:193–200
- Leinen M (2008) Building relationships between scientists and business in ocean iron fertilization. 364:251–256
- Lek S, see Bandelj V et al. (2008) 368:23–40
- Lenfant P, see Goñi R et al. (2008) 366:159–174
- Lenihan HS, Adjeroud M, Kotchen MJ, Hench JL, Nakamura T (2008) Reef structure regulates small-scale spatial variation in coral bleaching. 370:127–141
- Leporati SC, Semmens JM, Pecl GT (2008) Determining the age and growth of wild octopus using stylet increment analysis. 367:213–222
- Lester SE, Halpern BS (2008) Biological responses in marine no-take reserves versus partially protected areas. 367:49–56
- Letelier RM, see Karl DM (2008) 364:257–268
- Levasseur M, see Merzouk A et al. (2008) 369:1–11
- Levenbach S (2008) Behavioral mechanism for an associational refuge for macroalgae on temperate reefs. 370:45–52
- Lewis S, see Wanless S et al. (2008) 370:263–269
- Lewis SM, see Rotjan RD (2008) 367:73–91
- Limpus CJ, see Arthur KE et al. (2008) 362:303–311
- Liss PS, see Watson AJ et al. (2008) 364:303–309
- Liuzzi MG, López Gappa J (2008) Macrofaunal assemblages associated with coralline turf: species turnover and changes in structure at different spatial scales. 363:147–156
- Lizotte M, see Merzouk A et al. (2008) 369:1–11
- Loeb V, see Atkinson A et al. (2008) 362:1–23
- Loh TL, see Pawlik JR et al. (2008) 368:137–143
- Long ER, see Birch GF et al. (2008) 363:71–87
- Long WC, Seitz RD (2008) Trophic interactions under stress: hypoxia enhances foraging in an estuarine food web. 362:59–68
- López Gappa J, see Liuzzi MG (2008) 363:147–156
- López-Legentil S, see Pawlik JR et al. (2008) 368:137–143
- Loya Y, see Shenkar N et al. (2008) 367:163–171
- Loya Y, see Zvuloni A et al. (2008) 363:103–108
- Lucas MI, see Painter SC et al. (2008) 368:53–63
- Luo J, see Goodyear CP et al. (2008) 365:233–245
- Lusseau S, see Whitehead H et al. (2008) 361:291–300
- Lutcavage M, see Galuardi B et al. (2008) 365:35–44
- M**
- MacDiarmid AB, see Pande A et al. (2008) 366:147–158
- MacGibbon A, see Meynier L et al. (2008) 366:271–279
- Mackenzie DDS, see Meynier L et al. (2008) 366:271–279
- MacKenzie RA, Dionne M (2008) Habitat heterogeneity: importance of salt marsh pools and high marsh surfaces to fish production in two Gulf of Maine salt marshes. 368:217–230
- Mackinson S, see Engelhard GH et al. (2008) 369:213–227
- Macleod G, see Trathan PN et al. (2008) 370:285–294
- Macleod CK, Moltschanivskyj NA, Crawford CM (2008) Ecological and functional changes associated with long-term recovery from organic enrichment. 365:17–24
- MacNeil MA, Tyler EHM, Fønnesbeck CJ, Rushton SP, Polunin NVC, Conroy MJ (2008) Accounting for detectability in reef-fish biodiversity estimates. 367:249–260
- MacQuarrie SP, Bricelj VM (2008) Behavioral and physiological responses to PSP toxins in *Mya arenaria* populations in relation to previous exposure to red tides. 366:59–74
- Madden KM, Fuiman LA, Williams TM, Davis RW (2008) Identification of foraging dives in free-ranging Weddell seals *Leptonychotes weddellii*: confirmation using video

- records. 365:263–275
- Maggi E, see Vaselli S et al. (2008) 364:57–66
- Maggi E, see Vaselli S et al. (2008) 368:9–22
- Maggs CA, see Davies AJ et al. (2008) 366:43–48
- Mallela J, Harrod C (2008) $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ reveal significant differences in the coastal foodwebs of the seas surrounding Trinidad and Tobago. 368:41–51
- Malta E, see Brun FG et al. (2008) 365:67–75
- Marinov I, see Gnanadesikan A (2008) 364:289–294
- Marteinsdóttir G, see Pardoe H et al. (2008) 362:261–277
- Martínez-Crego B, Vergés A, Alcoverro T, Romero J (2008) Selection of multiple seagrass indicators for environmental biomonitoring. 361:93–109
- Martinson EC, Helle JH, Scarnecchia DL, Stokes HH (2008) Density-dependent growth of Alaska sockeye salmon in relation to climate–oceanic regimes, population abundance, and body size, 1925 to 1998. 370:1–18
- Mass T, Genin A (2008) Environmental versus intrinsic determination of colony symmetry in the coral *Pocillopora verrucosa*. 369:131–137
- Mathews T, Fisher NS (2008) Trophic transfer of seven trace metals in a four-step marine food chain. 367:23–33
- Mattila J, Heck KL Jr, Millstein E, Miller E, Gustafsson C, Williams S, Byron D (2008) Increased habitat structure does not always provide increased refuge from predation. 361:15–20
- Matz MV, see D'Angelo C et al. (2008) 364:97–106
- Maxwell TAD, see Jennings S et al. (2008) 370:199–206
- Mayfield S, see Saunders T (2008) 366:75–89
- McCook LJ, see Birrell CL et al. (2008) 362:129–137
- McCormick TB, Buckley LM, Brogan J, Perry LM (2008) Drift macroalgae as a potential dispersal mechanism for the white abalone *Haliotis sorenseni*. 362:225–232
- McCready S, see Birch GF et al. (2008) 363:71–87
- McDonald JI, see Coupland GT (2008) 361:181–189
- McKeown NJ, Shaw PW (2008) Single paternity within broods of the brown crab *Cancer pagurus*: a highly fecund species with long-term sperm storage. 368:209–215
- McKinnon AD, see Alongi DM et al. (2008) 370:97–109
- McManus MA, Benoit-Bird KJ, Woodson CB (2008) Behavior exceeds physical forcing in the diel horizontal migration of the midwater sound-scattering layer in Hawaiian waters. 365:91–101
- McManus MA, see Benoit-Bird KJ et al. (2008) 367:109–123
- McMurray SE, see Pawlik JR et al. (2008) 368:137–143
- McQuaid CD, see Nicastro KR et al. (2008) 368:189–195
- Meesters HWG, see Flores H et al. (2008) 367:271–282
- Ménard F, see Chérel Y et al. (2008) 366:281–291
- Ménard F, see Kojadinovic J et al. (2008) 361:239–251
- Mérigot B, see Gaertner JC et al. (2008) 366:175–186
- Merzouk A, Levasseur M, Scarratt M, Michaud S, Lizotte M, Rivkin RB, Kiene RP (2008) Bacterial DMSP metabolism during the senescence of the spring diatom bloom in the Northwest Atlantic. 369:1–11
- Metaxas A, see Saunders M (2008) 369:139–151
- Meynier L, Morel PCH, Chilvers BL, Mackenzie DDS, MacGibbon A, Duignan PJ (2008) Temporal and sex differences in the blubber fatty acid profiles of the New Zealand sea lion *Phocarctos hookeri*. 366:271–279
- Michaud S, see Merzouk A et al. (2008) 369:1–11
- Mikami A, see Wada S et al. (2008) 370:33–44
- Miki T, Yokokawa T, Nagata T, Yamamura N (2008) Immigration of prokaryotes to local environments enhances remineralization efficiency of sinking particles: a meta-community model. 366:1–14
- Mikkelsen DM, Rysgaard S, Glud RN (2008) Microalgal composition and primary production in Arctic sea ice: a seasonal study from Kobbefjord (Kangerluarsunnguaq), West Greenland. 368:65–74
- Milani L, see Bandelj V et al. (2008) 368:23–40
- Miller DC, see Dale RK (2008) 363:205–215
- Miller E, see Mattila J et al. (2008) 361:15–20
- Milligan SP, see Jennings S et al. (2008) 370:199–206
- Milligan TG, see Hargrave BT et al. (2008) 365:137–149
- Mills DJ, Johnson CR, Gardner C (2008) Bias in lobster tethering experiments conducted for selecting low-predation release sites. 364:1–13
- Millstein E, see Mattila J et al. (2008) 361:15–20
- Minte-Vera CV, de Moura RL, Francini-Filho RB (2008) Nested sampling: an improved visual-census technique for studying reef fish assemblages. 367:283–293
- Miranda A, see Otero J et al. (2008) 362:181–192
- Miskiewicz AG, see Muhling BA et al. (2008) 364:157–167
- Mitchell BG, see Hewes CD et al. (2008) 366:15–29
- Moens T, see Gallucci F et al. (2008) 367:173–183
- Moksnes PO, see Jephson T et al. (2008) 369:63–76
- Mollen FH, see Natanson LJ et al. (2008) 361:267–278
- Moltschaniwskyj NA, see Macleod CK et al. (2008) 365:17–24
- Mondragon J, see Taggart SJ et al. (2008) 365:151–163
- Montaño MNE, see Villanueva RD et al. (2008) 370:111–119
- Montgomery JC, see Radford C et al. (2008) 362:37–43
- Monticelli D, Ramos JA, Hines JE, Nichols JD, Spendelow JA (2008) Juvenile survival in a tropical population of roseate terns: interannual variation and effect of tick parasitism. 365:277–287
- Montoya JP, see Parker JD et al. (2008) 364:87–95
- Morán P, see Sotelo G et al. (2008) 362:211–223
- Morel PCH, see Meynier L et al. (2008) 366:271–279
- Morris EP, see Peralta G et al. (2008) 368:103–115
- Morrow K, Carpenter R (2008) Shallow kelp canopies mediate macroalgal composition: effects on the distribution and abundance of *Corynactis californica* (Corallimorpharia). 361:119–127
- Mouillot D, see Ben Rais Lasram F et al. (2008) 363:273–286
- Mouillot D, see Villéger S et al. (2008) 364:135–146
- Mugrabe G, see Guenther M et al. (2008) 363:109–119
- Muhling BA, Beckley LE, Gaughan DJ, Jones CM, Miskiewicz AG, Hesp SA (2008) Spawning, larval abundance and growth rate of *Sardinops sagax* off southwestern Australia: influence of an anomalous eastern boundary current. 364:157–167
- Mullineaux LS, see Strasser CA et al. (2008) 370:155–169
- Mumby PJ, see Foster NL et al. (2008) 367:143–152
- Murata A, see Chan BKK et al. (2008) 362:201–210
- Murphy EJ, see Atkinson A et al. (2008) 362:1–23
- Murphy RJ, Tolhurst TJ, Chapman MG, Underwood AJ (2008) Spatial variation of chlorophyll on estuarine mudflats determined by field-based remote sensing. 365:45–55
- Murray S, see Wanless S et al. (2008) 370:263–269
- Musashi T, see Takami H et al. (2008) 367:203–212

N

- Naar J, see Fire SE et al. (2008) 368:283–294
- Nagata T, see Miki T et al. (2008) 366:1–14
- Nagelkerken I, Bothwell J, Nemeth RS, Pitt JM, van der Velde G (2008) Interlinkage between Caribbean coral reefs and seagrass beds through feeding migrations by grunts (Haemulidae) depends on habitat accessibility. 368:155–164
- Nagelkerken I, see Grol MGG et al. (2008) 366:137–146
- Nakamura T, see Lenihan HS et al. (2008) 370:127–141
- Nakaya F, see Okubo N et al. (2008) 366:305–309

- Nasby-Lucas N, see Domeier ML (2008) 370:221–237
- Natanson LJ, Wintner SP, Johansson F, Piercy A, Campbell P, De Maddalena A, Gulak SJB, Human B, Fulgosi FC, Ebert DA, Hemida F, Mollen FH, Vanni S, Burgess GH, Compagno LJV, Wedderburn-Maxwell A (2008) Ontogenetic vertebral growth patterns in the basking shark *Cetorhinus maximus*. 361:267–278
- Navarro N, Leakey RJG, Black KD (2008) Effect of salmon cage aquaculture on the pelagic environment of temperate coastal waters: seasonal changes in nutrients and microbial community. 361:47–58
- Neale PJ, see Fritz JJ et al. (2008) 365:1–16
- Nemeth RS, see Nagelkerken I et al. (2008) 368:155–164
- Ng WC, see Tsang LM et al. (2008) 364:107–118
- Nicastro KR, Zardi GI, McQuaid CD, Teske PR, Barker NP (2008) Coastal topography drives genetic structure in marine mussels. 368:189–195
- Nichols JD, see Monticelli D et al. (2008) 365:277–287
- Nielsen A, see Galuardi B et al. (2008) 365:35–44
- Nielsen JK, see Taggart SJ et al. (2008) 365:151–163
- Nienhaus GU, see D'Angelo C et al. (2008) 364:97–106
- Nilsson PG, see Gullström M et al. (2008) 363:241–255
- Noad MJ, see Dudgeon CL et al. (2008) 368:269–281
- Noro T, see Takami H et al. (2008) 367:203–212
- Novoa B, see Alonso-Gutiérrez J et al. (2008) 362:25–36
- Nylund GM, Cervin G, Persson F, Hermansson M, Steinberg PD, Pavia H (2008) Seaweed defence against bacteria: a poly-brominated 2-heptanone from the red alga *Bonne-maisonia hamifera* inhibits bacterial colonisation. 369:39–50
- Nyström P, see Jephson T et al. (2008) 369:63–76

O

- Odendaal F, see Branch GM et al. (2008) 370:171–183
- O'Donnell MJ (2008) Reduction of wave forces within bare patches in mussel beds. 362:157–167
- Oguz T, Salihoglu B, Fach B (2008) A coupled plankton–anchovy population dynamics model assessing nonlinear controls of anchovy and gelatinous biomass in the Black Sea. 369:229–256
- Öhman MC, see Gullström M et al. (2008) 363:241–255
- Okaji K, see Okubo N et al. (2008) 366:305–309
- Okubo N, Yamamoto HH, Nakaya F, Okaji K (2008) Oxygen consumption of a single embryo/planula in the reef-building coral *Acropora intermedia*. 366:305–309
- Okuda N, see Fukumori K et al. (2008) 362:279–289
- Olivé I, see Brun FG et al. (2008) 365:67–75
- Olli K, see Seppälä J (2008) 370:69–85
- Olsen YS, see Teichberg M et al. (2008) 368:117–126
- Omori K, see Fukumori K et al. (2008) 362:279–289
- Oozeki Y, see Takasuka A et al. (2008) 366:231–244
- Opazo LF, see Camus PA et al. (2008) 361:35–45
- Orbach MK (2008) Cultural context of ocean fertilization. 364:235–242
- Orbesen ES, see Goodyear CP et al. (2008) 365:233–245
- Ortiz DM, Tissot BN (2008) Ontogenetic patterns of habitat use by reef-fish in a Marine Protected Area network: a multi-scaled remote sensing and *in situ* approach. 365:217–232
- Oswald F, see D'Angelo C et al. (2008) 364:97–106
- Otero J, Álvarez-Salgado XA, González ÁF, Miranda A, Groom SB, Cabanas JM, Casas G, Wheatley B, Guerra Á (2008) Bottom-up control of common octopus *Octopus vulgaris* in the Galician upwelling system, northeast Atlantic Ocean. 362:181–192

P

- Paddock MJ, Sponaugle S (2008) Recruitment and habitat selection of newly settled *Sparisoma viride* to reefs with low coral cover. 369:205–212
- Page B, see Baylis AMM et al. (2008) 361:279–290
- Painter SC, Sanders R, Waldron HN, Lucas MI, Torres-Valdes S (2008) Urea distribution and uptake in the Atlantic Ocean between 50°N and 50°S. 368:53–63
- Pakhomov EA, see Atkinson A et al. (2008) 362:1–23
- Pakhomov EA, see Flores H et al. (2008) 367:271–282
- Pan K, Wang WX (2008) Allometry of cadmium and zinc concentrations and bioaccumulation in the scallop *Chlamys nobilis*. 365:115–126
- Pande A, MacDiarmid AB, Smith PJ, Davidson RJ, Cole RG, Freeman D, Kelly S, Gardner JPA (2008) Marine reserves increase the abundance and size of blue cod and rock lobster. 366:147–158
- Pandolfi JM, Budd AF (2008) Morphology and ecological zonation of Caribbean reef corals: the *Montastraea 'annularis'* species complex. 369:89–102
- Pardoe H, Thórdarson G, Marteinsdóttir G (2008) Spatial and temporal trends in condition of Atlantic cod *Gadus morhua* on the Icelandic shelf. 362:261–277
- Park YS, see Bandelj V et al. (2008) 368:23–40
- Parker JD, Montoya JP, Hay ME (2008) A specialist detritivore links *Spartina alterniflora* to salt marsh food webs. 364:87–95
- Parnel MM, see Brodeur RD et al. (2008) 366:187–202
- Pate S, see Hégaret H et al. (2008) 361:169–179
- Paterson DM, see Hennige SJ et al. (2008) 369:77–88
- Pauly D, see Cheung WWL et al. (2008) 365:187–197
- Pavia H, see Nylund GM et al. (2008) 369:39–50
- Pawlik JR, Henkel TP, McMurray SE, López-Legentil S, Loh TL, Rohde S (2008) Patterns of sponge recruitment and growth on a shipwreck corroborate chemical defense resource trade-off. 368:137–143
- Pecl GT, see Leporati SC et al. (2008) 367:213–222
- Pederson HG, Barrett NS, Frusher SD, Buxton CD (2008) Effect of predator–prey and competitive interactions on size at emergence in the black-lip abalone *Haliotis rubra* in a Tasmanian MPA. 366:91–98
- Pedraza SN, see Dans SL et al. (2008) 369:287–296
- Peloquin JA, see Fritz JJ et al. (2008) 365:1–16
- Pepin P, see Bochdansky AB et al. (2008) 367:239–248
- Peralta G, van Duren LA, Morris EP, Bouma TJ (2008) Consequences of shoot density and stiffness for ecosystem engineering by benthic macrophytes in flow dominated areas: a hydrodynamic flume study. 368:103–115
- Perez-Enriquez R, see García-Rodríguez FJ (2008) 361:203–212
- Pérez-Lloréns JL, see Brun FG et al. (2008) 365:67–75
- Pérez-Ruzafa A, see Goñi R et al. (2008) 366:159–174
- Perkins R, see Hennige SJ et al. (2008) 369:77–88
- Perry LM, see McCormick TB et al. (2008) 362:225–232
- Perryman WL, see Cramer KL et al. (2008) 369:273–285
- Persson F, see Nylund GM et al. (2008) 369:39–50
- Peterson B, see Fry B et al. (2008) 369:193–204
- Peterson BJ, see Carroll J et al. (2008) 369:51–62
- Peterson WT, see Brodeur RD et al. (2008) 366:187–202
- Phillips RA, see Rayner MJ et al. (2008) 370:271–284
- Pierce RH, see Fire SE et al. (2008) 368:283–294
- Piercy A, see Natanson LJ et al. (2008) 361:267–278
- Piet GJ, see Greenstreet SPR (2008) 364:181–197
- Piggott MP, Banks SC, Tung P, Beheregaray LB (2008) Genetic evidence for different scales of connectivity in a marine mollusc. 365:127–136

- Pillay D, Branch GM, Forbes AT (2008) Habitat change in an estuarine embayment: anthropogenic influences and a regime shift in biotic interactions. 370:19–31
- Pinnegar JK, see Engelhard GH et al. (2008) 369:213–227
- Pitt JM, see Nagelkerken I et al. (2008) 368:155–164
- Place AR, see Waggett RJ et al. (2008) 366:31–42
- Plancke YMG, see van der Wal D et al. (2008) 367:57–72
- Planes S, see Goñi R et al. (2008) 366:159–174
- Polti S, see Goñi R et al. (2008) 366:159–174
- Polunin NVC, see MacNeil MA et al. (2008) 367:249–260
- Pope ND, see Widdows J et al. (2008) 362:45–57
- Posada D, see Sotelo G et al. (2008) 362:211–223
- Possingham HP, see Begger M (2008) 361:1–13
- Poulsen LK, Iversen MH (2008) Degradation of copepod fecal pellets: key role of protozooplankton. 367:1–13
- Prado P, Collier CJ, Lavery PS (2008) ^{13}C and ^{15}N translocation within and among shoots in two *Posidonia* species from Western Australia. 361:69–82
- Prescott R, Cudney-Bueno R (2008) Mobile 'reefs' in the northeastern Gulf of California: aggregations of black murex snails *Hexaplex nigritus* as habitat for invertebrates. 367:185–192
- Primicerio R, see Fossheim M (2008) 364:47–56
- Prince ED, see Goodyear CP et al. (2008) 365:233–245
- Pusineri C, Chancollon O, Ringelstein J, Ridoux V (2008) Feeding niche segregation among the Northeast Atlantic community of oceanic top predators. 361:21–34
- Q**
- Quéric NV, Arrieta JM, Soltwedel T, Arntz WE (2008) Prokaryotic community dynamics in the sedimentary micro-environment of the demosponge *Tentorium semisuberites* from deep Arctic waters. 370:87–95
- Quetin LB, see Atkinson A et al. (2008) 362:1–23
- R**
- Råberg S, Kautsky L (2008) Grazer identity is crucial for facilitating growth of the perennial brown alga *Fucus vesiculosus*. 361:111–118
- Rachmansyah, see Alongi DM et al. (2008) 370:97–109
- Radford C, Jeffs A, Tindle C, Montgomery JC (2008) Resonating sea urchin skeletons create coastal choruses. 362:37–43
- Ralph PJ, see Ulstrup KE et al. (2008) 361:139–150
- Ramos JA, see Monticelli D et al. (2008) 365:277–287
- Ramos Miranda J, see Villéger S et al. (2008) 364:135–146
- Ramskov T, Forbes VE (2008) Life history and population dynamics of the opportunistic polychaete *Capitella* sp. I in relation to sediment organic matter. 369:181–192
- Rangel TFLVB, see Carranza A et al. (2008) 367:193–202
- Raven JA, see Kilminster KL et al. (2008) 361:83–91
- Rayfuse R, see Freestone D (2008) 364:227–233
- Rayner MJ, Hauber ME, Clout MN, Seldon DS, Van Dijken S, Bury S, Phillips RA (2008) Foraging ecology of the Cook's petrel *Pterodroma cookii* during the austral breeding season: a comparison of its two populations. 370:271–284
- Redfern JV, Barlow J, Ballance LT, Gerrodette T, Becker EA (2008) Absence of scale dependence in dolphin-habitat models for the eastern tropical Pacific Ocean. 363:1–14
- Reiss CS, see Hewes CD et al. (2008) 366:15–29
- Reñones O, see Goñi R et al. (2008) 366:159–174
- Reynaud S, see Rodolfo-Metalpa R et al. (2008) 369:103–114
- Rezende CE, see Guenther M et al. (2008) 363:109–119
- Richard P, see Cherel Y et al. (2008) 366:281–291
- Richard P, see Cherel Y et al. (2008) 370:239–247
- Richardson K, see Christensen JT (2008) 368:1–8
- Richardson LL, see Sekar R et al. (2008) 362:85–98
- Ridoux V, see Pusineri C et al. (2008) 361:21–34
- Rigaud T, see Hétérier V et al. (2008) 364:67–76
- Righton DA, see Engelhard GH et al. (2008) 369:213–227
- Ringelstein J, see Pusineri C et al. (2008) 361:21–34
- Rivkin RB, see Legendre L (2008) 365:289–309
- Rivkin RB, see Merzouk A et al. (2008) 369:1–11
- Robinson TB, see Branch GM et al. (2008) 370:171–183
- Rodolfo-Metalpa R, Reynaud S, Allemand D, Ferrier-Pagès C (2008) Temporal and depth responses of two temperate corals, *Cladocora caespitosa* and *Oculina patagonica*, from the North Mediterranean Sea. 369:103–114
- Rodríguez-Graña L, Calliari D, Conde D, Sellanes J, Urrutia R (2008) Food web of a SW Atlantic shallow coastal lagoon: spatial environmental variability does not impose substantial changes in the trophic structure. 362:69–83
- Rohde S, see Pawlik JR et al. (2008) 368:137–143
- Romdhane MS, see Ben Rais Lasram F et al. (2008) 363:273–286
- Romero J, see Martínez-Crego B et al. (2008) 361:93–109
- Ronconi RA, Burger AE (2008) Limited foraging flexibility: increased foraging effort by a marine predator does not buffer against scarce prey. 366:245–258
- Rooker JR, Secor DH, DeMetrio G, Kaufman AJ, Belmonte Ríos A, Tičina V (2008) Evidence of trans-Atlantic movement and natal homing of bluefin tuna from stable isotopes in otoliths. 368:231–239
- Ropert-Coudert Y, see Hoskins AJ et al. (2008) 366:293–303
- Rosen S, see Stevick PT et al. (2008) 363:15–28
- Rosenberg R, Grémare A, Duchêne JC, Davey E, Frank M (2008) 3D visualization and quantification of marine benthic biogenic structures and particle transport utilizing computer-aided tomography. 363:171–182
- Ross RM, see Atkinson A et al. (2008) 362:1–23
- Rossi F, see van der Wal D et al. (2008) 367:57–72
- Rothery P, see Atkinson A et al. (2008) 362:1–23
- Rotjan RD, Lewis SM (2008) Impact of coral predators on tropical reefs. 367:73–91
- Rushton SP, see MacNeil MA et al. (2008) 367:249–260
- Rypien KL (2008) African dust is an unlikely source of *Aspergillus sydowii*, the causative agent of sea fan disease. 367:125–131
- Rysgaard S, see Mikkelsen DM et al. (2008) 368:65–74
- S**
- Sabatés A, Zaragoza N, Grau C, Salat J (2008) Vertical distribution of early developmental stages in two coexisting clupeoid species, *Sardinella aurita* and *Engraulis encrasicolus*. 364:169–180
- Sackett DK, Able KW, Grothues TM (2008) Habitat dynamics of summer flounder *Paralichthys dentatus* within a shallow USA estuary, based on multiple approaches using acoustic telemetry. 364:199–212
- Saido T, see Takami H et al. (2008) 367:203–212
- Sainte-Marie B, see Chabot D et al. (2008) 363:227–240
- Sala E, see DeMartini EE et al. (2008) 365:199–215
- Salat J, see Sabatés A et al. (2008) 364:169–180
- Salazar S, see Villegas-Amtmann S et al. (2008) 363:299–309
- Salih A, see D'Angelo C et al. (2008) 364:97–106
- Salihoglu B, see Oguz T et al. (2008) 369:229–256
- Sánchez-Lizaso JL, see Goñi R et al. (2008) 366:159–174
- Sancho G, see Gaertner JC et al. (2008) 366:175–186

- Sanders R, see Painter SC et al. (2008) 368:53–63
 Sandin SA, see DeMartini EE et al. (2008) 365:199–215
 Sato T, see Wada S et al. (2008) 370:33–44
 Sauer WHH, see Götz A et al. (2008) 362:245–259
 Saunders M, Metaxas A (2008) High recruitment of the introduced bryozoan *Membranipora membranacea* is associated with kelp bed defoliation in Nova Scotia, Canada. 369:139–151
 Saunders T, Mayfield S (2008) Predicting biological variation using a simple morphometric marker in the sedentary marine invertebrate *Haliotis rubra*. 366:75–89
 Scarnecchia DL, see Martinson EC et al. (2008) 370:1–18
 Scarratt M, see Merzouk A et al. (2008) 369:1–11
 Schaible R, see Schoor A et al. (2008) 364:31–46
 Schmidt K, see Atkinson A et al. (2008) 362:1–23
 Schoor A, Selig U, Geiß-Brunschweiler U, Schaible R, Schumann R, Schubert B, Feuerpfeil P, Hagemann M, Schubert H (2008) Phytoplankton diversity and photosynthetic acclimation along a longitudinal transect through a shallow estuary in summer. 364:31–46
 Schratzberger M, see Jennings S et al. (2008) 370:199–206
 Schubert B, see Schoor A et al. (2008) 364:31–46
 Schubert H, see Schoor A et al. (2008) 364:31–46
 Schumann R, see Schoor A et al. (2008) 364:31–46
 Schwing FB, see Wells BK et al. (2008) 364:15–29
 Scrosati RA, see Heaven CS (2008) 369:13–23
 Secor DH, see Rooker JR et al. (2008) 368:231–239
 Seitz RD, see Long WC (2008) 362:59–68
 Sekar R, Kaczmarek LT, Richardson LL (2008) Microbial community composition of black band disease on the coral host *Siderastrea siderea* from three regions of the wider Caribbean. 362:85–98
 Seldon DS, see Rayner MJ et al. (2008) 370:271–284
 Selig U, see Schoor A et al. (2008) 364:31–46
 Sellanes J, see Rodríguez-Graña L et al. (2008) 362:69–83
 Semmens JM, see Leporati SC et al. (2008) 367:213–222
 Seppälä J, Olli K (2008) Multivariate analysis of phytoplankton spectral *in vivo* fluorescence: estimation of phytoplankton biomass during a mesocosm study in the Baltic Sea. 370:69–85
 Serafy JE, see Goodyear CP et al. (2008) 365:233–245
 Seuront L, Vincent D (2008) Increased seawater viscosity, *Phaeocystis globosa* spring bloom and *Temora longicornis* feeding and swimming behaviours. 363:131–145
 Shang X, Zhang GS, Zhang J (2008) Relative importance of vascular plants and algal production in the food web of a *Spartina*-invaded salt marsh in the Yangtze River estuary. 367:93–107
 Shaw PW, see McKeown NJ (2008) 368:209–215
 Shenkar N, Bronstein O, Loya Y (2008) Population dynamics of a coral reef ascidian in a deteriorating environment. 367:163–171
 Sheppard ALS, see Sheppard CRC et al. (2008) 362:109–117
 Sheppard CRC, Harris A, Sheppard ALS (2008) Archipelago-wide coral recovery patterns since 1998 in the Chagos Archipelago, central Indian Ocean. 362:109–117
 Shinagawa H, see Wada S et al. (2008) 370:33–44
 Shumway SE, see Hégaret H et al. (2008) 361:169–179
 Siegel V, see Atkinson A et al. (2008) 362:1–23
 Siegel V, see Flores H et al. (2008) 367:271–282
 Silver MW, see Kvitek RG et al. (2008) 367:35–47
 Simon VH, see Harvey CJ et al. (2008) 365:165–176
 Smee DL, Weissburg MJ (2008) Heightened prey responses in risky habitats: predation pressure increases prey sensitivity to predation risk. 363:39–50
 Smith DJ, see Hennige SJ et al. (2008) 369:77–88
 Smith GJ, see Kvitek RG et al. (2008) 367:35–47
 Smith IP, see Adey JM et al. (2008) 366:119–127
 Smith LD, see Baldrige AK (2008) 365:25–34
 Smith PJ, see Pande A et al. (2008) 366:147–158
 Snodgrass D, see Goodyear CP et al. (2008) 365:233–245
 Socal G, see Bandelj V et al. (2008) 368:23–40
 Solanas AM, see Alonso-Gutiérrez J et al. (2008) 362:25–36
 Solidoro C, see Bandelj V et al. (2008) 368:23–40
 Soltwedel T, see Quéric NV et al. (2008) 370:87–95
 Sopenan S, Koski M, Uronen P, Kuuppo P, Lehtinen S, Legrand C, Tamminen T (2008) *Prymnesium parvum* exotoxins affect the grazing and viability of the calanoid copepod *Eurytemora affinis*. 361:191–202
 Sosa Lopez A, see Villéger S et al. (2008) 364:135–146
 Sotelo G, Morán P, Fernández L, Posada D (2008) Genetic variation of the spiny spider crab *Maja brachydactyla* in the northeastern Atlantic. 362:211–223
 Soulen HL, see Brodeur RD et al. (2008) 366:187–202
 Southcott L, see Winterbottom R (2008) 366:203–208
 Spendlow JA, see Monticelli D et al. (2008) 365:277–287
 Sponaugle S, see Paddack MJ (2008) 369:205–212
 Spyraakis G, see Birch GF et al. (2008) 363:71–87
 Stachowicz JJ, see Thornber CS et al. (2008) 363:51–62
 Stapel J, see Vonk JA (2008) 368:165–175
 Stark JS (2008) Patterns of higher taxon colonisation and development in sessile marine benthic assemblages at Casey Station, Antarctica, and their use in environmental monitoring. 365:77–89
 Steinberg DK, see Condon RH (2008) 369:153–168
 Steinberg PD, see Nylund GM et al. (2008) 369:39–50
 Stelzenmüller V, see Goñi R et al. (2008) 366:159–174
 Stenseth NC, see Watanabe Y et al. (2008) 366:209–217
 Stevick PT, Incze LS, Kraus SD, Rosen S, Wolff N, Baukus A (2008) Trophic relationships and oceanography on and around a small offshore bank. 363:15–28
 Stokes HH, see Martinson EC et al. (2008) 370:1–18
 Strasser CA, Mullineaux LS, Thorrold SR (2008) Temperature and salinity effects on elemental uptake in the shells of larval and juvenile softshell clams *Mya arenaria*. 370:155–169
 Suggett DJ, see Hennige SJ et al. (2008) 369:77–88
 Suwa R, Hirose M, Hidaka M (2008) Seasonal fluctuation in zooxanthellar genotype composition and photophysiology in the corals *Pavona divaricata* and *P. decussata*. 361:129–137
 Sydeman WJ, see Wells BK et al. (2008) 364:15–29

T

- Taggart SJ, Mondragon J, Andrews AG, Nielsen JK (2008) Spatial patterns and movements of red king and Tanner crabs: implications for the design of marine protected areas. 365:151–163
 Takahashi D, see Fukumori K et al. (2008) 362:279–289
 Takami H, Saido T, Endo T, Noro T, Musashi T, Kawamura T (2008) Overwinter mortality of young-of-the-year Ezo abalone in relation to seawater temperature on the North Pacific coast of Japan. 367:203–212
 Takasuka A, Kubota H, Oozeki Y (2008) Spawning overlap of anchovy and sardine in the western North Pacific. 366:231–244
 Tamminen T, see Sopenan S et al. (2008) 361:191–202
 Tanaka I, see Watanabe Y et al. (2008) 366:209–217
 Tang D, see Zhao H et al. (2008) 365:57–65
 Taquet M, see Gaertner JC et al. (2008) 366:175–186
 Tarling GA, see Atkinson A et al. (2008) 362:1–23
 Tarling GA, see Johnson ML (2008) 366:99–110

- Taylor AC, see Adey JM et al. (2008) 366:119–127
- Taylor J, Bushek D (2008) Intertidal oyster reefs can persist and function in a temperate North American Atlantic estuary. 361:301–306
- Taylor SS, see Birch GF et al. (2008) 363:71–87
- Tchernov D, see Kuguru B et al. (2008) 369:115–129
- Teichberg M, Fox SE, Aguila C, Olsen YS, Valiela I (2008) Macroalgal responses to experimental nutrient enrichment in shallow coastal waters: growth, internal nutrient pools, and isotopic signatures. 368:117–126
- Temming A, see Kempf A et al. (2008) 367:295–308
- Teske PR, see Nicastro KR et al. (2008) 368:189–195
- Tester PA, see Waggett RJ et al. (2008) 366:31–42
- Thacker RW, see Erwin PM (2008) 362:139–147
- Thayer JA, see Wells BK et al. (2008) 364:15–29
- Thompson PA, see Kilminster KL et al. (2008) 361:83–91
- Thórdarson G, see Pardoe H et al. (2008) 362:261–277
- Thornber CS, Jones E, Stachowicz JJ (2008) Differences in herbivore feeding preferences across a vertical rocky intertidal gradient. 363:51–62
- Thorpe SE, see Korb RE et al. (2008) 368:75–91
- Thorrold SR, see Strasser CA et al. (2008) 370:155–169
- Thums M, Bradshaw CJA, Hindell MA (2008) Tracking changes in relative body composition of southern elephant seals using swim speed data. 370:249–261
- Tian Y, see Watanabe Y et al. (2008) 366:209–217
- Tičina V, see Rooker JR et al. (2008) 368:231–239
- Timmermans KR, see de Baar HJW et al. (2008) 364:269–282
- Tindle C, see Radford C et al. (2008) 362:37–43
- Tirendi F, see Alongi DM et al. (2008) 370:97–109
- Tissot BN, see Ortiz DM (2008) 365:217–232
- Tobias C, see Fry B et al. (2008) 369:193–204
- Tolhurst TJ, see Murphy RJ et al. (2008) 365:45–55
- Tomasini JA, see Ben Rais Lasram F et al. (2008) 363:273–286
- Tomášových A (2008) Substrate exploitation and resistance to biotic disturbance in the brachiopod *Terebratalia transversa* and the bivalve *Pododesmus macrochisma*. 363:157–170
- Torres-Valdes S, see Painter SC et al. (2008) 368:53–63
- Trathan PN, Bishop C, Maclean G, Brown P, Fleming A, Collins MA (2008) Linear tracks and restricted temperature ranges characterise penguin foraging pathways. 370:285–294
- Tremblay Y, see Villegas-Amtmann S et al. (2008) 363:299–309
- Trites AW, see Gregr EJ (2008) 365:247–261
- Trott LA, see Alongi DM et al. (2008) 370:97–109
- Tsang LM, Chan BKK, Wu TH, Ng WC, Chatterjee T, Williams GA, Chu KH (2008) Population differentiation in the barnacle *Chthamalus malayensis*: postglacial colonization and recent connectivity across the Pacific and Indian Oceans. 364:107–118
- Tsuchiya Y, see Wada S et al. (2008) 370:33–44
- Tuck ID, see Adey JM et al. (2008) 366:119–127
- Tung P, see Piggott MP et al. (2008) 365:127–136
- Turner RE, see Darby FA (2008) 363:63–70
- Turner SM, see Watson AJ et al. (2008) 364:303–309
- Twiner MJ, see Fire SE et al. (2008) 368:283–294
- Txurruka JM, see Díaz E et al. (2008) 361:227–238
- Tyler EHM, see MacNeil MA et al. (2008) 367:249–260
- geneous and heterogeneous *Symbiodinium* consortia in two scleractinian corals. 361:139–150
- Underwood AJ, see Chapman MG et al. (2008) 366:49–57
- Underwood AJ, see Murphy RJ et al. (2008) 365:45–55
- Undu MC, see Alongi DM et al. (2008) 370:97–109
- Uronen P, see Sopanen S et al. (2008) 361:191–202
- Urrutia R, see Rodríguez-Graña L et al. (2008) 362:69–83

V

- Valentin JL, see Guenther M et al. (2008) 363:109–119
- Valiela I, see Teichberg M et al. (2008) 368:117–126
- Valle C, see Goñi R et al. (2008) 366:159–174
- Vallès H, Kramer DL, Hunte W (2008) Temporal and spatial patterns in the recruitment of coral-reef fishes in Barbados. 363:257–272
- Vallières C, see Himmelman JH et al. (2008) 361:161–168
- Van de Putte AP, see Flores H et al. (2008) 367:271–282
- Vanderklift MA, see Wernberg T et al. (2008) 362:169–179
- van der Kooij J, see Engelhard GH et al. (2008) 369:213–227
- van der Velde G, see Nagelkerken I et al. (2008) 368:155–164
- van der Wal D, Herman PMJ, Forster RM, Ysebaert T, Rossi F, Knaeps E, Plancke YMG, Ides SJ (2008) Distribution and dynamics of intertidal macrobenthos predicted from remote sensing: response to microphytobenthos and environment. 367:57–72
- Van Dijken S, see Rayner MJ et al. (2008) 370:271–284
- van Duren LA, see Peralta G et al. (2008) 368:103–115
- van Franeker JA, see Flores H et al. (2008) 367:271–282
- Vanni S, see Natanson LJ et al. (2008) 361:267–278
- van Oppen MJH, see Ulstrup KE et al. (2008) 361:139–150
- Vanreusel A, see Gallucci F et al. (2008) 367:173–183
- Vaselli S, Bertocci I, Maggi E, Benedetti-Cecchi L (2008) Assessing the consequences of sea level rise: effects of changes in the slope of the substratum on sessile assemblages of rocky seashores. 368:9–22
- Vaselli S, Bertocci I, Maggi E, Benedetti-Cecchi L (2008) Effects of mean intensity and temporal variance of sediment scouring events on assemblages of rocky shores. 364:57–66
- Vasquez M, see Burnaford JL (2008) 368:177–187
- Vergara JJ, see Brun FG et al. (2008) 365:67–75
- Vergés A, see Martínez-Crego B et al. (2008) 361:93–109
- Viard F, see Brante A et al. (2008) 368:197–207
- Viarengo A, see Jones OAH et al. (2008) 369:169–179
- Villanueva RD, Yap HT, Montaña MNE (2008) Timing of planulation by pocilloporid corals in the northwestern Philippines. 370:111–119
- Villate F, see Díaz E et al. (2008) 361:227–238
- Villegas-Amtmann S, Costa DP, Tremblay Y, Salazar S, Aurióles-Gamboa D (2008) Multiple foraging strategies in a marine apex predator, the Galapagos sea lion *Zalophus wollebaeki*. 363:299–309
- Villéger S, Ramos Miranda J, Flores Hernandez D, Sosa Lopez A, Mouillot D (2008) Stable trophic structure across coastal nekton assemblages despite high species turnover. 364:135–146
- Viñas M, see Alonso-Gutiérrez J et al. (2008) 362:25–36
- Vincent D, see Seuront L (2008) 363:131–145
- Vogt A, see D'Angelo C et al. (2008) 364:97–106
- Volckaert FAM, see Flores H et al. (2008) 367:271–282
- Vonk JA, Stapel J (2008) Regeneration of nitrogen (¹⁵N) from seagrass litter in tropical Indo-Pacific meadows. 368:165–175
- Votier SC, Bearhop S, Fyfe R, Furness RW (2008) Temporal and spatial variation in the diet of a marine top predator—links with commercial fisheries. 367:223–232

U

- Ulomi S, see Kristensen E et al. (2008) 370:53–67
- Ulstrup KE, Hill R, van Oppen MJH, Larkum AWD, Ralph PJ (2008) Seasonal variation in the photo-physiology of homo-

W

- Wada S, Aoki MN, Mikami A, Komatsu T, Tsuchiya Y, Sato T, Shinagawa H, Hama T (2008) Bioavailability of macroalgal dissolved organic matter in seawater. 370:33–44
- Waggett RJ, Tester PA, Place AR (2008) Anti-grazing properties of the toxic dinoflagellate *Karodinium veneficum* during predator–prey interactions with the copepod *Acartia tonsa*. 366:31–42
- Waldron HN, see Painter SC et al. (2008) 368:53–63
- Walker DI, see Kilminster KL et al. (2008) 361:83–91
- Wang WX, see Pan K (2008) 365:115–126
- Wang Y, see Zhao H et al. (2008) 365:57–65
- Wang Z, see Fire SE et al. (2008) 368:283–294
- Wanless S, Harris MP, Lewis S, Frederiksen M, Murray S (2008) Later breeding in northern gannets in the eastern Atlantic. 370:263–269
- Watanabe Y, Dingsor GE, Tian Y, Tanaka I, Stenseth NC (2008) Determinants of mean length at age of spring spawning herring off the coast of Hokkaido, Japan. 366:209–217
- Watson AJ, Boyd PW, Turner SM, Jickells TD, Liss PS (2008) Designing the next generation of ocean iron fertilization experiments. 364:303–309
- Watson R, see Cheung WWL et al. (2008) 365:187–197
- Wedderburn-Maxwell A, see Natanson LJ et al. (2008) 361:267–278
- Weimerskirch H, Le Corre M, Bost CA (2008) Foraging strategy of masked boobies from the largest colony in the world: relationship to environmental conditions and fisheries. 362:291–302
- Weimerskirch H, see Cherel Y et al. (2008) 366:281–291
- Weissburg MJ, see Smee DL (2008) 363:39–50
- Wells BK, Field JC, Thayer JA, Grimes CB, Bograd SJ, Sydeman WJ, Schwing FB, Hewitt R (2008) Untangling the relationships among climate, prey and top predators in an ocean ecosystem. 364:15–29
- Wells RJD, Cowan JH Jr, Fry B (2008) Feeding ecology of red snapper *Lutjanus campechanus* in the northern Gulf of Mexico. 361:213–225
- Wells RS, see Fire SE et al. (2008) 368:283–294
- Welsford DC, see Brown CJ et al. (2008) 369:257–266
- Wernberg T, White M, Vanderklift MA (2008) Population structure of turbinid gastropods on wave-exposed subtidal reefs: effects of density, body size and algae on grazing behaviour. 362:169–179
- Whalan S, Ettinger-Epstein P, Battershill C, de Nys R (2008) Larval vertical migration and hierarchical selectivity of settlement in a brooding marine sponge. 368:145–154
- Whalan S, see Ettinger-Epstein P et al. (2008) 365:103–113
- Wheatley B, see Otero J et al. (2008) 362:181–192
- White M, see Wernberg T et al. (2008) 362:169–179
- Whitehead H, Coakes A, Jaquet N, Lusseau S (2008) Movements of sperm whales in the tropical Pacific. 361:291–300
- Whitehouse MJ, see Korb RE et al. (2008) 368:75–91
- Widdows J, Pope ND, Brinsley MD (2008) Effect of *Spartina anglica* stems on near-bed hydrodynamics, sediment erodability and morphological changes on an intertidal mudflat. 362:45–57
- Wiedenmann J, see D'Angelo C et al. (2008) 364:97–106
- Wikfors GH, see Hégaret H et al. (2008) 361:169–179
- Williams CT, Iverson SJ, Buck CL (2008) Stable isotopes and fatty acid signatures reveal age- and stage-dependent foraging niches in tufted puffins. 363:287–298
- Williams GA, see Tsang LM et al. (2008) 364:107–118
- Williams S, see Mattila J et al. (2008) 361:15–20
- Williams TM, see Madden KM et al. (2008) 365:263–275
- Willis BL, see Birrell CL et al. (2008) 362:129–137
- Winterbottom R, Southcott L (2008) Short lifespan and high mortality in the western Pacific coral reef goby *Trimma nasa*. 366:203–208
- Wintner SP, see Natanson LJ et al. (2008) 361:267–278
- Wolff N, see Stevick PT et al. (2008) 363:15–28
- Womersley B, see Hindell JS et al. (2008) 366:219–229
- Woodson CB, see McManus MA et al. (2008) 365:91–101
- Wu TH, see Tsang LM et al. (2008) 364:107–118

Y

- Yamamoto HH, see Okubo N et al. (2008) 366:305–309
- Yamamura N, see Miki T et al. (2008) 366:1–14
- Yap HT, see Villanueva RD et al. (2008) 370:111–119
- Yokokawa T, see Miki T et al. (2008) 366:1–14
- Yoshioka PM (2008) Misidentification of the Bray-Curtis similarity index. 368:309–310
- Ysebaert T, see van der Wal D et al. (2008) 367:57–72
- Yund PO, see Johnson SL (2008) 364:129–134

Z

- Zandbank K, see Kuguru B et al. (2008) 369:115–129
- Zaragoza N, see Sabatés A et al. (2008) 364:169–180
- Zardi GI, see Nicasastro KR et al. (2008) 368:189–195
- Zhang GS, see Shang X et al. (2008) 367:93–107
- Zhang J, see Shang X et al. (2008) 367:93–107
- Zhao H, Tang D, Wang Y (2008) Comparison of phytoplankton blooms triggered by two typhoons with different intensities and translation speeds in the South China Sea. 365:57–65
- Ziegler PE, see Brown CJ et al. (2008) 369:257–266
- Zirbel MJ, see Benoit-Bird KJ et al. (2008) 367:109–123
- Zvuloni A, Armoza-Zvuloni R, Loya Y (2008) Structural deformation of branching corals associated with the vermetid gastropod *Dendropoma maxima*. 363:103–108