

COMBINED AUTHOR AND TITLE INDEX

(Volumes 371 to 380, 2008–2009)

A

- Aarnio K, see Nordström M et al. (2009) 378:13–26
 Abbate G, see Casale P et al. (2008) 372:265–276
 Abbott E, see Weston J et al. (2009) 374:127–134
 Adams LM, Cumbo VR, Takabayashi M (2009) Exposure to sediment enhances primary acquisition of *Symbiodinium* by asymbiotic coral larvae. 377:149–156
 Adams N, see Massom RA et al. (2009) 374:243–257
 Agell G, see Blanquer A et al. (2008) 371:109–115
 Akins L, see Morgan SG et al. (2009) 380:173–185
 Alcoverro T, see Farina S et al. (2009) 377:131–137
 Alcoverro T, see Prado P et al. (2008) 371:11–21
 Alcoverro T, see Vergés A et al. (2009) 375:1–11
 Alexander SP, see Suhr SB et al. (2008) 371:155–164
 Almeida M, see Araújo R et al. (2009) 378:81–92
 Amsler CD, see McClintock JB et al. (2008) 371:297–300
 An S, see Ní Longphuirt S et al. (2009) 379:33–44
 Ancel A, see Massom RA et al. (2009) 374:243–257
 Anderson ORJ, Phillips RA, McDonald RA, Shore RF, McGill RAR, Bearhop S (2009) Influence of trophic position and foraging range on mercury levels within a seabird community. 375:277–288
 Anderson RC, Wood JB, Mather JA (2008) *Octopus vulgaris* in the Caribbean is a specializing generalist. 371:199–202
 Andersson AJ, Mackenzie FT, Bates NR (2008) Life on the margin: implications of ocean acidification on Mg-calcite, high latitude and cold-water marine calcifiers. 373:265–273
 Andersson S, see Persson M et al. (2008) 371:203–212
 André J, Grist EPM, Semmens JM, Pecl GT, Segawa S (2009) Effects of temperature on energetics and the growth pattern of benthic octopuses. 374:167–179
 Andréfouët S, see Moses CS et al. (2009) 380:103–115
 Andrews K, see Tolimieri N et al. (2009) 380:229–243
 Angus RA, see McClintock JB et al. (2008) 371:297–300
 Aoyama J, see Gagnaire PA et al. (2009) 379:267–278
 Apostolaki ET, see Pitta P et al. (2009) 374:1–6
 Araújo R, Vaselli S, Almeida M, Serrão E, Sousa-Pinto I (2009) Effects of disturbance on marginal populations: human trampling on *Ascomyllum nodosum* assemblages at its southern distribution limit. 378:81–92
 Archambault P, see D'Amours O et al. (2008) 371:73–84
 Argano R, see Casale P et al. (2008) 372:265–276
 Arnould JPY, see Luque SP et al. (2008) 372:277–287
 Arthur K, see Paerl HW et al. (2008) 371:143–153
 Ateweberhan M, see McClanahan TR et al. (2009) 380:117–128
 Atkinson MJ, Cuet P (2008) Possible effects of ocean acidification on coral reef biogeochemistry: topics for research. 373:249–256

B

- Bacheler NM, Paramore LM, Buckel JA, Hightower JE (2009) Abiotic and biotic factors influence the habitat use of an estuarine fish. 377:263–277
 Baden S, see Persson M et al. (2008) 371:203–212
 Bailey H, Thompson PM (2009) Using marine mammal habitat modelling to identify priority conservation zones within a marine protected area. 378:279–287
 Bailey-Brock JH, see Lin DT (2008) 371:65–72
 Baird AH, Guest JR (2009) Spawning synchrony in scleractinian corals: Comment on Mangubhai & Harrison (2009). 374:301–304
 Baird AH, see Yakovleva IM et al. (2009) 378:105–112
 Baker BJ, see McClintock JB et al. (2008) 371:297–300
 Bakran-Petricioli T, see Schultz ST et al. (2009) 374:85–99
 Balch WM, Fabry VJ (2008) Ocean acidification: documenting its impact on calcifying phytoplankton at basin scales. 373:239–247
 Ball AS, see Hofmann T et al. (2009) 379:45–58
 Ballesteros E, see Vergés A et al. (2009) 375:1–11
 Bansemmer CS, Bennett MB (2009) Reproductive periodicity, localised movements and behavioural segregation of pregnant *Carcharias taurus* at Wolf Rock, southeast Queensland, Australia. 374:215–227
 Barbeau MA, see Lauzon-Guay JS et al. (2009) 375:25–39
 Barbraud C, see Connan M et al. (2008) 373:123–135
 Barbraud C, see Massom RA et al. (2009) 374:243–257
 Barleycorn AA, see Gannon DP et al. (2009) 378:171–186
 Barlow J, Kahru M, Mitchell BG (2008) Cetacean biomass, prey consumption, and primary production requirements in the California Current ecosystem. 371:285–295
 Barrón C, Duarte CM (2009) Dissolved organic matter release in a *Posidonia oceanica* meadow. 374:75–84
 Barry JP, see Lundsten L et al. (2009) 374:23–32
 Bastian T, see Clavier J et al. (2009) 375:185–194
 Bastida R, see Gerpe MS et al. (2009) 375:239–245
 Bat L, see Svetlichny LS et al. (2009) 374:199–213
 Bates NR, see Andersson AJ et al. (2008) 373:265–273
 Bathmann U, see Krägefsky S et al. (2009) 374:181–198
 Baylis AMM, Nichols PD (2009) Milk fatty acids predict the foraging locations of the New Zealand fur seal: continental shelf versus oceanic waters. 380:271–286
 Bearhop S, see Anderson ORJ et al. (2009) 375:277–288
 Beesley A, see Widdicombe S et al. (2009) 379:59–75
 Bekkevold D, see Limborg MT et al. (2009) 379:213–224
 Bellwood DR, see Wismer S et al. (2009) 376:45–54
 Ben-David M, see Herreman JK et al. (2009) 374:287–300
 Bennett MB, see Bansemmer CS (2009) 374:215–227
 Ben Rais Lasram F, Guilhaumon F, Mouillot D (2009) Fish diversity patterns in the Mediterranean Sea: deviations from a mid-domain model. 376:253–267
 Berens McCabe EJ, see Gannon DP et al. (2009) 378:171–186
 Berge JA, see Widdicombe S et al. (2009) 379:59–75
 Berlincourt M, see Cattr T et al. (2009) 374:259–272
 Berrebi P, see Gagnaire PA et al. (2009) 379:267–278
 Besiktepe S, see Svetlichny LS et al. (2009) 374:199–213
 Bhagooli R, see Yakovleva IM et al. (2009) 378:105–112
 Black BA (2009) Climate-driven synchrony across tree, bivalve, and rockfish growth-increment chronologies of the northeast Pacific. 378:37–46
 Blanquer A, Uriz MJ, Agell G (2008) Hidden diversity in sym-

- patric sponges: adjusting life-history dynamics to share substrate. 371:109–115
- Blanquer A, Uriz MJ, Caujapé-Castells J (2009) Small-scale spatial genetic structure in *Scopalina lophyropoda*, an encrusting sponge with philopatric larval dispersal and frequent fission and fusion events. 380:95–102
- Block BA, see Weng KC et al. (2008) 372:253–264
- Blundell GM, see Herreman JK et al. (2009) 374:287–300
- Bocher P, see Compton TJ et al. (2008) 373:25–35
- Boersma PD, Rebstock GA (2009) Foraging distance affects reproductive success in Magellanic penguins. 375:263–275
- Bollens SM, see Morgan SG et al. (2009) 380:173–185
- Bonhomme P, see Forcada A et al. (2009) 379:197–211
- Bonhommeau S, Chassot E, Planque B, Rivot E, Knap AH, Le Pape O (2008) Impact of climate on eel populations of the Northern Hemisphere. 373:71–80
- Bonsdorff E, see Nordström M et al. (2009) 378:13–26
- Borkman DG, see Turner JT et al. (2009) 376:103–122
- Bosc P, see Gagnaire PA et al. (2009) 379:267–278
- Boucher G, see Clavier J et al. (2009) 375:185–194
- Bousquet N, see Chassot E et al. (2009) 379:279–297
- Bowser SS, see Suhr SB et al. (2008) 371:155–164
- Boyer RH, see Herman DP et al. (2008) 372:289–302
- Bozinovic F, see Caro AU et al. (2008) 372:127–134
- Braccini JM (2008) Feeding ecology of two high-order predators from south-eastern Australia: the coastal broadnose and the deepwater sharpnose sevengill sharks. 371:273–284
- Brady BC, see Warner RR et al. (2009) 379:109–121
- Brazeau C, see Edgell TC et al. (2008) 371:191–198
- Brêthes JC, see Marion A et al. (2008) 373:53–70
- Brey T, see Fischer S et al. (2009) 377:193–202
- Brickle P, see Quillfeldt P et al. (2008) 373:137–148
- Brierley AS, see Cox MJ et al. (2009) 378:199–209
- Brinsley MD, see Widdows J et al. (2009) 378:135–143
- Brodeur RD, see Sunstov AV (2008) 373:81–96
- Brokovich E, Einbinder S, Shashar N, Kiflawi M, Kark S (2008) Descending to the twilight-zone: changes in coral reef fish assemblages along a depth gradient down to 65 m. 371:253–262
- Bromage E, Carpenter L, Kaattari S, Patterson M (2009) Quantification of coral heat shock proteins from individual coral polyps. 376:123–132
- Brooks AJ, see Holbrook SJ et al. (2008) 371:263–271
- Broughton EA, see Kristiansen T et al. (2009) 376:227–243
- Brown C, see Guinan J et al. (2009) 375:125–138
- Brown JA, see Wijekoon MP et al. (2009) 375:229–238
- Brown MW, see Pendleton DE et al. (2009) 378:211–225
- Brown MW, see Pershing AJ et al. (2009) 378:245–257
- Brown SD, see Williams DA et al. (2008) 373:111–121
- Brueggen MK, see Gannon DP et al. (2009) 378:171–186
- Brugel S, Nozais C, Poulin M, Tremblay JE, Miller LA, Simpson KG, Gratton Y, Demers S (2009) Phytoplankton biomass and production in the southeastern Beaufort Sea in autumn 2002 and 2003. 377:63–77
- Brugel S, see Morata N et al. (2008) 371:47–63
- Brzezinski MA, see Stewart HL et al. (2009) 375:101–112
- Buckel JA, see Bacheler NM et al. (2009) 377:263–277
- Buckley LJ, Caldarone EM, Clemmesen C (2008) Multi-species larval fish growth model based on temperature and fluorometrically derived RNA/DNA ratios: results from a meta-analysis. 371:221–232
- Buckley LJ, see Kristiansen T et al. (2009) 376:227–243
- Bugoni L, D'Alba L, Furness RW (2009) Marine habitat use of wintering spectacled petrels *Procellaria conspicillata*, and overlap with longline fishery. 374:273–285
- Bussotti S, see Frascchetti S et al. (2009) 375:13–24
- Bustamente P, see Metian M et al. (2009) 375:161–171

C

- Cadiou G, see Forcada A et al. (2009) 379:197–211
- Cailliet GM, see Lundsten L et al. (2009) 374:23–32
- Caldarone EM, see Buckley LJ et al. (2008) 371:221–232
- Camilleri SA, see Gannon DP et al. (2009) 378:171–186
- Canuel EA, see Spivak AC et al. (2009) 376:55–67
- Carlisle AB, Starr RM (2009) Habitat use, residency, and seasonal distribution of female leopard sharks *Triakis semifasciata* in Elkhorn Slough, California. 380:213–228
- Caro AU, Escobar J, Bozinovic F, Navarrete SA, Castilla JC (2008) Phenotypic variability in byssus thread production of intertidal mussels induced by predators with different feeding strategies. 372:127–134
- Carpenter L, see Bromage E et al. (2009) 376:123–132
- Carrillo L, see Tovar E et al. (2009) 375:151–160
- Carter CM, see Zeldis JR et al. (2008) 371:131–142
- Casale P, Abbate G, Freggi D, Conte N, Oliverio M, Argano R (2008) Foraging ecology of loggerhead sea turtles *Caretta caretta* in the central Mediterranean Sea: evidence for a relaxed life history model. 372:265–276
- Caselle JE, see Warner RR et al. (2009) 379:109–121
- Castenette A, see Chassot E et al. (2009) 379:279–297
- Castets MD, see Clavier J et al. (2009) 375:185–194
- Castilla JC, see Caro AU et al. (2008) 372:127–134
- Castonguay M, see Robert D et al. (2009) 377:227–237
- Catry T, Ramos JA, Jaquemet S, Faulquier L, Berlincourt M, Hauselmann A, Pinet P, Le Corre M (2009) Comparative foraging ecology of a tropical seabird community of the Seychelles, western Indian Ocean. 374:259–272
- Caujapé-Castells J, see Blanquer A et al. (2009) 380:95–102
- Chabot D, see Marion A et al. (2008) 373:53–70
- Chambers LE, see Cullen JM et al. (2009) 378:269–278
- Chan AL, see Shinen JS et al. (2009) 378:47–54
- Chang D, see Soong K et al. (2009) 376:165–171
- Chao SM, see Soong K et al. (2009) 376:165–171
- Chaparro OR, see Montory JA et al. (2009) 374:157–166
- Chaparro OR, Segura CJ, Montory JA, Navarro JM, Pechenik JA (2009) Brood chamber isolation during salinity stress in two estuarine mollusk species: from a protective nursery to a dangerous prison. 374:145–155
- Chassot E, Duplisea D, Hammill M, Castenette A, Bousquet N, Lambert Y, Stenson G (2009) Role of predation by harp seals *Pagophilus groenlandicus* in the collapse and non-recovery of northern Gulf of St. Lawrence cod *Gadus morhua*. 379:279–297
- Chassot E, see Bonhommeau S et al. (2008) 373:71–80
- Chauvaud L, see Clavier J et al. (2009) 375:185–194
- Cheal AJ, see Emslie MJ et al. (2008) 371:177–190
- Cheal AJ, Wilson SK, Emslie MJ, Dolman AM, Sweatman H (2008) Responses of reef fish communities to coral declines on the Great Barrier Reef. 372:211–223
- Chen B, Liu H, Landry MR, Chen M, Sun J, Shek L, Chen X, Harrison PJ (2009) Estuarine nutrient loading affects phytoplankton growth and microzooplankton grazing at two contrasting sites in Hong Kong coastal waters. 379:77–90
- Chen C, see Tian RC et al. (2009) 380:147–160
- Chen CP, see Hsu CB et al. (2009) 375:73–83
- Chen M, see Chen B et al. (2009) 379:77–90
- Chen X, see Chen B et al. (2009) 379:77–90
- Cherel Y, see Connan M et al. (2008) 373:123–135
- Cheriton OM, McManus MA, Stacey MT, Steinback JV

- (2009) Physical and biological controls on the maintenance and dissipation of a thin phytoplankton layer. 378:55–69
- Cheung SG, Yang FY, Chiu JMY, Liu CC, Shin PKS (2009) Anti-predator behaviour in the green-lipped mussel *Perna viridis*: byssus thread production depends on the mussel's position in clump. 378:145–151
- Childress JJ, Seibel BA, Thuesen EV (2008) N-specific metabolic data are not relevant to the 'visual interactions' hypothesis concerning the depth-related declines in metabolic rates: Comment on Ikeda et al. (2006). 373:187–191
- Chilvers BL, Wilkinson IS (2009) Diverse foraging strategies in lactating New Zealand sea lions. 378:299–308
- Chiu JMY, see Cheung SG et al. (2009) 378:145–151
- Choat JH, see Trip EL et al. (2008) 373:97–109
- Choi KH, Kimmerer W (2009) Mating success and its consequences for population growth in an estuarine copepod. 377:183–191
- Choy EJ, see Ní Longphuirt S et al. (2009) 379:33–44
- Clague DA, see Lundsten L et al. (2009) 374:23–32
- Claquin P, see Ní Longphuirt S et al. (2009) 379:33–44
- Clarke KR, see Widdicombe S et al. (2009) 379:59–75
- Clarke RT, see Herbert R JH et al. (2009) 379:135–150
- Clausen LW, see Hüsey K et al. (2009) 378:161–170
- Clavier J, Castets MD, Bastian T, Hily C, Boucher G, Chauvaud L (2009) An amphibious mode of life in the intertidal zone: aerial and underwater contribution of *Chthamalus montagui* to CO₂ fluxes. 375:185–194
- Clemmesen C, see Buckley LJ et al. (2008) 371:221–232
- Cocks DT, see Hussey NE et al. (2009) 380:199–212
- Cole TVN, see Pendleton DE et al. (2009) 378:211–225
- Cole TVN, see Pershing AJ et al. (2009) 378:245–257
- Colin SP, see Regula C et al. (2009) 374:135–144
- Colin SP, see Weston J et al. (2009) 374:127–134
- Compton TJ, Troost TA, van der Meer J, Kraan C, Honkoop PJC, Rogers DI, Pearson GB, de Goeij P, Bocher P, Lavalleye MSS, Leyrer J, Yates MG, Dekinga A, Piersma T (2008) Distributional overlap rather than habitat differentiation characterizes co-occurrence of bivalves in intertidal soft sediment systems. 373:25–35
- Comyns BH, Rakocinski CF, Peterson MS, Shiller AM (2008) Otolith chemistry of juvenile spotted seatrout *Cynoscion nebulosus* reflects local natal regions of coastal Mississippi, USA. 371:243–252
- Connan M, Mayzaud P, Trouvé C, Barbraud C, Cherel Y (2008) Interannual dietary changes and demographic consequences in breeding blue petrels from Kerguelen Islands. 373:123–135
- Conover DO, see Duffy TA et al. (2009) 380:245–254
- Consuegra S, see Kuparinen A et al. (2009) 376:245–252
- Conte N, see Casale P et al. (2008) 372:265–276
- Coppard SE, see Mohammed SWC (2008) 371:91–107
- Corkeron PJ (2009) Reconsidering the science of scientific whaling. 375:305–309
- Corzo A, van Bergeijk SA, García-Robledo E (2009) Effects of green macroalgal blooms on intertidal sediments: net metabolism and carbon and nitrogen contents. 380:81–93
- Costello JH, see Regula C et al. (2009) 374:135–144
- Costello JH, see Weston J et al. (2009) 374:127–134
- Coutin PC, see Cullen JM et al. (2009) 378:269–278
- Cowles GW, see Tian RC et al. (2009) 380:147–160
- Cox MJ, Demer DA, Warren JD, Cutter GR, Brierley AS (2009) Multibeam echosounder observations reveal interactions between Antarctic krill and air-breathing predators. 378:199–209
- Coyer JA, see Zipperle AM et al. (2009) 380:73–80
- Craig JK, see Hazen EL et al. (2009) 375:195–207
- Cramer KL, see Robertson DR (2009) 380:1–17
- Crawford DL, see Williams DA et al. (2008) 373:111–121
- Crawley KR, Hyndes GA, Vanderklift MA, Revill AT, Nichols PD (2009) Allochthonous brown algae are the primary food source for consumers in a temperate, coastal environment. 376:33–44
- Criquet G, see Forcada A et al. (2009) 379:197–211
- Crowder LB, see Hazen EL et al. (2009) 375:195–207
- Cubillos VM, see Montory JA et al. (2009) 374:157–166
- Cuet P, see Atkinson MJ (2008) 373:249–256
- Cullen JM, Chambers LE, Coutin PC, Dann P (2009) Predicting onset and success of breeding in little penguins *Eudyptula minor* from ocean temperatures. 378:269–278
- Cumbo VR, see Adams LM et al. (2009) 377:149–156
- Cunha MR, see Hilário A et al. (2009) 378:153–160
- Cutter GR, see Cox MJ et al. (2009) 378:199–209

D

- Dahlheim ME, see Herman DP et al. (2008) 372:289–302
- D'Alba L, see Bugoni L et al. (2009) 374:273–285
- D'Ambrosio P, see Frascchetti S et al. (2009) 375:13–24
- D'Amours O, Archambault P, McKindsey CW, Johnson LE (2008) Local enhancement of epibenthic macrofauna by aquaculture activities. 371:73–84
- Danielsen D, see Espeland SH et al. (2008) 372:231–241
- Dann P, see Cullen JM et al. (2009) 378:269–278
- Danovaro R, see Pusceddu A et al. (2009) 375:41–52
- Danyushevsky L, see Doubleday ZA et al. (2008) 371:1–10
- Darling JA, Kuenzi A, Reitzel AM (2009) Human-mediated transport determines the non-native distribution of the anemone *Nematostella vectensis*, a dispersal-limited estuarine invertebrate. 380:137–146
- Dashfield SL, see Widdicombe S et al. (2009) 379:59–75
- David B, see De Bruyn C et al. (2009) 375:173–183
- Davis AR, see Ferguson AM (2008) 372:77–86
- Davis AR, see McKinnon JG et al. (2009) 380:59–71
- Davis AR, Ward DW (2009) Establishment and persistence of species-rich patches in a species-poor landscape: role of a structure-forming subtidal barnacle. 380:187–198
- De Bruyn C, Rigaud T, David B, De Ridder C (2009) Symbiosis between the pea crab *Dissodactylus primitivus* and its echinoid host *Meoma ventricosa*: potential consequences for the crab mating system. 375:173–183
- Deegan LA, see Johnson DS et al. (2009) 377:33–41
- de Goeij P, see Compton TJ et al. (2008) 373:25–35
- Degraer S, see Montserrat F et al. (2008) 372:43–59
- Degraer S, see Van Colen C et al. (2008) 372:31–42
- de Groene A, see Dorenbosch M et al. (2009) 379:181–196
- Dekinga A, see Compton TJ et al. (2008) 373:25–35
- Delean S, see Emslie MJ et al. (2008) 371:177–190
- Dell'Anno A, see Pusceddu A et al. (2009) 375:41–52
- de los Santos CB, Pérez-Lloréns JL, Vergara JJ (2009) Photosynthesis and growth in macroalgae: linking functional form and power-scaling approaches. 377:113–122
- Demer DA, see Cox MJ et al. (2009) 378:199–209
- Demers S, see Brugel S et al. (2009) 377:63–77
- de Montaudouin X, see Thielgtges DW et al. (2008) 372:147–155
- Dennis TE, see Riding TAC et al. (2009) 377:255–262
- De Ridder C, see De Bruyn C et al. (2009) 375:173–183
- Devlin D, see Middleton B et al. (2008) 371:117–129
- DeVogelaere AP, see Lundsten L et al. (2009) 374:23–32
- Dolan MFJ, see Guinan J et al. (2009) 375:125–138
- Dolman AM, see Cheal AJ et al. (2008) 372:211–223

- Dorenbosch M, Grol MGG, de Groene A, van der Velde G, Nagelkerken I (2009) Piscivore assemblages and predation pressure affect relative safety of some back-reef habitats for juvenile fish in a Caribbean bay. 379:181–196
- Doubleday ZA, Pecl GT, Semmens JM, Danyushevsky L (2008) Stylet elemental signatures indicate population structure in a holobenthic octopus species, *Octopus pallidus*. 371:1–10
- Douglass JG, see Spivak AC et al. (2009) 376:55–67
- Drazen JC, Phleger CF, Guest MA, Nichols PD (2008) Lipid, sterols and fatty acids of abyssal polychaetes, crustaceans, and a cnidarian from the northeast Pacific Ocean: food web implications. 372:157–167
- Drury McCall D, Rakocinski CF, Pinckney JL (2009) Effects of grass shrimp versus nutrient addition on epiphytic algae associated with the ephemeral widgeongrass *Ruppia maritima*. 379:151–162
- Duarte CM, see Barrón C (2009) 374:75–84
- Duarte CM, see Garcias-Bonet N et al. (2008) 372:1–6
- Ducklow H, see Montes-Hugo MA et al. (2009) 379:13–22
- Dudley SFJ, see Hussey NE et al. (2009) 380:199–212
- Duffy JE, see Spivak AC et al. (2009) 376:55–67
- Duffy TA, McElroy AE, Conover DO (2009) Variable susceptibility and response to estrogenic chemicals in *Menidia menidia*. 380:245–254
- Duhamel S, Moutin T (2009) Carbon and phosphate incorporation rates of microbial assemblages in contrasting environments in the Southeast Pacific. 375:53–64
- Dullo WC, Flögel S, Rüggeberg A (2008) Cold-water coral growth in relation to the hydrography of the Celtic and Nordic European continental margin. 371:165–176
- Dunn DC, Halpin PN (2009) Rugosity-based regional modeling of hard-bottom habitat. 377:1–11
- Duplisea D, see Chassot E et al. (2009) 379:279–297
- Dupont S, Havenhand J, Thorndyke W, Peck L, Thorndyke M (2008) Near-future level of CO₂-driven ocean acidification radically affects larval survival and development in the brittlestar *Ophiothrix fragilis*. 373:285–294
- Durban JW, see Herman DP et al. (2008) 372:289–302

E

- Eckert GL, see Herter H (2008) 372:181–194
- Edgell TC, Brazeau C, Grahame JW, Rochette R (2008) Simultaneous defense against shell entry and shell crushing in a snail faced with the predatory shore crab *Carcinus maenas*. 371:191–198
- Eggleston DB, Parsons DM (2008) Disturbance-induced 'spill-in' of Caribbean spiny lobster to marine reserves. 371:213–220
- Egorov VN, see Polikarpov GG (2009) 376:307–308
- Einbinder S, see Brokovich E et al. (2008) 371:253–262
- Elliston K, see Wicks EC et al. (2009) 378:71–80
- Emmerson L, see Massom RA et al. (2009) 374:243–257
- Emslie MJ, Cheal AJ, Sweatman H, Delean S (2008) Recovery from disturbance of coral and reef fish communities on the Great Barrier Reef, Australia. 371:177–190
- Emslie MJ, see Cheal AJ et al. (2008) 372:211–223
- Erlandsson J, see von der Meden CEO et al. (2008) 372:135–145
- Escobar J, see Caro AU et al. (2008) 372:127–134
- Espeland SH, Olsen EM, Knutsen H, Gjøsaeter J, Daniellssen D, Stenseth NC (2008) New perspectives on fish movement: kernel and GAM smoothers applied to a century of tagging data on coastal Atlantic cod. 372:231–241
- Etnier MA, see Newsome SD et al. (2009) 374:229–242

F

- Fabiano M, see Pusceddu A et al. (2009) 375:41–52
- Fabry VJ, see Balch WM (2008) 373:239–247
- Farina S, Tomas F, Prado P, Romero J, Alcoverro T (2009) Seagrass meadow structure alters interactions between the sea urchin *Paracentrotus lividus* and its predators. 377:131–137
- Farina S, see Prado P et al. (2008) 371:11–21
- Faulquier L, see Catry T et al. (2009) 374:259–272
- Fedak MA, see Freitas C et al. (2009) 375:247–261
- Fennel K (2008) Widespread implementation of controlled upwelling in the North Pacific Subtropical Gyre would counteract diazotrophic N₂ fixation. 371:301–303
- Ferber S, Stam WT, Olsen JL (2008) Genetic diversity and connectivity remain high in eelgrass *Zostera marina* populations in the Wadden Sea, despite major impacts. 372:87–96
- Ferguson AM, Davis AR (2008) Heart of glass: spicule armament and physical defense in temperate reef sponges. 372:77–86
- Ferner MC, Smee DL, Weissburg MJ (2009) Habitat complexity alters lethal and non-lethal olfactory interactions between predators and prey. 374:13–22
- Feunteun E, see Gagnaire PA et al. (2009) 379:267–278
- Fischer S, Thatje S, Brey T (2009) Early egg traits in *Cancer setosus* (Decapoda, Brachyura): effects of temperature and female size. 377:193–202
- Fisher JL, see Morgan SG et al. (2009) 380:173–185
- Fleeger JW, see Johnson DS et al. (2009) 377:33–41
- Flierl G, see Verdy A et al. (2009) 379:1–12
- Flögel S, see Dullo W-C et al. (2008) 371:165–176
- Flynn KJ, Irigoien X (2009) Aldehyde-induced insidious effects cannot be considered as a diatom defence mechanism against copepods. 377:79–89
- Fogarty M, see Wahle RA et al. (2009) 376:185–192
- Fogel ML, see Newsome SD et al. (2009) 374:229–242
- Foley DG, see Weng KC et al. (2008) 372:253–264
- Folke C, see Norström AV et al. (2009) 376:295–306
- Follows M, see Verdy A et al. (2009) 379:1–12
- Forcada A, Valle C, Bonhomme P, Criquet G, Cadiou G, Lenfant P, Sánchez-Lizaso JL (2009) Effects of habitat on spillover from marine protected areas to artisanal fisheries. 379:197–211
- Fortier L, see Robert D et al. (2009) 377:227–237
- Foster Cretini K, see Middleton B et al. (2008) 371:117–129
- Fox SE, Teichberg M, Olsen YS, Heffner L, Valiela I (2009) Restructuring of benthic communities in eutrophic estuaries: lower abundance of prey leads to trophic shifts from omnivory to grazing. 380:43–57
- Fram JP, see Stewart HL et al. (2009) 375:101–112
- Franco MA, see van Oevelen D et al. (2009) 380:19–32
- Fraschetti S, D'Ambrosio P, Micheli F, Pizzolante F, Bussotti S, Terlizzi A (2009) Design of marine protected areas in a human-dominated seascape. 375:13–24
- Fredensborg B, see Thieltges DW et al. (2008) 372:147–155
- Freggi D, see Casale P et al. (2008) 372:265–276
- Freitas C, Kovacs KM, Ims RA, Fedak MA, Lydersen C (2009) Deep into the ice: over-wintering and habitat selection in male Atlantic walrus. 375:247–261
- Frenette JJ, see Lapierre JF (2008) 372:19–29
- Fujii T, Raffaelli D (2008) Sea-level rise, expected environmental changes, and responses of intertidal benthic macrofauna in the Humber estuary, UK. 371:23–35
- Fujita M, see Horinouchi M et al. (2009) 377:43–49
- Fuhs D, see Ivančić I et al. (2009) 378:27–35
- Furness RW, see Bugoni L et al. (2009) 374:273–285

Furness RW, see Quillfeldt P et al. (2008) 373:137–148
 Furuya K, see Shiozaki T et al. (2009) 377:19–32

G

Gagnaire PA, Minegishi Y, Aoyama J, Réveillac E, Robinet T, Bosc P, Tsukamoto K, Feunteun E, Berrebi P (2009) Ocean currents drive secondary contact between *Anguilla marmorata* populations in the Indian Ocean. 379:267–278
 Gagnon P, see Kelly JR et al. (2008) 373:1–9
 Gamfeldt L, see Hillebrand H et al. (2009) 380:33–41
 Gannon DP, Berens McCabe EJ, Camilleri SA, Gannon JG, Brueggen MK, Barleycorn AA, Palubok VI, Kirkpatrick GJ, Wells RS (2009) Effects of *Karenia brevis* harmful algal blooms on nearshore fish communities in southwest Florida. 378:171–186
 Gannon JG, see Gannon DP et al. (2009) 378:171–186
 Ganong JE, see Weng KC et al. (2008) 372:253–264
 Garbary DJ, Jamieson MM, Taylor BR (2009) Population ecology of the marine insect *Halocladus variabilis* (Diptera: Chironomidae) in the rocky intertidal zone of Nova Scotia, Canada. 376:193–202
 Garcia de Leaniz C, see Kuparinen A et al. (2009) 376:245–252
 García-Robledo E, see Corzo A et al. (2009) 380:81–93
 Garcias-Bonet N, Marbà N, Holmer M, Duarte CM (2008) Effects of sediment sulfides on seagrass *Posidonia oceanica* meristematic activity. 372:1–6
 Garrabou J, see Teixidó N et al. (2009) 375:113–124
 Gauthier DA, see Turner JT et al. (2009) 376:103–122
 Gaylord B, see Stewart HL et al. (2009) 375:101–112
 Geider RJ, see Suggett DJ et al. (2009) 376:1–19
 Geller JB, see Lundsten L et al. (2009) 374:23–32
 Gerpe MS, Ponce de León A, Bastida R, Moreno VJ, Rodríguez DH (2009) Sharp accumulation of heavy metals after weaning in the South American fur seal *Arctocephalus australis*. 375:239–245
 Gibb IM, see Nielsen EE et al. (2009) 376:213–225
 Gibson M, see Wahle RA et al. (2009) 376:185–192
 Gilbert JA, see Rees AP et al. (2009) 374:7–12
 Giménez L (2009) Uncertainty relationships in the estimation of settlement rates of mobile marine organisms. 377:103–111
 Gjøsaeter J, see Espeland SH et al. (2008) 372:231–241
 Glick E, see Pringle JM et al. (2009) 377:13–17
 González-Solís J, see Navarro J (2009) 378:259–267
 Good CP, see Hazen EL et al. (2009) 375:195–207
 Gooday AJ, see Suhr SB et al. (2008) 371:155–164
 Goodman L, see Wang Z (2009) 374:57–74
 Gordon DP, see Ostrovsky AN et al. (2009) 378:113–124
 Grahame JW, see Edgell TC et al. (2008) 371:191–198
 Gratton Y, see Brugel S et al. (2009) 377:63–77
 Gray CA, see Ochwada F et al. (2009) 380:161–171
 Grehan AJ, see Guinan J et al. (2009) 375:125–138
 Gribben PE, see McKinnon JG et al. (2009) 380:59–71
 Grist EPM, see André J et al. (2009) 374:167–179
 Grol MGG, see Dorenbosch M et al. (2009) 379:181–196
 Grothues TM, see Mann DA (2009) 375:65–71
 Guest JR, see Baird AH (2009) 374:301–304
 Guest MA, see Drazen JC et al. (2008) 372:157–167
 Guilhaumon F, see Ben Rais Lasram F et al. (2009) 376:253–267
 Guinan J, Grehan AJ, Dolan MFJ, Brown C (2009) Quantifying relationships between video observations of cold-water coral cover and seafloor features in Rockall Trough, west of Ireland. 375:125–138

Guinet C, see Luque SP et al. (2008) 372:277–287
 Gutowska MA, Pörtner HO, Melzner F (2008) Growth and calcification in the cephalopod *Sepia officinalis* under elevated seawater pCO₂. 373:303–309

H

Halpin PN, see Dunn DC (2009) 377:1–11
 Hamilton SL, see Warner RR et al. (2009) 379:109–121
 Hammill M, see Chassot E et al. (2009) 379:279–297
 Hammond PS, see Sharples RJ et al. (2009) 378:289–298
 Han KN, see Kim JH et al. (2008) 372:243–252
 Hanlon ARM, see Hofmann T et al. (2009) 379:45–58
 Hanson MB, see Herman DP et al. (2008) 372:289–302
 Harley CDG (2008) Tidal dynamics, topographic orientation, and temperature-mediated mass mortalities on rocky shores. 371:37–46
 Harris BP, see Tian RC et al. (2009) 380:147–160
 Harrison PJ, see Chen B et al. (2009) 379:77–90
 Harrison PL, see Mangubhai S (2009) 374:305–310
 Harvey JT, see Weise MJ (2008) 373:157–172
 Harvey M, see Marion A et al. (2008) 373:53–70
 Hatch SA, see Wang SW et al. (2009) 377:299–307
 Hatton AD, see Kamenos NA et al. (2008) 372:61–66
 Haugland T, see Skjæraasen JE et al. (2009) 375:219–228
 Hauselmann A, see Catry T et al. (2009) 374:259–272
 Havenhand J, see Dupont S et al. (2008) 373:285–294
 Hawkins SJ, see Herbert RJH et al. (2009) 379:135–150
 Hay AC, see Leis JM et al. (2009) 379:163–179
 Hayashi M, see Ishimatsu A et al. (2008) 373:295–302
 Hazen EL, Craig JK, Good CP, Crowder LB (2009) Vertical distribution of fish biomass in hypoxic waters on the Gulf of Mexico shelf. 375:195–207
 Hédouin L, see Metian M et al. (2009) 375:161–171
 Heffner L, see Fox SE et al. (2009) 380:43–57
 Heil CA, see Paerl HW et al. (2008) 371:143–153
 Helmuth B, see Szathmary PL et al. (2009) 374:43–56
 Hemmer-Hansen J, see Limborg MT et al. (2009) 379:213–224
 Hemmer-Hansen J, see Nielsen EE et al. (2009) 376:213–225
 Herbert RJH, Southward AJ, Clarke RT, Sheader M, Hawkins SJ (2009) Persistent border: an analysis of the geographic boundary of an intertidal species. 379:135–150
 Herman DP, Matkin CO, Ylitalo GM, Durban JW, Hanson MB, Dahlheim ME, Straley JM, Wade PR, Tilbury KL, Boyer RH, Pearce RW, Krahn MM (2008) Assessing age distributions of killer whale *Orcinus orca* populations from the composition of endogenous fatty acids in their outer blubber layers. 372:289–302
 Herman PMJ, see Montserrat F et al. (2008) 372:43–59
 Herman PMJ, see Van Colen C et al. (2008) 372:31–42
 Herreman JK, Blundell GM, Ben-David M (2009) Evidence of bottom-up control of diet driven by top-down processes in a declining harbor seal *Phoca vitulina richardsi* population. 374:287–300
 Herter H, Eckert GL (2008) Transport of Dungeness crab *Cancer magister* megalopae into Glacier Bay, Alaska. 372:181–194
 Herut B, see Yahel G et al. (2008) 372:195–209
 Hewes CD, see Reiss CS et al. (2009) 377:51–62
 Hickman AE, see Suggett DJ et al. (2009) 376:1–19
 Hidaka M, see Yakovleva IM et al. (2009) 378:105–112
 Hightower JE, see Bacheler NM et al. (2009) 377:263–277
 Hilário A, Vilar S, Cunha MR, Tyler P (2009) Reproductive aspects of two bythograeid crab species from hydrothermal vents in the Pacific-Antarctic Ridge. 378:153–160
 Hill K, see Massom RA et al. (2009) 374:243–257

- Hillebrand H, Gamfeldt L, Jonsson PR, Matthiessen B (2009) Consumer diversity indirectly changes prey nutrient content. 380:33–41
- Hily C, see Clavier J et al. (2009) 375:185–194
- Hinrichsen HH, see Schaber M et al. (2009) 377:239–253
- Hirst AG, Ward P (2008) Spring mortality of the cyclopoid copepod *Oithona similis* in polar waters. 372:169–180
- Ho CP, see McClintock JB et al. (2008) 371:297–300
- Hobson KA, see Morata N et al. (2008) 371:47–63
- Hoegh-Guldberg O, see Vézina AF (2008) 373:199–201
- Hoey AS, see Wismer S et al. (2009) 376:45–54
- Hoffmann F, see Wild C et al. (2008) 372:67–75
- Hofmann GE, O'Donnell MJ, Todgham AE (2008) Using functional genomics to explore the effects of ocean acidification on calcifying marine organisms. 373:219–225
- Hofmann T, Hanlon ARM, Taylor JD, Ball AS, Osborn AM, Underwood GJC (2009) Dynamics and compositional changes in extracellular carbohydrates in estuarine sediments during degradation. 379:45–58
- Holbrook SJ, Schmitt RJ, Brooks AJ (2008) Resistance and resilience of a coral reef fish community to changes in coral cover. 371:263–271
- Holmer M, see Garcias-Bonet N et al. (2008) 372:1–6
- Holmer M, see Pitta P et al. (2009) 374:1–6
- Holm-Hansen O, see Reiss CS et al. (2009) 377:51–62
- Honkoop PJC, see Compton TJ et al. (2008) 373:25–35
- Hoover RA, see Purcell JE et al. (2009) 375:139–149
- Horie N, see Yamada Y et al. (2009) 379:241–251
- Horinouchi M, Mizuno N, Jo Y, Fujita M, Sano M, Suzuki Y (2009) Seagrass habitat complexity does not always decrease foraging efficiencies of piscivorous fishes. 377:43–49
- Howard-Williams C, see Zeldis JR et al. (2008) 371:131–142
- Howarth GJ, see Leis JM et al. (2009) 379:163–179
- Hrubenja I, see Jonsson A et al. (2009) 376:143–151
- Hsieh HL, see Hsu CB et al. (2009) 375:73–83
- Hsu CB, Chen CP, Hsieh HL (2009) Effects of sediment compaction on macroinfauna in a protected coastal wetland in Taiwan. 375:73–83
- Hu S, see Tian RC et al. (2009) 380:147–160
- Hubareva ES, see Svetlichny LS et al. (2009) 374:199–213
- Hughes JM, see Kingsford MJ et al. (2009) 377:279–288
- Hunte W, see Vallès H et al. (2009) 379:225–240
- Hussey NE, Cocks DT, Dudley SFJ, McCarthy ID, Wintner SP (2009) The condition conundrum: application of multiple condition indices to the dusky shark *Carcharhinus obscurus*. 380:199–212
- Hüssy K, Nielsen B, Mosegaard H, Clausen LW (2009) Using data storage tags to link otolith macro-structure in Baltic cod *Gadus morhua* with environmental conditions. 378:161–170
- Hyndes GA, see Crawley KR et al. (2009) 376:33–44
- I**
- Ibañez F, see Tunin-Ley A et al. (2009) 375:85–99
- Ichii T, Mahapatra K, Sakai M, Okada Y (2009) Life history of the neon flying squid: effect of the oceanographic regime in the North Pacific Ocean. 378:1–11
- Ikeda T (2008) Metabolism in mesopelagic and bathypelagic copepods: Reply to Childress et al. (2008). 373:193–198
- Imai N, Takyu M, Nakamura Y (2009) Growth, crown architecture and leaf dynamics of saplings of five mangrove tree species in Ranong, Thailand. 377:139–148
- Ims RA, see Freitas C et al. (2009) 375:247–261
- Incera M, Olabarria C, Troncoso JS, López J (2009) Response of the invader *Sargassum muticum* to variability in nutrient supply. 377:91–101
- Ings DW, see Wijekoon MP et al. (2009) 375:229–238
- Irigoiien X, see Flynn KJ (2009) 377:79–89
- Ishimatsu A, Hayashi M, Kikkawa T (2008) Fishes in high-CO₂, acidified oceans. 373:295–302
- Ivančić I, Radić T, Lyons DM, Fuks D, Precali R, Kraus R (2009) Alkaline phosphatase activity in relation to nutrient status in the northern Adriatic Sea. 378:27–35
- Iverson SJ, see Kelly JR et al. (2008) 373:1–9
- Iverson SJ, see Wang SW et al. (2009) 377:299–307
- Izagirre U, Ramos RR, Marigómez I (2008) Natural variability in size and membrane stability of lysosomes in mussel digestive cells: seasonal and tidal zonation. 372:105–117
- J**
- Jackson AC, Murphy RJ, Underwood AJ (2009) *Patiriella exigua*: grazing by a starfish in an overgrazed intertidal system. 376:153–163
- Jacobsen HP, Norrbin MF (2009) Fine-scale layer of hydro-medusae is revealed by video plankton recorder (VPR) in a semi-enclosed bay in northern Norway. 380:129–135
- Jamieson MM, see Garbary DJ et al. (2009) 376:193–202
- Jaquemet S, see Catry T et al. (2009) 374:259–272
- Jensen KT, see Thielges DW et al. (2008) 372:147–155
- Jiang H, Paffenhöfer GA (2008) Hydrodynamic signal perception by the copepod *Oithona plumifera*. 373:37–52
- Jo Y, see Horinouchi M et al. (2009) 377:43–49
- Jochem FJ, see Williams CJ et al. (2008) 372:7–18
- Johnson BJ, see Morata N et al. (2008) 371:47–63
- Johnson CR, see Ling SD (2009) 374:113–125
- Johnson CR, see Strain EMA (2009) 377:169–182
- Johnson DS, Fleeger JW, Deegan LA (2009) Large-scale manipulations reveal that top-down and bottom-up controls interact to alter habitat utilization by saltmarsh fauna. 377:33–41
- Johnson LE, see D'Amours O et al. (2008) 371:73–84
- Jolley DF, see McKinnon JG et al. (2009) 380:59–71
- Jones CM, see Schaffler JJ et al. (2009) 378:187–197
- Jonsson A, Nielsen TG, Hrubenja I, Maar M, Petersen JK (2009) Eating your competitor: functional triangle between turbulence, copepod escape behavior and predation from mussels. 376:143–151
- Jonsson PR, see Hillebrand H et al. (2009) 380:33–41
- Jover L, see Ramos R et al. (2009) 377:289–297
- Joyner AR, see Paerl HW et al. (2008) 371:143–153
- Joyner JJ, see Paerl HW et al. (2008) 371:143–153
- K**
- Kaattari S, see Bromage E et al. (2009) 376:123–132
- Kahru M, see Barlow J et al. (2008) 371:285–295
- Kamenos NA, Strong SC, Shenoy DM, Wilson ST, Hatton AD, Moore PG (2008) Red coralline algae as a source of marine biogenic dimethylsulphoniopropionate. 372:61–66
- Kang CK, see Ni Longphuiet S et al. (2009) 379:33–44
- Kaplan DM (2009) Fish life histories and marine protected areas: an odd couple? 377:213–225
- Karakassis I, see Pitta P et al. (2009) 374:1–6
- Kark S, see Brokovich E et al. (2008) 371:253–262
- Karl DM, see Letelier RM et al. (2008) 371:305–308
- Karlsen Ø, see Skjæraasen JE et al. (2009) 375:219–228
- Katz S, see Tolimieri N et al. (2009) 380:229–243
- Katz T, see Yahel G et al. (2008) 372:195–209

- Kelly JR, Scheibling RE, Iverson SJ, Gagnon P (2008) Fatty acid profiles in the gonads of the sea urchin *Strongylocentrotus droebachiensis* on natural algal diets. 373:1–9
- Kelly-Gerreyn BA, see Rees AP et al. (2009) 374:7–12
- Kemp SJ (2008) Autecological effects of habitat alteration: trophic changes in mangrove marsh fish as a consequence of marsh impoundment. 371:233–242
- Kennedy RD, see Pendleton DE et al. (2009) 378:211–225
- Kennedy RD, see Pershing AJ et al. (2009) 378:245–257
- Kideys AE, see Svetlichny LS et al. (2009) 374:199–213
- Kieckbusch D, see Luo J et al. (2009) 380:255–269
- Kiflawi M, see Brokovich E et al. (2008) 371:253–262
- Kikkawa T, see Ishimatsu A et al. (2008) 373:295–302
- Kim JH, Kim SJ, Min GS, Han KN (2008) Nutritional condition determined using RNA/DNA ratios of the river pufferfish *Takifugu obscurus* under different salinities. 372:243–252
- Kim SJ, see Kim JH et al. (2008) 372:243–252
- Kimmerer W, see Choi KH (2009) 377:183–191
- Kingsford MJ, Hughes JM, Patterson HM (2009) Otolith chemistry of the non-dispersing reef fish *Acanthochromis polyacanthus*: cross-shelf patterns from the central Great Barrier Reef. 377:279–288
- Kirkpatrick GJ, see Gannon DP et al. (2009) 378:171–186
- Kleven O, see Skjæraasen JE et al. (2009) 375:219–228
- Knap AH, see Bonhommeau S et al. (2008) 373:71–80
- Knowlton N, see Roth MS (2009) 376:133–142
- Knutsen H, see Espeland SH et al. (2008) 372:231–241
- Koch EW, see Wicks EC et al. (2009) 378:71–80
- Kodama T, see Shiozaki T et al. (2009) 377:19–32
- Koprivnikar J, see Thieltges DW et al. (2008) 372:147–155
- Kordula H, see Regula C et al. (2009) 374:135–144
- Kovacs KM, see Freitas C et al. (2009) 375:247–261
- Kovacs KM, see Watanabe Y et al. (2009) 380:287–294
- Kraan C, see Compton TJ et al. (2009) 373:25–35
- Krägelsky S, Bathmann U, Strass V, Wolf-Gladrow D (2009) Response of small copepods to an iron-induced phytoplankton bloom: a model to address the mechanisms of aggregation. 374:181–198
- Krahn MM, see Herman DP et al. (2008) 372:289–302
- Kramer DL, see Vallès H et al. (2009) 379:225–240
- Kranenburg CJ, see Moses CS et al. (2009) 380:103–115
- Kraus R, see Ivančić I et al. (2009) 378:27–35
- Kristiansen T, Lough RG, Werner FE, Broughton EA, Buckley LJ (2009) Individual-based modeling of feeding ecology and prey selection of larval cod on Georges Bank. 376:227–243
- Kruschel C, see Schultz ST et al. (2009) 374:85–99
- Kudo I, see Taira Y et al. (2009) 379:23–32
- Kuenzi A, see Darling JA et al. (2009) 380:137–146
- Kuparinen A, Garcia de Leaniz C, Consuegra S, Merilä J (2009) Growth-history perspective on the decreasing age and size at maturation of exploited Atlantic salmon. 376:245–252
- Kurihara H (2008) Effects of CO₂-driven ocean acidification on the early developmental stages of invertebrates. 373:275–284
- phytoplankton in the St. Lawrence River estuarine turbidity maximum as revealed by sulfur-stable isotopes. 372:19–29
- Larson AA, Stachowicz JJ (2009) Chemical defense of a soft-sediment dwelling phoronid against local epibenthic predators. 374:101–111
- Lauzon-Guay JS, Scheibling RE, Barbeau MA (2009) Modeling phase shifts in a rocky subtidal ecosystem. 375:25–39
- Lavaleyre MSS, see Compton TJ et al. (2008) 373:25–35
- Lavery PS, see Vanderklift MA et al. (2009) 376:203–211
- Lavrentyev PJ, see Williams CJ et al. (2008) 372:7–18
- Lazar B, see Yahel G et al. (2008) 372:195–209
- Le Corre M, see Catry T et al. (2009) 374:259–272
- Lehtiniemi M, see Viitasalo-Frösén S et al. (2009) 376:21–32
- Leis JM, Hay AC, Howarth GJ (2009) Ontogeny of *in situ* behaviours relevant to dispersal and population connectivity in larvae of coral-reef fishes. 379:163–179
- Lemée R, see Tunin-Ley A et al. (2009) 375:85–99
- Lenfant P, see Forcada A et al. (2009) 379:197–211
- Le Pape O, see Bonhommeau S et al. (2008) 373:71–80
- Letelier RM, Strutton PG, Karl DM (2008) Physical and ecological uncertainties in the widespread implementation of controlled upwelling in the North Pacific Subtropical Gyre. 371:305–308
- Levin PS, see Tolimieri N et al. (2009) 380:229–243
- Leynaert A, see Ni Longphuiet S et al. (2009) 379:33–44
- Leyrer J, see Compton TJ et al. (2008) 373:25–35
- Li C, see Wang S et al. (2009) 379:123–133
- Lidgard S, see Ostrovsky AN et al. (2009) 378:113–124
- Lim JH, see Ni Longphuiet S et al. (2009) 379:33–44
- Limborg MT, Pedersen JS, Hemmer-Hansen J, Tomkiewicz J, Bekkevold D (2009) Genetic population structure of European sprat *Sprattus sprattus*: differentiation across a steep environmental gradient in a small pelagic fish. 379:213–224
- Lin DT, Bailey-Brock JH (2008) Partial recovery of infaunal communities during a fallow period at an open-ocean aquaculture. 371:65–72
- Lin YJ, see Soong K et al. (2009) 376:165–171
- Lincoln JA, see Turner JT et al. (2009) 376:103–122
- Ling SD, Johnson CR (2009) Population dynamics of an ecologically important range-extender: kelp beds versus sea urchin barrens. 374:113–125
- Liu CC, see Cheung SG et al. (2009) 378:145–151
- Liu H, see Chen B et al. (2009) 379:77–90
- Lokrantz J, see Norström AV et al. (2009) 376:295–306
- Loneragan NR, see Ochwada F et al. (2009) 380:161–171
- López J, see Incera M et al. (2009) 377:91–101
- Lough JM (2008) Coral calcification from skeletal records revisited. 373:257–264
- Lough RG, see Kristiansen T et al. (2009) 376:227–243
- Love JW, Luers DF, Williams BD (2009) Spatio-temporal patterns of larval fish ingress to Chincoteague Bay, Maryland, USA during winter and spring 2004 to 2007. 377:203–212
- Lucas MI, see Seeyave S et al. (2009) 379:91–107
- Luers DF, see Love JW et al. (2009) 377:203–212
- Lundsten L, Barry JP, Cailliet GM, Clague DA, DeVogelaere AP, Geller JB (2009) Benthic invertebrate communities on three seamounts off southern and central California, USA. 374:23–32
- Luo J, Serafy JE, Sponaugle S, Teare PB, Kieckbusch D (2009) Movement of gray snapper *Lutjanus griseus* among subtropical seagrass, mangrove, and coral reef habitats. 380:255–269
- Luoma SN, see Rainbow PS et al. (2009) 376:173–184
- Luque SP, Arnould JPY, Guinet C (2008) Temporal structure of diving behaviour in sympatric Antarctic and subantarctic

L

- Labat JP, see Tunin-Ley A et al. (2009) 375:85–99
- Ladah LB, see Sonnenholzner JI et al. (2009) 375:209–218
- Lafferty KD, see Sonnenholzner JI et al. (2009) 375:209–218
- Laine AO, see Viitasalo-Frösén S et al. (2009) 376:21–32
- Lambert Y, see Chassot E et al. (2009) 379:279–297
- Landry MR, see Chen B et al. (2009) 379:77–90
- Lapierre JF, Frenette JJ (2008) Advection of freshwater

tic fur seals. 372:277–287

Lutscher F, see Pringle JM et al. (2009) 377:13–17

Lydersen C, see Freitas C et al. (2009) 375:247–261

Lydersen C, see Watanabe Y et al. (2009) 380:287–294

Lyons DM, see Ivančić I et al. (2009) 378:27–35

M

Maar M, see Jonsson A et al. (2009) 376:143–151

Mace AJ, see Morgan SG et al. (2009) 380:173–185

MacIntyre S, see Stewart HL et al. (2009) 375:101–112

Mackenzie FT, see Andersson AJ et al. (2008) 373:265–273

Mackenzie ML, see Sharples RJ et al. (2009) 378:289–298

Mahapatra K, see Ichii T et al. (2009) 378:1–11

Mangubhai S, Harrison PL (2009) Extended breeding seasons and asynchronous spawning among equatorial reef corals in Kenya. 374:305–310

Mann DA, Grothues TM (2009) Short-term upwelling events modulate fish sound production at a mid-Atlantic Ocean observatory. 375:65–71

Marbà N, see Garcias-Bonet N et al. (2008) 372:1–6

Marigómez I, see Izaguirre U et al. (2008) 372:105–117

Marino MC II, see Tian RC et al. (2009) 380:147–160

Marion A, Harvey M, Chabot D, Brêthes JC (2008) Feeding ecology and predation impact of the recently established amphipod, *Themisto libellula*, in the St. Lawrence marine system, Canada. 373:53–70

Martin MH, see Rooper CN (2009) 379:253–266

Masello JF, see Quillfeldt P et al. (2008) 373:137–148

Massom RA, Hill K, Barbraud C, Adams N, Ancel A, Emmerston L, Pook MJ (2009) Fast ice distribution in Adélie Land, East Antarctica: interannual variability and implications for emperor penguins *Aptenodytes forsteri*. 374:243–257

Mather JA, see Anderson RC et al. (2008) 371:199–202

Matkin CO, see Herman DP et al. (2008) 372:289–302

Matthiessen B, see Hillebrand H et al. (2009) 380:33–41

Mayer I, see Skjæraasen JE et al. (2009) 375:219–228

Mayo CA, see Pendleton DE et al. (2009) 378:211–225

Mayo CA, see Pershing AJ et al. (2009) 378:245–257

Mayr C, see Wild C et al. (2008) 372:67–75

Mayzard P, see Connan M et al. (2008) 373:123–135

McCarthy ID, see Hussey NE et al. (2009) 380:199–212

McClanahan TR, Ateweberhan M, Omukoto J, Pearson L (2009) Recent seawater temperature histories, status, and predictions for Madagascar's coral reefs. 380:117–128

McClintock JB, Angus RA, Ho CP, Amsler CD, Baker BJ (2008) Intraspecific agonistic arm-fencing behavior in the Antarctic keystone sea star *Odontaster validus* influences prey acquisition. 371:297–300

McDonald RA, see Anderson ORJ et al. (2009) 375:277–288

McElroy AE, see Duffy TA et al. (2009) 380:245–254

McEvoy A, see Widdicombe S et al. (2009) 379:59–75

McGill RAR, see Anderson ORJ et al. (2009) 375:277–288

McGill RAR, see Quillfeldt P et al. (2008) 373:137–148

McKee K, see Middleton B et al. (2008) 371:117–129

McKindsey CW, see D'Amours O et al. (2008) 371:73–84

McKinnon JG, Gribben PE, Davis AR, Jolley DF, Wright JT (2009) Differences in soft-sediment macrobenthic assemblages invaded by *Caulerpa taxifolia* compared to uninvaded habitats. 380:59–71

McKone KL, Tanner CE (2009) Role of salinity in the susceptibility of eelgrass *Zostera marina* to the wasting disease pathogen *Labyrinthula zosterae*. 377:123–130

McManus MA, see Cheriton OM et al. (2009) 378:55–69

McNeill CL, see Widdicombe S et al. (2009) 379:59–75

McQuaid CD, see Nicastro KR et al. (2008) 372:119–126

McQuaid CD, see von der Meden CEO et al. (2008) 372:135–145

Meager JJ, see Skjæraasen JE et al. (2009) 375:219–228

Meldrup D, see Nielsen EE et al. (2009) 376:213–225

Melzner F, see Gutowska MA et al. (2008) 373:303–309

Merilä J, see Kuparinen A et al. (2009) 376:245–252

Metaxas A, Mullineaux LS, Sisson J (2009) Distribution of echinoderm larvae relative to the halocline of a salt wedge. 377:157–168

Metian M, Bustamente P, Hédouin L, Oberhänsli F, Warnau M (2009) Delineation of heavy metal uptake pathways (seawater and food) in the variegated scallop *Chlamys varia*, using radiotracer techniques. 375:161–171

Micheli F, see Fraschetti S et al. (2009) 375:13–24

Middleton B, Devlin D, Proffitt E, McKee K, Foster Cretini K (2008) Characteristics of mangrove swamps managed for mosquito control in eastern Florida, USA. 371:117–129

Mikawa N, see Yamada Y et al. (2009) 379:241–251

Miller LA, see Brugel S et al. (2009) 377:63–77

Miller MJ, see Yamada Y et al. (2009) 379:241–251

Min GS, see Kim JH et al. (2008) 372:243–252

Minegishi Y, see Gagnaire PA et al. (2009) 379:267–278

Mitchell BG, see Barlow J et al. (2008) 371:285–295

Mitchell BG, see Raateoja M et al. (2009) 376:85–101

Miyazaki N, see Watanabe Y et al. (2009) 380:287–294

Mizuno N, see Horinouchi M et al. (2009) 377:43–49

Mohammed SWC, Coppard SE (2008) Ecology and distribution of soft-sediment benthic communities off Viti Levu (Fiji). 371:91–107

Moksnes PO, see Persson M et al. (2008) 371:203–212

Monger BC, see Pershing AJ et al. (2009) 378:227–243

Monger BC, see Pershing AJ et al. (2009) 378:245–257

Monson DH, see Newsome SD et al. (2009) 374:229–242

Montes-Hugo MA, Ducklow H, Schofield OM (2009) Contribution by different marine bacterial communities to particulate beam attenuation. 379:13–22

Montgomery JC, see Riding TAC et al. (2009) 377:255–262

Montory JA, Chaparro OR, Cubillos VM, Pechenik JA (2009) Isolation of incubation chambers during brooding: effect of reduced pH on protoconch development in the estuarine gastropod *Crepidipatella dilatata* (Calyptraeidae). 374:157–166

Montory JA, see Chaparro OR et al. (2009) 374:145–155

Montserrat F, Van Colen C, Degraer S, Ysebaert T, Herman PMJ (2008) Benthic community-mediated sediment dynamics. 372:43–59

Montserrat F, see Van Colen C et al. (2008) 372:31–42

Moodley L, see van Oevelen D et al. (2009) 380:19–32

Moore CM, see Suggett DJ et al. (2009) 376:1–19

Moore PG, see Kamenos NA et al. (2008) 372:61–66

Morata N, Renaud PE, Brugel S, Hobson KA, Johnson BJ (2008) Spatial and seasonal variations in the pelagic–benthic coupling of the southeastern Beaufort Sea revealed by sedimentary biomarkers. 371:47–63

Moreno VJ, see Gerpe MS et al. (2009) 375:239–245

Morgan SG, Fisher JL, Mace AJ, Akins L, Slaughter AM, Bolens SM (2009) Cross-shelf distributions and recruitment of crab postlarvae in a region of strong upwelling. 380:173–185

Morgan SG, see Shinen JS et al. (2009) 378:47–54

Mosegaard H, see Hüsey K et al. (2009) 378:161–170

Moses CS, Andréfouët S, Kranenburg CJ, Muller-Karger FE (2009) Regional estimates of reef carbonate dynamics and productivity using Landsat 7 ETM+, and potential impacts from ocean acidification. 380:103–115

Mouillot D, see Ben Rais Lasram F et al. (2009) 376:253–267

Moutin T, see Duhamel S (2009) 375:53–64

Muller-Karger FE, see Moses CS et al. (2009) 380:103–115
 Mullineaux LS, see Metaxas A et al. (2009) 377:157–168
 Murphy RJ, see Jackson AC et al. (2009) 376:153–163

N

- Nagelkerken I, see Dorenbosch M et al. (2009) 379:181–196
 Naito Y, see Watanabe Y et al. (2009) 380:287–294
 Nakamura Y, see Imai N et al. (2009) 377:139–148
 Naumann M, see Wild C et al. (2008) 372:67–75
 Navarrete SA, see Caro AU et al. (2008) 372:127–134
 Navarro J, González-Solis J (2009) Environmental determinants of foraging strategies in Cory's shearwaters *Calonectris diomedea*. 378:259–267
 Navarro JM, see Chaparro OR et al. (2009) 374:145–155
 Needham HR, see Widdicombe S et al. (2009) 379:59–75
 Neely AE, Zajac RN (2008) Applying marine protected area design models in large estuarine systems. 373:11–23
 Neuenfeldt S, see Schaber M et al. (2009) 377:239–253
 Newsome SD, Etnier MA, Monson DH, Fogel ML (2009) Retrospective characterization of ontogenetic shifts in killer whale diets via $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ analysis of teeth. 374:229–242
 Ní Longphuirt S, Lim JH, Leynaert A, Claquin P, Choy EJ, Kang CK, An S (2009) Dissolved inorganic nitrogen uptake by intertidal microphytobenthos: nutrient concentrations, light availability and migration. 379:33–44
 Nicastró KR, Zardi GI, McQuaid CD (2008) Movement behaviour and mortality in invasive and indigenous mussels: resilience and resistance strategies at different spatial scales. 372:119–126
 Nichols PD, see Baylis AMM (2009) 380:271–286
 Nichols PD, see Crawley KR et al. (2009) 376:33–44
 Nichols PD, see Drazen JC et al. (2008) 372:157–167
 Nielsen B, see Hüseyin K et al. (2009) 378:161–170
 Nielsen EE, Wright PJ, Hemmer-Hansen J, Poulsen NA, Gibb IM, Meldrup D (2009) Microgeographical population structure of cod *Gadus morhua* in the North Sea and west of Scotland: the role of sampling loci and individuals. 376:213–225
 Nielsen TG, see Jonsson A et al. (2009) 376:143–151
 Ning X, see Wang S et al. (2009) 379:123–133
 Nonaka M, see Yakovleva IM et al. (2009) 378:105–112
 Nordström M, Aarnio K, Bonsdorff E (2009) Temporal variability of a benthic food web: patterns and processes in a low-diversity system. 378:13–26
 Norrbin MF, see Jacobsen HP (2009) 380:129–135
 Norström AV, Nyström M, Lokrantz J, Folke C (2009) Alternative states on coral reefs: beyond coral–macroalgal phase shifts. 376:295–306
 Nozais C, see Brugel S et al. (2009) 377:63–77
 Nyström M, see Norström AV et al. (2009) 376:295–306
- O
- Oberhänsli F, see Metian M et al. (2009) 375:161–171
 Ochwada F, Loneragan NR, Gray CA, Suthers IM, Taylor MD (2009) Complexity affects habitat preference and predation mortality in postlarval *Penaeus plebejus*: implications for stock enhancement. 380:161–171
 O'Donnell MJ, see Hofmann GE et al. (2008) 373:219–225
 Okada Y, see Ichii T et al. (2009) 378:1–11
 Okamura A, see Yamada Y et al. (2009) 379:241–251
 Olabarria C, see Incera M et al. (2009) 377:91–101
 Oliver TA, Palumbi SR (2009) Distributions of stress-resistant coral symbionts match environmental patterns at local but not regional scales. 378:93–103
 Oliverio M, see Casale P et al. (2008) 372:265–276
 Olivo E, see Raateoja M et al. (2009) 376:85–101
 Olsen EM, see Espeland SH et al. (2008) 372:231–241
 Olsen JL, see Ferber S et al. (2008) 372:87–96
 Olsen JL, see Zipperle AM et al. (2009) 380:73–80
 Olsen YS, see Fox SE et al. (2009) 380:43–57
 Omukoto J, see McClanahan TR et al. (2009) 380:117–128
 O'Neil JM, see Paerl HW et al. (2008) 371:143–153
 O'Neil JM, see Wicks EC et al. (2009) 378:71–80
 Opper S, Powell AN (2008) Assigning king eiders to wintering regions in the Bering Sea using stable isotopes of feathers and claws. 373:149–156
 Osborn AM, see Hofmann T et al. (2009) 379:45–58
 Oschlies A, see Pahlow M (2009) 376:69–83
 Ostrovsky AN, Gordon DP, Lidgard S (2009) Independent evolution of matrotrophy in the major classes of Bryozoa: transitions among reproductive patterns and their ecological background. 378:113–124
 Øxnevad S, see Widdicombe S et al. (2009) 379:59–75
- P
- Paerl HW, Joyner JJ, Joyner AR, Arthur K, Paul V, O'Neil JM, Heil CA (2008) Co-occurrence of dinoflagellate and cyanobacterial harmful algal blooms in southwest Florida coastal waters: dual nutrient (N and P) input controls. 371:143–153
 Paffenhöfer GA, see Jiang H (2008) 373:37–52
 Pahlow M, Oschlies A (2009) Chain model of phytoplankton P, N and light colimitation. 376:69–83
 Palubok VI, see Gannon DP et al. (2009) 378:171–186
 Palumbi SR, see Oliver TA (2009) 378:93–103
 Papetti C, Susana E, Patarnello T, Zane L (2009) Spatial and temporal boundaries to gene flow between *Chaenocephalus aceratus* populations at South Orkney and South Shetlands. 376:269–281
 Paramore LM, see Bacheler NM et al. (2009) 377:263–277
 Parrish JK, see Zador SG et al. (2009) 376:283–293
 Parsons DM, see Eggleston DB (2008) 371:213–220
 Patarnello T, see Papetti C et al. (2009) 376:269–281
 Patterson HM, see Kingsford MJ et al. (2009) 377:279–288
 Patterson M, see Bromage E et al. (2009) 376:123–132
 Paul V, see Paerl HW et al. (2008) 371:143–153
 Pearce RW, see Herman DP et al. (2008) 372:289–302
 Pearson GB, see Compton TJ et al. (2008) 373:25–35
 Pearson L, see McClanahan TR et al. (2009) 380:117–128
 Pechenik JA, see Chaparro OR et al. (2009) 374:145–155
 Pechenik JA, see Montory JA et al. (2009) 374:157–166
 Peck L, see Dupont S et al. (2008) 373:285–294
 Pecl GT, see André J et al. (2009) 374:167–179
 Pecl GT, see Doubleday ZA et al. (2008) 371:1–10
 Pedersen JS, see Limborg MT et al. (2009) 379:213–224
 Pendleton DE, Pershing AJ, Brown MW, Mayo CA, Kenney RD, Record NR, Cole TVN (2009) Regional-scale mean copepod concentration indicates relative abundance of North Atlantic right whales. 378:211–225
 Pendleton DE, see Pershing AJ et al. (2009) 378:227–243
 Pendleton DE, see Pershing AJ et al. (2009) 378:245–257
 Pérez-Lloréns JL, see de los Santos CB et al. (2009) 377:113–122
 Perle C, see Weng KC et al. (2008) 372:253–264
 Pershing AJ, Record NR, Monger BC, Mayo CA, Brown MW, Cole TVN, Kenney RD, Pendleton DE, Woodard LA (2009) Model-based estimates of right whale habitat use in the

- Gulf of Maine. 378:245–257
- Pershing AJ, Record NR, Monger BC, Pendleton DE, Woodard LA (2009) Model-based estimates of *Calanus finmarchicus* abundance in the Gulf of Maine. 378:227–243
- Pershing AJ, see Pendleton DE et al. (2009) 378:211–225
- Persson M, Andersson S, Baden S, Moksnes PO (2008) Trophic role of the omnivorous grass shrimp *Palaemon elegans* in a Swedish eelgrass system. 371:203–212
- Petersen JK, see Jonsson A et al. (2009) 376:143–151
- Peterson MS, see Comyns BH et al. (2008) 371:243–252
- Petitpas CM, see Turner JT et al. (2009) 376:103–122
- Phillips RA, see Anderson ORJ et al. (2009) 375:277–288
- Phleger CF, see Drazen JC et al. (2008) 372:157–167
- Piersma T, see Compton TJ et al. (2008) 373:25–35
- Pinckney JL, see Drury McCall D et al. (2009) 379:151–162
- Pineda MC, see Teixidó N et al. (2009) 375:113–124
- Pinet P, see Catry T et al. (2009) 374:259–272
- Pitcher GC, see Seeyave S et al. (2009) 379:91–107
- Pitta P, Tsapakis M, Apostolaki ET, Tsagaraki T, Holmer M, Karakassis I (2009) 'Ghost nutrients' from fish farms are transferred up the food web by phytoplankton grazers. 374:1–6
- Pizzolante F, see Fraschetti S et al. (2009) 375:13–24
- Planque B, see Bonhommeau S et al. (2008) 373:71–80
- Polikarpov GG, Egorov VN (2009) Response of the Black Sea ecosystem to the Chernobyl nuclear accident. 376:307–308
- Ponce de León A, see Gerpe MS et al. (2009) 375:239–245
- Pond DW, see Suhr SB et al. (2008) 371:155–164
- Pook MJ, see Massom RA et al. (2009) 374:243–257
- Pope ND, see Widdows J et al. (2009) 378:135–143
- Porri F, see von der Meden CEO et al. (2008) 372:135–145
- Pörtner HO (2008) Ecosystem effects of ocean acidification in times of ocean warming: a physiologist's view. 373:203–217
- Pörtner HO, see Gutowska MA et al. (2008) 373:303–309
- Poulin M, see Brugel S et al. (2009) 377:63–77
- Poulin R, see Thieltges DW et al. (2008) 372:147–155
- Poulsen NA, see Nielsen EE et al. (2009) 376:213–225
- Powell AN, see Oppel S (2008) 373:149–156
- Prado P, Farina S, Tomas F, Romero J, Alcoverro T (2008) Marine protection and meadow size alter fish herbivory in seagrass ecosystems. 371:11–21
- Prado P, see Farina S et al. (2009) 377:131–137
- Precali R, see Ivančić I et al. (2009) 378:27–35
- Pringle JM, Lutscher F, Glick E (2009) Going against the flow: effects of non-Gaussian dispersal kernels and reproduction over multiple generations. 377:13–17
- Probyn TA, see Seeyave S et al. (2009) 379:91–107
- Proffitt E, see Middleton B et al. (2008) 371:117–129
- Punt AE, see Zador SG et al. (2009) 376:283–293
- Purcell JE, Hoover RA, Schwarck NT (2009) Interannual variation of strobilation by the scyphozoan *Aurelia labiata* in relation to polyp density, temperature, salinity, and light conditions *in situ*. 375:139–149
- Purdie DA, see Seeyave S et al. (2009) 379:91–107
- Pusceddu A, Dell'Anno A, Fabiano M, Danovaro R (2009) Quantity and bioavailability of sediment organic matter as signatures of benthic trophic status. 375:41–52
- Puvanendran V, see Wijekoon MP et al. (2009) 375:229–238
- Quillfeldt P, McGill RAR, Masello JF, Weiss F, Strange JJ, Brickle P, Furness RW (2008) Stable isotope analysis reveals sexual and environmental variability and individual consistency in foraging of thin-billed prions. 373:137–148

R

- Raateoja M, Mitchell BG, Wang H, Olivo E (2009) Effect of water column light gradient on phytoplankton fluorescence transients. 376:85–101
- Radić T, see Ivančić I et al. (2009) 378:27–35
- Raffaelli D, see Fujii T (2008) 371:23–35
- Rainbow PS, Smith BD, Luoma SN (2009) Differences in trace metal bioaccumulation kinetics among populations of the polychaete *Nereis diversicolor* from metal-contaminated estuaries. 376:173–184
- Rakocinski CF, see Comyns BH et al. (2008) 371:243–252
- Rakocinski CF, see Drury McCall D et al. (2009) 379:151–162
- Ramírez F, see Ramos R et al. (2009) 377:289–297
- Ramos JA, see Catry T et al. (2009) 374:259–272
- Ramos R, Ramírez F, Sanpera C, Jover L, Ruiz X (2009) Feeding ecology of yellow-legged gulls *Larus michahellis* in the western Mediterranean: a comparative assessment using conventional and isotopic methods. 377:289–297
- Ramos RR, see Izagirre U et al. (2008) 372:105–117
- Rapp HT, see Wild C et al. (2008) 372:67–75
- Rebstock GA, see Boersma PD (2009) 375:263–275
- Record NR, see Pendleton DE et al. (2009) 378:211–225
- Record NR, see Pershing AJ et al. (2009) 378:227–243
- Record NR, see Pershing AJ et al. (2009) 378:245–257
- Reed DC, see Stewart HL et al. (2009) 375:101–112
- Rees AP, Gilbert JA, Kelly-Gerrey BA (2009) Nitrogen fixation in the western English Channel (NE Atlantic Ocean). 374:7–12
- Regula C, Colin SP, Costello JH, Kordula H (2009) Prey selection mechanism of ambush-foraging hydromedusae. 374:135–144
- Reise K, see Zipperle AM et al. (2009) 380:73–80
- Reiss CS, Hewes CD, Holm-Hansen O (2009) Influence of atmospheric teleconnections and Upper Circumpolar Deep Water on phytoplankton biomass around Elephant Island, Antarctica. 377:51–62
- Reiss CS, see Schaffler JJ et al. (2009) 378:187–197
- Reitzel AM, see Darling JA et al. (2009) 380:137–146
- Renaud PE, see Morata N et al. (2008) 371:47–63
- Réveillac E, see Gagnaire PA et al. (2009) 379:267–278
- Revill AT, see Crawley KR et al. (2009) 376:33–44
- Richardson JP, see Spivak AC et al. (2009) 376:55–67
- Riding TAC, Dennis TE, Stewart CL, Walker MM, Montgomery JC (2009) Tracking fish using 'buoy-based' GPS telemetry. 377:255–262
- Rigaud T, see De Bruyn C et al. (2009) 375:173–183
- Rivot E, see Bonhommeau S et al. (2008) 373:71–80
- Robert D, Castonguay M, Fortier L (2009) Effects of preferred prey density and temperature on feeding success and recent growth in larval mackerel of the southern Gulf of St. Lawrence. 377:227–237
- Robertson DR, Cramer KL (2009) Shore fishes and biogeographic subdivisions of the Tropical Eastern Pacific. 380:1–17
- Robertson DR, see Trip EL et al. (2008) 373:97–109
- Robinet T, see Gagnaire PA et al. (2009) 379:267–278
- Rochette R, see Edgell TC et al. (2008) 371:191–198
- Rodríguez DH, see Gerpe MS et al. (2009) 375:239–245
- Rogers DI, see Compton TJ et al. (2008) 373:25–35

Q

- Quijón PA, Snelgrove PVR (2008) Trophic complexity in marine sediments: new evidence from the Gulf of St. Lawrence. 371:85–89

- Romero J, see Farina S et al. (2009) 377:131–137
 Romero J, see Prado P et al. (2008) 371:11–21
 Rooper CN, Martin MH (2009) Predicting presence and abundance of demersal fishes: a model application to short-spine thornyhead *Sebastolobus alascanus*. 379:253–266
 Rost B, Zondervan I, Wolf-Gladrow D (2008) Sensitivity of phytoplankton to future changes in ocean carbonate chemistry: current knowledge, contradictions and research directions. 373:227–237
 Roth JD, see Witteveen BH et al. (2009) 379:299–310
 Roth MS, Knowlton N (2009) Distribution, abundance, and microhabitat characterization of small juvenile corals at Palmyra Atoll. 376:133–142
 Rothschild B, see Tian RC et al. (2009) 380:147–160
 Rudolfson G, see Skjæraasen JE et al. (2009) 375:219–228
 Rüggeberg A, see Dullo W-C et al. (2008) 371:165–176
 Ruiz X, see Ramos R et al. (2009) 377:289–297

S

- Sahin F, see Svetlichny LS et al. (2009) 374:199–213
 Sakai M, see Ichii T et al. (2009) 378:1–11
 Sánchez-Lizaso JL, see Forcada A et al. (2009) 379:197–211
 Sano M, see Horinouchi M et al. (2009) 377:43–49
 Sanpera C, see Ramos R et al. (2009) 377:289–297
 Sato K, see Watanabe Y et al. (2009) 380:287–294
 Schaber M, Hinrichsen HH, Neuenfeldt S, Voss R (2009) Hydroacoustic resolution of small-scale vertical distribution in Baltic cod *Gadus morhua*—habitat choice and limits during spawning. 377:239–253
 Schaffler JJ, Reiss CS, Jones CM (2009) Patterns of larval Atlantic croaker ingress into Chesapeake Bay, USA. 378:187–197
 Scheibling RE, see Kelly JR et al. (2008) 373:1–9
 Scheibling RE, see Lauzon-Guay JS et al. (2009) 375:25–39
 Schepkina AM, see Svetlichny LS et al. (2009) 374:199–213
 Schiel DR, see Zeldis JR et al. (2008) 371:131–142
 Schmitt RJ, see Holbrook SJ et al. (2008) 371:263–271
 Schofield OM, see Montes-Hugo MA et al. (2009) 379:13–22
 Schöttner S, see Wild C et al. (2008) 372:67–75
 Schultz ST, Kruschel C, Bakran-Petricioli T (2009) Influence of seagrass meadows on predator–prey habitat segregation in an Adriatic lagoon. 374:85–99
 Schwarck NT, see Purcell JE et al. (2009) 375:139–149
 Schwarzschild AC, Zieman JC (2008) Effects of physiological integration on the survival and growth of ramets and clonal fragments in the seagrass *Syringodium filiforme*. 372:97–104
 Seeyave S, Probyn TA, Pitcher GC, Lucas MI, Purdie DA (2009) Nitrogen nutrition in assemblages dominated by *Pseudo-nitzschia* spp., *Alexandrium catenella* and *Dinophysis acuminata* off the west coast of South Africa. 379:91–107
 Segawa S, see André J et al. (2009) 374:167–179
 Segura CJ, see Chaparro OR et al. (2009) 374:145–155
 Seibel BA, see Childress JJ et al. (2008) 373:187–191
 Semmens JM, see André J et al. (2009) 374:167–179
 Semmens JM, see Doubleday ZA et al. (2008) 371:1–10
 Serafy JE, see Luo J et al. (2009) 380:255–269
 Serrão E, see Araújo R et al. (2009) 378:81–92
 Sharples RJ, Mackenzie ML, Hammond PS (2009) Estimating seasonal abundance of a central place forager using counts and telemetry data. 378:289–298
 Shashar N, see Brokovich E et al. (2008) 371:253–262
 Sheader M, see Herbert RJH et al. (2009) 379:135–150
 Sheehy MS, see Warner RR et al. (2009) 379:109–121
 Shek L, see Chen B et al. (2009) 379:77–90
 Shenoy DM, see Kamenos NA et al. (2008) 372:61–66
 Shiller AM, see Comyns BH et al. (2008) 371:243–252
 Shillinger GL, see Weng KC et al. (2008) 372:253–264
 Shin PKS, see Cheung SG et al. (2009) 378:145–151
 Shinen JS, Morgan SG, Chan AL (2009) Invasion resistance on rocky shores: direct and indirect effects of three native predators on an exotic and a native prey species. 378:47–54
 Shiozaki T, Furuya K, Kodama T, Takeda S (2009) Contribution of N₂ fixation to new production in the western North Pacific Ocean along 155°E. 377:19–32
 Shore RF, see Anderson ORJ et al. (2009) 375:277–288
 Simpson KG, see Brugel S et al. (2009) 377:63–77
 Sisson J, see Metaxas A et al. (2009) 377:157–168
 Skjæraasen JE, Mayer I, Meager JJ, Rudolfson G, Karlsen Ø, Haugland T, Kleven O (2009) Sperm characteristics and competitive ability in farmed and wild cod. 375:219–228
 Skov H, Thomsen F (2008) Resolving fine-scale spatio-temporal dynamics in the harbour porpoise *Phocoena phocoena*. 373:173–186
 Slaughter AM, see Morgan SG et al. (2009) 380:173–185
 Smee DL, see Ferner MC et al. (2009) 374:13–22
 Smith BD, see Rainbow PS et al. (2009) 376:173–184
 Snelgrove PVR, see Quijón PA (2008) 371:85–89
 Soetaert K, see van Oevelen D et al. (2009) 380:19–32
 Somerfield PJ (2008) Identification of the Bray-Curtis similarity index: Comment on Yoshioka (2008). 372:303–306
 Sonnenholzner JI, Ladah LB, Lafferty KD (2009) Cascading effects of fishing on Galapagos rocky reef communities: reanalysis using corrected data. 375:209–218
 Soong K, Lin YJ, Chao SM, Chang D (2009) Spawning time of two shallow-water brittle stars. 376:165–171
 Sousa-Pinto I, see Araújo R et al. (2009) 378:81–92
 Southward AJ, see Herbert RJH et al. (2009) 379:135–150
 Spivak AC, Canuel EA, Duffy JE, Douglass JG, Richardson JP (2009) Epifaunal community composition and nutrient addition alter sediment organic matter composition in a natural eelgrass *Zostera marina* bed: a field experiment. 376:55–67
 Sponaugle S, see Luo J et al. (2009) 380:255–269
 Springer AM, see Wang SW et al. (2009) 377:299–307
 Stacey MT, see Cheriton OM et al. (2009) 378:55–69
 Stachowicz JJ, see Larson AA (2009) 374:101–111
 Stam WT, see Ferber S et al. (2008) 372:87–96
 Stam WT, see Zipperle AM et al. (2009) 380:73–80
 Starr RM, see Carlisle AB (2009) 380:213–228
 Steinbeck JV, see Cheriton OM et al. (2009) 378:55–69
 Stenseth NC, see Espeland SH et al. (2008) 372:231–241
 Stenson G, see Chassot E et al. (2009) 379:279–297
 Stewart CL, see Riding TAC et al. (2009) 377:255–262
 Stewart HL, Fram JP, Reed DC, Williams SL, Brzezinski MA, MacIntyre S, Gaylord B (2009) Differences in growth, morphology and tissue carbon and nitrogen of *Macrocystis pyrifera* within and at the outer edge of a giant kelp forest in California, USA. 375:101–112
 Stokesbury KDE, see Tian RC et al. (2009) 380:147–160
 Strain EMA, Johnson CR (2009) Competition between an invasive urchin and commercially fished abalone: effect on body condition, reproduction and survivorship. 377:169–182
 Straley JM, see Herman DP et al. (2008) 372:289–302
 Strange IJ, see Quillfeldt P et al. (2008) 373:137–148
 Strass V, see Krägersky S et al. (2009) 374:181–198
 Strong SC, see Kamenos NA et al. (2008) 372:61–66
 Strutton PG, see Letelier RM et al. (2008) 371:305–308
 Suárez-Morales E, see Tovar E et al. (2009) 375:151–160

- Suggett DJ, Moore CM, Hickman AE, Geider RJ (2009) Interpretation of fast repetition rate (FRR) fluorescence: signatures of phytoplankton community structure versus physiological state. 376:1–19
- Suhr SB, Alexander SP, Gooday AJ, Pond DW, Bowser SS (2008) Trophic modes of large Antarctic Foraminifera: roles of carnivory, omnivory, and detritivory. 371:155–164
- Sun J, see Chen B et al. (2009) 379:77–90
- Sun S, see Wang S et al. (2009) 379:123–133
- Suntsov AV, Brodeur RD (2008) Trophic ecology of three dominant myctophid species in the northern California Current region. 373:81–96
- Susana E, see Papetti C et al. (2009) 376:269–281
- Suthers IM, see Ochwada F et al. (2009) 380:161–171
- Suzuki Y, see Horinouchi M et al. (2009) 377:43–49
- Svetlichny LS, Yuneva TV, Hubareva ES, Schepkina AM, Besiktepe S, Kideys AE, Bat L, Sahin F (2009) Development of *Calanus euxinus* during spring cold homothermy in the Black Sea. 374:199–213
- Sweatman H, see Cheal AJ et al. (2008) 372:211–223
- Sweatman H, see Emslie MJ et al. (2008) 371:177–190
- Szathmary PL, Helmuth B, Wetthey DS (2009) Climate change in the rocky intertidal zone: predicting and measuring the body temperature of a keystone predator. 374:43–56
- ## T
- Taira Y, Uchimiya M, Kudo I (2009) Simultaneous estimation of viral lysis and protozoan grazing on bacterial mortality using a modified virus-dilution method. 379:23–32
- Takabayashi M, see Adams LM et al. (2009) 377:149–156
- Takeda S, see Shiozaki T et al. (2009) 377:19–32
- Takyu M, see Imai N et al. (2009) 377:139–148
- Tanaka S, see Yamada Y et al. (2009) 379:241–251
- Tanner CE, see McKone KL (2009) 377:123–130
- Taylor BR, see Garbary DJ et al. (2009) 376:193–202
- Taylor JD, see Hofmann T et al. (2009) 379:45–58
- Taylor MD, see Ochwada F et al. (2009) 380:161–171
- Teare PB, see Luo J et al. (2009) 380:255–269
- Teichberg M, see Fox SE et al. (2009) 380:43–57
- Teixidó N, Pineda MC, Garrabou J (2009) Decadal demographic trends of a long-lived temperate encrusting sponge. 375:113–124
- Terlizzi A, see Frascchetti S et al. (2009) 375:13–24
- Thatje S, see Fischer S et al. (2009) 377:193–202
- Thieltges DW, de Montaudouin X, Fredensborg B, Jensen KT, Koprivnikar J, Poulin R (2008) Production of marine trematode cercariae: a potentially overlooked path of energy flow in benthic systems. 372:147–155
- Thompson PM, see Bailey H (2009) 378:279–287
- Thomsen F, see Skov H et al. (2008) 373:173–186
- Thomsen MS, see Tuya F et al. (2008) 372:225–230
- Thorndyke M, see Dupont S et al. (2008) 373:285–294
- Thorndyke W, see Dupont S et al. (2008) 373:285–294
- Thuesen EV, see Childress JJ et al. (2008) 373:187–191
- Tian RC, Chen C, Stokesbury KDE, Rothschild B, Cowles GW, Xu Q, Hu S, Harris BP, Marino MC II (2009) Modeling the connectivity between sea scallop populations in the Middle Atlantic Bight and over Georges Bank. 380:147–160
- Tilbury KL, see Herman DP et al. (2008) 372:289–302
- Todgham AE, see Hofmann GE et al. (2008) 373:219–225
- Tolimieri N, Andrews K, Williams G, Katz S, Levin PS (2009) Home range size and patterns of space use by lingcod, copper rockfish and quillback rockfish in relation to diel and tidal cycles. 380:229–243
- Tomas F, see Farina S et al. (2009) 377:131–137
- Tomas F, see Prado P et al. (2008) 371:11–21
- Tomkiewicz J, see Limborg MT et al. (2009) 379:213–224
- Torres LG (2009) A kaleidoscope of mammal, bird and fish: habitat use patterns of top predators and their prey in Florida Bay. 375:289–304
- Tovar E, Suárez-Morales E, Carrillo L (2009) Multiscale variability of the Chaetognatha along a Caribbean reef lagoon system. 375:151–160
- Tremblay JE, see Brugel S et al. (2009) 377:63–77
- Trip EL, Choat JH, Wilson DT, Robertson DR (2008) Inter-oceanic analysis of demographic variation in a widely distributed Indo-Pacific coral reef fish. 373:97–109
- Troncoso JS, see Incera M et al. (2009) 377:91–101
- Troost TA, see Compton TJ et al. (2008) 373:25–35
- Trouvé C, see Connan M et al. (2008) 373:123–135
- Tsagaraki T, see Pitta P et al. (2009) 374:1–6
- Tsapakis M, see Pitta P et al. (2009) 374:1–6
- Tsakamoto K, see Gagnaire PA et al. (2009) 379:267–278
- Tsakamoto K, see Yamada Y et al. (2009) 379:241–251
- Tunin-Ley A, Ibañez F, Labat JP, Zingone A, Lemée R (2009) Phytoplankton biodiversity and NW Mediterranean Sea warming: changes in the dinoflagellate genus *Ceratium* in the 20th century. 375:85–99
- Tunncliffe V, see Yahel G et al. (2008) 372:195–209
- Turner JT, Borkman DG, Lincoln JA, Gauthier DA, Petitpas CM (2009) Plankton studies in Buzzards Bay, Massachusetts, USA. VI. Phytoplankton and water quality, 1987 to 1998. 376:103–122
- Tuya F, Wernberg T, Thomsen MS (2008) Testing the 'abundant centre' hypothesis on endemic reef fishes in southwestern Australia. 372:225–230
- Tyler P, see Hilário A et al. (2009) 378:153–160
- ## U
- Uchimiya M, see Taira Y et al. (2009) 379:23–32
- Underwood AJ, see Jackson AC et al. (2009) 376:153–163
- Underwood GJC, see Hofmann T et al. (2009) 379:45–58
- Uriz MJ, see Blanquer A et al. (2008) 371:109–115
- Uriz MJ, see Blanquer A et al. (2009) 380:95–102
- Utoh T, see Yamada Y et al. (2009) 379:241–251
- ## V
- Valiela I, see Fox SE et al. (2009) 380:43–57
- Valle C, see Forcada A et al. (2009) 379:197–211
- Vallès H, Hunte W, Kramer DL (2009) Variable temporal relationships between environment and recruitment in coral reef fishes. 379:225–240
- Vanaverbeke J, see van Oevelen D et al. (2009) 380:19–32
- van Bergeijk SA, see Corzo A et al. (2009) 380:81–93
- Van Colen C, Montserrat F, Vincx M, Herman PMJ, Ysebaert T, Degraer S (2008) Macrobenthic recovery from hypoxia in an estuarine tidal mudflat. 372:31–42
- Van Colen C, see Montserrat F et al. (2008) 372:43–59
- Vanderklift MA, Lavery PS, Waddington KI (2009) Intensity of herbivory on kelp by fish and sea urchins differs between inshore and offshore reefs. 376:203–211
- Vanderklift MA, see Crawley KR et al. (2009) 376:33–44
- van der Meer J, see Compton TJ et al. (2008) 373:25–35
- van der Velde G, see Dorenbosch M et al. (2009) 379:181–196
- van IJzerloo L, see van Oevelen D et al. (2009) 380:19–32
- van Oevelen D, Soetaert K, Franco MA, Moodley L, van IJzerloo L, Vincx M, Vanaverbeke J (2009) Organic matter input and processing in two contrasting North Sea sedi-

- ments: insights from stable isotope and biomass data. 380:19–32
- Vaselli S, see Araújo R et al. (2009) 378:81–92
- Verdy A, Follows M, Flierl G (2009) Optimal phytoplankton cell size in an allometric model. 379:1–12
- Vergara JJ, see de los Santos CB et al. (2009) 377:113–122
- Vergés A, Alcoverro T, Ballesteros E (2009) The role of fish herbivory in structuring the vertical distribution of canopy algae *Cystoseira* spp. in the Mediterranean Sea. 375:1–11
- Vézina AF, Hoegh-Guldberg O (2008) Effects of ocean acidification on marine ecosystems. 373:199–201
- Vuitalo-Frösén S, Laine AO, Lehtiniemi M (2009) Habitat modification mediated by motile surface stirrers versus semi-motile burrowers: potential for a positive feedback mechanism in a eutrophied ecosystem. 376:21–32
- Vilar S, see Hilário A et al. (2009) 378:153–160
- Vincx M, see Van Colen C et al. (2008) 372:31–42
- Vincx M, see van Oevelen D et al. (2009) 380:19–32
- von der Meden CEO, Porri F, Erlandsson J, McQuaid CD (2008) Coastline topography affects the distribution of indigenous and invasive mussels. 372:135–145
- Voss R, see Schaber M et al. (2009) 377:239–253

W

- Waddington KI, see Vanderklift MA et al. (2009) 376:203–211
- Wade PR, see Herman DP et al. (2008) 372:289–302
- Wahle RA, Gibson M, Fogarty M (2009) Distinguishing disease impacts from larval supply effects in a lobster fishery collapse. 376:185–192
- Walker MM, see Riding TAC et al. (2009) 377:255–262
- Wang H, see Raateoja M et al. (2009) 376:85–101
- Wang S, Li C, Sun S, Ning X, Zhang W (2009) Spring and autumn reproduction of *Calanus sinicus* in the Yellow Sea. 379:123–133
- Wang SW, Iverson SJ, Springer AM, Hatch SA (2009) Spatial and temporal diet segregation in northern fulmars *Fulmarus glacialis* breeding in Alaska: insights from fatty acid signatures. 377:299–307
- Wang Z, Goodman L (2009) Evolution of the spatial structure of a thin phytoplankton layer into a turbulent field. 374:57–74
- Ward DW, see Davis AR (2009) 380:187–198
- Ward P, see Hirst AG (2008) 372:169–180
- Warnau M, see Metian M et al. (2009) 375:161–171
- Warner RR, Hamilton SL, Sheehy MS, Zeidberg LD, Brady BC, Caselle JE (2009) Geographic variation in natal and early larval trace-elemental signatures in the statoliths of the market squid *Doryteuthis* (formerly *Loligo*) *opalescens*. 379:109–121
- Warren JD, see Cox MJ et al. (2009) 378:199–209
- Watanabe Y, Lydersen C, Sato K, Naito Y, Miyazaki N, Kovacs KM (2009) Diving behavior and swimming style of nursing bearded seal pups. 380:287–294
- Wehrmann L, see Wild C et al. (2008) 372:67–75
- Weise MJ, Harvey JT (2008) Temporal variability in ocean climate and California sea lion diet and biomass consumption: implications for fisheries management. 373:157–172
- Weiss F, see Quillfeldt P et al. (2008) 373:137–148
- Weissburg MJ, see Ferner MC et al. (2009) 374:13–22
- Wells RS, see Gannon DP et al. (2009) 378:171–186
- Weng KC, Foley DG, Ganong JE, Perle C, Shillinger GL, Block BA (2008) Migration of an upper trophic level predator, the salmon shark *Lamna ditropis*, between distant ecoregions. 372:253–264
- Wernberg T, see Tuya F et al. (2008) 372:225–230
- Werner FE, see Kristiansen T et al. (2009) 376:227–243
- Weston J, Colin SP, Costello JH, Abbott E (2009) Changing form and function during development in rowing hydro-medusae. 374:127–134
- Wetthey DS, see Szathmary PL et al. (2009) 374:43–56
- Wicks EC, Koch EW, O'Neil JM, Elliston K (2009) Effects of sediment organic content and hydrodynamic conditions on the growth and distribution of *Zostera marina*. 378:71–80
- Widdicombe S, Dashfield SL, McNeill CL, Needham HR, Beesley A, McEvoy A, Øxnevad S, Clarke KR, Berge JA (2009) Effects of CO₂ induced seawater acidification on infaunal diversity and sediment nutrient fluxes. 379:59–75
- Widdows J, Brinsley MD, Pope ND (2009) Effect of *Nereis diversicolor* density on the erodability of estuarine sediment. 378:135–143
- Wijekoon MP, Puvanendran V, Ings DW, Brown JA (2009) Possible countergradient variation in growth of juvenile cod *Gadus morhua* from the northwest Atlantic. 375:229–238
- Wild C, Mayr C, Wehrmann L, Schöttner S, Naumann M, Hoffmann F, Rapp HT (2008) Organic matter release by cold water corals and its implication for fauna–microbe interaction. 372:67–75
- Wilkinson IS, see Chilvers BL (2009) 378:299–308
- Williams BD, see Love JW et al. (2009) 377:203–212
- Williams CJ, Lavrentyev PJ, Jochem FJ (2008) Bottom-up and top-down control of heterotrophic bacterioplankton growth in a phosphorus-depleted subtropical estuary, Florida Bay, USA. 372:7–18
- Williams DA, Brown SD, Crawford DL (2008) Contemporary and historical influences on the genetic structure of the estuarine-dependent Gulf killifish *Fundulus grandis*. 373:111–121
- Williams G, see Tolimieri N et al. (2009) 380:229–243
- Williams SL, see Stewart HL et al. (2009) 375:101–112
- Wilson DT, see Trip EL et al. (2008) 373:97–109
- Wilson SK, see Cheal AJ et al. (2008) 372:211–223
- Wilson ST, see Kamenos NA et al. (2008) 372:61–66
- Wing SR (2009) Decadal-scale dynamics of sea urchin population networks in Fiordland, New Zealand are driven by juxtaposition of larval transport against benthic productivity gradients. 378:125–134
- Wintner SP, see Hussey NE et al. (2009) 380:199–212
- Wismer S, Hoey AS, Bellwood DR (2009) Cross-shelf benthic community structure on the Great Barrier Reef: relationships between macroalgal cover and herbivore biomass. 376:45–54
- Witteveen BH, Worthy GAJ, Wynne KM, Roth JD (2009) Population structure of North Pacific humpback whales on their feeding grounds revealed by stable carbon and nitrogen isotope ratios. 379:299–310
- Wolf-Gladrow D, see Krägefsky S et al. (2009) 374:181–198
- Wolf-Gladrow D, see Rost B et al. (2008) 373:227–237
- Wood JB, see Anderson RC et al. (2008) 371:199–202
- Woodard LA, see Pershing AJ et al. (2009) 378:227–243
- Woodard LA, see Pershing AJ et al. (2009) 378:245–257
- Worthy GAJ, see Witteveen BH et al. (2009) 379:299–310
- Wright JT, see McKinnon JG et al. (2009) 380:59–71
- Wright PJ, see Nielsen EE et al. (2009) 376:213–225
- Wynne KM, see Witteveen BH et al. (2009) 379:299–310

X

- Xu Q, see Tian RC et al. (2009) 380:147–160

Y

- Yahel G, Yahel R, Katz T, Lazar B, Herut B, Tunnicliffe V (2008) Fish activity: a major mechanism for sediment re-suspension and organic matter remineralization in coastal marine sediments. 372:195–209
- Yahel R, see Yahel G et al. (2008) 372:195–209
- Yakovleva IM, Baird AH, Yamamoto HH, Bhagooli R, Nonaka M, Hidaka M (2009) Algal symbionts increase oxidative damage and death in coral larvae at high temperatures. 378:105–112
- Yamada Y, Okamura A, Mikawa N, Utoh T, Horie N, Tanaka S, Miller MJ, Tsukamoto K (2009) Ontogenetic changes in phototactic behavior during metamorphosis of artificially reared Japanese eel *Anguilla japonica* larvae. 379:241–251
- Yamamoto HH, see Yakovleva IM et al. (2009) 378:105–112
- Yang FY, see Cheung SG et al. (2009) 378:145–151
- Yap HT (2009) Local changes in community diversity after coral transplantation. 374:33–41
- Yates MG, see Compton TJ et al. (2008) 373:25–35
- Ylitalo GM, see Herman DP et al. (2008) 372:289–302
- Yoshioka PM (2008) The Bray-Curtis similarity index remains misidentified: Reply to Somerfield (2008). 372:307–309
- Ysebaert T, see Montserrat F et al. (2008) 372:43–59

- Ysebaert T, see Van Colen C et al. (2008) 372:31–42
- Yuneva TV, see Svetlichny LS et al. (2009) 374:199–213

Z

- Zador SG, Parrish JK, Punt AE (2009) Factors influencing sub-colony colonization and persistence in a colonial seabird, the common murre *Uria aalge*. 376:283–293
- Zajac RN, see Neely AE (2008) 373:11–23
- Zane L, see Papetti C et al. (2009) 376:269–281
- Zardi GI, see Nicasastro KR et al. (2008) 372:119–126
- Zeidberg LD, see Warner RR et al. (2009) 379:109–121
- Zeldis JR, Howard-Williams C, Carter CM, Schiel DR (2008) ENSO and riverine control of nutrient loading, phytoplankton biomass and mussel aquaculture yield in Pelorus Sound, New Zealand. 371:131–142
- Zhang W, see Wang S et al. (2009) 379:123–133
- Zieman JC, see Schwarzschild AC (2008) 372:97–104
- Zingone A, see Tunin-Ley A et al. (2009) 375:85–99
- Zipperle AM, Coyer JA, Reise K, Stam WT, Olsen JL (2009) Evidence for persistent seed banks in dwarf eelgrass *Zostera noltii* in the German Wadden Sea. 380:73–80
- Zondervan I, see Rost B et al. (2008) 373:227–237