

COMBINED AUTHOR AND TITLE INDEX

(Volumes 381 to 390, 2009)

A

- Abesamis RA, see Stockwell B et al. (2009) 389:1–15
- Achuthankutty CT, see Jasmine P et al. (2009) 389:97–116
- Adams A, Wolfe RK, Barkowski N, Overcash D (2009) Fidelity to spawning grounds by a catadromous fish, *Centropomus undecimalis*. 389:213–222
- Addink M, see Murphy S et al. (2009) 388:273–291
- Adey EA, Black KD, Sawyer T, Shimmield TM, Trueman CN (2009) Scale microchemistry as a tool to investigate the origin of wild and farmed *Salmo salar*. 390:225–235
- Afonso P, Fontes J, Holland KN, Santos RS (2009) Multi-scale patterns of habitat use in a highly mobile reef fish, the white trevally *Pseudocaranx dentex*, and their implications for marine reserve design. 381:273–286
- Agedah EC, Binalaiyifa HE, Ball AS, Nedwell DB (2009) Sources, turnover and bioavailability of dissolved organic nitrogen (DON) in the Colne estuary, UK. 382:23–33
- Aguilar A, see Drago M et al. (2009) 384:273–286
- Aguilera DR, see Brigolin D et al. (2009) 388:63–80
- Ainley DG, Dugger KD, Ford RG, Pierce SD, Reese DC, Brodeur RD, Tynan CT, Barth JA (2009) Association of predators and prey at frontal features in the California Current: competition, facilitation, and co-occurrence. 389:271–294
- Airamé S, see Lester SE et al. (2009) 384:33–46
- Aksnes DL, Dupont N, Staby A, Fiksen Ø, Kaartvedt S, Aure J (2009) Coastal water darkening and implications for mesopelagic regime shifts in Norwegian fjords. 387:39–49
- Alagarsamy R, see Jasmine P et al. (2009) 389:97–116
- Alamaru A, Yam R, Shemesh A, Loya Y (2009) Trophic biology of *Stylophora pistillata* larvae: evidence from stable isotope analysis. 383:85–94
- Alcala AC, see Stockwell B et al. (2009) 389:1–15
- Alexander TJ, Barrett N, Haddon M, Edgar G (2009) Relationships between mobile macroinvertebrates and reef structure in a temperate marine reserve. 389:31–44
- Allen RM, Krug PJ, Marshall DJ (2009) Larval size in *Elysia stylifera* is determined by extra-embryonic provisioning but not egg size. 389:127–137
- Alonso-Pérez F, see Ferrón S et al. (2009) 390:79–95
- Alvarez O, see Morris EP et al. (2009) 390:117–128
- Álvarez-Salgado XA, see Otero J et al. (2009) 386:123–132
- Amouroux JM, see Escaravage V et al. (2009) 382:253–264
- Amouroux JM, see Grémare A et al. (2009) 382:297–311
- Amsler CD, see McDonald MR et al. (2009) 385:179–187
- Amsler CD, see Peters KJ et al. (2009) 385:77–85
- Anderson DM, see Xu J et al. (2009) 388:81–97
- Anderson EM, Lovvorn JR, Esler D, Boyd WS, Stick KC (2009) Using predator distributions, diet, and condition to evaluate seasonal foraging sites: sea ducks and herring spawn. 386:287–302
- Anderson MJ, see Watson DL et al. (2009) 384:241–249
- André J, Pecl GT, Grist EPM, Semmens JM, Haddon M, Leporati SC (2009) Modelling size-at-age in wild immature female octopus: a bioenergetics approach. 384:159–174
- Anfuso E, see Ferrón S et al. (2009) 390:79–95
- Angus RA, see McDonald MR et al. (2009) 385:179–187
- Appeltans W, see Vanden Berghe E et al. (2009) 382:225–238
- Arai N, see Yasuda T (2009) 386:275–286
- Ardizzone G, see Colloca F et al. (2009) 381:287–296
- Arenas F, Rey F, Sousa Pinto I (2009) Diversity effects beyond species richness: evidence from intertidal macroalgal assemblages. 381:99–108
- Arkema KK (2009) Flow-mediated feeding in the field: consequences for the performance and abundance of a sessile marine invertebrate. 388:207–220
- Arnaud-Haond S, Duarte CM, Teixeira S, Massa SI, Terrados J, Tri NH, Hong PN, Serrão EA (2009) Genetic recolonization of mangrove: genetic diversity still increasing in the Mekong Delta 30 years after Agent Orange. 390:129–135
- Arneri E, see Coll M et al. (2009) 381:17–37
- Arntz WE, see Riascos JM et al. (2009) 385:151–163
- Arrizabalaga B, see Sharples RJ et al. (2009) 390:265–276
- Arvanitidis C, see Somerfield PJ et al. (2009) 382:221–224
- Arvanitidis C, see Somerfield PJ et al. (2009) 382:279–286
- Arvanitidis C, see Vanden Berghe E et al. (2009) 382:225–238
- Arvanitidis C, Somerfield PJ, Rumohr H, Faulwetter S, Valavanis V, Vasileiadou A, Chatzigeorgiou G, Vanden Berghe E and others (2009) Biological geography of the European seas: results from the MacroBen database. 382:265–278
- Asha Devi CR, see Jasmine P et al. (2009) 389:97–116
- Ashforth E, see Olive PJW et al. (2009) 387:223–239
- Attrill MJ, Rundle SD, Fraser A, Power M (2009) Oligochaetes as a possible entry route for terrigenous organic carbon into estuarine benthic food webs. 384:147–157
- Aure J, see Aksnes DL et al. (2009) 387:39–49
- Auster PJ, Link JS (2009) Compensation and recovery of feeding guilds in a northwest Atlantic shelf fish community. 382:163–172

B

- Bachelet G, see Grémare A et al. (2009) 382:297–311
- Badalamenti F, see Bonaviri C et al. (2009) 382:129–138
- Bajzak CE, Côté SD, Hammill MO, Stenson G (2009) Intersexual differences in the postbreeding foraging behaviour of the Northwest Atlantic hooded seal. 385:285–294
- Baker BJ, see Peters KJ et al. (2009) 385:77–85
- Balestri E, Gobert S, Lepoint G, Lardicci C (2009) Seed nutrient content and nutritional status of *Posidonia oceanica* seedlings in the northwestern Mediterranean Sea. 388:99–109
- Ball AS, see Agedah EC et al. (2009) 382:23–33
- Barkowski N, see Adams A et al. (2009) 389:213–222
- Barnes DKA, see Webb KE et al. (2009) 387:15–25
- Barofsky A, see Paul C et al. (2009) 389:61–70
- Barrett N, see Alexander TJ et al. (2009) 389:31–44
- Barry JP, see Lundsten L et al. (2009) 389:223–232
- Barth JA, see Ainley DG et al. (2009) 389:271–294
- Bartolino V, see Cardinale M et al. (2009) 386:197–206
- Bartolino V, see Cardinale M et al. (2009) 388:221–234
- Bartolino V, see Colloca F et al. (2009) 381:287–296

- Bates CR (2009) Host taxonomic relatedness and functional-group affiliation as predictors of seaweed–invertebrate epifaunal associations. 387:125–136
- Bayle-Sempere J, see Dempster T et al. (2009) 385:1–14
- Beardsley RC, see Ji R et al. (2009) 384:187–205
- Beer S, see Semesi IS et al. (2009) 382:41–47
- Beer S, see Winters G et al. (2009) 384:107–119
- Bellwood DR, see Fox RJ et al. (2009) 385:261–269
- Belt KM, Cole SWB, Scrosati RA (2009) Intertidal barnacles as indicators of the intensity of scour by sea ice. 381:183–187
- Benavente J, see Morris EP et al. (2009) 390:117–128
- Benedetti-Cecchi L, see Maggi E et al. (2009) 381:39–49
- Benner I, see Feng Y et al. (2009) 388:13–25
- Bentlage B, Peterson AT, Cartwright P (2009) Inferring distributions of chirodropid box-jellyfishes (Cnidaria: Cubozoa) in geographic and ecological space using ecological niche modeling. 384:121–133
- Benvenuti S, see Montevecchi WA et al. (2009) 385:295–306
- Berdalet E, see Guadayol Ò et al. (2009) 381:139–155
- Berges JA, see Franklin DJ et al. (2009) 382:35–40
- Bernardino AF, see Treude T et al. (2009) 382:1–21
- Bertocci I, see Maggi E et al. (2009) 381:39–49
- Beukema JJ, Dekker R, Jansen JM (2009) Some like it cold: populations of the tellinid bivalve *Macoma balthica* (L.) suffer in various ways from a warming climate. 384:135–145
- Bignell JP, see Stentiford GD et al. (2009) 381:1–15
- Bigot L, see Grémare A et al. (2009) 382:297–311
- Binalaiyifa HE, see Agedah EC et al. (2009) 382:23–33
- Bird MI, see Hanson NN et al. (2009) 388:263–272
- Biro P, see Figueira WF et al. (2009) 384:231–239
- Biuw M, Krafft BA, Hofmeyr GJG, Lydersen C, Kovacs KM (2009) Time budgets and at-sea behaviour of lactating female Antarctic fur seals *Arctocephalus gazella* at Bouvetøya. 385:271–284
- Björgesæter A, see Renaud PE et al. (2009) 382:239–252
- Björk M, see Semesi IS et al. (2009) 382:41–47
- Bjørn PA, see Dempster T et al. (2009) 385:1–14
- Bjørn PA, see Uglem I et al. (2009) 384:251–260
- Black KD, see Adey E et al. (2009) 390:225–235
- Blanchard W, see Tucker S et al. (2009) 384:287–302
- Blanchette CA, see Reed DC et al. (2009) 384:97–106
- Blicher ME, see Sejr MK et al. (2009) 389:149–158
- Blicher ME, Sejr MK, Rysgaard S (2009) High carbon demand of dominant macrozoobenthic species indicates their central role in ecosystem carbon flow in a sub-Arctic fjord. 383:127–140
- Blin JL, see Lefebvre S et al. (2009) 390:27–37
- Bocher P, see Compton TJ et al. (2009) 382:87–98
- Boehme JR, see Murphy KR et al. (2009) 390:39–53
- Boetius A, see Treude T et al. (2009) 382:1–21
- Bolle LJ, Dickey-Collas M, van Beek JKL, Erfemeijer PLA, Witte JJJ, van der Veer HW, Rijnsdorp AD (2009) Variability in transport of fish eggs and larvae. III. Effects of hydrodynamics and larval behaviour on recruitment in plaice. 390:195–211
- Bolle LJ, see Dickey-Collas M et al. (2009) 390:183–194
- Bolle LJ, see Erfemeijer PLA et al. (2009) 390:167–181
- Bolle LJ, see van der Veer HW et al. (2009) 390:213–223
- Bonaviri C, Vega Fernández T, Badalamenti F, Gianguzza P, Di Lorenzo M, Riggio S (2009) Fish versus starfish predation in controlling sea urchin populations in Mediterranean rocky shores. 382:129–138
- Booth DJ, see Figueira WF et al. (2009) 384:231–239
- Booth DM, Heck KL Jr (2009) Effects of the American oyster *Crassostrea virginica* on growth rates of the seagrass *Halodule wrightii*. 389:117–126
- Bouma TJ, Friedrichs M, Klaassen P, van Wesenbeeck BK, Brun FG, Temmerman S, van Katwijk MM, Graf G, Herman PMJ (2009) Effects of shoot stiffness, shoot size and current velocity on scouring sediment from around seedlings and propagules. 388:293–297
- Bouman H, see Sathyendranath S et al. (2009) 383:73–84
- Bourne DG, see Littman RA et al. (2009) 389:45–59
- Bowen WD, see Tucker S et al. (2009) 384:287–302
- Boyd IL, see Hanson NN et al. (2009) 388:263–272
- Boyd WS, see Anderson EM et al. (2009) 386:287–302
- Bradshaw CJA, see Newland C et al. (2009) 384:303–312
- Brannock PM, Wetthey DS, Hilbish TJ (2009) Extensive hybridization with minimal introgression in *Mytilus galloprovincialis* and *M. trossulus* in Hokkaido, Japan. 383:161–171
- Bresette M, see Kubis S et al. (2009) 389:257–269
- Brewin PE, Stocks KI, Haidvogel DB, Condit C, Gupta A (2009) Effects of oceanographic retention on decapod and gastropod community diversity on seamounts. 383:225–237
- Brickner I, see Winters G et al. (2009) 384:107–119
- Brigolin D, Pastres R, Nickell TD, Cromey CJ, Aguilera DR, Regnier P (2009) Modelling the impact of aquaculture on early diagenetic processes in sea loch sediments. 388:63–80
- Brockmeyer RE Jr, see Rey JR et al. (2009) 389:295–300
- Brodeur RD, see Ainley DG et al. (2009) 389:271–294
- Brokovich E, see Einbinder S et al. (2009) 381:167–174
- Brook DA, see Saba GK et al. (2009) 386:147–161
- Brooke SD, Holmes MW, Young CM (2009) Sediment tolerance of two different morphotypes of the deep-sea coral *Lophelia pertusa* from the Gulf of Mexico. 390:137–144
- Brooks LB, Harvey JT, Nichols WJ (2009) Tidal movements of East Pacific green turtle *Chelonia mydas* at a foraging area in Baja California Sur, México. 386:263–274
- Brown C, see Feng Y et al. (2009) 388:13–25
- Bruggemann HJ, see Kolasinski J et al. (2009) 386:181–195
- Brun FG, see Bouma TJ et al. (2009) 388:293–297
- Bruzdzinski MA, see Miller RJ et al. (2009) 388:1–11
- Buresch KC, Maxwell MR, Cox MR, Hanlon RT (2009) Temporal dynamics of mating and paternity in the squid *Loligo pealeii*. 387:197–203
- Burkepile DE, Hay ME (2009) Nutrient versus herbivore control of macroalgal community development and coral growth on a Caribbean reef. 389:71–84
- Burns K, see Guenther J et al. (2009) 385:137–149
- Bushnell ME, see Claisse JT et al. (2009) 389:245–255
- Bussotti S, see Di Franco A et al. (2009) 387:275–285
- Butler MJ IV, Lear JA (2009) Habitat-based intraguild predation by Carib bean reef octopus *Octopus briareus* on juvenile Caribbean spiny lobster *Panulirus argus*. 386:115–122
- Byrne M, see Soars NA et al. (2009) 383:113–125

C

- Cailliet GM, see Lundsten L et al. (2009) 389:223–232
- Caill-Milly N, see Dang C et al. (2009) 387:167–177
- Campana SE, Joyce W, Manning MJ (2009) Bycatch and discard mortality in commercially caught blue sharks *Prionace glauca* assessed using archival satellite pop-up tags. 387:241–253
- Campbell JE, Fourqurean JW (2009) Interspecific variation in the elemental and stable isotope content of seagrasses in South Florida. 387:109–123
- Cao J, Chen X, Chen Y (2009) Influence of surface oceanographic variability on abundance of the western winter-

- spring cohort of neon flying squid *Ommastrephes bartramii* in the NW Pacific Ocean. 381:119–127
- Cardinale M, Linder M, Bartolino V, Maiorano L, Casini M (2009) Conservation value of historical data: reconstructing stock dynamics of turbot during the last century in the Kattegat-Skagerrak. 386:197–206
- Cardinale M, Möllmann C, Bartolino V, Casini M, Kornilovs G, Raid T, Margonski P, Grzyb A, Raitaniemi J, Gröhsler T, Flinkman J (2009) Effect of environmental variability and spawner characteristics on the recruitment of Baltic herring *Clupea harengus* populations. 388:221–234
- Cardona L, see Drago M et al. (2009) 384:273–286
- Carlson DB, see Rey JR et al. (2009) 389:295–300
- Carmack EC, see Nelson RJ et al. (2009) 381:129–138
- Carney E, see Treude T et al. (2009) 382:1–21
- Carstensen D, see Riascos JM et al. (2009) 385:151–163
- Cartwright P, see Bentlage B et al. (2009) 384:121–133
- Carvalho MC, Hayashizaki K, Ogawa H (2009) Carbon stable isotope discrimination: a possible growth index for the kelp *Undaria pinnatifida*. 381:71–82
- Caselle JE, see Fontes J et al. (2009) 387:51–59
- Casini M, see Cardinale M et al. (2009) 386:197–206
- Casini M, see Cardinale M et al. (2009) 388:221–234
- Casini M, see Vainikka A et al. (2009) 383:285–294
- Castro CG, see Ferrón S et al. (2009) 390:79–95
- Castro LR, Claramunt G, Krautz MC, Llanos-Rivera A, Moreno P (2009) Egg trait variation in anchoveta *Engraulis ringens*: a maternal response to changing environmental conditions in contrasting spawning habitats. 381:237–248
- Cebrian J, see Geraldi NR et al. (2009) 389:171–180
- Cerda O, see Pansch C et al. (2009) 381:83–97
- Chaloupka M, see Kubis S et al. (2009) 389:257–269
- Chang CW, see Shen KN et al. (2009) 387:255–263
- Chargulaf CA, see Krück NC et al. (2009) 384:207–219
- Chatzigeorgiou G, see Arvanitidis C et al. (2009) 382:265–278
- Chatzigeorgiou G, see Somerfield PJ et al. (2009) 382:279–286
- Chauvaud L, see Laruelle GG et al. (2009) 385:15–32
- Chen C, see Ji R et al. (2009) 384:187–205
- Chen HY, see Chen YLL et al. (2009) 385:111–126
- Chen X, see Cao J et al. (2009) 381:119–127
- Chen Y, see Cao J et al. (2009) 381:119–127
- Chen YLL, Chen HY, Jan S, Tuo SH (2009) Phytoplankton productivity enhancement and assemblage change in the upstream Kuroshio after typhoons. 385:111–126
- Cheng JH, see Jiang YZ et al. (2009) 387:265–273
- Cheshire A, see Lauer PR et al. (2009) 390:251–263
- Chimento N, see Duci A et al. (2009) 383:273–283
- Chiswell SM (2009) Colonisation and connectivity by intertidal limpets among New Zealand, Chatham and Sub-Antarctic Islands. II. Oceanographic connections. 388:121–135
- Choi CJ, see Franklin DJ et al. (2009) 382:35–40
- Chown SL, see Lee JE (2009) 386:97–105
- Clague DA, see Lundsten L et al. (2009) 389:223–232
- Claisse JT, Kienzle M, Bushnell ME, Shafer DJ, Parrish JD (2009) Habitat- and sex-specific life history patterns of yellow tang *Zebrasoma flavescens* in Hawaii, USA. 389:245–255
- Claramunt G, see Castro LR et al. (2009) 381:237–248
- Clark TB, see Meyer CG et al. (2009) 381:223–235
- Clarke LM, Walther BD, Munch SB, Thorrold SR, Conover DO (2009) Chemical signatures in the otoliths of a coastal marine fish, *Menidia menidia*, from the northeastern United States: spatial and temporal differences. 384:261–271
- Claus S, see Renaud PE et al. (2009) 382:239–252
- Claus S, see Vanden Berghe E et al. (2009) 382:225–238
- Cole SWB, see Belt KM et al. (2009) 381:183–187
- Coleman MA, Kelaher BP (2009) Connectivity among fragmented populations of a habitat-forming alga, *Phyllospora comosa* (Phaeophyceae, Fucales), on an urbanised coast. 381:63–70
- Coll M, Santojanni A, Palomera I, Arneri E (2009) Food-web changes in the Adriatic Sea over the last three decades. 381:17–37
- Collins MA, see Shreeve RS et al. (2009) 386:221–236
- Colloca F, Bartolino V, Lasinio GJ, Maiorano L, Sartor P, Ardizzone G (2009) Identifying fish nurseries using density and persistence measures. 381:287–296
- Compton TJ, Troost TA, Drent J, Kraan C, Bocher P, Leyrer J, Dekinga A, Piersma T (2009) Repeatable sediment associations of burrowing bivalves across six European tidal flat systems. 382:87–98
- Condit C, see Brewin PE et al. (2009) 383:225–237
- Conover DO, see Clarke LM et al. (2009) 384:261–271
- Cooper GA, see Nelson RJ et al. (2009) 381:129–138
- Copeman LA, Parrish CC, Gregory RS, Jamieson RE, Wells J, Whiticar MJ (2009) Fatty acid biomarkers in coldwater eelgrass meadows: elevated terrestrial input to the food web of age-0 Atlantic cod *Gadus morhua*. 386:237–251
- Cornelisen CD, Thomas FIM (2009) Prediction and validation of flow-dependent uptake of ammonium over a seagrass-hardbottom community in Florida Bay. 386:71–81
- Côté SD, see Bajzak CE et al. (2009) 385:285–294
- Cowen RK, see Llopiz JK (2009) 381:259–272
- Cowie ROM, see Stat M et al. (2009) 386:83–96
- Cowles A, Hewitt JE, Taylor RB (2009) Density, biomass and productivity of small mobile invertebrates in a wide range of coastal habitats. 384:175–185
- Cox MR, see Buresch KC et al. (2009) 387:197–203
- Craig S, see Olive PJW et al. (2009) 387:223–239
- Crawley NE, see Munday PL et al. (2009) 388:235–242
- Crespo EA, see Drago M et al. (2009) 384:273–286
- Cromey CJ, see Brigolin D et al. (2009) 388:63–80
- Csepp DJ, see Sigler MF et al. (2009) 388:243–261
- Culloty SC, see Maloy AP et al. (2009) 381:109–118
- Cummings V, Vopel K, Thrush S (2009) Terrigenous deposits in coastal marine habitats: influences on sediment geochemistry and behaviour of post-settlement bivalves. 383:173–185

D

- Dabin W, see Murphy S et al. (2009) 388:273–291
- Dang C, Sauriau PG, Savoye N, Caill-Milly N, Martinez P, Millaret C, Haure J, de Montaudouin X (2009) Determination of diet in Manila clams by spatial analysis of stable isotopes. 387:167–177
- Dans SL, see Drago M et al. (2009) 384:273–286
- Davies SJ, see Olive PJW et al. (2009) 387:223–239
- Davies WE, Hipfner JM, Hobson KA, Ydenberg RC (2009) Seabird seasonal trophodynamics: isotopic patterns in a community of Pacific alcids. 382:211–219
- Davis CS, see Ji R et al. (2009) 384:187–205
- Davoren GK, see Montevecchi WA et al. (2009) 385:295–306
- Dawson CL, Starr RM (2009) Movements of subadult prickly sharks *Echinorhinus cookei* in the Monterey Canyon. 386:253–262
- Deaville R, see Murphy S et al. (2009) 388:273–291
- Deflandre B, see Grémare A et al. (2009) 382:297–311
- Degraer S, see Escaravage V et al. (2009) 382:253–264

- Degraer S, see Van Colen C et al. (2009) 381:189–197
- Dekinga A, see Compton TJ et al. (2009) 382:87–98
- Dekinga A, see Kraan C et al. (2009) 383:211–224
- Dekker R, see Beukema JJ et al. (2009) 384:135–145
- de Montaudouin X, see Dang C et al. (2009) 387:167–177
- Dempster T, see Uglem I et al. (2009) 384:251–260
- Dempster T, Uglem I, Sanchez-Jerez P, Fernandez-Jover D, Bayle-Sempere J, Nilsen R, Bjørn PA (2009) Coastal salmon farms attract large and persistent aggregations of wild fish: an ecosystem effect. 385:1–14
- de Nys R, see Guenther J et al. (2009) 385:137–149
- Desai DV, Prakash S (2009) Physiological responses to hypoxia and anoxia in *Balanus amphitrite* (Cirripedia: Thoracica). 390:157–166
- Devlin DJ, see McKee KL et al. (2009) 389:301–306
- DeVogelaere AP, see Lundsten L et al. (2009) 389:223–232
- Díaz D, see Stobart B et al. (2009) 384:47–60
- Díaz E, Txurruka JM, Villate F (2009) Biochemical composition and somatic growth of pelagic larvae of three fish species from the Bay of Biscay. 382:173–183
- Díaz H, see Ogburn MB et al. (2009) 389:181–192
- Dickey-Collas M, Bolle LJ, van Beek JKL, Erftemeijer PLA (2009) Variability in transport of fish eggs and larvae. II. Effects of hydrodynamics on the transport of Downs herring larvae. 390:183–194
- Dickey-Collas M, see Bolle LJ et al. (2009) 390:195–211
- Dickey-Collas M, see Erftemeijer PLA et al. (2009) 390:167–181
- Dieckmann GS, see Papadimitriou S et al. (2009) 386:15–27
- Di Franco A, Bussotti S, Navone A, Panzalis P, Guidetti P (2009) Evaluating effects of total and partial restrictions to fishing on Mediterranean rocky-reef fish assemblages. 387:275–285
- Dijkstra JA, Harris LG (2009) Maintenance of diversity altered by a shift in dominant species: implications for species coexistence. 387:71–80
- Di Lorenzo M, see Bonaviri C et al. (2009) 382:129–138
- DiTullio GR, see Feng Y et al. (2009) 388:13–25
- DiTullio GR, see Lee PA et al. (2009) 388:41–49
- Dolmer P, see van Deurs M et al. (2009) 381:249–258
- Dower JF, see El-Sabaawi R et al. (2009) 382:151–161
- Dower JF, see Sastri AR (2009) 388:147–157
- Drago M, Crespo EA, Aguilar A, Cardona L, García N, Dans SL, Goodall N (2009) Historic diet change of the South American sea lion in Patagonia as revealed by isotopic analysis. 384:273–286
- Drazen JC, Phleger CF, Guest MA, Nichols PD (2009) Lipid composition and diet inferences of abyssal macrourids in the eastern North Pacific. 387:1–14
- Drent J, see Compton TJ et al. (2009) 382:87–98
- Duangchinda T, see Olive PJW et al. (2009) 387:223–239
- Duarte CM, see Arnaud-Haond S et al. (2009) 390:129–135
- Dubinsky Z, see Einbinder S et al. (2009) 381:167–174
- Duci A, Giacomello E, Chimento N, Mazzoldi C (2009) Intertidal and subtidal blennies: assessment of their habitat through individual and nest distribution. 383:273–283
- Dudas SE, Rilov G, Tyburczy J, Menge BA (2009) Linking larval abundance, onshore supply and settlement using instantaneous versus integrated methods. 387:81–95
- Dugger KD, see Ainley DG et al. (2009) 389:271–294
- Duhamel S, see Van Wambeke F et al. (2009) 387:97–108
- Duncan A, see Leduc D et al. (2009) 383:95–111
- Dupont N, see Aksnes DL et al. (2009) 387:39–49
- Dvoretzky AG, see Dvoretzky VG (2009) 385:165–178
- Dvoretzky AG, see Dvoretzky VG (2009) 386:133–146
- Dvoretzky VG, Dvoretzky AG (2009) Morphological plasticity in the small copepod *Oithona similis* in the Barents and White Seas. 385:165–178
- Dvoretzky VG, Dvoretzky AG (2009) Spatial variations in reproductive characteristics of the small copepod *Oithona similis* in the Barents Sea. 386:133–146

E

- Edgar G, see Alexander TJ et al. (2009) 389:31–44
- Edgar GJ, Stuart-Smith RD (2009) Ecological effects of marine protected areas on rocky reef communities—a continental-scale analysis. 388:51–62
- Ehrhart L, see Kubis S et al. (2009) 389:257–269
- Einbinder S, Mass T, Brokovich E, Dubinsky Z, Erez J, Tchernov D (2009) Changes in morphology and diet of the coral *Stylophora pistillata* along a depth gradient. 381:167–174
- Eklöf JS, Fröcklin S, Lindvall A, Stadlinger N, Kimathi A, Uku JN, McClanahan TR (2009) How effective are MPAs? Predation control and 'spill-in effects' in seagrass-coral reef lagoons under contrasting fishery management. 384:83–96
- El-Sabaawi R, Dower JF, Kainz M, Mazumder A (2009) Interannual variability in fatty acid composition of the copepod *Neocalanus plumchrus* in the Strait of Georgia, British Columbia. 382:151–161
- el-Zibdah M, see Naumann MS et al. (2009) 385:65–76
- Emelianov M, see Sabatés A et al. (2009) 385:227–236
- Erez J, see Einbinder S et al. (2009) 381:167–174
- Erftemeijer PLA, see Bolle LJ et al. (2009) 390:195–211
- Erftemeijer PLA, see Dickey-Collas M et al. (2009) 390:183–194
- Erftemeijer PLA, van Beek JKL, Bolle LJ, Dickey-Collas M, Los HFJ (2009) Variability in transport of fish eggs and larvae. I. Modelling the effects of coastal reclamation. 390:167–181
- Escaravage V, Herman PMJ, Merckx B, Włodarska-Kowalczyk M, Amouroux JM, Degraer S, Grémare A, Heip CHR, Hummel H, Karakassis I, Labruno C, Willems W (2009) Distribution patterns of macrofaunal species diversity in subtidal soft sediments: biodiversity–productivity relationships from the MacroBen database. 382:253–264
- Esler D, see Anderson EM et al. (2009) 386:287–302
- Eswaran K, see Ganesan M et al. (2009) 382:49–57
- Evans PGH, see Marubini F et al. (2009) 381:297–310

F

- Fairweather PG, see Lauer PR et al. (2009) 390:251–263
- Faria AM, Ojanguren AF, Fuiman LA, Gonçalves EJ (2009) Ontogeny of critical swimming speed of wild-caught and laboratory-reared red drum *Sciaenops ocellatus* larvae. 384:221–230
- Faulwetter S, see Arvanitidis C et al. (2009) 382:265–278
- Faulwetter S, see Somerfield PJ et al. (2009) 382:279–286
- Faulwetter S, see Vanden Berghe E et al. (2009) 382:225–238
- Feist SW, see Stentiford GD et al. (2009) 381:1–15
- Feng Y, see Lee PA et al. (2009) 388:41–49
- Feng Y, Hare CE, Leblanc K, Rose JM, Zhang Y, DiTullio GR, Lee PA, Wilhelm SW, Rowe JM, Sun J, Nemcek N, Gueguen C, Passow U, Benner I, Brown C, Hutchins DA (2009) Effects of increased pCO₂ and temperature on the North Atlantic spring bloom. I. The phytoplankton community and biogeochemical response. 388:13–25
- Feng Y, see Rose JM et al. (2009) 388:27–40
- Fernandes M, see Lauer PR et al. (2009) 390:251–263
- Fernandez-Jover D, see Dempster T et al. (2009) 385:1–14

- Fernö A, see Meager JJ et al. (2009) 389:233–243
- Ferrón S, Alonso-Pérez F, Anfuso E, Murillo FJ, Ortega T, Castro CG, Forja JM (2009) Benthic nutrient recycling on the northeastern shelf of the Gulf of Cádiz (SW Iberian Peninsula). 390:79–95
- Field IC, see Newland C et al. (2009) 384:303–312
- Fifield D, see Montevecchi WA et al. (2009) 385:295–306
- Figueira WF, Biro P, Booth DJ, Valenzuela VC (2009) Performance of tropical fish recruiting to temperate habitats: role of ambient temperature and implications of climate change. 384:231–239
- Fiksen Ø, see Aksnes DL et al. (2009) 387:39–49
- Findlay HS, Kendall MA, Spicer JI, Widdicombe S (2009) Future high CO₂ in the intertidal may compromise adult barnacle *Semibalanus balanoides* survival and embryonic development rate. 389:193–202
- Fischer K, see Irie T (2009) 385:33–37
- Fisher NS, see Vogel C (2009) 384:61–68
- Fleischer D, see Grémare A et al. (2009) 382:297–311
- Fletcher PW, see Hughes RG et al. (2009) 384:13–22
- Flinkman J, see Cardinale M et al. (2009) 388:221–234
- Flögel S, see Sommer S et al. (2009) 382:69–86
- Flores F, see Negri AP et al. (2009) 381:157–165
- Foden J, Rogers SI, Jones AP (2009) Recovery rates of UK seabed habitats after cessation of aggregate extraction. 390:15–26
- Fodrie FJ, Levin LA, Lucas AJ (2009) Use of population fitness to evaluate the nursery function of juvenile habitats. 385:39–49
- Fontes J, Caselle JE, Sheehy MS, Santos RS, Warner RR (2009) Natal signatures of juvenile *Coris julis* in the Azores: investigating connectivity scenarios in an oceanic archipelago. 387:51–59
- Fontes J, see Afonso P et al. (2009) 381:273–286
- Ford RG, see Ainley DG et al. (2009) 389:271–294
- Forget MH, see Sathyendranath S et al. (2009) 383:73–84
- Forja JM, see Ferrón S et al. (2009) 390:79–95
- Forward RB Jr, see Ogburn MB et al. (2009) 389:181–192
- Fourqurean JW, see Campbell JE (2009) 387:109–123
- Fox RJ, Sunderland TL, Hoey AS, Bellwood DR (2009) Estimating ecosystem function: contrasting roles of closely related herbivorous rabbitfishes (Siganidae) on coral reefs. 385:261–269
- Franklin DJ, Choi CJ, Hughes C, Malin G, Berges JA (2009) Effect of dead phytoplankton cells on the apparent efficiency of photosystem II. 382:35–40
- Fraser A, see Attrill MJ et al. (2009) 384:147–157
- Fredensborg BL, see Thieltes DW et al. (2009) 389:139–147
- Freeman DJ, MacDiarmid AB, Taylor RB (2009) Habitat patches that cross marine reserve boundaries: consequences for the lobster *Jasus edwardsii*. 388:159–167
- Freitas R, see Morris EP et al. (2009) 390:117–128
- Friedrichs M, see Bouma TJ et al. (2009) 388:293–297
- Fröcklin S, see Eklöf JS et al. (2009) 384:83–96
- Frouin P, see Kolasinski J et al. (2009) 386:181–195
- Frusher SD, see Guest MA et al. (2009) 388:169–184
- Fuiman LA, see Faria AM et al. (2009) 384:221–230
- Fukuchi M, see Ichinomiya M et al. (2009) 383:27–36
- Gagnon P, see Scheibling RE (2009) 390:1–13
- Gaines SD, see Lester SE et al. (2009) 384:33–46
- Ganesan M, Thirupathi S, Eswaran K, Reddy CRK, Jha B (2009) Cultivation of *Gelidiella acerosa* in the open sea on the southeastern coast of India. 382:49–57
- Garcés E, see Velo-Suárez L et al. (2009) 385:87–96
- García N, see Drago M et al. (2009) 384:273–286
- Gårdmark A, see Vainikka A et al. (2009) 383:285–294
- Garthe S, see Montevecchi WA et al. (2009) 385:295–306
- Gasol JM, see Guadayol Ò et al. (2009) 381:139–155
- Gates RD, see Stat M et al. (2009) 386:83–96
- Geffen AJ, see van der Veer HW et al. (2009) 390:213–223
- Geider RJ, see Ross ON (2009) 383:53–71
- Gemmell NJ, see Goldstien SJ et al. (2009) 388:111–119
- Geraldi NR, Powers SP, Heck KL, Cebrian J (2009) Can habitat restoration be redundant? Response of mobile fishes and crustaceans to oyster reef restoration in marsh tidal creeks. 389:171–180
- Giacomello E, see Duci A et al. (2009) 383:273–283
- Giangrande A, see Musco L et al. (2009) 383:199–210
- Gianguzza P, see Bonaviri C et al. (2009) 382:129–138
- Gilcoto M, see Otero J et al. (2009) 386:123–132
- Gilles A, Scheidat M, Siebert U (2009) Seasonal distribution of harbour porpoises and possible interference of offshore wind farms in the German North Sea. 383:295–307
- Gimona A, see Marubini F et al. (2009) 381:297–310
- Glibert PM, see Li J et al. (2009) 383:11–26
- Gobert S, see Balestri E et al. (2009) 388:99–109
- Gobler CJ, see Jiang X et al. (2009) 390:105–116
- Gobler CJ, see Newell RIE et al. (2009) 387:179–196
- Gobler CJ, see Rose JM et al. (2009) 388:27–40
- Goldstien SJ, Gemmell NJ, Schiel DR (2009) Colonisation and connectivity by intertidal limpets among New Zealand, Chatham and Sub-Antarctic Islands. I. Genetic connections. 388:111–119
- Gómez-Díaz E, González-Solís J, Peinado MA (2009) Population structure in a highly pelagic seabird, the Cory's shearwater *Calonectris diomedea*: an examination of genetics, morphology and ecology. 382:197–209
- Gonçalves EJ, see Faria AM et al. (2009) 384:221–230
- Goñi R, see Stobart B et al. (2009) 384:47–60
- González AF, see Murphy S et al. (2009) 388:273–291
- González ÁF, see Otero J et al. (2009) 386:123–132
- González C, see Stobart B et al. (2009) 384:47–60
- González-Solís J, see Gómez-Díaz E et al. (2009) 382:197–209
- Goodall N, see Drago M et al. (2009) 384:273–286
- Goodsell PJ (2009) Diversity in fragments of artificial and natural marine habitats. 384:23–31
- Gosselin M, see Rózańska M et al. (2009) 386:43–59
- Grabowski JH, see Powers SP et al. (2009) 389:159–170
- Graf G, see Bouma TJ et al. (2009) 388:293–297
- Gray JS, see Webb KE et al. (2009) 387:15–25
- Gregory RS, see Copeman LA et al. (2009) 386:237–251
- Grémare A, Labruno C, Vanden Bergh E, Amouroux JM, Bachelet G, Zettler ML, Vanaverbeke J, Fleischer D, Bigot L, Maire O, Deflandre B and others (2009) Comparison of the performances of two biotic indices based on the MacroBen database. 382:297–311
- Grémare A, see Escaravage V et al. (2009) 382:253–264
- Grist EPM, see André J et al. (2009) 384:159–174
- Gröhsler T, see Cardinale M et al. (2009) 388:221–234
- Grorud-Colvert K, see Lester SE et al. (2009) 384:33–46
- Grossart HP, Gust G (2009) Hydrostatic pressure affects physiology and community structure of marine bacteria during settling to 4000 m: an experimental approach. 390:97–104
- Grzyb A, see Cardinale M et al. (2009) 388:221–234
- Guadayol Ò, Peters F, Marrasé C, Gasol JM, Roldán C, Berdalet E, Massana R, Sabata A (2009) Episodic meteorological and nutrient-load events as drivers of coastal planktonic ecosystem dynamics: a time-series analysis. 381:139–155
- Gueguen C, see Feng Y et al. (2009) 388:13–25

- Guenther J, Wright AD, Burns K, de Nys R (2009) Chemical antifouling defences of sea stars: effects of the natural products hexadecanoic acid, cholesterol, lathosterol and sitosterol. 385:137–149
- Guerra Á, see Otero J et al. (2009) 386:123–132
- Guest MA, Frusher SD, Nichols PD, Johnson CR, Wheatley KE (2009) Trophic effects of fishing southern rock lobster *Jasus edwardsii* shown by combined fatty acid and stable isotope analyses. 388:169–184
- Guest MA, see Drazen JC et al. (2009) 387:1–14
- Guglielmo L, see Minutoli R (2009) 381:199–211
- Guidetti P, see Di Franco A et al. (2009) 387:275–285
- Güntner A, see Riascos JM et al. (2009) 385:151–163
- Gupta A, see Brewin PE et al. (2009) 383:225–237
- Gust G, see Grossart HP (2009) 390:97–104
- Gutierrez R, see Rose JM et al. (2009) 388:27–40
- Gutiérrez-Rodríguez A, Latasa M, Mourre B, Laws EA (2009) Coupling between phytoplankton growth and microzooplankton grazing in dilution experiments: potential artefacts. 383:1–9

H

- Haddon M, see Alexander TJ et al. (2009) 389:31–44
- Haddon M, see André J et al. (2009) 384:159–174
- Haeckel M, see Sommer S et al. (2009) 382:69–86
- Haidvogel DB, see Brewin PE et al. (2009) 383:225–237
- Halford AR, Perret J (2009) Patterns of recovery in catastrophically disturbed reef fish assemblages. 383:261–272
- Halpern BS, see Lester SE et al. (2009) 384:33–46
- Hamilton SL, Warner RR (2009) Otolith barium profiles verify the timing of settlement in a coral reef fish. 385:237–244
- Hammill MO, see Bajzak CE et al. (2009) 385:285–294
- Hammond PS, see Sharples RJ et al. (2009) 390:265–276
- Hanlon RT, see Buresch KC et al. (2009) 387:197–203
- Hannides AK, see Treude T et al. (2009) 382:1–21
- Hansen C, see Samuelsen A et al. (2009) 386:163–180
- Hansen PJ, see Riisgaard K (2009) 381:51–62
- Hanson NN, Wurster CM, Bird MI, Reid K, Boyd IL (2009) Intrinsic and extrinsic forcing in life histories: patterns of growth and stable isotopes in male Antarctic fur seal teeth. 388:263–272
- Hardison DR, see Sunda WG et al. (2009) 386:29–41
- Hardy MJ, see Hughes RG et al. (2009) 384:13–22
- Hare CE, see Lee PA et al. (2009) 388:41–49
- Hare CE, see Feng Y et al. (2009) 388:13–25
- Hare CE, see Rose JM et al. (2009) 388:27–40
- Harma C, see Lefebvre S et al. (2009) 390:27–37
- Harris LG, see Dijkstra JA (2009) 387:71–80
- Harrison PJ, see Xu J et al. (2009) 388:81–97
- Harvey ES, see Watson DL et al. (2009) 384:241–249
- Harvey JT, see Brooks LB et al. (2009) 386:263–274
- Haure J, see Dang C et al. (2009) 387:167–177
- Havel LN, see Sponaugle S et al. (2009) 383:239–249
- Hay ME, see Burkepille DE (2009) 389:71–84
- Hayashizaki K, see Carvalho MC et al. (2009) 381:71–82
- Hayek LC, see Virnstein RW et al. (2009) 385:97–109
- Heck KL Jr, see Booth DM (2009) 389:117–126
- Heck KL, see Geraldini NR et al. (2009) 389:171–180
- Heilmayer O, see Riascos JM et al. (2009) 385:151–163
- Heip CHR, see Escaravage V et al. (2009) 382:253–264
- Heip CHR, see Somerfield PJ et al. (2009) 382:221–224
- Heithaus MR, see Wirsing AJ (2009) 387:287–293
- Henkel LA (2009) Co-occurrence and aggregation of marine birds and mammals in Monterey Bay, California, USA. 387:295–303

- Henkel SK, Kawai H, Hofmann GE (2009) Interspecific and interhabitat variation in *hsp70* gene expression in native and invasive kelp populations. 386:1–13
- Hensen C, see Sommer S et al. (2009) 382:69–86
- Herman PMJ, see Bouma TJ et al. (2009) 388:293–297
- Herman PMJ, see Escaravage V et al. (2009) 382:253–264
- Herman PMJ, see Van Colen C et al. (2009) 381:189–197
- Hernández I, see Morris EP et al. (2009) 390:117–128
- Herunadi B, see Romero OE et al. (2009) 384:69–82
- Hewitt JE, see Cowles A et al. (2009) 384:175–185
- Hilbish TJ, see Brannock PM et al. (2009) 383:161–171
- Hindell MA, see Newland C et al. (2009) 384:303–312
- Hines AH, Long WC, Terwin JR, Thrush SF (2009) Facilitation, interference, and scale: the spatial distribution of prey patches affects predation rates in an estuarine benthic community. 385:127–135
- Hipfner JM (2009) Euphausiids in the diet of a North Pacific seabird: annual and seasonal variation and the role of ocean climate. 390:277–289
- Hipfner JM, see Davies WE et al. (2009) 382:211–219
- Ho AYT, see Xu J et al. (2009) 388:81–97
- Hobson KA, see Davies WE et al. (2009) 382:211–219
- Hoey AS, see Fox RJ et al. (2009) 385:261–269
- Hofmann GE, see Henkel SK et al. (2009) 386:1–13
- Hofmeyr GJG, see Biuw M et al. (2009) 385:271–284
- Holbrook SJ, see Reed DC et al. (2009) 384:97–106
- Holland KN, see Afonso P et al. (2009) 381:273–286
- Holland KN, see Meyer CG et al. (2009) 381:223–235
- Holmes MW, see Brooke SD et al. (2009) 390:137–144
- Honda M, see Ichinomiya M et al. (2009) 383:27–36
- Hong PN, see Arnaud-Haond S et al. (2009) 390:129–135
- Horii T, see Miyake Y et al. (2009) 387:205–222
- Hou A, see Pinckney JL et al. (2009) 387:137–146
- Hughes C, see Franklin DJ et al. (2009) 382:35–40
- Hughes RG, Fletcher PW, Hardy MJ (2009) Successional development of saltmarsh in two managed realignment areas in SE England, and prospects for saltmarsh restoration. 384:13–22
- Hummel H, see Escaravage V et al. (2009) 382:253–264
- Hummel H, see Somerfield PJ et al. (2009) 382:221–224
- Huse G, see Samuelsen A et al. (2009) 386:163–180
- Hutchins DA, see Lee PA et al. (2009) 388:41–49
- Hutchins DA, see Feng Y et al. (2009) 388:13–25
- Hutchins DA, see Rose JM et al. (2009) 388:27–40

I

- Ichinomiya M, Nakamachi M, Honda M, Fukuchi M, Taniguchi A (2009) Role of heterotrophic dinoflagellates in the fate of diatoms released from fast ice in coastal water of Lützow-Holm Bay, East Antarctica. 383:27–36
- Iizuka Y, see Shen KN et al. (2009) 387:255–263
- Irie T, Fischer K (2009) Ectotherms with a calcareous exoskeleton follow the temperature-size rule—evidence from field survey. 385:33–37
- Iverson SJ, see Tucker S et al. (2009) 384:287–302

J

- Jack L, Wing SR, McLeod RJ (2009) Prey base shifts in red rock lobster *Jasus edwardsii* in response to habitat conversion in Fiordland marine reserves: implications for effective spatial management. 381:213–222
- Jackson G, Zingmark RG, Lewitus AJ (2009) Modeling epiphytic community production. 387:61–70

- Jadloc CRL, see Stockwell B et al. (2009) 389:1–15
 Jamieson RE, see Copeman LA et al. (2009) 386:237–251
 Jan S, see Chen YLL et al. (2009) 385:111–126
 Jansen JM, see Beukema JJ et al. (2009) 384:135–145
 Jasmine P, Muraleedharan KR, Madhu NV, Asha Devi CR, Alagarsamy R, Achuthankutty CT, Jayan Z, Sanjeevan VN, Sahayak S (2009) Hydrographic and productivity characteristics along 45°E longitude in the southwestern Indian Ocean and Southern Ocean during austral summer 2004. 389:97–116
 Jayan Z, see Jasmine P et al. (2009) 389:97–116
 Jepson PD, see Murphy S et al. (2009) 388:273–291
 Jespersen C, see Jónasdóttir SH et al. (2009) 382:139–150
 Jha B, see Ganesan M et al. (2009) 382:49–57
 Ji R, Davis CS, Chen C, Beardsley RC (2009) Life history traits and spatiotemporal distributional patterns of copepod populations in the Gulf of Maine-Georges Bank region. 384:187–205
 Jiang X, Tang Y, Lonsdale DJ, Gobler CJ (2009) Deleterious consequences of a red tide dinoflagellate *Cochlodinium polykrikoides* for the calanoid copepod *Acartia tonsa*. 390:105–116
 Jiang YZ, Cheng JH, Li SF (2009) Temporal changes in the fish community resulting from a summer fishing moratorium in the northern East China Sea. 387:265–273
 Jiménez-Durán K, see van Dijk JK et al. (2009) 390:67–77
 Johnson CR, see Guest MA et al. (2009) 388:169–184
 Johnson SW, Thedinga JF, Neff AD (2009) Invasion by saffron cod *Eleginus gracilis* into nearshore habitats of Prince William Sound, Alaska, USA. 389:203–212
 Johnston L, see Miller MW et al. (2009) 387:147–156
 Johnston NM, see Shreeve RS et al. (2009) 386:221–236
 Johnston R, see Sheaves M (2009) 385:245–260
 Jónasdóttir SH, see van Deurs M et al. (2009) 381:249–258
 Jónasdóttir SH, Visser AW, Jespersen C (2009) Assessing the role of food quality in the production and hatching of *Temora longicornis* eggs. 382:139–150
 Jones AP, see Foden J et al. (2009) 390:15–26
 Jones CM, see Schaffler JJ et al. (2009) 382:185–195
 Joyce W, see Campana SE et al. (2009) 387:241–253
 Juanes F, see Marino MC II et al. (2009) 382:59–68

K

- Kaartvedt S, Røstad A, Klevjer TA (2009) Sprat *Sprattus sprattus* can exploit low oxygen waters for overwintering. 390:237–249
 Kaartvedt S, see Aksnes DL et al. (2009) 387:39–49
 Kainz M, see El-Sabaawi R et al. (2009) 382:151–161
 Karakassis I, see Escaravage V et al. (2009) 382:253–264
 Karakassis I, see Renaud PE et al. (2009) 382:239–252
 Karlsen Ø, see Meager JJ et al. (2009) 389:233–243
 Kawai H, see Henkel SK et al. (2009) 386:1–13
 Kawamura T, see Miyake Y et al. (2009) 387:205–222
 Kędra M, see Renaud PE et al. (2009) 382:239–252
 Kelaher BP, see Coleman MA (2009) 381:63–70
 Kelly NE, see Scheibling RE et al. (2009) 382:113–128
 Kempa M, see Laruelle GG et al. (2009) 385:15–32
 Kendall MA, see Findlay HS et al. (2009) 389:193–202
 Kendall MA, see Renaud PE et al. (2009) 382:239–252
 Kendrick GA, see Watson DL et al. (2009) 384:241–249
 Kennedy H, see Papadimitriou S et al. (2009) 386:15–27
 Kienzle M, see Claisse JT et al. (2009) 389:245–255
 Kimathi A, see Eklöf JS et al. (2009) 384:83–96
 Kimmel DG, see Newell RIE et al. (2009) 387:179–196
 Kimura S, see Miyake Y et al. (2009) 387:205–222

- Kitagawa T, see Miyake Y et al. (2009) 387:205–222
 Klaassen P, see Bouma TJ et al. (2009) 388:293–297
 Klevjer TA, see Kaartvedt S et al. (2009) 390:237–249
 Kneib RT (2009) Genotypic variation does not explain differences in growth of mummichogs *Fundulus heteroclitus* from simple and complex tidal marsh landscapes. 386:207–219
 Kolasinski J, Frouin P, Sallon A, Rogers K, Bruggemann HJ, Potier M (2009) Feeding ecology and ontogenetic dietary shift of yellowstripe goatfish *Mulloidichthys flavolineatus* (Mullidae) at Reunion Island, SW Indian Ocean. 386:181–195
 Kornilovs G, see Cardinale M et al. (2009) 388:221–234
 Kovacs KM, see Biuw M et al. (2009) 385:271–284
 Kraan C, see Compton TJ et al. (2009) 382:87–98
 Kraan C, van der Meer J, Dekinga A, Piersma T (2009) Patchiness of macrobenthic invertebrates in homogenized intertidal habitats: hidden spatial structure at a landscape scale. 383:211–224
 Krafft BA, see Biuw M et al. (2009) 385:271–284
 Kramer KL, see Miller MW et al. (2009) 387:147–156
 Krautz MC, see Castro LR et al. (2009) 381:237–248
 Krück NC, Chargulaf CA, Saint-Paul U, Tibbetts IR (2009) Early post-settlement habitat and diet shifts and the nursery function of tidepools during *Sillago* spp. recruitment in Moreton Bay, Australia. 384:207–219
 Krug PJ, see Allen RM et al. (2009) 389:127–137
 Krüger M, see Treude T et al. (2009) 382:1–21
 Kubis S, Chaloupka M, Ehrhart L, Bresette M (2009) Growth rates of juvenile green turtles *Chelonia mydas* from three ecologically distinct foraging habitats along the east central coast of Florida, USA. 389:257–269
 Kudela RM, see Lane JQ et al. (2009) 383:37–51
 Kuo ESL, Sanford E (2009) Geographic variation in the upper thermal limits of an intertidal snail: implications for climate envelope models. 388:137–146
 Kuosa H, see Papadimitriou S et al. (2009) 386:15–27
 Kurogi H, see Miyake Y et al. (2009) 387:205–222

L

- Labruno C, see Escaravage V et al. (2009) 382:253–264
 Labruno C, see Grémare A et al. (2009) 382:297–311
 Labruno C, see Renaud PE et al. (2009) 382:239–252
 Lampadariou N, see Renaud PE et al. (2009) 382:239–252
 Lane JQ, Raimondi PT, Kudela RM (2009) Development of a logistic regression model for the prediction of toxigenic *Pseudo-nitzschia* blooms in Monterey Bay, California. 383:37–51
 Lardicci C, see Balestri E et al. (2009) 388:99–109
 Larsen MH, Mouritsen KN (2009) Increasing temperature counteracts the impact of parasitism on periwinkle consumption. 383:141–149
 Laruelle GG, Regnier P, Ragueneau O, Kempa M, Moriceau B, Ni Longphuiet S, Leynaert A, Thouzeau G, Chauvaud L (2009) Benthic–pelagic coupling and the seasonal silica cycle in the Bay of Brest (France): new insights from a coupled physical–biological model. 385:15–32
 Lasinio GJ, see Colloca F et al. (2009) 381:287–296
 Latasa M, see Gutiérrez-Rodríguez A et al. (2009) 383:1–9
 Laudien J, see Riascos JM et al. (2009) 385:151–163
 Lauer PR, Fernandes M, Fairweather PG, Tanner J, Cheshire A (2009) Benthic fluxes of nitrogen and phosphorus at southern bluefin tuna *Thunnus maccoyii* sea-cages. 390:251–263
 Laws EA, see Gutiérrez-Rodríguez A et al. (2009) 383:1–9

- Lear JA, see Butler MJ IV (2009) 386:115–122
- Learmonth JA, see Murphy S et al. (2009) 388:273–291
- Leblanc K, see Lee PA et al. (2009) 388:41–49
- Leblanc K, see Feng Y et al. (2009) 388:13–25
- Leblanc K, see Rose JM et al. (2009) 388:27–40
- Leduc D, Probert PK, Duncan A (2009) A multi-method approach for identifying meiofaunal trophic connections. 383:95–111
- Lee JE, Chown SL (2009) Temporal development of hull-fouling assemblages associated with an Antarctic supply vessel. 386:97–105
- Lee JHW, see Xu J et al. (2009) 388:81–97
- Lee PA, Rudisill JR, Neeley AR, Maucher JM, Hutchins DA, Feng Y, Hare CE, Leblanc K, Rose JM, Wilhelm SW, Rowe JM, DiTullio GR (2009) Effects of increased pCO₂ and temperature on the North Atlantic spring bloom. III. Dimethylsulfoniopropionate. 388:41–49
- Lee PA, see Feng Y et al. (2009) 388:13–25
- Lee RW, see Rinke C (2009) 382:99–112
- Lefebvre S, Harma C, Blin JL (2009) Trophic typology of coastal ecosystems based on δ¹³C and δ¹⁵N ratios in an opportunistic suspension feeder. 390:27–37
- Lemarchand K, see Xie H et al. (2009) 389:17–29
- Lenihan HS, see Powers SP et al. (2009) 389:159–170
- Lenz M, see Pansch C et al. (2009) 381:83–97
- Lepoint G, see Balestri E et al. (2009) 388:99–109
- Leporati SC, see André J et al. (2009) 384:159–174
- Lester SE, Halpern BS, Grorud-Colvert K, Lubchenco J, Ruttenberg BI, Gaines SD, Airamé S, Warner RR (2009) Biological effects within no-take marine reserves: a global synthesis. 384:33–46
- Levin LA, see Fodrie FJ et al. (2009) 385:39–49
- Lewitus AJ, see Jackson G et al. (2009) 387:61–70
- Leynaert A, see Laruelle GG et al. (2009) 385:15–32
- Leyrer J, see Compton TJ et al. (2009) 382:87–98
- Li J, Glibert PM, Zhou M, Lu S, Lu D (2009) Relationships between nitrogen and phosphorus forms and ratios and the development of dinoflagellate blooms in the East China Sea. 383:11–26
- Li SF, see Jiang YZ et al. (2009) 387:265–273
- Licciano M, see Musco L et al. (2009) 383:199–210
- Lin J, see Rhyne AL et al. (2009) 388:185–195
- Lin Y, Soong K (2009) Spawning behaviors of two congeneric brittle stars. 387:157–165
- Lindgarth M, see Ragnarsson SÁ (2009) 385:51–64
- Linder M, see Cardinale M et al. (2009) 386:197–206
- Lindvall A, see Eklöf JS et al. (2009) 384:83–96
- Link JS, see Auster PJ (2009) 382:163–172
- Linke P, see Sommer S et al. (2009) 382:69–86
- Littman RA, Willis BL, Bourne DG (2009) Bacterial communities of juvenile corals infected with different *Symbiodinium* (dinoflagellate) clades. 389:45–59
- Llanos-Rivera A, see Castro LR et al. (2009) 381:237–248
- Llopiz JK, Cowen RK (2009) Variability in the trophic role of coral reef fish larvae in the oceanic plankton. 381:259–272
- Llopiz JK, see Sponaugle S et al. (2009) 383:239–249
- Løkkeborg S, see Meager JJ et al. (2009) 389:233–243
- Long WC, see Hines AH et al. (2009) 385:127–135
- Lonsdale DJ, see Jiang X et al. (2009) 390:105–116
- López A, see Murphy S et al. (2009) 388:273–291
- Los HFJ, see Erfteimeijer PLA et al. (2009) 390:167–181
- Lovvorn JR, see Anderson EM et al. (2009) 386:287–302
- Loya Y, see Alamaru A et al. (2009) 383:85–94
- Loya Y, see Winters G et al. (2009) 384:107–119
- Lu D, see Li J et al. (2009) 383:11–26
- Lu S, see Li J et al. (2009) 383:11–26
- Lubchenco J, see Lester SE et al. (2009) 384:33–46
- Lucas AJ, see Fodrie FJ et al. (2009) 385:39–49
- Lundsten L, McClain CR, Barry JP, Cailliet GM, Clague DA, DeVogelaere AP (2009) Ichthyofauna on three seamounts off southern and central California, USA. 389:223–232
- Luoma SN, see Rainbow PS et al. (2009) 390:145–155
- Lutostanski K, see McDonald MR et al. (2009) 385:179–187
- Lydersen C, see Biuw M et al. (2009) 385:271–284
- Lyons BP, see Stentiford GD et al. (2009) 381:1–15

M

- Maass H, see Sathyendranath S et al. (2009) 383:73–84
- MacDiarmid AB, see Freeman DJ et al. (2009) 388:159–167
- Madhu NV, see Jasmine P et al. (2009) 389:97–116
- Maggi E, Bertocci I, Vaselli S, Benedetti-Cecchi L (2009) Effects of changes in number, identity and abundance of habitat-forming species on assemblages of rocky seashores. 381:39–49
- Main CE, see Shreeve RS et al. (2009) 386:221–236
- Maiorano L, see Cardinale M et al. (2009) 386:197–206
- Maiorano L, see Colloca F et al. (2009) 381:287–296
- Maire O, see Grémare A et al. (2009) 382:297–311
- Malecha PW, Stone RP (2009) Response of the sea whip *Halipteris willemoesi* to simulated trawl disturbance and its vulnerability to subsequent predation. 388:197–206
- Malin G, see Franklin DJ et al. (2009) 382:35–40
- Mallol S, see Stobart B et al. (2009) 384:47–60
- Maloy AP, Culloty SC, Slater JW (2009) Use of PCR-DGGE to investigate the trophic ecology of marine suspension feeding bivalves. 381:109–118
- Manning MJ, see Campana SE et al. (2009) 387:241–253
- Margonski P, see Cardinale M et al. (2009) 388:221–234
- Marino MC II, Juanes F, Stokesbury KDE (2009) Spatio-temporal variations of sea star *Asterias* spp. distributions between sea scallop *Placopecten magellanicus* beds on Georges Bank. 382:59–68
- Márquez-Guzmán GJ, see van Dijk JK et al. (2009) 390:67–77
- Marrasé C, see Guadayol Ó et al. (2009) 381:139–155
- Marshall DJ, see Allen RM et al. (2009) 389:127–137
- Martinez P, see Dang C et al. (2009) 387:167–177
- Marubini F, Gimona A, Evans PGH, Wright PJ, Pierce GJ (2009) Habitat preferences and interannual variability in occurrence of the harbour porpoise *Phocoena phocoena* off northwest Scotland. 381:297–310
- Mason B, see Miller MW et al. (2009) 387:147–156
- Mass T, see Einbinder S et al. (2009) 381:167–174
- Massa SI, see Arnaud-Haond S et al. (2009) 390:129–135
- Massana R, see Guadayol Ó et al. (2009) 381:139–155
- Maucher JM, see Lee PA et al. (2009) 388:41–49
- Maxwell MR, see Buresch KC et al. (2009) 387:197–203
- Mazumder A, see El-Sabaawi R et al. (2009) 382:151–161
- Mazzoldi C, see Duci A et al. (2009) 383:273–283
- McClain CR, see Lundsten L et al. (2009) 389:223–232
- McClanahan TR, see Eklöf JS et al. (2009) 384:83–96
- McClintock JB, see McDonald MR et al. (2009) 385:179–187
- McClintock JB, see Peters KJ et al. (2009) 385:77–85
- McDonald MR, McClintock JB, Amsler CD, Rittschof D, Angus RA, Orihuela B, Lutostanski K (2009) Effects of ocean acidification over the life history of the barnacle *Amphibalanus amphitrite*. 385:179–187
- McKee KL, Middleton BA, Proffitt CE, Devlin DJ (2009) Perspectives on mosquito impoundments in eastern Florida, USA: Reply to Rey et al. (2009). 389:301–306
- McLaughlin FA, see Nelson RJ et al. (2009) 381:129–138
- McLeod RJ, see Jack L et al. (2009) 381:213–222

- Meager JJ, Skjæraasen JE, Fernö A, Karlsen Ø, Løkkeborg S, Michalsen K, Utskot SO (2009) Vertical dynamics and reproductive behaviour of farmed and wild Atlantic cod *Gadus morhua*. 389:233–243
- Menge BA, see Dudas SE et al. (2009) 387:81–95
- Merckx B, see Escaravage V et al. (2009) 382:253–264
- Meyer CG, Clark TB, Papastamatiou YP, Whitney NM, Holland KN (2009) Long-term movement patterns of tiger sharks *Galeocerdo cuvier* in Hawaii. 381:223–235
- Michalsen K, see Meager JJ et al. (2009) 389:233–243
- Michel C, see Róžańska M et al. (2009) 386:43–59
- Middleton BA, see McKee KL et al. (2009) 389:301–306
- Millaret C, see Dang C et al. (2009) 387:167–177
- Miller MW, Valdivia A, Kramer KL, Mason B, Williams DE, Johnston L (2009) Alternate benthic assemblages on reef restoration structures and cascading effects on coral settlement. 387:147–156
- Miller RJ, Reed DC, Brzezinski MA (2009) Community structure and productivity of subtidal turf and foliose algal assemblages. 388:1–11
- Minutoli R, Guglielmo L (2009) Zooplankton respiratory Electron Transport System (ETS) activity in the Mediterranean Sea: spatial and diel variability. 381:199–211
- Mitchelmore CL, see Yost DM (2009) 386:61–70
- Miyake Y, Kimura S, Kawamura T, Horii T, Kurogi H, Kitagawa T (2009) Simulating larval dispersal processes for abalone using a coupled particle-tracking and hydrodynamic model: implications for refugium design. 387:205–222
- Mollet F, see Vainikka A et al. (2009) 383:285–294
- Möllmann C, see Cardinale M et al. (2009) 388:221–234
- Montevecchi WA, Benvenuti S, Garthe S, Davoren GK, Fifield D (2009) Flexible foraging tactics by a large opportunistic seabird preying on forage- and large pelagic fishes. 385:295–306
- Montserrat F, see Van Colen C et al. (2009) 381:189–197
- Moreno P, see Castro LR et al. (2009) 381:237–248
- Morgan SG, see Shinen JS (2009) 383:187–197
- Moriceau B, see Laruelle GG et al. (2009) 385:15–32
- Morris EP, Peralta G, Benavente J, Freitas R, Rodrigues AM, Quintino V, Alvarez O, Valcárcel-Pérez N, Vergara JJ, Hernández I, Pérez-Lloréns JL (2009) *Caulerpa prolifera* stable isotope ratios reveal anthropogenic nutrients within a tidal lagoon. 390:117–128
- Morris LJ, see Virnstein RW et al. (2009) 385:97–109
- Mouritsen KN, see Larsen MH (2009) 383:141–149
- Mourre B, see Gutiérrez-Rodríguez A et al. (2009) 383:1–9
- Munch SB, see Clarke LM et al. (2009) 384:261–271
- Munday PL, Crawley NE, Nilsson GE (2009) Interacting effects of elevated temperature and ocean acidification on the aerobic performance of coral reef fishes. 388:235–242
- Muraleedharan KR, see Jasmine P et al. (2009) 389:97–116
- Murillo FJ, see Ferrón S et al. (2009) 390:79–95
- Murphy KR, Boehme JR, Noble M, Smith G, Ruiz GM (2009) Deducing ballast water sources in ships arriving in New Zealand from southeastern Australia. 390:39–53
- Murphy S, Winship A, Dabin W, Jepson PD, Deaville R, Reid RJ, Spurrier C, Rogan E, López A, González AF, Read FL, Addink M, Silva M, Ridoux V, Learmonth JA, Pierce GJ, Northridge SP (2009) Importance of biological parameters in assessing the status of *Delphinus delphis*. 388:273–291
- Musco L, Terlizzi A, Licciano M, Giangrande A (2009) Taxonomic structure and the effectiveness of surrogates in environmental monitoring: a lesson from polychaetes. 383:199–210
- Nair A, see Sathyendranath S et al. (2009) 383:73–84
- Nakamachi M, see Ichinomiya M et al. (2009) 383:27–36
- Nakane T, see Sathyendranath S et al. (2009) 383:73–84
- Nardi K, see Watson DL et al. (2009) 384:241–249
- Naumann MS, Richter C, el-Zibdah M, Wild C (2009) Coral mucus as an efficient trap for picoplanktonic cyanobacteria: implications for pelagic-benthic coupling in the reef ecosystem. 385:65–76
- Navone A, see Di Franco A et al. (2009) 387:275–285
- Nedwell DB, see Agedah EC et al. (2009) 382:23–33
- Neeley AR, see Lee PA et al. (2009) 388:41–49
- Neff AD, see Johnson SW et al. (2009) 389:203–212
- Negri AP, Soo RM, Flores F, Webster NS (2009) *Bacillus* insecticides are not acutely harmful to corals and sponges. 381:157–165
- Nelson RJ, Carmack EC, McLaughlin FA, Cooper GA (2009) Penetration of Pacific zooplankton into the western Arctic Ocean tracked with molecular population genetics. 381:129–138
- Nemcek N, see Feng Y et al. (2009) 388:13–25
- Newell RIE, Tettelbach ST, Gobler CJ, Kimmel DG (2009) Relationships between reproduction in suspension-feeding hard clams *Mercenaria mercenaria* and phytoplankton community structure. 387:179–196
- Newland C, Field IC, Nichols PD, Bradshaw CJA, Hindell MA (2009) Blubber fatty acid profiles indicate dietary resource partitioning between adult and juvenile southern elephant seals. 384:303–312
- Ni Longphuir S, see Laruelle GG et al. (2009) 385:15–32
- Nichols PD, see Drazen JC et al. (2009) 387:1–14
- Nichols PD, see Guest MA et al. (2009) 388:169–184
- Nichols PD, see Newland C et al. (2009) 384:303–312
- Nichols WJ, see Brooks LB et al. (2009) 386:263–274
- Nickell TD, see Brigolin D et al. (2009) 388:63–80
- Nilsen R, see Dempster T et al. (2009) 385:1–14
- Nilsson GE, see Munday PL et al. (2009) 388:235–242
- Noble M, see Murphy KR et al. (2009) 390:39–53
- Northridge SP, see Murphy S et al. (2009) 388:273–291

O

- O'Connell SM, see Rey JR et al. (2009) 389:295–300
- Ogawa H, see Carvalho MC et al. (2009) 381:71–82
- Ogburn MB, Diaz H, Forward RB Jr (2009) Mechanisms regulating estuarine ingress of blue crab *Callinectes sapidus* megalopae. 389:181–192
- Ojanguren AF, see Faria AM et al. (2009) 384:221–230
- Oka K, see Sathyendranath S et al. (2009) 383:73–84
- Økland F, see Uglem I et al. (2009) 384:251–260
- Oliva ME, see Riascos JM et al. (2009) 385:151–163
- Olive PJW, Duangchinda T, Ashforth E, Craig S, Ward AC, Davies SJ (2009) Net gain of long-chain polyunsaturated fatty acids (PUFA) in a lugworm *Arenicola marina* bioturbated mesocosm. 387:223–239
- Orihuela B, see McDonald MR et al. (2009) 385:179–187
- Ortega T, see Ferrón S et al. (2009) 390:79–95
- Oschlies A, see Smith SL et al. (2009) 384:1–12
- Otero J, Álvarez-Salgado XA, González ÁF, Gilcoto M, Guerra Á (2009) High-frequency coastal upwelling events influence *Octopus vulgaris* larval dynamics on the NW Iberian shelf. 386:123–132
- Ouborg J, see van Dijk JK et al. (2009) 390:67–77
- Overcash D, see Adams A et al. (2009) 389:213–222

P

- Pahlow M, see Smith SL et al. (2009) 384:1–12
 Palomera I, see Coll M et al. (2009) 381:17–37
 Pan K, Wang WX (2009) Inter-individual variations in cadmium and zinc biodynamics in the scallop *Chlamys nobilis*. 383:151–160
 Pansch C, Cerda O, Lenz M, Wahl M, Thiel M (2009) Consequences of light reduction for anti-herbivore defense and bioactivity against mussels in four seaweed species from northern-central Chile. 381:83–97
 Panzalis P, see Di Franco A et al. (2009) 387:275–285
 Papadimitriou S, Thomas DN, Kennedy H, Kuosa H, Dieckmann GS (2009) Inorganic carbon removal and isotopic enrichment in Antarctic sea ice gap layers during early austral summer. 386:15–27
 Papastamatiou YP, see Meyer CG et al. (2009) 381:223–235
 Parrish CC, see Copeman LA et al. (2009) 386:237–251
 Parrish JD, see Claisse JT et al. (2009) 389:245–255
 Passow U, see Feng Y et al. (2009) 388:13–25
 Pastres R, see Brigolin D et al. (2009) 388:63–80
 Paul C, Barofsky A, Vidoudez C, Pohnert G (2009) Diatom exudates influence metabolism and cell growth of co-cultured diatom species. 389:61–70
 Pecl GT, see André J et al. (2009) 384:159–174
 Peinado MA, see Gómez-Díaz E et al. (2009) 382:197–209
 Peralta G, see Morris EP et al. (2009) 390:117–128
 Pérez-Lloréns JL, see Morris EP et al. (2009) 390:117–128
 Perret J, see Halford AR (2009) 383:261–272
 Peters F, see Guadayol Ò et al. (2009) 381:139–155
 Peters KJ, Amsler CD, McClintock JB, van Soest RWM, Baker BJ (2009) Palatability and chemical defenses of sponges from the western Antarctic Peninsula. 385:77–85
 Peterson AT, see Bentlage B et al. (2009) 384:121–133
 Peterson CH, see Powers SP et al. (2009) 389:159–170
 Pfannkuche O, see Sommer S et al. (2009) 382:69–86
 Phleger CF, see Drazen JC et al. (2009) 387:1–14
 Pierce GJ, see Marubini F et al. (2009) 381:297–310
 Pierce GJ, see Murphy S et al. (2009) 388:273–291
 Pierce SD, see Ainley DG et al. (2009) 389:271–294
 Piersma T, see Compton TJ et al. (2009) 382:87–98
 Piersma T, see Kraan C et al. (2009) 383:211–224
 Pinckney JL, Wee JL, Hou A, Walker ND (2009) Phytoplankton community structure responses to urban effluent inputs following Hurricanes Katrina and Rita. 387:137–146
 Platt T, see Sathyendranath S et al. (2009) 383:73–84
 Pochon X, see Stat M et al. (2009) 386:83–96
 Pohnert G, see Paul C et al. (2009) 389:61–70
 Potier M, see Kolasinski J et al. (2009) 386:181–195
 Poulin M, see Róžańska M et al. (2009) 386:43–59
 Poulin P, see Xie H et al. (2009) 389:17–29
 Poulin R, see Thielges DW et al. (2009) 389:139–147
 Power M, see Attrill MJ et al. (2009) 384:147–157
 Powers SP, Peterson CH, Grabowski JH, Lenihan HS (2009) Success of constructed oyster reefs in no-harvest sanctuaries: implications for restoration. 389:159–170
 Powers SP, see Gerald NR et al. (2009) 389:171–180
 Prakash S, see Desai DV (2009) 390:157–166
 Probert PK, see Leduc D et al. (2009) 383:95–111
 Proffitt CE, see McKee KL et al. (2009) 389:301–306
 Prowse TAA, see Soars NA et al. (2009) 383:113–125

Q

- Quintino V, see Morris EP et al. (2009) 390:117–128

R

- Ragnarsson SÁ, Lindegarth M (2009) Testing hypotheses about temporary and persistent effects of otter trawling on infauna: changes in diversity rather than abundance. 385:51–64
 Ragueneau O, see Laruelle GG et al. (2009) 385:15–32
 Raid T, see Cardinale M et al. (2009) 388:221–234
 Raimondi PT, see Lane JQ et al. (2009) 383:37–51
 Rainbow PS, Smith BD, Luoma SN (2009) Biodynamic modeling and the prediction of Ag, Cd and Zn accumulation from solution and sediment by the polychaete *Nereis diversicolor*. 390:145–155
 Raitaniemi J, see Cardinale M et al. (2009) 388:221–234
 Rankin TL, see Sponaugle S et al. (2009) 383:239–249
 Raya V, see Sabatés A et al. (2009) 385:227–236
 Raymond BG, see Scheibling RE et al. (2009) 382:113–128
 Read FL, see Murphy S et al. (2009) 388:273–291
 Reddy CRK, see Ganesan M et al. (2009) 382:49–57
 Reed DC, Holbrook SJ, Blanchette CA, Worcester S (2009) Patterns and sources of variation in flowering, seed supply and seedling recruitment in surfgrass *Phyllospadix torreyi*. 384:97–106
 Reed DC, see Miller RJ et al. (2009) 388:1–11
 Reese DC, see Ainley DG et al. (2009) 389:271–294
 Regnier P, see Brigolin D et al. (2009) 388:63–80
 Regnier P, see Laruelle GG et al. (2009) 385:15–32
 Reguera B, see Velo-Suárez L et al. (2009) 385:87–96
 Rehberg MJ, see Sigler MF et al. (2009) 388:243–261
 Reid K, see Hanson NN et al. (2009) 388:263–272
 Reid RJ, see Murphy S et al. (2009) 388:273–291
 Reiss CS, see Schaffler JJ et al. (2009) 382:185–195
 Reitz A, see Sommer S et al. (2009) 382:69–86
 Renaud PE, Webb TJ, Bjørgesæter A, Karakassis I, Kędra M, Kendall MA, Labruno C, Lampadariou N, Somerfield PJ, Włodarska-Kowalczyk M, Vanden Berghe E, Claus S and others (2009) Continental-scale patterns in benthic invertebrate diversity: insights from the MacroBen database. 382:239–252
 Reñones O, see Stobart B et al. (2009) 384:47–60
 Rey F, see Arenas F et al. (2009) 381:99–108
 Rey JR, O'Connell SM, Carlson DB, Brockmeyer RE Jr (2009) Characteristics of mangrove swamps managed for mosquito control in eastern Florida, USA: a re-examination. 389:295–300
 Rhyne AL, Zhang D, Lin J, Schizas NV (2009) Not any two will do: DNA divergence and interpopulation reproductive compatibility in the simultaneous hermaphroditic shrimp *Lyssmata wurdemanni*. 388:185–195
 Riascos JM, Carstensen D, Laudien J, Arntz WE, Oliva ME, Güntner A, Heilmayer O (2009) Thriving and declining: climate variability shaping life-history and population persistence of *Mesodesma donacium* in the Humboldt Upwelling System. 385:151–163
 Richardson JS, see Sakamaki T (2009) 386:107–113
 Richter C, see Naumann MS et al. (2009) 385:65–76
 Ridoux V, see Murphy S et al. (2009) 388:273–291
 Riggio S, see Bonaviri C et al. (2009) 382:129–138
 Riisgaard K, Hansen PJ (2009) Role of food uptake for photosynthesis, growth and survival of the mixotrophic dinoflagellate *Dinophysis acuminata*. 381:51–62
 Rijnsdorp AD, see Bolle LJ et al. (2009) 390:195–211
 Rilov G, see Dudas SE et al. (2009) 387:81–95
 Rinke C, Lee RW (2009) Pathways, activities and thermal stability of anaerobic and aerobic enzymes in thermophilic vent paralvinellid worms. 382:99–112
 Rittschof D, see McDonald MR et al. (2009) 385:179–187

- Rixen T, see Romero OE et al. (2009) 384:69–82
 Rodrigues AM, see Morris EP et al. (2009) 390:117–128
 Rogan E, see Murphy S et al. (2009) 388:273–291
 Rogers K, see Kolasinski J et al. (2009) 386:181–195
 Rogers SI, see Foden J et al. (2009) 390:15–26
 Roldán C, see Guadayol Ò et al. (2009) 381:139–155
 Romero OE, Rixen T, Herunadi B (2009) Effects of hydrographic and climatic forcing on diatom production and export in the tropical southeastern Indian Ocean. 384:69–82
 Rose JM, see Lee PA et al. (2009) 388:41–49
 Rose JM, Feng Y, Gobler CJ, Gutierrez R, Hare CE, Leblanc K, Hutchins DA (2009) Effects of increased pCO₂ and temperature on the North Atlantic spring bloom. II. Microzooplankton abundance and grazing. 388:27–40
 Rose JM, see Feng Y et al. (2009) 388:13–25
 Ross ON, Geider RJ (2009) New cell-based model of photosynthesis and photo-acclimation: accumulation and mobilisation of energy reserves in phytoplankton. 383:53–71
 Røstad A, see Kaartvedt S et al. (2009) 390:237–249
 Rowe JM, see Lee PA et al. (2009) 388:41–49
 Rowe JM, see Feng Y et al. (2009) 388:13–25
 Różańska M, Gosselin M, Poulin M, Wiktor JM, Michel C (2009) Influence of environmental factors on the development of bottom ice protist communities during the winter–spring transition. 386:43–59
 Rudisill JR, see Lee PA et al. (2009) 388:41–49
 Ruiz GM, see Murphy KR et al. (2009) 390:39–53
 Rumohr H, see Arvanitidis C et al. (2009) 382:265–278
 Rundle SD, see Attrill MJ et al. (2009) 384:147–157
 Russ GR, see Stockwell B et al. (2009) 389:1–15
 Ruttenberg BI, see Lester SE et al. (2009) 384:33–46
 Rysgaard S, see Blicher ME et al. (2009) 383:127–140
 Rysgaard S, see Sejr MK et al. (2009) 389:149–158
- S**
- Saba GK, Steinberg DK, Bronk DA (2009) Effects of diet on release of dissolved organic and inorganic nutrients by the copepod *Acartia tonsa*. 386:147–161
 Sabata A, see Guadayol Ò et al. (2009) 381:139–155
 Sabatés A, Salat J, Raya V, Emelianov M, Segura-Noguera M (2009) Spawning environmental conditions of *Sardinella aurita* at the northern limit of its distribution range, the western Mediterranean. 385:227–236
 Sahayak S, see Jasmine P et al. (2009) 389:97–116
 Saint-Paul U, see Krück NC et al. (2009) 384:207–219
 Sakamaki T, Richardson JS (2009) Dietary responses of tidal flat macrobenthos to reduction of benthic microalgae: a test for potential use of allochthonous organic matter. 386:107–113
 Salat J, see Sabatés A et al. (2009) 385:227–236
 Sallon A, see Kolasinski J et al. (2009) 386:181–195
 Samuelsen A, Huse G, Hansen C (2009) Shelf recruitment of *Calanus finmarchicus* off the west coast of Norway: role of physical processes and timing of diapause termination. 386:163–180
 Sanchez-Jerez P, see Dempster T et al. (2009) 385:1–14
 Sanchez-Jerez P, see Uglem I et al. (2009) 384:251–260
 Sanford E, see Kuo ESL (2009) 388:137–146
 Sanjeevan VN, see Jasmine P et al. (2009) 389:97–116
 Santojanni A, see Coll M et al. (2009) 381:17–37
 Santos RS, see Afonso P et al. (2009) 381:273–286
 Santos RS, see Fontes J et al. (2009) 387:51–59
 Sartor P, see Colloca F et al. (2009) 381:287–296
 Sastri AR, Dower JF (2009) Interannual variability in chitobiase-based production rates of the crustacean zooplankton community in the Strait of Georgia. 388:147–157
 Sathyendranath S, Stuart V, Nair A, Oka K, Nakane T, Bouman H, Forget MH, Maass H, Platt T (2009) Carbon-to-chlorophyll ratio and growth rate of phytoplankton in the sea. 383:73–84
 Sauriau PG, see Dang C et al. (2009) 387:167–177
 Savoye N, see Dang C et al. (2009) 387:167–177
 Sawyer T, see Adey E et al. (2009) 390:225–235
 Schaffler JJ, Reiss CS, Jones CM (2009) Spatial variation in otolith chemistry of Atlantic croaker larvae in the Mid-Atlantic Bight. 382:185–195
 Scheibling RE, Gagnon P (2009) Temperature-mediated outbreak dynamics of the invasive bryozoan *Membranipora membranacea* in Nova Scotian kelp beds. 390:1–13
 Scheibling RE, Kelly NE, Raymond BG (2009) Herbivory and community organization on a subtidal cobble bed. 382:113–128
 Scheidat M, see Gilles A et al. (2009) 383:295–307
 Schiel DR, see Goldstien SJ et al. (2009) 388:111–119
 Schizas NV, see Rhyne AL et al. (2009) 388:185–195
 Schleicher T, see Sommer S et al. (2009) 382:69–86
 Schneider v. Deimling J, see Sommer S et al. (2009) 382:69–86
 Scrosati RA, see Belt KM et al. (2009) 381:183–187
 Segura-Noguera M, see Sabatés A et al. (2009) 385:227–236
 Sejr MK, Blicher ME, Rysgaard S (2009) Sea ice cover affects inter-annual and geographic variation in growth of the Arctic cockle *Clinocardium ciliatum* (Bivalvia) in Greenland. 389:149–158
 Sejr MK, see Blicher ME et al. (2009) 383:127–140
 Semesi IS, Beer S, Björk M (2009) Seagrass photosynthesis controls rates of calcification and photosynthesis of calcareous macroalgae in a tropical seagrass meadow. 382:41–47
 Semmens JM, see André J et al. (2009) 384:159–174
 Sempéré R, see Van Wambeke F et al. (2009) 387:97–108
 Serrão EA, see Arnaud-Haond S et al. (2009) 390:129–135
 Shafer DJ, see Claisse JT et al. (2009) 389:245–255
 Shanks AL (2009) Barnacle settlement versus recruitment as indicators of larval delivery. I. Effects of post-settlement mortality and recruit density. 385:205–216
 Shanks AL (2009) Barnacle settlement versus recruitment as indicators of larval delivery. II. Time-series analysis and hypothesized delivery mechanisms. 385:217–226
 Shanks AL, Shearman RK (2009) Paradigm lost? Cross-shelf distributions of intertidal invertebrate larvae are unaffected by upwelling or downwelling. 385:189–204
 Sharples RJ, Arrizabalaga B, Hammond PS (2009) Seals, sandeels and salmon: diet of harbour seals in St. Andrews Bay and the Tay Estuary, southeast Scotland. 390:265–276
 Shearman RK, see Shanks AL (2009) 385:189–204
 Sheaves M, Johnston R (2009) Ecological drivers of spatial variability among fish fauna of 21 tropical Australian estuaries. 385:245–260
 Sheehy MS, see Fontes J et al. (2009) 387:51–59
 Shemesh A, see Alamaru A et al. (2009) 383:85–94
 Shen KN, Chang CW, Iizuka Y, Tzeng WN (2009) Facultative habitat selection in Pacific tarpon *Megalops cyprinoides* as revealed by otolith Sr:Ca ratios. 387:255–263
 Shertzer KW, see Sunda WG et al. (2009) 386:29–41
 Shimmield TM, see Adey E et al. (2009) 390:225–235
 Shinen JS, Morgan SG (2009) Mechanisms of invasion resistance: competition among intertidal mussels promotes establishment of invasive species and displacement of native species. 383:187–197
 Shreeve RS, Collins MA, Tarling GA, Main CE, Ward P,

- Johnston NM (2009) Feeding ecology of myctophid fishes in the northern Scotia Sea. 386:221–236
- Siebert U, see Gilles A et al. (2009) 383:295–307
- Sigler MF, Tollit DJ, Vollenweider JJ, Thedinga JF, Csepp DJ, Womble JN, Wong MA, Rehberg MJ, Trites AW (2009) Steller sea lion foraging response to seasonal changes in prey availability. 388:243–261
- Silva M, see Murphy S et al. (2009) 388:273–291
- Skjærraasen JE, see Meager JJ et al. (2009) 389:233–243
- Slater JW, see Maloy AP et al. (2009) 381:109–118
- Smale DA, Wernberg T (2009) Satellite-derived SST data as a proxy for water temperature in nearshore benthic ecology. 387:27–37
- Smith BD, see Rainbow PS et al. (2009) 390:145–155
- Smith CR, see Treude T et al. (2009) 382:1–21
- Smith G, see Murphy KR et al. (2009) 390:39–53
- Smith SL, Yamanaka Y, Pahlow M, Oschlies A (2009) Optimal uptake kinetics: physiological acclimation explains the pattern of nitrate uptake by phytoplankton in the ocean. 384:1–12
- Soars NA, Prowse TAA, Byrne M (2009) Overview of phenotypic plasticity in echinoid larvae, '*Echinopluteus transversus*' type vs. typical echinoplutei. 383:113–125
- Somerfield PJ, Arvanitidis C, Faulwetter S, Chatzigeorgiou G, Vasileiadou A and others (2009) Assessing evidence for random assembly of marine benthic communities from regional species pools. 382:279–286
- Somerfield PJ, Arvanitidis C, Vanden Berghe E, Van Avesaath P, Hummel H, Heip CHR (2009) MarBEF, databases, and the legacy of John Gray. 382:221–224
- Somerfield PJ, see Arvanitidis C et al. (2009) 382:265–278
- Somerfield PJ, see Renaud PE et al. (2009) 382:239–252
- Somerfield PJ, see Vanden Berghe E et al. (2009) 382:225–238
- Sommer S, Linke P, Pfannkuche O, Schleicher T, Schneider v. Deimling J, Reitz A, Haeckel M, Flögel S, Hensen C (2009) Seabed methane emissions and the habitat of frenulate tubeworms on the Captain Arutyunov mud volcano (Gulf of Cadiz). 382:69–86
- Soo RM, see Negri AP et al. (2009) 381:157–165
- Soong K, see Lin Y (2009) 387:157–165
- Sousa Pinto I, see Arenas F et al. (2009) 381:99–108
- Spicer JL, see Findlay HS et al. (2009) 389:193–202
- Sponaugle S, Llopiz JK, Havel LN, Rankin TL (2009) Spatial variation in larval growth and gut fullness in a coral reef fish. 383:239–249
- Spurrier C, see Murphy S et al. (2009) 388:273–291
- Staby A, see Aksnes DL et al. (2009) 387:39–49
- Stadlinger N, see Eklöf JS et al. (2009) 384:83–96
- Stallings CD (2009) Predator identity and recruitment of coral-reef fishes: indirect effects of fishing. 383:251–259
- Starr RM, see Dawson CL (2009) 386:253–262
- Stat M, Pochon X, Cowie ROM, Gates RD (2009) Specificity in communities of *Symbiodinium* in corals from Johnston Atoll. 386:83–96
- Steinberg DK, see Saba GK et al. (2009) 386:147–161
- Stenson G, see Bajzak CE et al. (2009) 385:285–294
- Stenson GB, see Tucker S et al. (2009) 384:287–302
- Stentiford GD, Bignell JP, Lyons BP, Feist SW (2009) Site-specific disease profiles in fish and their use in environmental monitoring. 381:1–15
- Steyaert M, see Van Colen C et al. (2009) 381:189–197
- Stick KC, see Anderson EM et al. (2009) 386:287–302
- Stobart B, Warwick R, González C, Mallol S, Díaz D, Reñones O, Goñi R (2009) Long-term and spillover effects of a marine protected area on an exploited fish community. 384:47–60
- Stocks KI, see Brewin PE et al. (2009) 383:225–237
- Stockwell B, Jadloc CRL, Abesamis RA, Alcalá AC, Russ GR (2009) Trophic and benthic responses to no-take marine reserve protection in the Philippines. 389:1–15
- Stokesbury KDE, see Marino MC II et al. (2009) 382:59–68
- Stone RP, see Malecha PW (2009) 388:197–206
- Stuart V, see Sathyendranath S et al. (2009) 383:73–84
- Stuart-Smith RD, see Edgar GJ (2009) 388:51–62
- Studer A, see Thieltges DW et al. (2009) 389:139–147
- Sun J, see Feng Y et al. (2009) 388:13–25
- Sunda WG, Shertzer KW, Hardison DR (2009) Ammonium uptake and growth models in marine diatoms: Monod and Droop revisited. 386:29–41
- Sunderland TL, see Fox RJ et al. (2009) 385:261–269

T

- Tallis H (2009) Kelp and rivers subsidize rocky intertidal communities in the Pacific Northwest (USA). 389:85–96
- Tang Y, see Jiang X et al. (2009) 390:105–116
- Taniguchi A, see Ichinomiya M et al. (2009) 383:27–36
- Tanner J, see Lauer PR et al. (2009) 390:251–263
- Tarling GA, see Shreeve RS et al. (2009) 386:221–236
- Taylor RB, see Cowles A et al. (2009) 384:175–185
- Taylor RB, see Freeman DJ et al. (2009) 388:159–167
- Tchernov D, see Einbinder S et al. (2009) 381:167–174
- Tedetti M, see Van Wambeke F et al. (2009) 387:97–108
- Teixeira S, see Arnaud-Haond S et al. (2009) 390:129–135
- Temmerman S, see Bouma TJ et al. (2009) 388:293–297
- Terlizzi A, see Musco L et al. (2009) 383:199–210
- Terrados J, see Arnaud-Haond S et al. (2009) 390:129–135
- Terwin JR, see Hines AH et al. (2009) 385:127–135
- Tettelbach ST, see Newell RIE et al. (2009) 387:179–196
- Thedinga JF, see Johnson SW et al. (2009) 389:203–212
- Thedinga JF, see Sigler MF et al. (2009) 388:243–261
- Thiel M, see Pansch C et al. (2009) 381:83–97
- Thieltges DW, Fredensborg BL, Studer A, Poulin R (2009) Large-scale patterns in trematode richness and infection levels in marine crustacean hosts. 389:139–147
- Thiruppathi S, see Ganesan M et al. (2009) 382:49–57
- Thomas DN, see Papadimitriou S et al. (2009) 386:15–27
- Thomas FIM, see Cornelisen CD (2009) 386:71–81
- Thorrold SR, see Clarke LM et al. (2009) 384:261–271
- Thouzeau G, see Laruelle GG et al. (2009) 385:15–32
- Thrush S, see Cummings V et al. (2009) 383:173–185
- Thrush SF, see Hines AH et al. (2009) 385:127–135
- Tibbetts IR, see Krück NC et al. (2009) 384:207–219
- Tollit DJ, see Sigler MF et al. (2009) 388:243–261
- Tomczak MT, see van Deurs M et al. (2009) 381:249–258
- Treude T, Smith CR, Wenzhöfer F, Carney E, Bernardino AF, Hannides AK, Krüger M, Boetius A (2009) Biogeochemistry of a deep-sea whale fall: sulfate reduction, sulfide efflux and methanogenesis. 382:1–21
- Tri NH, see Arnaud-Haond S et al. (2009) 390:129–135
- Trites AW, see Sigler MF et al. (2009) 388:243–261
- Troost TA, see Compton TJ et al. (2009) 382:87–98
- Trueman CN, see Adey E et al. (2009) 390:225–235
- Tucker S, Bowen WD, Iverson SJ, Blanchard W, Stenson GB (2009) Sources of variation in diets of harp and hooded seals estimated from quantitative fatty acid signature analysis (QFASA). 384:287–302
- Tuo SH, see Chen YLL et al. (2009) 385:111–126
- Txurruka JM, see Díaz E et al. (2009) 382:173–183
- Tyburczy J, see Dudas SE et al. (2009) 387:81–95
- Tynan CT, see Ainley DG et al. (2009) 389:271–294
- Tzeng WN, see Shen KN et al. (2009) 387:255–263

U

- Uglem I, Dempster T, Bjørn PA, Sanchez-Jerez P, Økland F (2009) High connectivity of salmon farms revealed by aggregation, residence and repeated movements of wild fish among farms. 384:251–260
- Uglem I, see Dempster T et al. (2009) 385:1–14
- Uku JN, see Eklöf JS et al. (2009) 384:83–96
- Utskot SO, see Meager JJ et al. (2009) 389:233–243

V

- Vainikka A, Mollet F, Casini M, Gårdmark A (2009) Spatial variation in growth, condition and maturation reaction norms of the Baltic herring *Clupea harengus membras*. 383:285–294
- Valavanis V, see Arvanitidis C et al. (2009) 382:265–278
- Valcárcel-Pérez N, see Morris EP et al. (2009) 390:117–128
- Valdivia A, see Miller MW et al. (2009) 387:147–156
- Valenzuela VC, see Figueira WF et al. (2009) 384:231–239
- Vanaverbeke J, see Grémare A et al. (2009) 382:297–311
- Vanaverbeke J, see Van Colen C et al. (2009) 381:189–197
- Van Avesaath P, see Somerfield PJ et al. (2009) 382:221–224
- van Beek JKL, see Bolle LJ et al. (2009) 390:195–211
- van Beek JKL, see Dickey-Collas M et al. (2009) 390:183–194
- van Beek JKL, see Erftemeijer PLA et al. (2009) 390:167–181
- Van Colen C, Montserrat F, Verbist K, Vincx M, Steyaert M, Vanaverbeke J, Herman PMJ, Degraer S, Ysebaert T (2009) Tidal flat nematode responses to hypoxia and subsequent macrofauna-mediated alterations of sediment properties. 381:189–197
- Vanden Berghe E, Claus S, Appeltans W, Faulwetter S, Arvanitidis C, Somerfield PJ and others (2009) MacroBen integrated database on benthic invertebrates of European continental shelves: a tool for large-scale analysis across Europe. 382:225–238
- Vanden Berghe E, see Arvanitidis C et al. (2009) 382:265–278
- Vanden Berghe E, see Grémare A et al. (2009) 382:297–311
- Vanden Berghe E, see Renaud PE et al. (2009) 382:239–252
- Vanden Berghe E, see Somerfield PJ et al. (2009) 382:221–224
- van der Meer J, see Kraan C et al. (2009) 383:211–224
- van der Veer HW, Bolle LJ, Geffen AJ, Witte JIJ (2009) Variability in transport of fish eggs and larvae. IV. Interannual variability in larval stage duration of immigrating plaice in the Dutch Wadden Sea. 390:213–223
- van der Veer HW, see Bolle LJ et al. (2009) 390:195–211
- van Deurs M, van Hal R, Tomczak MT, Jónasdóttir SH, Dolmer P (2009) Recruitment of lesser sandeel *Ammodytes marinus* in relation to density dependence and zooplankton composition. 381:249–258
- van Dijk JK, van Tussenbroek BI, Jiménez-Durán K, Márquez-Guzmán GJ, Ouborg J (2009) High levels of gene flow and low population genetic structure related to high dispersal potential of a tropical marine angiosperm. 390:67–77
- van Hal R, see van Deurs M et al. (2009) 381:249–258
- van Katwijk MM, see Bouma TJ et al. (2009) 388:293–297
- van Soest RWM, see Peters KJ et al. (2009) 385:77–85
- van Tussenbroek BI, see van Dijk JK et al. (2009) 390:67–77
- Van Wambeke F, Tedetti M, Duhamel S, Sempéré R (2009) Diel variability of heterotrophic bacterial production and underwater UV doses in the eastern South Pacific. 387:97–108
- van Wesenbeeck BK, see Bouma TJ et al. (2009) 388:293–297
- Vaselli S, see Maggi E et al. (2009) 381:39–49
- Vasileiadou A, see Arvanitidis C et al. (2009) 382:265–278

- Vasileiadou A, see Somerfield PJ et al. (2009) 382:279–286
- Vega Fernández T, see Bonaviri C et al. (2009) 382:129–138
- Velo-Suárez L, Reguera B, Garcés E, Wyatt T (2009) Vertical distribution of division rates in coastal dinoflagellate *Dinophysis* spp. populations: implications for modelling. 385:87–96
- Verbist K, see Van Colen C et al. (2009) 381:189–197
- Vergara JJ, see Morris EP et al. (2009) 390:117–128
- Vidoudez C, see Paul C et al. (2009) 389:61–70
- Viejo RM (2009) Resilience in intertidal rocky shore assemblages across the stress gradient created by emersion times. 390:55–65
- Villate F, see Díaz E et al. (2009) 382:173–183
- Vincx M, see Van Colen C et al. (2009) 381:189–197
- Virnstein RW, Hayek LC, Morris LJ (2009) Pulsating patches: a model for the spatial and temporal dynamics of the threatened seagrass *Halophila johnsonii*. 385:97–109
- Visser AW, see Jónasdóttir SH et al. (2009) 382:139–150
- Vogel C, Fisher NS (2009) Trophic transfer of Fe, Zn and Am from marine bacteria to a planktonic ciliate. 384:61–68
- Vollenweider JJ, see Sigler MF et al. (2009) 388:243–261
- Vopel K, see Cummings V et al. (2009) 383:173–185

W

- Wahl M, see Pansch C et al. (2009) 381:83–97
- Walker ND, see Pinckney JL et al. (2009) 387:137–146
- Walther BD, see Clarke LM et al. (2009) 384:261–271
- Wang WX, see Pan K (2009) 383:151–160
- Ward AC, see Olive PJW et al. (2009) 387:223–239
- Ward P, see Shreeve RS et al. (2009) 386:221–236
- Warner RR, see Fontes J et al. (2009) 387:51–59
- Warner RR, see Hamilton SL (2009) 385:237–244
- Warner RR, see Lester SE et al. (2009) 384:33–46
- Warwick R, see Stobart B et al. (2009) 384:47–60
- Watson DL, Anderson MJ, Kendrick GA, Nardi K, Harvey ES (2009) Effects of protection from fishing on the lengths of targeted and non-targeted fish species at the Houtman Abrolhos Islands, Western Australia. 384:241–249
- Webb KE, Barnes DKA, Gray JS (2009) Benthic ecology of pockmarks in the Inner Oslofjord, Norway. 387:15–25
- Webb TJ and others (2009) Macroecology of the European soft sediment benthos: insights from the MacroBen database. 382:287–296
- Webb TJ, see Renaud PE et al. (2009) 382:239–252
- Webster NS, see Negri AP et al. (2009) 381:157–165
- Wee JL, see Pinckney JL et al. (2009) 387:137–146
- Wells J, see Copeman LA et al. (2009) 386:237–251
- Wenzhöfer F, see Treude T et al. (2009) 382:1–21
- Wernberg T, see Smale DA (2009) 387:27–37
- Wetley DS, see Brannock PM et al. (2009) 383:161–171
- Wheatley KE, see Guest MA et al. (2009) 388:169–184
- Whiticar MJ, see Copeman LA et al. (2009) 386:237–251
- Whitney NM, see Meyer CG et al. (2009) 381:223–235
- Widdicombe S, see Findlay HS et al. (2009) 389:193–202
- Wiktor JM, see Rózańska M et al. (2009) 386:43–59
- Wild C, see Naumann MS et al. (2009) 385:65–76
- Wilhelm SW, see Lee PA et al. (2009) 388:41–49
- Wilhelm SW, see Feng Y et al. (2009) 388:13–25
- Willems W, see Escaravage V et al. (2009) 382:253–264
- Williams DE, see Miller MW et al. (2009) 387:147–156
- Willis BL, see Littman RA et al. (2009) 389:45–59
- Wing SR, see Jack L et al. (2009) 381:213–222
- Winship A, see Murphy S et al. (2009) 388:273–291
- Winters G, Beer S, Zvi BB, Brickner I, Loya Y (2009) Spatial

and temporal photoacclimation of *Stylophora pistillata*: zooxanthella size, pigmentation, location and clade. 384:107–119

- Wirsing AJ, Heithaus MR (2009) Olive-headed sea snakes *Disteria major* shift seagrass microhabitats to avoid shark predation. 387:287–293
- Witte JIJ, see Bolle LJ et al. (2009) 390:195–211
- Witte JIJ, see van der Veer HW et al. (2009) 390:213–223
- Włodarska-Kowalczyk M, see Escaravage V et al. (2009) 382:253–264
- Włodarska-Kowalczyk M, see Renaud PE et al. (2009) 382:239–252
- Wolfe RK, see Adams A et al. (2009) 389:213–222
- Womble JN, see Sigler MF et al. (2009) 388:243–261
- Wong MA, see Sigler MF et al. (2009) 388:243–261
- Worcester S, see Reed DC et al. (2009) 384:97–106
- Wright AD, see Guenther J et al. (2009) 385:137–149
- Wright PJ, see Marubini F et al. (2009) 381:297–310
- Wurster CM, see Hanson NN et al. (2009) 388:263–272
- Wyatt T, see Velo-Suárez L et al. (2009) 385:87–96

X

- Xie H, Zhang Y, Lemarchand K, Poulin P (2009) Microbial carbon monoxide uptake in the St. Lawrence estuarine system. 389:17–29
- Xu J, Yin K, Ho AYT, Lee JHW, Anderson DM, Harrison PJ (2009) Nutrient limitation in Hong Kong waters inferred from comparison of nutrient ratios, bioassays and ³³P turnover times. 388:81–97

Y

- Yam R, see Alamaru A et al. (2009) 383:85–94
- Yamanaka Y, see Smith SL et al. (2009) 384:1–12
- Yasuda T, Arai N (2009) Changes in flipper beat frequency, body angle and swimming speed of female green turtles *Chelonia mydas*. 386:275–286
- Ydenberg RC, see Davies WE et al. (2009) 382:211–219
- Yin K, see Xu J et al. (2009) 388:81–97
- Yost DM, Mitchelmore CL (2009) Dimethylsulfoniopropionate (DMSP) lyase activity in different strains of the symbiotic alga *Symbiodinium microadriaticum*. 386:61–70
- Young CM, see Brooke SD et al. (2009) 390:137–144
- Ysebaert T, see Van Colen C et al. (2009) 381:189–197

Z

- Zabin CJ (2009) Battle of the barnacle newcomers: niche compression in invading species in Kaneohe Bay, Oahu, Hawaii. 381:175–182
- Zaitsev YP (2009) Gennady Polikarpov, Vice President of the Eco-Ethics International Union, celebrates his 80th birthday. 388:i–ii
- Zettler ML, see Grémare A et al. (2009) 382:297–311
- Zhang D, see Rhyne AL et al. (2009) 388:185–195
- Zhang Y, see Feng Y et al. (2009) 388:13–25
- Zhang Y, see Xie H et al. (2009) 389:17–29
- Zhou M, see Li J et al. (2009) 383:11–26
- Zingmark RG, see Jackson G et al. (2009) 387:61–70
- Zvi BB, see Winters G et al. (2009) 384:107–119