

## COMBINED AUTHOR AND TITLE INDEX

(Volumes 411 to 420, 2010)

## A

- Abbs D, see Fuentes MMPB (2010) 412:283–292  
 Abrantes K, see Barnett A et al. (2010) 416:189–200  
 Abreu H, see Bertocci I et al. (2010) 414:107–116  
 Adjeroud M, see Edmunds PJ et al. (2010) 414:75–89  
 Agenbag K, see Durant JM et al. (2010) 420:263–271  
 Aguilar A, see Drago M et al. (2010) 420:253–261  
 Aguilar A, see Pinela AM et al. (2010) 416:295–306  
 Aguzzi J, Costa C, Furushima Y, Chiesa JJ, Company JB, Menesatti P, Iwase R, Fujiwara Y (2010) Behavioral rhythms of hydrocarbon seep fauna in relation to internal tides. 418:47–56  
 Aguzzi J, see Colmenero AI et al. (2010) 416:255–265  
 Al Saady S, see Rees AF et al. (2010) 418:201–212  
 Albouy C, Mouillot D, Rocklin D, Culioli JM, Le Loc'h F (2010) Simulation of the combined effects of artisanal and recreational fisheries on a Mediterranean MPA ecosystem using a trophic model. 412:207–221  
 Alcaraz M, see Almeda et al. (2010) 419:302  
 Alfaro-Shigueto J, see Pajuelo M et al. (2010) 417:277–285  
 Allen J, see Montagnes DJS et al. (2010) 411:101–115  
 Almeda R, Calbet A, Alcaraz M, Yebra L, Saiz E (2010) (Erratum to Vol. 410:97–109, 2010) 419:302  
 Álvarez-Salgado XA, see Martínez-García S et al. (2010) 416:17–33  
 Alyono M, see Martone PT et al. (2010) 416:57–67  
 Andersen KH, see Righton DA et al. (2010) 420:1–13  
 Anderson IC, see Hardison AK et al. (2010) 414:41–55  
 Anderson TW, see Deza AA (2010) 416:229–240  
 Anderson TW, see Farlin JP et al. (2010) 420:277–281  
 Anger K, see Walther K et al. (2010) 417:159–170  
 Araújo R, see Bertocci I et al. (2010) 414:107–116  
 Aravena G, see Iriarte A et al. (2010) 418:57–71  
 Archambault JA, see Arnott SA et al. (2010) 415:221–236  
 Arcos JM, see Laneri K et al. (2010) 420:241–252  
 Arellano SM, Young CM (2010) Pre- and post-settlement factors controlling spatial variation in recruitment across a cold-seep mussel bed. 414:131–144  
 Arenas F, see Bertocci I et al. (2010) 414:107–116  
 Arendt KE, see Dünweber M et al. (2010) 419:11–29  
 Arias MB, see Lardies MA et al. (2010) 412:179–187  
 Arneri E, see Coll M et al. (2010) 417:193–210  
 Arnold SN, Steneck RS, Mumby PJ (2010) Running the gauntlet: inhibitory effects of algal turfs on the processes of coral recruitment. 414:91–105  
 Arnott SA, Roumillat WA, Archambault JA, Wenner CA, Gerhard JI, Darden TL, Denson MR (2010) Spatial synchrony and temporal dynamics of juvenile red drum *Sciaenops ocellatus* populations in South Carolina, USA. 415:221–236  
 Aronson RB, see Dudgeon SR et al. (2010) 413:201–216  
 Attrill MJ, see Sheehan EV et al. (2010) 411:137–148  
 Aydin KY, see Hunsicker ME et al. (2010) 415:91–108  
 Ayre DJ, see Lathlean JA et al. (2010) 412:141–150  
 Ayre DJ, see Roberts DG (2010) 412:223–230

- Azevedo IC, Duarte P, Bordalo AA (2010) Temporal and spatial variability of phytoplankton photosynthetic characteristics in a southern European estuary (Douro, Portugal). 412:29–44

## B

- Bach L, Fischer A, Strand J (2010) Local anthropogenic contamination affects the fecundity and reproductive success of an Arctic amphipod. 419:121–128  
 Bacher C, see Grangeré K et al. (2010) 415:141–158  
 Bacigalupe LD, see Lardies MA et al. (2010) 412:179–187  
 Bailey A, see Karnovsky N et al. (2010) 415:283–293  
 Bailey H, Thompson P (2010) Effect of oceanographic features on fine-scale foraging movements of bottlenose dolphins. 418:223–233  
 Bailey KM, see Chan KS et al. (2010) 412:1–10  
 Bailey KM, see Zhang T et al. (2010) 417:237–248  
 Baker R, Minello TJ (2010) Growth and mortality of juvenile white shrimp *Litopenaeus setiferus* in a marsh pond. 413:95–104  
 Balazs G, see Wabnitz CCC et al. (2010) 420:27–43  
 Balazs GH, see Tiwari M et al. (2010) 419:289–294  
 Balestri E, Vallerini F, Lardicci C (2010) Effect of seed density and sediment nutrient heterogeneity on recruitment and early patch growth in the seagrass *Cymodocea nodosa*. 417:63–72  
 Balling Andersen B, see Berge T et al. (2010) 416:79–91  
 Barba Santos MG, see Van Tussenbroek BI et al. (2010) 419:283–288  
 Bargu S, Silver M, Goldstein T, Roberts K, Gulland F (2010) Complexity of domoic acid-related sea lion strandings in Monterey Bay, California: foraging patterns, climate events, and toxic blooms. 418:213–222  
 Barille L, see Perkins RG et al. (2010) 416:93–103  
 Barlow J, see Becker EA et al. (2010) 413:163–183  
 Barnes DKA, see Obermüller BE et al. (2010) 415:109–126  
 Barnett A, Abrantes K, Stevens JD, Yick JL, Frusher SD, Semmens JM (2010) Predator–prey relationships and foraging ecology of a marine apex predator with a wide temperature distribution. 416:189–200  
 Barreto RE, see Christofolletti RA et al. (2010) 420:125–134  
 Barrett NS, see Hill NA et al. (2010) 417:83–95  
 Bartolino V, see Casini M et al. (2010) 413:241–252  
 Basedow SL, Tande KS, Stige LC (2010) Habitat selection by a marine copepod during the productive season in the Subarctic. 416:165–178  
 Bathmann U, see Kruse S et al. (2010) 416:105–113  
 Batty P, see Glud RN et al. (2010) 417:1–12  
 Bay LK, see Souter P et al. (2010) 416:35–45  
 Beaugrand G, see Karnovsky N et al. (2010) 415:283–293  
 Beauvais S, see Pedrotti ML et al. (2010) 419:57–69  
 Beavers S, see Wabnitz CCC et al. (2010) 420:27–43  
 Becker EA, Forney KA, Ferguson MC, Foley DG, Smith RC, Barlow J, Redfern JV (2010) Comparing California Cur-

- rent cetacean–habitat models developed using *in situ* and remotely sensed sea surface temperature data. 413:163–183
- Beet AR, see Sutherland KR et al. (2010) 418:147–150
- Belda EJ, see Laneri K et al. (2010) 420:241–252
- Bellgrove A, McKenzie PF, McKenzie JL, Sfiligoj BJ (2010) Restoration of the habitat-forming fucoid alga *Hormosira banksii* at effluent-affected sites: competitive exclusion by coralline turfs. 419:47–56
- Bellgrove A, see Monk J et al. (2010) 420:157–174
- Bellwood DR, see Goatley CHR (2010) 415:237–245
- Bellwood DR, see Johansson CL et al. (2010) 414:65–74
- Belmonte G, see Svetlichny L et al. (2010) 419:109–120
- Ben-Shlomo R, Reem E, Douek J, Rinkevich B (2010) Population genetics of the invasive ascidian *Botryllus schlosseri* from South American coasts. 412:85–92
- Bendall V, see Righton DA et al. (2010) 420:1–13
- Beniash E, Ivanina A, Lieb NS, Kurochkin I, Sokolova IM (2010) Elevated level of carbon dioxide affects metabolism and shell formation in oysters *Crassostrea virginica*. 419:95–108
- Benoit-Bird KJ, see Kaltenberg AM et al. (2010) 419:171–184
- Berdalet E, see Llaveria G et al. (2010) 412:45–56
- Berg P, see Glud RN et al. (2010) 417:1–12
- Berge J, see Leu E et al. (2010) 411:49–60
- Berge J, see Nygård H et al. (2010) 417:115–126
- Berge T, Daugbjerg N, Balling Andersen B, Hansen PJ (2010) Effect of lowered pH on marine phytoplankton growth rates. 416:79–91
- Bergschneider H, see Waldbusser GG et al. (2010) 417:171–182
- Bertocci I, Arenas F, Matias M, Vaselli S, Araújo R, Abreu H, Pereira R, Vieira R, Sousa-Pinto I (2010) Canopy-forming species mediate the effects of disturbance on macroalgal assemblages on Portuguese rocky shores. 414:107–116
- Bester MN, see McIntyre T et al. (2010) 412:293–304
- Beukema JJ, Dekker R, Philippart CJM (2010) Long-term variability in bivalve recruitment, mortality, and growth and their contribution to fluctuations in food stocks of shellfish-eating birds. 414:117–130
- Bignell JP, see Stentiford GD et al. (2010) 411:215–230
- Biro PA, see Eriksson AC et al. (2010) 420:273–276
- Bishop MJ, see Taylor SL et al. (2010) 420:73–81
- Bitonti MB, see Bruno A et al. (2010) 415:61–71
- Bjorndal KA, see Pajuelo M et al. (2010) 417:277–285
- Bjorndal KA, see Wabnitz CCC et al. (2010) 420:27–43
- Black BA, see Matta EM et al. (2010) 413:137–145
- Blanchette CA, see Thompson SA et al. (2010) 413:17–31
- Blicher ME, see Glud RN et al. (2010) 417:1–12
- Blum LK, see Thomas CR (2010) 414:167–177
- Boaventura DM, see Silva AC et al. (2010) 416:179–188
- Boebel O, see Van Opzeeland I et al. (2010) 414:268–291
- Bolten AB, see Pajuelo M et al. (2010) 417:277–285
- Bolten AB, see Wabnitz CCC et al. (2010) 420:27–43
- Booth DJ, see Cummings DO et al. (2010) 419:211–222
- Booth DJ, see Eriksson AC et al. (2010) 420:273–276
- Bordalo AA, see Azevedo IC et al. (2010) 412:29–44
- Bornemann H, see McIntyre T et al. (2010) 412:293–304
- Bornemann H, see Van Opzeeland I et al. (2010) 414:268–291
- Borrell A, see Pinela AM et al. (2010) 416:295–306
- Bouza C, see Vilas R et al. (2010) 420:231–239
- Bozzano A, see Colmenero AI et al. (2010) 416:255–265
- Braithwaite VA, see Strand DA et al. (2010) 412:273–282
- Bramanti L, see Santangelo G (2010) 418:295–297
- Branch GM, see Pillay D et al. (2010) 415:35–48
- Branch GM, see Rius M et al. (2010) 418:151–163
- Breitbart DL, see Kolesar SE et al. (2010) 411:173–188
- Brêthes JC, see Bui AOV et al. (2010) 412:189–205
- Brey T, see Kruse S et al. (2010) 416:105–113
- Brito A, see Clemente S et al. (2010) 413:55–67
- Brito A, see Hernández JC et al. (2010) 413:69–80
- Broderick AC, see Rees AF et al. (2010) 418:201–212
- Brodeur RD, see Miller TW et al. (2010) 420:15–26
- Brotas V, see Perkins RG et al. (2010) 416:93–103
- Brown L, see Montagnes DJS et al. (2010) 411:101–115
- Brown Z, see Karnovsky N et al. (2010) 415:283–293
- Bruckner AW (2010) Quantifying the decline in *Corallium rubrum* populations: Reply to Santangelo & Bramanti (2010). 418:299–303
- Brunnschweiler JM, McKenzie J (2010) Baiting sharks for marine tourism: Comment on Clua et al. (2010). 420:283–284
- Bruno A, Bruno L, Chiappetta A, Giannino D, Bitonti MB (2010) *PoCHL P* expression pattern in *Posidonia oceanica* is related to critical light conditions. 415:61–71
- Bruno JF, see Dudgeon SR et al. (2010) 413:201–216
- Bruno L, see Bruno A et al. (2010) 415:61–71
- Bubley W, see Sulikowski JA et al. (2010) 418:249–254
- Bueno M, Moser GAO, Tocci BRC, Flores AAV (2010) Retention-favorable timing of propagule release in barnacles and periwinkles. 414:155–165
- Bui AOV, Ouellet P, Castonguay M, Brêthes JC (2010) Ichthyoplankton community structure in the northwest Gulf of St. Lawrence (Canada): past and present. 412:189–205
- Bulit C, see Montagnes DJS et al. (2010) 411:101–115
- Buray N, see Clua E et al. (2010) 414:257–266
- Buray N, see Clua E et al. (2010) 420:285–288
- Burch P, see McLeay LJ et al. (2010) 411:271–283
- Burdige D, see Dierssen HM et al. (2010) 411:1–15
- Burrows MT, see Griffin JN et al. (2010) 420:45–56

## C

- Calbet A, see Almeda et al. (2010) 419:302
- Caley MJ, see Souter P et al. (2010) 416:35–45
- Camaño A, see Castilla JC et al. (2010) 418:17–23
- Campos B, see Staaf DJ et al. (2010) 418:165–178
- Camus L, see Nygård H et al. (2010) 417:115–126
- Canal-Vergés P, see Valdemarsen T et al. (2010) 418:119–130
- Canuel EA, see Hardison AK et al. (2010) 414:41–55
- Cardona L, see Drago M et al. (2010) 420:253–261
- Cardona L, see Pinela AM et al. (2010) 416:295–306
- Carpentier A, see Martin CS et al. (2010) 417:211–228
- Carr LM, see Heyman WD et al. (2010) 419:201–210
- Carrasco NK, Perissinotto R (2010) Spatial and temporal variations in the diet of the mysid *Mesopodopsis africana* in the St. Lucia Estuary (South Africa). 417:127–138
- Cartaxana P, see Perkins RG et al. (2010) 416:93–103
- Casini M, Bartolino V, Molinero JC, Kornilovs G (2010) Linking fisheries, trophic interactions and climate: threshold dynamics drive herring *Clupea harengus* growth in the central Baltic Sea. 413:241–252
- Castellanos-Galindo GA, Krumme U, Willis TJ (2010) Tidal influences on fish distributions on tropical eastern Pacific rocky shores (Colombia). 416:241–254
- Castilla JC, Manríquez PH, Camaño A (2010) Effects of rocky shore coseismic uplift and the 2010 Chilean mega-earthquake on intertidal biomarker species. 418:17–23
- Castonguay M, see Bui AOV et al. (2010) 412:189–205
- Castro LR, Claramunt G, González H, Krautz MC, Llanos-Rivera A, Méndez J, Schneider W, Soto S (2010) Fatty acids in eggs of anchoveta *Engraulis ringens* during two contrasting winter spawning seasons. 420:193–205

- Chan KS, Zhang T, Bailey KM (2010) Otolith biochronology reveals factors underlying dynamics in marine fish larvae. 412:1–10
- Chan KS, see Zhang T et al. (2010) 417:237–248
- Chan KYK, Grünbaum D (2010) Temperature and diet modified swimming behaviors of larval sand dollar. 415:49–59
- Chang JH, Chen Y, Holland D, Grabowski J (2010) Estimating spatial distribution of American lobster *Homarus americanus* using habitat variables. 420:145–156
- Charbonnier Y, see Péron C et al. (2010) 416:267–284
- Chen GC, Ye Y (2010) Changes in properties of mangrove sediment due to foraging on *Kandelia obovata* leaves by crabs *Parasasarma plicatum* (Grapsidae: Sesarminae). 419:137–145
- Chen J, see Qin H et al. (2010) 415:177–187
- Chen Y, see Chang JH et al. (2010) 420:145–156
- Chen YG, see Shiao JC et al. (2010) 420:207–219
- Chen Z, see Qin H et al. (2010) 415:177–187
- Cherel Y, see Fort J et al. (2010) 414:293–302
- Chiappetta A, see Bruno A et al. (2010) 415:61–71
- Chiesa JJ, see Aguzzi J et al. (2010) 418:47–56
- Chollett I, Mumby PJ, Cortés J (2010) Upwelling areas do not guarantee refuge for coral reefs in a warming ocean. 416:47–56
- Christensen A, see van Deurs M et al. (2010) 416:201–214
- Christensen V, see Wabnitz CCC et al. (2010) 420:27–43
- Christofoletti RA, Murakami VA, de Oliveira DN, Barreto RE, Flores AAV (2010) Foraging by the omnivorous crab *Pachygrapsus transversus* affects the structure of assemblages on sub-tropical rocky shores. 420:125–134
- Chu JWF, Leys SP (2010) High resolution mapping of community structure in three glass sponge reefs (Porifera, Hexactinellida). 417:97–113
- Chu T, see Qin H et al. (2010) 415:177–187
- Claramunt G, see Castro LR et al. (2010) 420:193–205
- Clarke KR, see Silva AC et al. (2010) 416:179–188
- Clemente S, Hernández JC, Rodríguez A, Brito A (2010) Identifying keystone predators and the importance of preserving functional diversity in sublittoral rocky-bottom areas. 413:55–67
- Clemente S, see Hernández JC et al. (2010) 413:69–80
- Clua E, Buray N, Legendre P, Mourier J, Planes S (2010) Behavioural response of sicklefin lemon sharks *Negaprion acutidens* to underwater feeding for ecotourism purposes. 414:257–266
- Clua E, Buray N, Legendre P, Mourier J, Planes S (2010) Effects of provisioning on shark behaviour: Reply to Brunnschweiler & McKenzie (2010). 420:285–288
- Coates KA, see Fourqurean JW et al. (2010) 419:223–232
- Coco G, see Lundquist CJ et al. (2010) 413:217–228
- Cole VJ (2010) Alteration of the configuration of bioengineers affects associated taxa. 416:127–136
- Coleman RA, see Sheehan EV et al. (2010) 411:137–148
- Coll M, Santojanni A, Palomera I, Arneri E (2010) Ecosystem assessment of the North-Central Adriatic Sea: towards a multivariate reference framework. 417:193–210
- Collado-Vides L, see Yñiguez AT et al. (2010) 411:17–32
- Colmenero AI, Aguzzi J, Lombarte A, Bozzano A (2010) Sensory constraints in temporal segregation in two species of anglerfish, *Lophius budegassa* and *L. piscatorius*. 416:255–265
- Company JB, see Aguzzi J et al. (2010) 418:47–56
- Connors BM, see McConnell A et al. (2010) 419:147–156
- Conron SD, see Jenkins GP et al. (2010) 417:249–261
- Cope JM, see Gertseva VV et al. (2010) 413:125–136
- Copeman LA, Laurel BJ (2010) Experimental evidence of fatty acid limited growth and survival in Pacific cod larvae. 412:259–272
- Coppin F, see Martin CS et al. (2010) 417:211–228
- Corinaldesi C, see Fonda Umani S et al. (2010) 418:73–85
- Cortés J, see Chollett I et al. (2010) 416:47–56
- Costa C, see Aguzzi J et al. (2010) 418:47–56
- Costa TL, O'Hara TD, Keough MJ (2010) Measures of taxonomic distinctness do not reliably assess anthropogenic impacts on intertidal mollusc communities. 413:81–93
- Coyne MS, see Rees AF et al. (2010) 418:201–212
- Crawford RJM, see Durant JM et al. (2010) 420:263–271
- Crespo EA, see Drago M et al. (2010) 420:253–261
- Crook DA, see Macdonald JI (2010) 413:147–161
- Crowe TP, see Griffin JN et al. (2010) 420:45–56
- Cugier P, see Grangeré K et al. (2010) 415:141–158
- Culioli JM, see Albouy C et al. (2010) 412:207–221
- Cummings DO, Booth DJ, Lee RW, Simpson SJ, Pile AJ (2010) Ontogenetic diet shifts in the reef fish *Pseudanthias rubrizonatus* from isolated populations on the North-West Shelf of Australia. 419:211–222

## D

- Dahle G, see Skjærraasen JE et al. (2010) 412:247–258
- Danovaro R, see Fonda Umani S et al. (2010) 418:73–85
- Darden TL, see Arnott SA et al. (2010) 415:221–236
- Daugbjerg N, see Berge T et al. (2010) 416:79–91
- David K, see Wahl M et al. (2010) 411:33–48
- Davidson R, see Montagnes DJS et al. (2010) 411:101–115
- Davidson TM, de Rivera CE (2010) Accelerated erosion of saltmarshes infested by the non-native burrowing crustacean *Sphaeroma quoianum*. 419:129–136
- Davis JP, see McLeod RJ et al. (2010) 411:127–136
- Davoren GK, see Regular PM et al. (2010) 415:295–304
- de Beer D, see Heisterkamp IM et al. (2010) 415:1–9
- De La Rocha CL, Terbrüggen A, Völker C, Hohn S (2010) Response to and recovery from nitrogen and silicon starvation in *Thalassiosira weissflogii*: growth rates, nutrient uptake and C, Si and N content per cell. 412:57–68
- de Oliveira DN, see Christofoletti RA et al. (2010) 420:125–134
- de Rivera CE, see Davidson TM (2010) 419:129–136
- Decker MB, see Kolesar SE et al. (2010) 411:173–188
- Dekker R, see Beukema JJ et al. (2010) 414:117–130
- Delord K, see Péron C et al. (2010) 416:267–284
- Denson MR, see Arnott SA et al. (2010) 415:221–236
- Depczynski M, see Johansson CL et al. (2010) 414:65–74
- Devillers R, see Ruppert JLW et al. (2010) 411:189–201
- Deza AA, Anderson TW (2010) Habitat fragmentation, patch size, and the recruitment and abundance of kelp forest fishes. 416:229–240
- Diamond SL, see Kleisner KM et al. (2010) 411:203–213
- Die DJ, see Kleisner KM et al. (2010) 411:203–213
- Dierssen HM, Zimmerman RC, Drake LA, Burdige D (2010) Benthic ecology from space: optics and net primary production in seagrass and benthic algae across the Great Bahama Bank. 411:1–15
- Dirzo R, see Young HS et al. (2010) 416:285–294
- Dobretsov S, see Wahl M et al. (2010) 411:33–48
- Dollar R, see Piché J et al. (2010) 418:1–15
- Domenici P, see Johansen JL et al. (2010) 420:221–229
- Donadelli J, see Licursi M et al. (2010) 418:105–117
- Doubleday K, see Thornhill DJ et al. (2010) 420:113–123
- Douek J, see Ben-Shlomo R et al. (2010) 412:85–92
- Drago M, Cardona L, Crespo EA, Grandi MF, Aguilar A (2010) Reduction of skull size in South American sea lions reveals density-dependent growth during population recovery. 420:253–261

- Drake LA, see Dierssen HM et al. (2010) 411:1–15
- Drechsler M, see Kininmonth S et al. (2010) 417:139–149
- Drif K, Hirst AG, Hay S (2010) Seasonal abundance and egg production rates of *Oithona similis* and *Pseudocalanus elongatus* in the northern North Sea: a first comparison of egg-ratio and incubation methods. 415:159–175
- Driggers WB III, see Sulikowski JA et al. (2010) 418:249–254
- Duarte P, see Azevedo IC et al. (2010) 412:29–44
- Dudgeon SR, Aronson RB, Bruno JF, Precht WF (2010) Phase shifts and stable states on coral reefs. 413:201–216
- Dueck L, see Ferguson SH et al. (2010) 411:285–297
- Dunbar RB, see Young HS et al. (2010) 416:285–294
- Dünweber M, Swalethorp R, Kjellerup S, Nielsen TG, Arendt KE, Hjorth M, Tønnesson K, Møller EF (2010) Succession and fate of the spring diatom bloom in Disko Bay, western Greenland. 419:11–29
- Dupont JM, Hallock P, Jaap WC (2010) Ecological impacts of the 2005 red tide on artificial reef epibenthic macroinvertebrate and fish communities in the eastern Gulf of Mexico. 415:189–200
- Durant JM, Crawford RJM, Wolfaardt AC, Agenbag K, Visagie J, Upfold L, Stenseth NC (2010) Influence of feeding conditions on breeding of African penguins—importance of adequate local food supplies. 420:263–271
- E**
- Edgar GJ, see Hill NA et al. (2010) 417:83–95
- Edmunds PJ (2010) Population biology of *Porites astreoides* and *Diploria strigosa* on a shallow Caribbean reef. 418:87–104
- Edmunds PJ, Leichter JJ, Adjeroud M (2010) Landscape-scale variation in coral recruitment in Moorea, French Polynesia. 414:75–89
- EGge J, see Pedrotti ML et al. (2010) 419:57–69
- Eklholm J, see Kolb GS et al. (2010) 417:287–300
- El-Zibdah M, see Jantzen C et al. (2010) 411:117–125
- Elliger C, see Staaf DJ et al. (2010) 418:165–178
- Ellis JR, see Martin CS et al. (2010) 417:211–228
- Emmett RL, see Kaltenberg AM et al. (2010) 419:171–184
- Eriksson AC, Booth DJ, Biro PA (2010) Personality' in two species of temperate damselfish. 420:273–276
- Essington TE, see Hunsicker ME et al. (2010) 415:91–108
- Evrard V, Soetaert K, Heip CHR, Huettel M, Xenopoulos MA, Middelburg JJ (2010) Carbon and nitrogen flows through the benthic food web of a photic subtidal sandy sediment. 416:1–16
- F**
- Fairclough DV, see McLean DL et al. (2010) 418:189–199
- Fairweather PG, Lester RE (2010) Predicting future ecological degradation based on modelled thresholds. 413:291–304
- Falk-Petersen S, see Leu E et al. (2010) 411:49–60
- Faria AM, Gonçalves EJ (2010) Ontogeny of swimming behaviour of two temperate clingfishes, *Lepadogaster lepadogaster* and *L. purpurea* (Gobiesocidae). 414:237–248
- Farlin JP, Lewis LS, Anderson TW, Lai CT (2010) Functional diversity in amphipods revealed by stable isotopes in an eelgrass ecosystem. 420:277–281
- Faulkner K, see von der Meden CEO et al. (2010) 411:161–171
- Feist SW, see Stentiford GD et al. (2010) 411:215–230
- Ferguson MC, see Becker EA et al. (2010) 413:163–183
- Ferguson SH, Dueck L, Loseto LL, Luque SP (2010) Bowhead whale *Balaena mysticetus* seasonal selection of sea ice. 411:285–297
- Ferguson SH, see Lesage V et al. (2010) 419:249–265
- Fernández E, see Martínez-García S et al. (2010) 416:17–33
- Fernö A, see Skjæraasen JE et al. (2010) 412:247–258
- Field E, see Guidone M et al. (2010) 420:83–89
- Fielding S, see Montagnes DJS et al. (2010) 411:101–115
- Figuerola RI, see Llaveria G et al. (2010) 412:45–56
- Fillinger L, see Roder C et al. (2010) 412:113–128
- Fischer A, see Bach L et al. (2010) 419:121–128
- Fisher CR, see Podowski EL et al. (2010) 418:25–45
- Flindt MR, see Valdemarsen T et al. (2010) 418:119–130
- Flores AAV, see Bueno M et al. (2010) 414:155–165
- Flores AAV, see Christofolletti RA et al. (2010) 420:125–134
- Focaracci F, see Fonda Umani S et al. (2010) 418:73–85
- Foden J, Rogers SI, Jones AP (2010) Recovery of UK seabed habitats from benthic fishing and aggregate extraction—towards a cumulative impact assessment. 411:259–270
- Fogel ML, see Riccialdelli L et al. (2010) 418:235–248
- Foley DG, see Becker EA et al. (2010) 413:163–183
- Fonda Umani S, Malisana E, Focaracci F, Magagnini M, Corinaldesi C, Danovaro R (2010) Disentangling the effect of viruses and nanoflagellates on prokaryotes in bathypelagic waters of the Mediterranean Sea. 418:73–85
- Forehead HI, Thompson PA (2010) Microbial communities of subtidal shallow sandy sediments change with depth and wave disturbance, but nutrient exchanges remain similar. 414:11–26
- Forney KA, see Becker EA et al. (2010) 413:163–183
- Fort J, Cherel Y, Harding AMA, Welcker J, Jakubas D, Steen H, Karnovsky NJ, Grémillet D (2010) Geographic and seasonal variability in the isotopic niche of little auks. 414:293–302
- Fortin MJ, see Ruppert JLW et al. (2010) 411:189–201
- Fourqurean JW, Manuel S, Coates KA, Kenworthy WJ, Smith SR (2010) Effects of excluding sea turtle herbivores from a seagrass bed: Overgrazing may have led to loss of seagrass meadows in Bermuda. 419:223–232
- Franks PJS, see Fuchs HL (2010) 413:1–15
- Fredrickson K, see Menden-Deuer S (2010) 420:57–71
- Freitas V, see van der Veer HW et al. (2010) 416:215–227
- Frickenhaus S, see Van Opzeeland I et al. (2010) 414:268–291
- Frisk C, see van Deurs M et al. (2010) 416:201–214
- Frusher SD, see Barnett A et al. (2010) 416:189–200
- Fuchs HL, Franks PJS (2010) Plankton community properties determined by nutrients and size-selective feeding. 413:1–15
- Fuentes MMPB, Abbs D (2010) Effects of projected changes in tropical cyclone frequency on sea turtles. 412:283–292
- Fuiman LA, see Ojanguren AF (2010) 413:117–123
- Fujiwara Y, see Aguzzi J et al. (2010) 418:47–56
- Furey NB, see Sulikowski JA et al. (2010) 418:249–254
- Furushima Y, see Aguzzi J et al. (2010) 418:47–56
- G**
- Gagnon J, see Martin J et al. (2010) 412:69–84
- Gallucci VF, see Williams R et al. (2010) 414:249–256
- Galuardi B, see Sulikowski JA et al. (2010) 418:249–254
- Garcés E, see Llaveria G et al. (2010) 412:45–56
- Garza CD, see Young MA et al. (2010) 415:247–261
- Gelatt T, see Lea MA et al. (2010) 419:233–247
- Geller J, see Zabin CJ et al. (2010) 412:129–139
- Gentry J, see Zabin CJ et al. (2010) 412:129–139
- Gerhard JI, see Arnott SA et al. (2010) 415:221–236

- Gertseva VV, Cope JM, Matson SE (2010) Growth variability in the splitnose rockfish *Sebastes diploproa* of the northeast Pacific Ocean: pattern revisited. 413:125–136
- Geslin E, see Piña-Ochoa E et al. (2010) 417:39–49
- Giannino D, see Bruno A et al. (2010) 415:61–71
- Giarrizzo T, Krumme U, Wosniok W (2010) Size-structured migration and feeding patterns in the banded puffer fish *Colomesus psittacus* (Tetraodontidae) from north Brazilian mangrove creeks. 419:157–170
- Gillanders BM, see Payne NL et al. (2010) 419:295–301
- Gilly WF, see Staaf DJ et al. (2010) 418:165–178
- Giménez M, see Laneri K et al. (2010) 420:241–252
- Girard D, see Hernández JC et al. (2010) 413:69–80
- Glasby TM, see Taylor SL et al. (2010) 420:73–81
- Glaser SM (2010) Interdecadal variability in predator–prey interactions of juvenile North Pacific albacore in the California Current System. 414:209–221
- Glud RN, Berg P, Hume A, Batty P, Blicher ME, Lennert K, Rysgaard S (2010) Benthic O<sub>2</sub> exchange across hard-bottom substrates quantified by eddy correlation in a sub-Arctic fjord. 417:1–12
- Glud RN, see Søgaard DH et al. (2010) 419:31–45
- Goatley CHR, Bellwood DR (2010) Biologically mediated sediment fluxes on coral reefs: sediment removal and off-reef transportation by the surgeonfish *Ctenochaetus striatus*. 415:237–245
- Godley BJ, see Rees AF et al. (2010) 418:201–212
- Goldstein T, see Bargu S et al. (2010) 418:213–222
- Goldworthy SD, see McLeay LJ et al. (2010) 411:271–283
- Gómez N, see Licursi M et al. (2010) 418:105–117
- Gonçalves EJ, see Faria AM (2010) 414:237–248
- González H, see Castro LR et al. (2010) 420:193–205
- González J, see Martínez-García S et al. (2010) 416:17–33
- Goodall RNP, see Riccialdelli L et al. (2010) 418:235–248
- Gooley TA, Marshall DJ, Monro K (2010) Responses to conspecific density in an arborescent bryozoan. 415:83–90
- Gosselin M, see Martin J et al. (2010) 412:69–84
- Goszczko I, see Karnovsky N et al. (2010) 415:283–293
- Gould AL, Kimmerer WJ (2010) Development, growth, and reproduction of the cyclopoid copepod *Limnoithona tetraspina* in the upper San Francisco Estuary. 412:163–177
- Grabowski J, see Chang JH et al. (2010) 420:145–156
- Graham SA, Mendelssohn IA (2010) Multiple levels of nitrogen applied to an oligohaline marsh identify a plant community response sequence to eutrophication. 417:73–82
- Grandi MF, see Drago M et al. (2010) 420:253–261
- Grangeré K, Lefebvre S, Bacher C, Cugier P, Ménesguen A (2010) Modelling the spatial heterogeneity of ecological processes in an intertidal estuarine bay: dynamic interactions between bivalves and phytoplankton. 415:141–158
- Gratton Y, see Martin J et al. (2010) 412:69–84
- Green MA, see Waldbusser GG et al. (2010) 417:171–182
- Grémillet D, see Fort J et al. (2010) 414:293–302
- Grémillet D, see Karnovsky N et al. (2010) 415:283–293
- Grey EK (2010) Effects of large enemies on success of exotic species in marine fouling communities of Washington, USA. 411:89–100
- Griffin JN, Noël LMLJ, Crowe TP, Burrows MT, Hawkins SJ, Thompson RC, Jenkins SR (2010) Consumer effects on ecosystem functioning in rock pools: roles of species richness and composition. 420:45–56
- Griffiths CL, see Pillay D et al. (2010) 415:35–48
- Griffiths CL, see Rius M et al. (2010) 418:151–163
- Grotoli AG, see Hughes AD et al. (2010) 420:91–101
- Grünbaum D, see Chan KYK (2010) 415:49–59
- Gualart J, see Laneri K et al. (2010) 420:241–252
- Guidone M, Thornber CS, Field E (2010) Snail grazing facilitates growth of a bloom-forming alga. 420:83–89
- Gulland F, see Bargu S et al. (2010) 418:213–222

## H

- Haas AF, see Wild C et al. (2010) 411:61–71
- Hagen W, see Kreibich T et al. (2010) 413:105–115
- Hallock P, see Dupont JM et al. (2010) 415:189–200
- Hambäck PA, see Kolb GS et al. (2010) 417:287–300
- Hamilton J, see Munguia P et al. (2010) 413:229–240
- Hamilton J, see Osman RW et al. (2010) 413:277–289
- Hammerschlag N, Heithaus MR, Serafy JE (2010) Influence of predation risk and food supply on nocturnal fish foraging distributions along a mangrove–seagrass ecotone. 414:223–235
- Hammerschlag-Peyer CM, Layman CA (2010) Intrapopulation variation in habitat use by two abundant coastal fish species. 415:211–220
- Hansen PJ, see Berge T et al. (2010) 416:79–91
- Hansen PJ, see Søgaard DH et al. (2010) 419:31–45
- Harding A, see Karnovsky N et al. (2010) 415:283–293
- Harding AMA, see Fort J et al. (2010) 414:293–302
- Hardison AK, Canuel EA, Anderson IC, Veuger B (2010) Fate of macroalgae in benthic systems: carbon and nitrogen cycling within the microbial community. 414:41–55
- Hargrove S, see Tiwari M et al. (2010) 419:289–294
- Hargrove S, see Wabnitz CCC et al. (2010) 420:27–43
- Harris L, see Zabin CJ et al. (2010) 412:129–139
- Harvey E, see Monk J et al. (2010) 420:157–174
- Harvey ES, see McLean DL et al. (2010) 418:189–199
- Haselmair A, Stachowitsch M, Zuschin M, Riedel B (2010) Behaviour and mortality of benthic crustaceans in response to experimentally induced hypoxia and anoxia *in situ*. 414:195–208
- Hawkins SJ, see Griffin JN et al. (2010) 420:45–56
- Hawkins SJ, see Silva AC et al. (2010) 416:179–188
- Hay S, see Drif K et al. (2010) 415:159–175
- Hazelton ELG, Knight TJ, Theodose TA (2010) Glutamine synthetase partitioning in native and introduced salt marsh grasses. 414:57–64
- Heath DD, see Hogan JD et al. (2010) 417:263–275
- Heath M, see Montagnes DJS et al. (2010) 411:101–115
- Hedd A, see Regular PM et al. (2010) 415:295–304
- Heip CHR, see Evrard V et al. (2010) 416:1–16
- Heisterkamp IM, Schramm A, de Beer D, Stief P (2010) Nitrous oxide production associated with coastal marine invertebrates. 415:1–9
- Heithaus MR, see Hammerschlag N et al. (2010) 414:223–235
- Hernández JC, Clemente S, Girard D, Pérez-Ruzafa Á, Brito A (2010) Effect of temperature on settlement and postsettlement survival in a barrens-forming sea urchin. 413:69–80
- Hernández JC, see Clemente S et al. (2010) 413:55–67
- Hewitt JE, Thrush SF (2010) Empirical evidence of an approaching alternate state produced by intrinsic community dynamics, climatic variability and management actions. 413:267–276
- Hewitt JE, see Lundquist CJ et al. (2010) 413:217–228
- Heyman WD, Carr LM, Lobel PS (2010) Diver ecotourism and disturbance to reef fish spawning aggregations: It is better to be disturbed than to be dead. 419:201–210
- Hiddink JG, see ter Hofstede R et al. (2010) 414:1–9
- Hill NA, Pepper AR, Puotinen ML, Hughes MG, Edgar GJ, Barrett NS, Stuart-Smith RD, Leaper R (2010) Quantifying wave exposure in shallow temperate reef systems: applic-

- ability of fetch models for predicting algal biodiversity. 417:83–95
- Hilligsøe KM, see Sogaard DH et al. (2010) 419:31–45
- Hinrichsen HH, see Righton DA et al. (2010) 420:1–13
- Hirose E, see Sugiyama N et al. (2010) 415:73–82
- Hirose M, see Sugiyama N et al. (2010) 415:73–82
- Hirst AG, see Drif K et al. (2010) 415:159–175
- Hjorth M, see Dünweber M et al. (2010) 419:11–29
- Hoey AS (2010) Size matters: macroalgal height influences the feeding response of coral reef herbivores. 411:299–302
- Hoffman C, see Petraitis PS (2010) 413:189–200
- Hogan JD, Thiessen RJ, Heath DD (2010) Variability in connectivity indicated by chaotic genetic patchiness within and among populations of a marine fish. 417:263–275
- Hohn S, see De La Rocha CL et al. (2010) 412:57–68
- Holland D, see Chang JH et al. (2010) 420:145–156
- Holliday NP, see Montagnes DJS et al. (2010) 411:101–115
- Holmer M, see Valdemarsen T et al. (2010) 418:119–130
- Horiguchi T, see Nakajima M et al. (2010) 418:179–188
- Hovel KA, see Loflen CL (2010) 420:135–144
- Hubareva E, see Svetlichny L et al. (2010) 419:109–120
- Hubas C, Sachidhanandam C, Rybarczyk H, Lubarsky HV, Rigaux A, Moens T, Paterson DM (2010) Bacterivorous nematodes stimulate microbial growth and exopolymer production in marine sediment microcosms. 419:85–94
- Huettel M, see Evrard V et al. (2010) 416:1–16
- Hughes AD, Grotoli AG, Pease TK, Matsui Y (2010) Acquisition and assimilation of carbon in non-bleached and bleached corals. 420:91–101
- Hughes MG, see Hill NA et al. (2010) 417:83–95
- Hume A, see Glud RN et al. (2010) 417:1–12
- Hunsicker ME, Essington TE, Aydin KY, Ishida B (2010) Predatory role of the commander squid *Berryteuthis magister* in the eastern Bering Sea: insights from stable isotopes and food habits. 415:91–108
- Huse G, see Righton DA et al. (2010) 420:1–13
- Hüssy K, see Righton DA et al. (2010) 420:1–13
- I**
- Iampietro PJ, see Young MA et al. (2010) 415:247–261
- Ibáñez B, see Iriarte A et al. (2010) 418:57–71
- Ichinokawa M, see Shiao JC et al. (2010) 420:207–219
- Ierodiaconou D, see Monk J et al. (2010) 420:157–174
- Ingram GW Jr, see Sulikowski JA et al. (2010) 418:249–254
- Iriarte A, Aravena G, Villate F, Uriarte I, Ibáñez B, Llope M, Stenseth NC (2010) Dissolved oxygen in contrasting estuaries of the Bay of Biscay: effects of temperature, river discharge and chlorophyll a. 418:57–71
- Iseto T, see Sugiyama N et al. (2010) 415:73–82
- Ishida B, see Hunsicker ME et al. (2010) 415:91–108
- Isinibilir M, see Svetlichny L et al. (2010) 419:109–120
- Ivanina A, see Beniash E et al. (2010) 419:95–108
- Iverson SJ, see Piché J et al. (2010) 418:1–15
- Iwase R, see Aguzzi J et al. (2010) 418:47–56
- J**
- Jaap WC, see Dupont JM et al. (2010) 415:189–200
- Jackson AC, Underwood AJ, Murphy RJ, Skilleter GA (2010) Latitudinal and environmental patterns in abundance and composition of epilithic microphytobenthos. 417:27–38
- Jacobsen A, see Pedrotti ML et al. (2010) 419:57–69
- Jakobsen PJ, see Strand DA et al. (2010) 412:273–282
- Jakubas D, see Fort J et al. (2010) 414:293–302
- Jantzen C, Wild C, Rasheed M, El-Zibdah M, Richter C (2010) Enhanced pore-water nutrient fluxes by the upside-down jellyfish *Cassiopea* sp. in a Red Sea coral reef. 411:117–125
- Jantzen C, see Roder C et al. (2010) 412:113–128
- Jenkins GP, Conron SD, Morison AK (2010) Highly variable recruitment in an estuarine fish is determined by salinity stratification and freshwater flow: implications of a changing climate. 417:249–261
- Jenkins SR, see Griffin JN et al. (2010) 420:45–56
- Jensen KH, see Strand DA et al. (2010) 412:273–282
- Jesus BM, see Perkins RG et al. (2010) 416:93–103
- Johansen JL, Vaknin R, Steffensen JF, Domenici P (2010) Kinematics and energetic benefits of schooling in the labriform fish, striped surfperch *Embiotoca lateralis*. 420:221–229
- Johansson CL, Bellwood DR, Depczynski M (2010) Sea urchins, macroalgae and coral reef decline: a functional evaluation of an intact reef system, Ningaloo, Western Australia. 414:65–74
- Johnson AE (2010) Reducing bycatch in coral reef trap fisheries: escape gaps as a step towards sustainability. 415:201–209
- Johnson D, see Lea MA et al. (2010) 419:233–247
- Johnston EL, see McKinley A (2010) 420:175–191
- Johst K, see Kininmonth S et al. (2010) 417:139–149
- Jones AP, see Foden J et al. (2010) 411:259–270
- Jonsson P, see Righton DA et al. (2010) 420:1–13
- Jose C, see Martin J et al. (2010) 412:69–84
- Juniper SK, see Kouris A et al. (2010) 412:93–101
- K**
- Kaltenberg AM, Emmett RL, Benoit-Bird KJ (2010) Timing of forage fish seasonal appearance in the Columbia River plume and link to ocean conditions. 419:171–184
- Karlsen Ø, see Skjæraasen JE et al. (2010) 412:247–258
- Karnovsky N, Harding A, Walkusz W, Kwaśniewski S, Goszczko I, Wiktor J Jr, Routti H, Bailey A, McFadden L, Brown Z, Beaugrand G, Grémillet D (2010) Foraging distributions of little auks *Alle alle* across the Greenland Sea: implications of present and future Arctic climate change. 415:283–293
- Karnovsky NJ, see Fort J et al. (2010) 414:293–302
- Kelaher BP, see Taylor SL et al. (2010) 420:73–81
- Kemp DW, see Thornhill DJ et al. (2010) 420:113–123
- Kenworthy WJ, see Fourqurean JW et al. (2010) 419:223–232
- Keough MJ, see Costa TL et al. (2010) 413:81–93
- Kerr LA, Secor DH, Kraus RT (2010) (Erratum to Vol. 349: 245–253, 2007) 417:301
- Khokiattiwong S, see Roder C et al. (2010) 412:113–128
- Kimmerer WJ, see Gould AL (2010) 412:163–177
- Kindermann L, see Van Opzeeland I et al. (2010) 414:268–291
- Kininmonth S, Drechsler M, Johst K, Possingham HP (2010) Metapopulation mean life time within complex networks. 417:139–149
- Kjellerup S, see Dünweber M et al. (2010) 419:11–29
- Kleisner KM, Walter JF III, Diamond SL, Die DJ (2010) Modeling the spatial autocorrelation of pelagic fish abundance. 411:203–213
- Klinck H, see Van Opzeeland I et al. (2010) 414:268–291
- Knight TJ, see Hazelton ELG et al. (2010) 414:57–64
- Knoll H, see Thompson SA et al. (2010) 413:17–31
- Knott B, see Shiell GR (2010) 415:127–139
- Kodama K, see Nakajima M et al. (2010) 418:179–188
- Koho KA, see Piña-Ochoa E et al. (2010) 417:39–49

- Koksal S, see Roth L et al. (2010) 411:73–87
- Kolb GS, Ekholm J, Hambäck PA (2010) Effects of seabird nesting colonies on algae and aquatic invertebrates in coastal waters. 417:287–300
- Kolesar SE, Breitbart DL, Purcell JE, Decker MB (2010) Effects of hypoxia on *Mnemiopsis leidyi*, ichthyoplankton and copepods: clearance rates and vertical habitat overlap. 411:173–188
- Koopman HN, see Ronconi RA et al. (2010) 419:267–282
- Koot J, see van der Veer HW et al. (2010) 416:215–227
- Kornilovs G, see Casini M et al. (2010) 413:241–252
- Kouris A, Limén H, Stevens CJ, Juniper SK (2010) Blue mats: faunal composition and food web structure in colonial ciliate (*Folliculinopsis* sp.) mats at Northeast Pacific hydrothermal vents. 412:93–101
- Kraus RT, see Kerr LA et al. (2010) 417:301
- Krautz MC, see Castro LR et al. (2010) 420:193–205
- Kreibich T, Hagen W, Saborowski R (2010) Food utilization of two pelagic crustaceans in the Greenland Sea: *Meganycitiphanes norvegica* (Euphausiacea) and *Hymenodora glacialis* (Decapoda, Caridea). 413:105–115
- Kristensen E, see Valdemarsen T et al. (2010) 418:119–130
- Kristensen M, see Søgaard DH et al. (2010) 419:31–45
- Kristiansen MD, see Valdemarsen T et al. (2010) 418:119–130
- Krumme U, see Castellanos-Galindo GA et al. (2010) 416:241–254
- Krumme U, see Giarrizzo T et al. (2010) 419:157–170
- Kruse S, Brey T, Bathmann U (2010) Role of midwater chaetognaths in Southern Ocean pelagic energy flow. 416:105–113
- Kubanek J, see Poulson KL et al. (2010) 416:69–78
- Kurochkin I, see Beniash E et al. (2010) 419:95–108
- Kvitek RG, see Young MA et al. (2010) 415:247–261
- Kwaśniewski S, see Karnovsky N et al. (2010) 415:283–293
- L**
- La Peyre MK, see Piazza BP (2010) 412:231–245
- Lacasse O, see Rayssac N et al. (2010) 417:183–191
- Lachnit T, see Wahl M et al. (2010) 411:33–48
- Lai CT, see Farlin JP et al. (2010) 420:277–281
- Lam CH, Nielsen A, Sibert JR (2010) Incorporating sea-surface temperature to the light-based geolocation model TrackIt. 419:71–84
- Laneri K, Louzao M, Martínez-Abraín A, Arcos JM, Belda EJ, Guallart J, Sánchez A, Giménez M, Maestre R, Oro D (2010) Trawling regime influences longline seabird bycatch in the Mediterranean: new insights from a small-scale fishery. 420:241–252
- Lapoussière A, see Martin J et al. (2010) 412:69–84
- Lardicci C, see Balestri E et al. (2010) 417:63–72
- Lardies MA, Arias MB, Bacigalupe LD (2010) Phenotypic covariance matrix in life-history traits along a latitudinal gradient: a study case in a geographically widespread crab on the coast of Chile. 412:179–187
- Larsen PS, see Riisgård HU (2010) 418:255–293
- Lathlean JA, Ayre DJ, Minchinton TE (2010) Supply-side biogeography: geographic patterns of settlement and early mortality for a barnacle approaching its range limit. 412:141–150
- Laurel BJ, see Copeman LA (2010) 412:259–272
- Laurel BJ, see Ryer CH et al. (2010) 415:275–282
- Laurenson L, see Monk J et al. (2010) 420:157–174
- Lavaud J, see Perkins RG et al. (2010) 416:93–103
- Layman CA, see Hammerschlag-Peyer CM (2010) 415:211–220
- Le Loc'h F, see Albouy C et al. (2010) 412:207–221
- Le Roy D, see Martin CS et al. (2010) 417:211–228
- Lea MA, Johnson D, Melin S, Ream R, Gelatt T (2010) Diving ontogeny and lunar responses in a highly migratory mammal, the northern fur seal *Callorhinus ursinus*. 419:233–247
- Leaper R, see Hill NA et al. (2010) 417:83–95
- Lebaric Z, see Staaf DJ et al. (2010) 418:165–178
- Lee RW, see Cummings DO et al. (2010) 419:211–222
- Lefebvre S, see Grangeré K et al. (2010) 415:141–158
- Legendre P, see Clua E et al. (2010) 414:257–266
- Legendre P, see Clua E et al. (2010) 420:285–288
- Lei G, see Qin H et al. (2010) 415:177–187
- Leichter JJ, see Edmunds PJ et al. (2010) 414:75–89
- Lennert K, see Glud RN et al. (2010) 417:1–12
- Lesage V, Morin Y, Rioux È, Pomerleau C, Ferguson SH, Pelletier É (2010) Stable isotopes and trace elements as indicators of diet and habitat use in cetaceans: predicting errors related to preservation, lipid extraction, and lipid normalization. 419:249–265
- Lester RE, see Fairweather PG (2010) 413:291–304
- Leu E, Wiktor J, Søreide JE, Berge J, Falk-Petersen S (2010) Increased irradiance reduces food quality of sea ice algae. 411:49–60
- Lewis LS, see Farlin JP et al. (2010) 420:277–281
- Leys SP, see Chu JWF (2010) 417:97–113
- Licursi M, Gómez N, Donadelli J (2010) Ecological optima and tolerances of coastal benthic diatoms in the freshwater-mixohaline zone of the Río de la Plata estuary. 418:105–117
- Lieb NS, see Beniash E et al. (2010) 419:95–108
- Limén H, see Kouris A et al. (2010) 412:93–101
- Llanos-Rivera A, see Castro LR et al. (2010) 420:193–205
- Llaveria G, Garcés E, Ross ON, Figueroa RI, Sampedro N, Berdalet E (2010) Small-scale turbulence can reduce parasite infectivity to dinoflagellates. 412:45–56
- Llope M, see Iriarte A et al. (2010) 418:57–71
- Lobel PS, see Heyman WD et al. (2010) 419:201–210
- Loflen CL, Hovel KA (2010) Behavioral responses to variable predation risk in the California spiny lobster *Panulirus interruptus*. 420:135–144
- Lohrer AM, see Needham HR et al. (2010) 414:179–193
- Lombarte A, see Colmenero AI et al. (2010) 416:255–265
- Lønborg C, see Martínez-García S et al. (2010) 416:17–33
- Loseto LL, see Ferguson SH et al. (2010) 411:285–297
- Louzao M, see Laneri K et al. (2010) 420:241–252
- Louzao M, see Péron C et al. (2010) 416:267–284
- Lubarsky HV, see Hubas C et al. (2010) 419:85–94
- Lucey SM, Nye JA (2010) Shifting species assemblages in the Northeast US Continental Shelf Large Marine Ecosystem. 415:23–33
- Lundquist CJ, Thrush SF, Coco G, Hewitt JE (2010) Interactions between disturbance and dispersal reduce persistence thresholds in a benthic community. 413:217–228
- Luque SP, see Ferguson SH et al. (2010) 411:285–297
- Luther GW III, see Podowski EL et al. (2010) 418:25–45
- Lyons BP, see Stentiford GD et al. (2010) 411:215–230
- Lyons DA, Scheibling RE, Van Alstyne KL (2010) Spatial and temporal variation in DMSP content in the invasive seaweed *Codium fragile* ssp. *fragile*: effects of temperature, light and grazing. 417:51–61
- M**
- Ma S, see Podowski EL et al. (2010) 418:25–45
- Macaya EC, Zuccarello GC (2010) Genetic structure of the

- giant kelp *Macrocystis pyrifera* along the southeastern Pacific. 420:103–112
- Macdonald JI, Crook DA (2010) Variability in Sr:Ca and Ba:Ca ratios in water and fish otoliths across an estuarine salinity gradient. 413:147–161
- Mackie JA, see Zabin CJ et al. (2010) 412:129–139
- Maestre R, see Laneri K et al. (2010) 420:241–252
- Magagnini M, see Fonda Umani S et al. (2010) 418:73–85
- Maier C, Weinbauer MG, Pätzold J (2010) Stable isotopes reveal limitations in C and N assimilation in the Caribbean reef corals *Madracis auretenra*, *M. carmabi* and *M. formosa*. 412:103–112
- Malisana E, see Fonda Umani S et al. (2010) 418:73–85
- Mangel JC, see Pajuelo M et al. (2010) 417:277–285
- Manríquez PH, see Castilla JC et al. (2010) 418:17–23
- Manuel S, see Fourqurean JW et al. (2010) 419:223–232
- Marañón E, see Martínez-García S et al. (2010) 416:17–33
- Markaida U, see Staaf DJ et al. (2010) 418:165–178
- Márquez Guzmán J, see Van Tussenbroek BI et al. (2010) 419:283–288
- Marrasé C, see Pedrotti ML et al. (2010) 419:57–69
- Marshall DJ, see Gooley TA et al. (2010) 415:83–90
- Marteau C, see Péron C et al. (2010) 416:267–284
- Martin CS, Vaz S, Ellis JR, Coppin F, Le Roy D, Carpentier A (2010) Spatio-temporal patterns in demersal elasmobranchs from trawl surveys in the eastern English Channel (1988–2008). 417:211–228
- Martin J, Tremblay JÉ, Gagnon J, Tremblay G, Lapoussière A, Jose C, Poulin M, Gosselin M, Gratton Y, Michel C (2010) Prevalence, structure and properties of subsurface chlorophyll maxima in Canadian Arctic waters. 412:69–84
- Martínez P, see Vilas R et al. (2010) 420:231–239
- Martínez-Abraín A, see Laneri K et al. (2010) 420:241–252
- Martínez-García S, Fernández E, Álvarez-Salgado XA, González J, Lønborg C, Marañón E, Morán XAG, Teira E (2010) Differential responses of phytoplankton and heterotrophic bacteria to organic and inorganic nutrient additions in coastal waters off the NW Iberian Peninsula. 416:17–33
- Martone PT, Alyono M, Stites S (2010) Bleaching of an intertidal coralline alga: untangling the effects of light, temperature, and desiccation. 416:57–67
- Mason RP, see Porter ET et al. (2010) 413:33–53
- Matias M, see Bertocci I et al. (2010) 414:107–116
- Matson SE, see Gertseva VV et al. (2010) 413:125–136
- Matsui Y, see Hughes AD et al. (2010) 420:91–101
- Matta EM, Black BA, Wilderbuer TK (2010) Climate-driven synchrony in otolith growth-increment chronologies for three Bering Sea flatfish species. 413:137–145
- Mayer I, see Skjæraasen JE et al. (2010) 412:247–258
- McCauley DJ, see Young HS et al. (2010) 416:285–294
- McConnell A, Routledge R, Connors BM (2010) Effect of artificial light on marine invertebrate and fish abundance in an area of salmon farming. 419:147–156
- McFadden L, see Karnovsky N et al. (2010) 415:283–293
- McIlwain JL, see Taylor BM (2010) 411:243–258
- McIntyre T, Tosh CA, Plötz J, Bornemann H, Bester MN (2010) Segregation in a sexually dimorphic mammal: a mixed-effects modelling analysis of diving behaviour in southern elephant seals. 412:293–304
- McKenzie J, see Brunnschweiler JM (2010) 420:283–284
- McKenzie JL, see Bellgrove A et al. (2010) 419:47–56
- McKenzie PF, see Bellgrove A et al. (2010) 419:47–56
- McKinley A, Johnston EL (2010) Impacts of contaminant sources on marine fish abundance and species richness: a review and meta-analysis of evidence from the field. 420:175–191
- McKinstry CAE, see Ronconi RA et al. (2010) 419:267–282
- McLean DL, Harvey ES, Fairclough DV, Newman SJ (2010) Large decline in the abundance of a targeted tropical lehrinid in areas open and closed to fishing. 418:189–199
- McLeay LJ, Page B, Goldsworthy SD, Paton DC, Teixeira C, Burch P, Ward T (2010) Foraging behaviour and habitat use of a short-ranging seabird, the crested tern. 411:271–283
- McLeod RJ, Wing SR, Davis JP (2010) Habitat conversion and species loss alters the composition of carbon sources to benthic communities. 411:127–136
- McManus JW, see Yñiguez AT et al. (2010) 411:17–32
- McQuaid CD, see Plass-Johnson JG et al. (2010) 411:149–159
- McQuaid CD, see von der Meden CEO et al. (2010) 411:161–171
- Meager JJ, see Skjæraasen JE et al. (2010) 412:247–258
- Melin S, see Lea MA et al. (2010) 419:233–247
- Mendelssohn IA, see Graham SA (2010) 417:73–82
- Menden-Deuer S, Fredrickson K (2010) Structure-dependent, protistan grazing and its implication for the formation, maintenance and decline of plankton patches. 420:57–71
- Méndez J, see Castro LR et al. (2010) 420:193–205
- Menesatti P, see Aguzzi J et al. (2010) 418:47–56
- Ménesguen A, see Grangeré K et al. (2010) 415:141–158
- Metaxas A, see Saunders MI (2010) 418:131–145
- Metcalfe J, see Righton DA et al. (2010) 420:1–13
- Michalsen K, see Righton DA et al. (2010) 420:1–13
- Michel C, see Martin J et al. (2010) 412:69–84
- Middelburg JJ, see Evrard V et al. (2010) 416:1–16
- Millán A, see Vilas R et al. (2010) 420:231–239
- Miller TW, Brodeur RD, Rau G, Omori K (2010) Prey dominance shapes trophic structure of the northern California Current pelagic food web: evidence from stable isotopes and diet analysis. 420:15–26
- Minchinton TE, see Lathlean JA et al. (2010) 412:141–150
- Minello TJ, see Baker R (2010) 413:95–104
- Moens T, see Hubas C et al. (2010) 419:85–94
- Molinero JC, see Casini M et al. (2010) 413:241–252
- Møller EF, see Dünweber M et al. (2010) 419:11–29
- Monk J, Ierodiaconou D, Versace VL, Bellgrove A, Harvey E, Rattray A, Laurenson L, Quinn GP (2010) Habitat suitability for marine fishes using presence-only modelling and multibeam sonar. 420:157–174
- Monro K, see Gooley TA et al. (2010) 415:83–90
- Montagnes DJS, Allen J, Brown L, Bulit C, Davidson R, Fielding S, Heath M, Holliday NP, Rasmussen J, Sanders R, Waniek JJ, Wilson D (2010) Role of ciliates and other microzooplankton in the Irminger Sea (NW Atlantic Ocean). 411:101–115
- Montevocchi WA, see Regular PM et al. (2010) 415:295–304
- Morán XAG, see Martínez-García S et al. (2010) 416:17–33
- Morat F, see Vignon M (2010) 411:231–241
- Morin Y, see Lesage V et al. (2010) 419:249–265
- Morison AK, see Jenkins GP et al. (2010) 417:249–261
- Morley SA, see Obermüller BE et al. (2010) 415:109–126
- Mosegaard H, see Righton DA et al. (2010) 420:1–13
- Mosegaard H, see van Deurs M et al. (2010) 416:201–214
- Moser GAO, see Bueno M et al. (2010) 414:155–165
- Mouget JL, see Perkins RG et al. (2010) 416:93–103
- Mouillot D, see Albouy C et al. (2010) 412:207–221
- Mourier J, see Clua E et al. (2010) 414:257–266
- Mourier J, see Clua E et al. (2010) 420:285–288
- Muhlía Montero M, see Van Tussenbroek BI et al. (2010) 419:283–288
- Muirhead A, see Souter P et al. (2010) 416:35–45
- Mumby PJ, see Arnold SN et al. (2010) 414:91–105
- Mumby PJ, see Chollett I et al. (2010) 416:47–56

- Munguia P, Osman RW, Hamilton J, Whitlatch RB, Zajac RN (2010) Modeling of priority effects and species dominance in Long Island Sound benthic communities. 413:229–240  
 Munguia P, see Osman ERW et al. (2010) 413:185–187  
 Munguia P, see Osman RW et al. (2010) 413:277–289  
 Munroe DM, Noda T (2010) Physical and biological factors contributing to changes in the relative importance of recruitment to population dynamics in open populations. 412:151–162  
 Murakami VA, see Christoforetti RA et al. (2010) 420:125–134  
 Murphy RJ, see Jackson AC et al. (2010) 417:27–38

## N

- Nakajima M, Kodama K, Horiguchi T, Tanaka Y, Shiraishi H (2010) Impacts of shifts in spawning seasonality and size at maturation on the population growth of mantis shrimp in Tokyo Bay. 418:179–188  
 Naumann MS, see Wild C et al. (2010) 411:61–71  
 Neat F, see Righton DA et al. (2010) 420:1–13  
 Needham HR, Pilditch CA, Lohrer AM, Thrush SF (2010) Habitat dependence in the functional traits of *Austrohelice crassa*, a key bioturbating species. 414:179–193  
 Neubauer P, Shima JS, Swearer SE (2010) Scale-dependent variability in *Forsterygion lapillum* hatchling otolith chemistry: implications and solutions for studies of population connectivity. 415:263–274  
 Neuenfeldt S, see Righton DA et al. (2010) 420:1–13  
 Newman SJ, see McLean DL et al. (2010) 418:189–199  
 Newsome SD, see Riccialdelli L et al. (2010) 418:235–248  
 Nielsen A, see Lam CH et al. (2010) 419:71–84  
 Nielsen KJ, see Thompson SA et al. (2010) 413:17–31  
 Nielsen TG, see Dünweber M et al. (2010) 419:11–29  
 Niggel W, see Wild C et al. (2010) 411:61–71  
 Nixon SW, see Oczkowski AJ et al. (2010) 414:145–153  
 Noda T, see Munroe DM (2010) 412:151–162  
 Noël LMLJ, see Griffin JN et al. (2010) 420:45–56  
 Norkko A, see Norkko J et al. (2010) 413:253–266  
 Norkko A, see Valanko S et al. (2010) 416:145–163  
 Norkko J, Norkko A, Thrush SF, Valanko S, Suurkuukka H (2010) Conditional responses to increasing scales of disturbance, and potential implications for threshold dynamics in soft-sediment communities. 413:253–266  
 Norkko J, see Valanko S et al. (2010) 416:145–163  
 Nye JA, see Lucey SM (2010) 415:23–33  
 Nygård H, Wallenschus J, Camus L, Varpe Ø, Berge J (2010) Annual routines and life history of the amphipod *Onisimus litoralis*: seasonal growth, body composition and energy budget. 417:115–126

## O

- O'Hara TD, see Costa TL et al. (2010) 413:81–93  
 Obermüller BE, Morley SA, Barnes DKA, Peck LS (2010) Seasonal physiology and ecology of Antarctic marine benthic predators and scavengers. 415:109–126  
 Obernolte R, see Zabin CJ et al. (2010) 412:129–139  
 Oczkowski AJ, Pilson MEQ, Nixon SW (2010) A marked gradient in  $\delta^{13}\text{C}$  values of clams *Mercenaria mercenaria* across a marine embayment may reflect variations in ecosystem metabolism. 414:145–153  
 Ojanguren AF, Fuiman LA (2010) Seasonal variability in antipredator performance of red drum larvae. 413:117–123  
 Okey TA, see Williams R et al. (2010) 414:249–256

- Omori K, see Miller TW et al. (2010) 420:15–26  
 Ono NN, see Takagi KK et al. (2010) 416:137–144  
 Oro D, see Laneri K et al. (2010) 420:241–252  
 Osman ERW, Munguia P, Zajac RN (2010) Ecological thresholds in marine communities: theory, experiments and management. 413:185–187  
 Osman RW, Munguia P, Whitlatch RB, Zajac RN, Hamilton J (2010) Thresholds and multiple community states in marine fouling communities: integrating natural history with management strategies. 413:277–289  
 Osman RW, see Munguia P et al. (2010) 413:229–240  
 Ouellet P, see Bui AOV et al. (2010) 412:189–205

## P

- Page B, see McLeay LJ et al. (2010) 411:271–283  
 Pajuelo M, Bjørndal KA, Alfaro-Shigueto J, Seminoff JA, Mangel JC, Bolten AB (2010) Stable isotope variation in loggerhead turtles reveals Pacific–Atlantic oceanographic differences. 417:277–285  
 Palomera I, see Coll M et al. (2010) 417:193–210  
 Papathanasopoulou N, see Rees AF et al. (2010) 418:201–212  
 Parker ER, see Teal LR et al. (2010) 414:27–40  
 Parrish FA, see Piché J et al. (2010) 418:1–15  
 Paterson DM, see Hubas C et al. (2010) 419:85–94  
 Paton DC, see McLeay LJ et al. (2010) 411:271–283  
 Pätzold J, see Maier C et al. (2010) 412:103–112  
 Pauly D, see Wabnitz CCC et al. (2010) 420:27–43  
 Payne NL, Gillanders BM, Webber DM, Semmens JM (2010) Interpreting diel activity patterns from acoustic telemetry: the need for controls. 419:295–301  
 Pease TK, see Hughes AD et al. (2010) 420:91–101  
 Peck LS, see Obermüller BE et al. (2010) 415:109–126  
 Pedrotti ML, Peters F, Beauvais S, Vidal M, Egge J, Jacobsen A, Marrasé C (2010) Effects of nutrients and turbulence on the production of transparent exopolymer particles: a mesocosm study. 419:57–69  
 Pelletier É, see Lesage V et al. (2010) 419:249–265  
 Pepper AR, see Hill NA et al. (2010) 417:83–95  
 Pereira R, see Bertocci I et al. (2010) 414:107–116  
 Pérez-Matus A, Shima JS (2010) Density- and trait-mediated effects of fish predators on amphipod grazers: potential indirect benefits for the giant kelp *Macrocystis pyrifera*. 417:151–158  
 Pérez-Ruzafa Á, see Hernández JC et al. (2010) 413:69–80  
 Perissinotto R, see Carrasco NK (2010) 417:127–138  
 Perkins RG, Lavaud J, Serôdio J, Mouget JL, Cartaxana P, Rosa P, Barille L, Brotas V, Jesus BM (2010) Vertical cell movement is a primary response of intertidal benthic biofilms to increasing light dose. 416:93–103  
 Pernet F, see Rayssac N et al. (2010) 417:183–191  
 Péron C, Delord K, Phillips RA, Charbonnier Y, Marteau C, Louzao M, Weimerskirch H (2010) Seasonal variation in oceanographic habitat and behaviour of white-chinned petrels *Procellaria aequinoctialis* from Kerguelen Island. 416:267–284  
 Peters F, see Pedrotti ML et al. (2010) 419:57–69  
 Petraitis PS, Hoffman C (2010) Multiple stable states and relationship between thresholds in processes and states. 413:189–200  
 Philippart CJM, see Beukema JJ et al. (2010) 414:117–130  
 Phillips RA, see Péron C et al. (2010) 416:267–284  
 Piazza BP, La Peyre MK (2010) Using *Gambusia affinis* growth and condition to assess estuarine habitat quality: a comparison of indices. 412:231–245  
 Piché J, Iverson SJ, Parrish FA, Dollar R (2010) Characteriza-

- tion of forage fish and invertebrates in the Northwestern Hawaiian Islands using fatty acid signatures: species and ecological groups. 418:1–15
- Pilditch CA, see Needham HR et al. (2010) 414:179–193
- Pile AJ, see Cummings DO et al. (2010) 419:211–222
- Pillay D, Branch GM, Griffiths CL, Williams C, Prinsloo A (2010) Ecosystem change in a South African marine reserve (1960–2009): role of seagrass loss and anthropogenic disturbance. 415:35–48
- Pilson MEQ, see Oczkowski AJ et al. (2010) 414:145–153
- Piña-Ochoa E, Koho KA, Geslin E, Risgaard-Petersen N (2010) Survival and life strategy of the foraminiferan *Globobulimina turgida* through nitrate storage and denitrification. 417:39–49
- Pinela AM, Borrell A, Cardona L, Aguilar A (2010) Stable isotope analysis reveals habitat partitioning among marine mammals off the NW African coast and unique trophic niches for two globally threatened species. 416:295–306
- Planes S, see Clua E et al. (2010) 414:257–266
- Planes S, see Clua E et al. (2010) 420:285–288
- Plass-Johnson JG, McQuaid CD, Porri F (2010) Top-down effects on intertidal mussel populations: assessing two predator guilds in a South African marine protected area. 411:149–159
- Plötz J, see McIntyre T et al. (2010) 412:293–304
- Plötz J, see Van Opzeeland I et al. (2010) 414:268–291
- Podowski EL, Ma S, Luther GW III, Wardrop D, Fisher CR (2010) Biotic and abiotic factors affecting distributions of megafauna in diffuse flow on andesite and basalt along the Eastern Lau Spreading Center, Tonga. 418:25–45
- Pomerleau C, see Lesage V et al. (2010) 419:249–265
- Porri F, see Plass-Johnson JG et al. (2010) 411:149–159
- Porri F, see von der Meden CEO et al. (2010) 411:161–171
- Porter ET, Mason RP, Sanford LP (2010) Effect of tidal resuspension on benthic–pelagic coupling in an experimental ecosystem study. 413:33–53
- Pörtner HO, see Walther K et al. (2010) 417:159–170
- Possingham HP, see Kininmonth S et al. (2010) 417:139–149
- Poulin M, see Martin J et al. (2010) 412:69–84
- Poulin R, see Studer A et al. (2010) 415:11–22
- Poulson KL, Sieg RD, Prince EK, Kubanek J (2010) Allelopathic compounds of a red tide dinoflagellate have species-specific and context-dependent impacts on phytoplankton. 416:69–78
- Precht WF, see Dudgeon SR et al. (2010) 413:201–216
- Prince EK, see Poulson KL et al. (2010) 416:69–78
- Prinsloo A, see Pillay D et al. (2010) 415:35–48
- Puotinen ML, see Hill NA et al. (2010) 417:83–95
- Purcell JE, see Kolesar SE et al. (2010) 411:173–188
- Q**
- Qin H, Chu T, Xu W, Lei G, Chen Z, Quan W, Chen J, Wu J (2010) Effects of invasive cordgrass on crab distributions and diets in a Chinese salt marsh. 415:177–187
- Quan W, see Qin H et al. (2010) 415:177–187
- Quinn GP, see Monk J et al. (2010) 420:157–174
- R**
- Rasheed M, see Jantzen C et al. (2010) 411:117–125
- Rasmussen J, see Montagnes DJS et al. (2010) 411:101–115
- Rattray A, see Monk J et al. (2010) 420:157–174
- Rau G, see Miller TW et al. (2010) 420:15–26
- Rayssac N, Pernet F, Lacasse O, Tremblay R (2010) Temperature effect on survival, growth, and triacylglycerol content during the early ontogeny of *Mytilus edulis* and *M. trossulus*. 417:183–191
- Ream R, see Lea MA et al. (2010) 419:233–247
- Redfern JV, see Becker EA et al. (2010) 413:163–183
- Reem E, see Ben-Shlomo R et al. (2010) 412:85–92
- Rees AF, Al Saady S, Broderick AC, Coyne MS, Papathanasopoulou N, Godley BJ (2010) Behavioural polymorphism in one of the world's largest populations of loggerhead sea turtles *Caretta caretta*. 418:201–212
- Regular PM, Davoren GK, Hedd A, Montevecchi WA (2010) Crepuscular foraging by a pursuit-diving seabird: tactics of common murre in response to the diel vertical migration of capelin. 415:295–304
- Riccialdelli L, Newsome SD, Fogel ML, Goodall RNP (2010) Isotopic assessment of prey and habitat preferences of a cetacean community in the southwestern South Atlantic Ocean. 418:235–248
- Richter C, see Jantzen C et al. (2010) 411:117–125
- Richter C, see Roder C et al. (2010) 412:113–128
- Riedel B, see Haselmair A et al. (2010) 414:195–208
- Rigaux A, see Hubas C et al. (2010) 419:85–94
- Righton DA, Andersen KH, Neat F, Thorsteinsson V, Steingrund P, Svedäng H, Michalsen K, Hinrichsen HH, Bendall V, Neuenfeldt S, Wright P, Jonsson P, Huse G, van der Kooij J, Mosegaard H, Hüsey K, Metcalfe J (2010) Thermal niche of Atlantic cod *Gadus morhua*: limits, tolerance and optima. 420:1–13
- Riisgård HU, Larsen PS (2010) Particle capture mechanisms in suspension-feeding invertebrates. 418:255–293
- Rijnsdorp AD, see ter Hofstede R et al. (2010) 414:1–9
- Rinkevich B, see Ben-Shlomo R et al. (2010) 412:85–92
- Rioux È, see Lesage V et al. (2010) 419:249–265
- Risgaard-Petersen N, see Piña-Ochoa E et al. (2010) 417:39–49
- Rius M, Branch GM, Griffiths CL, Turon X (2010) Larval settlement behaviour in six gregarious ascidians in relation to adult distribution. 418:151–163
- Roberts DG, Ayre DJ (2010) Panmictic population structure in the migratory marine sparid *Acanthopagrus australis* despite its close association with estuaries. 412:223–230
- Roberts K, see Bargu S et al. (2010) 418:213–222
- Robey J, see von der Meden CEO et al. (2010) 411:161–171
- Rocklin D, see Albouy C et al. (2010) 412:207–221
- Roder C, Fillinger L, Jantzen C, Schmidt GM, Khokiattiwong S, Richter C (2010) Trophic response of corals to large amplitude internal waves. 412:113–128
- Rodríguez A, see Clemente S et al. (2010) 413:55–67
- Rogers SI, see Foden J et al. (2010) 411:259–270
- Ronconi RA, Koopman HN, McKinstry CAE, Wong SNP, Westgate AJ (2010) Inter-annual variability in diet of non-breeding pelagic seabirds *Puffinus* spp. at migratory staging areas: evidence from stable isotopes and fatty acids. 419:267–282
- Rosa P, see Perkins RG et al. (2010) 416:93–103
- Rose GA, see Ruppert JLW et al. (2010) 411:189–201
- Ross ON, see Llaveria G et al. (2010) 412:45–56
- Roth L, Koksals S, van Woosik R (2010) Effects of thermal stress on key processes driving coral-population dynamics. 411:73–87
- Roumillat WA, see Arnott SA et al. (2010) 415:221–236
- Routledge R, see McConnell A et al. (2010) 419:147–156
- Routti H, see Karnovsky N et al. (2010) 415:283–293
- Rudolfson G, see Skjæraasen JE et al. (2010) 412:247–258
- Ruiz-Cooley RL, see Staaf DJ et al. (2010) 418:165–178
- Ruppert JLW, Fortin MJ, Rose GA, Devillers R (2010) Environmental mediation of Atlantic cod on fish community com-

position: an application of multivariate regression tree analysis to exploited marine ecosystems. 411:189–201  
 Rybarczyk H, see Hubas C et al. (2010) 419:85–94  
 Ryer CH, Laurel BJ, Stoner AW (2010) Testing the shallow water refuge hypothesis in flatfish nurseries. 415:275–282  
 Rysgaard S, see Glud RN et al. (2010) 417:1–12  
 Rysgaard S, see Sogaard DH et al. (2010) 419:31–45

## S

- Saborowski R, see Kreibich T et al. (2010) 413:105–115  
 Sachidhanandam C, see Hubas C et al. (2010) 419:85–94  
 Saha M, see Wahl M et al. (2010) 411:33–48  
 Saiz E, see Almeda et al. (2010) 419:302  
 Salomon PS, Stolte W (2010) Predicting the population dynamics in *Amoebophrya* parasitoids and their dinoflagellate hosts using a mathematical model. 419:1–10  
 Salvanes AGV, see Strand DA et al. (2010) 412:273–282  
 Sampedro N, see Llaveria G et al. (2010) 412:45–56  
 Sánchez A, see Laneri K et al. (2010) 420:241–252  
 Sanders R, see Montagnon DJS et al. (2010) 411:101–115  
 Sanford LP, see Porter ET et al. (2010) 413:33–53  
 Santangelo G, Bramanti L (2010) Quantifying the decline in *Corallium rubrum* populations. 418:295–297  
 Santojanni A, see Coll M et al. (2010) 417:193–210  
 Santos SR, see Thornhill DJ et al. (2010) 420:113–123  
 Sassa C, Tsukamoto Y (2010) Distribution and growth of *Scomber japonicus* and *S. australasicus* larvae in the southern East China Sea in response to oceanographic conditions. 419:185–199  
 Saunders MI, Metaxas A (2010) Physical forcing of distributions of bryozoan cyphonautes larvae in a coastal embayment. 418:131–145  
 Scheibling RE, see Lyons DA et al. (2010) 417:51–61  
 Schiel DR, see Tait LW (2010) 416:115–125  
 Schmidt GM, see Roder C et al. (2010) 412:113–128  
 Schneider W, see Castro LR et al. (2010) 420:193–205  
 Schramm A, see Heisterkamp IM et al. (2010) 415:1–9  
 Secor DH, see Kerr LA et al. (2010) 417:301  
 Seminoff JA, see Pajuelo M et al. (2010) 417:277–285  
 Semmens JM, see Barnett A et al. (2010) 416:189–200  
 Semmens JM, see Payne NL et al. (2010) 419:295–301  
 Serafy JE, see Hammerschlag N et al. (2010) 414:223–235  
 Seródio J, see Perkins RG et al. (2010) 416:93–103  
 Severin I, Stal LJ (2010) Spatial and temporal variability in nitrogenase activity and diazotrophic community composition in coastal microbial mats. 417:13–25  
 Sfiligoj BJ, see Bellgrove A et al. (2010) 419:47–56  
 Shaffer SA, see Young HS et al. (2010) 416:285–294  
 Shahnaz L, see Wahl M et al. (2010) 411:33–48  
 Sheehan EV, Coleman RA, Thompson RC, Attrill MJ (2010) Crab-tiling reduces the diversity of estuarine infauna. 411:137–148  
 Shen CC, see Shiao JC et al. (2010) 420:207–219  
 Shiao JC, Wang SW, Yokawa K, Ichinokawa M, Takeuchi Y, Chen YG, Shen CC (2010) Natal origin of Pacific bluefin tuna *Thunnus orientalis* inferred from otolith oxygen isotope composition. 420:207–219  
 Shiell GR, Knott B (2010) Aggregations and temporal changes in the activity and bioturbation contribution of the sea-cucumber *Holothuria whitmaei* (Echinodermata: Holothuroidea). 415:127–139  
 Shima JS, see Neubauer P et al. (2010) 415:263–274  
 Shima JS, see Pérez-Matus A (2010) 417:151–158  
 Shima JS, see Swearer SE (2010) 417:229–236  
 Shiraiishi H, see Nakajima M et al. (2010) 418:179–188  
 Sibert JR, see Lam CH et al. (2010) 419:71–84  
 Sieg RD, see Poulson KL et al. (2010) 416:69–78  
 Silva AC, Hawkins SJ, Clarke KR, Boaventura DM, Thompson RC (2010) Preferential feeding by the crab *Necora puber* on differing sizes of the intertidal limpet *Patella vulgata*. 416:179–188  
 Silver M, see Bargu S et al. (2010) 418:213–222  
 Simpson SJ, see Cummings DO et al. (2010) 419:211–222  
 Skilleter GA, see Jackson AC et al. (2010) 417:27–38  
 Skjæraasen JE, Meager JJ, Karlsen Ø, Mayer I, Dahle G, Rudolfson G, Fernö A (2010) Mating competition between farmed and wild cod *Gadus morhua*. 412:247–258  
 Smith RC, see Becker EA et al. (2010) 413:163–183  
 Smith SR, see Fourqurean JW et al. (2010) 419:223–232  
 Soetaert K, see Evrard V et al. (2010) 416:1–16  
 Sogaard DH, Kristensen M, Rysgaard S, Glud RN, Hansen PJ, Hilligsøe KM (2010) Autotrophic and heterotrophic activity in Arctic first-year sea ice: seasonal study from Malene Bight, SW Greenland. 419:31–45  
 Sokolova IM, see Beniash E et al. (2010) 419:95–108  
 Solan M, see Teal LR et al. (2010) 414:27–40  
 Solow AR, see Sutherland KR et al. (2010) 418:147–150  
 Søreide JE, see Leu E et al. (2010) 411:49–60  
 Soto S, see Castro LR et al. (2010) 420:193–205  
 Sousa-Pinto I, see Bertocci I et al. (2010) 414:107–116  
 Souter P, Willis BL, Bay LK, Caley MJ, Muirhead A, van Oppen MJH (2010) Location and disturbance affect population genetic structure in four coral species of the genus *Acropora* on the Great Barrier Reef. 416:35–45  
 Staaf DJ, Ruiz-Cooley RI, Elliger C, Lebaric Z, Campos B, Markaida U, Gilly WF (2010) Ommastrephid squids *Sthenoteuthis oualaniensis* and *Dosidicus gigas* in the eastern Pacific show convergent biogeographic breaks but contrasting population structures. 418:165–178  
 Stachowitsch M, see Haselmair A et al. (2010) 414:195–208  
 Stal LJ, see Severin I (2010) 417:13–25  
 Steen H, see Fort J et al. (2010) 414:293–302  
 Steffensen JF, see Johansen JL et al. (2010) 420:221–229  
 Steinberg DK, see Wilson SE (2010) 412:11–27  
 Steingrund P, see Righton DA et al. (2010) 420:1–13  
 Steneck RS, see Arnold SN et al. (2010) 414:91–105  
 Stenseth NC, see Durant JM et al. (2010) 420:263–271  
 Stenseth NC, see Iriarte A et al. (2010) 418:57–71  
 Stentiford GD, Bignell JP, Lyons BP, Thain JE, Feist SW (2010) Effect of age on liver pathology and other diseases in flatfish: implications for assessment of marine ecological health status. 411:215–230  
 Stevens CJ, see Kouris A et al. (2010) 412:93–101  
 Stevens JD, see Barnett A et al. (2010) 416:189–200  
 Stief P, see Heisterkamp IM et al. (2010) 415:1–9  
 Stige LC, see Basedow SL et al. (2010) 416:165–178  
 Stites S, see Martone PT et al. (2010) 416:57–67  
 Stolte W, see Salomon PS (2010) 419:1–10  
 Stoner AW, see Ryer CH et al. (2010) 415:275–282  
 Strand DA, Utne-Palm AC, Jakobsen PJ, Braithwaite VA, Jensen KH, Salvanes AGV (2010) Enrichment promotes learning in fish. 412:273–282  
 Strand J, see Bach L et al. (2010) 419:121–128  
 Stuart-Smith RD, see Hill NA et al. (2010) 417:83–95  
 Studer A, Thielges DW, Poulin R (2010) Parasites and global warming: net effects of temperature on an intertidal host-parasite system. 415:11–22  
 Sugiyama N, Iseto T, Hirose M, Hirose E (2010) Reproduction and population dynamics of the solitary entoproct *Loxosomella plakorticola* inhabiting a demosponge, *Plakortis* sp. 415:73–82  
 Sulikowski JA, Galuardi B, Bublely W, Furey NB, Driggers WB

- III, Ingram GW Jr, Tsang PCW (2010) Use of satellite tags to reveal the movements of spiny dogfish *Squalus acanthias* in the western North Atlantic Ocean. 418:249–254
- Sutherland KR, Beet AR, Solow AR (2010) Re-analysis of a salp population time-series. 418:147–150
- Suurkuukka H, see Norkko J et al. (2010) 413:253–266
- Svedäng H, see Righton DA et al. (2010) 420:1–13
- Svetlichny L, Hubareva E, Belmonte G, Isinibilir M, Ustun F, Yilmaz IN, Toklu-Alıch B (2010) Vulnerability of copepod eggs in salinity and temperature gradients of the Marmara and Black Seas. 419:109–120
- Swalethorp R, see Dünweber M et al. (2010) 419:11–29
- Swearer SE, Shima JS (2010) Regional variation in larval retention and dispersal drives recruitment patterns in a temperate reef fish. 417:229–236
- Swearer SE, see Neubauer P et al. (2010) 415:263–274
- Symanowski F, see Wahl M et al. (2010) 411:33–48

## T

- Tait LW, Schiel DR (2010) Primary productivity of intertidal macroalgal assemblages: comparison of laboratory and *in situ* photorespirometry. 416:115–125
- Takagi KK, Ono NN, Wright WG (2010) Interspecific variation in palatability suggests cospecialization of antipredator defenses in sea hares. 416:137–144
- Takeuchi Y, see Shiao JC et al. (2010) 420:207–219
- Tanaka Y, see Nakajima M et al. (2010) 418:179–188
- Tande KS, see Basedow SL et al. (2010) 416:165–178
- Taylor BM, McIlwain JL (2010) Beyond abundance and biomass: effects of marine protected areas on the demography of a highly exploited reef fish. 411:243–258
- Taylor SL, Bishop MJ, Kelaher BP, Glasby TM (2010) Impacts of detritus from the invasive alga *Caulerpa taxifolia* on a soft sediment community. 420:73–81
- Teal LR, Parker ER, Solan M (2010) Sediment mixed layer as a proxy for benthic ecosystem process and function. 414:27–40
- Teira E, see Martínez-García S et al. (2010) 416:17–33
- Teixeira C, see McLeay LJ et al. (2010) 411:271–283
- ter Hofstede R, Hiddink JG, Rijnsdorp AD (2010) Regional warming changes fish species richness in the eastern North Atlantic Ocean. 414:1–9
- Terbrüggen A, see De La Rocha CL et al. (2010) 412:57–68
- Thain JE, see Stentiford GD et al. (2010) 411:215–230
- Theodose TA, see Hazelton ELG et al. (2010) 414:57–64
- Thieltges DW, see Studer A et al. (2010) 415:11–22
- Thiessen RJ, see Hogan JD et al. (2010) 417:263–275
- Thomas CR, Blum LK (2010) Importance of the fiddler crab *Uca pugnax* to salt marsh soil organic matter accumulation. 414:167–177
- Thompson P, see Bailey H (2010) 418:223–233
- Thompson PA, see Forehead HI (2010) 414:11–26
- Thompson RC, see Griffin JN et al. (2010) 420:45–56
- Thompson RC, see Sheehan EV et al. (2010) 411:137–148
- Thompson RC, see Silva AC et al. (2010) 416:179–188
- Thompson SA, Knoll H, Blanchette CA, Nielsen KJ (2010) Population consequences of biomass loss due to commercial collection of the wild seaweed *Postelsia palmaeformis*. 413:17–31
- Thornber CS, see Guidone M et al. (2010) 420:83–89
- Thornhill DJ, Doubleday K, Kemp DW, Santos SR (2010) Host hybridization alters specificity of cnidarian–dinoflagellate associations. 420:113–123
- Thorsteinsson V, see Righton DA et al. (2010) 420:1–13
- Thrush SF, see Hewitt JE (2010) 413:267–276

- Thrush SF, see Lundquist CJ et al. (2010) 413:217–228
- Thrush SF, see Needham HR et al. (2010) 414:179–193
- Thrush SF, see Norkko J et al. (2010) 413:253–266
- Tiwari M, Balazs GH, Hargrove S (2010) Estimating carrying capacity at the green turtle nesting beach of East Island, French Frigate Shoals. 419:289–294
- Tocci BRC, see Bueno M et al. (2010) 414:155–165
- Toklu-Alıch B, see Svetlichny L et al. (2010) 419:109–120
- Tönnesson K, see Dünweber M et al. (2010) 419:11–29
- Tosh CA, see McIntyre T et al. (2010) 412:293–304
- Tremblay G, see Martin J et al. (2010) 412:69–84
- Tremblay JÉ, see Martin J et al. (2010) 412:69–84
- Tremblay R, see Rayssac N et al. (2010) 417:183–191
- Tsang PCW, see Sulikowski JA et al. (2010) 418:249–254
- Tsakamoto Y, see Sassa C (2010) 419:185–199
- Turon X, see Rius M et al. (2010) 418:151–163

## U

- Underwood AJ, see Jackson AC et al. (2010) 417:27–38
- Upfold L, see Durant JM et al. (2010) 420:263–271
- Uriarte I, see Iriarte A et al. (2010) 418:57–71
- Ustun F, see Svetlichny L et al. (2010) 419:109–120
- Utne-Palm AC, see Strand DA et al. (2010) 412:273–282

## V

- Vaknin R, see Johansen JL et al. (2010) 420:221–229
- Valanko S, Norkko A, Norkko J (2010) Rates of post-larval bedload dispersal in a non-tidal soft-sediment system. 416:145–163
- Valanko S, see Norkko J et al. (2010) 413:253–266
- Valdemarsen T, Canal-Vergés P, Kristensen E, Holmer M, Kristiansen MD, Flindt MR (2010) Vulnerability of *Zostera marina* seedlings to physical stress. 418:119–130
- Vallerini F, see Balestri E et al. (2010) 417:63–72
- Van Alstyne KL, see Lyons DA et al. (2010) 417:51–61
- van der Kooij J, see Righton DA et al. (2010) 420:1–13
- van der Veer HW, Freitas V, Koot J, Witte JJJ, Zuur AF (2010) Food limitation in epibenthic species in temperate intertidal systems in summer: analysis of 0-group plaice *Pleuronectes platessa*. 416:215–227
- van Deurs M, Christensen A, Frisk C, Mosegaard H (2010) Overwintering strategy of sandeel ecotypes from an energy/predation trade-off perspective. 416:201–214
- van Oppen MJH, see Souter P et al. (2010) 416:35–45
- Van Opzeeland I, Van Parijs S, Bornemann H, Frickenhaus S, Kindermann L, Klinck H, Plötzt J, Boebel O (2010) Acoustic ecology of Antarctic pinnipeds. 414:268–291
- Van Parijs S, see Van Opzeeland I et al. (2010) 414:268–291
- Van Tussenbroek BI, Muhlia Montero M, Wong R, Barba Santos MG, Márquez Guzmán J (2010) Pollen limitation in a dioecious seagrass: evidence from a field experiment. 419:283–288
- van Woesik R, see Roth L et al. (2010) 411:73–87
- Varpe Ø, see Nygård H et al. (2010) 417:115–126
- Vasel M, see Wahl M et al. (2010) 411:33–48
- Vaselli S, see Bertocci I et al. (2010) 414:107–116
- Vaz S, see Martin CS et al. (2010) 417:211–228
- Vera M, see Vilas R et al. (2010) 420:231–239
- Versace VL, see Monk J et al. (2010) 420:157–174
- Veuger B, see Hardison AK et al. (2010) 414:41–55
- Vidal M, see Pedrotti ML et al. (2010) 419:57–69
- Vieira R, see Bertocci I et al. (2010) 414:107–116
- Vignon M, Morat F (2010) Environmental and genetic deter-

- minant of otolith shape revealed by a non-indigenous tropical fish. 411:231–241
- Vilas R, Bouza C, Vera M, Millán A, Martínez P (2010) Variation in anonymous and EST-microsatellites suggests adaptive population divergence in turbot. 420:231–239
- Villate F, see Iriarte A et al. (2010) 418:57–71
- Visagie J, see Durant JM et al. (2010) 420:263–271
- Völker C, see De La Rocha CL et al. (2010) 412:57–68
- von der Meden CEO, Porri F, McQuaid CD, Faulkner K, Robey J (2010) Fine-scale ontogenetic shifts in settlement behaviour of mussels: changing responses to biofilm and conspecific settler presence in *Mytilus galloprovincialis* and *Perna perna*. 411:161–171
- W**
- Wabnitz CCC, Balazs G, Beavers S, Bjorndal KA, Bolten AB, Christensen V, Hargrove S, Pauly D (2010) Ecosystem structure and processes at Kaloko Honokōhau, focusing on the role of herbivores, including the green sea turtle *Chelonia mydas*, in reef resilience. 420:27–43
- Wahl M, Shahnaz L, Dobretsov S, Saha M, Symanowski F, David K, Lachnit T, Vassel M, Weinberger F (2010) Ecology of antifouling resistance in the bladder wrack *Fucus vesiculosus*: patterns of microfouling and antimicrobial protection. 411:33–48
- Waldbusser GG, Bergschneider H, Green MA (2010) Size-dependent pH effect on calcification in post-larval hard clam *Mercenaria* spp. 417:171–182
- Walkusz W, see Karnovsky N et al. (2010) 415:283–293
- Wallace SS, see Williams R et al. (2010) 414:249–256
- Wallenschus J, see Nygård H et al. (2010) 417:115–126
- Walter JF III, see Kleisner KM et al. (2010) 411:203–213
- Walther K, Anger K, Pörtner HO (2010) Effects of ocean acidification and warming on the larval development of the spider crab *Hyas araneus* from different latitudes (54° vs. 79°N). 417:159–170
- Wang SW, see Shiao JC et al. (2010) 420:207–219
- Waniek JJ, see Montagnes DJS et al. (2010) 411:101–115
- Ward T, see McLeay LJ et al. (2010) 411:271–283
- Wardrop D, see Podowski EL et al. (2010) 418:25–45
- Webber DM, see Payne NL et al. (2010) 419:295–301
- Weimerskirch H, see Péron C et al. (2010) 416:267–284
- Weinbauer MG, see Maier C et al. (2010) 412:103–112
- Weinberger F, see Wahl M et al. (2010) 411:33–48
- Welcker J, see Fort J et al. (2010) 414:293–302
- Wenner CA, see Arnott SA et al. (2010) 415:221–236
- Westgate AJ, see Ronconi RA et al. (2010) 419:267–282
- Whitlatch RB, see Munguia P et al. (2010) 413:229–240
- Whitlatch RB, see Osman RW et al. (2010) 413:277–289
- Wiktor J Jr, see Karnovsky N et al. (2010) 415:283–293
- Wiktor J, see Leu E et al. (2010) 411:49–60
- Wild C, Niggel W, Naumann MS, Haas AF (2010) Organic matter release by Red Sea coral reef organisms—potential effects on microbial activity and *in situ* O<sub>2</sub> availability. 411: 61–71
- Wild C, see Jantzen C et al. (2010) 411:117–125
- Wilderbuer TK, see Matta EM et al. (2010) 413:137–145
- Williams C, see Pillay D et al. (2010) 415:35–48
- Williams R, Okey TA, Wallace SS, Gallucci VF (2010) Shark aggregation in coastal waters of British Columbia. 414: 249–256
- Willis BL, see Souter P et al. (2010) 416:35–45
- Willis TJ, see Castellanos-Galindo GA et al. (2010) 416: 241–254
- Wilson D, see Montagnes DJS et al. (2010) 411:101–115
- Wilson SE, Steinberg DK (2010) Autotrophic picoplankton in mesozooplankton guts: evidence of aggregate feeding in the mesopelagic zone and export of small phytoplankton. 412:11–27
- Wing SR, see McLeod RJ et al. (2010) 411:127–136
- Witte JIJ, see van der Veer HW et al. (2010) 416:215–227
- Wolfaardt AC, see Durant JM et al. (2010) 420:263–271
- Wong R, see Van Tussenbroek BI et al. (2010) 419:283–288
- Wong SNP, see Ronconi RA et al. (2010) 419:267–282
- Wosniok W, see Giarrizzo T et al. (2010) 419:157–170
- Wright P, see Righton DA et al. (2010) 420:1–13
- Wright WG, see Takagi KK et al. (2010) 416:137–144
- Wu J, see Qin H et al. (2010) 415:177–187
- X**
- Xenopoulos MA, see Evrard V et al. (2010) 416:1–16
- Xu W, see Qin H et al. (2010) 415:177–187
- Y**
- Ye Y, see Chen GC (2010) 419:137–145
- Yebra L, see Almeda et al. (2010) 419:302
- Yick JL, see Barnett A et al. (2010) 416:189–200
- Yilmaz IN, see Svetlichny L et al. (2010) 419:109–120
- Yñiguez AT, McManus JW, Collado-Vides L (2010) Capturing the dynamics in benthic structures: environmental effects on morphology in the macroalgal genera *Halimeda* and *Dictyota*. 411:17–32
- Yokawa K, see Shiao JC et al. (2010) 420:207–219
- Young CM, see Arellano SM (2010) 414:131–144
- Young HS, McCauley DJ, Dirzo R, Dunbar RB, Shaffer SA (2010) Niche partitioning among and within sympatric tropical seabirds revealed by stable isotope analysis. 416: 285–294
- Young MA, Iampietro PJ, Kvitek RG, Garza CD (2010) Multi-variate bathymetry-derived generalized linear model accurately predicts rockfish distribution on Cordell Bank, California, USA. 415:247–261
- Z**
- Zabin CJ, Obernolte R, Mackie JA, Gentry J, Harris L, Geller J (2010) A non-native bryozoan creates novel substrate on the mudflats in San Francisco Bay. 412:129–139
- Zajac RN, see Munguia P et al. (2010) 413:229–240
- Zajac RN, see Osman ERW et al. (2010) 413:185–187
- Zajac RN, see Osman RW et al. (2010) 413:277–289
- Zhang T, Bailey KM, Chan KS (2010) Recruitment forecast models for walleye pollock *Theragra chalcogramma* fine-tuned from juvenile survey data, predator abundance and environmental phase shifts. 417:237–248
- Zhang T, see Chan KS et al. (2010) 412:1–10
- Zimmerman RC, see Dierssen HM et al. (2010) 411:1–15
- Zuccarello GC, see Macaya EC (2010) 420:103–112
- Zuschin M, see Haselmair A et al. (2010) 414:195–208
- Zuur AF, see van der Veer HW et al. (2010) 416:215–227