

COMBINED AUTHOR AND TITLE INDEX

(Volumes 471 to 480, 2012–2013)

A

- Aarestrup K, see Schabetsberger R et al. (2013) 475:177–190
 Aarts G, see Santos S et al. (2012) 471:123–134
 Abad MJ, see Babarro JMF (2013) 476:115–128
 Åberg P, see Svensson CJ et al. (2012) 471:61–71
 Ablan-Lagman MCA, see Ackiss AS et al. (2013) 480:185–197
 Able KW, Grothues TM, Kemp IM (2013) Fine-scale distribution of pelagic fishes relative to a large urban pier. 476:185–198
 Ackiss AS, Pardede S, Crandall ED, Ablan-Lagman MCA, Ambariyanto, Romena N, Barber PH, Carpenter KE (2013) Pronounced genetic structure in a highly mobile coral reef fish, *Caesio cuning*, in the Coral Triangle. 480:185–197
 Adjeroud M, see Penin L (2013) 473:149–162
 Afonso P, see Schmiing M et al. (2013) 474:201–216
 Agustí S, see Alou-Font E et al. (2013) 474:89–104
 Åkesson S, see Evans TJ et al. (2013) 475:277–289
 Akins JL, see Côté IM et al. (2013) 472:249–256
 Aksnes DL, see Haraldsson M et al. (2012) 471:73–85
 Alber M, see McFarlin CR (2013) 474:1–13
 Alderkamp AC, Mills MM, van Dijken GL, Arrigo KR (2013) Photoacclimation and non-photochemical quenching under *in situ* irradiance in natural phytoplankton assemblages from the Amundsen Sea, Antarctica. 475:15–34
 Alemany F, see Laiz-Carrión R et al. (2013) 475:203–212
 Alexander KE, see Willis TV et al. (2013) 474:263–276
 Allen CD, Lemons GE, Eguchi T, LeRoux RA, Fahy CC, Dutton PH, Peckham SH, Seminoff JA (2013) Stable isotope analysis reveals migratory origin of loggerhead turtles in the Southern California Bight. 472:275–285
 Alongi DM, see Erler DV et al. (2013) 478:57–70
 Alonso-Pérez F, see Zúñiga D et al. (2013) 476:101–114
 Alou-Font E, Mundy CJ, Roy S, Gosselin M, Agustí S (2013) Snow cover affects ice algal pigment composition in the coastal Arctic Ocean during spring. 474:89–104
 Ambariyanto, see Ackiss AS et al. (2013) 480:185–197
 Ammerman JW, see Orcutt KM et al. (2013) 478:101–113
 Amo L, Rodríguez-Gironés MÁ, Barbosa A (2013) Olfactory detection of dimethyl sulphide in a krill-eating Antarctic penguin. 474:277–285
 Andersen T, see Olli K et al. (2013) 473:53–66
 Anderson JR, Behringer DC (2013) Spatial dynamics in the social lobster *Panulirus argus* in response to diseased conspecifics. 474:191–200
 Andresen H, Dorresteijn I, van der Meer J (2013) Growth and size-dependent loss of newly settled bivalves in two distant regions of the Wadden Sea. 472:141–154
 Andrews AH, see Carreiro-Silva M et al. (2013) 473:189–199
 Andrews KS, Harvey CJ (2013) Ecosystem-level consequences of movement: seasonal variation in the trophic impact of a top predator. 473:247–260
 Andrews RD, see Skinner JP et al. (2012) 471:293–308

- Ang PO, see Leung YS et al. (2013) 477:135–145
 Appeldoorn RS, see Bejarano I (2013) 474:217–226
 Aranda M, see Bayer T et al. (2013) 479:75–84
 Arenas F, see Vaz-Pinto F et al. (2012) 471:51–60
 Arif C, see Bayer T et al. (2013) 479:75–84
 Arrigo KR, see Alderkamp AC et al. (2013) 475:15–34
 Arrizabalaga H, see Montes I et al. (2012) 471:183–191
 Arthur KE, see Vander Zanden HB et al. (2013) 476:237–249
 Aurelle D, see Penant G et al. (2013) 480:155–170
 Aveni-Deforge K, see Weitzman JS et al. (2013) 475:65–83
 Ayers MJ, Scharler UM, Fennessy ST (2013) Modelling ecosystem effects of reduced prawn recruitment on the Thukela Bank trawling grounds, South Africa, following nursery loss. 479:143–161
 Ayre DJ, see Lathlean JA et al. (2013) 475:155–166
 Azumaya T, see Kaga T et al. (2013) 478:211–221

B

- Babarro JMF, Abad MJ (2013) Co-existence of two mytilid species in a heterogeneous environment: mortality, growth and strength of shell and byssus attachment. 476:115–128
 Baden S, see Svensson CJ et al. (2012) 471:61–71
 Bailey KM, see Ciannelli L et al. (2013) 480:227–243
 Bailey KM, see Stige LC et al. (2013) 480:245–261
 Baird AH, see Chua CM et al. (2013) 475:85–92
 Baker AC, McClanahan TR, Starger CJ, Boonstra RK (2013) Long-term monitoring of algal symbiont communities in corals reveals stability is taxon dependent and driven by site-specific thermal regime. 479:85–97
 Balanika K, see Tsiamis K et al. (2013) 472:73–85
 Balart EF, see Cabral-Tena RA et al. (2013) 476:1–8
 Banaigs B, see Lecchini D et al. (2013) 475:303–307
 Barber PH, see Ackiss AS et al. (2013) 480:185–197
 Barbosa A, see Amo L et al. (2013) 474:277–285
 Barceló C, Domingo A, Miller P, Ortega L, Giffoni B, Sales G, McNaughton L, Marcovaldi M, Heppell SS, Swimmer Y (2013) High-use areas, seasonal movements and dive patterns of juvenile loggerhead sea turtles in the South-western Atlantic Ocean. 479:235–250
 Barham BJ, see Sherley RB et al. (2013) 473:291–301
 Barham PJ, see Sherley RB et al. (2013) 473:291–301
 Barrett RT, see Erikstad KE et al. (2013) 475:267–276
 Batsleer J, Poos JJ, Marchal P, Vermard Y, Rijnsdorp AD (2013) Mixed fisheries management: protecting the weakest link. 479:177–190
 Battaile BC, see Benoit-Bird KJ et al. (2013) 479:283–302
 Bauer A, Waniek JJ (2013) Factors affecting chlorophyll a concentration in the central Beibu Gulf, South China Sea. 474:67–88
 Bayer T, Arif C, Ferrier-Pagès C, Zoccola D, Aranda M, Voolstra CR (2013) Bacteria of the genus *Endozoicomonas* dominate the microbiome of the Mediterranean

- gorgonian coral *Eunicella cavolini*. 479:75–84
- Bazairi H, see de Montaudouin X et al. (2012) 471:111–121
- Bearham D, Vanderklift MA, Gunson JR (2013) Temperature and light explain spatial variation in growth and productivity of the kelp *Ecklonia radiata*. 476:59–70
- Beaugrand G, see Durant JM et al. (2013) 474:43–52
- Becker BJ, see Carson HS et al. (2013) 473:133–148
- Behnke A, see Engel M et al. (2012) 471:87–99
- Behringer DC, see Anderson JR (2013) 474:191–200
- Bejarano I, Appeldoorn RS (2013) Seawater turbidity and fish communities on coral reefs of Puerto Rico. 474:217–226
- Bengtson Nash S, see Waugh CA et al. (2012) 471:271–281
- Bennell JD, see Sciberras M et al. (2013) 480:83–98
- Benoit-Bird KJ, Battaile BC, Nordstrom CA, Trites AW (2013) Foraging behavior of northern fur seals closely matches the hierarchical patch scales of prey. 479:283–302
- Berge J, see Majaneva S et al. (2013) 476:87–100
- Bergh Ø, see Johansen R et al. (2013) 478:223–230
- Berke G, see Bijoux JP et al. (2013) 475:233–247
- Berkström C, Jörgensen TL, Hellström M (2013) Ecological connectivity and niche differentiation between two closely related fish species in the mangrove–seagrass–coral reef continuum. 477:201–215
- Bernard ATF, Götz A (2012) Bait increases the precision in count data from remote underwater video for most subtidal reef fish in the warm-temperate Agulhas bioregion. 471:235–252
- Bernhard JM, see McIntyre-Wressnig A et al. (2013) 472:45–60
- Berrow SD, see Ryan C et al. (2013) 479:251–261
- Betke K, see Brandt MJ et al. (2013) 475:291–302
- Bickford J, see Walters S et al. (2013) 479:191–202
- Bijoux JP, Dagorn L, Berke G, Cowley PD, Soria M, Gaertner JC, Robinson J (2013) Temporal dynamics, residency and site fidelity of spawning aggregations of a herbivorous tropical reef fish *Siganus sutor*. 475:233–247
- Bitonti MB, see Greco M et al. (2013) 473:103–114
- Biuw M, see Blanchet MA et al. (2013) 477:285–302
- Bjorndal KA, see Vander Zanden HB et al. (2013) 476:237–249
- Blackburn NJ, Orth RJ (2013) Seed burial in eelgrass *Zostera marina*: the role of infauna. 474:135–145
- Blakely Peacock M, Kudela RM (2013) Alkaline phosphatase activity detected in distinct phytoplankton communities in the northern Gulf of Alaska. 473:79–90
- Blanchet MA, Biuw M, Hofmeyr GJG, de Bruyn PJN, Lydersen C, Kovacs KM (2013) At-sea behaviour of three krill predators breeding at Bouvetøya—Antarctic fur seals, macaroni penguins and chinstrap penguins. 477:285–302
- Bleil H, see Durand JD et al. (2013) 474:243–261
- Bogdanowicz W, Pilot M, Gajewska M, Suchecka E, Gola-chowski M (2013) Genetic diversity in a moulting colony of southern elephant seals in comparison with breeding colonies. 478:287–300
- Bograd SJ, see Stewart JS et al. (2012) 471:135–150
- Böhmer A, see Gutt J et al. (2013) 480:57–71
- Bolten AB, see Vander Zanden HB et al. (2013) 476:237–249
- Bonal DM, see Tettelbach ST et al. (2013) 478:153–172
- Boonstra RK, see Baker AC et al. (2013) 479:85–97
- Booth CG, Embling C, Gordon J, Calderan SV, Hammond PS (2013) Habitat preferences and distribution of the harbour porpoise *Phocoena phocoena* west of Scotland. 478:273–285
- Boschker HTS, see Pascal PY et al. (2013) 474:27–41
- Bosley KL, see Miller TW et al. (2013) 477:123–134
- Bouma TJ, see Cozzoli F et al. (2013) 475:119–133
- Bouma TJ, see Van Engeland T et al. (2013) 478:87–100
- Bradshaw CJA, see Sequeira AMM et al. (2013) 478:185–195
- Braga-Henriques A, see Carreiro-Silva M et al. (2013) 473:189–199
- Brandt MJ, Höschle C, Diederichs A, Betke K, Matuschek R, Nehls G (2013) Seal scarers as a tool to deter harbour porpoises from offshore construction sites. 475:291–302
- Brannock PM, Roberts MA, Hilbish TJ (2013) Ubiquitous heteroplasmy in *Mytilus* spp. resulting from disruption in doubly uniparental inheritance regulation. 480:131–143
- Brischoux F, Lillywhite HB (2013) Trophic consequences of pelagic life-style in yellow-bellied sea snakes. 478:231–238
- Broad A, see Wraith J et al. (2013) 477:189–199
- Brodeur RD, see Miller TW et al. (2013) 477:123–134
- Brophy D, see Comerford S et al. (2013) 476:215–226
- Browder JA, see Criales MM et al. (2013) 477:161–176
- Brown BL, see Higgins CB et al. (2013) 473:7–27
- Brun FG, see Van Engeland T et al. (2013) 478:87–100
- Bruno L, see Greco M et al. (2013) 473:103–114
- Brzezinski MA, see Miller RJ et al. (2013) 474:53–66
- Burfeind DD, O'Brien KR, Udy JW (2013) Water temperature and benthic light levels drive horizontal expansion of *Caulerpa taxifolia* in native and invasive locations. 472:61–72
- Burkanov VN, see Skinner JP et al. (2012) 471:293–308
- Burke CM, see McFarlane Tranquilla LA et al. (2013) 472:287–303
- Burkholder DA, Fourqurean JW, Heithaus MR (2013) Spatial pattern in seagrass stoichiometry indicates both N-limited and P-limited regions of an iconic P-limited subtropical bay. 472:101–115
- Burrows MT, see Ciotti BJ et al. (2013) 475:213–232
- Buschbaum C, see Engel M et al. (2012) 477:87–99
- Buyukates Y, see Roelke DL et al. (2013) 477:61–76
- Byrne M, Gonzalez-Bernat M, Doo S, Foo S, Soars N, Lamare M (2013) Effects of ocean warming and acidification on embryos and non-calcifying larvae of the invasive sea star *Patiriella regularis*. 473:235–246
- Byrne M, see Eriksson H et al. (2013) 473:225–234

C

- Cabral H, see Calvès I et al. (2013) 472:257–273
- Cabral-Tena RA, Reyes-Bonilla H, Lluch-Cota S, Paz-García DA, Calderón-Aguilera LE, Norzagaray-López O, Balart EF (2013) Different calcification rates in males and females of the coral *Porites panamensis* in the Gulf of California. 476:1–8
- Calderan SV, see Booth CG et al. (2013) 478:273–285
- Calderón-Aguilera LE, see Cabral-Tena RA et al. (2013) 476:1–8
- Calò A, see Di Franco A et al. (2013) 476:227–235
- Calosi P, see Melatunan S et al. (2013) 472:155–168
- Calvès I, Laverigne E, Meistertzheim AL, Charrier G, Cabral H, Guinand B, Quiniou L, Laroche J (2013) Genetic structure of European flounder *Platichthys flesus*: effects of both the southern limit of the species' range and chemical stress. 472:257–273
- Campbell CL, see Vander Zanden HB et al. (2013) 476:237–249

- Camphuysen CJ, see Cox SL et al. (2013) 479:203–221
- Campos J, see Santos S et al. (2012) 471:123–134
- Cannicci S, see Fratini S et al. (2013) 478:173–183
- Carpenter KE, see Ackiss AS et al. (2013) 480:185–197
- Carr MH, see Woodson LE et al. (2013) 473:261–273
- Carrasco NK, see Dyer DC et al. (2013) 476:199–214
- Carreiro-Silva M, Andrews AH, Braga-Henriques A, de Matos V, Porteiro FM, Santos RS (2013) Variability in growth rates of long-lived black coral *Leiopathes* sp. from the Azores. 473:189–199
- Carroll JM, see Tettelbach ST et al. (2013) 478:153–172
- Carson HS, López-Duarte PC, Cook GS, Fodrie FJ, Becker BJ, DiBacco C, Levin LA (2013) Temporal, spatial, and inter-specific variation in geochemical signatures within fish otoliths, bivalve larval shells, and crustacean larvae. 473:133–148
- Castellanos-Galindo GA, Krumme U (2013) Mangrove fish assemblages from data-sparse regions and the measurement of ecological equivalence: Comment on Sheaves (2012). 474:299–302
- Castilla JC, see Manríquez PH et al. (2013) 472:169–183
- Castro CG, see Zúñiga D et al. (2013) 476:101–114
- Catalán IA, see Vollset KW et al. (2013) 475:191–201
- Catry P, see Lourenço PM et al. (2013) 479:223–234
- Cavanaugh CM, see Fontanez KM (2013) 474:147–154
- Cebrian J, Stutes JP, Christiaen B (2013) Effects of grazing and fertilization on epiphyte growth dynamics under moderately eutrophic conditions: implications for grazing rate estimates. 474:121–133
- Cebrian J, see Prado P et al. (2013) 476:153–166
- Cermeño P, see López-Sandoval DC et al. (2013) 477:53–60
- Chan KS, see Ottersen G et al. (2013) 480:205–225
- Chandarana J, Reish DJ, Johnson RL (2013) Genetic structure of the polychaete *Nereis grubei* in the context of current patterns and life history. 473:215–224
- Chang MY, see Maneja RH et al. (2013) 477:251–258
- Chaparro OR, Montory JA, Pereda SV, Thompson RJ, Rivera G, Osoreo SJA, Segura CJ (2013) Particle selection and regulation of particle uptake by the slipper limpet *Crepidipatella fecunda*. 474:167–177
- Chapman MG (2013) Constructing replacement habitat for specialist and generalist molluscs—the effect of patch size. 473:201–214
- Carrier G, see Calvés I et al. (2013) 472:257–273
- Chen CA, see Lien YT et al. (2013) 473:163–177
- Chen J, see Huang D et al. (2013) 472:15–25
- Chenuil A, see Penant G et al. (2013) 480:155–170
- Cheung SG, see Leung YS et al. (2013) 477:135–145
- Chevaldonné P, see Janssen A et al. (2013) 479:99–113
- Chiappetta A, see Greco M et al. (2013) 473:103–114
- Chin A, see Udyawer V et al. (2013) 480:171–183
- Chisholm J, see Kneebone J et al. (2012) 471:165–181
- Chiu JMY, see Leung YS et al. (2013) 477:135–145
- Chiu JMY, see Li A (2013) 480:145–154
- Christiaen B, see Cebrian J et al. (2013) 474:121–133
- Christiansen F, Rasmussen M, Lusseau D (2013) Whale watching disrupts feeding activities of minke whales on a feeding ground. 478:239–251
- Chu T, see Huang D et al. (2013) 472:15–25
- Chua CM, Leggat W, Moya A, Baird AH (2013) Temperature affects the early life history stages of corals more than near future ocean acidification. 475:85–92
- Ciannelli L, Fisher JAD, Skern-Mauritzen M, Hunsicker ME, Hidalgo M, Frank KT, Bailey KM (2013) Theory, consequences and evidence of eroding population spatial structure in harvested marine fishes: a review. 480:227–243
- Ciannelli L, see Durant JM et al. (2013) 480:277–287
- Ciotti BJ, Targett TE, Burrows MT (2013) Spatial variation in growth rate of early juvenile European plaice *Pleuronectes platessa*. 475:213–232
- Clarke JT, see Stafford KM et al. (2013) 474:287–297
- Clemmesen C, see Maneja RH et al. (2013) 477:251–258
- Cocito S, Ferrier-Pagès C, Cupido R, Rottier C, Meier-Augenstein W, Kemp H, Reynaud S, Peirano A (2013) Nutrient acquisition in four Mediterranean gorgonian species. 473:179–188
- Coetzee JC, see Sherley RB et al. (2013) 473:291–301
- Coffroth MA, see Poland DM et al. (2013) 476:23–37
- Collie JS, see Smith BE et al. (2013) 472:199–217
- Comerford S, Brophy D, Fox CJ, Taylor N, van der Veer HW, Nash RDM, Geffen AJ (2013) Temperature effect on growth and larval duration of plaice *Pleuronectes platessa* in three regions of the Northeast Atlantic. 476:215–226
- Connelly SJ, see Poland DM et al. (2013) 476:23–37
- Cook GS, see Carson HS et al. (2013) 473:133–148
- Cornwell JC, see Kellogg ML et al. (2013) 480:1–19
- Costa GC, see Riul P et al. (2013) 480:73–81
- Côté IM, Green SJ, Morris JA Jr, Akins JL, Steinke D (2013) Diet richness of invasive Indo-Pacific lionfish revealed by DNA barcoding. 472:249–256
- Cowen RK, see D'Alessandro EK et al. (2013) 474:227–242
- Cowley PD, see Bijoux JP et al. (2013) 475:233–247
- Cox SL, Scott BE, Camphuysen CJ (2013) Combined spatial and tidal processes identify links between pelagic prey species and seabirds. 479:203–221
- Cozzoli F, Bouma TJ, Ysebaert T, Herman PMJ (2013) Application of non-linear quantile regression to macrozoobenthic species distribution modelling: comparing two contrasting basins. 475:119–133
- Crandall ED, see Ackiss AS et al. (2013) 480:185–197
- Crawford RJM, see Sherley RB et al. (2013) 473:291–301
- Creed JC, see Riul P et al. (2013) 480:73–81
- Criales MM, Zink IC, Haus BK, Wylie J, Browder JA (2013) Effect of turbulence on the behavior of pink shrimp post-larvae and implications for selective tidal stream transport behavior. 477:161–176
- Crimaldi JP, see Koehl MAR et al. (2013) 479:47–62
- Crivelli AJ, see Lefebvre F (2012) 471:193–202
- Culloty S, see de Montaudouin X et al. (2012) 471:111–121
- Cummings DO, Lee RW, Nodder SD, Simpson SJ, Holmes SP (2013) Trophic status and condition of *Hyalinoecia longibranchiata* from two regions of contrasting oceanic productivity. 477:147–159
- Cummings VJ, see Hewitt JE (2013) 479:63–73
- Cupido R, see Cocito S et al. (2013) 473:179–188
- Cutuli G, see Fratini S et al. (2013) 478:173–183

D

- D'Alessandro EK, Sponaugle S, Cowen RK (2013) Selective mortality during the larval and juvenile stages of snappers (Lutjanidae) and great barracuda *Sphyræna barracuda*. 474:227–242
- Dabelsteen T, see Nielsen TP et al. (2013) 478:303–305
- Dagorn L, see Bijoux JP et al. (2013) 475:233–247
- Dahle G, see Johansen R et al. (2013) 478:223–230
- Dall'Olmo G, see Schabetsberger R et al. (2013) 475:177–190

- Dame RF, see Higgins CB et al. (2013) 473:7–27
- Darrenougue N, De Deckker P, Payri C, Eggins S, Fallon S (2013) Growth and chronology of the rhodolith-forming, coralline red alga *Sporolithon durum*. 474:105–119
- Dauvin JC, see Foveau A et al. (2013) 479:115–126
- David B, see Jossart Q et al. (2013) 475:167–176
- Davies AJ, see Szostek CL et al. (2013) 474:155–165
- Davies CA, see Montes I et al. (2012) 471:183–191
- Davies KTA, Ross T, Taggart CT (2013) Tidal and subtidal currents affect deep aggregations of right whale prey, *Calanus* spp., along a shelf-basin margin. 479:263–282
- Davis AR, see Wraith J et al. (2013) 477:189–199
- Davis ND, see Kaga T et al. (2013) 478:211–221
- Davis RW, see Quigg A et al. (2013) 480:21–37
- Davis SE, see Roelke DL et al. (2013) 477:61–76
- Dawson SM, Lusseau DM (2013) Pseudo-replication confounds the assessment of long-distance detection of gillnets by porpoises: Comment on Nielsen et al. (2012). 478:301–302
- De Bruyn C, see Jossart Q et al. (2013) 475:167–176
- De Bruyn PJN, see Blanchet MA et al. (2013) 477:285–302
- De Deckker P, see Darrenougue N et al. (2013) 474:105–119
- De La Cruz SEW, see Lovvorn JR et al. (2013) 476:251–268
- de Matos V, see Carreiro-Silva M et al. (2013) 473:189–199
- de Montaudouin X, Bazairi H, Culloty S (2012) Effect of trematode parasites on cockle *Cerastoderma edule* growth and condition index: a transplant experiment. 471:111–121
- De Ridder C, see Jossart Q et al. (2013) 475:167–176
- de Santana CN, Rozenfeld AF, Marquet PA, Duarte CM (2013) Topological properties of polar food webs. 474:15–26
- Deaville R, see Ryan C et al. (2013) 479:251–261
- Delean S, see Sequeira AMM et al. (2013) 478:185–195
- Dellapenna TM, see Quigg A et al. (2013) 480:21–37
- Desroy N, see Foveau A et al. (2013) 479:115–126
- Dethier MN, Sosik E, Galloway AWE, Duggins DO, Simenstad CA (2013) Addressing assumptions: variation in stable isotopes and fatty acids of marine macrophytes can confound conclusions of food web studies. 478:1–14
- Dewarumez JM, see Foveau A et al. (2013) 479:115–126
- Dewey R, see Sato M et al. (2013) 480:39–56
- Di B, see Liu D et al. (2013) 475:1–14
- Di Franco A, Qian K, Calò A, Di Lorenzo M, Planes S, Guidetti P (2013) Patterns of variability in early life traits of a Mediterranean coastal fish. 476:227–235
- Di Lorenzo M, see Di Franco A et al. (2013) 476:227–235
- Diaz-Pulido G, see Doropoulos C (2013) 475:93–99
- DiBacco C, see Carson HS et al. (2013) 473:133–148
- Diederichs A, see Brandt MJ et al. (2013) 475:291–302
- Dimmler W, see Gutt J et al. (2013) 480:57–71
- Diz AP, see García SD et al. (2013) 475:145–153
- Doblin MA, see Sinutok S et al. (2013) 478:127–138
- Dombroski DE, see Koehl MAR et al. (2013) 479:47–62
- Domingo A, see Barceló C et al. (2013) 479:235–250
- Donaghay P, see Talapatra S et al. (2013) 473:29–51
- Doo S, see Byrne M et al. (2013) 473:235–246
- Doropoulos C, Diaz-Pulido G (2013) High CO₂ reduces the settlement of a spawning coral on three common species of crustose coralline algae. 475:93–99
- Dorresteijn I, see Andresen H et al. (2013) 472:141–154
- Dower JF, see Sato M et al. (2013) 480:39–56
- Drazen JC, see Moore CH et al. (2013) 476:167–183
- Drinkwater KF, see Ottersen G et al. (2013) 480:205–225
- Duarte CM, see de Santana CN et al. (2013) 474:15–26
- Ducklow HW, see Gleiber MR et al. (2012) 471:23–36
- Duggins DO, see Dethier MN et al. (2013) 478:1–14
- Dunton KH, see Wilson CJ et al. (2013) 472:117–127
- Durand JD, Blel H, Shen KN, Koutrakis ET, Guinand B (2013) Population genetic structure of *Mugil cephalus* in the Mediterranean and Black Seas: a single mitochondrial clade and many nuclear barriers. 474:243–261
- Durant JM, Hidalgo M, Rouyer T, Hjermand DØ, Ciannelli L, Eikeset AM, Yaragina N, Stenseth NC (2013) Population growth across heterogeneous environments: effects of harvesting and age structure. 480:277–287
- Durant JM, Hjermand DØ, Falkenhaus T, Gifford DJ, Naustvoll LJ, Sullivan BK, Beaugrand G, Stenseth NC (2013) Extension of the match-mismatch hypothesis to predator-controlled systems. 474:43–52
- Durant JM, Ottersen G, Stenseth NC (2013) Impact of climate and fisheries on sub-Arctic stocks. 480:199–203
- Durant JM, see Ottersen G et al. (2013) 480:205–225
- Dutton PH, see Allen CD et al. (2013) 472:275–285
- Dyer BM, see Sherley RB et al. (2013) 473:291–301
- Dyer DC, Perissinotto R, Carrasco NK (2013) Post-flood dietary variation in the Mozambique tilapia *Oreochromis mossambicus* in the St Lucia Estuary, South Africa. 476:199–214

E

- Easson CG, see Slattery M et al. (2013) 476:71–86
- Eerkes-Medrano D, Menge BA, Sislak C, Langdon CJ (2013) Contrasting effects of hypoxic conditions on survivorship of planktonic larvae of rocky intertidal invertebrates. 478:139–151
- Eggers SL, Matthiessen B (2013) Initial dominance in coccolithophore communities affects community structure but does not translate into altered community functioning. 473:67–77
- Eggins S, see Darrenougue N et al. (2013) 474:105–119
- Eguchi T, see Allen CD et al. (2013) 472:275–285
- Eikeset AM, see Durant JM et al. (2013) 480:277–287
- EIMF, see Hanson NN et al. (2013) 475:249–266
- Elias-Piera F, Rossi S, Gili JM, Orejas C (2013) Trophic ecology of seven Antarctic gorgonian species. 477:93–106
- Embling C, see Booth CG et al. (2013) 478:273–285
- Emmett R, see Miller TW et al. (2013) 477:123–134
- Engel M, Behnke A, Klier J, Buschbaum C, Volkenborn N, Stoeck T (2012) Effects of the bioturbating lugworm *Arenicola marina* on the structure of benthic protistan communities. 471:87–99
- Eriksson H, Thorne BV, Byrne M (2013) Population metrics in protected commercial sea cucumber populations (curryfish: *Stichopus herrmanni*) on One Tree Reef, Great Barrier Reef. 473:225–234
- Erikstad KE, Reiertsen TK, Barrett RT, Vikebø F, Sandvik H (2013) Seabird-fish interactions: the fall and rise of a common guillemot *Uria aalge* population. 475:267–276
- Erler DV, Trott LA, Alongi DM, Eyre BD (2013) Denitrification, anammox and nitrate reduction in sediments of the southern Great Barrier Reef lagoon. 478:57–70
- Escribano R, see Riquelme-Bugueño R et al. (2013) 476:39–57
- Estonba A, see Montes I et al. (2012) 471:183–191
- Europe JR, see Tettelbach ST et al. (2013) 478:153–172
- Evans TJ, Kadin M, Olsson O, Åkesson S (2013) Foraging behaviour of common murres in the Baltic Sea, recorded

by simultaneous attachment of GPS and time-depth recorder devices. 475:277–289
 Eyre BD, see Erler DV et al. (2013) 478:57–70

F

Fahy CC, see Allen CD et al. (2013) 472:275–285
 Falkenhaus T, see Durant JM et al. (2013) 474:43–52
 Fallon S, see Darrenougue N et al. (2013) 474:105–119
 Fegley SR, see Gerdali NR et al. (2013) 480:119–129
 Fels KJ, see Minchinton TE (2013) 472:129–140
 Fennessy ST, see Ayers MJ et al. (2013) 479:143–161
 Feral JP, see Penant G et al. (2013) 480:155–170
 Ferguson SH, see Marcoux M et al. (2012) 471:283–291
 Fernández-Reiriz MJ, see Zúñiga D et al. (2013) 476:101–114
 Ferrier-Pagès C, see Bayer T et al. (2013) 479:75–84
 Ferrier-Pagès C, see Cocito S et al. (2013) 473:179–188
 Fifield DA, see McFarlane Tranquilla LA et al. (2013) 472:287–303
 Figueiras FG, see Zúñiga D et al. (2013) 476:101–114
 Fiksen Ø, see Visser AW (2013) 473:91–101
 Fiksen Ø, see Vollset KW et al. (2013) 475:191–201
 Fisher JAD, see Ciannelli L et al. (2013) 480:227–243
 Fisher JAD, see Hjermand DØ et al. (2013) 480:263–275
 Fisk AT, see Marcoux M et al. (2012) 471:283–291
 Fleeger JW, see Pascal PY et al. (2013) 474:27–41
 Flores AAV, see Kasten P (2013) 472:185–198
 Fodrie FJ, see Carson HS et al. (2013) 473:133–148
 Foley DG, see Stewart JS et al. (2012) 471:135–150
 Folkvord A, see Maneja RH et al. (2013) 477:251–258
 Folkvord A, see Vollset KW et al. (2013) 475:191–201
 Fontanez KM, Cavanaugh CM (2013) Phylogenetic relationships of hydrothermal vent mussels (Bathymodiolinae) and their symbionts. 474:147–154
 Foo S, see Byrne M et al. (2013) 473:235–246
 Fortune SME, Trites AW, Mayo CA, Rosen DAS, Hamilton PK (2013) Energetic requirements of North Atlantic right whales and the implications for species recovery. 478:253–272
 Fourqurean JW, see Burkholder DA et al. (2013) 472:101–115
 Foveau A, Desroy N, Dauvin JC, Dewarumez JM (2013) Distribution patterns in the benthic diversity of the eastern English Channel. 479:115–126
 Fox CJ, see Comerford S et al. (2013) 476:215–226
 Frank KT, see Ciannelli L et al. (2013) 480:227–243
 Frank KT, see Hjermand DØ et al. (2013) 480:263–275
 Franks RP, see Woodson LE et al. (2013) 473:261–273
 Fratini S, Ragionieri L, Cutuli G, Vannini M, Cannicci S (2013) Pattern of genetic isolation in the crab *Pachygrapsus marmoratus* within the Tuscan Archipelago (Mediterranean Sea). 478:173–183
 Freitas V, Kooijman SALM, van der Veer HW (2012) Latitudinal trends in habitat quality of shallow-water flatfish nurseries. 471:203–214
 Frew RD, see McLeod RJ et al. (2013) 479:1–12
 Froján M, see Zúñiga D et al. (2013) 476:101–114
 Frommel AY, see Maneja RH et al. (2013) 477:251–258
 Frost BW, see Pierson JJ et al. (2013) 475:49–64
 Fry B (2013) Alternative approaches for solving underdetermined isotope mixing problems. 472:1–13
 Fuentes-Santos I, see Zúñiga D et al. (2013) 476:101–114
 Fukami H, see Lien YT et al. (2013) 473:163–177
 Fukuwaka M, see Kaga T et al. (2013) 478:211–221

Fulweiler RW, see Vieillard AM (2012) 471:11–22
 Furman BT, see Tettelbach ST et al. (2013) 478:153–172

G

Gaertner JC, see Bijoux JP et al. (2013) 475:233–247
 Gajewska M, see Bogdanowicz W et al. (2013) 478:287–300
 Galloway AWE, see Dethier MN et al. (2013) 478:1–14
 García A, see Laiz-Carrión R et al. (2013) 475:203–212
 García SD, Diz AP, Sá-Pinto A, Rolán-Alvarez E (2013) Proteomic and morphological divergence in micro-allopatric morphotypes of *Melarhappe neritoides* in the absence of genetic differentiation. 475:145–153
 Gardner JPA, see Wei K et al. (2013) 477:107–121
 Garthe S, see Paiva VH et al. (2013) 477:15–28
 Garthe S, see Ramírez I et al. (2013) 476:269–284
 Gaston AJ, see McFarlane Tranquilla LA et al. (2013) 472:287–303
 Gay S, see Quigg A et al. (2013) 480:21–37
 Geange SW, Stier AC, Shima JS (2013) Competitive hierarchies among three species of juvenile coral reef fishes. 472:239–248
 Geffen AJ, see Comerford S et al. (2013) 476:215–226
 Geffen AJ, see Maneja RH et al. (2013) 477:251–258
 Geraldine P, see Paiva VH et al. (2013) 477:15–28
 Gerdali NR, Simpson M, Fegley SR, Holmlund P, Peterson CH (2013) Addition of juvenile oysters fails to enhance oyster reef development in Pamlico Sound. 480:119–129
 Giffoni B, see Barceló C et al. (2013) 479:235–250
 Gifford DJ, see Durant JM et al. (2013) 474:43–52
 Gili JM, see Elias-Piera F et al. (2013) 477:93–106
 Gillies CL, Stark JS, Johnstone GJ, Smith SDA (2013) Establishing a food web model for coastal Antarctic benthic communities: a case study from the Vestfold Hills. 478:27–41
 Gilly WF, see Stewart JS et al. (2012) 471:135–150
 Gjerset B, see Johansen R et al. (2013) 478:223–230
 Gleiber MR, Steinberg DK, Ducklow HW (2012) Time series of vertical flux of zooplankton fecal pellets on the continental shelf of the western Antarctic Peninsula. 471:23–36
 Gochfeld DJ, see Slattery M et al. (2013) 476:71–86
 Golachowski M, see Bogdanowicz W et al. (2013) 478:287–300
 Gómez-Gutiérrez J, see Riquelme-Bugueño R et al. (2013) 476:39–57
 Goñi N, see Montes I et al. (2012) 471:183–191
 Gonzalez-Bernat M, see Byrne M et al. (2013) 473:235–246
 Gordon J, see Booth CG et al. (2013) 478:273–285
 Gosselin M, see Alou-Font E et al. (2013) 474:89–104
 Götz A, see Bernard ATF (2012) 471:235–252
 Granadeiro JP, see Lourenço PM et al. (2013) 479:223–234
 Greco M, Chiappetta A, Bruno L, Bitonti MB (2013) Effects of light deficiency on genome methylation in *Posidonia oceanica*. 473:103–114
 Green PG, see Miller SH et al. (2013) 474:179–190
 Green SJ, see Côté IM et al. (2013) 472:249–256
 Greene CA, see Wilson CJ et al. (2013) 472:117–127
 Grimes CB, see Woodson LE et al. (2013) 473:261–273
 Grorud-Colvert K, see Johnson DW et al. (2012) 471:151–163
 Grothues TM, see Able KW et al. (2013) 476:185–198
 Guidetti P, see Di Franco A et al. (2013) 476:227–235
 Guinand B, see Calvès I et al. (2013) 472:257–273
 Guinand B, see Durand JD et al. (2013) 474:243–261
 Gundersen K, see Orcutt KM et al. (2013) 478:101–113

- Gunson JR, see Bearham D et al. (2013) 476:59–70
 Gutt J, Böhmer A, Dimmler W (2013) Antarctic sponge spicule mats shape macrobenthic diversity and act as a silicon trap. 480:57–71
 Gyory J, Pineda J, Solow A (2013) Turbidity triggers larval release by the intertidal barnacle *Semibalanus balanoides*. 476:141–151

H

- Hallock P, see McIntyre-Wressnig A et al. (2013) 472:45–60
 Hamilton PK, see Fortune SME et al. (2013) 478:253–272
 Hammond PS, see Booth CG et al. (2013) 478:273–285
 Hamylton S (2013) Five practical uses of spatial autocorrelation for studies of coral reef ecology. 478:15–25
 Hannes AR, see Poland DM et al. (2013) 476:23–37
 Hansen PJ, see Nielsen LT et al. (2012) 471:37–50
 Hanson NN, Wurster CM, EIMF, Todd CD (2013) Reconstructing marine life-history strategies of wild Atlantic salmon from the stable isotope composition of otoliths. 475:249–266
 Haraldsson M, Tönnesson K, Tiselius P, Thingstad TF, Aksnes DL (2012) Relationship between fish and jellyfish as a function of eutrophication and water clarity. 471:73–85
 Harding AMA, see Paredes R et al. (2012) 471:253–269
 Harrison CS, Siegel DA, Mitarai S (2013) Filamentation and eddy-eddy interactions in marine larval accumulation and transport. 472:27–44
 Harrison E, see Vander Zanden HB et al. (2013) 476:237–249
 Harrod C, see Ryan C et al. (2013) 479:251–261
 Harvey CJ, see Andrews KS (2013) 473:247–260
 Hatch SA (2013) Kittiwake diets and chick production signal a 2008 regime shift in the Northeast Pacific. 477:271–284
 Haus BK, see Criales MM et al. (2013) 477:161–176
 Hawkins SJ, see Sciberras M et al. (2013) 480:83–98
 Hayden NJ, see Roelke DL et al. (2013) 477:61–76
 Hazen EL, see Stewart JS et al. (2012) 471:135–150
 Heck KL Jr, see Prado P et al. (2013) 476:153–166
 Hedd A, see McFarlane Tranquilla LA et al. (2013) 472:287–303
 Heithaus MR, see Burkholder DA et al. (2013) 472:101–115
 Hellström M, see Berkström C et al. (2013) 477:201–215
 Hendriks IE, see Van Engeland T et al. (2013) 478:87–100
 Heppell SS, see Barceló C et al. (2013) 479:235–250
 Herbeck LS, Unger D (2013) Pond aquaculture effluents traced along back-reef waters by standard water quality parameters, $\delta^{15}\text{N}$ in suspended matter and phytoplankton bioassays. 478:71–86
 Herman PMJ, see Cozzoli F et al. (2013) 475:119–133
 Heupel MR, see Udyawer V et al. (2013) 480:171–183
 Hewitt JE, Cummings VJ (2013) Context-dependent success of restoration of a key species, biodiversity and community composition. 479:63–73
 Hidalgo M, see Ciannelli L et al. (2013) 480:227–243
 Hidalgo M, see Durant JM et al. (2013) 480:277–287
 Higgins CB, Tobias C, Piehler MF, Smyth AR, Dame RF, Stephenson K, Brown BL (2013) Effect of aquacultured oyster biodeposition on sediment N_2 production in Chesapeake Bay. 473:7–27
 Hilbish TJ, see Brannock PM et al. (2013) 480:131–143
 Hill R, see Sinutok S et al. (2013) 478:127–138
 Hinz H, see Sciberras M et al. (2013) 480:83–98
 Hinz H, see Szostek CL et al. (2013) 474:155–165
 Hjermmann DØ, Fisher JAD, Rouyer T, Frank KT, Stenseth NC (2013) Spatial analysis of North Sea cod recruitment: concurrent effects of changes in spawning stock biomass, temperature and herring abundance. 480:263–275
 Hjermmann DØ, see Durant JM et al. (2013) 474:43–52
 Hjermmann DØ, see Durant JM et al. (2013) 480:277–287
 Hofmeyr GJG, see Blanchet MA et al. (2013) 477:285–302
 Holmes SP, see Cummings DO et al. (2013) 477:147–159
 Holmlund P, see Geraldi NR et al. (2013) 480:119–129
 Holst JC, see Johansen R et al. (2013) 478:223–230
 Hong J, see Talapatra S et al. (2013) 473:29–51
 Horta PA, see Riul P et al. (2013) 480:73–81
 Höschle C, see Brandt MJ et al. (2013) 475:291–302
 Hsieh HJ, see Lien YT et al. (2013) 473:163–177
 Hsu CM, see Lien YT et al. (2013) 473:163–177
 Huang D, Chu T, Sheng Q, Chen J, Wu J (2013) Variable bottom-up and top-down effects on diversity of different prey assemblages in an estuarine saltmarsh. 472:15–25
 Huang H, see Lien YT et al. (2013) 473:163–177
 Hudd R, see Veneranta L et al. (2013) 477:231–250
 Hughes SWT, see Tettelbach ST et al. (2013) 478:153–172
 Hunsicker ME, see Ciannelli L et al. (2013) 480:227–243
 Hunsicker ME, see Stige LC et al. (2013) 480:245–261
 Hunt GL Jr, see Stige LC et al. (2013) 480:245–261
 Hurd CL, see McLeod RJ et al. (2013) 479:1–12
 Hyndes GA, see McLeod RJ et al. (2013) 479:1–12

I

- Ierodiaconou D, see Rattray A et al. (2013) 477:1–13
 Innes DJ, see Lowen JB et al. (2013) 475:135–143
 Iriondo M, see Montes I et al. (2012) 471:183–191
 Irons DB, see Paredes R et al. (2012) 471:253–269

J

- Jacobsen C, see Røjbek MC et al. (2012) 471:215–234
 Janssen A, Chevaldonné P, Martínez Arbizu P (2013) Meiobenthic copepod fauna of a marine cave (NW Mediterranean) closely resembles that of deep-sea communities. 479:99–113
 Jara ME, see Manríquez PH et al. (2013) 472:169–183
 Jenkins SR, see Sciberras M et al. (2013) 480:83–98
 Jessen C, Wild C (2013) Herbivory effects on benthic algal composition and growth on a coral reef flat in the Egyptian Red Sea. 476:9–21
 Jiménez E, see Montes I et al. (2012) 471:183–191
 Johansen R, Bergh Ø, Modahl I, Dahle G, Gjerset B, Holst JC, Sandlund N (2013) High prevalence of viral haemorrhagic septicaemia virus (VHSV) in Norwegian spring-spawning herring. 478:223–230
 Johnson DS, see Pascal PY et al. (2013) 474:27–41
 Johnson DW, Grorud-Colvert K, Rankin TL, Sponaugle S (2012) Measuring selective mortality from otoliths and similar structures: a practical guide for describing multivariate selection from cross-sectional data. 471:151–163
 Johnson RL, see Chandarana J et al. (2013) 473:215–224
 Johnstone GJ, see Gillies CL et al. (2013) 478:27–41
 Jokiel PL, Rodgers KS, Karl SA (2013) Comparison of grafting versus a molecular genetic technique in identifying clone mates of the reef coral *Porites rus*. 477:87–92
 Jörgensen TL, see Berkström C et al. (2013) 477:201–215
 Jossart Q, David B, De Bruyn C, De Ridder C, Rigaud T, Wattier RA (2013) No evidence of host specialization in a

parasitic pea-crab exploiting two echinoid hosts. 475:167–176
 Júnior LAC, see Riul P et al. (2013) 480:73–81

K

Kadin M, see Evans TJ et al. (2013) 475:277–289
 Kaga T, Sato S, Azumaya T, Davis ND, Fukuwaka M (2013) Lipid content of chum salmon *Oncorhynchus keta* affected by pink salmon *O. gorbuscha* abundance in the central Bering Sea. 478:211–221
 Kaiser MJ, see Mangano MC et al. (2013) 475:101–117
 Kaiser MJ, see Sciberras M et al. (2013) 480:83–98
 Kaiser R, see Schabetsberger R et al. (2013) 475:177–190
 Kalfatak D, see Schabetsberger R et al. (2013) 475:177–190
 Karl SA, see Jokiel PL et al. (2013) 477:87–92
 Kasten P, Flores AAV (2013) Disruption of endogenous tidal rhythms of larval release linked to food supply and heat stress in an intertidal barnacle. 472:185–198
 Katz J, see Talapatra S et al. (2013) 473:29–51
 Keesing JK, see Liu D et al. (2013) 475:1–14
 Kelley CD, see Moore CH et al. (2013) 476:167–183
 Kellogg ML, Cornwell JC, Owens MS, Paynter KT (2013) Denitrification and nutrient assimilation on a restored oyster reef. 480:1–19
 Kemp H, see Cocito S et al. (2013) 473:179–188
 Kemp IM, see Able KW et al. (2013) 476:185–198
 Kenchington E, Power D, Koen-Alonso M (2013) Associations of demersal fish with sponge grounds on the continental slopes of the northwest Atlantic. 477:217–230
 Kenworthy WJ, see Slone DH et al. (2013) 476:285–299
 Keshavmurthy S, see Lien YT et al. (2013) 473:163–177
 Kinney EL, Valiela I (2013) Changes in $\delta^{15}\text{N}$ in salt marsh sediments in a long-term fertilization study. 477:41–52
 Kirk NL, see Poland DM et al. (2013) 476:23–37
 Kitaysky A, see Paredes R et al. (2012) 471:253–269
 Klais R, see Olli K et al. (2013) 473:53–66
 Kleinteich J, see Tsiamis K et al. (2013) 472:73–85
 Klier J, see Engel M et al. (2012) 471:87–99
 Kneebone J, Chisholm J, Skomal GB (2012) Seasonal residency, habitat use, and site fidelity of juvenile sand tiger sharks *Carcharias taurus* in a Massachusetts estuary. 471:165–181
 Knip DM, see Udyawer V et al. (2013) 480:171–183
 Koehl MAR, Crimaldi JP, Dombroski DE (2013) Wind chop and ship wakes determine hydrodynamic stresses on larvae settling on different microhabitats in fouling communities. 479:47–62
 Koen-Alonso M, see Kenchington E et al. (2013) 477:217–230
 Koivisto M, Westerborg M (2012) Invertebrate communities associated with blue mussel beds in a patchy environment: a landscape ecology approach. 471:101–110
 Kooijman SALM, see Freitas V et al. (2012) 471:203–214
 Koseff JR, see Weitzman JS et al. (2013) 475:65–83
 Kourepini MI, see Schismenou E et al. (2013) 478:197–209
 Koutrakis ET, see Durand JD et al. (2013) 474:243–261
 Kovacs KM, see Blanchet MA et al. (2013) 477:285–302
 Krock B, see Nielsen LT et al. (2012) 471:37–50
 Krug JM, Steele MA (2013) Larval exposure to shared oceanography does not cause spatially correlated recruitment in kelp forest fishes. 477:177–188
 Krumme U, see Castellanos-Galindo GA (2013) 474:299–302
 Kryss CL, see MacKenzie RA (2013) 472:219–237
 Kudela RM, see Blakely Peacock M (2013) 473:79–90

Kunze E, see Sato M et al. (2013) 480:39–56
 Küpper FC, see Tsiamis K et al. (2013) 472:73–85
 Kurita Y, see Tomiyama T et al. (2013) 479:163–175

L

Labarta U, see Zúñiga D et al. (2013) 476:101–114
 Lagos NA, see Manríquez PH et al. (2013) 472:169–183
 Lagueux CJ, see Vander Zanden HB et al. (2013) 476:237–249
 Laiz-Carrión R, Quintanilla JM, Torres AP, Alemany F, García A (2013) Hydrographic patterns conditioning variable trophic pathways and early life dynamics of bullet tuna *Auxis rochei* larvae in the Balearic Sea. 475:203–212
 Lamare M, see Byrne M et al. (2013) 473:235–246
 Landsberg JH, see Walters S et al. (2013) 479:191–202
 Langdon CJ, see Eerkes-Medrano D et al. (2013) 478:139–151
 Lara M, see Van Engeland T et al. (2013) 478:87–100
 Laroche J, see Calvès I et al. (2013) 472:257–273
 Lathlean JA, Ayre DJ, Minchinton TE (2013) Temperature variability at the larval scale affects early survival and growth of an intertidal barnacle. 475:155–166
 Laurenson LJB, see Rattray A et al. (2013) 477:1–13
 Lavergne E, see Calvès I et al. (2013) 472:257–273
 Leavenworth WB, see Willis TV et al. (2013) 474:263–276
 Lecchini D, Waqalevu VP, Parmentier E, Radford CA, Banaigs B (2013) Fish larvae prefer coral over algal water cues: implications of coral reef degradation. 475:303–307
 Lecoq M, see Lourenço PM et al. (2013) 479:223–234
 Lee RW, see Cummings DO et al. (2013) 477:147–159
 Lefebvre F, Crivelli AJ (2012) Salinity effects on anguillicolosis in Atlantic eels: a natural tool for disease control. 471:193–202
 Lefkaditou E, see Schismenou E et al. (2013) 478:197–209
 Leggat W, see Chua CM et al. (2013) 475:85–92
 Lehtinen S, see Olli K et al. (2013) 473:53–66
 Lehtiniemi M, see Majaneva S et al. (2013) 476:87–100
 Leising AW, see Pierson JJ et al. (2013) 475:49–64
 Lemons GE, see Allen CD et al. (2013) 472:275–285
 Lengyel NL, see Smith BE et al. (2013) 472:199–217
 LeRoux RA, see Allen CD et al. (2013) 472:275–285
 Leshoro TM, see Sherley RB et al. (2013) 473:291–301
 Leung YS, Shin PKS, Qiu JW, Ang PO, Chiu JMY, Thiagarajan V, Cheung SG (2013) Physiological and behavioural responses of different life stages of a serpulid polychaete to hypoxia. 477:135–145
 Levin LA, see Carson HS et al. (2013) 473:133–148
 Levin LA, see Sweetman AK et al. (2013) 473:115–131
 Lewis CLF, see Poland DM et al. (2013) 476:23–37
 Li A, Chiu JMY (2013) Latent effects of hypoxia on the gastropod *Crepidula onyx*. 480:145–154
 Li HP, see Roelke DL et al. (2013) 477:61–76
 Lien YT, Keshavmurthy S, Nakano Y, Plathong S, Huang H, Hsu CM, Fukami H, Yamashita Y, Hsieh HJ, Wang JT, Chen CA (2013) Host genetics and *Symbiodinium* D diversity in a stress-tolerant scleractinian coral, *Oulastrea crispata*, in the West Pacific. 473:163–177
 Lillywhite HB, see Brischoux F (2013) 478:231–238
 Liu D, Shen X, Di B, Shi Y, Keesing JK, Wang Y, Wang Y (2013) Palaeoecological analysis of phytoplankton regime shifts in response to coastal eutrophication. 475:1–14
 Lluch-Cota S, see Cabral-Tena RA et al. (2013) 476:1–8
 López-Acosta M, see Maldonado M et al. (2013) 479:127–141
 López-Duarte PC, see Carson HS et al. (2013) 473:133–148

- López-Sandoval DC, Rodríguez-Ramos T, Cermeño P, Marañón E (2013) Exudation of organic carbon by marine phytoplankton: dependence on taxon and cell size. 477: 53–60
- Lourenço PM, Catry P, Lecoq M, Ramírez I, Granadeiro JP (2013) Role of disturbance, geology and other environmental factors in determining abundance and diversity in coastal avian communities during winter. 479: 223–234
- Lovvorn JR, De La Cruz SEW, Takekawa JY, Shaskey LE, Richman SE (2013) Niche overlap, threshold food densities, and limits to prey depletion for a diving duck assemblage in an estuarine bay. 476:251–268
- Lowen JB, Innes DJ, Thompson RJ (2013) Predator-induced defenses differ between sympatric *Mytilus edulis* and *M. trossulus*. 475:135–143
- Lowerre-Barbieri S, see Walters S et al. (2013) 479:191–202
- Lundberg P, see Pontarp M et al. (2013) 477:77–86
- Lusseau D, see Christiansen F et al. (2013) 478:239–251
- Lusseau DM, see Dawson SM (2013) 478:301–302
- Luttikhuisen PC, see Santos S et al. (2012) 471:123–134
- Lydersen C, see Blanchet MA et al. (2013) 477:285–302
- Lynch T, see Wraith J et al. (2013) 477:189–199
- M**
- MacKenzie RA, Kryss CL (2013) Impacts of exotic mangroves and chemical eradication of mangroves on tide pool fish assemblages. 472:219–237
- Majaneva S, Berge J, Renaud PE, Vader A, Stübner E, Rao AM, Sparre Ø, Lehtiniemi M (2013) Aggregations of predators and prey affect predation impact of the Arctic ctenophore *Mertensia ovum*. 476:87–100
- Maldonado M, López-Acosta M, Sánchez-Tocino L, Sitjà C (2013) The rare, giant gorgonian *Ellisella paraplexauroides*: demographics and conservation concerns. 479: 127–141
- Maneja RH, Frommel AY, Geffen AJ, Folkvord A, Piatkowski U, Chang MY, Clemmesen C (2013) Effects of ocean acidification on the calcification of otoliths of larval Atlantic cod *Gadus morhua*. 477:251–258
- Mangano MC, Kaiser MJ, Porporato EMD, Spanò N (2013) Evidence of trawl disturbance on mega-epibenthic communities in the Southern Tyrrhenian Sea. 475:101–117
- Manríquez PH, Jara ME, Opitz T, Castilla JC, Lagos NA (2013) Effects of predation risk on survival, behaviour and morphological traits of small juveniles of *Concholepas concholepas* (loco). 472:169–183
- Mansfield JM, see Poland DM et al. (2013) 476:23–37
- Manzano C, see Montes I et al. (2012) 471:183–191
- Marañón E, see López-Sandoval DC et al. (2013) 477:53–60
- Marchal P, see Batsleer J et al. (2013) 479:177–190
- Marcoux M, McMeans BC, Fisk AT, Ferguson SH (2012) Composition and temporal variation in the diet of beluga whales, derived from stable isotopes. 471:283–291
- Marcovaldi M, see Barceló C et al. (2013) 479:235–250
- Marques V, see Paiva VH et al. (2013) 477:15–28
- Marquet PA, see de Santana CN et al. (2013) 474:15–26
- Martínez Arbizu P, see Janssen A et al. (2013) 479:99–113
- Mason RP, see Porter ET et al. (2013) 479:25–45
- Matthiessen B, see Eggers SL (2013) 473:67–77
- Matuschek R, see Brandt MJ et al. (2013) 475:291–302
- Mayo CA, see Fortune SME et al. (2013) 478:253–272
- McClanahan TR, see Baker AC et al. (2013) 479:85–97
- McCorkle DC, see McIntyre-Wressnig A et al. (2013) 472: 45–60
- McFarland M, see Talapatra S et al. (2013) 473:29–51
- McFarlane Tranquilla LA, Montevecchi WA, Hedd A, Fifield DA, Burke CM, Smith PA, Regular PM, Robertson GJ, Gaston AJ, Phillips RA (2013) Multiple-colony winter habitat use by murre *Uria* spp. in the Northwest Atlantic Ocean: implications for marine risk assessment. 472: 287–303
- McFarlin CR, Alber M (2013) Foliar DMSO:DMSP ratio and metal content as indicators of stress in *Spartina alterniflora*. 474:1–13
- McHugh B, see Ryan C et al. (2013) 479:251–261
- McInnes AS, see Quigg A et al. (2013) 480:21–37
- McIntyre-Wressnig A, Bernhard JM, McCorkle DC, Hallock P (2013) Non-lethal effects of ocean acidification on the symbiont-bearing benthic foraminifer *Amphistegina gibbosa*. 472:45–60
- McLeod RJ, Hyndes GA, Hurd CL, Frew RD (2013) Unexpected shifts in fatty acid composition in response to diet in a common littoral amphipod. 479:1–12
- McMeans BC, see Marcoux M et al. (2012) 471:283–291
- McNaughton L, see Barceló C et al. (2013) 479:235–250
- Meekan MG, see Sequeira AMM et al. (2013) 478:185–195
- Meier-Augenstein W, see Cocito S et al. (2013) 473:179–188
- Meistertzheim AL, see Calvès I et al. (2013) 472:257–273
- Melatanun S, Calosi P, Rundle SD, Widdicombe S, Moody AJ (2013) Effects of ocean acidification and elevated temperature on shell plasticity and its energetic basis in an intertidal gastropod. 472:155–168
- Mellin C, see Sequeira AMM et al. (2013) 478:185–195
- Menezes D, see Ramírez I et al. (2013) 476:269–284
- Menge BA, see Eerkes-Medrano D et al. (2013) 478:139–151
- Middelburg JJ, see Van Engeland T et al. (2013) 478:87–100
- Miller CJ, see Roelke DL et al. (2013) 477:61–76
- Miller NA, Stillman JH (2013) Seasonal and spatial variation in the energetics of the invasive clam *Corbula amurensis* in the upper San Francisco Estuary. 476:129–139
- Miller P, see Barceló C et al. (2013) 479:235–250
- Miller PI, see Schabetsberger R et al. (2013) 475:177–190
- Miller RJ, Page HM, Brzezinski MA (2013) $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ of particulate organic matter in the Santa Barbara Channel: drivers and implications for trophic inference. 474:53–66
- Miller SH, Morgan SG (2013) Interspecific differences in depth preference: regulation of larval transport in an upwelling system. 476:301–306
- Miller SH, Morgan SG, White JW, Green PG (2013) Interannual variability in an atlas of trace element signatures for determining population connectivity. 474:179–190
- Miller TW, Bosley KL, Shibata J, Brodeur RD, Omori K, Emmett R (2013) Contribution of prey to Humboldt squid *Dosidicus gigas* in the northern California Current, revealed by stable isotope analyses. 477:123–134
- Mills MM, see Alderkamp AC et al. (2013) 475:15–34
- Minchinton TE, Fels KJ (2013) Sediment disturbance associated with trampling by humans alters species assemblages on a rocky intertidal seashore. 472:129–140
- Minchinton TE, see Lathlean JA et al. (2013) 475:155–166
- Minchinton TE, see Wraith J et al. (2013) 477:189–199
- Misa WFXE, see Moore CH et al. (2013) 476:167–183
- Mitarai S, see Harrison CS et al. (2013) 472:27–44
- Mitwally HM, see Pascal PY et al. (2013) 474:27–41
- Modahl I, see Johansen R et al. (2013) 478:223–230
- Moksnes PO, see Svensson CJ et al. (2012) 471:61–71
- Monk J, see Ratray A et al. (2013) 477:1–13

- Montalto V, see Sarà G et al. (2013) 480:99–117
 Montes I, Iriondo M, Manzano C, Arrizabalaga H, Jiménez E, Pardo MÁ, Goñi N, Davies CA, Estonba A (2012) World-wide genetic structure of albacore *Thunnus alalunga* revealed by microsatellite DNA markers. 471:183–191
 Montevicchi WA, see McFarlane Tranquilla LA et al. (2013) 472:287–303
 Montory JA, see Chaparro OR et al. (2013) 474:167–177
 Moody AJ, see Melatunan S et al. (2013) 472:155–168
 Moore CH, Drazen JC, Kelley CD, Misa WFXE (2013) Deep-water marine protected areas of the main Hawaiian Islands: establishing baselines for commercially valuable bottomfish populations. 476:167–183
 Morgan SG, see Miller SH (2013) 476:301–306
 Morgan SG, see Miller SH et al. (2013) 474:179–190
 Morris EP, see Van Engeland T et al. (2013) 478:87–100
 Morris JA Jr, see Côté IM et al. (2013) 472:249–256
 Moya A, see Chua CM et al. (2013) 475:85–92
 Mundy CJ, see Alou-Font E et al. (2013) 474:89–104
 Murray KT, Orphanides CD (2013) Estimating the risk of loggerhead turtle *Caretta caretta* bycatch in the US mid-Atlantic using fishery-independent and -dependent data. 477:259–270

N

- Nakano Y, see Lien YT et al. (2013) 473:163–177
 Nash RDM, see Comerford S et al. (2013) 476:215–226
 Naustvoll LJ, see Durant JM et al. (2013) 474:43–52
 Nayak AR, see Talapatra S et al. (2013) 473:29–51
 Nehls G, see Brandt MJ et al. (2013) 475:291–302
 Nichols PD, see Waugh CA et al. (2012) 471:271–281
 Nielsen LT, Krock B, Hansen PJ (2012) Effects of light and food availability on toxin production, growth and photosynthesis in *Dinophysis acuminata*. 471:37–50
 Nielsen TP, Wahlberg M, Dabelsteen T (2013) Assessment of long-distance detection of gillnets by porpoises: Reply to Dawson & Lusseau (2013). 478:303–305
 Noad MC, see Waugh CA et al. (2012) 471:271–281
 Nodder SD, see Cummings DO et al. (2013) 477:147–159
 Nordstrom CA, see Benoit-Bird KJ et al. (2013) 479:283–302
 Norzagaray-López O, see Cabral-Tena RA et al. (2013) 476:1–8
 Nunnally CC, see Quigg A et al. (2013) 480:21–37

O

- O'Brien KR, see Burfeind DD et al. (2013) 472:61–72
 O'Connor I, see Ryan C et al. (2013) 479:251–261
 O'Donahue LRK, see Slattery M et al. (2013) 476:71–86
 Okkonen SR, see Stafford KM et al. (2013) 474:287–297
 Økland F, see Schabetsberger R et al. (2013) 475:177–190
 Olabarria C, see Vaz-Pinto F et al. (2012) 471:51–60
 Olli K, Trikk O, Klais R, Ptacnik R, Andersen T, Lehtinen S, Tamminen T (2013) Harmonizing large data sets reveals novel patterns in the Baltic Sea phytoplankton community structure. 473:53–66
 Olsson O, see Evans TJ et al. (2013) 475:277–289
 Omori K, see Miller TW et al. (2013) 477:123–134
 Opitz T, see Manríquez PH et al. (2013) 472:169–183
 Orben RA, see Paredes R et al. (2012) 471:253–269
 Orcutt KM, Gundersen K, Ammerman JW (2013) Intense ectoenzyme activities associated with *Trichodesmium*

- colonies in the Sargasso Sea. 478:101–113
 Orejas C, see Elias-Piera F et al. (2013) 477:93–106
 Orphanides CD, see Murray KT (2013) 477:259–270
 Ortega L, see Barceló C et al. (2013) 479:235–250
 Orth RJ, see Blackburn NJ (2013) 474:135–145
 Orth RJ, see Sumoski SE (2012) 471:1–10
 Oschlies A, see Pahlow M (2013) 473:1–5
 Osoreo SJA, see Chaparro OR et al. (2013) 474:167–177
 Ottersen G, Stige LC, Durant JM, Chan KS, Rouyer TA, Drinkwater KF, Stenseth NC (2013) Temporal shifts in recruitment dynamics of North Atlantic fish stocks: effects of spawning stock and temperature. 480:205–225
 Ottersen G, see Durant JM et al. (2013) 480:199–203
 Owens MS, see Kellogg ML et al. (2013) 480:1–19

P

- Page HM, see Miller RJ et al. (2013) 474:53–66
 Pahlow M, Oschlies A (2013) Optimal allocation backs Droop's cell-quota model. 473:1–5
 Paiva VH, Geraldès P, Marques V, Rodríguez R, Garthe S, Ramos JA (2013) Effects of environmental variability on different trophic levels of the North Atlantic food web. 477:15–28
 Paiva VH, see Ramírez I et al. (2013) 476:269–284
 Palmeri V, see Sarà G et al. (2013) 480:99–117
 Panayotidis P, see Tsiamis K et al. (2013) 472:73–85
 Pardede S, see Ackiss AS et al. (2013) 480:185–197
 Pardo MÁ, see Montes I et al. (2012) 471:183–191
 Paredes R, Harding AMA, Irons DB, Roby DD, Suryan RM, Orben RA, Renner H, Young R, Kitaysky A (2012) Proximity to multiple foraging habitats enhances seabirds' resilience to local food shortages. 471:253–269
 Parmentier E, see Lecchini D et al. (2013) 475:303–307
 Pascal PY, Fleegeer JW, Boschker HTS, Mitwally HM, Johnson DS (2013) Response of the benthic food web to short- and long-term nutrient enrichment in saltmarsh mudflats. 474:27–41
 Pavlidou A, see Tsiamis K et al. (2013) 472:73–85
 Paynter KT, see Kellogg ML et al. (2013) 480:1–19
 Payri C, see Darrenougue N et al. (2013) 474:105–119
 Paz-García DA, see Cabral-Tena RA et al. (2013) 476:1–8
 Peckham SH, see Allen CD et al. (2013) 472:275–285
 Peirano A, see Cocito S et al. (2013) 473:179–188
 Penant G, Aurelle D, Feral JP, Chenuil A (2013) Planktonic larvae do not ensure gene flow in the edible sea urchin *Paracentrotus lividus*. 480:155–170
 Penin L, Adjeroud M (2013) Relative importance of recruitment and post-settlement processes in the maintenance of coral assemblages in an insular, fragmented reef system. 473:149–162
 Peperzak L, see Schaafsma FL (2013) 475:35–48
 Peralta G, see Van Engeland T et al. (2013) 478:87–100
 Pereda SV, see Chaparro OR et al. (2013) 474:167–177
 Perissinotto R, see Dyer DC et al. (2013) 476:199–214
 Peterson BJ, see Tettelbach ST et al. (2013) 478:153–172
 Peterson CH, see Geraldini NR et al. (2013) 480:119–129
 Phillips RA, see McFarlane Tranquilla LA et al. (2013) 472:287–303
 Phillips RA, see Ramírez I et al. (2013) 476:269–284
 Phillips RA, see Torres LG et al. (2013) 473:275–289
 Piatkowski U, see Maneja RH et al. (2013) 477:251–258
 Pihler MF, see Higgins CB et al. (2013) 473:7–27
 Piersma T, see Santos S et al. (2012) 471:123–134

- Pierson JJ, Frost BW, Leising AW (2013) Foray foraging behavior: seasonally variable, food-driven migratory behavior in two calanoid copepod species. 475:49–64
- Pilot M, see Bogdanowicz W et al. (2013) 478:287–300
- Pineda J, see Gyory J et al. (2013) 476:141–151
- Planes S, see Di Franco A et al. (2013) 476:227–235
- Plante C, see Rafalowski S (2013) 478:115–126
- Plathong S, see Lien YT et al. (2013) 473:163–177
- Poland DM, Mansfield JM, Hannes AR, Lewis CLF, Shearer TL, Connelly SJ, Kirk NL, Coffroth MA (2013) Variation in *Symbiodinium* communities in juvenile *Briareum asbestinum* (Cnidaria: Octocorallia) over temporal and spatial scales. 476:23–37
- Pontarp M, Sjöstedt J, Lundberg P (2013) Experimentally induced habitat filtering in marine bacterial communities. 477:77–86
- Poos JJ, see Batsleer J et al. (2013) 479:177–190
- Popp BN, see Vander Zanden HB et al. (2013) 476:237–249
- Porporato EMD, see Mangano MC et al. (2013) 475:101–117
- Porteiro FM, see Carreiro-Silva M et al. (2013) 473:189–199
- Porter ET, Mason RP, Sanford LP (2013) Effects of shear stress and hard clams on seston, microphytobenthos, and nitrogen dynamics in mesocosms with tidal resuspension. 479:25–45
- Power D, see Kenchington E et al. (2013) 477:217–230
- Prado P, Heck KL Jr, Watts SA, Cebrian J (2013) $\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ signatures from sea urchin skeleton: importance of diet type in metabolic contributions. 476:153–166
- Ptacnik R, see Olli K et al. (2013) 473:53–66

Q

- Qian K, see Di Franco A et al. (2013) 476:227–235
- Qiu JW, see Leung YS et al. (2013) 477:135–145
- Quigg A, Nunnally CC, McInnes AS, Gay S, Rowe GT, Dellapenna TM, Davis RW (2013) Hydrographic and biological controls in two subarctic fjords: an environmental case study of how climate change could impact phytoplankton communities. 480:21–37
- Quigg A, see Roelke DL et al. (2013) 477:61–76
- Quiniou L, see Calvès I et al. (2013) 472:257–273
- Quintanilla JM, see Laiz-Carrión R et al. (2013) 475:203–212

R

- Radford CA, see Lecchini D et al. (2013) 475:303–307
- Rafalowski S, Plante C (2013) Non-equilibrium processes structuring benthic bacterial communities following deposit feeding by a sea cucumber. 478:115–126
- Ragionieri L, see Fratini S et al. (2013) 478:173–183
- Ralph PJ, see Sinutok S et al. (2013) 478:127–138
- Ramírez I, Paiva VH, Menezes D, Silva I, Phillips RA, Ramos JA, Garthe S (2013) Year-round distribution and habitat preferences of the Bugio petrel. 476:269–284
- Ramírez I, see Lourenço PM et al. (2013) 479:223–234
- Ramos JA, see Paiva VH et al. (2013) 477:15–28
- Ramos JA, see Ramírez I et al. (2013) 476:269–284
- Rankin TL, see Johnson DW et al. (2012) 471:151–163
- Rao AM, see Majaneva S et al. (2013) 476:87–100
- Rapp HT, see Sweetman AK et al. (2013) 473:115–131
- Rasmussen M, see Christiansen F et al. (2013) 478:239–251
- Rattray A, Ierodiaconou D, Monk J, Versace VL, Laurenson LJB (2013) Detecting patterns of change in benthic habi-

- tats by acoustic remote sensing. 477:1–13
- Regular PM, see McFarlane Tranquilla LA et al. (2013) 472:287–303
- Reid JP, see Slone DH et al. (2013) 476:285–299
- Reiertsen TK, see Erikstad KE et al. (2013) 475:267–276
- Reish DJ, see Chandarana J et al. (2013) 473:215–224
- Renaud PE, see Majaneva S et al. (2013) 476:87–100
- Renner H, see Paredes R et al. (2012) 471:253–269
- Reyes-Bonilla H, see Cabral-Tena RA et al. (2013) 476:1–8
- Reynaud S, see Cocito S et al. (2013) 473:179–188
- Richman SE, see Lovvorn JR et al. (2013) 476:251–268
- Rigaud T, see Jossart Q et al. (2013) 475:167–176
- Rijnsdorp AD, see Batsleer J et al. (2013) 479:177–190
- Rinaldi A, see Sarà G et al. (2013) 480:99–117
- Rines J, see Talapatra S et al. (2013) 473:29–51
- Riquelme-Bugueño R, Escribano R, Gómez-Gutiérrez J (2013) Somatic and molt production in *Euphausia mucronata* off central-southern Chile: the influence of coastal upwelling variability. 476:39–57
- Riul P, Targino CH, Júnior LAC, Creed JC, Horta PA, Costa GC (2013) Invasive potential of the coral *Tubastraea coccinea* in the southwest Atlantic. 480:73–81
- Rivera G, see Chaparro OR et al. (2013) 474:167–177
- Roberts MA, see Brannock PM et al. (2013) 480:131–143
- Robertson GJ, see McFarlane Tranquilla LA et al. (2013) 472:287–303
- Robinson J, see Bijoux JP et al. (2013) 475:233–247
- Roby DD, see Paredes R et al. (2012) 471:253–269
- Rodgers KS, see Jokiel PL et al. (2013) 477:87–92
- Rodríguez R, see Paiva VH et al. (2013) 477:15–28
- Rodríguez-Gironés MÁ, see Amo L et al. (2013) 474:277–285
- Rodríguez-Ramos T, see López-Sandoval DC et al. (2013) 477:53–60
- Roelke DL, Li HP, Hayden NJ, Miller CJ, Davis SE, Quigg A, Buyukates Y (2013) Co-occurring and opposing freshwater inflow effects on phytoplankton biomass, productivity and community composition of Galveston Bay, USA. 477:61–76
- Røjbek MC, Jacobsen C, Tomkiewicz J, Støttrup JG (2012) Linking lipid dynamics with the reproductive cycle in Baltic cod *Gadus morhua*. 471:215–234
- Rolán-Alvarez E, see García SD et al. (2013) 475:145–153
- Romena N, see Ackiss AS et al. (2013) 480:185–197
- Rosen DAS, see Fortune SME et al. (2013) 478:253–272
- Ross T, see Davies KTA et al. (2013) 479:263–282
- Rossi S, see Elias-Piera F et al. (2013) 477:93–106
- Rottier C, see Cocito S et al. (2013) 473:179–188
- Rouyer T, see Durant JM et al. (2013) 480:277–287
- Rouyer T, see Hjermand DØ et al. (2013) 480:263–275
- Rouyer TA, see Ottersen G et al. (2013) 480:205–225
- Rowe GT, see Quigg A et al. (2013) 480:21–37
- Roy S, see Alou-Font E et al. (2013) 474:89–104
- Rozenfeld AF, see de Santana CN et al. (2013) 474:15–26
- Rundle SD, see Melatunan S et al. (2013) 472:155–168
- Ryan C, McHugh B, Trueman CN, Sabin R, Deaville R, Harrod C, Berrow SD, O'Connor I (2013) Stable isotope analysis of baleen reveals resource partitioning among sympatric rorquals and population structure in fin whales. 479:251–261

S

- Sá-Pinto A, see García SD et al. (2013) 475:145–153
- Sabin R, see Ryan C et al. (2013) 479:251–261

- Sagar PM, see Torres LG et al. (2013) 473:275–289
- Sales G, see Barceló C et al. (2013) 479:235–250
- Salomidi M, see Tsiamis K et al. (2013) 472:73–85
- Sánchez-Tocino L, see Maldonado M et al. (2013) 479:127–141
- Sandlund N, see Johansen R et al. (2013) 478:223–230
- Sandvik H, see Erikstad KE et al. (2013) 475:267–276
- Sanford LP, see Porter ET et al. (2013) 479:25–45
- Santora JA, see Woodson LE et al. (2013) 473:261–273
- Santos RS, see Carreiro-Silva M et al. (2013) 473:189–199
- Santos RS, see Schmiing M et al. (2013) 474:201–216
- Santos S, Aarts G, Luttkhuizen PC, Campos J, Piersma T, van der Veer HW (2012) Site-specific distribution of the bivalve *Scrobicularia plana* along the European coast. 471:123–134
- Sarà G, Palmeri V, Montalto V, Rinaldi A, Widdows J (2013) Parameterisation of bivalve functional traits for mechanistic eco-physiological dynamic energy budget (DEB) models. 480:99–117
- Sato M, Dower JF, Kunze E, Dewey R (2013) Second-order seasonal variability in diel vertical migration timing of euphausiids in a coastal inlet. 480:39–56
- Sato S, see Kaga T et al. (2013) 478:211–221
- Schaafsma FL, Peperzak L (2013) Phytoplankton growth inhibited by the toxic and bacterivorous ciliate *Uronema marinum* (Protozoa, Ciliophora). 475:35–48
- Schabetsberger R, Økland F, Aarestrup K, Kalfatak D, Sichrowsky U, Tambets M, Dall'Olmo G, Kaiser R, Miller PI (2013) Oceanic migration behaviour of tropical Pacific eels from Vanuatu. 475:177–190
- Schander C, see Sweetman AK et al. (2013) 473:115–131
- Scharler UM, see Ayers MJ et al. (2013) 479:143–161
- Schismenou E, Tsias K, Kourepini MI, Lefkaditou E, Triantafyllou G, Somarakis S (2013) Seasonal changes in growth and condition of anchovy late larvae explained with a hydrodynamic–biogeochemical model simulation. 478:197–209
- Schlacher TA, Thompson L (2013) Spatial structure on ocean-exposed sandy beaches: faunal zonation metrics and their variability. 478:43–55
- Schmiing M, Afonso P, Tempera F, Santos RS (2013) Predictive habitat modelling of reef fishes with contrasting trophic ecologies. 474:201–216
- Sciberras M, Hinz H, Bennell JD, Jenkins SR, Hawkins SJ, Kaiser MJ (2013) Benthic community response to a scallop dredging closure within a dynamic seabed habitat. 480:83–98
- Scott BE, see Cox SL et al. (2013) 479:203–221
- Segura CJ, see Chaparro OR et al. (2013) 474:167–177
- Seminoff JA, see Allen CD et al. (2013) 472:275–285
- Sequeira AMM, Mellin C, Delean S, Meehan MG, Bradshaw CJA (2013) Spatial and temporal predictions of inter-decadal trends in Indian Ocean whale sharks. 478:185–195
- Shaskey LE, see Lovvorn JR et al. (2013) 476:251–268
- Shearer TL, see Poland DM et al. (2013) 476:23–37
- Sheaves M (2013) Mangrove fish assemblages and ecological equivalence: Reply to Castellanos-Galindo & Krumme (2013). 474:303–304
- Shen KN, see Durand JD et al. (2013) 474:243–261
- Shen X, see Liu D et al. (2013) 475:1–14
- Sheng Q, see Huang D et al. (2013) 472:15–25
- Sherley RB, Underhill LG, Barham BJ, Barham PJ, Coetzee JC, Crawford RJM, Dyer BM, Leshoro TM, Upfold L (2013) Influence of local and regional prey availability on breeding performance of African penguins *Spheniscus demersus*. 473:291–301
- Shi Y, see Liu D et al. (2013) 475:1–14
- Shibata J, see Miller TW et al. (2013) 477:123–134
- Shima JS, see Geange SW et al. (2013) 472:239–248
- Shin PKS, see Leung YS et al. (2013) 477:135–145
- Sichrowsky U, see Schabetsberger R et al. (2013) 475:177–190
- Siegel DA, see Harrison CS et al. (2013) 472:27–44
- Signa G, Tramati CD, Vizzini S (2013) Contamination by trace metals and their trophic transfer to the biota in a Mediterranean coastal system affected by gull guano. 479:13–24
- Silva I, see Ramírez I et al. (2013) 476:269–284
- Simenstad CA, see Dethier MN et al. (2013) 478:1–14
- Simpfendorfer CA, see Udyawer V et al. (2013) 480:171–183
- Simpson M, see Geralsi NR et al. (2013) 480:119–129
- Simpson SJ, see Cummings DO et al. (2013) 477:147–159
- Sinutok S, Hill R, Doblin MA, Ralph PJ (2013) Diurnal photosynthetic response of the motile symbiotic benthic foraminiferan *Marginopora vertebralis*. 478:127–138
- Sislak C, see Eerkes-Medrano D et al. (2013) 478:139–151
- Sitjà C, see Maldonado M et al. (2013) 479:127–141
- Sjøstedt J, see Pontarp M et al. (2013) 477:77–86
- Skern-Mauritzen M, see Ciannelli L et al. (2013) 480:227–243
- Skinner JP, Burkanov VN, Andrews RD (2012) Influence of environment, morphology, and instrument size on lactating northern fur seal *Callorhinus ursinus* foraging behavior on the Lovushki Islands, Russia. 471:293–308
- Skomal GB, see Kneebone J et al. (2012) 471:165–181
- Slattery M, Gochfeld DJ, Easson CG, O'Donahue LRK (2013) Facilitation of coral reef biodiversity and health by cave sponge communities. 476:71–86
- Slone DH, Reid JP, Kenworthy WJ (2013) Mapping spatial resources with GPS animal telemetry: foraging manatees locate seagrass beds in the Ten Thousand Islands, Florida, USA. 476:285–299
- Smith BE, Collie JS, Lengyel NL (2013) Effects of chronic bottom fishing on the benthic epifauna and diets of demersal fishes on northern Georges Bank. 472:199–217
- Smith CF, see Tettelbach ST et al. (2013) 478:153–172
- Smith PA, see McFarlane Tranquilla LA et al. (2013) 472:287–303
- Smith SDA, see Gillies CL et al. (2013) 478:27–41
- Smyth AR, see Higgins CB et al. (2013) 473:7–27
- Soars N, see Byrne M et al. (2013) 473:235–246
- Soetaert K, see Van Engeland T et al. (2013) 478:87–100
- Solow A, see Gyory J et al. (2013) 476:141–151
- Somarakis S, see Schismenou E et al. (2013) 478:197–209
- Soria M, see Bijoux JP et al. (2013) 475:233–247
- Sosik E, see Dethier MN et al. (2013) 478:1–14
- Spanò N, see Mangano MC et al. (2013) 475:101–117
- Sparre Ø, see Majaneva S et al. (2013) 476:87–100
- Sponaugle S, see D'Alessandro EK et al. (2013) 474:227–242
- Sponaugle S, see Johnson DW et al. (2012) 471:151–163
- Stafford KM, Okkonen SR, Clarke JT (2013) Correlation of a strong Alaska Coastal Current with the presence of beluga whales *Delphinapterus leucas* near Barrow, Alaska. 474:287–297
- Starger CJ, see Baker AC et al. (2013) 479:85–97
- Stark JS, see Gillies CL et al. (2013) 478:27–41
- Steele MA, see Krug JM (2013) 477:177–188
- Steinberg DK, see Gleiber MR et al. (2012) 471:23–36
- Steinke D, see Côté IM et al. (2013) 472:249–256
- Stenseth NC, see Durant JM et al. (2013) 474:43–52
- Stenseth NC, see Durant JM et al. (2013) 480:199–203
- Stenseth NC, see Durant JM et al. (2013) 480:277–287

- Stenseth NC, see Hjermmann DØ et al. (2013) 480:263–275
 Stenseth NC, see Ottersen G et al. (2013) 480:205–225
 Stephenson K, see Higgins CB et al. (2013) 473:7–27
 Stewart JS, Hazen EL, Foley DG, Bograd SJ, Gilly WF (2012) Marine predator migration during range expansion: Humboldt squid *Dosidicus gigas* in the northern California Current System. 471:135–150
 Stieglitz TC (2013) Habitat engineering by decadal-scale bioturbation around shipwrecks on the Great Barrier Reef mid-shelf. 477:29–40
 Stier AC, see Geange SW et al. (2013) 472:239–248
 Stige LC, Hunsicker ME, Bailey KM, Yaragina NA, Hunt GL Jr (2013) Predicting fish recruitment from juvenile abundance and environmental indices. 480:245–261
 Stige LC, see Ottersen G et al. (2013) 480:205–225
 Stillman JH, see Miller NA (2013) 476:129–139
 Stimson J (2013) Consumption by herbivorous fishes of macroalgae exported from coral reef flat refuges to the reef slope. 472:87–99
 Stoeck T, see Engel M et al. (2012) 471:87–99
 Støttrup JG, see Røjbek MC et al. (2012) 471:215–234
 Stübner E, see Majaneva S et al. (2013) 476:87–100
 Stutes JP, see Cebrian J et al. (2013) 474:121–133
 Suchecka E, see Bogdanowicz W et al. (2013) 478:287–300
 Sullivan BK, see Durant JM et al. (2013) 474:43–52
 Sullivan J, see Talapatra S et al. (2013) 473:29–51
 Sumoski SE, Orth RJ (2012) Biotic dispersal in eelgrass *Zostera marina*. 471:1–10
 Suryan RM, see Paredes R et al. (2012) 471:253–269
 Svensson CJ, Baden S, Moksnes PO, Åberg P (2012) Temporal mismatches in predator–herbivore abundance control algal blooms in nutrient-enriched seagrass ecosystems. 471:61–71
 Sweetman AK, Levin LA, Rapp HT, Schander C (2013) Faunal trophic structure at hydrothermal vents on the southern Mohn's Ridge, Arctic Ocean. 473:115–131
 Swimmer Y, see Barceló C et al. (2013) 479:235–250
 Szostek CL, Davies AJ, Hinz H (2013) Effects of elevated levels of suspended particulate matter and burial on juvenile king scallops *Pecten maximus*. 474:155–165
- T**
- Taggart CT, see Davies KTA et al. (2013) 479:263–282
 Takekawa JY, see Lovvorn JR et al. (2013) 476:251–268
 Talapatra S, Hong J, McFarland M, Nayak AR, Zhang C, Katz J, Sullivan J, Twardowski M, Rines J, Donaghay P (2013) Characterization of biophysical interactions in the water column using *in situ* digital holography. 473:29–51
 Tambets M, see Schabetsberger R et al. (2013) 475:177–190
 Tamminen T, see Olli K et al. (2013) 473:53–66
 Targett TE, see Ciotti BJ et al. (2013) 475:213–232
 Targino CH, see Riul P et al. (2013) 480:73–81
 Taylor N, see Comerford S et al. (2013) 476:215–226
 Tempera F, see Schmiing M et al. (2013) 474:201–216
 Tettelbach ST, Peterson BJ, Carroll JM, Hughes SWT, Bonal DM, Weinstock AJ, Europe JR, Furman BT, Smith CF (2013) Priming the larval pump: resurgence of bay scallop recruitment following initiation of intensive restoration efforts. 478:153–172
 Thingstad TF, see Haraldsson M et al. (2012) 471:73–85
 Thiagarajan V, see Leung YS et al. (2013) 477:135–145
 Thomas FIM, see Weitzman JS et al. (2013) 475:65–83
 Thompson DR, see Torres LG et al. (2013) 473:275–289
 Thompson L, see Schlacher TA (2013) 478:43–55
 Thompson RJ, see Chaparro OR et al. (2013) 474:167–177
 Thompson RJ, see Lowen JB et al. (2013) 475:135–143
 Thorne BV, see Eriksson H et al. (2013) 473:225–234
 Tiselius P, see Haraldsson M et al. (2012) 471:73–85
 Tobias C, see Higgins CB et al. (2013) 473:7–27
 Todd CD, see Hanson NN et al. (2013) 475:249–266
 Tomiyama T, Uehara S, Kurita Y (2013) Feeding relationships among fishes in shallow sandy areas in relation to stocking of Japanese flounder. 479:163–175
 Tomkiewicz J, see Røjbek MC et al. (2012) 471:215–234
 Tönnesson K, see Haraldsson M et al. (2012) 471:73–85
 Torres AP, see Laiz-Carrión R et al. (2013) 475:203–212
 Torres LG, Sagar PM, Thompson DR, Phillips RA (2013) Scaling down the analysis of seabird–fishery interactions. 473:275–289
 Tramati CD, see Sigma G et al. (2013) 479:13–24
 Triantafyllou G, see Schismenou E et al. (2013) 478:197–209
 Trikk O, see Olli K et al. (2013) 473:53–66
 Trites AW, see Benoit-Bird KJ et al. (2013) 479:283–302
 Trites AW, see Fortune SME et al. (2013) 478:253–272
 Trott LA, see Erler DV et al. (2013) 478:57–70
 Trueman CN, see Ryan C et al. (2013) 479:251–261
 Tsiamis K, Panayotidis P, Salomidi M, Pavlidou A, Kleinteich J, Balanika K, Küpper FC (2013) Macroalgal community response to re-oligotrophication in Saronikos Gulf. 472:73–85
 Tsiaras K, see Schismenou E et al. (2013) 478:197–209
 Tustison J, see Walters S et al. (2013) 479:191–202
 Twardowski M, see Talapatra S et al. (2013) 473:29–51
- U**
- Udy JW, see Burfeind DD et al. (2013) 472:61–72
 Udyawer V, Chin A, Knip DM, Simpendorfer CA, Heupel MR (2013) Variable response of coastal sharks to severe tropical storms: environmental cues and changes in space use. 480:171–183
 Uehara S, see Tomiyama T et al. (2013) 479:163–175
 Underhill LG, see Sherley RB et al. (2013) 473:291–301
 Unger D, see Herbeck LS (2013) 478:71–86
 Upfold L, see Sherley RB et al. (2013) 473:291–301
- V**
- Vader A, see Majaneva S et al. (2013) 476:87–100
 Valiela I, see Kinney EL (2013) 477:41–52
 van der Meer J, see Andresen H et al. (2013) 472:141–154
 van der Veer HW, see Comerford S et al. (2013) 476:215–226
 van der Veer HW, see Freitas V et al. (2012) 471:203–214
 van der Veer HW, see Santos S et al. (2012) 471:123–134
 van Dijken GL, see Alderkamp AC et al. (2013) 475:15–34
 Van Engeland T, Bouma TJ, Morris EP, Brun FG, Peralta G, Lara M, Hendriks IE, van Rijswijk P, Veuger B, Soetaert K, Middelburg JJ (2013) Dissolved organic matter uptake in a temperate seagrass ecosystem. 478:87–100
 van Rijswijk P, see Van Engeland T et al. (2013) 478:87–100
 Vander Zanden HB, Arthur KE, Bolten AB, Popp BN, Lagueux CJ, Harrison E, Campbell CL, Bjorndal KA (2013) Trophic ecology of a green turtle breeding population. 476:237–249
 Vanderklift MA, see Bearham D et al. (2013) 476:59–70
 Vanhatalo J, see Veneranta L et al. (2013) 477:231–250

- Vannini M, see Fratini S et al. (2013) 478:173–183
 Vaz-Pinto F, Olabarria C, Arenas F (2012) Propagule pressure and functional diversity: interactive effects on a macroalgal invasion process. 471:51–60
 Veneranta L, Hudd R, Vanhatalo J (2013) Reproduction areas of sea-spawning coregonids reflect the environment in shallow coastal waters. 477:231–250
 Vermard Y, see Batsleer J et al. (2013) 479:177–190
 Versace VL, see Rattray A et al. (2013) 477:1–13
 Veuger B, see Van Engeland T et al. (2013) 478:87–100
 Vieillard AM, Fulweiler RW (2012) Impacts of long-term fertilization on salt marsh tidal creek benthic nutrient and N₂ gas fluxes. 471:11–22
 Vikebø F, see Erikstad KE et al. (2013) 475:267–276
 Visser AW, Fiksen Ø (2013) Optimal foraging in marine ecosystem models: selectivity, profitability and switching. 473:91–101
 Vizzini S, see Signa G et al. (2013) 479:13–24
 Volkenborn N, see Engel M et al. (2012) 471:87–99
 Vollset KW, Catalán IA, Fiksen Ø, Folkvord A (2013) Effect of food deprivation on distribution of larval and early juvenile cod in experimental vertical temperature and light gradients. 475:191–201
 Woolstra CR, see Bayer T et al. (2013) 479:75–84

W

- Wahlberg M, see Nielsen TP et al. (2013) 478:303–305
 Walters S, Lowerre-Barbieri S, Bickford J, Tustison J, Landsberg JH (2013) Effects of *Karenia brevis* red tide on the spatial distribution of spawning aggregations of sand seatrout *Cynoscion arenarius* in Tampa Bay, Florida. 479:191–202
 Wang JT, see Lien YT et al. (2013) 473:163–177
 Wang Y, see Liu D et al. (2013) 475:1–14
 Wang Y, see Liu D et al. (2013) 475:1–14
 Waniek JJ, see Bauer A (2013) 474:67–88
 Waqalevu VP, see Lecchini D et al. (2013) 475:303–307
 Wattier RA, see Jossart Q et al. (2013) 475:167–176
 Watts SA, see Prado P et al. (2013) 476:153–166
 Waugh CA, Nichols PD, Noad MC, Bengtson Nash S (2012) Lipid and fatty acid profiles of migrating Southern Hemisphere humpback whales *Megaptera novaeangliae*. 471:271–281
 Wei K, Wood AR, Gardner JPA (2013) Seascape genetics of the New Zealand greenshell mussel: sea surface temperature explains macrogeographic scale genetic variation. 477:107–121
 Weinstock AJ, see Tettelbach ST et al. (2013) 478:153–172
 Weitzman JS, Aveni-Deforge K, Koseff JR, Thomas FIM

- (2013) Uptake of dissolved inorganic nitrogen by shallow seagrass communities exposed to wave-driven unsteady flow. 475:65–83
 Wells BK, see Woodson LE et al. (2013) 473:261–273
 Westerborn M, see Koivisto M (2012) 471:101–110
 White JW, see Miller SH et al. (2013) 474:179–190
 Widdicombe S, see Melatunan S et al. (2013) 472:155–168
 Widdows J, see Sarà G et al. (2013) 480:99–117
 Wild C, see Jessen C (2013) 476:9–21
 Willis TV, Wilson KA, Alexander KE, Leavenworth WB (2013) Tracking cod diet preference over a century in the northern Gulf of Maine: historic data and modern analysis. 474:263–276
 Wilson CJ, Wilson PS, Greene CA, Dunton KH (2013) Seagrass meadows provide an acoustic refuge for estuarine fish. 472:117–127
 Wilson KA, see Willis TV et al. (2013) 474:263–276
 Wilson PS, see Wilson CJ et al. (2013) 472:117–127
 Wood AR, see Wei K et al. (2013) 477:107–121
 Woodson LE, Wells BK, Grimes CB, Franks RP, Santora JA, Carr MH (2013) Water and otolith chemistry identify exposure of juvenile rockfish to upwelled waters in an open coastal system. 473:261–273
 Wraith J, Lynch T, Minchinton TE, Broad A, Davis AR (2013) Bait type affects fish assemblages and feeding guilds observed at baited remote underwater video stations. 477:189–199
 Wu J, see Huang D et al. (2013) 472:15–25
 Wurster CM, see Hanson NN et al. (2013) 475:249–266
 Wylie J, see Criales MM et al. (2013) 477:161–176

Y

- Yamashita Y, see Lien YT et al. (2013) 473:163–177
 Yaragina N, see Durant JM et al. (2013) 480:277–287
 Yaragina NA, see Stige LC et al. (2013) 480:245–261
 Young R, see Paredes R et al. (2012) 471:253–269
 Ysebaert T, see Cozzoli F et al. (2013) 475:119–133

Z

- Zhang C, see Talapatra S et al. (2013) 473:29–51
 Zink IC, see Criales MM et al. (2013) 477:161–176
 Zoccola D, see Bayer T et al. (2013) 479:75–84
 Zúñiga D, Froján M, Castro CG, Alonso-Pérez F, Labarta U, Figueiras FG, Fuentes-Santos I, Fernández-Reiriz MJ (2013) Feedback between physiological activity of *Mytilus galloprovincialis* and biogeochemistry of the water column. 476:101–114