

## COMBINED AUTHOR AND TITLE INDEX

## (Volumes 481 to 490, 2013)

## A

- Abecasis D, see Doropoulos C et al. (2013) 486:153–164  
 Abreu PC, see Claudino MC et al. (2013) 489:29–42  
 Achterberg EP, see Honey DJ et al. (2013) 483:1–17  
 Adjeroud M, see Trapon ML et al. (2013) 488:157–170  
 Afeworki Y, Zekeria ZA, Videler JJ, Bruggemann JH (2013) Food intake by the parrotfish *Scarus ferrugineus* varies seasonally and is determined by temperature, size and territoriality. 489:213–224  
 Aguilera MA, Navarrete SA, Broitman BR (2013) Differential effects of grazer species on periphyton of a temperate rocky shore. 484:63–78  
 Aguilera MA, Valdivia N, Broitman BR (2013) Spatial niche differentiation and coexistence at the edge: co-occurrence distribution patterns in *Scurria* limpets. 483:185–198  
 Aguirre JD, McNaught DC (2013) Habitat complexity mediates predation of juvenile abalone by starfish. 487:101–111  
 Aguzzi J, Sbragaglia V, Santamaría G, Del Río J, Sardà F, Noguera M, Manuel A (2013) Daily activity rhythms in temperate coastal fishes: insights from cabled observatory video monitoring. 486:223–236  
 Alcaraz M, see Calbet A et al. (2013) 483:67–84  
 Alcoverro T, see Kelkar N et al. (2013) 485:235–243  
 Alderkamp AC, see Tortell PD et al. (2013) 483:47–66  
 Alderson B, Mazumder D, Saintilan N, Zimmerman K, Mulry P (2013) Application of isotope mixing models to discriminate dietary sources over small-scale patches in saltmarsh. 487:113–122  
 Alemany F, see Muhling BA et al. (2013) 486:257–276  
 Alexander TJ (2013) Cryptic invertebrates on subtidal rocky reefs vary with microhabitat structure and protection from fishing. 481:93–104  
 Alldredge AL, Holbrook SJ, Schmitt RJ, Brooks AJ, Stewart H (2013) Skeletal growth of four scleractinian corals is not enhanced by *in situ* mesozooplankton enrichment. 489:143–153  
 Alsterberg C, Sundbäck K (2013) Experimental warming and toxicant exposure can result in antagonistic effects in a shallow-water sediment system. 488:89–101  
 Álvarez de Quevedo I, San Félix M, Cardona L (2013) Mortality rates in by-caught loggerhead turtle *Caretta caretta* in the Mediterranean Sea and implications for the Atlantic populations. 489:225–234  
 Alvarez-Berastegui D, see Muhling BA et al. (2013) 486:257–276  
 Amano Y, see Kitagawa T et al. (2013) 481:199–209  
 Amsler CD, see Amsler MO et al. (2013) 490:79–90  
 Amsler MO, Amsler CD, von Salm JL, Aumack CF, McClintock JB, Young RM, Baker BJ (2013) Tolerance and sequestration of macroalgal chemical defenses by an Antarctic amphipod: a 'cheater' among mutualists. 490:79–90

- Andersen CP, see Kaldy JE et al. (2013) 487:27–39  
 Anderson EJ, see Wheeler JD et al. (2013) 488:171–185  
 Anderson MJ, see Zintzen V et al. (2013) 485:223–234  
 Anderson TW, see Morton DN (2013) 485:75–89  
 Angel D, see Bolte S et al. (2013) 485:25–36  
 Anker-Nilssen T, see Bustnes JO et al. (2013) 489:235–244  
 Aranishi F, see Horinouchi M et al. (2013) 488:255–266  
 Arnosti C, see Prairie JC et al. (2013) 487:185–200  
 Arrigo KR, see Tortell PD et al. (2013) 483:47–66  
 Arthur R, see Kelkar N et al. (2013) 485:235–243  
 Arts MT, see McMeans BC et al. (2013) 482:17–28  
 Attrill MJ, see Lauria V et al. (2013) 488:11–22  
 Aumack CF, see Amsler MO et al. (2013) 490:79–90  
 Auriolos-Gamboa D, Rodríguez-Pérez MY, Sánchez-Velasco L, Lavín MF (2013) Habitat, trophic level, and residence of marine mammals in the Gulf of California assessed by stable isotope analysis. 488:275–290  
 Auth TD, see Daly EA et al. (2013) 484:203–217  
 Aydin K, see Zador S et al. (2013) 485:245–258  
 Ayre DJ, see Hidas EZ et al. (2013) 483:199–208

## B

- Babcock RC, see Downie RA et al. (2013) 482:217–225  
 Baird AH, see Chua CM et al. (2013) 486:143–151  
 Baird AH, see Trapon ML et al. (2013) 488:157–170  
 Baker BJ, see Amsler MO et al. (2013) 490:79–90  
 Baker R, Fry B, Rozas LP, Minello TJ (2013) Hydrodynamic regulation of salt marsh contributions to aquatic food webs. 490:37–52  
 Ballachey BE, Bodkin JL, Monson DH (2013) Quantifying long-term risks to sea otters from the 1989 'Exxon Valdez' oil spill: Reply to Harwell & Gentile (2013). 488:297–301  
 Ballance LT, see Fiedler PC et al. (2013) 484:1–16  
 Ballorain K, Bourjea J, Ciccione S, Kato A, Hanuise N, Enstipp M, Fossette S, Georges JY (2013) Seasonal diving behaviour and feeding rhythms of green turtles at Mayotte Island. 483:289–302  
 Barbeau MA, see Gerwing TG et al. (2013) 487:7–13  
 Barker NP, see Teske PR et al. (2013) 482:133–140  
 Barrett RT, see Erikstad KE et al. (2013) 481:305  
 Barth-Jensen C, see Valiela I et al. (2013) 482:1–15  
 Bartlett LA, see Ruzicka RR et al. (2013) 489:125–141  
 Bartoli M, see Bonaglia S et al. (2013) 482:43–55  
 Bataille MP, see Callier MD et al. (2013) 483:153–167  
 Bauer LB, see Kendall MS et al. (2013) 489:43–59  
 Baumgartner MF, Lysiak NSJ, Carter Esch H, Zerbini AN, Berchok CL, Clapham PJ (2013) Associations between North Pacific right whales and their zooplanktonic prey in the southeastern Bering Sea. 490:267–284  
 Beardsley RC, see Boucher JM et al. (2013) 487:201–215  
 Bearhop S, see Semmens BX et al. (2013) 490:285–289  
 Becking LE, Cleary DFR, de Voogd NJ (2013) Sponge spe-

- cies composition, abundance, and cover in marine lakes and coastal mangroves in Berau, Indonesia. 481:105–120
- Beier E, see Pardo MA et al. (2013) 487:245–260
- Bejarano S, Golbuu Y, Sapolu T, Mumby PJ (2013) Ecological risk and the exploitation of herbivorous reef fish across Micronesia. 482:197–215
- Bell JJ, see Perea-Blázquez A et al. (2013) 485:91–103
- Bendtsen J, see Hansen JLS (2013) 481:25–39
- Bennett MB, see Rohner CA et al. (2013) 482:153–168
- Bennett WA, see Hendy IW et al. (2013) 486:237–245
- Benoit-Bird KJ, McIntosh NE, Heppell SA (2013) Nested scales of spatial heterogeneity in juvenile walleye pollock *Theragra chalcogramma* in the southeastern Bering Sea. 484:219–238
- Berchok CL, see Baumgartner MF et al. (2013) 490:267–284
- Bergström L, Sundqvist F, Bergström U (2013) Effects of an offshore wind farm on temporal and spatial patterns in the demersal fish community. 485:199–210
- Bergström U, see Bergström L et al. (2013) 485:199–210
- Bernreuther M, Schmidt J, Stepputtis D, Temming A (2013) Vertically resolved prey selectivity and competition of Baltic herring *Clupea harengus* and sprat *Sprattus sprattus*. 489:177–195
- Berry O, see Kennington WJ et al. (2013) 486:213–221
- Berten L, see Holles S et al. (2013) 485:295–300
- Bertram A, see Friedrichs L et al. (2013) 481:41–51
- Bessey C, see Heithaus MR et al. (2013) 481:225–237
- Bett BJ (2013) Characteristic benthic size spectra: potential sampling artefacts. 487:1–6
- Beukema JJ, Dekker R (2013) Evaluation of Brey's production/biomass model on the basis of a long-term data set on a clam population. 489:163–175
- Bibby TS, see Honey DJ et al. (2013) 483:1–17
- Bickford J, see Lowerre-Barbieri SK et al. (2013) 481:181–197
- Biktashev VN, see Kenitz K et al. (2013) 490:107–119
- Bishop MJ, see Kelaher BP et al. (2013) 487:15–25
- Bjorndal KA, see López-Castro MC et al. (2013) 490:233–246
- Błachowiak-Samołyk K, see Jakubas D et al. (2013) 489:263–278
- Blanar CA, see Thieltges DW et al. (2013) 490:147–154
- Blicher ME, Sejr MK, Høgslund S (2013) Population structure of *Mytilus edulis* in the intertidal zone in a sub-Arctic fjord, SW Greenland. 487:89–100
- Bodkin JL, see Ballachey BE et al. (2013) 488:297–301
- Bograd SJ, see Hazen EL et al. (2013) 487:177–183
- Bolte S, Fuentes V, Haslob H, Huwer B, Thibault-Botha D, Angel D, Galil B, Javidpour J, Moss AG, Reusch TBH (2013) Population genetics of the invasive ctenophore *Mnemiopsis leidyi* in Europe reveal source-sink dynamics and secondary dispersal to the Mediterranean Sea. 485:25–36
- Bolten AB, see López-Castro MC et al. (2013) 490:233–246
- Bonaglia S, Bartoli M, Gunnarsson JS, Rahm L, Raymond C, Svensson O, Shakeri Yekta S, Brüchert V (2013) Effect of reoxygenation and *Marenzelleria* spp. bioturbation on Baltic Sea sediment metabolism. 482:43–55
- Bonaventura L, see Melià P et al. (2013) 487:135–149
- Bonnet D, see Hirst AG et al. (2013) 489:297–298
- Bonzek CF, see Buchheister A et al. (2013) 481:161–180
- Boo SM, see Hammann M et al. (2013) 486:93–103
- Booth DJ, see Kelaher BP et al. (2013) 487:15–25
- Booth JM, McQuaid CD (2013) Northern rockhopper penguins prioritise future reproduction over chick provisioning. 486:289–304
- Borrat RM, see Calbet A et al. (2013) 483:67–84
- Bort J, see Cama A et al. (2013) 484:279–286
- Botsford LW, see Moffitt EA et al. (2013) 489:17–28
- Boucher JM, Chen C, Sun Y, Beardsley RC (2013) Effects of interannual environmental variability on the transport-retention dynamics in haddock *Melanogrammus aeglefinus* larvae on Georges Bank. 487:201–215
- Bourjea J, see Ballorain K et al. (2013) 483:289–302
- Bradshaw CJA, Field IC, McMahon CR, Johnson GJ, Meekan MG, Buckworth RC (2013) More analytical bite in estimating targets for shark harvest. 488:221–232
- Breitbart DL, see Richmond CE et al. (2013) 486:59–78
- Brereton TM, see Watson H et al. (2013) 485:259–273
- Brinkhuis V, see Ruzicka RR et al. (2013) 489:125–141
- Broderick AC, see Fuller WJ et al. (2013) 488:267–274
- Brodeur RD, see Daly EA et al. (2013) 484:203–217
- Broitman BR, see Aguilera MA et al. (2013) 483:185–198
- Broitman BR, see Aguilera MA et al. (2013) 484:63–78
- Bronk DA, see Sipler RE et al. (2013) 483:31–45
- Brooks AJ, see Alldredge AL et al. (2013) 489:143–153
- Brooks ML, see Lovvorn JR et al. (2013) 489:245–261
- Brown A, see Lauria V et al. (2013) 488:11–22
- Brown AL, Carpenter RC (2013) Water-flow mediated oxygen dynamics within massive *Porites*-algal turf interactions. 490:1–10
- Brown CA, see Kaldy JE et al. (2013) 487:27–39
- Brown SM, see Fulweiler RW et al. (2013) 482:57–68
- Brüchert V, see Bonaglia S et al. (2013) 482:43–55
- Brugel S, see Simpson KG et al. (2013) 484:47–62
- Bruggemann JH, see Afeworki Y et al. (2013) 489:213–224
- Brun FG, see Villazán B et al. (2013) 488:133–143
- Buchheister A, Bonzek CF, Gartland J, Latour RJ (2013) Patterns and drivers of the demersal fish community of Chesapeake Bay. 481:161–180
- Buckworth RC, see Bradshaw CJA et al. (2013) 488:221–232
- Burfeind DD, see Chargin CA et al. (2013) 488:247–254
- Burkholder DA, see Heithaus MR et al. (2013) 481:225–237
- Burnell OW, Russell BD, Irving AD, Connell SD (2013) Eutrophication offsets increased sea urchin grazing on seagrass caused by ocean warming and acidification. 485:37–46
- Burrige CP, see Higgins KL et al. (2013) 486:203–212
- Bustnes JO, Anker-Nilssen T, Erikstad KE, Lorentsen SH, Systad GH (2013) Changes in the Norwegian breeding population of European shag correlate with forage fish and climate. 489:235–244
- Bustnes JO, Systad GH, Ydenberg RC (2013) Changing distribution of flocking sea ducks as non-regenerating food resources are depleted. 484:249–257
- Butler JL, see Coates JH et al. (2013) 486:189–201

## C

- Calbet A, Isari S, Martínez RA, Saiz E, Garrido S, Peters J, Borrat RM, Alcaraz M (2013) Adaptations to feast and famine in different strains of the marine heterotrophic dinoflagellates *Gyrodinium dominans* and *Oxyrrhis marina*. 483:67–84
- Caldas M, see Santos MB et al. (2013) 481:249–268
- Callier MD, Lefebvre S, Dunagan MK, Bataille MP, Coughlan J, Crowe TP (2013) Shift in benthic assemblages and organisms' diet at salmon farms: community structure and stable isotope analyses. 483:153–167
- Cama A, Bort J, Christel I, Vieites DR, Ferrer X (2013) Fish-

- ery management has a strong effect on the distribution of Audouin's gull. 484:279–286
- Camassa R, see Prairie JC et al. (2013) 487:185–200
- Cameron K, see Heithaus MR et al. (2013) 481:225–237
- Cardona L, see Álvarez de Quevedo I et al. (2013) 489:225–234
- Carpenter RC, see Brown AL (2013) 490:1–10
- Carter Esch H, see Baumgartner MF et al. (2013) 490:267–284
- Cartes JE, see Fanelli E et al. (2013) 490:199–221
- Casado C, see Kersting DK et al. (2013) 486:165–171
- Casagrandi R, see Melià P et al. (2013) 487:135–149
- Caselle JE, see Horta e Costa B et al. (2013) 481:11–24
- Cebrian J, see Moody RM et al. (2013) 488:145–155
- Ceccherelli G, see Pinna S et al. (2013) 485:47–55
- Cermeño P, Rodríguez-Ramos T, Dornelas M, Figueiras FG, Maraño E, Teixeira IG, Vallina S (2013) Species richness in marine phytoplankton communities is not correlated to ecosystem productivity. 488:1–9
- Chadwick NE, see Morrow KM et al. (2013) 488:103–117
- Chambellant M, Stirling I, Ferguson SH (2013) Temporal variation in western Hudson Bay ringed seal *Phoca hispida* diet in relation to environment. 481:269–287
- Chan BKK, see Tsang LM et al. (2013) 488:187–200
- Chargulaf CA, Burfeind DD, Tibbetts IR (2013) A sand goby realizes its niche both at high population densities and in the presence of the half bridled goby. 488:247–254
- Chartrand K, see Petrou K et al. (2013) 482:93–106
- Chen C, see Boucher JM et al. (2013) 487:201–215
- Chen J, see Li Y et al. (2013) 483:19–29
- Chen M, Liu H, Li H (2013) Effect of mesozooplankton feeding selectivity on the dynamics of algae in the presence of intermediate grazers—a laboratory simulation. 486:47–58
- Chen YP, Ye Y (2013) Growth and physiological responses of saplings of two mangrove species to intertidal elevation. 482:107–118
- Cherel Y, see Jaeger A et al. (2013) 490:255–266
- Chierici M, see Tortell PD et al. (2013) 483:47–66
- Choy CA, Drazen JC (2013) Plastic for dinner? Observations of frequent debris ingestion by pelagic predatory fishes from the central North Pacific. 485:155–163
- Christel I, see Cama A et al. (2013) 484:279–286
- Christensen A, see van Deurs M et al. (2013) 487:123–133
- Christie H, see Olsen JL et al. (2013) 486:121–132
- Christie HC, see Fagerli CW et al. (2013) 488:119–132
- Chu KH, see Tsang LM et al. (2013) 488:187–200
- Chu T, see Reitzel AM et al. (2013) 484:115–130
- Chua CM, Leggat W, Moya A, Baird AH (2013) Near-future reductions in pH will have no consistent ecological effects on the early life-history stages of reef corals. 486:143–151
- Church C, see Reitzel AM et al. (2013) 484:115–130
- Ciannelli L, see Muhling BA et al. (2013) 486:257–276
- Ciccione S, see Ballorain K et al. (2013) 483:289–302
- Clapham PJ, see Baumgartner MF et al. (2013) 490:267–284
- Clark CW, see Risch D et al. (2013) 489:279–295
- Claudino MC, Abreu PC, Garcia AM (2013) Stable isotopes reveal temporal and between-habitat changes in trophic pathways in a southwestern Atlantic estuary. 489:29–42
- Cleary DFR, see Becking LE et al. (2013) 481:105–120
- Coates JH, Hovel KA, Butler JL, Klimley AP, Morgan SG (2013) Movement and home range of pink abalone *Haliotis corrugata*: implications for restoration and population recovery. 486:189–201
- Colee J, see Ruzicka RR et al. (2013) 489:125–141
- Colella MA, see Ruzicka RR et al. (2013) 489:125–141
- Congdon BC, see McDuie F et al. (2013) 485:275–285
- Congdon BC, see Weeks SJ et al. (2013) 490:247–254
- Connell SD, see Burnell OW et al. (2013) 485:37–46
- Conway DVP, see Hirst AG et al. (2013) 489:297–298
- Cooper LW, see Kolts JM et al. (2013) 483:209–220
- Cooper LW, see Lovvorn JR et al. (2013) 489:245–261
- Cooper W, see Lowerre-Barbieri SK et al. (2013) 481:181–197
- Cordeiro Pires A, see Nolasco R et al. (2013) 485:123–142
- Correia D, see Santos MB et al. (2013) 481:249–268
- Corzo A, see Papaspyrou S et al. (2013) 490:121–135
- Coughlan J, see Callier MD et al. (2013) 483:153–167
- Courtenay SC, see Skinner MA et al. (2013) 486:105–119
- Coyer JA, see Olsen JL et al. (2013) 486:121–132
- Cragg SM, see Hendy IW et al. (2013) 486:237–245
- Croot P, see Olgun N et al. (2013) 488:81–88
- Crowe TP, see Callier MD et al. (2013) 483:153–167
- Crowe TP, see Golléty C (2013) 482:69–79
- Crowe TP, see Green DS (2013) 482:119–132
- Crump BC, see Malpezzi MA et al. (2013) 486:23–35
- Crusius J, see Valiela I et al. (2013) 482:1–15
- Cruz-Rivera E, Friedlander M (2013) Effects of algal phenotype on mesograzers feeding. 490:69–78
- Curley BG, see Galaiduk R et al. (2013) 484:189–202
- Cutter GA, see Lovvorn JR et al. (2013) 489:245–261

## D

- Dabruzzi TF, see Hendy IW et al. (2013) 486:237–245
- Dagorn L, see Robert M et al. (2013) 484:239–247
- Dahl K, see Mikkelsen L et al. (2013) 481:239–248
- Daly EA, Auth TD, Brodeur RD, Peterson WT (2013) Winter ichthyoplankton biomass as a predictor of early summer prey fields and survival of juvenile salmon in the northern California Current. 484:203–217
- Daly KL, see Piñones A et al. (2013) 481:69–92
- Dao MH (2013) Reassessment of the cell surface area limitation to nutrient uptake in phytoplankton. 489:87–92
- Darecki M, see Jakubas D et al. (2013) 489:263–278
- Davies RD, Wanless S, Lewis S, Hamer KC (2013) Density-dependent foraging and colony growth in a pelagic seabird species under varying environmental conditions. 485:287–294
- Davy SK, see Perea-Blázquez A et al. (2013) 485:91–103
- de Boois I, see Neumann H et al. (2013) 484:143–153
- De Lecea AM, Fennessy ST, Smit AJ (2013) Processes controlling the benthic food web of a mesotrophic bight (KwaZulu-Natal, South Africa) revealed by stable isotope analysis. 484:97–114
- de Voogd NJ, see Becking LE et al. (2013) 481:105–120
- Dekker R, see Beukema JJ (2013) 489:163–175
- Del Río J, see Aguzzi J et al. (2013) 486:223–236
- DeMartini EE, Wren JLK, Kobayashi DR (2013) Persistent spatial patterns of recruitment in a guild of Hawaiian coral reef fishes. 485:165–179
- Deneubourg JL, see Robert M et al. (2013) 484:239–247
- Di Prisco C, see Montresor M et al. (2013) 484:79–95
- Diaz MR, Piggot AM, Eberli GP, Klaus JS (2013) Bacterial community of oolitic carbonate sediments of the Bahamas Archipelago. 485:9–24
- Diaz RJ, see Sturdivant SK et al. (2013) 490:53–68
- Dickey-Collas M, see Raab K et al. (2013) 488:233–245
- Diederich CM, Pechenik JA (2013) Thermal tolerance of *Crepidula fornicata* (Gastropoda) life history stages from intertidal and subtidal subpopulations. 486:173–187

- Dierssen HM, see Hovland EK et al. (2013) 484:17–32  
 Dietze H, see Pahlow M et al. (2013) 489:1–16  
 Díez B, Van Nieuwerburgh L, Snoeijs P (2013) Water nutrient stoichiometry modifies the nutritional quality of phytoplankton and somatic growth of crustacean mesozooplankton. 489:93–105  
 Dinniman MS, see Piñones A et al. (2013) 481:69–92  
 Diz P, see Papaspyrou S et al. (2013) 490:121–135  
 Domingues CP, see Nolasco R et al. (2013) 485:123–142  
 Donahue MJ, see Franklin EC et al. (2013) 481:121–132  
 Dornelas M, see Cermeño P et al. (2013) 488:1–9  
 Doropoulos C, Hyndes GA, Abecasis D, Vergés A (2013) Herbivores strongly influence algal recruitment in both coral- and algal-dominated coral reef habitats. 486:153–164  
 Doubleday ZA, see Higgins KL et al. (2013) 486:203–212  
 Downie RA, Babcock RC, Thomson DP, Vanderklift MA (2013) Density of herbivorous fish and intensity of herbivory are influenced by proximity to coral reefs. 482:217–225  
 Drazen JC, see Choy CA (2013) 485:155–163  
 Drew GS, Piatt JF, Hill DF (2013) Effects of currents and tides on fine-scale use of marine bird habitats in a Southeast Alaska hotspot. 487:275–286  
 Drolet D, see Gerwing TG et al. (2013) 487:7–13  
 Dubert J, see Nolasco R et al. (2013) 485:123–142  
 Ducklow HW, see Morán XAG et al. (2013) 489:75–85  
 Dugan PJ, see Risch D et al. (2013) 489:279–295  
 Duggen S, see Olgun N et al. (2013) 488:81–88  
 Dunagan MK, see Callier MD et al. (2013) 483:153–167  
 Dunphy-Daly MM, see Heithaus MR et al. (2013) 481:225–237

## E

- Eberli GP, see Diaz MR et al. (2013) 485:9–24  
 Edmunds PJ (2013) Decadal-scale changes in the community structure of coral reefs of St. John, US Virgin Islands. 489:107–123  
 Edquist S, see Reitzel AM et al. (2013) 484:115–130  
 Edwards AE, see Renner M et al. (2013) 484:259–277  
 Edwards M, see Lauria V et al. (2013) 488:11–22  
 Eero M, see Lindegren M (2013) 490:223–232  
 Effendy AWM, see Nakajima R et al. (2013) 490:11–22  
 Eme J, see Hendy IW et al. (2013) 486:237–245  
 Enstipp M, see Ballorain K et al. (2013) 483:289–302  
 Erickson M, see Morán XAG et al. (2013) 489:75–85  
 Erikstad KE, Reiertsen TK, Barrett RT, Vikebø F, Sandvik H (2013) (Erratum to Vol. 475:267–276, 2013) 481:305  
 Erikstad KE, see Bustnes JO et al. (2013) 489:235–244  
 Erzini K, see Horta e Costa B et al. (2013) 481:11–24  
 Escobar-Flores P, O'Driscoll RL, Montgomery JC (2013) Acoustic characterization of pelagic fish distribution across the South Pacific Ocean. 490:169–183  
 Espino F, see Tuya F et al. (2013) 490:23–35

## F

- Fabrizio MC, Manderson JP, Pessutti JP (2013) Habitat associations and dispersal of black sea bass from a mid-Atlantic Bight reef. 482:241–253  
 Fagerli CW, Norderhaug KM, Christie HC (2013) Lack of sea urchin settlement may explain kelp forest recovery

- in overgrazed areas in Norway. 488:119–132  
 Falcon C, see Prairie JC et al. (2013) 487:185–200  
 Fanelli E, Papiol V, Cartes JE, Rumolo P, López-Pérez C (2013) Trophic webs of deep-sea megafauna on mainland and insular slopes of the NW Mediterranean: a comparison by stable isotope analysis. 490:199–221  
 Farnsworth KD, see Fung T et al. (2013) 484:155–171  
 Fennessy ST, see De Lecea AM et al. (2013) 484:97–114  
 Ferguson SH, see Chambellant M et al. (2013) 481:269–287  
 Fernández M, see Narvarte M et al. (2013) 482:141–151  
 Ferraro C, see Moody RM et al. (2013) 488:145–155  
 Ferreira AS, see Hovland EK et al. (2013) 484:17–32  
 Ferreira CEL, see Luiz OJ et al. (2013) 485:1–7  
 Ferrer X, see Cama A et al. (2013) 484:279–286  
 Fiedler PC, Redfern JV, Van Noord J, Hall C, Pitman RL, Ballance LT (2013) Effects of a tropical cyclone on a pelagic ecosystem from the physical environment to top predators. 484:1–16  
 Field IC, see Bradshaw CJA et al. (2013) 488:221–232  
 Figueira WF, see Galaiduk R et al. (2013) 484:189–202  
 Figueiras FG, see Cermeño P et al. (2013) 488:1–9  
 Filmalter JD, see Robert M et al. (2013) 484:239–247  
 Finnerty JR, see Reitzel AM et al. (2013) 484:115–130  
 Fischer A, see Mabin CJT et al. (2013) 483:117–131  
 Fisk AT, see McMeans BC et al. (2013) 482:17–28  
 Fisk AT, see Olin JA et al. (2013) 487:55–69  
 Floeter SR, see Luiz OJ et al. (2013) 485:1–7  
 Folhas H, see Horta e Costa B et al. (2013) 481:11–24  
 Fossette S, see Ballorain K et al. (2013) 483:289–302  
 Fox S, see Valiela I et al. (2013) 482:1–15  
 Franken O, see Hunting ER et al. (2013) 486:133–141  
 Franklin EC, Jokiel PL, Donahue MJ (2013) Predictive modeling of coral distribution and abundance in the Hawaiian Islands. 481:121–132  
 Fransson A, see Tortell PD et al. (2013) 483:47–66  
 Friedlander M, see Cruz-Rivera E (2013) 490:69–78  
 Friedrichs L, Hörnig M, Schulze L, Bertram A, Jansen S, Hamm C (2013) Size and biomechanic properties of diatom frustules influence food uptake by copepods. 481:41–51  
 Fry B (2013) Minmax solutions for underdetermined isotope mixing problems: Reply to Semmens et al. (2013). 490:291–294  
 Fry B, see Baker R et al. (2013) 490:37–52  
 Fuentes V, see Bolte S et al. (2013) 485:25–36  
 Fujita M, see Horinouchi M et al. (2013) 488:255–266  
 Fuller WJ, Godley BJ, Hodgson DJ, Reece SE, Witt MJ, Broderick AC (2013) Importance of spatio-temporal data for predicting the effects of climate change on marine turtle sex ratios. 488:267–274  
 Fulweiler RW, Brown SM, Nixon SW, Jenkins BD (2013) Evidence and a conceptual model for the co-occurrence of nitrogen fixation and denitrification in heterotrophic marine sediments. 482:57–68  
 Fung T, Farnsworth KD, Shephard S, Reid DG, Rossberg AG (2013) Why the size structure of marine communities can require decades to recover from fishing. 484:155–171

## G

- Gaines SD, see Max LM et al. (2013) 482:181–195  
 Galaiduk R, Figueira WF, Kingsford MJ, Curley BG (2013) Factors driving the biogeographic distribution of two temperate Australian damselfishes and ramifications for

- range shifts. 484:189–202
- Galil B, see Bolte S et al. (2013) 485:25–36
- Gao J, Munch SB (2013) Genetic and maternal variation in early growth in the Atlantic silverside *Menidia menidia*. 485:211–222
- Garcia AM, see Claudino MC et al. (2013) 489:29–42
- García-Robledo E, see Paspaspyrou S et al. (2013) 490:121–135
- Garrido S, see Calbet A et al. (2013) 483:67–84
- Garthe S, see Paiva VH et al. (2013) 486:277–288
- Gartland J, see Buchheister A et al. (2013) 481:161–180
- Gastrich K, see Heithaus MR et al. (2013) 481:225–237
- Gatto M, see Melià P et al. (2013) 487:135–149
- Gendron D, see Pardo MA et al. (2013) 487:245–260
- Genovese C, see Reitzel AM et al. (2013) 484:115–130
- Gentile JH, see Harwell MA (2013) 488:291–296
- Georges JY, see Ballorain K et al. (2013) 483:289–302
- Geraldes P, see Paiva VH et al. (2013) 486:277–288
- Germain LR, Koch PL, Harvey J, McCarthy MD (2013) Nitrogen isotope fractionation in amino acids from harbor seals: implications for compound-specific trophic position calculations. 482:265–277
- German I, see Santos MB et al. (2013) 481:249–268
- Gerovasileiou V, Trygonis V, Sini M, Koutsoubas D, Voultziadou E (2013) Three-dimensional mapping of marine caves using a handheld echosounder. 486:13–22
- Gerwing AMA, see Gerwing TG et al. (2013) 487:7–13
- Gerwing TG, Gerwing AMA, Drolet D, Hamilton DJ, Barbeau MA (2013) Comparison of two methods of measuring the depth of the redox potential discontinuity in intertidal mudflat sediments. 487:7–13
- Giarrizzo T, see Vilar CC et al. (2013) 485:181–197
- Giblin A, see Valiela I et al. (2013) 482:1–15
- Gilbert JD, see Jiménez-Melero R et al. (2013) 483:103–116
- Gledhill M, see Honey DJ et al. (2013) 483:1–17
- Godley BJ, see Fuller WJ et al. (2013) 488:267–274
- Golbuu Y, see Bejarano S et al. (2013) 482:197–215
- Golléty C, Crowe TP (2013) Contribution of biofilm to ecosystem functioning in rock pools with different macroalgal assemblages. 482:69–79
- Gonçalves EJ, see Horta e Costa B et al. (2013) 481:11–24
- González RA, see Narvarte M et al. (2013) 482:141–151
- Gosselin LA, see Jenewein BT (2013) 481:147–159
- Goulding W, see McDuie F et al. (2013) 485:275–285
- Grebmeier JM, see Kolts JM et al. (2013) 483:209–220
- Grebmeier JM, see Lovvorn JR et al. (2013) 489:245–261
- Green DS, Crowe TP (2013) Physical and biological effects of introduced oysters on biodiversity in an intertidal boulder field. 482:119–132
- Green PG, see Miller SH et al. (2013) 481:1–10
- Gribben PE, see Mabin CJT et al. (2013) 483:117–131
- Groth DM, see Kennington WJ et al. (2013) 486:213–221
- Guedes R, see Tuya F et al. (2013) 490:23–35
- Guerrero F, see Jiménez-Melero R et al. (2013) 483:103–116
- Guichard F, see Le Corre N et al. (2013) 481:133–146
- Gulbransen D, McGlathery K (2013) Nitrogen transfers mediated by a perennial, non-native macroalga: a <sup>15</sup>N tracer study. 482:299–304
- Gunnarsson JS, see Bonaglia S et al. (2013) 482:43–55
- Gusmão LFM, McKinnon AD, Richardson AJ (2013) No evidence of predation causing female-biased sex ratios in marine pelagic copepods. 482:279–298
- Gusmão LFM, McKinnon AD, Richardson AJ (2013) Female-biased sex ratios in marine pelagic copepods: Response to Hirst et al. (2013). 489:299–301
- Hall C, see Fiedler PC et al. (2013) 484:1–16
- Hamasaki K, see Nakajima R et al. (2013) 490:11–22
- Hamer KC, see Davies RD et al. (2013) 485:287–294
- Hamer PA, see Murphy HM et al. (2013) 487:151–162
- Hamilton DJ, see Gerwing TG et al. (2013) 487:7–13
- Hamilton SL, see Max LM et al. (2013) 482:181–195
- Hamm C, see Friedrichs L et al. (2013) 481:41–51
- Hammann M, Wang G, Rickert E, Boo SM, Weinberger F (2013) Invasion success of the seaweed *Gracilaria vermiculophylla* correlates with low palatability. 486:93–103
- Hansen JLS, Bendtsen J (2013) Parameterisation of oxygen dynamics in the bottom water of the Baltic Sea–North Sea transition zone. 481:25–39
- Hanuise N, see Ballorain K et al. (2013) 483:289–302
- Haroun R, see Tuya F et al. (2013) 490:23–35
- Harris C, see Valiela I et al. (2013) 482:1–15
- Harvey J, see Germain LR et al. (2013) 482:265–277
- Harwell MA, Gentile JH (2013) Quantifying long-term risks to sea otters from the 1989 'Exxon Valdez' oil spill: Comment on Bodkin et al. (2012). 488:291–296
- Haslob H, see Bolte S et al. (2013) 485:25–36
- Haug T, see Øigård TA et al. (2013) 484:287–301
- Hazen EL, Suryan RM, Santora JA, Bograd SJ, Watanuki Y, Wilson RP (2013) Scales and mechanisms of marine hotspot formation. 487:177–183
- Heck KL Jr, see Moody RM et al. (2013) 488:145–155
- Heck KL Jr, see Myers JA (2013) 483:133–142
- Heil CA, see Sipler RE et al. (2013) 483:31–45
- Heithaus MR, Vaudo JJ, Kreicker S, Layman CA, Krützen M, Burkholder DA, Gastrich K, Bessey C, Sarabia R, Cameron K, Wirsing A, Thomson JA, Dunphy-Daly MM (2013) Apparent resource partitioning and trophic structure of large-bodied marine predators in a relatively pristine seagrass ecosystem. 481:225–237
- Helfrich KR, see Wheeler JD et al. (2013) 488:171–185
- Hendy IW, Eme J, Dabruzzi TF, Nembhard RV, Cragg SM, Bennett WA (2013) Dartfish use teredinid tunnels in fallen mangrove wood as a low-tide refuge. 486:237–245
- Heppell SA, see Benoit-Bird KJ et al. (2013) 484:219–238
- Herbon CM, Nordhaus I (2013) Experimental determination of stable carbon and nitrogen isotope fractionation between mangrove leaves and crabs. 490:91–105
- Herman PMJ, see Petersen JK et al. (2013) 490:137–146
- Heupel MR, see Olin JA et al. (2013) 487:55–69
- Hickman AE, see Honey DJ et al. (2013) 483:1–17
- Hidas EZ, Russell KG, Ayre DJ, Minchinton TE (2013) Abundance of *Tesseropora rosea* at the margins of its biogeographic range is closely linked to recruitment, but not fecundity. 483:199–208
- Hiddink JG, see Watson H et al. (2013) 485:259–273
- Higgins KL, Semmens JM, Doubleday ZA, Burrige CP (2013) Comparison of population structuring in sympatric octopus species with and without a pelagic larval stage. 486:203–212
- Hilborn R, see Simmons RK et al. (2013) 481:211–223
- Hill DF, see Drew GS et al. (2013) 487:275–286
- Hill JM, Weissburg MJ (2013) Habitat complexity and predator size mediate interactions between intraguild blue crab predators and mud crab prey in oyster reefs. 488:209–219
- Hindell JS, see Williams J et al. (2013) 483:273–287
- Hirst AG, Bonnet D, Conway DVP, Kjørboe T (2013) Female-biased sex ratios in marine pelagic copepods: Comment

- on Gusmão et al. (2013). 489:297–298
- Hobbs MJ, see Watson H et al. (2013) 485:259–273
- Hodgson DJ, see Fuller WJ et al. (2013) 488:267–274
- Hoey AS, see Traçon ML et al. (2013) 488:157–170
- Hoffmann L, see Olgun N et al. (2013) 488:81–88
- Hofmann EE, see Piñones A et al. (2013) 481:69–92
- Høgslund S, see Blicher ME et al. (2013) 487:89–100
- Holbrook SJ, see Alldredge AL et al. (2013) 489:143–153
- Holland K, see Robert M et al. (2013) 484:239–247
- Holles S, Simpson SD, Radford AN, Berten L, Lecchini D (2013) Boat noise disrupts orientation behaviour in a coral reef fish. 485:295–300
- Honey DJ, Gledhill M, Bibby TS, Legiret FE, Pratt NJ, Hickman AE, Lawson T, Achterberg EP (2013) Heme *b* in marine phytoplankton and particulate material from the North Atlantic Ocean. 483:1–17
- Hoover RR, Jones CM (2013) Effect of laser ablation depth in otolith life history scans. 486:247–256
- Horinouchi M, Mizuno N, Jo Y, Fujita M, Suzuki Y, Aranishi F, Sano M (2013) Habitat preference rather than predation risk determines the distribution patterns of filefish *Rudarius ercodes* in and around seagrass habitats. 488:255–266
- Hörnig M, see Friedrichs L et al. (2013) 481:41–51
- Hort M, see Olgun N et al. (2013) 488:81–88
- Horta e Costa B, Erzini K, Caselle JE, Folhas H, Gonçalves EJ (2013) 'Reserve effect' within a temperate marine protected area in the north-eastern Atlantic (Arrábida Marine Park, Portugal). 481:11–24
- Houk P, Musburger C (2013) Trophic interactions and ecological stability across coral reefs in the Marshall Islands. 488:23–34
- Hovel KA, see Coates JH et al. (2013) 486:189–201
- Hovland EK, Dierssen HM, Ferreira AS, Johnsen G (2013) Dynamics regulating major trends in Barents Sea temperatures and subsequent effect on remotely sensed particulate inorganic carbon. 484:17–32
- Hughes AR, see Zerebecki RA (2013) 487:41–54
- Hunt GL Jr, see Renner M et al. (2013) 484:259–277
- Hunt GL Jr, see Zador S et al. (2013) 485:245–258
- Hunting ER, Franken O, Knopperts F, Kraak MHS, Vargas R, Röling WFM, van der Geest HG (2013) Substrate as a driver of sponge distributions in mangrove ecosystems. 486:133–141
- Hurley BJ, see Smith CE et al. (2013) 487:231–244
- Hussey NE, see Olin JA et al. (2013) 487:55–69
- Huwer B, see Bolte S et al. (2013) 485:25–36
- Hyndes GA, see Doropoulos C et al. (2013) 486:153–164
- Hyndes GA, see Michael PJ et al. (2013) 482:227–240

## I

- Iliszko L, see Jakubas D et al. (2013) 489:263–278
- Inger R, see Semmens BX et al. (2013) 490:285–289
- Irving AD, see Burnell OW et al. (2013) 485:37–46
- Isari S, see Calbet A et al. (2013) 483:67–84
- Ishimura T, see Kitagawa T et al. (2013) 481:199–209
- Itano D, see Robert M et al. (2013) 484:239–247

## J

- Jackson A, see Semmens BX et al. (2013) 490:285–289
- Jadoon WA, see Nakai R et al. (2013) 486:1–12

- Jaeger A, Jaquemet S, Phillips RA, Wanless RM, Richard P, Cherel Y (2013) Stable isotopes document inter- and intra-specific variation in feeding ecology of nine large southern Procellariiformes. 490:255–266
- Jakubas D, Trudnowska E, Wojczulanis-Jakubas K, Iliszko L, Kidawa D, Darecki M, Błachowiak-Samołyk K, Stempniewicz L (2013) Foraging closer to the colony leads to faster growth in little auks. 489:263–278
- Jansen S, see Friedrichs L et al. (2013) 481:41–51
- Jaquemet S, see Jaeger A et al. (2013) 490:255–266
- Javidpour J, see Bolte S et al. (2013) 485:25–36
- Jenewein BT, Gosselin LA (2013) Ontogenetic shift in stress tolerance thresholds of *Mytilus trossulus*: effects of desiccation and heat on juvenile mortality. 481:147–159
- Jenkins BD, see Fulweiler RW et al. (2013) 482:57–68
- Jenkins GP, see Murphy HM et al. (2013) 487:151–162
- Jenkins GP, see Williams J et al. (2013) 483:273–287
- Jimenez-Arias JL, see Papaspyrou S et al. (2013) 490:121–135
- Jimenez-Denness I, see Petrou K et al. (2013) 482:93–106
- Jiménez-Melero R, Gilbert JD, Guerrero F (2013) Secondary production of *Arctodiaptomus salinus* in a shallow saline pond: comparison of methods. 483:103–116
- Jiménez-Ramos R, see Villazán B et al. (2013) 488:133–143
- Jo Y, see Horinouchi M et al. (2013) 488:255–266
- Johnsen G, see Hovland EK et al. (2013) 484:17–32
- Johnson GJ, see Bradshaw CJA et al. (2013) 488:221–232
- Johnson LE, see Le Corre N et al. (2013) 481:133–146
- Johnson MS, see Kennington WJ et al. (2013) 486:213–221
- Johnson RC, see Woodson LE et al. (2013) 487:163–175
- Jokiel PL, see Franklin EC et al. (2013) 481:121–132
- Jones CM, see Hoover RR (2013) 486:247–256
- Jones E, see Long JD et al. (2013) 483:143–151
- Jonsson L, see Svensson JR et al. (2013) 485:57–73
- Jørgensen NM, see Olsen JL et al. (2013) 486:121–132
- Joyeux JC, see Vilar CC et al. (2013) 485:181–197

## K

- Kaiser MJ, see Saurel C et al. (2013) 485:105–121
- Kaldy JE, Brown CA, Andersen CP (2013) *In situ* <sup>13</sup>C tracer experiments elucidate carbon translocation rates and allocation patterns in eelgrass *Zostera marina*. 487:27–39
- Kamenov GD, see López-Castro MC et al. (2013) 490:233–246
- Kanno M, see Mae Y et al. (2013) 484:131–141
- Karjala L, see Katajisto T et al. (2013) 482:81–92
- Kashihara K, see Nakai R et al. (2013) 486:1–12
- Katajisto T, Karjala L, Lehtiniemi M (2013) Fifteen years after invasion: egg bank of the predatory cladoceran *Cercopagis pengoi* in the Baltic Sea. 482:81–92
- Kato A, see Ballorain K et al. (2013) 483:289–302
- Katzir G, see Reem E et al. (2013) 485:143–154
- Kelaher BP, Van den Broek J, York PH, Bishop MJ, Booth DJ (2013) Positive responses of a seagrass ecosystem to experimental nutrient enrichment. 487:15–25
- Kelkar N, Arthur R, Marba N, Alcoverro T (2013) Green turtle herbivory dominates the fate of seagrass primary production in the Lakshadweep islands (Indian Ocean). 485:235–243
- Kendall MS, Poti M, Wynne TT, Kinlan BP, Bauer LB (2013) Consequences of the life history traits of pelagic larvae on interisland connectivity during a changing climate. 489:43–59
- Kenitz K, Williams RG, Sharples J, Selsil Ö, Biktashev VN

- (2013) The paradox of the plankton: species competition and nutrient feedback sustain phytoplankton diversity. 490:107–119
- Kennington WJ, Berry O, Groth DM, Johnson MS, Melville-Smith R (2013) Spatial scales of genetic patchiness in the western rock lobster *Panulirus cygnus*. 486:213–221
- Keough MJ, see Sams MA (2013) 486:79–91
- Kerkhof LJ, see Sipler RE et al. (2013) 483:31–45
- Kerner SM, see Moody RM et al. (2013) 488:145–155
- Kersting DK, Casado C, López-Legentil S, Linares C (2013) Unexpected patterns in the sexual reproduction of the Mediterranean scleractinian coral *Cladocora caespitosa*. 486:165–171
- Khatri S, see Prairie JC et al. (2013) 487:185–200
- Kidawa D, see Jakubas D et al. (2013) 489:263–278
- Kidney JA, see Ruzicka RR et al. (2013) 489:125–141
- Kijima A, see Mae Y et al. (2013) 484:131–141
- Kimura S, see Kitagawa T et al. (2013) 481:199–209
- Kingsford MJ, see Galaiduk R et al. (2013) 484:189–202
- Kinlan BP, see Kendall MS et al. (2013) 489:43–59
- Kinzey D, see Shelton AO et al. (2013) 481:53–67
- Kjørboe T, see Hirst AG et al. (2013) 489:297–298
- Kirkpatrick GJ, see Sipler RE et al. (2013) 483:31–45
- Kitagawa T, Ishimura T, Uozato R, Shirai K, Amano Y, Shinoda A, Otake T, Tsunogai U, Kimura S (2013) Otolith  $\delta^{18}\text{O}$  of Pacific bluefin tuna *Thunnus orientalis* as an indicator of ambient water temperature. 481:199–209
- Klaus JS, see Diaz MR et al. (2013) 485:9–24
- Klimley AP, see Coates JH et al. (2013) 486:189–201
- Klinck JM, see Piñones A et al. (2013) 481:69–92
- Knick KE, see Ralph GM et al. (2013) 488:51–63
- Knopperts F, see Hunting ER et al. (2013) 486:133–141
- Kobayashi DR, see DeMartini EE et al. (2013) 485:165–179
- Koch PL, see Germain LR et al. (2013) 482:265–277
- Kolts JM, Lovvorn JR, North CA, Grebmeier JM, Cooper LW (2013) Effects of body size, gender, and prey availability on diets of snow crabs in the northern Bering Sea. 483:209–220
- Komatsu K, see Nishikawa H et al. (2013) 487:217–229
- Konno F, see Nakajima R et al. (2013) 490:11–22
- Koutsoubas D, see Gerovasileiou V et al. (2013) 486:13–22
- Kraak MHS, see Hunting ER et al. (2013) 486:133–141
- Kreicker S, see Heithaus MR et al. (2013) 481:225–237
- Kröncke I, see Neumann H et al. (2013) 484:143–153
- Krützen M, see Heithaus MR et al. (2013) 481:225–237
- Kubanek J, see Sieg RD et al. (2013) 488:35–49
- Kuczaj II SA, see Smith CE et al. (2013) 487:231–244
- Kuletz KJ, see Renner M et al. (2013) 484:259–277
- Kunze HB, Morgan SG, Lwiza KM (2013) Field test of the behavioral regulation of larval transport. 487:71–87
- Kuwahara VS, see Nakajima R et al. (2013) 490:11–22
- Kwan C, see Long JD et al. (2013) 483:143–151
- Regional variation in the impact of climate change: evidence that bottom-up regulation from plankton to seabirds is weak in parts of the Northeast Atlantic. 488:11–22
- Lavín MF, see Aurióles-Gamboia D et al. (2013) 488:275–290
- Lawson T, see Honey DJ et al. (2013) 483:1–17
- Layman CA, see Heithaus MR et al. (2013) 481:225–237
- Le Corre N, Martel AL, Guichard F, Johnson LE (2013) Variation in recruitment: differentiating the roles of primary and secondary settlement of blue mussels *Mytilus* spp. 481:133–146
- Lecchini D, see Holles S et al. (2013) 485:295–300
- Lefebvre S, see Callier MD et al. (2013) 483:153–167
- Leggat W, see Chua CM et al. (2013) 486:143–151
- Legiret FE, see Honey DJ et al. (2013) 483:1–17
- Lehtiniemi M, see Katajisto T et al. (2013) 482:81–92
- Lembke C, see Wall CC et al. (2013) 484:173–188
- Lewis S, see Davies RD et al. (2013) 485:287–294
- Li H, see Chen M et al. (2013) 486:47–58
- Li H, see Li Y et al. (2013) 483:19–29
- Li Y, Ye X, Wang A, Li H, Chen J, Qiao L (2013) Impact of Typhoon Morakot on chlorophyll a distribution on the inner shelf of the East China Sea. 483:19–29
- Li Y, see Schlenger AJ et al. (2013) 483:257–272
- Licandro P, see Raab K et al. (2013) 488:233–245
- Liles MR, see Morrow KM et al. (2013) 488:103–117
- Linares C, see Kersting DK et al. (2013) 486:165–171
- Lindegarth M, see Svensson JR et al. (2013) 485:57–73
- Lindegren M, Eero M (2013) Threshold-dependent climate effects and high mortality limit recruitment and recovery of the Kattegat cod. 490:223–232
- Lindstrøm U, see Øigård TA et al. (2013) 484:287–301
- Lipcius RN, see Ralph GM et al. (2013) 488:51–63
- Liu H, see Chen M et al. (2013) 486:47–58
- Llope M, see Raab K et al. (2013) 488:233–245
- Long JD, Porturas L, Jones E, Kwan C, Trussell GC (2013) Seaweed traits linked to wave exposure determine predator avoidance. 483:143–151
- López A, see Santos MB et al. (2013) 481:249–268
- López-Angarita J, see Tilley A et al. (2013) 482:169–179
- López-Castro MC, Bjørndal KA, Kamenov GD, Zenil-Ferguson R, Bolten AB (2013) Sea turtle population structure and connections between oceanic and neritic foraging areas in the Atlantic revealed through trace elements. 490:233–246
- López-Legentil S, see Kersting DK et al. (2013) 486:165–171
- López-Pérez C, see Fanelli E et al. (2013) 490:199–221
- Lorentsen SH, see Bustnes JO et al. (2013) 489:235–244
- Lovvorn JR, Raisbeck MF, Cooper LW, Cutter GA, Miller MW, Brooks ML, Grebmeier JM, Matz AC, Schaefer CM (2013) Wintering eiders acquire exceptional Se and Cd burdens in the Bering Sea: physiological and oceanographic factors. 489:245–261
- Lovvorn JR, see Kolts JM et al. (2013) 483:209–220
- Lowerre-Barbieri SK, Walters S, Bickford J, Cooper W, Muller R (2013) Site fidelity and reproductive timing at a spotted seatrout spawning aggregation site: individual versus population scale behavior. 481:181–197
- Loya Y, see Mills E et al. (2013) 489:155–162
- Luiz OJ, Floeter SR, Rocha LA, Ferreira CEL (2013) Perspectives for the lionfish invasion in the South Atlantic: Are Brazilian reefs protected by the currents?. 485:1–7
- Lundälv T, see Larsson AI et al. (2013) 483:169–184
- Lunz KS, see Ruzicka RR et al. (2013) 489:125–141
- Lwiza KM, see Kunze HB et al. (2013) 487:71–87
- Lysiak NSJ, see Baumgartner MF et al. (2013) 490:267–284

## L

- Lamkin JT, see Muhling BA et al. (2013) 486:257–276
- Langmann B, see Olgun N et al. (2013) 488:81–88
- Larsson AI, Lundälv T, van Oevelen D (2013) Skeletal growth, respiration rate and fatty acid composition in the cold-water coral *Lophelia pertusa* under varying food conditions. 483:169–184
- Latour RJ, see Buchheister A et al. (2013) 481:161–180
- Lauck RJ, see Sipler RE et al. (2013) 483:31–45
- Lauria V, Attrill MJ, Brown A, Edwards M, Votier SC (2013)

## M

- Maar M, see Petersen JK et al. (2013) 490:137–146
- Mabin CJT, Gribben PE, Fischer A, Wright JT (2013) Variation in the morphology, reproduction and development of the habitat-forming kelp *Ecklonia radiata* with changing temperature and nutrients. 483:117–131
- Macaulay KA, see Ruzicka RR et al. (2013) 489:125–141
- MacFarlane RB, see Woodson LE et al. (2013) 487:163–175
- Mackey AD, see Smith CE et al. (2013) 487:231–244
- Mae Y, Kanno M, Kijima A (2013) Detection of a highly divergent population structure and identification of a cryptic species in the East Asian dogwhelk *Nucella heyseana*. 484:131–141
- Magana-Rodríguez B, see Perea-Blázquez A et al. (2013) 485:91–103
- Maldonado MT, see Tortell PD et al. (2013) 483:47–66
- Malpezzi MA, Sanford LP, Crump BC (2013) Abundance and distribution of transparent exopolymer particles in the estuarine turbidity maximum of Chesapeake Bay. 486:23–35
- Manderson JP, see Fabrizio MC et al. (2013) 482:241–253
- Mangel M, see Shelton AO et al. (2013) 481:53–67
- Mann DA, see Wall CC et al. (2013) 484:173–188
- Manuel A, see Aguzzi J et al. (2013) 486:223–236
- Marañón E, see Cermeño P et al. (2013) 488:1–9
- Marba N, see Kelkar N et al. (2013) 485:235–243
- Marcogliese DJ, see Thielges DW et al. (2013) 490:147–154
- Margiotta F, see Montresor M et al. (2013) 484:79–95
- Marshall AD, see Rohner CA et al. (2013) 482:153–168
- Martel AL, see Le Corre N et al. (2013) 481:133–146
- Martinez Cedeira J, see Santos MB et al. (2013) 481:249–268
- Martínez RA, see Calbet A et al. (2013) 483:67–84
- Masina S, see Melià P et al. (2013) 487:135–149
- Matz AC, see Lovvorn JR et al. (2013) 489:245–261
- Max LM, Hamilton SL, Gaines SD, Warner RR (2013) Benthic processes and overlying fish assemblages drive the composition of benthic detritus on a central Pacific coral reef. 482:181–195
- Maxwell SM, Morgan LE (2013) Foraging of seabirds on pelagic fishes: implications for management of pelagic marine protected areas. 481:289–303
- Mazumder D, see Alderson B et al. (2013) 487:113–122
- McAlister JS, Moran AL (2013) Effects of variation in egg energy and exogenous food on larval development in congeneric sea urchins. 490:155–167
- McCarthy MD, see Germain LR et al. (2013) 482:265–277
- McClintock JB, see Amsler MO et al. (2013) 490:79–90
- McCormack C, see Petrou K et al. (2013) 482:93–106
- McDonald JH (2013) Geographic variation in *Megalorchestia californiana* allele frequencies may be caused by winter rather than summer temperatures. 488:201–207
- McDufie F, Goulding W, Peck DR, Congdon BC (2013) Divergence in chick developmental patterns among wedgetailed shearwater populations. 485:275–285
- McGann B, see Wheeler JD et al. (2013) 488:171–185
- McGlathery K, see Gulbransen D (2013) 482:299–304
- McGuinness LR, see Sipler RE et al. (2013) 483:31–45
- McIntosh NE, see Benoit-Bird KJ et al. (2013) 484:219–238
- McKindsey CW, see Skinner MA et al. (2013) 486:105–119
- McKinnon AD, see Gusmão LFM et al. (2013) 482:279–298
- McKinnon AD, see Gusmão LFM et al. (2013) 489:299–301
- McLaughlin RM, see Prairie JC et al. (2013) 487:185–200
- McMahon CR, see Bradshaw CJA et al. (2013) 488:221–232
- McMeans BC, Rooney N, Arts MT, Fisk AT (2013) Food web structure of a coastal Arctic marine ecosystem and implications for stability. 482:17–28
- McNaught DC, see Aguirre JD (2013) 487:101–111
- McQuaid CD, see Booth JM (2013) 486:289–304
- McQuaid CD, see Ordóñez V et al. (2013) 488:65–79
- McQuaid CD, see Teske PR et al. (2013) 482:133–140
- Meekan MG, see Bradshaw CJA et al. (2013) 488:221–232
- Melià P, Schiavina M, Gatto M, Bonaventura L, Masina S, Casagrandi R (2013) Integrating field data into individual-based models of the migration of European eel larvae. 487:135–149
- Melville-Smith R, see Kennington WJ et al. (2013) 486:213–221
- Meyers MK, see Ruzicka RR et al. (2013) 489:125–141
- Michael PJ, Hyndes GA, Vanderklift MA, Vergés A (2013) Identity and behaviour of herbivorous fish influence large-scale spatial patterns of macroalgal herbivory in a coral reef. 482:227–240
- Mikkelsen L, Mouritsen KN, Dahl K, Teilmann J, Tougaard J (2013) Re-established stony reef attracts harbour porpoises *Phocoena phocoena*. 481:239–248
- Miller MW, see Lovvorn JR et al. (2013) 489:245–261
- Miller SH, Morgan SG, White JW, Green PG (2013) Trace element signatures in larval soft tissues reveal transport, but not population connectivity. 481:1–10
- Mills E, Shechtman K, Loya Y, Rosenberg E (2013) Bacteria appear to play important roles in both causing and preventing the bleaching of the coral *Oculina patagonica*. 489:155–162
- Mills MM, see Tortell PD et al. (2013) 483:47–66
- Minchinton TE, see Hidas EZ et al. (2013) 483:199–208
- Minello TJ, see Baker R et al. (2013) 490:37–52
- Mizuno N, see Horinouchi M et al. (2013) 488:255–266
- Moffitt EA, White JW, Botsford LW (2013) Accurate assessment of marine protected area success depends on metric and spatiotemporal scale of monitoring. 489:17–28
- Mohanty I, see Reem E et al. (2013) 485:143–154
- Monson DH, see Ballachey BE et al. (2013) 488:297–301
- Montgomery JC, see Escobar-Flores P et al. (2013) 490:169–183
- Montresor M, Di Prisco C, Sarno D, Margiotta F, Zingone A (2013) Diversity and germination patterns of diatom resting stages at a coastal Mediterranean site. 484:79–95
- Moody RM, Cebrian J, Kerner SM, Heck KL Jr, Powers SP, Ferraro C (2013) Effects of shoreline erosion on salt-marsh floral zonation. 488:145–155
- Moore JW, see Semmens BX et al. (2013) 490:285–289
- Moran AL, see McAlister JS (2013) 490:155–167
- Morán XAG, Ducklow HW, Erickson M (2013) Carbon fluxes through estuarine bacteria reflect coupling with phytoplankton. 489:75–85
- Morgan LE, see Maxwell SM (2013) 481:289–303
- Morgan SG, see Coates JH et al. (2013) 486:189–201
- Morgan SG, see Kunze HB et al. (2013) 487:71–87
- Morgan SG, see Miller SH et al. (2013) 481:1–10
- Morgan SG, see Rasmuson LK (2013) 490:185–198
- Morrison JM, see Ruzicka RR et al. (2013) 489:125–141
- Morrow KM, Liles MR, Paul VJ, Moss A, Chadwick NE (2013) Bacterial shifts associated with coral-macroalgal competition in the Caribbean Sea. 488:103–117
- Morton DN, Anderson TW (2013) Spatial patterns of invertebrate settlement in giant kelp forests. 485:75–89
- Mosegaard H, see Payne MR et al. (2013) 489:197–211
- Moss A, see Morrow KM et al. (2013) 488:103–117
- Moss AG, see Bolte S et al. (2013) 485:25–36



Mouritsen KN, see Mikkelsen L et al. (2013) 481:239–248  
 Moy FE, see Olsen JL et al. (2013) 486:121–132  
 Moya A, see Chua CM et al. (2013) 486:143–151  
 Muhling BA, Reglero P, Ciannelli L, Alvarez-Berastegui D, Alemany F, Lamkin JT, Roffer MA (2013) Comparison between environmental characteristics of larval bluefin tuna *Thunnus thynnus* habitat in the Gulf of Mexico and western Mediterranean Sea. 486:257–276  
 Muller R, see Lowerre-Barbieri SK et al. (2013) 481:181–197  
 Mullineaux LS, see Wheeler JD et al. (2013) 488:171–185  
 Mulry P, see Alderson B et al. (2013) 487:113–122  
 Mumby PJ, see Bejarano S et al. (2013) 482:197–215  
 Munch S, see Shelton AO et al. (2013) 481:53–67  
 Munch SB, see Gao J (2013) 485:211–222  
 Munk P, see Payne MR et al. (2013) 489:197–211  
 Murphy HM, Jenkins GP, Hamer PA, Swearer SE (2013) Interannual variation in larval abundance and growth in snapper *Chrysophrys auratus* (Sparidae) is related to prey availability and temperature. 487:151–162  
 Musburger C, see Houk P (2013) 488:23–34  
 Myers JA, Heck KL Jr (2013) Amphipod control of epiphyte load and its concomitant effects on shoalgrass *Halodule wrightii* biomass. 483:133–142

## N

Naganuma T, see Nakai R et al. (2013) 486:1–12  
 Nagelkerke LAJ, see Raab K et al. (2013) 488:233–245  
 Nakai R, Nakamura K, Jadoon WA, Kashiwara K, Naganuma T (2013) Genus-specific quantitative PCR of thraustochytrid protists. 486:1–12  
 Nakajima R, Tsuchiya K, Nakatomi N, Yoshida T, Tada Y, Konno F, Toda T, Kuwahara VS, Hamasaki K, Othman BHR, Segaran TC, Effendy AWM (2013) Enrichment of microbial abundance in the sea-surface microlayer over a coral reef: implications for biogeochemical cycles in reef ecosystems. 490:11–22  
 Nakamura K, see Nakai R et al. (2013) 486:1–12  
 Nakatomi N, see Nakajima R et al. (2013) 490:11–22  
 Narvarte M, González RA, Storero L, Fernández M (2013) Effects of competition and egg predation on shelter use by *Octopus tehuelchus* females. 482:141–151  
 Nash RDM, see Payne MR et al. (2013) 489:197–211  
 Navarrete SA, see Aguilera MA et al. (2013) 484:63–78  
 Nembhard RV, see Hendy IW et al. (2013) 486:237–245  
 Neumann H, de Boois I, Kröncke I, Reiss H (2013) Climate change facilitated range expansion of the non-native angular crab *Goneplax rhomboides* into the North Sea. 484:143–153  
 Nielsen TG, see Zamora-Terol S et al. (2013) 483:85–102  
 Niklitschek EJ, see Schlenger AJ et al. (2013) 483:257–272  
 Nilssen KT, see Øigård TA et al. (2013) 484:287–301  
 Nishikawa H, Yasuda I, Komatsu K, Sasaki H, Sasai Y, Setou T, Shimizu M (2013) Winter mixed layer depth and spring bloom along the Kuroshio front: implications for the Japanese sardine stock. 487:217–229  
 Nixon SW, see Fulweiler RW et al. (2013) 482:57–68  
 Nogueras M, see Aguzzi J et al. (2013) 486:223–236  
 Nolasco R, Dubert J, Domingues CP, Cordeiro Pires A, Queiroga H (2013) Model-derived connectivity patterns along the western Iberian Peninsula: asymmetrical larval flow and source-sink cell. 485:123–142  
 Norderhaug KM, see Fagerli CW et al. (2013) 488:119–132  
 Nordhaus I, see Herbon CM (2013) 490:91–105

Noren SR (2013) Altered swimming gait and performance of dolphin mothers: implications for interactions with tuna purse-seine fisheries. 482:255–263  
 North CA, see Kolts JM et al. (2013) 483:209–220  
 North EW, see Schlenger AJ et al. (2013) 483:257–272

## O

O'Driscoll RL, see Escobar-Flores P et al. (2013) 490:169–183  
 Øigård TA, Lindstrøm U, Haug T, Nilssen KT, Smout S (2013) Functional relationship between harp seal body condition and available prey in the Barents Sea. 484:287–301  
 Olgun N, Duggen S, Langmann B, Hort M, Waythomas CF, Hoffmann L, Croot P (2013) Geochemical evidence of oceanic iron fertilization by the Kasatochi volcanic eruption in 2008 and the potential impacts on Pacific sockeye salmon. 488:81–88  
 Olin JA, Hussey NE, Rush SA, Poulakis GR, Simpfendorfer CA, Heupel MR, Fisk AT (2013) Seasonal variability in stable isotopes of estuarine consumers under different freshwater flow regimes. 487:55–69  
 Olsen JL, Coyer JA, Stam WT, Moy FE, Christie H, Jørgensen NM (2013) Eelgrass *Zostera marina* populations in northern Norwegian fjords are genetically isolated and diverse. 486:121–132  
 Ordóñez V, Rius M, McQuaid CD, Pineda MC, Pascual M, Turon X (2013) Early biotic interactions among introduced and native benthic species reveal cryptic predation and shifts in larval behaviour. 488:65–79  
 Orth RJ, see Ralph GM et al. (2013) 488:51–63  
 Oschlies A, see Pahlow M et al. (2013) 489:1–16  
 Osman RW, see Reinhardt JF et al. (2013) 489:61–74  
 Otake T, see Kitagawa T et al. (2013) 481:199–209  
 Othman BHR, see Nakajima R et al. (2013) 490:11–22

## P

Pahlow M, Dietze H, Oschlies A (2013) Optimality-based model of phytoplankton growth and diazotrophy. 489:1–16  
 Paiva VH, Geraldine P, Ramirez I, Werner AC, Garthe S, Ramos JA (2013) Overcoming difficult times: the behavioural resilience of a marine predator when facing environmental stochasticity. 486:277–288  
 Palacios DM, see Pardo MA et al. (2013) 487:245–260  
 Papadopoulos I, see Teske PR et al. (2013) 482:133–140  
 Paspopyrou S, Diz P, García-Robledo E, Corzo A, Jimenez-Arias JL (2013) Benthic foraminiferal community changes and their relationship to environmental dynamics in intertidal muddy sediments (Bay of Cádiz, SW Spain). 490:121–135  
 Papiol V, see Fanelli E et al. (2013) 490:199–221  
 Pardo MA, Silverberg N, Gendron D, Beier E, Palacios DM (2013) Role of environmental seasonality in the turnover of a cetacean community in the southwestern Gulf of California. 487:245–260  
 Parnell AC, see Semmens BX et al. (2013) 490:285–289  
 Parrish JK, see Renner M et al. (2013) 484:259–277  
 Pascual M, see Ordóñez V et al. (2013) 488:65–79  
 Paul VJ, see Morrow KM et al. (2013) 488:103–117  
 Payne CD, see Tortell PD et al. (2013) 483:47–66  
 Payne MR, Stine DR, Worsøe Clausen L, Munk P, Mosegaard H, Nash RDM (2013) Recruitment decline in

- North Sea herring is accompanied by reduced larval growth rates. 489:197–211
- Pechenik JA, see Diederich CM (2013) 486:173–187
- Peck DR, see McDuipe F et al. (2013) 485:275–285
- Perea-Blázquez A, Davy SK, Magana-Rodríguez B, Bell JJ (2013) Temporal variation in food utilisation by three species of temperate demosponge. 485:91–103
- Pérez-Lloréns JL, see Villazán B et al. (2013) 488:133–143
- Pessutti JP, see Fabrizio MC et al. (2013) 482:241–253
- Peters J, see Calbet A et al. (2013) 483:67–84
- Petersen JK, Maar M, Ysebaert T, Herman PMJ (2013) Near-bed gradients in particles and nutrients above a mussel bed in the Limfjorden: influence of physical mixing and mussel filtration. 490:137–146
- Petersen JK, see Saurel C et al. (2013) 485:105–121
- Peterson WT, see Daly EA et al. (2013) 484:203–217
- Petrou K, Jimenez-Denness I, Chartrand K, McCormack C, Rasheed M, Ralph PJ (2013) Seasonal heterogeneity in the photophysiological response to air exposure in two tropical intertidal seagrass species. 482:93–106
- Phillips DL, see Semmens BX et al. (2013) 490:285–289
- Phillips RA, see Jaeger A et al. (2013) 490:255–266
- Piatt JF, see Drew GS et al. (2013) 487:275–286
- Piatt JF, see Renner M et al. (2013) 484:259–277
- Pierce GJ, see Santos MB et al. (2013) 481:249–268
- Pierce SJ, see Rohner CA et al. (2013) 482:153–168
- Piggot AM, see Diaz MR et al. (2013) 485:9–24
- Pineda MC, see Ordóñez V et al. (2013) 488:65–79
- Pinna S, Sechi N, Ceccherelli G (2013) Canopy structure at the edge of seagrass affects sea urchin distribution. 485:47–55
- Piñones A, Hofmann EE, Daly KL, Dinniman MS, Klinck JM (2013) Modeling the remote and local connectivity of Antarctic krill populations along the western Antarctic Peninsula. 481:69–92
- Pitman RL, see Fiedler PC et al. (2013) 484:1–16
- Popescu M, see Risch D et al. (2013) 489:279–295
- Porter JW, see Ruzicka RR et al. (2013) 489:125–141
- Porturas L, see Long JD et al. (2013) 483:143–151
- Poti M, see Kendall MS et al. (2013) 489:43–59
- Poulakis GR, see Olin JA et al. (2013) 487:55–69
- Poulin R, see Thieltses DW et al. (2013) 490:147–154
- Powers SP, see Moody RM et al. (2013) 488:145–155
- Prairie JC, Ziervogel K, Arnosti C, Camassa R, Falcon C, Khatri S, McLaughlin RM, White BL, Yu S (2013) Delayed settling of marine snow at sharp density transitions driven by fluid entrainment and diffusion-limited retention. 487:185–200
- Pratchett MS, see Trapon ML et al. (2013) 488:157–170
- Pratt NJ, see Honey DJ et al. (2013) 483:1–17
- Price NM, see Simpson KG et al. (2013) 484:33–45
- Price NM, see Simpson KG et al. (2013) 484:47–62
- Punt AE, see Thorson JT et al. (2013) 483:245–256
- Q**
- Qiao L, see Li Y et al. (2013) 483:19–29
- Queiroga H, see Nolasco R et al. (2013) 485:123–142
- Quinn TP, see Simmons RK et al. (2013) 481:211–223
- R**
- Raab K, Llope M, Nagelkerke LAJ, Rijnsdorp AD, Teal LR, Licandro P, Ruardij P, Dickey-Collas M (2013) Influence of temperature and food availability on juvenile European anchovy *Engraulis encrasicolus* at its northern boundary. 488:233–245
- Radford AN, see Holles S et al. (2013) 485:295–300
- Rahm L, see Bonaglia S et al. (2013) 482:43–55
- Raisbeck MF, see Lovvorn JR et al. (2013) 489:245–261
- Ralph GM, Seitz RD, Orth RJ, Knick KE, Lipcius RN (2013) Broad-scale association between seagrass cover and juvenile blue crab density in Chesapeake Bay. 488:51–63
- Ralph PJ, see Petrou K et al. (2013) 482:93–106
- Ramirez I, see Paiva VH et al. (2013) 486:277–288
- Ramos JA, see Paiva VH et al. (2013) 486:277–288
- Raper JLD, Schneider DC (2013) Spatial scaling from latitudinal gradients: growth rates in the American lobster *Homarus americanus*. 483:231–243
- Rasheed M, see Petrou K et al. (2013) 482:93–106
- Rasmuson LK, Morgan SG (2013) Fish predation after weakly synchronized larval release in a coastal upwelling system. 490:185–198
- Raymond C, see Bonaglia S et al. (2013) 482:43–55
- Read AJ, see Thorne LH (2013) 487:261–273
- Read FL, see Santos MB et al. (2013) 481:249–268
- Redfern JV, see Fiedler PC et al. (2013) 484:1–16
- Reece SE, see Fuller WJ et al. (2013) 488:267–274
- Reem E, Mohanty I, Katzir G, Rinkevich B (2013) Population genetic structure and modes of dispersal for the colonial ascidian *Botryllus schlosseri* along the Scandinavian Atlantic coasts. 485:143–154
- Reglero P, see Muhling BA et al. (2013) 486:257–276
- Reid DG, see Fung T et al. (2013) 484:155–171
- Reiertsen TK, see Erikstad KE et al. (2013) 481:305
- Reinhardt JF, Whitlatch RB, Osman RW (2013) Effects of temperature on the recruitment phenology and niche overlap of shallow epifaunal assemblages in southern New England. 489:61–74
- Reiss C, see Shelton AO et al. (2013) 481:53–67
- Reiss H, see Neumann H et al. (2013) 484:143–153
- Reitzel AM, Chu T, Edquist S, Genovese C, Church C, Tarant AM, Finnerty JR (2013) Physiological and developmental responses to temperature by the sea anemone *Nematostella vectensis*. 484:115–130
- Renner M, Parrish JK, Piatt JF, Kuletz KJ, Edwards AE, Hunt GL Jr (2013) Modeled distribution and abundance of a pelagic seabird reveal trends in relation to fisheries. 484:259–277
- Reusch TBH, see Bolte S et al. (2013) 485:25–36
- Richard P, see Jaeger A et al. (2013) 490:255–266
- Richardson AJ, see Gusmão LFM et al. (2013) 482:279–298
- Richardson AJ, see Gusmão LFM et al. (2013) 489:299–301
- Richardson AJ, see Rohner CA et al. (2013) 482:153–168
- Richmond CE, Rose KA, Breitburg DL (2013) Individual variability and environmental conditions: effects on zooplankton cohort dynamics. 486:59–78
- Rickert E, see Hammann M et al. (2013) 486:93–103
- Rijnsdorp AD, see Raab K et al. (2013) 488:233–245
- Rindorf A, see van Deurs M et al. (2013) 487:123–133
- Rinkevich B, see Reem E et al. (2013) 485:143–154
- Risch D, Clark CW, Dugan PJ, Popescu M, Siebert U, Van Parijs SM (2013) Minke whale acoustic behavior and multi-year seasonal and diel vocalization patterns in Massachusetts Bay, USA. 489:279–295
- Rius M, see Ordóñez V et al. (2013) 488:65–79
- Robert M, Dagorn L, Filmalter JD, Deneubourg JL, Itano D, Holland K (2013) Intra-individual behavioral variability

- displayed by tuna at fish aggregating devices (FADs). 484:239–247
- Roberts CD, see Zintzen V et al. (2013) 485:223–234
- Rocha LA, see Luiz OJ et al. (2013) 485:1–7
- Rodríguez-Pérez MY, see Aurióles-Gamboa D et al. (2013) 488:275–290
- Rodríguez-Ramos T, see Cermeño P et al. (2013) 488:1–9
- Roffer MA, see Muhling BA et al. (2013) 486:257–276
- Rogers KM, see Zintzen V et al. (2013) 485:223–234
- Rohner CA, Pierce SJ, Marshall AD, Weeks SJ, Bennett MB, Richardson AJ (2013) Trends in sightings and environmental influences on a coastal aggregation of manta rays and whale sharks. 482:153–168
- Röling WFM, see Hunting ER et al. (2013) 486:133–141
- Rooney N, see McMeans BC et al. (2013) 482:17–28
- Rose KA, see Richmond CE et al. (2013) 486:59–78
- Rosenberg E, see Mills E et al. (2013) 489:155–162
- Rossberg AG, see Fung T et al. (2013) 484:155–171
- Rossoll D, Sommer U, Winder M (2013) Community interactions dampen acidification effects in a coastal plankton system. 486:37–46
- Rozas LP, see Baker R et al. (2013) 490:37–52
- Ruardij P, see Raab K et al. (2013) 488:233–245
- Rumolo P, see Fanelli E et al. (2013) 490:199–221
- Rush SA, see Olin JA et al. (2013) 487:55–69
- Russell BD, see Burnell OW et al. (2013) 485:37–46
- Russell KG, see Hidas EZ et al. (2013) 483:199–208
- Ruzicka RR, Colella MA, Porter JW, Morrison JM, Kidney JA, Brinkhuis V, Lunz KS, Macaulay KA, Bartlett LA, Meyers MK, Colee J (2013) Temporal changes in benthic assemblages on Florida Keys reefs 11 years after the 1997/1998 El Niño. 489:125–141
- ## S
- Saintilan N, see Alderson B et al. (2013) 487:113–122
- Saiz E, see Calbet A et al. (2013) 483:67–84
- Saiz E, see Zamora-Terol S et al. (2013) 483:85–102
- Sams MA, Keough MJ (2013) Early recruitment variation and an established dominant alter the composition of a temperate fouling community. 486:79–91
- San Félix M, see Álvarez de Quevedo I et al. (2013) 489:225–234
- Sánchez-Velasco L, see Aurióles-Gamboa D et al. (2013) 488:275–290
- Sandvik H, see Erikstad KE et al. (2013) 481:305
- Sanford LP, see Malpezzi MA et al. (2013) 486:23–35
- Sano M, see Horinouchi M et al. (2013) 488:255–266
- Santamaría G, see Aguzzi J et al. (2013) 486:223–236
- Santora JA, Veit RR (2013) Spatio-temporal persistence of top predator hotspots near the Antarctic Peninsula. 487:287–304
- Santora JA, see Hazen EL et al. (2013) 487:177–183
- Santos MB, German I, Correia D, Read FL, Martinez Cedeira J, Caldas M, López A, Velasco F, Pierce GJ (2013) Long-term variation in common dolphin diet in relation to prey abundance. 481:249–268
- Sapolu T, see Bejarano S et al. (2013) 482:197–215
- Sarabia R, see Heithaus MR et al. (2013) 481:225–237
- Sardà F, see Aguzzi J et al. (2013) 486:223–236
- Sarno D, see Montresor M et al. (2013) 484:79–95
- Sasai Y, see Nishikawa H et al. (2013) 487:217–229
- Sasaki H, see Nishikawa H et al. (2013) 487:217–229
- Saurel C, Petersen JK, Wiles PJ, Kaiser MJ (2013) Turbulent mixing limits mussel feeding: direct estimates of feeding rate and vertical diffusivity. 485:105–121
- Sbragaglia V, see Aguzzi J et al. (2013) 486:223–236
- Schaefer CM, see Lovvorn JR et al. (2013) 489:245–261
- Schaefer G, Zimmer M (2013) Ability of invasive green crabs to handle prey in a recently colonized region. 483:221–229
- Schiavina M, see Melià P et al. (2013) 487:135–149
- Schindler DE, see Simmons RK et al. (2013) 481:211–223
- Schlag Z, see Schlenger AJ et al. (2013) 483:257–272
- Schlenger AJ, North EW, Schlag Z, Li Y, Secor DH, Smith KA, Niklitschek EJ (2013) Modeling the influence of hypoxia on the potential habitat of Atlantic sturgeon *Acipenser oxyrinchus*: a comparison of two methods. 483:257–272
- Schmidt J, see Bernreuther M et al. (2013) 489:177–195
- Schmitt RJ, see Alldredge AL et al. (2013) 489:143–153
- Schneider DC, see Raper JLD (2013) 483:231–243
- Schofield OM, see Sipler RE et al. (2013) 483:31–45
- Schulze L, see Friedrichs L et al. (2013) 481:41–51
- Sechi N, see Pinna S et al. (2013) 485:47–55
- Secor DH, see Schlenger AJ et al. (2013) 483:257–272
- Seeb LW, see Simmons RK et al. (2013) 481:211–223
- Segaran TC, see Nakajima R et al. (2013) 490:11–22
- Seitz RD, see Ralph GM et al. (2013) 488:51–63
- Seitz RD, see Sturdivant SK et al. (2013) 490:53–68
- Seitzinger SP, see Sipler RE et al. (2013) 483:31–45
- Sejr MK, see Blicher ME et al. (2013) 487:89–100
- Selsil Ö, see Kenitz K et al. (2013) 490:107–119
- Semmens BX, Ward EJ, Parnell AC, Phillips DL, Bearhop S, Inger R, Jackson A, Moore JW (2013) Statistical basis and outputs of stable isotope mixing models: Comment on Fry (2013). 490:285–289
- Semmens JM, see Higgins KL et al. (2013) 486:203–212
- Setou T, see Nishikawa H et al. (2013) 487:217–229
- Shakeri Yekta S, see Bonaglia S et al. (2013) 482:43–55
- Sharples J, see Kenitz K et al. (2013) 490:107–119
- Shechtman K, see Mills E et al. (2013) 489:155–162
- Shelton AO, Kinzey D, Reiss C, Munch S, Watters G, Mangel M (2013) Among-year variation in growth of Antarctic krill *Euphausia superba* based on length-frequency data. 481:53–67
- Shephard S, see Fung T et al. (2013) 484:155–171
- Shimizu M, see Nishikawa H et al. (2013) 487:217–229
- Shinoda A, see Kitagawa T et al. (2013) 481:199–209
- Shirai K, see Kitagawa T et al. (2013) 481:199–209
- Siebert U, see Risch D et al. (2013) 489:279–295
- Sieg RD, Willey D, Wolfe K, Kubanek J (2013) Multiple chemical defenses produced by *Spartina alterniflora* deter farming snails and their fungal crop. 488:35–49
- Silverberg N, see Pardo MA et al. (2013) 487:245–260
- Simard P, see Wall CC et al. (2013) 484:173–188
- Simmons RK, Quinn TP, Zzzb LW, Schindler DE, Hilborn R (2013) Role of estuarine rearing for sockeye salmon in Alaska (USA). 481:211–223
- Simpfendorfer CA, see Olin JA et al. (2013) 487:55–69
- Simpson KG, Tremblay JÉ, Price NM (2013) Nutrient dynamics in the western Canadian Arctic. I. New production in spring inferred from nutrient draw-down in the Cape Bathurst Polynya. 484:33–45
- Simpson KG, Tremblay JÉ, Brugel S, Price NM (2013) Nutrient dynamics in the western Canadian Arctic. II. Estimates of new and regenerated production over the Mackenzie Shelf and Cape Bathurst Polynya. 484:47–62
- Simpson SD, see Holles S et al. (2013) 485:295–300
- Sini M, see Gerovasileiou V et al. (2013) 486:13–22

- Sipler RE, Bronk DA, Seitzinger SP, Lauck RJ, McGuinness LR, Kirkpatrick GJ, Heil CA, Kerkhof LJ, Schofield OM (2013) *Trichodesmium*-derived dissolved organic matter is a source of nitrogen capable of supporting the growth of toxic red tide *Karenia brevis*. 483:31–45
- Skinner MA, Courtenay SC, McKindsey CW (2013) Reductions in distribution, photosynthesis, and productivity of eelgrass *Zostera marina* associated with oyster *Crassostrea virginica* aquaculture. 486:105–119
- Smale DA (2013) Multi-scale patterns of spatial variability in sessile assemblage structure do not alter predictably with development time. 482:29–41
- Smit AJ, see De Lecea AM et al. (2013) 484:97–114
- Smith CE, Hurley BJ, Toms CN, Mackey AD, Solangi M, Kuczaj II SA (2013) Hurricane impacts on the foraging patterns of bottlenose dolphins *Tursiops truncatus* in Mississippi Sound. 487:231–244
- Smith KA, see Schlenger AJ et al. (2013) 483:257–272
- Smout S, see Øigård TA et al. (2013) 484:287–301
- Snoeijs P, see Díez B et al. (2013) 489:93–105
- Solangi M, see Smith CE et al. (2013) 487:231–244
- Sommer U, see Rossoll D et al. (2013) 486:37–46
- Spach HL, see Vilar CC et al. (2013) 485:181–197
- Staats P, see Wheeler JD et al. (2013) 488:171–185
- Stam WT, see Olsen JL et al. (2013) 486:121–132
- Steinberg C, see Weeks SJ et al. (2013) 490:247–254
- Stempniewicz L, see Jakubas D et al. (2013) 489:263–278
- Stepputtis D, see Bernreuther M et al. (2013) 489:177–195
- Stewart AL, see Zintzen V et al. (2013) 485:223–234
- Stewart H, see Alldredge AL et al. (2013) 489:143–153
- Stewart IJ, see Thorson JT et al. (2013) 483:245–256
- Stine DR, see Payne MR et al. (2013) 489:197–211
- Stirling I, see Chambellant M et al. (2013) 481:269–287
- Stone T, see Valiela I et al. (2013) 482:1–15
- Storero L, see Narvarte M et al. (2013) 482:141–151
- Sturdivant SK, Seitz RD, Diaz RJ (2013) Effects of seasonal hypoxia on macrobenthic production and function in the Rappahannock River, Virginia, USA. 490:53–68
- Sun Y, see Boucher JM et al. (2013) 487:201–215
- Sundbäck K, see Alsterberg C (2013) 488:89–101
- Sundqvist F, see Bergström L et al. (2013) 485:199–210
- Suryan RM, see Hazen EL et al. (2013) 487:177–183
- Suzuki Y, see Horinouchi M et al. (2013) 488:255–266
- Svensson JR, Jonsson L, Lindegarth M (2013) Excessive spatial resolution decreases performance of quantitative models, contrary to expectations from error analyses. 485:57–73
- Svensson O, see Bonaglia S et al. (2013) 482:43–55
- Swearer SE, see Murphy HM et al. (2013) 487:151–162
- Swearer SE, see Williams J et al. (2013) 483:273–287
- Systad GH, see Bustnes JO et al. (2013) 484:249–257
- Systad GH, see Bustnes JO et al. (2013) 489:235–244
- Teske PR, Papadopoulos I, Barker NP, McQuaid CD (2013) Dispersal barriers and stochastic reproductive success do not explain small-scale genetic structure in a broadcast spawning marine mussel. 482:133–140
- Tetley MJ, see Watson H et al. (2013) 485:259–273
- Thibault-Botha D, see Bolte S et al. (2013) 485:25–36
- Thieltges DW, Marcogliese DJ, Blonar CA, Poulin R (2013) Trematode prevalence–occupancy relationships on regional and continental spatial scales in marine gastropod hosts. 490:147–154
- Thomson DP, see Downie RA et al. (2013) 482:217–225
- Thomson JA, see Heithaus MR et al. (2013) 481:225–237
- Thorne LH, Read AJ (2013) Fine-scale biophysical interactions drive prey availability at a migratory stopover site for *Phalaropus* spp. in the Bay of Fundy, Canada. 487:261–273
- Thorson JT, Stewart IJ, Taylor IG, Punt AE (2013) Using a recruitment-linked multispecies stock assessment model to estimate common trends in recruitment for US West Coast groundfishes. 483:245–256
- Tibbetts IR, see Chargulaf CA et al. (2013) 488:247–254
- Tilley A, López-Angarita J, Turner JR (2013) Effects of scale and habitat distribution on the movement of the southern stingray *Dasyatis americana* on a Caribbean atoll. 482:169–179
- Toda T, see Nakajima R et al. (2013) 490:11–22
- Toms CN, see Smith CE et al. (2013) 487:231–244
- Tortell PD, Mills MM, Payne CD, Maldonado MT, Chierici M, Fransson A, Alderkamp AC, Arrigo KR (2013) Inorganic C utilization and C isotope fractionation by pelagic and sea ice algal assemblages along the Antarctic continental shelf. 483:47–66
- Tougaard J, see Mikkelsen L et al. (2013) 481:239–248
- Trapon ML, Pratchett MS, Adjeroud M, Hoey AS, Baird AH (2013) Post-settlement growth and mortality rates of juvenile scleractinian corals in Moorea, French Polynesia versus Trunk Reef, Australia. 488:157–170
- Tremblay JÉ, see Simpson KG et al. (2013) 484:33–45
- Tremblay JÉ, see Simpson KG et al. (2013) 484:47–62
- Trudnowska E, see Jakubas D et al. (2013) 489:263–278
- Trussell GC, see Long JD et al. (2013) 483:143–151
- Trygonis V, see Gerovasileiou V et al. (2013) 486:13–22
- Tsang LM, Chan BKK, Williams GA, Chu KH (2013) Who is moving where? Molecular evidence reveals patterns of range shift in the acorn barnacle *Hexechamaesipho pilsbryi* in Asia. 488:187–200
- Tsuchiya K, see Nakajima R et al. (2013) 490:11–22
- Tsunogai U, see Kitagawa T et al. (2013) 481:199–209
- Turner JR, see Tilley A et al. (2013) 482:169–179
- Turon X, see Ordóñez V et al. (2013) 488:65–79
- Tuya F, Viera-Rodríguez MA, Guedes R, Espino F, Haroun R, Terrados J (2013) Seagrass responses to nutrient enrichment depend on clonal integration, but not flow-on effects on associated biota. 490:23–35

## T

- Tada Y, see Nakajima R et al. (2013) 490:11–22
- Tarrant AM, see Reitzel AM et al. (2013) 484:115–130
- Taylor IG, see Thorson JT et al. (2013) 483:245–256
- Teal LR, see Raab K et al. (2013) 488:233–245
- Teilmann J, see Mikkelsen L et al. (2013) 481:239–248
- Teixeira IG, see Cermeño P et al. (2013) 488:1–9
- Temming A, see Bernreuther M et al. (2013) 489:177–195
- TenBrink T, see Zador S et al. (2013) 485:245–258
- Terrados J, see Tuya F et al. (2013) 490:23–35

## U

- Uozato R, see Kitagawa T et al. (2013) 481:199–209

## V

- Valdivia N, see Aguilera MA et al. (2013) 483:185–198
- Valiela I, Giblin A, Barth-Jensen C, Harris C, Stone T, Fox S,

- Crusius J (2013) Nutrient gradients in Panamanian estuaries: effects of watershed deforestation, rainfall, upwelling, and within-estuary transformations. 482:1–15
- Vallina S, see Cermeño P et al. (2013) 488:1–9
- Van den Broek J, see Kelaher BP et al. (2013) 487:15–25
- van der Geest HG, see Hunting ER et al. (2013) 486:133–141
- van Deurs M, Christensen A, Rindorf A (2013) Patchy zooplankton grazing and high energy conversion efficiency: ecological implications of sandeel behavior and strategy. 487:123–133
- Van Nieuwerburgh L, see Díez B et al. (2013) 489:93–105
- Van Noord J, see Fiedler PC et al. (2013) 484:1–16
- van Oevelen D, see Larsson AI et al. (2013) 483:169–184
- Van Parijs SM, see Risch D et al. (2013) 489:279–295
- Vanderklift MA, see Downie RA et al. (2013) 482:217–225
- Vanderklift MA, see Michael PJ et al. (2013) 482:227–240
- Vargas R, see Hunting ER et al. (2013) 486:133–141
- Vaske-Junior T, see Vilar CC et al. (2013) 485:181–197
- Vaudo JJ, see Heithaus MR et al. (2013) 481:225–237
- Veit RR, see Santora JA (2013) 487:287–304
- Velasco F, see Santos MB et al. (2013) 481:249–268
- Vergara JJ, see Villazán B et al. (2013) 488:133–143
- Vergés A, see Doropoulos C et al. (2013) 486:153–164
- Vergés A, see Michael PJ et al. (2013) 482:227–240
- Videler JJ, see Afeworki Y et al. (2013) 489:213–224
- Vieira JP, see Vilar CC et al. (2013) 485:181–197
- Vieites DR, see Cama A et al. (2013) 484:279–286
- Viera-Rodríguez MA, see Tuya F et al. (2013) 490:23–35
- Vikebø F, see Erikstad KE et al. (2013) 481:305
- Vilar CC, Joyeux JC, Giarrizzo T, Spach HL, Vieira JP, Vaske-Junior T (2013) Local and regional ecological drivers of fish assemblages in Brazilian estuaries. 485:181–197
- Villazán B, Brun FG, Jiménez-Ramos R, Pérez-Lloréns JL, Vergara JJ (2013) Interaction between ammonium and phosphate uptake rates in the seagrass *Zostera noltii*. 488:133–143
- von Salm JL, see Amsler MO et al. (2013) 490:79–90
- Votier SC, see Lauria V et al. (2013) 488:11–22
- Voultsiadou E, see Gerovasileiou V et al. (2013) 486:13–22
- ing sea-surface temperature on the Great Barrier Reef. 490:247–254
- Weeks SJ, see Rohner CA et al. (2013) 482:153–168
- Weinberger F, see Hammann M et al. (2013) 486:93–103
- Weissburg MJ, see Hill JM (2013) 488:209–219
- Wells BK, see Woodson LE et al. (2013) 487:163–175
- Werner AC, see Paiva VH et al. (2013) 486:277–288
- Wheeler JD, Helfrich KR, Anderson EJ, McGann B, Staats P, Wargula AE, Wilt K, Mullineaux LS (2013) Upward swimming of competent oyster larvae *Crassostrea virginica* persists in highly turbulent flow as detected by PIV flow subtraction. 488:171–185
- White BL, see Prairie JC et al. (2013) 487:185–200
- White JW, see Miller SH et al. (2013) 481:1–10
- White JW, see Moffitt EA et al. (2013) 489:17–28
- Whitlatch RB, see Reinhardt JF et al. (2013) 489:61–74
- Whitman GE, see Woodson LE et al. (2013) 487:163–175
- Wiles PJ, see Saurel C et al. (2013) 485:105–121
- Willey D, see Sieg RD et al. (2013) 488:35–49
- Williams GA, see Tsang LM et al. (2013) 488:187–200
- Williams J, Jenkins GP, Hindell JS, Swearer SE (2013) Linking environmental flows with the distribution of black bream *Acanthopagrus butcheri* eggs, larvae and prey in a drought affected estuary. 483:273–287
- Williams RG, see Kenitz K et al. (2013) 490:107–119
- Wilson RP, see Hazen EL et al. (2013) 487:177–183
- Wilt K, see Wheeler JD et al. (2013) 488:171–185
- Winder M, see Rossoll D et al. (2013) 486:37–46
- Wirsing A, see Heithaus MR et al. (2013) 481:225–237
- Witt MJ, see Fuller WJ et al. (2013) 488:267–274
- Wojczulanis-Jakubas K, see Jakubas D et al. (2013) 489:263–278
- Wolfe K, see Sieg RD et al. (2013) 488:35–49
- Woodson LE, Wells BK, Weber PK, MacFarlane RB, Whitman GE, Johnson RC (2013) Size, growth, and origin-dependent mortality of juvenile Chinook salmon *Oncorhynchus tshawytscha* during early ocean residence. 487:163–175
- Worsøe Clausen L, see Payne MR et al. (2013) 489:197–211
- Wren JLK, see DeMartini EE et al. (2013) 485:165–179
- Wright JT, see Mabin CJT et al. (2013) 483:117–131
- Wynne TT, see Kendall MS et al. (2013) 489:43–59

## W

- Wall CC, Simard P, Lembke C, Mann DA (2013) Large-scale passive acoustic monitoring of fish sound production on the West Florida Shelf. 484:173–188
- Walters S, see Lowerre-Barbieri SK et al. (2013) 481:181–197
- Wang A, see Li Y et al. (2013) 483:19–29
- Wang G, see Hammann M et al. (2013) 486:93–103
- Wanless RM, see Jaeger A et al. (2013) 490:255–266
- Wanless S, see Davies RD et al. (2013) 485:287–294
- Ward EJ, see Semmens BX et al. (2013) 490:285–289
- Wargula AE, see Wheeler JD et al. (2013) 488:171–185
- Warner RR, see Max LM et al. (2013) 482:181–195
- Watanuki Y, see Hazen EL et al. (2013) 487:177–183
- Watson H, Hiddink JG, Hobbs MJ, Brereton TM, Tetley MJ (2013) The utility of relative environmental suitability (RES) modelling for predicting distributions of seabirds in the North Atlantic. 485:259–273
- Watters G, see Shelton AO et al. (2013) 481:53–67
- Waythomas CF, see Olgun N et al. (2013) 488:81–88
- Weber PK, see Woodson LE et al. (2013) 487:163–175
- Weeks SJ, Steinberg C, Congdon BC (2013) Oceanography and seabird foraging: within-season impacts of increas-

## Y

- Yasuda I, see Nishikawa H et al. (2013) 487:217–229
- Ydenberg RC, see Bustnes JO et al. (2013) 484:249–257
- Ye X, see Li Y et al. (2013) 483:19–29
- Ye Y, see Chen YP (2013) 482:107–118
- York PH, see Kelaher BP et al. (2013) 487:15–25
- Yoshida T, see Nakajima R et al. (2013) 490:11–22
- Young RM, see Amsler MO et al. (2013) 490:79–90
- Ysebaert T, see Petersen JK et al. (2013) 490:137–146
- Yu S, see Prairie JC et al. (2013) 487:185–200

## Z

- Zador S, Hunt GL Jr, TenBrink T, Aydin K (2013) Combined seabird indices show lagged relationships between environmental conditions and breeding activity. 485:245–258
- Zamora-Terol S, Nielsen TG, Saiz E (2013) Plankton community structure and role of *Oithona similis* on the western coast of Greenland during the winter-spring transition. 483:85–102

Zekeria ZA, see Afeworki Y et al. (2013) 489:213–224

Zenil-Ferguson R, see López-Castro MC et al. (2013) 490:233–246

Zerbini AN, see Baumgartner MF et al. (2013) 490:267–284

Zerebecki RA, Hughes AR (2013) Snail behavioral preference for flowering stems does not impact *Spartina alterniflora* reproduction. 487:41–54

Ziervogel K, see Prairie JC et al. (2013) 487:185–200

Zimmer M, see Schaefer G (2013) 483:221–229

Zimmerman K, see Alderson B et al. (2013) 487:113–122

Zingone A, see Montresor M et al. (2013) 484:79–95

Zintzen V, Rogers KM, Roberts CD, Stewart AL, Anderson MJ (2013) Hagfish feeding habits along a depth gradient inferred from stable isotopes. 485:223–234