

COMBINED AUTHOR AND TITLE INDEX

(Volumes 511 to 520, 2014–2015)

A

- Abecasis D, Afonso P, Erzini K (2014) Combining multispecies home range and distribution models aids assessment of MPA effectiveness. 513:155–169
- Abecasis D, Horta e Costa B, Afonso P, Gonçalves EJ, Erzini K (2015) Early reserve effects linked to small home ranges of a commercial fish, *Diplodus sargus*, Sparidae. 518: 255–266
- Aberle N, Malzahn AM, Lewandowska AM, Sommer U (2015) Some like it hot: the protozooplankton–copepod link in a warming ocean. 519:103–113
- Abunge CA, see McClanahan TR (2014) 513:201–210
- Acou A, see Trancart T et al. (2014) 511:181–192
- Adam TC, Burkepile DE, Ruttenberg BI, Paddock MJ (2015) Herbivory and the resilience of Caribbean coral reefs: knowledge gaps and implications for management. 520: 1–20
- Adams AJ, see Barbour AB et al. (2014) 514:191–205
- Adhitya A, Bouma TJ, Folkard AM, van Katwijk MM, Callaghan D, de Iongh HH, Herman PMJ (2014) Comparison of the influence of patch-scale and meadow-scale characteristics on flow within seagrass meadows: a flume study. 516:49–59
- Afonso P, see Abecasis D et al. (2014) 513:155–169
- Afonso P, see Abecasis D et al. (2015) 518:255–266
- Afonso P, see Schmiing M et al. (2014) 513:187–199
- Agersted MD, Bode A, Nielsen TG (2014) Trophic position of coexisting krill species: a stable isotope approach. 516: 139–151
- Aguilera MA, see Oróstica MH et al. (2014) 511:71–82
- Aiona P, see Clark CD et al. (2014) 516:71–83
- Aksnes DL, see Ugland KI et al. (2014) 513:121–130
- Al-Rshaidat MMD, see Bednarz VN et al. (2015) 519:141–152
- Alestra T, Tait LW, Schiel DR (2014) Effects of algal turfs and sediment accumulation on replenishment and primary productivity of fucoid assemblages. 511:59–70
- Allen-Moran SD, see Satterthwaite WH et al. (2014) 511: 237–248
- Alonso-Fernández A, Otero J, Villegas-Ríos D, Bañón R (2014) Drivers of body size changes in a *Pollachius pollachius* stock in NE Atlantic coastal waters. 511:223–235
- Alonso-Fernández A, see Villegas-Ríos D et al. (2014) 515: 239–250
- Alonso-Pérez F, Castro CG (2014) Benthic oxygen and nutrient fluxes in a coastal upwelling system (Ría de Vigo, NW Iberian Peninsula): seasonal trends and regulating factors. 511:17–32
- Alós J, see Villegas-Ríos D et al. (2014) 515:239–250
- Altamira I, see Smith CR et al. (2014) 515:133–149
- Alunno-Bruscia M, see Strohmeier T et al. (2015) 518:139–152
- Alvarez-Fernandez S (2014) The North Sea plankton regime shift in the late 1990s: Comment on Beaugrand et al. (2014). 514:279–280
- Anderson AB, Bonaldo RM, Barneche DR, Hackradt CW,

- Félix-Hackradt FC, García-Charton JA, Floeter SR (2014) Recovery of grouper assemblages indicates effectiveness of a marine protected area in Southern Brazil. 514: 207–215
- Anker-Nilssen T, see Lorentsen SH et al. (2015) 519:209–220
- Annunziata C, see Clausung RJ et al. (2014) 517:121–129
- Appeldoorn RS, see Rowell TJ et al. (2015) 518:239–254
- Arenas F, see Martins GM et al. (2014) 517:131–142
- Aretxabaleta A, see Lough RG (2014) 514:119–135
- Arnould JPY, see Hoskins AJ (2014) 511:285–295
- Arribas LP, see Gutiérrez JL et al. (2015) 518:153–163
- Arsenault-Pernet EJ, see Pethybridge H et al. (2014) 512: 39–54
- Ashe J, Feldheim KA, Fields A, Reyier EA, Brooks EJ, O'Connell MT, Skomal G, Gruber SH, Chapman DD (2015) Local population structure and context-dependent isolation by distance in a large coastal shark. 520:203–216
- Assmy P, see Latasa M et al. (2014) 513:39–50
- Aure J, see Strohmeier T et al. (2015) 518:139–152
- Avendaño-Ibarra R, see De Silva-Dávila R et al. (2015) 520: 123–141

B

- Babcock RC, see Morello EB et al. (2014) 512:167–183
- Bacheler NM, Berrane DJ, Mitchell WA, Schobernd CM, Schobernd ZH, Teer BZ, Ballenger JC (2014) Environmental conditions and habitat characteristics influence trap and video detection probabilities for reef fish species. 517: 1–14
- Baco A, see Smith CR et al. (2014) 515:133–149
- Baeta A, see Niquíl N et al. (2014) 512:141–154
- Bagur M, see Gutiérrez JL et al. (2015) 518:153–163
- Bai Y, see Guo S et al. (2014) 516:103–126
- Baillie CJ, see Heck KL Jr et al. (2015) 520:165–173
- Baker G, see Clausung RJ et al. (2014) 517:121–129
- Ballenger JC, see Bacheler NM et al. (2014) 517:1–14
- Bano N, see Givens CE et al. (2015) 518:209–223
- Bañón R, see Alonso-Fernández A et al. (2014) 511:223–235
- Bañón R, see Villegas-Ríos D et al. (2014) 515:239–250
- Barbour AB, Adams AJ, Lorenzen K (2014) Emigration-corrected seasonal survival of a size-structured fish population in a nursery habitat. 514:191–205
- Barneche DR, see Anderson AB et al. (2014) 514:207–215
- Barnes MK, see Xie Y et al. (2015) 519:61–73
- Barnes MKS, see Barnes RSK (2014) 516:263–266
- Barnes RSK, Barnes MKS (2014) Spatial uniformity of biodiversity is inevitable if the available species are distributed independently of each other. 516:263–266
- Basilio AJ, see Laurel BJ et al. (2015) 519:183–193
- Batchelder HP, see Szabo AR (2014) 516:153–161
- Battaglione SC, see Fitzgibbon QP et al. (2014) 515:173–186
- Bauer J, see Levas S et al. (2015) 519:153–164
- Baum JK, see Hertz E et al. (2014) 516:1–6

- Baumann JH, see Levas S et al. (2015) 519:153–164
 Bazairi H, see Feis ME et al. (2015) 520:85–99
 Bearham D, see Vanderklift MA (2014) 515:111–121
 Bearhop S, see Cleasby IR et al. (2015) 518:1–12
 Beaudreau AH, see Froehlich HE et al. (2015) 520:67–83
 Bednarz VN, Cardini U, van Hoytema N, Al-Rshaidat MMD, Wild C (2015) Seasonal variation in dinitrogen fixation and oxygen fluxes associated with two dominant zooxanthellate soft corals from the northern Red Sea. 519:141–152
 Bednarz VN, see Rådecker N et al. (2014) 511:297–302
 Beerhmann J, Boos K (2015) Flexible microhabitat partitioning between hemi-sessile congeners. 520:143–151
 Beets JP, see Sakihara TS et al. (2015) 519:29–45
 Begeman L, see van Bleijswijk JDL et al. (2014) 513:277–281
 Behrens JW, see Ritzau Eigaard O et al. (2014) 516:267–273
 Bekkevold D, see Ritzau Eigaard O et al. (2014) 516:267–273
 Bellwood DR, see Kramer MJ et al. (2014) 511:105–116
 Bellwood O, see Kramer MJ et al. (2014) 511:105–116
 Bender D, Diaz-Pulido G, Dove S (2014) Warming and acidification promote cyanobacterial dominance in turf algal assemblages. 517:271–284
 Benoît HP, see Swain DP (2015) 519:165–182
 Berdalet E, see Romero-Kutzner V et al. (2015) 519:47–59
 Bergmark P, Jørgensen D (2014) *Lophelia pertusa* conservation in the North Sea using obsolete offshore structures as artificial reefs. 516:275–280
 Bergstad OA, see Kutti T et al. (2015) 520:175–190
 Bernard G, Delgard ML, Maire O, Ciutat A, Lecroart P, Deflandre B, Duchêne JC, Grémare A (2014) Comparative study of sediment particle mixing in a *Zostera noltei* meadow and a bare sediment mudflat. 514:71–86
 Bernardino AF, see Smith CR et al. (2014) 515:133–149
 Berrane DJ, see Bacheler NM et al. (2014) 517:1–14
 Berteaux-Lecellier V, see Rouzé H et al. (2014) 515:151–159
 Berthelsen AK, Taylor RB (2014) Arthropod mesograzers reduce epiphytic overgrowth of subtidal coralline turf. 515:123–132
 Beukema JJ, Dekker R (2014) Variability in predator abundance links winter temperatures and bivalve recruitment: correlative evidence from long-term data in a tidal flat. 513:1–15
 Beukema JJ, see Dekker R (2014) 513:17–27
 Bigot JL, see Pethybridge H et al. (2014) 512:39–54
 Bittick SJ, see Clausing RJ et al. (2014) 517:121–129
 Bittler KM, Scheef LP, Buskey EJ (2014) Freshwater inflows and blue crabs: the influence of salinity on selective tidal stream transport. 514:137–148
 Björnsson B, see Sólmundsson J et al. (2015) 520:217–233
 Blain S, see Laurenceau-Cornec EC et al. (2015) 520:35–56
 Blamey LK, see Plagányi ÉE et al. (2014) 512:99–113
 Blanco JM, see Huete-Ortega M et al. (2014) 515:61–71
 Bode A, see Agersted MD et al. (2014) 516:139–151
 Bodey TW, see Cleasby IR et al. (2015) 518:1–12
 Bodin N, see Pethybridge H et al. (2014) 512:39–54
 Boehme L, Loneragan M, Todd CD (2014) Comparison of gridded sea surface temperature datasets for marine ecosystem studies. 516:7–22
 Bograd SJ, see Satterthwaite WH et al. (2014) 511:237–248
 Bologna PAX, see Crum KP et al. (2014) 517:105–119
 Bolstad KSR, see Braid HE (2014) 515:275–279
 Bonaldo RM, see Anderson AB et al. (2014) 514:207–215
 Boos K, see Beerhmann J (2015) 520:143–151
 Boschker HTS, see Pascal PY et al. (2014) 516:127–138
 Bossier P, see Gatune C et al. (2014) 511:117–128
 Boström C, see Salo T et al. (2015) 519:129–140
 Botsford LW, see Wang HY et al. (2014) 514:217–229
 Böttcher U, see Huwer B et al. (2014) 511:165–180
 Boudreau W, see Levitan DR et al. (2014) 515:1–10
 Bouma TJ, see Adhitya A et al. (2014) 516:49–59
 Bouma TJ, see Zhu Z et al. (2014) 513:97–109
 Bourdeix JH, see Pethybridge H et al. (2014) 512:39–54
 Boyle D, see Shoji A et al. (2015) 520:257–267
 Boyle KS, see Tricas TC (2014) 511:1–16
 Braid HE, Bolstad KSR (2014) Feeding ecology of the largest mastigoteuthid squid species, *Idioteuthis cordiformis* (Cephalopoda, Mastigoteuthidae). 515:275–279
 Brander K, see Ritzau Eigaard O et al. (2014) 516:267–273
 Brander K, see Wang HY et al. (2014) 514:217–229
 Brandt G, see Smith SL et al. (2014) 511:33–39
 Brante A, see Fuentes K (2014) 515:161–172
 Brasseur SMJM, see van Bleijswijk JDL et al. (2014) 513:277–281
 Bravington MV, see Woehler E et al. (2014) 511:249–263
 Brett MT (2014) Resource polygon geometry predicts Bayesian stable isotope mixing model bias. 514:1–12
 Bright M, see Gollner S et al. (2015) 520:57–66
 Brisset B, see Pethybridge H et al. (2014) 512:39–54
 Brodie J, see Williamson CJ et al. (2014) 513:71–84
 Brodsky A, see Zeug SC et al. (2014) 514:163–174
 Broitman BR, see Oróstica MH et al. (2014) 511:71–82
 Bromberg S, see Corbisier TN et al. (2014) 512:23–38
 Brooks EJ, see Ashe J et al. (2015) 520:203–216
 Brooks EN, see Monk MH et al. (2015) 519:1–12
 Brower JP, see Stallings CD et al. (2014) 513:143–153
 Budge SM, see Wang SW et al. (2015) 518:31–50
 Bundy A, see Shannon L et al. (2014) 512:115–140
 Buren AD, Koen-Alonso M, Stenson GB (2014) The role of harp seals, fisheries and food availability in driving the dynamics of northern cod. 511:265–284
 Burfeind DD, see Ebrahim A et al. (2014) 511:83–91
 Burkepile DE, see Adam TC et al. (2015) 520:1–20
 Burkepile DE, see Catano LB et al. (2014) 511:193–207
 Burton RS, see Tangwancharoen S (2014) 517:75–83
 Buskey EJ, see Bittler KM et al. (2014) 514:137–148
 Buszowski J, see Christensen V et al. (2014) 512:155–166
 Butenhoff C, see Raffel AE et al. (2014) 514:35–41
 Butler PJ, see Vandenabeele SP et al. (2015) 519:239–249
 Byron CJ, see Filgueira R et al. (2015) 518:281–287
 Byron DA, see Heck KL Jr et al. (2015) 520:165–173

C

- Cai WJ, see Levas S et al. (2015) 519:153–164
 Caldeira C, Santos AMP, Ré P, Peck MA, Saiz E, Garrido S (2014) Effects of prey concentration on ingestion rates of European sardine *Sardina pilchardus* larvae in the laboratory. 517:217–228
 Callaghan D, see Adhitya A et al. (2014) 516:49–59
 Cameron CM, see Miller MW et al. (2014) 516:187–194
 Campbell JE, Craft JD, Muehllehner N, Langdon C, Paul VJ (2014) Responses of calcifying algae (*Halimeda* spp.) to ocean acidification: implications for herbivores. 514:43–56
 Cardini U, see Bednarz VN et al. (2015) 519:141–152
 Cardini U, see Rådecker N et al. (2014) 511:297–302
 Carlson SM, see Satterthwaite WH et al. (2014) 511:237–248
 Carravieri A, see Goutte A et al. (2014) 513:269–275
 Carrington E, see Hayford HA et al. (2015) 518:165–175
 Castro CG, see Alonso-Pérez F (2014) 511:17–32
 Catano LB, Shantz AA, Burkepile DE (2014) Predation risk, competition, and territorial damselfishes as drivers of herbivore foraging on Caribbean coral reefs. 511:193–207
 Cermeño P, see Huete-Ortega M et al. (2014) 515:61–71
 Chaalali A, see Niquil N et al. (2014) 512:141–154

- Chambers LE, see Woehler E et al. (2014) 511:249–263
 Chapman DD, see Ashe J et al. (2015) 520:203–216
 Chapman DD, see Kessel ST et al. (2014) 514:175–190
 Charrassin JB, see Goutte A et al. (2014) 513:269–275
 Cherel Y, see Goutte A et al. (2014) 513:269–275
 Cherel Y, see Xavier JC et al. (2014) 513:131–142
 Chow S, see Kodama T et al. (2014) 513:29–37
 Christensen JPA, see Lyngsgaard MM et al. (2014) 517:15–33
 Christensen PB, see Olesen B et al. (2015) 518:107–121
 Christensen V, Coll M, Piroddi C, Steenbeek J, Buszowski J, Pauly D (2014) A century of fish biomass decline in the ocean. 512:155–166
 Cimino MA, Fraser WR, Patterson-Fraser DL, Saba VS, Oliver MJ (2014) Large-scale climate and local weather drive interannual variability in Adélie penguin chick fledging mass. 513:253–268
 Ciutat A, see Bernard G et al. (2014) 514:71–86
 Claiborne AM, Miller JA, Weitkamp LA, Teel DJ, Emmett RL (2014) Evidence for selective mortality in marine environments: the role of fish migration size, timing, and production type. 515:187–202
 Clark CD, Aiona P, Keller JK, De Bruyn WJ (2014) Optical characterization and distribution of chromophoric dissolved organic matter (CDOM) in soil porewater from a salt marsh ecosystem. 516:71–83
 Clausing RJ, Annunziata C, Baker G, Lee C, Bittick SJ, Fong P (2014) Effects of sediment depth on algal turf height are mediated by interactions with fish herbivory on a fringing reef. 517:121–129
 Clauzet GRV, see Soares LSH et al. (2014) 512:9–21
 Cleasby IR, Wakefield ED, Bodey TW, Davies RD, Patrick SC, Newton J, Votier SC, Bearhop S, Hamer KC (2015) Sexual segregation in a wide-ranging marine predator is a consequence of habitat selection. 518:1–12
 Codling EA, see Piercy JJB et al. (2014) 516:35–47
 Coll M, see Christensen V et al. (2014) 512:155–166
 Coll M, see Shannon L et al. (2014) 512:115–140
 Comeau LA, see Filgueira R et al. (2015) 518:281–287
 Conklin E, see Giddens J et al. (2014) 511:209–221
 Connell SD, see Mohring MB et al. (2014) 513:85–96
 Connolly RM, see Ebrahim A et al. (2014) 511:83–91
 Corbisier TN, Petti MAV, Soares LSH, Muto EY, Bromberg S, Valiela I (2014) Trophic structure of benthic communities in the Cabo Frio upwelling system (southeastern Brazilian shelf): a temporal study using stable isotopic analysis. 512:23–38
 Corbisier TN, see Muto EY et al. (2014) 512:55–70
 Costa-Pierce B, see Filgueira R et al. (2015) 518:281–287
 Couespel D, see Gonçalves RJ et al. (2014) 517:61–74
 Craft JD, see Campbell JE et al. (2014) 514:43–56
 Cranford PJ, see Filgueira R et al. (2015) 518:281–287
 Cranford PJ, see Strohmeier T et al. (2015) 518:139–152
 Croucher AE, see Le Port A et al. (2014) 515:203–215
 Crum KP, Fuchs HL, Bologna PAX, Gaynor JJ (2014) Model-to-data comparisons reveal influence of jellyfish interactions on plankton community dynamics. 517:105–119
 Culloty SC, see Feis ME et al. (2015) 520:85–99
 Cummings DG, see Tait K et al. (2014) 511:41–58
 ern Ocean. 517:251–263
 Danley C, see Laurel BJ et al. (2015) 519:183–193
 Darnell KM, Dunton KH (2015) Consumption of turtle grass seeds and seedlings by crabs in the western Gulf of Mexico. 520:153–163
 Davidson TM, de Rivera CE, Hsieh HL (2014) Damage and alteration of mangroves inhabited by a marine wood-borer. 516:177–185
 Davies DM, see Laurenceau-Cornec EC et al. (2015) 520:35–56
 Davies KTA, Gentleman WC, DiBacco C, Johnson CL (2014) Semi-annual spawning in marine scallops strengthens larval recruitment and connectivity on Georges Bank: a model study. 516:209–227
 Davies RD, see Cleasby IR et al. (2015) 518:1–12
 Davis AR, see Winberg PC (2014) 517:171–180
 Davy SK, see Pontasch S et al. (2014) 516:195–208
 De Bruyn WJ, see Clark CD et al. (2014) 516:71–83
 De Grissac S, see Goutte A et al. (2014) 513:269–275
 de Jongh HH, see Adhitya A et al. (2014) 516:49–59
 De La Rocha CL, see Laurenceau-Cornec EC et al. (2015) 520:35–56
 de Montaudouin X, see Feis ME et al. (2015) 520:85–99
 de Rivera CE, see Davidson TM et al. (2014) 516:177–185
 De Silva-Dávila R, Franco-Gordo C, Hochberg FG, Godínez-Domínguez E, Avendaño-Ibarra R, Gómez-Gutiérrez J, Robinson CJ (2015) Cephalopod paralarval assemblages in the Gulf of California during 2004–2007. 520:123–141
 De Troch M, see Gatune C et al. (2014) 511:117–128
 Deflandre B, see Bernard G et al. (2014) 514:71–86
 Dekker R, Beukema JJ (2014) Phenology of abundance of bivalve spat and of their epibenthic predators: limited evidence for mismatches after cold winters. 513:17–27
 Dekker R, see Beukema JJ (2014) 513:1–15
 Delgard ML, see Bernard G et al. (2014) 514:71–86
 Deschaseaux E, see Pontasch S et al. (2014) 516:195–208
 Diaz-Pulido G, see Bender D et al. (2014) 517:271–284
 DiBacco C, see Davies KTA et al. (2014) 516:209–227
 Diogo H, see Schmiing M et al. (2014) 513:187–199
 Donahue MJ, see Silbiger NJ et al. (2014) 515:33–44
 Donoso GA, see Oróstica MH et al. (2014) 511:71–82
 Donovan MK, see Giddens J et al. (2014) 511:209–221
 Douglas A, see Murray F et al. (2014) 516:23–34
 Dove S, see Bender D et al. (2014) 517:271–284
 Downs EE, Popp BN, Holl CM (2014) Nitrogen isotope fractionation and amino acid turnover rates in the Pacific white shrimp *Litopenaeus vannamei*. 516:239–250
 Du X, Peterson W, O'Higgins L (2015) Interannual variations in phytoplankton community structure in the northern California Current during the upwelling seasons of 2001–2010. 519:75–87
 Duarte C, see Manríquez PH et al. (2014) 514:87–103
 Dubois S, see Pascal PY et al. (2014) 516:127–138
 Duchêne JC, see Bernard G et al. (2014) 514:71–86
 Dudley BD, see Sakihara TS et al. (2015) 519:29–45
 Duinker A, see Strohmeier T et al. (2015) 518:139–152
 Dunton KH, see Darnell KM (2015) 520:153–163

E

- D
 Dai M, see Guo S et al. (2014) 516:103–126
 Dalpadado P, see Kvile KØ et al. (2014) 517:85–104
 Damerau M, Salzburger W, Hanel R (2014) Population genetic structure of *Lepidonotothen larseni* revisited: *cyb* and microsatellites suggest limited connectivity in the South-
- Ebrahim A, Olds AD, Maxwell PS, Pitt KA, Burfeind DD, Connolly RM (2014) Herbivory in a subtropical seagrass ecosystem: separating the functional role of different grazers. 511:83–91
 Eggers F, Moland Olsen E, Moland E, Slotte A (2015) Individual habitat transitions of Atlantic herring *Clupea harengus*

in a human-modified coastal system. 520:245–256
 Elliot G, see Xavier JC et al. (2014) 513:131–142
 Elliott K, see Shoji A et al. (2015) 520:257–267
 Elliott KH, see Gaston AJ (2014) 513:211–223
 Ellis N, see Plagányi ÉE et al. (2014) 512:99–113
 Emmett RL, see Claiborne AM et al. (2014) 515:187–202
 Emslie SD, see Polito MJ et al. (2015) 519:221–237
 Erga SR, see Strohmeier T et al. (2015) 518:139–152
 Erikstad KE, see Lorentsen SH et al. (2015) 519:209–220
 Erwin P, see Pawlik JR et al. (2015) 519:265–283
 Erzini K, see Abecasis D et al. (2014) 513:155–169
 Erzini K, see Abecasis D et al. (2015) 518:255–266
 Escribano R, see Pino-Pinuer P et al. (2014) 515:83–95
 Essington TE, see Froehlich HE et al. (2015) 520:67–83
 Esteban A, see Puerta P et al. (2014) 514:105–118

F

Faux JF, see Moore EK et al. (2014) 515:45–59
 Fayet A, see Shoji A et al. (2015) 520:257–267
 Feehan CJ, Francis FTY, Scheibling RE (2014) Harboring the enemy: kelp holdfasts protect juvenile sea urchins from predatory crabs. 514:149–161
 Feis ME, Thieltges DW, Olsen JL, de Montaudouin X, Jensen KT, Bazairi H, Culloty SC, Luttkhuizen PC (2015) The most vagile host as the main determinant of population connectivity in marine macroparasites. 520:85–99
 Feist B, see Shelton AO et al. (2014) 514:231–245
 Feldheim KA, see Ashe J et al. (2015) 520:203–216
 Félix-Hackradt FC, see Anderson AB et al. (2014) 514:207–215
 Feng Y, see Guo S et al. (2014) 516:103–126
 Fernö A, see Langård L et al. (2015) 518:267–279
 Ferreira JG, Hawkins SJ, Jenkins SR (2015) Physical and biological control of furoid recruitment in range edge and range centre populations. 518:85–94
 Ferreira JG, see Filgueira R et al. (2015) 518:281–287
 Feunteun E, see Trancart T et al. (2014) 511:181–192
 Fields A, see Ashe J et al. (2015) 520:203–216
 Fiksen Ø, see van Deurs M et al. (2015) 520:235–243
 Filgueira R, Byron CJ, Comeau LA, Costa-Pierce B, Cranford PJ, Ferreira JG, Grant J, Guyondet T, Jansen HM, Landry T, McKindsey CW, Petersen JK, Reid GK, Robinson SMC, Smaal A, Sonier R, Strand Ø, Strohmeier T (2015) An integrated ecosystem approach for assessing the potential role of cultivated bivalve shells as part of the carbon trading system. 518:281–287
 Finstad AG, see Jonsson B et al. (2014) 515:217–226
 Fisher CR, see Gollner S et al. (2015) 520:57–66
 Fisher PL, see Pontasch S et al. (2014) 516:195–208
 Fitzgibbon QP, Ruff N, Tracey SR, Battaglione SC (2014) Thermal tolerance of the nektonic puerulus stage of spiny lobsters and implications of ocean warming. 515:173–186
 Floeter SR, see Anderson AB et al. (2014) 514:207–215
 Flukes EB, Johnson CR, Wright JT (2014) Thinning of kelp canopy modifies understory assemblages: the importance of canopy density. 514:57–70
 Fodrie FJ, see Heck KL Jr et al. (2015) 520:165–173
 Fogarty MJ, see Wang HY et al. (2014) 514:217–229
 Folkard AM, see Adhitya A et al. (2014) 516:49–59
 Fong P, see Clausing RJ et al. (2014) 517:121–129
 Fosså JH, see Kutti T et al. (2015) 520:175–190
 Francis FTY, see Feehan CJ et al. (2014) 514:149–161
 Francis TB, see Shelton AO et al. (2014) 514:231–245
 Franco-Gordo C, see De Silva-Dávila R et al. (2015) 520:123–141

Francour P, see Prato G et al. (2014) 512:71–88
 Franks BR, see Kessel ST et al. (2014) 514:175–190
 Franks PJS, see Taniguchi DAA et al. (2014) 514:13–33
 Fraser MR, McCormick MI (2014) Gender-specific benefits of eating eggs at resident reef fish spawning aggregation sites. 517:209–216
 Fraser WR, see Cimino MA et al. (2014) 513:253–268
 Fredriksen S, see Pedersen MF et al. (2014) 516:163–176
 Freedman R, Whitcraft CR, Lowe CG (2015) Connectivity and movements of juvenile predatory fishes between discrete restored estuaries in southern California. 520:191–201
 Friedlander AM, see Giddens J et al. (2014) 511:209–221
 Frisch AJ, see Lönnstedt OM (2014) 517:265–270
 Froehlich HE, Hennessey SM, Essington TE, Beaudreau AH, Levin PS (2015) Spatial and temporal variation in near-shore macrofaunal community structure in a seasonally hypoxic estuary. 520:67–83
 Fuchs HL, see Crum KP et al. (2014) 517:105–119
 Fuentes K, Brante A (2014) Megadisturbances and ecological recovery in the intertidal zone: the role of interspecific competition between bioengineer mussel species. 515:161–172

G

Gagné JP, see Romero-Kutzner V et al. (2015) 519:47–59
 Gao K, see Xu J et al. (2014) 515:73–81
 Garcia J, Rousseau Y, Legrand H, Saragoni G, Lenfant P (2014) Movement patterns of fish in a Martinique MPA: implications for marine reserve design. 513:171–185
 Garcia-Charton JA, see Anderson AB et al. (2014) 514:207–215
 Garrido S, see Caldeira C et al. (2014) 517:217–228
 Garrigue C, see Orgeret F et al. (2014) 515:265–273
 Gascuel D, see Prato G et al. (2014) 512:71–88
 Gascuel D, see Shannon L et al. (2014) 512:115–140
 Gaston AJ, Elliott KH (2014) Seabird diet changes in northern Hudson Bay, 1981–2013, reflect the availability of schooling prey. 513:211–223
 Gatune C, Vanreusel A, Ruwa R, Bossier P, De Troch M (2014) Growth and survival of post-larval giant tiger shrimp *Penaeus monodon* feeding on mangrove leaf litter biofilms. 511:117–128
 Gaynor JJ, see Crum KP et al. (2014) 517:105–119
 Gearing C, see Levas S et al. (2015) 519:153–164
 Gedamke T, see Kessel ST et al. (2014) 514:175–190
 Geiger HJ, see Haney JC et al. (2014) 513:225–237
 Geiger HJ, see Haney JC et al. (2014) 513:239–252
 Gentleman WC, see Davies KTA et al. (2014) 516:209–227
 Giannoulaki M, see Schismenou E et al. (2014) 515:227–237
 Giddens J, Friedlander AM, Conklin E, Wiggins C, Stamoulis K, Donovan MK (2014) Experimental removal of the invasive peacock hind (roi) *Cephalopholis argus*, in Puakō, Hawai'i: methods for assessing and managing marine invasive species. 511:209–221
 Gilman SE, see Hayford HA et al. (2015) 518:165–175
 Gimenez O, see Orgeret F et al. (2014) 515:265–273
 Givens CE, Ransom B, Bano N, Hollibaugh JT (2015) Comparison of the gut microbiomes of 12 bony fish and 3 shark species. 518:209–223
 Glud RN, see Jovanovic Z et al. (2015) 518:95–105
 Godínez-Domínguez E, see De Silva-Dávila R et al. (2015) 520:123–141
 Godley BJ, see Scales KL et al. (2015) 519:195–207
 Goebel ME, see Reiss CS et al. (2015) 519:89–101
 Gollner S, Govenar B, Fisher CR, Bright M (2015) Size matters

- at deep-sea hydrothermal vents: different diversity and habitat fidelity patterns of meio- and macrofauna. 520:57–66
- Gómez M, see Romero-Kutzner V et al. (2015) 519:47–59
- Gómez-Gutiérrez J, see De Silva-Dávila R et al. (2015) 520:123–141
- Gonçalves EJ, see Abecasis D et al. (2015) 518:255–266
- Gonçalves RJ, van Someren Gréve H, Couespel D, Kjørboe T (2014) Mechanisms of prey size selection in a suspension-feeding copepod, *Temora longicornis*. 517:61–74
- Gonzalez ET, see Kimirei IA et al. (2015) 518:225–237
- González M, see Puerta P et al. (2014) 514:105–118
- Goodlett DR, see Moore EK et al. (2014) 515:45–59
- Goutte A, Charrassin JB, Cherel Y, Carravieri A, De Grissac S, Massé G (2014) Importance of ice algal production for top predators: new insights using sea-ice biomarkers. 513:269–275
- Govenar B, see Gollner S et al. (2015) 520:57–66
- Gradinger RR, see Wang SW et al. (2015) 518:31–50
- Grant J, see Filgueira R et al. (2015) 518:281–287
- Grémare A, see Bernard G et al. (2014) 514:71–86
- Grémillet D, see Vandenabeele SP et al. (2015) 519:239–249
- Gröne A, see van Bleijswijk JDL et al. (2014) 513:277–281
- Gros O, see Pascal PY et al. (2014) 516:127–138
- Grottolli AG, see Levas S et al. (2015) 519:153–164
- Gruber SH, see Ashe J et al. (2015) 520:203–216
- Gruber SH, see Kessel ST et al. (2014) 514:175–190
- Guadayol Ò, see Silbiger NJ et al. (2014) 515:33–44
- Guilford T, see Shoji A et al. (2015) 520:257–267
- Guo S, Feng Y, Wang L, Dai M, Liu Z, Bai Y, Sun J (2014) Seasonal variation in the phytoplankton community of a continental-shelf sea: the East China Sea. 516:103–126
- Gutiérrez JL, Palomo MG, Bagur M, Arribas LP, Soria SA (2015) Wave action limits crowding in an intertidal mussel. 518:153–163
- Guyondet T, see Filgueira R et al. (2015) 518:281–287
- ## H
- Hackradt CW, see Anderson AB et al. (2014) 514:207–215
- Hamer KC, see Cleasby IR et al. (2015) 518:1–12
- Hamilton CD, Kovacs KM, Lydersen C (2015) Year-round haul-out behaviour of male walrus *Odobenus rosmarus* in the Northern Barents Sea. 519:251–263
- Hanel R, see Damerou M et al. (2014) 517:251–263
- Haney JC, Geiger HJ, Short JW (2014) Bird mortality from the *Deepwater Horizon* oil spill. I. Exposure probability in the offshore Gulf of Mexico. 513:225–237
- Haney JC, Geiger HJ, Short JW (2014) Bird mortality from the *Deepwater Horizon* oil spill. II. Carcass sampling and exposure probability in the coastal Gulf of Mexico. 513:239–252
- Hannides A, see Smith CR et al. (2014) 515:133–149
- Hansen PJ, see Thoisen C et al. (2015) 520:21–34
- Hardman-Mountford N, see Raes EJ et al. (2014) 516:85–102
- Harris C, see Xie Y et al. (2015) 519:61–73
- Harvey ES, see Saunders BJ et al. (2014) 517:193–208
- Harvey HR, see Moore EK et al. (2014) 515:45–59
- Hastings A, see Wang HY et al. (2014) 514:217–229
- Hawkes LA, see Scales KL et al. (2015) 519:195–207
- Hawkins SJ, see Ferreira JG et al. (2015) 518:85–94
- Hayford HA, Gilman SE, Carrington E (2015) Foraging behavior minimizes heat exposure in a complex thermal landscape. 518:165–175
- Heck KL Jr, Fodrie FJ, Madsen S, Baillie CJ, Byron DA (2015) Seagrass consumption by native and a tropically associated fish species: potential impacts of the tropicalization of the northern Gulf of Mexico. 520:165–173
- Heinlein Loch JM, see Stallings CD et al. (2014) 513:143–153
- Henjes J, see Latasa M et al. (2014) 513:39–50
- Hennessey SM, see Froehlich HE et al. (2015) 520:67–83
- Hepburn CD, see Stephens TA (2014) 515:97–109
- Herman PMJ, see Adhitya A et al. (2014) 516:49–59
- Herman PMJ, see Zhu Z et al. (2014) 513:97–109
- Hertz E, Robinson JPW, Trudel M, Mazumder A, Baum JK (2014) Estimation of predator–prey mass ratios using stable isotopes: sources of errors. 516:1–6
- Heymans JJ, see Shannon L et al. (2014) 512:115–140
- Hidalgo M, see Puerta P et al. (2014) 514:105–118
- Hidalgo P, see Pino-Pinuer P et al. (2014) 515:83–95
- Hill AJ, see Piercy JJB et al. (2014) 516:35–47
- Hill R, see Pontasch S et al. (2014) 516:195–208
- Hillary R, see Morello EB et al. (2014) 512:167–183
- Hinrichsen HH, see Huwer B et al. (2014) 511:165–180
- Hoadley KD, see Levas S et al. (2015) 519:153–164
- Hobday AJ, see Woehler E et al. (2014) 511:249–263
- Hochberg FG, see De Silva R et al. (2015) 520:123–141
- Hodgson DJ, see Scales KL et al. (2015) 519:195–207
- Hohn S, see Smith SL et al. (2014) 511:33–39
- Holl CM, see Downs EE et al. (2014) 516:239–250
- Holland MD, see Wang HY et al. (2014) 514:217–229
- Hollibaugh JT, see Givens CE et al. (2015) 518:209–223
- Hooge PN, see Nielsen JK et al. (2014) 517:229–250
- Horta e Costa B, see Abecasis D et al. (2015) 518:255–266
- Hortellani MA, see Muto EY et al. (2014) 512:55–70
- Hoskins AJ, Arnould JPY (2014) Relationship between long-term environmental fluctuations and diving effort of female Australian fur seals. 511:285–295
- Hosono T (2014) Temperature explains reproductive dynamics in caprellids at different latitudes. 511:129–141
- Howe ER, Simenstad CA (2015) Using stable isotopes to discern mechanisms of connectivity in estuarine detritus-based food webs. 518:13–29
- Hsieh HL, see Davidson TM et al. (2014) 516:177–185
- Hu X, see Levas S et al. (2015) 519:153–164
- Huete-Ortega M, Rodríguez-Ramos T, López-Sandoval DC, Cermeño P, Blanco JM, Palomino RL, Rodríguez J, Marañón E (2014) Distinct patterns in the size-scaling of abundance and metabolism in coastal and open-ocean phytoplankton communities. 515:61–71
- Huijbers CM, see Kimirei IA et al. (2015) 518:225–237
- Hutchins DA, see Xu J et al. (2014) 515:73–81
- Huwer B, Hinrichsen HH, Böttcher U, Voss R, Köster F (2014) Characteristics of juvenile survivors reveal spatio-temporal differences in early life stage survival of Baltic cod. 511:165–180
- ## I
- Ichikawa T, see Kodama T et al. (2014) 513:29–37
- IJsseldijk LL, see van Bleijswijk JDL et al. (2014) 513:277–281
- Iken K, see Wang SW et al. (2015) 518:31–50
- ## J
- Jager T, Ravagnan E (2015) Parameterising a generic model for the dynamic energy budget of Antarctic krill *Euphausia superba*. 519:115–128
- Janout MA, see Kolts JM et al. (2015) 518:193–208
- Jansen HM, see Filgueira R et al. (2015) 518:281–287
- Jansen HM, see Strohmeier T et al. (2015) 518:139–152

Jara J, see Levitan DR et al. (2014) 515:1–10
 Jara ME, see Manríquez PH et al. (2014) 514:87–103
 Jarre A, see Shannon LJ et al. (2014) 512:217–237
 Jenkins SR, see Ferreira JG et al. (2015) 518:85–94
 Jenkins SR, see Martins GM et al. (2014) 517:131–142
 Jensen KH, see Langård L et al. (2015) 518:267–279
 Jensen KT, see Feis ME et al. (2015) 520:85–99
 Jinbo T, see Kodama T et al. (2014) 513:29–37
 Johannessen A, see Langård L et al. (2015) 518:267–279
 Johnson CL, see Davies KTA et al. (2014) 516:209–227
 Johnson CR, see Flukes EB et al. (2014) 514:57–70
 Jones JL, see Ross RM et al. (2014) 515:11–32
 Jones MR, see Tait K et al. (2014) 511:41–58
 Jones RD, see Raffel AE et al. (2014) 514:35–41
 Jónsdóttir IG, see Sólmundsson J et al. (2015) 520:217–233
 Jonsson B, Jonsson N, Finstad AG (2014) Linking embryonic temperature with adult reproductive investment in Atlantic salmon *Salmo salar*. 515:217–226
 Jonsson N, see Jonsson B et al. (2014) 515:217–226
 Jordán F, Scotti M, Mike Á, Ortiz M (2014) Strong asymmetrical inter-specific relationships in food web simulations. 512:8–98
 Jørgensen C, see van Deurs M et al. (2015) 520:235–243
 Jørgensen D, see Bergmark P (2014) 516:275–280
 Jovanovic Z, Pedersen MØ, Larsen M, Kristensen E, Glud RN (2015) Rhizosphere O₂ dynamics in young *Zostera marina* and *Ruppia maritima*. 518:95–105
 Juanes F, see Wang HY et al. (2014) 514:217–229

K

Kaartvedt S, see Ugland KI et al. (2014) 513:121–130
 Karnovsky NJ, see Polito MJ et al. (2015) 519:221–237
 Kawamura K, see Yoneda M et al. (2014) 516:251–262
 Keller JK, see Clark CD et al. (2014) 516:71–83
 Kendrick GA, see Saunders BJ et al. (2014) 517:193–208
 Kendrick GA, see Thomas L et al. (2014) 513:111–119
 Kennington WJ, see Thomas L et al. (2014) 513:111–119
 Kessel ST, Chapman DD, Franks BR, Gedamke T, Gruber SH, Newman JM, White ER, Perkins RG (2014) Predictable temperature-regulated residency, movement and migration in a large, highly mobile marine predator (*Negaprion brevirostris*). 514:175–190
 Kimirei IA, Nagelkerken I, Slooter N, Gonzalez ET, Huijbers CM, Mgaya YD, Rypel AL (2015) Demography of fish populations reveals new challenges in appraising juvenile habitat values. 518:225–237
 Kiørboe T, see Gonçalves RJ et al. (2014) 517:61–74
 Kitano H, see Yoneda M et al. (2014) 516:251–262
 Kitidis V, see Tait K et al. (2014) 511:41–58
 Kleisner K, Mansour H, Pauly D (2014) Region-based MTI: resolving geographic expansion in the Marine Trophic Index. 512:185–199
 Kleisner K, see Shannon L et al. (2014) 512:115–140
 Klevjer TA, see Ugland KI et al. (2014) 513:121–130
 Knowlton N (2014), see Levitan DR et al. (2014) 515:1–10
 Knutsen H, see Rogers LA et al. (2014) 511:153–163
 Kodama T, Kurogi H, Okazaki M, Jinbo T, Chow S, Tomoda T, Ichikawa T, Watanabe T (2014) Vertical distribution of transparent exopolymer particle (TEP) concentration in the oligotrophic western tropical North Pacific. 513:29–37
 Koen-Alonso M, see Buren AD et al. (2014) 511:265–284
 Kogut N, see Zeug SC et al. (2014) 514:163–174
 Kolts JM, Lovvorn JR, North CA, Janout MA (2015) Oceanographic and demographic mechanisms affecting population structure of snow crabs in the northern Bering Sea.

518:193–208
 Köster F, see Huwer B et al. (2014) 511:165–180
 Kovacs KM, see Hamilton CD et al. (2015) 519:251–263
 Kramer MJ, Bellwood DR, Bellwood O (2014) Benthic Crustacea on coral reefs: a quantitative survey. 511:105–116
 Krause-Jensen D, see Olesen B et al. (2015) 518:107–121
 Kristensen E, see Jovanovic Z et al. (2015) 518:95–105
 Kuhlmann ML, McCabe BM (2014) Diet specialization in *Octopus vulgaris* at San Salvador, Bahamas. 516:229–237
 Kurogi H, see Kodama T et al. (2014) 513:29–37
 Kutti T, Fosså JH, Bergstad OA (2015) Distribution of fish influenced by structurally complex benthic habitats. 520:175–190
 Kvile KØ, Dalpadado P, Orlova E, Stenseth NC, Stige LC (2014) Temperature effects on *Calanus finmarchicus* vary in space, time and between developmental stages. 517:85–104

L

Lagos NA, see Manríquez PH et al. (2014) 514:87–103
 Landry T, see Filgueira R et al. (2015) 518:281–287
 Langård L, Skaret G, Jensen KH, Johannessen A, Slotte A, Nøttestad L, Fernö A (2015) Tracking individual herring within a semi-enclosed coastal marine ecosystem: 3-dimensional dynamics from pre- to post-spawning. 518:267–279
 Langdon C, see Campbell JE et al. (2014) 514:43–56
 Lardies MA, see Manríquez PH et al. (2014) 514:87–103
 Largier JL, see Navarrete SA et al. (2015) 520:101–121
 Larsen M, see Jovanovic Z et al. (2015) 518:95–105
 Larsen PS, see Riisgård HU et al. (2014) 517:181–192
 Laruelle GG, see Moriceau B et al. (2014) 517:35–49
 Lasne E, see Trancart T et al. (2014) 511:181–192
 Latasa M, Henjes J, Scharek R, Assmy P, Röttgers R, Smetacek V (2014) Progressive decoupling between phytoplankton growth and microzooplankton grazing during an iron-induced phytoplankton bloom in the Southern Ocean (EIFEX). 513:39–50
 Lathlean J, Seuront L (2014) Infrared thermography in marine ecology: methods, previous applications and future challenges. 514:263–277
 Laurel BJ, Basilio AJ, Danley C, Ryer CH, Spencer M (2015) Substrate preference and delayed settlement in northern rock sole larvae *Lepidopsetta polyxystra*. 519:183–193
 Laurenceau-Cornec EC, Trull TW, Davies DM, De La Rocha CL, Blain S (2015) Phytoplankton morphology controls on marine snow sinking velocity. 520:35–56
 Le Port A, Montgomery JC, Croucher AE (2014) Biophysical modelling of snapper *Pagrus auratus* larval dispersal from a temperate MPA. 515:203–215
 Lecellier G, see Rouzé H et al. (2014) 515:151–159
 Lacroart P, see Bernard G et al. (2014) 514:71–86
 Lee C, see Clausing RJ et al. (2014) 517:121–129
 Lefkaditou E, see Schismenou E et al. (2014) 515:227–237
 Legrand H, see Garcia J et al. (2014) 513:171–185
 Lenfant P, see Garcia J et al. (2014) 513:171–185
 Leopold MF, see van Bleijswijk JDL et al. (2014) 513:277–281
 Levas S, Grottolli AG, Warner ME, Cai WJ, Bauer J, Schoepf V, Baumann JH, Matsui Y, Gearing C, Melman TF, Hoadley KD, Pettay DT, Hu X, Li Q, Xu H, Wang Y (2015) Organic carbon fluxes mediated by corals at elevated pCO₂ and temperature. 519:153–164
 Levin PS, see Froehlich HE et al. (2015) 520:67–83
 Levin PS, see Shelton AO et al. (2014) 514:231–245
 Levitan DR, Boudreau W, Jara J, Knowlton N (2014) (2014)

- Long-term reduced spawning in *Orbicella* coral species due to temperature stress. 515:1–10
- Lewandowska AM, see Aberle N et al. (2015) 519:103–113
- Li Q, see Levas S et al. (2015) 519:153–164
- Li Y, see Xu J et al. (2014) 515:73–81
- Libralato S, Pranovi F, Stergiou KI, Link JS (2014) Trophodynamics in marine ecology: 70 years after Lindeman. 512:1–7
- Libralato S, see Pranovi F et al. (2014) 512:201–216
- Lindegarh M, see Norling P et al. (2015) 518:123–138
- Lindegarh S, see Norling P et al. (2015) 518:123–138
- Link J, see Pranovi F et al. (2014) 512:201–216
- Link JS, see Libralato S et al. (2014) 512:1–7
- Liu Z, see Guo S et al. (2014) 516:103–126
- Llagostera I, see Sanmartí N et al. (2014) 517:159–169
- Lobry J, see Niquil N et al. (2014) 512:141–154
- Loneragan M, see Boehme L et al. (2014) 516:7–22
- Lönnstedt OM, Frisch AJ (2014) Habitat bleaching disrupts threat responses and persistence in anemonefish. 517:265–270
- Lopez JP, see Soares LSH et al. (2014) 512:9–21
- López-Sandoval DC, see Huete-Ortega M et al. (2014) 515:61–71
- Lorentsen SH, Anker-Nilssen T, Erikstad KE, Røv N (2015) Forage fish abundance is a predictor of timing of breeding and hatching brood size in a coastal seabird. 519:209–220
- Lorenzen K, see Barbour AB et al. (2014) 514:191–205
- Lough RG, Aretxabaleta A (2014) Transport and retention of vertically migrating adult mysid and decapod shrimp in the tidal front on Georges Bank. 514:119–135
- Lovvorn JR, see Kolts JM et al. (2015) 518:193–208
- Lowe CG, see Freedman R et al. (2015) 520:191–201
- Lowerre-Barbieri SK, see Villegas-Ríos D et al. (2014) 515:239–250
- Lundgreen K, see Riisgård HU et al. (2014) 517:181–192
- Lundholm N, see Thoisen C et al. (2015) 520:21–34
- Luttikhuisen PC, see Feis ME et al. (2015) 520:85–99
- Lydersen C, see Hamilton CD et al. (2015) 519:251–263
- Lynam CP, see Shannon L et al. (2014) 512:115–140
- Lyngsgaard MM, Richardson K, Markager S, Nielsen MH, Olesen M, Christensen JPA (2014) Deep primary production in coastal pelagic systems: importance for ecosystem functioning. 517:15–33
- M**
- MacKenzie RA, see Sakihara TS et al. (2015) 519:29–45
- Madsen S, see Heck KL Jr et al. (2015) 520:165–173
- Maire O, see Bernard G et al. (2014) 514:71–86
- Mallory ML, see Ronconi RA et al. (2014) 514:247–261
- Malzahn AM, see Aberle N et al. (2015) 519:103–113
- Mangel M, see Vincenzi S (2014) 515:251–263
- Manríquez PH, Jara ME, Torres R, Mardones ML, Lagos NA, Lardies MA, Vargas CA, Duarte C, Navarro JM (2014) Effects of ocean acidification on larval development and early post-hatching traits in *Concholepas concholepas* (loco). 514:87–103
- Mansour H, see Kleisner K et al. (2014) 512:185–199
- Marañón E, see Huete-Ortega M et al. (2014) 515:61–71
- Marbà N, see Olesen B et al. (2015) 518:107–121
- Mardones ML, see Manríquez PH et al. (2014) 514:87–103
- Markager S, see Lyngsgaard MM et al. (2014) 517:15–33
- Marmet C, see Miller MW et al. (2014) 516:187–194
- Marques JC, see Niquil N et al. (2014) 512:141–154
- Martin GR, see Vandenabeele SP et al. (2015) 519:239–249
- Martins GM, Jenkins SR, Ramírez R, Tuya F, Neto AI, Arenas F (2014) Early patterns of recovery from disturbance in intertidal algal assemblages: consistency across regions within a marine province. 517:131–142
- Massé G, see Goutte A et al. (2014) 513:269–275
- Matsubara T, see Yamaguchi H et al. (2014) 517:51–60
- Matsui Y, see Levas S et al. (2015) 519:153–164
- Matsuyama M, see Yoneda M et al. (2014) 516:251–262
- Maxwell PS, see Ebrahim A et al. (2014) 511:83–91
- Mazumder A, see Hertz E et al. (2014) 516:1–6
- McCabe BM, see Kuhlmann ML (2014) 516:229–237
- McClanahan TR, Abunge CA (2014) Catch rates and income are associated with fisheries management restrictions and not an environmental disturbance, in a heavily exploited tropical fishery. 513:201–210
- McCormick MI, see Fraser MR (2014) 517:209–216
- McInnes AS, see Raes EJ et al. (2014) 516:85–102
- McKindsey CW, see Filgueira R et al. (2015) 518:281–287
- McMurray SE, see Pawlik JR et al. (2015) 519:265–283
- Melman TF, see Levas S et al. (2015) 519:153–164
- Merico A, see Smith SL et al. (2014) 511:33–39
- Merz JE, see Zeug SC et al. (2014) 514:163–174
- Meyer FW, see Rådecker N et al. (2014) 511:297–302
- Mgaya YD, see Kimirei IA et al. (2015) 518:225–237
- Mickle A, see Stallings CD et al. (2014) 513:143–153
- Mike Á, see Jordán F et al. (2014) 512:8–98
- Miller JA, see Claiborne AM et al. (2014) 515:187–202
- Miller MW, Marmet C, Cameron CM, Williams DE (2014) Prevalence, consequences, and mitigation of fireworm predation on endangered staghorn coral. 516:187–194
- Miller PI, see Scales KL et al. (2015) 519:195–207
- Mills SC, see Rouzé H et al. (2014) 515:151–159
- Minamida M, see Yamaguchi H et al. (2014) 517:51–60
- Mitchell WA, see Bacheler NM et al. (2014) 517:1–14
- Mohring MB, Wernberg T, Wright JT, Connell SD, Russell BD (2014) Biogeographic variation in temperature drives performance of kelp gametophytes during warming. 513:85–96
- Moland E, see Eggers F et al. (2015) 520:245–256
- Moland Olsen E, see Eggers F et al. (2015) 520:245–256
- Molina Hernández AL, van Tussenbroek BI (2014) Patch dynamics and species shifts in seagrass communities under moderate and high grazing pressure by green sea turtles. 517:143–157
- Monk MH, Powers JE, Brooks EN (2015) Spatial patterns in species assemblages associated with the northwestern Gulf of Mexico shrimp trawl fishery. 519:1–12
- Montgomery JC, see Le Port A et al. (2014) 515:203–215
- Moore EK, Harvey HR, Faux JF, Goodlett DR, Nunn BL (2014) Protein recycling in Bering Sea algal incubations. 515:45–59
- Moore KJ, see Ross RM et al. (2014) 515:11–32
- Morandini AC, see Nagata RM et al. (2015) 519:13–27
- Morata N, see Svensen C et al. (2014) 516:61–70
- Moreira MZ, see Nagata RM et al. (2015) 519:13–27
- Morello EB, Plagányi ÉE, Babcock RC, Sweatman H, Hillary R, Punt AE (2014) Model to manage and reduce crown-of-thorns starfish outbreaks. 512:167–183
- Morello EB, see Plagányi ÉE et al. (2014) 512:99–113
- Moriceau B, Laruelle GG, Passow U, Van Cappellen P, Ragueneau O (2014) Biogenic silica dissolution in diatom aggregates: insights from reactive transport modelling. 517:35–49
- Mosegaard H, see Ritzau Eigaard O et al. (2014) 516:267–273
- Muehllehner N, see Campbell JE et al. (2014) 514:43–56
- Murray F, Douglas A, Solan M (2014) Species that share traits do not necessarily form distinct and universally applicable functional effect groups. 516:23–34

- Muto EY, see Corbisier TN et al. (2014) 512:23–38
 Muto EY, see Soares LSH et al. (2014) 512:9–21
 Muto EY, Soares LSH, Sarkis JES, Hortellani MA, Petti MAV, Corbisier TN (2014) Biomagnification of mercury through the food web of the Santos continental shelf, subtropical Brazil. 512:55–70

N

- Nagata RM, Moreira MZ, Pimentel CR, Morandini AC (2015) Food web characterization based on $\delta^{15}\text{N}$ and $\delta^{13}\text{C}$ reveals isotopic niche partitioning between fish and jellyfish in a relatively pristine ecosystem. 519:13–27
 Nagelkerken I, see Kimirei IA et al. (2015) 518:225–237
 Najorka J, see Williamson CJ et al. (2014) 513:71–84
 Naustvoll LJ, see Strohmeier T et al. (2015) 518:139–152
 Navarrete SA, Largier JL, Vera G, Tapia FJ, Parragué M, Ramos E, Shinen JL, Stuardo CA, Wieters EA (2015) Tumbling under the surf: wave-modulated settlement of intertidal mussels and the continuous settlement relocation model. 520:101–121
 Navarro JM, see Manríquez PH et al. (2014) 514:87–103
 Nejrup LB, see Pedersen MF et al. (2014) 516:163–176
 Nemeth RS, see Rowell TJ et al. (2015) 518:239–254
 Neto AI, see Martins GM et al. (2014) 517:131–142
 Newberger T, see Ross RM et al. (2014) 515:11–32
 Newman JM, see Kessel ST et al. (2014) 514:175–190
 Newton J, see Cleasby IR et al. (2015) 518:1–12
 Nguyen HM, see Raes EJ et al. (2014) 516:85–102
 Nielsen JK, Hooge PN, Taggart SJ, Seitz AC (2014) Characterizing Pacific halibut movement and habitat in a Marine Protected Area using net squared displacement analysis methods. 517:229–250
 Nielsen MH, see Lyngsgaard MM et al. (2014) 517:15–33
 Nielsen TG, see Agersted MD et al. (2014) 516:139–151
 Nielsen TG, see Thoisen C et al. (2015) 520:21–34
 Niquil N, Baeta A, Marques JC, Chaalali A, Lobry J, Patrício J (2014) Reaction of an estuarine food web to disturbance: Lindeman's perspective. 512:141–154
 Nishibe Y, see Sano M et al. (2015) 518:51–67
 Nishida S, see Sano M et al. (2015) 518:51–67
 Norling P, Lindegarth M, Lindegarth S, Strand Å (2015) Effects of live and post-mortem shell structures of invasive Pacific oysters and native blue mussels on macrofauna and fish. 518:123–138
 Norman MD, see Squires ZE et al. (2014) 511:93–103
 Norman-Lopez A, see Plagányi EE et al. (2014) 512:99–113
 North CA, see Kolts JM et al. (2015) 518:193–208
 Nøttestad L, see Langård L et al. (2015) 518:267–279
 Nunn BL, see Moore EK et al. (2014) 515:45–59

O

- O'Connell MT, see Ashe J et al. (2015) 520:203–216
 O'Higgins L, see Du X et al. (2015) 519:75–87
 Oakes SA, see Ross RM et al. (2014) 515:11–32
 Ohshimo S, see Yoneda M et al. (2014) 516:251–262
 Okamura K, see Yamaguchi H et al. (2014) 517:51–60
 Okazaki M, see Kodama T et al. (2014) 513:29–37
 Olds AD, see Ebrahim A et al. (2014) 511:83–91
 Olesen B, Krause-Jensen D, Marbà N, Christensen PB (2015) Eelgrass *Zostera marina* in subarctic Greenland: dense meadows with slow biomass turnover in cold waters. 518:107–121
 Olesen M, see Lyngsgaard MM et al. (2014) 517:15–33

- Oliver MJ, see Cimino MA et al. (2014) 513:253–268
 Olsen EM, see Rogers LA et al. (2014) 511:153–163
 Olsen H, see Raes EJ et al. (2014) 516:85–102
 Olsen JL, see Feis ME et al. (2015) 520:85–99
 Ombres EH, see Suprenand PM et al. (2015) 518:69–83
 Orgeret F, Garrigue C, Gimenez O, Pradel R (2014) Robust assessment of population trends in marine mammals applied to New Caledonian humpback whales. 515:265–273
 Orlova E, see Kvile KØ et al. (2014) 517:85–104
 Oróstica MH, Aguilera MA, Donoso GA, Vásquez JA, Broitman BR (2014) Effect of grazing on distribution and recovery of harvested stands of *Lessonia berteriana* kelp in northern Chile. 511:71–82
 Ortiz M, see Jordán F et al. (2014) 512:8–98
 Osman W, see Shannon LJ et al. (2014) 512:217–237
 Otero J, see Alonso-Fernández A et al. (2014) 511:223–235

P

- Packard TT, see Romero-Kutzner V et al. (2015) 519:47–59
 Paddock MJ, see Adam TC et al. (2015) 520:1–20
 Palmer M, see Villegas-Ríos D et al. (2014) 515:239–250
 Palomino RL, see Huete-Ortega M et al. (2014) 515:61–71
 Palomo MG, see Gutiérrez JL et al. (2015) 518:153–163
 Parragué M, see Navarrete SA et al. (2015) 520:101–121
 Pascal PY, Dubois S, Boschker HTS, Gros O (2014) Trophic role of large benthic sulfur bacteria in mangrove sediment. 516:127–138
 Passow U, see Moriceau B et al. (2014) 517:35–49
 Patrício J, see Niquil N et al. (2014) 512:141–154
 Patrick SC, see Cleasby IR et al. (2015) 518:1–12
 Patterson TA, see Woehler E et al. (2014) 511:249–263
 Patterson WP, see Polito MJ et al. (2015) 519:221–237
 Patterson-Fraser DL, see Cimino MA et al. (2014) 513:253–268
 Paul VJ, see Campbell JE et al. (2014) 514:43–56
 Pauly D, see Christensen V et al. (2014) 512:155–166
 Pauly D, see Kleisner K et al. (2014) 512:185–199
 Pawlik JR, McMurray SE, Erwin P, Zea S (2015) A review of evidence for food limitation of sponges on Caribbean reefs. 519:265–283
 Peck MA, see Caldeira C et al. (2014) 517:217–228
 Pedersen MF, Nejrup LB, Pedersen TM, Fredriksen S (2014) Sub-canopy light conditions only allow low annual net productivity of epiphytic algae on kelp *Laminaria hyperborea*. 516:163–176
 Pedersen MØ, see Jovanovic Z et al. (2015) 518:95–105
 Pedersen TM, see Pedersen MF et al. (2014) 516:163–176
 Pérez M, see Sanmartí N et al. (2014) 517:159–169
 Perkins R, see Williamson CJ et al. (2014) 513:71–84
 Perkins RG, see Kessel ST et al. (2014) 514:175–190
 Perrins C, see Shoji A et al. (2015) 520:257–267
 Peter M, see Pethybridge H et al. (2014) 512:39–54
 Petersen JK, see Filgueira R et al. (2015) 518:281–287
 Peterson W, see Du X et al. (2015) 519:75–87
 Pethybridge H, Bodin N, Arsenaault-Pernet EJ, Bourdeix JH, Brisset B, Bigot JL, Roos D, Peter M (2014) Temporal and inter-specific variations in forage fish feeding conditions in the NW Mediterranean: lipid content and fatty acid compositional changes. 512:39–54
 Pettay DT, see Levas S et al. (2015) 519:153–164
 Petti MAV, see Corbisier TN et al. (2014) 512:23–38
 Petti MAV, see Muto EY et al. (2014) 512:55–70
 Phelps JJC, Polton JA, Souza AJ, Robinson LA (2015) Behaviour influences larval dispersal in shelf sea gyres:

- Nephrops norvegicus* in the Irish Sea. 518:177–191
- Piercy JJB, Codling EA, Hill AJ, Smith DJ, Simpson SD (2014) Habitat quality affects sound production and likely distance of detection on coral reefs. 516:35–47
- Pimentel CR, see Nagata RM et al. (2015) 519:13–27
- Pino-Pinuer P, Escribano R, Hidalgo P, Riquelme-Bugueño R, Schneider W (2014) Copepod community response to variable upwelling conditions off central-southern Chile during 2002–2004 and 2010–2012. 515:83–95
- Piroddi C, see Christensen V et al. (2014) 512:155–166
- Piroddi C, see Shannon L et al. (2014) 512:115–140
- Pitt KA, see Ebrahim A et al. (2014) 511:83–91
- Plagányi ÉE, Ellis N, Blamey LK, Morello EB, Norman-Lopez A, Robinson W, Sporcic M, Sweatman H (2014) Ecosystem modelling provides clues to understanding ecological tipping points. 512:99–113
- Plagányi ÉE, see Morello EB et al. (2014) 512:167–183
- Plambech M, see Ritzau Eigaard O et al. (2014) 516:267–273
- Planes S, see Rouzé H et al. (2014) 515:151–159
- Polito MJ, Trivelpiece WZ, Patterson WP, Karnovsky NJ, Reiss CS, Emslie SD (2015) Contrasting specialist and generalist patterns facilitate foraging niche partitioning in sympatric populations of *Pygoscelis* penguins. 519:221–237
- Polton JA, see Phelps JJC et al. (2015) 518:177–191
- Pontasch S, Hill R, Deschaseaux E, Fisher PL, Davy SK, Scott A (2014) Photochemical efficiency and antioxidant capacity in relation to *Symbiodinium* genotype and host phenotype in a symbiotic cnidarian. 516:195–208
- Popp BN, see Downs EE et al. (2014) 516:239–250
- Poulin FJ, see Taniguchi DAA et al. (2014) 514:13–33
- Powers JE, see Monk MH et al. (2015) 519:1–12
- Pradel R, see Orgeret F et al. (2014) 515:265–273
- Pranovi F, Libralato S, Zucchetto M, Link J (2014) Biomass accumulation across trophic levels: analysis of landings for the Mediterranean Sea. 512:201–216
- Pranovi F, see Libralato S et al. (2014) 512:1–7
- Prato G, Gascuel D, Valls A, Francour P (2014) Balancing complexity and feasibility in Mediterranean coastal food-web models: uncertainty and constraints. 512:71–88
- Puerta P, Hidalgo M, González M, Esteban A, Quetglas A (2014) Role of hydro-climatic and demographic processes on the spatio-temporal distribution of cephalopods in the western Mediterranean. 514:105–118
- Punt AE, see Morello EB et al. (2014) 512:167–183
- Q**
- Quetglas A, see Puerta P et al. (2014) 514:105–118
- Quetin LB, see Ross RM et al. (2014) 515:11–32
- R**
- Rädecker N, Meyer FW, Bednarz VN, Cardini U, Wild C (2014) Ocean acidification rapidly reduces dinitrogen fixation associated with the hermatypic coral *Seriatopora hystrix*. 511:297–302
- Raes EJ, Waite AM, McInnes AS, Olsen H, Nguyen HM, Hardman-Mountford N, Thompson PA (2014) Changes in latitude and dominant diazotrophic community alter N_2 fixation. 516:85–102
- Raffel AE, Jones RD, Butenhoff C, Rice AL, Scully NM (2014) Methyl chloride production by calcareous periphyton mats from the Florida Everglades. 514:35–41
- Ragnarsson SA, see Sólmundsson J et al. (2015) 520:217–233
- Ragueneau O, see Moriceau B et al. (2014) 517:35–49
- Ramírez R, see Martins GM et al. (2014) 517:131–142
- Ramos E, see Navarrete SA et al. (2015) 520:101–121
- Ransom B, see Givens CE et al. (2015) 518:209–223
- Rasmuson LK, Shanks AL (2014) *In situ* observations of Dungeness crab megalopae used to estimate transport distances by internal waves. 511:143–152
- Ravagnan E, see Jager T (2015) 519:115–128
- Ré P, see Caldeira C et al. (2014) 517:217–228
- Reid GK, see Filgueira R et al. (2015) 518:281–287
- Reigstad M, see Svensen C et al. (2014) 516:61–70
- Reiss CS, see Polito MJ et al. (2015) 519:221–237
- Reiss CS, Walsh J, Goebel ME (2015) Winter preconditioning determines feeding ecology of *Euphausia superba* in the Antarctic Peninsula. 519:89–101
- Reusch TBH, see Salo T et al. (2015) 519:129–140
- Reyier EA, see Ashe J et al. (2015) 520:203–216
- Rice AL, see Raffel AE et al. (2014) 514:35–41
- Richardson K, see Lyngsgaard MM et al. (2014) 517:15–33
- Riisgaard K, see Thoisen C et al. (2015) 520:21–34
- Riisgård HU, Larsen PS, Turja R, Lundgreen K (2014) Dwarfism of blue mussels in the low saline Baltic Sea—growth to the lower salinity limit. 517:181–192
- Riquelme-Bugueño R, see Pino-Pinuer P et al. (2014) 515:83–95
- Ritzau Eigaard O, van Deurs M, Behrens JW, Bekkevold D, Brander K, Plambech M, Schreiber Plet-Hansen K, Mosegaard H (2014) Prey or predator—expanding the food web role of sandeel *Ammodytes marinus*. 516:267–273
- Robinson CJ, see De Silva-Dávila R et al. (2015) 520:123–141
- Robinson JPW, see Hertz E et al. (2014) 516:1–6
- Robinson LA, see Phelps JJC et al. (2015) 518:177–191
- Robinson SMC, see Filgueira R et al. (2015) 518:281–287
- Robinson W, see Plagányi ÉE et al. (2014) 512:99–113
- Rochette S, see Trancart T et al. (2014) 511:181–192
- Rodríguez J, see Huete-Ortega M et al. (2014) 515:61–71
- Rodríguez-Ramos T, see Huete-Ortega M et al. (2014) 515:61–71
- Rogers LA, Olsen EM, Knutsen H, Stenseth NC (2014) Habitat effects on population connectivity in a coastal seascape. 511:153–163
- Romero J, see Sanmartí N et al. (2014) 517:159–169
- Romero-Kutzner V, Packard TT, Berdalet E, Roy SO, Gagné JP, Gómez M (2015) Respiration quotient variability: bacterial evidence. 519:47–59
- Ronconi RA, Steenweg RJ, Taylor PD, Mallory ML (2014) Gull diets reveal dietary partitioning, influences of isotopic signatures on body condition, and ecosystem changes at a remote colony. 514:247–261
- Roos D, see Pethybridge H et al. (2014) 512:39–54
- Rosland R, see Strohmeier T et al. (2015) 518:139–152
- Ross RM, Quetin LB, Newberger T, Shaw TC, Jones JL, Oakes SA, Moore KJ (2014) Trends, cycles, interannual variability for three pelagic species west of the Antarctic Peninsula 1993–2008. 515:11–32
- Röttgers R, see Latasa M et al. (2014) 513:39–50
- Rousseau Y, see Garcia J et al. (2014) 513:171–185
- Rouzé H, Lecellier G, Mills SC, Planes S, Berteaux-Lecellier V, Stewart H (2014) Juvenile *Trapezia* spp. crabs can increase juvenile host coral survival by protection from predation. 515:151–159
- Røv N, see Lorentsen SH et al. (2015) 519:209–220
- Rowell TJ, Nemeth RS, Schärer MT, Appeldoorn RS (2015) Fish sound production and acoustic telemetry reveal behaviors and spatial patterns associated with spawning aggregations of two Caribbean groupers. 518:239–254
- Roy SO, see Romero-Kutzner V et al. (2015) 519:47–59
- Ruff N, see Fitzgibbon QP et al. (2014) 515:173–186

Russell BD, see Mohring MB et al. (2014) 513:85–96
 Ruttenberg BI, see Adam TC et al. (2015) 520:1–20
 Ruwa R, see Gatune C et al. (2014) 511:117–128
 Ryer CH, see Laurel BJ et al. (2015) 519:183–193
 Rypel AL, see Kimirei IA et al. (2015) 518:225–237

S

- Saba VS, see Cimino MA et al. (2014) 513:253–268
 Saborido-Rey F, see Villegas-Ríos D et al. (2014) 515:239–250
 Saiz E, see Caldeira C et al. (2014) 517:217–228
 Saiz L, see Sanmartí N et al. (2014) 517:159–169
 Sakihara TS, Dudley BD, MacKenzie RA, Beets JP (2015) Endemic grazers control benthic microalgal growth in a eutrophic tropical brackish ecosystem. 519:29–45
 Salo T, Reusch TBH, Boström C (2015) Genotype-specific responses to light stress in eelgrass *Zostera marina*, a marine foundation plant. 519:129–140
 Salzburger W, see Damerou M et al. (2014) 517:251–263
 Sanmartí N, Saiz L, Llagostera I, Pérez M, Romero J (2014) Tolerance responses to simulated herbivory in the seagrass *Cymodocea nodosa*. 517:159–169
 Sano M, Nishibe Y, Tanaka Y, Nishida S (2015) Temporally sustained dietary niche partitioning in two mesopelagic copepod species and their mouthpart morphology. 518:51–67
 Santos AMP, see Caldeira C et al. (2014) 517:217–228
 Santos RS, see Schmiing M et al. (2014) 513:187–199
 Saragoni G, see Garcia J et al. (2014) 513:171–185
 Sarkis JES, see Muto EY et al. (2014) 512:55–70
 Satterthwaite WH, Carlson SM, Allen-Moran SD, Vincenzi S, Bograd SJ, Wells BK (2014) Match-mismatch dynamics and the relationship between ocean-entry timing and relative ocean recoveries of Central Valley fall run Chinook salmon. 511:237–248
 Saunders BJ, Harvey ES, Kendrick GA (2014) Factors influencing distribution and habitat associations in an endemic group of temperate Western Australian reef fishes over a latitudinal gradient. 517:193–208
 Scales KL, Miller PI, Varo-Cruz N, Hodgson DJ, Hawkes LA, Godley BJ (2015) Oceanic loggerhead turtles *Caretta caretta* associate with thermal fronts: evidence from the Canary Current Large Marine Ecosystem. 519:195–207
 Scharek R, see Latasa M et al. (2014) 513:39–50
 Schärer MT, see Rowell TJ et al. (2015) 518:239–254
 Scheef LP, see Bittler KM et al. (2014) 514:137–148
 Scheibling RE, see Feehan CJ et al. (2014) 514:149–161
 Schiel DR, see Alestra T et al. (2014) 511:59–70
 Schismenou E, Giannoulaki M, Tsiaras K, Lefkaditou E, Triantafyllou G, Somarakis S (2014) Disentangling the effects of inherent otolith growth and model-simulated ecosystem parameters on the daily growth rate of young anchovies. 515:227–237
 Schmiing M, Diogo H, Santos RS, Afonso P (2014) Assessing hotspots within hotspots to conserve biodiversity and support fisheries management. 513:187–199
 Schneider W, see Pino-Pinuer P et al. (2014) 515:83–95
 Schobernd CM, see Bacheler NM et al. (2014) 517:1–14
 Schobernd ZH, see Bacheler NM et al. (2014) 517:1–14
 Schoepf V, see Levas S et al. (2015) 519:153–164
 Schreiber Plet-Hansen K, see Ritzau Eigaard O et al. (2014) 516:267–273
 Scott A, see Pontasch S et al. (2014) 516:195–208
 Scotti M, see Jordán F et al. (2014) 512:8–98
 Scully NM, see Raffel AE et al. (2014) 514:35–41
 Seitz AC, see Nielsen JK et al. (2014) 517:229–250
 Selvaraj S, see Yoneda M et al. (2014) 516:251–262
 Seuront L, see Lathlean J (2014) 514:263–277
 Shanks AL, see Rasmuson LK (2014) 511:143–152
 Shannon L, Coll M, Bundy A, Gascuel D, Heymans JJ, Kleisner K, Lynam CP, Piroddi C, Tam J, Travers-Trolet M, Shin Y (2014) Trophic level-based indicators to track fishing impacts across marine ecosystems. 512:115–140
 Shannon LJ, Osman W, Jarre A (2014) Communicating changes in state of the southern Benguela ecosystem using trophic, model-derived indicators. 512:217–237
 Shantz AA, see Catano LB et al. (2014) 511:193–207
 Shaw TC, see Ross RM et al. (2014) 515:11–32
 Shedrawi G, see Thomas L et al. (2014) 513:111–119
 Shelton AO, Francis TB, Williams GD, Feist B, Stick K, Levin PS (2014) Habitat limitation and spatial variation in Pacific herring egg survival. 514:231–245
 Shepard ELC, see Vandenabeele SP et al. (2015) 519:239–249
 Shimizu A, see Yoneda M et al. (2014) 516:251–262
 Shin Y, see Shannon L et al. (2014) 512:115–140
 Shinen JL, see Navarrete SA et al. (2015) 520:101–121
 Shoji A, Elliott K, Fayet A, Boyle D, Perrins C, Guilford T (2015) Foraging behaviour of sympatric razorbills and puffins. 520:257–267
 Short JW, see Haney JC et al. (2014) 513:225–237
 Short JW, see Haney JC et al. (2014) 513:239–252
 Silbiger NJ, Guadayol Ò, Thomas FIM, Donahue MJ (2014) Reefs shift from net accretion to net erosion along a natural environmental gradient. 515:33–44
 Simenstad CA, see Howe ER (2015) 518:13–29
 Simpson SD, see Piercy JJB et al. (2014) 516:35–47
 Skaret G, see Langård L et al. (2015) 518:267–279
 Skomal G, see Ashe J et al. (2015) 520:203–216
 Slooter N, see Kimirei IA et al. (2015) 518:225–237
 Slotte A, see Eggers F et al. (2015) 520:245–256
 Slotte A, see Langård L et al. (2015) 518:267–279
 Smaal A, see Filgueira R et al. (2015) 518:281–287
 Smetacek V, see Latasa M et al. (2014) 513:39–50
 Smith CR, Bernardino AF, Baco A, Hannides A, Altamira I (2014) Seven-year enrichment: macrofaunal succession in deep-sea sediments around a 30 tonne whale fall in the Northeast Pacific. 515:133–149
 Smith DJ, see Piercy JJB et al. (2014) 516:35–47
 Smith SL, Merico A, Hohn S, Brandt G (2014) Sizing-up nutrient uptake kinetics: combining a physiological trade-off with size-scaling of phytoplankton traits. 511:33–39
 Soares LSH, Muto EY, Lopez JP, Clauzet GRV, Valiela I (2014) Seasonal variability of $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ of fish and squid in the Cabo Frio upwelling system of the southwestern Atlantic. 512:9–21
 Soares LSH, see Corbisier TN et al. (2014) 512:23–38
 Soares LSH, see Muto EY et al. (2014) 512:55–70
 Solan M, see Murray F et al. (2014) 516:23–34
 Sólmundsson J, Jónsdóttir IG, Björnsson B, Ragnarsson SÁ, Tómasson GG, Thorsteinsson V (2015) Home ranges and spatial segregation of cod *Gadus morhua* spawning components. 520:217–233
 Somarakis S, see Schismenou E et al. (2014) 515:227–237
 Somerfield PJ, see Tait K et al. (2014) 511:41–58
 Sommer U, see Aberle N et al. (2015) 519:103–113
 Sonier R, see Filgueira R et al. (2015) 518:281–287
 Soria SA, see Gutiérrez JL et al. (2015) 518:153–163
 Souza AJ, see Phelps JJC et al. (2015) 518:177–191
 Spencer M, see Laurel BJ et al. (2015) 519:183–193
 Sporcic M, see Plagányi EE et al. (2014) 512:99–113
 Springer AM, see Wang SW et al. (2015) 518:31–50
 Squires ZE, Wong BBM, Norman MD, Stuart-Fox D (2014) Multiple paternity but no evidence of biased sperm use in

- female dumpling squid *Euprymna tasmanica*. 511:93–103
- Stallings CD, Brower JP, Heinlein Loch JM, Mickle A (2014) Commercial trawling in seagrass beds: bycatch and long-term trends in effort of a major shrimp fishery. 513:143–153
- Stamoulis K, see Giddens J et al. (2014) 511:209–221
- Stat M, see Thomas L et al. (2014) 513:111–119
- Steenbeek J, see Christensen V et al. (2014) 512:155–166
- Steenweg RJ, see Ronconi RA et al. (2014) 514:247–261
- Stenseth NC, see Kvile KØ et al. (2014) 517:85–104
- Stenseth NC, see Rogers LA et al. (2014) 511:153–163
- Stenson GB, see Buren AD et al. (2014) 511:265–284
- Stephens TA, Hepburn CD (2014) Mass-transfer gradients across kelp beds influence *Macrocystis pyrifera* growth over small spatial scales. 515:97–109
- Stergiou KI, see Libralato S et al. (2014) 512:1–7
- Stergiou KI, see Tsikliras AC (2014) 515:281–284
- Stewart AR, see Zeug SC et al. (2014) 514:163–174
- Stewart H, see Rouzé H et al. (2014) 515:151–159
- Stick K, see Shelton AO et al. (2014) 514:231–245
- Stige LC, see Kvile KØ et al. (2014) 517:85–104
- Strand Å, see Norling P et al. (2015) 518:123–138
- Strand Ø, see Filgueira R et al. (2015) 518:281–287
- Strand Ø, see Strohmeier T et al. (2015) 518:139–152
- Strohmeier T, see Filgueira R et al. (2015) 518:281–287
- Strohmeier T, Strand Ø, Alunno-Bruscia M, Duinker A, Rosland R, Aure J, Erga SR, Naustvoll LJ, Jansen HM, Cranford PJ (2015) Response of *Mytilus edulis* to enhanced phytoplankton availability by controlled upwelling in an oligotrophic fjord. 518:139–152
- Stuardo CA, see Navarrete SA et al. (2015) 520:101–121
- Stuart-Fox D, see Squires ZE et al. (2014) 511:93–103
- Sun J, see Guo S et al. (2014) 516:103–126
- Suprenand PM, Ombres EH, Torres JJ (2015) Metabolism of gymnosomatous pteropods in waters of the western Antarctic Peninsula shelf during austral fall. 518:69–83
- Svensen C, Morata N, Reigstad M (2014) Increased degradation of copepod faecal pellets by co-acting dinoflagellates and *Centropages hamatus*. 516:61–70
- Swain DP, Benoit HP (2015) Extreme increases in natural mortality prevent recovery of collapsed fish populations in a Northwest Atlantic ecosystem. 519:165–182
- Sweatman H, see Morello EB et al. (2014) 512:167–183
- Sweatman H, see Plagányi ÉE et al. (2014) 512:99–113
- Szabo AR, Batchelder HP (2014) Late spring and summer patterns of euphausiid reproduction in Southeast Alaska fjord waters. 516:153–161
- T**
- Taggart SJ, see Nielsen JK et al. (2014) 517:229–250
- Tait K, Kitidis V, Ward BB, Cummings DG, Jones MR, Somerfield PJ, Widdicombe S (2014) Spatio-temporal variability in ammonia oxidation and ammonia-oxidising bacteria and archaea in coastal sediments of the western English Channel. 511:41–58
- Tait LW, see Alestra T et al. (2014) 511:59–70
- Tam J, see Shannon L et al. (2014) 512:115–140
- Tanaka H, see Yoneda M et al. (2014) 516:251–262
- Tanaka Y, see Sano M et al. (2015) 518:51–67
- Tangwancharoen S, Burton RS (2014) Early life stages are not always the most sensitive: heat stress responses in the copepod *Tigriopus californicus*. 517:75–83
- Taniguchi DAA, Franks PJS, Poulin FJ (2014) Planktonic biomass size spectra: an emergent property of size-dependent physiological rates, food web dynamics, and nutrient regimes. 514:13–33
- Tapia FJ, see Navarrete SA et al. (2015) 520:101–121
- Taylor PD, see Ronconi RA et al. (2014) 514:247–261
- Taylor RB, see Berthelsen AK (2014) 515:123–132
- Teel DJ, see Claiborne AM et al. (2014) 515:187–202
- Teer BZ, see Bacheler NM et al. (2014) 517:1–14
- Thieltges DW, see Feis ME et al. (2015) 520:85–99
- Thoisen C, Riisgaard K, Lundholm N, Nielsen TG, Hansen PJ (2015) Effect of acidification on an Arctic phytoplankton community from Disko Bay, West Greenland. 520:21–34
- Thomas FIM, see Silbiger NJ et al. (2014) 515:33–44
- Thomas L, Kendrick GA, Stat M, Travaille KL, Shedrawi G, Kennington WJ (2014) Population genetic structure of the *Pocillopora damicornis* morphospecies along Ningaloo Reef, Western Australia. 513:111–119
- Thompson D, see Xavier JC et al. (2014) 513:131–142
- Thompson PA, see Raes EJ et al. (2014) 516:85–102
- Thorsteinnsson V, see Sólmundsson J et al. (2015) 520:217–233
- Tilstone GH, see Xie Y et al. (2015) 519:61–73
- Titelman J, see Ugland KI et al. (2014) 513:121–130
- Todd CD, see Boehme L et al. (2014) 516:7–22
- Tómasson GG, see Sólmundsson J et al. (2015) 520:217–233
- Tomoda T, see Kodama T et al. (2014) 513:29–37
- Torres JJ, see Suprenand PM et al. (2015) 518:69–83
- Torres R, see Manríquez PH et al. (2014) 514:87–103
- Tracey SR, see Fitzgibbon QP et al. (2014) 515:173–186
- Trancart T, Rochette S, Acou A, Lasne E, Feunteun E (2014) Modeling marine shad distribution using data from French bycatch fishery surveys. 511:181–192
- Travaille KL, see Thomas L et al. (2014) 513:111–119
- Travers-Trolet M, see Shannon L et al. (2014) 512:115–140
- Triantafyllou G, see Schismenou E et al. (2014) 515:227–237
- Tricas TC, Boyle KS (2014) Acoustic behaviors in Hawaiian coral reef fish communities. 511:1–16
- Trivelpiece WZ, see Polito MJ et al. (2015) 519:221–237
- Trudel M, see Hertz E et al. (2014) 516:1–6
- Trull TW, see Laurenceau-Cornec EC et al. (2015) 520:35–56
- Tsiaras K, see Schismenou E et al. (2014) 515:227–237
- Tsikliras AC, Stergiou KI (2014) Mean temperature of the catch increases quickly in the Mediterranean Sea. 515:281–284
- Turja R, see Riisgård HU et al. (2014) 517:181–192
- Tuya F, see Martins GM et al. (2014) 517:131–142
- U**
- Ugland KI, Aksnes DL, Klevjer TA, Titelman J, Kaartvedt S (2014) Lévy night flights by the jellyfish *Periphylla periphylla*. 513:121–130
- V**
- Valiela I, see Corbisier TN et al. (2014) 512:23–38
- Valiela I, see Soares LSH et al. (2014) 512:9–21
- Valls A, see Prato G et al. (2014) 512:71–88
- van Bleijswijk JDL, Begeman L, Witte HJ, IJsseldijk LL, Brasseur SMJM, Gröne A, Leopold MF (2014) Detection of grey seal *Halichoerus grypus* DNA in attack wounds on stranded harbour porpoises *Phocoena phocoena*. 513:277–281
- Van Cappellen P, see Moriceau B et al. (2014) 517:35–49
- van Deurs M, Jørgensen C, Fiksen Ø (2015) Effects of copepod size on fish growth: a model based on data for North Sea sandeel. 520:235–243
- van Deurs M, see Ritzau Eigaard O et al. (2014) 516:267–273

- van Hoytema N, see Bednarz VN et al. (2015) 519:141–152
 van Katwijk MM, see Adhitya A et al. (2014) 516:49–59
 van Someren Gréve H, see Gonçalves RJ et al. (2014) 517:61–74
 van Tussenbroek BI, see Molina Hernández AL (2014) 517:143–157
 Vandenabeele SP, Shepard ELC, Grémillet D, Butler PJ, Martin GR, Wilson RP (2015) Are bio-telemetric devices a drag? Effects of external tags on the diving behaviour of great cormorants. 519:239–249
 Vanderklift MA, Bearham D (2014) Variation in $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ of kelp is explained by light and productivity. 515:111–121
 Vanreusel A, see Gatune C et al. (2014) 511:117–128
 Vargas CA, see Manríquez PH et al. (2014) 514:87–103
 Varo-Cruz N, see Scales KL et al. (2015) 519:195–207
 Vásquez JA, see Oróstica MH et al. (2014) 511:71–82
 Vera G, see Navarrete SA et al. (2015) 520:101–121
 Villegas-Ríos D, Alós J, Palmer M, Lowerre-Barbieri SK, Bañón R, Alonso-Fernández A, Saborido-Rey F (2014) Life-history and activity shape catchability in a sedentary fish. 515:239–250
 Villegas-Ríos D, see Alonso-Fernández A et al. (2014) 511:223–235
 Vincenzi S, Mangel M (2014) Food abundance, kittiwake life histories, and colony dynamics in the Northeastern Pacific: implications of climate change and regime shifts. 515:251–263
 Vincenzi S, see Satterthwaite WH et al. (2014) 511:237–248
 Voss R, see Huwer B et al. (2014) 511:165–180
 Votier SC, see Cleasby IR et al. (2015) 518:1–12

W

- Waite AM, see Raes EJ et al. (2014) 516:85–102
 Wakefield ED, see Cleasby IR et al. (2015) 518:1–12
 Walker K, see Xavier JC et al. (2014) 513:131–142
 Walsh J, see Reiss CS et al. (2015) 519:89–101
 Wang HY, Botsford LW, White JW, Fogarty MJ, Juanes F, Hastings A, Holland MD, Brander K (2014) Effects of temperature on life history set the sensitivity to fishing in Atlantic cod *Gadus morhua*. 514:217–229
 Wang L, see Guo S et al. (2014) 516:103–126
 Wang SW, Budge SM, Iken K, Gradinger RR, Springer AM, Wooller MJ (2015) Importance of sympagic production to Bering Sea zooplankton as revealed from fatty acid-carbon stable isotope analyses. 518:31–50
 Wang Y, see Levas S et al. (2015) 519:153–164
 Ward BB, see Tait K et al. (2014) 511:41–58
 Warner ME, see Levas S et al. (2015) 519:153–164
 Watanabe T, see Kodama T et al. (2014) 513:29–37
 Weitkamp LA, see Claiborne AM et al. (2014) 515:187–202
 Wells BK, see Satterthwaite WH et al. (2014) 511:237–248
 Wernberg T, see Mohring MB et al. (2014) 513:85–96
 Whitcraft CR, see Freedman R et al. (2015) 520:191–201
 White ER, see Kessel ST et al. (2014) 514:175–190
 White JW, see Wang HY et al. (2014) 514:217–229
 Widdicombe C, see Xie Y et al. (2015) 519:61–73
 Widdicombe S, see Tait K et al. (2014) 511:41–58
 Wieters EA, see Navarrete SA et al. (2015) 520:101–121
 Wiggins C, see Giddens J et al. (2014) 511:209–221
 Wild C, see Bednarz VN et al. (2015) 519:141–152
 Wild C, see Rådecker N et al. (2014) 511:297–302
 Williams DE, see Miller MW et al. (2014) 516:187–194
 Williams GD, see Shelton AO et al. (2014) 514:231–245
 Williamson CJ, Najorka J, Perkins R, Yallop ML, Brodie J

- (2014) Skeletal mineralogy of geniculate corallines: providing context for climate change and ocean acidification research. 513:71–84
 Willis J (2014) Whales maintained a high abundance of krill; both are ecosystem engineers in the Southern Ocean. 513:51–69
 Wilson RP, see Vandenabeele SP et al. (2015) 519:239–249
 Winberg PC, Davis AR (2014) Ecological response to MPA zoning following cessation of bait harvesting in an estuarine tidal flat. 517:171–180
 Witte HJ, see van Bleijswijk JDL et al. (2014) 513:277–281
 Woehler E, Patterson TA, Bravington MV, Hobday AJ, Chambers LE (2014) Climate and competition in abundance trends in native and invasive Tasmanian gulls. 511:249–263
 Wong BBM, see Squires ZE et al. (2014) 511:93–103
 Woodward EMS, see Xie Y et al. (2015) 519:61–73
 Wooller MJ, see Wang SW et al. (2015) 518:31–50
 Wright JT, see Flukes EB et al. (2014) 514:57–70
 Wright JT, see Mohring MB et al. (2014) 513:85–96

X

- Xavier JC, Walker K, Elliot G, Cherel Y, Thompson D (2014) Cephalopod fauna of South Pacific waters: new information from breeding New Zealand wandering albatrosses. 513:131–142
 Xie Y, Tilstone GH, Widdicombe C, Woodward EMS, Harris C, Barnes MK (2015) Effect of increases in temperature and nutrients on phytoplankton community structure and photosynthesis in the western English Channel. 519:61–73
 Xu H, see Levas S et al. (2015) 519:153–164
 Xu J, Gao K, Li Y, Hutchins DA (2014) Physiological and biochemical responses of diatoms to projected ocean changes. 515:73–81

Y

- Yallop ML, see Williamson CJ et al. (2014) 513:71–84
 Yamaguchi H, Minamida M, Matsubara T, Okamura K (2014) Novel blooms of the diatom *Asteroplanus karianus* deplete nutrients from Ariake Sea coastal waters. 517:51–60
 Yoneda M, Kitano H, Tanaka H, Kawamura K, Selvaraj S, Ohshimo S, Matsuyama M, Shimizu A (2014) Temperature- and income resource availability-mediated variation in reproductive investment in a multiple-batch-spawning Japanese anchovy. 516:251–262
 Ysebaert T, see Zhu Z et al. (2014) 513:97–109

Z

- Zea S, see Pawlik JR et al. (2015) 519:265–283
 Zeug SC, Brodsky A, Kogut N, Stewart AR, Merz JE (2014) Ancient fish and recent invaders: white sturgeon *Acipenser transmontanus* diet response to invasive-species-mediated changes in a benthic prey assemblage. 514:163–174
 Zhang L, see Zhu Z et al. (2014) 513:97–109
 Zhu Z, Bouma TJ, Ysebaert T, Zhang L, Herman PMJ (2014) Seed arrival and persistence at the tidal mudflat: identifying key processes for pioneer seedling establishment in salt marshes. 513:97–109
 Zucchetto M, see Pranovi F et al. (2014) 512:201–216