

## COMBINED AUTHOR AND TITLE INDEX

(Volumes 541 to 550, 2015–2016)

## A

- Achterberg EP, see Eberlein T et al. (2016) 543:127–140  
 Adams J, see De Ryck DJR et al. (2016) 545:123–134  
 Agnew P, Lalas C, Wright J, Dawson S (2015) Variation in breeding success and survival of little penguins *Eudyptula minor* in response to environmental variation. 541: 219–229  
 Agustí S, see Alou-Font E et al. (2016) 543:89–106  
 Agustí S, see Carreja B et al. (2016) 550:135–145  
 Alcaraz C, see Prado P et al. (2016) 545:189–202  
 Aldvén D, Hedger R, Økland F, Rivinoja P, Höjesjö J (2015) Migration speed, routes, and mortality rates of anadromous brown trout *Salmo trutta* during outward migration through a complex coastal habitat. 541:151–163  
 Alexandre A, see Georgiou D et al. (2016) 544:159–167  
 Alfaro-Shigueto J, see Ortiz N et al. (2016) 545:251–259  
 Alou-Font E, Roy S, Agustí S, Gosselin M (2016) Cell viability, pigments and photosynthetic performance of Arctic phytoplankton in contrasting ice-covered and open-water conditions during the spring–summer transition. 543: 89–106  
 Álvarez E, Morán XAG, López-Urrutia Á, Nogueira E (2016) Size-dependent photoacclimation of the phytoplankton community in temperate shelf waters (southern Bay of Biscay). 543:73–87  
 Alvarez MF, see Firstater FN et al. (2016) 550:101–110  
 Álvarez-Salgado XA, see Teira E et al. (2016) 542:39–50  
 Amado-Filho GM, see Pereira-Filho GH et al. (2015) 541: 65–73  
 Ambar S, see Jensen MP et al. (2016) 543:241–256  
 Anderson DM, see Richlen ML et al. (2016) 547:33–46  
 Anderwald P, see Culloch RM et al. (2016) 549:231–242  
 Anschutz P, see Delgard ML et al. (2016) 543:55–71  
 Anton A, Cure K, Layman CA, Puntilla R, Simpson MS, Bruno JF (2016) Prey naiveté to invasive lionfish *Pterois volitans* on Caribbean coral reefs. 544:257–269  
 Aoyama J, see Liénart C et al. (2016) 544:225–241  
 Archibald DW, James MC (2016) Evaluating inter-annual relative abundance of leatherback sea turtles in Atlantic Canada. 547:233–246  
 Arnold SN, see Ritson-Williams R et al. (2016) 548:127–138  
 Asci S, see Bethoney ND et al. (2016) 547:137–147  
 Atchison S, see Stasko AD et al. (2016) 549:153–166  
 Atkinson A, see Tarling GA et al. (2016) 547:61–78  
 Avens L, see Petitet R et al. (2015) 541:205–218  
 Avila TR, see Suchy KD et al. (2016) 545:77–89
- Baker DM, see Freeman CJ et al. (2016) 544:281–286  
 Baker R, see Sheaves M et al. (2016) 549:167–182  
 Ball D, see Hirst AJ et al. (2016) 549:79–88  
 Banks AN, see Skov H et al. (2016) 542:221–234  
 Barbeau MA, see Gharouni A et al. (2015) 541:135–150  
 Barber-Lluch E, see Teira E et al. (2016) 542:39–50  
 Barbosa ACC, Gomes CC, Pereira GC, Bueno M, Flores AAV (2016) Local biological drivers, not remote forcing, predict settlement rate to a subtropical barnacle population. 543: 201–208  
 Barriga Rivera E, see Kluger LC et al. (2016) 547:121–135  
 Bartolino V, see Lopez-Lopez L et al. (2015) 541:165–177  
 Bashvkin SM, Lee D, Driver P, Carrington E, George SB (2016) Prior exposure to low salinity affects the vertical distribution of *Pisaster ochraceus* (Echinodermata: Asteroidea) larvae in haloclines. 542:123–140  
 Beal BF, see Commito JA et al. (2016) 547:107–119  
 Beck HJ, Feary DA, Nakamura Y, Booth DJ (2016) Wave-sheltered embayments are recruitment hotspots for tropical fishes on temperate reefs. 546:197–212  
 Béguyer-Pon M, Ohashi K, Sheng J, Castonguay M, Dodson JJ (2016) Modeling the migration of the American eel in the Gulf of St. Lawrence. 549:183–198  
 Behrenfeld MJ, see Graff JR et al. (2016) 542:51–62  
 Behjer L, see Senigaglia V et al. (2016) 542:251–263  
 Belgrad BA, see Griffen BD et al. (2016) 543:273–281  
 Bell I, see Jensen MP et al. (2016) 543:241–256  
 Bell LE, Bluhm BA, Iken K (2016) Influence of terrestrial organic matter in marine food webs of the Beaufort Sea shelf and slope. 550:1–24  
 Bellquist L, Semmens BX (2016) Temporal and spatial dynamics of 'trophy'-sized demersal fishes off the California (USA) coast, 1966 to 2013. 547:1–18  
 Bellwood DR, see Goatley CHR et al. (2016) 544:271–280  
 Bellwood DR, see Kramer MJ et al. (2016) 548:277–282  
 Bellwood O, see Kramer MJ et al. (2016) 548:277–282  
 Belt ST, see Brown TA et al. (2016) 546:17–29  
 Benjamins S, Dale A, van Geel N, Wilson B (2016) Riding the tide: use of a moving tidal-stream habitat by harbour porpoises. 549:275–288  
 Benke H, see Schaffeld T et al. (2016) 547:257–272  
 Bennet SA, see Cambiè G et al. (2016) 546:213–223  
 Benneveau A, see Legrand B et al. (2016) 550:235–248  
 Berejikian BA, Moore ME, Jeffries SJ (2016) Predator–prey interactions between harbor seals and migrating steelhead trout smolts revealed by acoustic telemetry. 543: 21–35  
 Berge T, Hansen PJ (2016) Role of the chloroplasts in the predatory dinoflagellate *Karlodinium armiger*. 549:41–54  
 Bernard G, see Delgard ML et al. (2016) 543:55–71  
 Bessey C, Heithaus MR (2015) Ecological niche of an abundant teleost *Pelates octolineatus* in a subtropical seagrass ecosystem. 541:195–204  
 Bester-van der Merwe AE, see Maduna SN et al. (2016) 544:

## B

- Badalamenti F, see Gambi MC et al. (2016) 550:121–134  
 Bailleul F, see Vacqu e-Garcia J et al. (2015) 541:265–277  
 Baker AC, see Towle EK et al. (2016) 546:75–84

- 183–196
- Bethoney ND, Asci S, Stokesbury KDE (2016) Implications of extremely high recruitment events into the US sea scallop fishery. 547:137–147
- Bevilacqua S, Terlizzi A (2016) Species surrogacy in environmental impact assessment and monitoring: extending the BestAgg approach to asymmetrical designs. 547:19–32
- Bevilacqua S, see Moreno-Valcárcel R et al. (2016) 543:209–222
- Bez N, see Morfin M et al. (2016) 547:219–232
- Bianchini A, see Suchy KD et al. (2016) 545:77–89
- Billen G, see Passy P et al. (2016) 543:107–125
- Bingham BL, see Quesada AJ et al. (2016) 545:175–187
- Blackwelder PL, see Peach KE et al. (2016) 544:143–158
- Blomqvist S, see Ekeröth N et al. (2016) 544:77–92
- Bluhm BA, see Bell LE et al. (2016) 550:1–24
- Boersch-Supan PH, see Letessier TB et al. (2016) 546:271–276
- Bohnenstiehl DR, see Ricci SW et al. (2016) 550:25–38
- Boissery P, see Bouchoucha M et al. (2016) 547:193–209
- Bolam SG, see van Denderen PD et al. (2015) 541:31–43
- Booth DJ, see Beck HJ et al. (2016) 546:197–212
- Boschker HTS, see Vasquez-Cardenas D et al. (2016) 549:55–68
- Bouchoucha M, Darnaude AM, Gudefin A, Neveu R, Verdoit-Jarraya M, Boissery P, Lenfant P (2016) Potential use of marinas as nursery grounds by rocky fishes: insights from four *Diplodus* species in the Mediterranean. 547:193–209
- Bouma TJ, see Villazán B et al. (2016) 545:109–121
- Bradbury IR, see Matheson K et al. (2016) 548:31–45
- Bradley CR, see Cross ME et al. (2016) 549:99–112
- Bräger S, see Schaffeld T et al. (2016) 547:257–272
- Brandão C, see Rey F et al. (2016) 546:135–146
- Brandecker A, see Culloch RM et al. (2016) 549:231–242
- Brandenburg KM, see Eberlein T et al. (2016) 543:127–140
- Breitburg DL, see Keppel AG et al. (2016) 547:287
- Breitburg DL, see Miller SH et al. (2016) 549:1–8
- Bretagnolle V, see Rayner MJ et al. (2016) 549:217–229
- Breton E, see Genitsaris S et al. (2016) 548:61–75
- Brey T, see Degen R et al. (2016) 546:1–16
- Brierley AS, see Letessier TB et al. (2016) 546:271–276
- Broadhurst MK, see Gama LR et al. (2016) 542:209–219
- Bronk DA, see Zhu Z et al. (2016) 550:39–51
- Brown MB, see Graff JR et al. (2016) 542:51–62
- Brown TA, Belt ST, Gosselin M, Lévasseur M, Poulin M, Mundy CJ (2016) Quantitative estimates of sinking sea ice particulate organic carbon based on the biomarker IP<sub>25</sub>. 546:17–29
- Brownlee EF, Olson RJ, Sosik HM (2016) Microzooplankton community structure investigated with imaging flow cytometry and automated live-cell staining. 550:65–81
- Brun FG, see Villazán B et al. (2016) 545:109–121
- Bruno JF, see Anton A et al. (2016) 544:257–269
- Buckel JA, see Rudershausen PJ et al. (2016) 544:15–35
- Bue M, see Torres G et al. (2016) 545:147–160
- Bueno M, see Barbosa ACC et al. (2016) 543:201–208
- Buffington KJ, see Janousek CN et al. (2016) 548:111–125
- Bugoni L, see Petitot R et al. (2015) 541:205–218
- Burdorf LDW, Hidalgo-Martinez S, Cook PLM, Meysman FJR (2016) Long-distance electron transport by cable bacteria in mangrove sediments. 545:1–8
- Burford MA, Valdez D, Curwen G, Faggotter SJ, Ward DP, O'Brien KR (2016) Inundation of saline supratidal mudflats provides an important source of carbon and nutrients in an aquatic system. 545:21–33
- Burrell RB, see Keppel AG et al. (2016) 547:287
- Burrell RB, see Miller SH et al. (2016) 549:1–8
- Burridge CP, see Carrea C et al. (2016) 545:227–238
- Burrows MT, see Notman GM et al. (2016) 549:113–123
- Burrows MT, see Smale DA et al. (2016) 542:79–95
- Burrows MT, see Torres G et al. (2016) 545:147–160
- Bury SJ, see Rayner MJ et al. (2016) 549:217–229
- Bustamante P, see Pouil S et al. (2016) 550:207–218
- Byers JE, see Kollars NM et al. (2016) 545:135–145
- Byrnes JE, see Rogers TL et al. (2016) 545:161–173
- Byron C, Morgan A (2016) Potential role of spiny dogfish in gray and harbor seal diets in the Gulf of Maine. 550:249–270

## C

- Cadée GC, see Hoeksema BW et al. (2015) 541:279
- Caiola N, see Prado P et al. (2016) 545:189–202
- Calado R, see Rey F et al. (2016) 546:135–146
- Callens J, see Passy P et al. (2016) 543:107–125
- Calò A, Di Franco A, De Benedetto GE, Pennetta A, Pérez-Ruzafa Á, García-Charton JA (2016) Propagule dispersal and larval patch cohesiveness in a Mediterranean coastal fish. 544:213–224
- Cambiè G, Kaiser MJ, Marriott AL, Fox J, Lambert G, Hindink JG, Overy T, Bennet SA, Leng MJ, McCarthy ID (2016) Stable isotope signatures reveal small-scale spatial separation in populations of European sea bass. 546:213–223
- Campbell K, see Elliott A et al. (2015) 541:91–104
- Candeias R, see Teixeira S et al. (2016) 544:131–142
- Cannizzo ZJ, see Griffen BD et al. (2016) 543:273–281
- Carlile N, see Rayner MJ et al. (2016) 549:217–229
- Carney RS, see Riekenberg PM et al. (2016) 547:91–106
- Carpentier A, see Liénart C et al. (2016) 544:225–241
- Carr MH, see Johnson RC et al. (2016) 548:181–196
- Carrea C, Burridge CP, King CK, Miller KJ (2016) Population structure and long-term decline in three species of heart urchins *Abatus* spp. near-shore in the Vestfold Hills region, East Antarctica. 545:227–238
- Carreja B, Fernández M, Agustí S (2016) Joint additive effects of temperature and UVB radiation on zoeae of the crab *Talipes dentatus*. 550:135–145
- Carrington E, see Bashevkin SM et al. (2016) 542:123–140
- Cartamil D, Wraith J, Wegner NC, Kacev D, Lam CH, Santana-Morales O, Sosa-Nishizaki O, Escobedo-Olvera M, Kohin S, Graham JB, Hastings P (2016) Movements and distribution of juvenile common thresher sharks *Alopias vulpinus* in Pacific coast waters of the USA and Mexico. 548:153–163
- Cartaxana P, Ribeiro L, Goessling JW, Cruz S, Kühl M (2016) Light and O<sub>2</sub> microenvironments in two contrasting diatom-dominated coastal sediments. 545:35–47
- Carvalho F, see Ortiz N et al. (2016) 545:251–259
- Casals F, see Prado P et al. (2016) 545:189–202
- Castilhos JC, see Petitot R et al. (2015) 541:205–218
- Castonguay M, see Béguer-Pon M et al. (2016) 549:183–198
- Caulier G, see De Bruyn C et al. (2016) 546:163–171
- Celentano E, see Ortega L et al. (2016) 545:203–213
- Cembella A, see Richlen ML et al. (2016) 547:33–46
- Cermeño P, see Mouriño-Carballido B et al. (2016) 543:1–19
- Cesbron F, see Delgard ML et al. (2016) 543:55–71
- Chaalali A, see Chevillot X et al. (2016) 549:137–151
- Chabot CC, see Watson WH III et al. (2016) 542:109–121
- Champion C, Suthers IM, Smith JA (2015) Zooplanktivory is a key process for fish production on a coastal artificial reef. 541:1–14
- Chaparro OR, see Segura CJ et al. (2016) 543:187–199
- Charbonnier C, see Delgard ML et al. (2016) 543:55–71

- Chen DC, see Thompson AR et al. (2016) 547:177–192
- Chenery SRN, see Marriott AL et al. (2016) 546:183–195
- Chevillot X, Pierre M, Rigaud A, Drouineau H, Chaalali A, Sautour B, Lobry J (2016) Abrupt shifts in the Gironde fish community: an indicator of ecological changes in an estuarine ecosystem. 549:137–151
- Chin A, Heupel MR, Simpfendorfer CA, Tobin AJ (2016) Population organisation in reef sharks: new variations in coastal habitat use by mobile marine predators. 544:197–211
- Chouciño P, see Mouriño-Carballido B et al. (2016) 543:1–19
- Choy CA, Wabnitz CCC, Weijerman M, Woodworth-Jefcoats PA, Polovina JJ (2016) Finding the way to the top: how the composition of oceanic mid-trophic micronekton groups determines apex predator biomass in the central North Pacific. 549:9–25
- Christaki U, see Genitsaris S et al. (2016) 548:61–75
- Christiansen F, see Senigaglia V et al. (2016) 542:251–263
- Clare DS, Spencer M, Robinson LA, Frid CLJ (2016) Species densities, biological interactions and benthic ecosystem functioning: an *in situ* experiment. 547:149–161
- Clark JS, see Rolland RM et al. (2016) 542:265–282
- Clark VM, see Keppel AG et al. (2016) 547:287
- Claro R, see Kough AS et al. (2016) 550:175–190
- Coggins JHJ, see Schiel DR et al. (2016) 548:77–95
- Coleman SE, see Commito JA et al. (2016) 547:107–119
- Collins MA, see Saunders RA et al. (2015) 541:45–64
- Commito JA, Gownaris NJ, Haulsee DE, Coleman SE, Beal BF (2016) Separation anxiety: mussels self-organize into similar power-law clusters regardless of predation threat cues. 547:107–119
- Conde JE, see Guerra-Castro EJ et al. (2016) 548:97–110
- Congdon BC, see McDuie F (2016) 550:219–234
- Conroy CW, Piccoli PM, Secor DH (2015) Carryover effects of early growth and river flow on partial migration in striped bass *Morone saxatilis*. 541:179–194
- Constantine R, see Lindsay RE et al. (2016) 548:263–275
- Cook PLM, see Burdorf LDW et al. (2016) 545:1–8
- Cook PLM, see Hirst AJ et al. (2016) 549:79–88
- Cook PLM, see Warry FY et al. (2016) 542:25–37
- Cooper LW, see Lovvorn JR et al. (2016) 548:11–30
- Cormon X, Ernande B, Kempf A, Vermard Y, Marchal P (2016) North Sea saithe *Pollachius virens* growth in relation to food availability, density dependence and temperature. 542:141–151
- Cornwell BH, Fisher JL, Morgan SG, Neigel JE (2016) Chaotic genetic patchiness without sweepstakes reproduction in the shore crab *Hemigrapsus oregonensis*. 548:139–152
- Costa CSB, see Freitas RF et al. (2016) 547:79–89
- Cox MJ, see Letessier TB et al. (2016) 546:271–276
- Crear DP, Lawson DD, Seminoff JA, Eguchi T, LeRoux RA, Lowe CG (2016) Seasonal shifts in the movement and distribution of green sea turtles *Chelonia mydas* in response to anthropogenically altered water temperatures. 548:219–232
- Cronin M, see Culloch RM et al. (2016) 549:231–242
- Crook KA, Davoren GK (2016) Influence of spawning capelin *Mallotus villosus* on the distribution of green sea urchins *Strongylocentrotus droebachiensis* on the northeast Newfoundland coast. 549:125–135
- Cross ME, Bradley CR, Cross TF, Culloty S, Lynch S, McGinnity P, O'Riordan RM, Vartia S, Prodöhl PA (2016) Genetic evidence supports recolonisation by *Mya arenaria* of western Europe from North America. 549:99–112
- Cross TF, see Cross ME et al. (2016) 549:99–112
- Cruz S, see Cartaxana P et al. (2016) 545:35–47
- Cruz-Motta JJ, see Guerra-Castro EJ et al. (2016) 548:97–110
- Cubillos VM, see Segura CJ et al. (2016) 543:187–199
- Cugier P, see Passy P et al. (2016) 543:107–125
- Cui X, see Lovvorn JR et al. (2016) 548:11–30
- Culloch RM, Anderwald P, Brandecker A, Haberlin D, McGovern B, Pinfield R, Visser F, Jessopp M, Cronin M (2016) Effect of construction-related activities and vessel traffic on marine mammals. 549:231–242
- Culloty S, see Cross ME et al. (2016) 549:99–112
- Curchitser EN, see Grieve BD et al. (2016) 546:225–237
- Cure K, see Anton A et al. (2016) 544:257–269
- Curwen G, see Burford MA et al. (2016) 545:21–33
- Czerny JMS, Hauss H, Löscher CR, Riebesell U (2016) Dissolved N:P ratio changes in the eastern tropical North Atlantic: effect on phytoplankton growth and community structure. 545:49–62

## D

- da Silva C, see Maduna SN et al. (2016) 544:183–196
- Dähne M, see Schaffeld T et al. (2016) 547:257–272
- Dale A, see Benjamins S et al. (2016) 549:275–288
- Dall'Olmo G, see Graff JR et al. (2016) 542:51–62
- Darnaude AM, see Bouchoucha M et al. (2016) 547:193–209
- David B, see De Bruyn C et al. (2016) 546:163–171
- David C, see Jensen MP et al. (2016) 543:241–256
- Davoren GK, see Crook KA (2016) 549:125–135
- Dawson S, see Agnew P et al. (2015) 541:219–229
- De Benedetto GE, see Calò A et al. (2016) 544:213–224
- De Bruyn C, David B, Motreuil S, Caulier G, Jossart Q, Rigaud T, De Ridder C (2016) Should I stay or should I go? Causes and dynamics of host desertion by a parasitic crab living on echinoids. 546:163–171
- de Bruyn PJN, see Reisinger RR et al. (2016) 549:263–274
- De Ridder C, see De Bruyn C et al. (2016) 546:163–171
- De Ryck DJR, Koedam N, Van der Stocken T, van der Ven RM, Adams J, Triest L (2016) Dispersal limitation of the mangrove *Avicennia marina* at its South African range limit in strong contrast to connectivity in its core East African region. 545:123–134
- Defeo O, see Ortega L et al. (2016) 545:203–213
- Deflandre B, see Delgard ML et al. (2016) 543:55–71
- Degen R, Jørgensen LL, Ljubin P, Ellingsen IH, Pehlke H, Brey T (2016) Patterns and drivers of megabenthic secondary production on the Barents Sea shelf. 546:1–16
- Dekker R, see Waser AM et al. (2016) 545:215–225
- Delgado E, see Ortega L et al. (2016) 545:203–213
- Delgard ML, Deflandre B, Bernard G, Richard M, Kochoni E, Charbonnier C, Cesbron F, Metzger E, Grémare A, Anschutz P (2016) Benthic oxygen exchange over a heterogeneous *Zostera noltei* meadow in a temperate coastal ecosystem. 543:55–71
- Dennis TE, see Lindsay RE et al. (2016) 548:263–275
- Dharmadi, see Giles JL et al. (2016) 548:165–180
- Di Franco A, see Calò A et al. (2016) 544:213–224
- Dieckmann U, see Mollet FM et al. (2016) 542:195–208
- Diez CE, see Patrício AR et al. (2016) 547:247–255
- Diogo H, Pereira JG (2016) Fishing in the dark: the importance of integrating a nocturnal component into recreational fishing surveys. 542:187–193
- Dixon JL, see Sargeant SL et al. (2016) 550:53–64
- Dodson JJ, see Béguer-Pon M et al. (2016) 549:183–198
- Domit C, see Gama LR et al. (2016) 542:209–219
- Donnelly D, see Owen K et al. (2015) 541:231–244
- Dower JF, see Suchy KD et al. (2016) 545:77–89
- Dower JF, see Suchy KD et al. (2016) 545:91–108

Dragon AC, see Vacqu  -Garcia J et al. (2015) 541:265–277  
 Driver P, see Bashevkin SM et al. (2016) 542:123–140  
 Drouineau H, see Chevillot X et al. (2016) 549:137–151  
 Dueker MA, see Rudershausen PJ et al. (2016) 544:15–35  
 Dugger BD, see Janousek CN et al. (2016) 548:111–125  
 Dunlop RA, see Owen K et al. (2015) 541:231–244  
 Dupuy C, see Li  nart C et al. (2016) 544:225–241

## E

Easson CG, see Freeman CJ et al. (2016) 544:281–286  
 Easter EE, White JW (2016) Spatial management for protogynous sex-changing fishes: a general framework for coastal systems. 543:223–240  
 Eberlein T, Van de Waal DB, Brandenburg KM, John U, Voss M, Achterberg EP, Rost B (2016) Interactive effects of ocean acidification and nitrogen limitation on two bloom-forming dinoflagellate species. 543:127–140  
 Edgar GJ, see Soler GA et al. (2016) 545:239–249  
 Edmunds PJ, see Evensen NR et al. (2015) 541:123–134  
 Eggleston DB, see Kroll IR et al. (2016) 543:173–186  
 Eggleston DB, see Ricci SW et al. (2016) 550:25–38  
 Eguchi T, see Crear DP et al. (2016) 548:219–232  
 Eker  th N, Blomqvist S, Hall POJ (2016) Nutrient fluxes from reduced Baltic Sea sediment: effects of oxygenation and macrobenthos. 544:77–92  
 El Ksabi N, see Vacqu  -Garcia J et al. (2015) 541:265–277  
 Ellingsen IH, see Degen R et al. (2016) 546:1–16  
 Elliott A, Mundy CJ, Gosselin M, Poulin M, Campbell K, Wang F (2015) Spring production of mycosporine-like amino acids and other UV-absorbing compounds in sea ice-associated algae communities in the Canadian Arctic. 541:91–104  
 Emmerson LM, see Smiley KM (2016) 542:235–249  
 Eriander L, see Infantes E et al. (2016) 546:31–45  
 Ernande B, see Cormon X et al. (2016) 542:141–151  
 Escobedo-Olvera M, see Cartamil D et al. (2016) 548:153–163  
 Evans AJ, see Smale DA et al. (2016) 542:79–95  
 Evensen NR, Edmunds PJ, Sakai K (2015) Effects of  $p\text{CO}_2$  on spatial competition between the corals *Montipora aequituberculata* and *Porites lutea*. 541:123–134

## F

Faggotter SJ, see Burford MA et al. (2016) 545:21–33  
 Fanjul ME, see Firstater FN et al. (2016) 550:101–110  
 Farley EV, see Suryan RM et al. (2016) 549:199–215  
 Feary DA, see Beck HJ et al. (2016) 546:197–212  
 Feehan CJ, see Filbee-Dexter K et al. (2016) 543:141–152  
 Fehrenbacher JS, see Wheeler SG et al. (2016) 550:191–206  
 Feng DQ, Wang W, Wang X, Qiu Y, Ke CH (2016) Low barnacle fouling on leaves of the mangrove plant *Sonneratia apetala* and possible anti-barnacle defense strategies. 544:169–182  
 Fern  ndez E, see Teira E et al. (2016) 542:39–50  
 Fern  ndez M, see Carreja B et al. (2016) 550:135–145  
 Fern  ndez-Castro B, see Mouri  o-Carballido B et al. (2016) 543:1–19  
 Fern  ndez-Delgado C, see Moreno-Valc  rcel R et al. (2016) 543:209–222  
 Fern  ndez-Urruzola I, Osma N, G  mez M, Montesdeoca-Esponda S, Packard TT (2016) Building a model of ammonium excretion in two species of marine zooplankton based on glutamate dehydrogenase kinetics. 550:83–99  
 Feunteun E, see Li  nart C et al. (2016) 544:225–241

Fielding S, see Tarling GA et al. (2016) 547:61–78  
 Figueiras FG, see Teira E et al. (2016) 542:39–50  
 Figueiredo GM, see Suchy KD et al. (2016) 545:77–89  
 Filbee-Dexter K, Feehan CJ, Scheibling RE (2016) Large-scale degradation of a kelp ecosystem in an ocean warming hotspot. 543:141–152  
 Firstater FN, Narvarte M, Alvarez MF, Fanjul ME, Iribarne OO (2016) Cordgrass canopy elicits weak effects on sediment properties and microphytobenthic abundance in a harsh environment. 550:101–110  
 Fisher CR, see Girard F et al. (2016) 549:89–98  
 Fisher JL, see Cornwell BH et al. (2016) 548:139–152  
 FitzSimmons NN, see Jensen MP et al. (2016) 543:241–256  
 Flores AAV, see Barbosa ACC et al. (2016) 543:201–208  
 Fodrie FJ, see Kroll IR et al. (2016) 543:173–186  
 Fox J, see Cambi   G et al. (2016) 546:213–223  
 Francini-Filho RB, see Pereira-Filho GH et al. (2015) 541:65–73  
 Fredriksson DW, see Steppe CN et al. (2016) 546:97–112  
 Freeman CJ, Stoner EW, Easson CG, Matterson KO, Baker DM (2016) Symbiont carbon and nitrogen assimilation in the *Cassiopea-Symbiodinium* mutualism. 544:281–286  
 Freitas RF, Schrack EC, He Q, Silliman BR, Furlong EB, Telles AC, Costa CSB (2016) Consumer control of the establishment of marsh foundation plants in intertidal mudflats. 547:79–89  
 Frid CLJ, see Clare DS et al. (2016) 547:149–161  
 Fromentin JM, see Morfin M et al. (2016) 547:219–232  
 Fry B, see Riekenberg PM et al. (2016) 547:91–106  
 Fry B, see Shahraki M et al. (2016) 542:153–166  
 Fu B, see Girard F et al. (2016) 549:89–98  
 Fu F, see Zhu Z et al. (2016) 550:39–51  
 Fuentes MMPB, see Gama LR et al. (2016) 542:209–219  
 Fujii T (2016) Potential influence of offshore oil and gas platforms on the feeding ecology of fish assemblages in the North Sea. 542:167–186  
 Furlong EB, see Freitas RF et al. (2016) 547:79–89

## G

Gagnon K, Yli-Rosti J, Jormalainen V (2015) Cormorant-induced shifts in littoral communities. 541:15–30  
 Gallus A, see Schaffeld T et al. (2016) 547:257–272  
 Gama LR, Domit C, Broadhurst MK, Fuentes MMPB, Millar RB (2016) Green turtle *Chelonia mydas* foraging ecology at 25  S in the western Atlantic: evidence to support a feeding model driven by intrinsic and extrinsic variability. 542:209–219  
 Gambi MC, Musco L, Giangrande A, Badalamenti F, Micheli F, Kroeker KJ (2016) Distribution and functional traits of polychaetes in a  $\text{CO}_2$  vent system: winners and losers among closely related species. 550:121–134  
 Gambrel B, Lasker HR (2016) Interactions in the canopy among Caribbean reef octocorals. 546:85–95  
 Garc  a R, see Richards ZT et al. (2016) 546:61–74  
 Garc  a-Charton JA, see Cal   A et al. (2016) 544:213–224  
 Garnier J, see Passy P et al. (2016) 543:107–125  
 Garza JC, see Johnson RC et al. (2016) 548:181–196  
 Gendron D, see Senigaglia V et al. (2016) 542:251–263  
 Genitsaris S, Monchy S, Breton E, Lecuyer E, Christaki U (2016) Small-scale variability of protistan planktonic communities relative to environmental pressures and biotic interactions at two adjacent coastal stations. 548:61–75  
 Genton MG, see Prihartato PK et al. (2016) 544:65–75  
 George SB, see Bashevkin SM et al. (2016) 542:123–140  
 Georgiou D, Alexandre A, Luis J, Santos R (2016) Tempera-

- ture is not a limiting factor for the expansion of *Halophila stipulacea* throughout the Mediterranean Sea. 544:159–167
- Gharouni A, Barbeau MA, Locke A, Wang L, Watmough J (2015) Sensitivity of invasion speed to dispersal and demography: an application of spreading speed theory to the green crab invasion on the northwest Atlantic coast. 541:135–150
- Giangrande A, see Gambi MC et al. (2016) 550:121–134
- Gibran FZ, see Pereira-Filho GH et al. (2015) 541:65–73
- Giles JL, Riginos C, Naylor GJP, Dharmadi, Ovenden JR (2016) Genetic and phenotypic diversity in the wedgefish *Rhynchobatus australiae*, a threatened ray of high value in the shark fin trade. 548:165–180
- Giménez L, see Torres G et al. (2016) 545:147–160
- Girard F, Fu B, Fisher CR (2016) Mutualistic symbiosis with ophiuroids limited the impact of the *Deepwater Horizon* oil spill on deep-sea octocorals. 549:89–98
- Girard F, Lacharité M, Metaxas A (2016) Colonization of benthic invertebrates in a submarine canyon in the NW Atlantic. 544:53–64
- Goatley CHR, González-Cabello A, Bellwood DR (2016) Reef-scale partitioning of cryptobenthic fish assemblages across the Great Barrier Reef, Australia. 544:271–280
- Gobler CJ, see Griffith AW (2016) 545:63–76
- Godley BJ, see Ortiz N et al. (2016) 545:251–259
- Godley BJ, see Patrício AR et al. (2016) 547:247–255
- Goedknecht MA, see Waser AM et al. (2016) 545:215–225
- Goessling JW, see Cartaxana P et al. (2016) 545:35–47
- Goldizen AW, see Owen K et al. (2015) 541:231–244
- Gomes CC, see Barbosa ACC et al. (2016) 543:201–208
- Gómez M, see Fernández-Urruzola I et al. (2016) 550:83–99
- González-Cabello A, see Goatley CHR et al. (2016) 544:271–280
- González-Ortiz V, see Villazán B et al. (2016) 545:109–121
- Gosselin M, see Alou-Font E et al. (2016) 543:89–106
- Gosselin M, see Brown TA et al. (2016) 546:17–29
- Gosselin M, see Elliott A et al. (2015) 541:91–104
- Gownaris NJ, see Commito JA et al. (2016) 547:107–119
- Graff JR, Menden-Deuer S (2016) Physical and optical properties of phytoplankton-rich layers in a coastal fjord: a step toward prediction and strategic sampling of plankton patchiness. 544:1–14
- Graff JR, Westberry TK, Milligan AJ, Brown MB, Dall'Olmo G, Reifel KM, Behrenfeld MJ (2016) Photoacclimation of natural phytoplankton communities. 542:51–62
- Graham JB, see Cartamil D et al. (2016) 548:153–163
- Grebmeier JM, see Lovvorn JR et al. (2016) 548:11–30
- Green JA, see Horswill C et al. (2016) 548:233–247
- Greenfield BL, Kraan C, Pilditch CA, Thrush SF (2016) Mapping functional groups can provide insight into ecosystem functioning and potential resilience of intertidal sandflats. 548:1–10
- Gregory RS, see Matheson K et al. (2016) 548:31–45
- Grémare A, see Delgard ML et al. (2016) 543:55–71
- Grieve BD, Curchitser EN, Rykaczewski RR (2016) Range expansion of the invasive lionfish in the Northwest Atlantic with climate change. 546:225–237
- Griffen BD, Belgrad BA, Cannizzo ZJ, Knotts ER, Hancock ER (2016) Rethinking our approach to multiple stressor studies in marine environments. 543:273–281
- Griffith AW, Gobler CJ (2016) Temperature controls the toxicity of the ichthyotoxic dinoflagellate *Cochlodinium polykrikoides*. 545:63–76
- Grimes CB, see Johnson RC et al. (2016) 548:181–196
- Gröcke DR, see Reisinger RR et al. (2016) 549:263–274
- Gudefin A, see Bouchoucha M et al. (2016) 547:193–209
- Guerra-Castro EJ, Conde JE, Cruz-Motta JJ (2016) Scales of spatial variation in tropical benthic assemblages and their ecological relevance: epibionts on Caribbean mangrove roots as a model system. 548:97–110
- Guinet C, see Vacquie-Garcia J et al. (2015) 541:265–277
- Guntenspergen GR, see Janousek CN et al. (2016) 548:111–125
- Guo C, see Zhang S et al. (2016) 549:27–40
- Guo LW, see Thompson AR et al. (2016) 547:177–192

## H

- Haberlin D, see Culloch RM et al. (2016) 549:231–242
- Hain E, see Rudershausen PJ et al. (2016) 544:15–35
- Hall POJ, see Ekeroth N et al. (2016) 544:77–92
- Hamann M, see Jensen MP et al. (2016) 543:241–256
- Hamann M, see Udyawer V et al. (2016) 546:249–262
- Hamilton CD, Lydersen C, Ims RA, Kovacs KM (2016) Coastal habitat use by ringed seals *Pusa hispida* following a regional sea-ice collapse: importance of glacial refugia in a changing Arctic. 545:261–277
- Hamilton PK, see Rolland RM et al. (2016) 542:265–282
- Hancock ER, see Griffen BD et al. (2016) 543:273–281
- Hansen JLS, see Pommer CD et al. (2016) 548:47–60
- Hansen PJ, see Berge T (2016) 549:41–54
- Harasti D (2016) Declining seahorse populations linked to loss of essential marine habitats. 546:173–181
- Harley CDG, see Kordas RL (2016) 546:147–161
- Harrison PJ, see Zhang S et al. (2016) 549:27–40
- Harvey ES, see Richards ZT et al. (2016) 546:61–74
- Harvey GM, see Vaudo JJ et al. (2016) 547:163–175
- Hastings P, see Cartamil D et al. (2016) 548:153–163
- Haulsee DE, see Commito JA et al. (2016) 547:107–119
- Hauser DDW, Laidre KL, Parker-Stetter SL, Horne JK, Suydam RS, Richard PR (2015) Regional diving behavior of Pacific Arctic beluga whales *Delphinapterus leucas* and possible associations with prey. 541:245–264
- Hauss H, see Czerny JMS et al. (2016) 545:49–62
- Hawkins SJ, see Notman GM et al. (2016) 549:113–123
- He Q, see Freitas RF et al. (2016) 547:79–89
- Hedger R, see Aldvén D et al. (2015) 541:151–163
- Heinänen S, see Skov H et al. (2016) 542:221–234
- Heino M, see Ricard D et al. (2016) 547:211–217
- Heithaus MR, see Bessey C (2015) 541:195–204
- Hernández-Ruiz M, see Teira E et al. (2016) 542:39–50
- Herrmann A, see Schaffeld T et al. (2016) 547:257–272
- Heupel MR, see Chin A et al. (2016) 544:197–211
- Heupel MR, see Udyawer V et al. (2016) 546:249–262
- Hickford MJH, Schiel DR (2016) Otolith microchemistry of the amphidromous *Galaxias maculatus* shows recruitment to coastal rivers from unstructured larval pools. 548:197–207
- Hidalgo-Martinez S, see Burdorf LDW et al. (2016) 545:1–8
- Hiddink JG, see Cambiè G et al. (2016) 546:213–223
- Hiddink JG, see van Denderen PD et al. (2015) 541:31–43
- Hill S, see Tarling GA et al. (2016) 547:61–78
- Hill SL, see Saunders RA et al. (2015) 541:45–64
- HilleRisLambers J, see Yang S et al. (2016) 543:163–171
- Hirst AJ, Longmore AR, Ball D, Cook PLM, Jenkins GP (2016) Linking nitrogen sources utilised by seagrass in a temperate marine embayment to patterns of seagrass change during drought. 549:79–88
- Hirst AJ, see Parry GD (2016) 544:37–52
- Hobbs JPA, see Richards ZT et al. (2016) 546:61–74
- Hoeksema BW, Roos PJ, Cadée GC (2015) (Corrigendum to Vol. 445:209–2018, 2012) 541:279
- Hoelzel AR, see Reisinger RR et al. (2016) 549:263–274

Hojas E, see Mouriño-Carballido B et al. (2016) 543:1–19  
 Höjesjö J, see Aldvén D et al. (2015) 541:151–163  
 Holinde L, see Richlen ML et al. (2016) 547:33–46  
 Hollibaugh JT, see Liu Q et al. (2016) 544:93–105  
 Horne JK, see Hauser DDW et al. (2015) 541:245–264  
 Horne JK, see Suryan RM et al. (2016) 549:199–215  
 Horswill C, Matthiopoulos J, Ratcliffe N, Green JA, Trathan PN, McGill RAR, Phillips RA, O'Connell TC (2016) Drivers of intrapopulation variation in resource use in a generalist predator, the macaroni penguin. 548:233–247  
 Howey-Jordan LA, see Vaudo JJ et al. (2016) 547:163–175  
 Hubas C, see Liénart C et al. (2016) 544:225–241  
 Hunt HL, see LeGault KN (2016) 542:1–12  
 Hutchins DA, see Zhu Z et al. (2016) 550:39–51  
 Hyde JR, see Thompson AR et al. (2016) 547:177–192

## I

Ibáñez C, see Prado P et al. (2016) 545:189–202  
 Ignoffo TR, see Slaughter AM et al. (2016) 547:47–60  
 Iken K, see Bell LE et al. (2016) 550:1–24  
 Ikenaka Y, see Watanuki Y et al. (2016) 546:263–269  
 Imai I, see Liu Q et al. (2016) 544:93–105  
 Ims RA, see Hamilton CD et al. (2016) 545:261–277  
 Infantes E, Eriander L, Moksnes PO (2016) Eelgrass (*Zostera marina*) restoration on the west coast of Sweden using seeds. 546:31–45  
 Iribarne OO, see Firstater FN et al. (2016) 550:101–110  
 Irigoien X, see Prihartato PK et al. (2016) 544:65–75  
 Ishii C, see Watanuki Y et al. (2016) 546:263–269  
 Ishizuka M, see Watanuki Y et al. (2016) 546:263–269  
 Ito M, see Watanuki Y et al. (2016) 546:263–269

## J

Jabbusch M, see Schaffeld T et al. (2016) 547:257–272  
 Jaeger A, see Legrand B et al. (2016) 550:235–248  
 Jakobsen HH, see Ray JL et al. (2016) 542:63–77  
 James MC, see Archibald DW (2016) 547:233–246  
 Janousek CN, Buffington KJ, Thorne KM, Guntenspergen GR, Takekawa JY, Dugger BD (2016) Potential effects of sea-level rise on plant productivity: species-specific responses in northeast Pacific tidal marshes. 548:111–125  
 Jaquemet S, see Legrand B et al. (2016) 550:235–248  
 Jeffries SJ, see Berejikian BA et al. (2016) 543:21–35  
 Jenkins GP, see Hirst AJ et al. (2016) 549:79–88  
 Jenkins SR, Uyà M (2016) Temporal scale of field experiments in benthic ecology. 547:273–286  
 Jenkins SR, see Torres G et al. (2016) 545:147–160  
 Jennings S, see van Denderen PD et al. (2015) 541:31–43  
 Jensen MP, Bell I, Limpus CJ, Hamann M, Ambar S, Whap T, David C, FitzSimmons NN (2016) Spatial and temporal genetic variation among size classes of green turtles (*Chelonia mydas*) provides information on oceanic dispersal and population dynamics. 543:241–256  
 Jessopp M, see Culloch RM et al. (2016) 549:231–242  
 Jimenez A, see Ortiz N et al. (2016) 545:251–259  
 John U, see Eberlein T et al. (2016) 543:127–140  
 Johnson RC, Garza JC, MacFarlane RB, Grimes CB, Phillis CC, Koch PL, Weber PK, Carr MH (2016) Isotopes and genes reveal freshwater origins of Chinook salmon *Oncorhynchus tshawytscha* aggregations in California's coastal ocean. 548:181–196  
 Johnson SK, see Watson WH III et al. (2016) 542:109–121  
 Johnston R, see Sheaves M et al. (2016) 549:167–182

Jørgensen LL, see Degen R et al. (2016) 546:1–16  
 Jormalainen V, see Gagnon K et al. (2015) 541:15–30  
 Jossart Q, see De Bruyn C et al. (2016) 546:163–171

## K

Kaartvedt S, see Prihartato PK et al. (2016) 544:65–75  
 Kacev D, see Cartamil D et al. (2016) 548:153–163  
 Kaiser MJ, see Cambiè G et al. (2016) 546:213–223  
 Katsanevakis S (2016) Transplantation as a conservation action to protect the Mediterranean fan mussel *Pinna nobilis*. 546:113–122  
 Ke CH, see Feng DQ et al. (2016) 544:169–182  
 Kempf A, see Cormon X et al. (2016) 542:141–151  
 Kenny A, see van Denderen PD et al. (2015) 541:31–43  
 Keough MJ, see Smith TM et al. (2016) 542:97–108  
 Keppel AG, Breitburg DL, Wikfors GH, Burrell RB, Clark VM (2016) (Erratum to Vol. 538:169–183, 2015) 547:287  
 Keppel AG, see Miller SH et al. (2016) 549:1–8  
 Khan B, Ringwood AH (2016) Cellular biomarker responses to hypoxia in eastern oysters and Atlantic ribbed marsh mussels. 546:123–133  
 Kimmerer W, see Slaughter AM et al. (2016) 547:47–60  
 Kinas PG, see Petitot R et al. (2015) 541:205–218  
 King CK, see Carrea C et al. (2016) 545:227–238  
 King N, see Smale DA et al. (2016) 542:79–95  
 Kluger LC, Taylor MH, Barriga Rivera E, Torres Silva E, Wolff M (2016) Assessing the ecosystem impact of scallop bottom culture through a community analysis and trophic modelling approach. 547:121–135  
 Knotts ER, see Griffen BD et al. (2016) 543:273–281  
 Knowlton AR, see Rolland RM et al. (2016) 542:265–282  
 Koblitz JC, see Schaffeld T et al. (2016) 547:257–272  
 Koch MS, see Peach KE et al. (2016) 544:143–158  
 Koch PL, see Johnson RC et al. (2016) 548:181–196  
 Kochoni E, see Delgard ML et al. (2016) 543:55–71  
 Koedam N, see De Ryck DJR et al. (2016) 545:123–134  
 Kohin S, see Cartamil D et al. (2016) 548:153–163  
 Kollars NM, Byers JE, Sotka EE (2016) Invasive décor: an association between a native decorator worm and a non-native seaweed can be mutualistic. 545:135–145  
 Kolts JM, see Lovvorn JR et al. (2016) 548:11–30  
 Kordas RL, Harley CDG (2016) Demographic responses of coexisting species to *in situ* warming. 546:147–161  
 Koski WR, see Robertson FC et al. (2016) 549:243–262  
 Kotova SA, see Zhadan PM et al. (2016) 550:147–161  
 Kough AS, Claro R, Lindeman KC, Paris CB (2016) Decadal analysis of larval connectivity from Cuban snapper (Lutjanidae) spawning aggregations based on biophysical modeling. 550:175–190  
 Kovacs KM, see Hamilton CD et al. (2016) 545:261–277  
 Kraan C, see Greenfield BL et al. (2016) 548:1–10  
 Kramer MJ, Bellwood O, Bellwood DR (2016) Foraging and microhabitat use by crustacean-feeding wrasses on coral reefs. 548:277–282  
 Kraus SD, see Rolland RM et al. (2016) 542:265–282  
 Kristensen E, see Vasquez-Cardenas D et al. (2016) 549:55–68  
 Kroeker KJ, see Gambi MC et al. (2016) 550:121–134  
 Kroll IR, Poray AK, Puckett BJ, Eggleston DB, Fodrie FJ (2016) Environmental effects on elemental signatures in eastern oyster *Crassostrea virginica* shells: using geochemical tagging to assess population connectivity. 543:173–186  
 Krügel K, see Schaffeld T et al. (2016) 547:257–272  
 Krumme U, see Shahraki M et al. (2016) 542:153–166  
 Kühl M, see Cartaxana P et al. (2016) 545:35–47  
 Kuletz KJ, see Suryan RM et al. (2016) 549:199–215

Kuroki M, see Liénart C et al. (2016) 544:225–241  
 Kuwae T, see Watanuki Y et al. (2016) 546:263–269

## L

- Labunski EA, see Suryan RM et al. (2016) 549:199–215  
 Lacharité M, see Girard F et al. (2016) 544:53–64  
 Lagunas MG, see Suchy KD et al. (2016) 545:91–108  
 Laidre KL, see Hauser DDW et al. (2015) 541:245–264  
 Lalas C, see Agnew P et al. (2015) 541:219–229  
 Lam CH, see Cartamil D et al. (2016) 548:153–163  
 Lambert G, see Cambiè G et al. (2016) 546:213–223  
 Langdon C, see Towle EK et al. (2016) 546:75–84  
 Larsen A, see Ray JL et al. (2016) 542:63–77  
 Lasker HR, see Gambrel B (2016) 546:85–95  
 Latasa M, see Mouriño-Carballido B et al. (2016) 543:1–19  
 Laws EA, see Passow U (2015) 541:75–90  
 Lawson DD, see Crear DP et al. (2016) 548:219–232  
 Layman CA, see Anton A et al. (2016) 544:257–269  
 Le Corre M, see Legrand B et al. (2016) 550:235–248  
 Le Gendre R, see Passy P et al. (2016) 543:107–125  
 Lecuyer E, see Genitsaris S et al. (2016) 548:61–75  
 Lee D, see Bashevkin SM et al. (2016) 542:123–140  
 LeGault KN, Hunt HL (2016) Cannibalism among green sea urchins *Strongylocentrotus droebachiensis* in the laboratory and field. 542:1–12  
 Legrand B, Benneveau A, Jaeger A, Pinet P, Potin G, Jaquetmet S, Le Corre M (2016) Current wintering habitat of an endemic seabird of Réunion Island, Barau's petrel *Pterodroma barau*, and predicted changes induced by global warming. 550:235–248  
 Lenfant P, see Bouchoucha M et al. (2016) 547:193–209  
 Leng MJ, see Cambiè G et al. (2016) 546:213–223  
 LeRoux RA, see Crear DP et al. (2016) 548:219–232  
 Letessier TB, Cox MJ, Meeuwig JJ, Boersch-Supan PH, Briereley AS (2016) Enhanced pelagic biomass around coral atolls. 546:271–276  
 Lévassieur M, see Brown TA et al. (2016) 546:17–29  
 Liénart C, Feunteun E, Miller MJ, Aoyama J, Mortillaro JM, Hubas C, Kuroki M, Watanabe S, Dupuy C, Carpentier A, Otake T, Tsukamoto K, Meziane T (2016) Geographic variation in stable isotopic and fatty acid composition of anguilliform leptocephali and particulate organic matter in the South Pacific. 544:225–241  
 Lilley SA, see Schiel DR et al. (2016) 548:77–95  
 Lillis A, see Ricci SW et al. (2016) 550:25–38  
 Limpus CJ, see Jensen MP et al. (2016) 543:241–256  
 Lindegren M, see Pecuchet L et al. (2016) 546:239–248  
 Lindeman KC, see Kough AS et al. (2016) 550:175–190  
 Lindsay RE, Constantine R, Robbins J, Mattila DK, Tagarino A, Dennis TE (2016) Characterising essential breeding habitat for whales informs the development of large-scale Marine Protected Areas in the South Pacific. 548:263–275  
 Liu H, see Zhang S et al. (2016) 549:27–40  
 Liu Q, Nishibori N, Imai I, Hollibaugh JT (2016) Response of polyamine pools in marine phytoplankton to nutrient limitation and variation in temperature and salinity. 544:93–105  
 Ljubin P, see Degen R et al. (2016) 546:1–16  
 Lobanov VB, see Zhadan PM et al. (2016) 550:147–161  
 Lobry J, see Chevillot X et al. (2016) 549:137–151  
 Locke A, see Gharouni A et al. (2015) 541:135–150  
 Lohier S, see Skov H et al. (2016) 542:221–234  
 Long MH, Mooney TA, Zakroff C (2016) Extreme low oxygen and decreased pH conditions naturally occur within developing squid egg capsules. 550:111–119  
 Longmore AR, see Hirst AJ et al. (2016) 549:79–88  
 Longtin CM, Saunders GW (2016) The relative contribution of *Saccharina nigripes* (Phaeophyceae) to the Bay of Fundy Laminariaceae: spatial and temporal variability. 543:153–162  
 Lopez-Lopez L, Bartolino V, Preciado I (2015) Role of prey abundance and geographical variables in a demersal top predator's feeding habits (*Merluccius merluccius*). 541:165–177  
 López-Urrutia Á, see Álvarez E et al. (2016) 543:73–87  
 Löscher CR, see Czerny JMS et al. (2016) 545:49–62  
 Lough JM, see Su R et al. (2016) 546:47–60  
 Lovvorn JR, North CA, Kolts JM, Grebmeier JM, Cooper LW, Cui X (2016) Projecting the effects of climate-driven changes in organic matter supply on benthic food webs in the northern Bering Sea. 548:11–30  
 Lowe CG, see Crear DP et al. (2016) 548:219–232  
 Lübcker N, see Reisinger RR et al. (2016) 549:263–274  
 Luis J, see Georgiou D et al. (2016) 544:159–167  
 Lundquist D, see Senigaglia V et al. (2016) 542:251–263  
 Lusseau D, see Senigaglia V et al. (2016) 542:251–263  
 Lydersen C, see Hamilton CD et al. (2016) 545:261–277  
 Lynch S, see Cross ME et al. (2016) 549:99–112  
 Lyu Y, see Richlen ML et al. (2016) 547:33–46

## M

- Mac Nally R, see Warry FY et al. (2016) 542:25–37  
 MacFarlane RB, see Johnson RC et al. (2016) 548:181–196  
 Macreadie PI, see Smith TM et al. (2016) 542:97–108  
 Madeira C, see Teixeira S et al. (2016) 544:131–142  
 Maduna SN, da Silva C, Wintner SP, Roodt-Wilding R, Bester-van der Merwe AE (2016) When two oceans meet: regional population genetics of an exploited coastal shark, *Mustelus mustelus*. 544:183–196  
 Majewski A, see Stasko AD et al. (2016) 549:153–166  
 Mangel JC, see Ortiz N et al. (2016) 545:251–259  
 Marañón E, see Mouriño-Carballido B et al. (2016) 543:1–19  
 Marchal P, see Cormon X et al. (2016) 542:141–151  
 Marriott AL, McCarthy ID, Ramsay AL, Chenery SRN (2016) Discriminating nursery grounds of juvenile plaice (*Pleuronectes platessa*) in the south-eastern Irish Sea using otolith microchemistry. 546:183–195  
 Marriott AL, see Cambiè G et al. (2016) 546:213–223  
 Martinez E, see Senigaglia V et al. (2016) 542:251–263  
 Martínez-García S, see Teira E et al. (2016) 542:39–50  
 Matheson K, McKenzie CH, Gregory RS, Robichaud DA, Bradbury IR, Snelgrove PVR, Rose GA (2016) Linking eelgrass decline and impacts on associated fish communities to European green crab *Carcinus maenas* invasion. 548:31–45  
 Matheus Z, see Pereira-Filho GH et al. (2015) 541:65–73  
 Matterson KO, see Freeman CJ et al. (2016) 544:281–286  
 Matthiopoulos J, see Horswill C et al. (2016) 548:233–247  
 Mattila DK, see Lindsay RE et al. (2016) 548:263–275  
 Mayer R, see Steppe CN et al. (2016) 546:97–112  
 McCarthy ID, see Cambiè G et al. (2016) 546:213–223  
 McCarthy ID, see Marriott AL et al. (2016) 546:183–195  
 McClymont EL, see Reisinger RR et al. (2016) 549:263–274  
 McDuiue F, Congdon BC (2016) Trans-equatorial migration and non-breeding habitat of tropical shearwaters: implications for modelling pelagic Important Bird Areas. 550:219–234  
 McGill RAR, see Horswill C et al. (2016) 548:233–247  
 McGill RAR, see Notman GM et al. (2016) 549:113–123  
 McGill RAR, see Reid WDK et al. (2016) 542:13–24

- McGinnity P, see Cross ME et al. (2016) 549:99–112  
 McGovern B, see Culloch RM et al. (2016) 549:231–242  
 McKenzie CH, see Matheson K et al. (2016) 548:31–45  
 McQuaid CD, see Puccinelli E et al. (2016) 543:37–54  
 McSweeney N, see Waser AM et al. (2016) 545:215–225  
 Meeuwig JJ, see Letessier TB et al. (2016) 546:271–276  
 Menden-Deuer S, see Graff JR (2016) 544:1–14  
 Metaxas A, see Girard F et al. (2016) 544:53–64  
 Metaxas A, see Sorochan KA (2015) 541:105–122  
 Metian M, see Pouil S et al. (2016) 550:207–218  
 Metzger E, see Delgard ML et al. (2016) 543:55–71  
 Meysman FJR, see Burdorf LDW et al. (2016) 545:1–8  
 Meysman FJR, see Vasquez-Cardenas D et al. (2016) 549:55–68  
 Meziane T, see Liénart C et al. (2016) 544:225–241  
 Micheli F, see Gambi MC et al. (2016) 550:121–134  
 Millar RB, see Gama LR et al. (2016) 542:209–219  
 Miller KJ, see Carrea C et al. (2016) 545:227–238  
 Miller MGR, see Rayner MJ et al. (2016) 549:217–229  
 Miller MJ, see Liénart C et al. (2016) 544:225–241  
 Miller SH, Breitburg DL, Burrell RB, Keppel AG (2016) Acidification increases sensitivity to hypoxia in important forage fishes. 549:1–8  
 Milligan AJ, see Graff JR et al. (2016) 542:51–62  
 Moksnes PO, see Infantes E et al. (2016) 546:31–45  
 Mollet FM, Dieckmann U, Rijnsdorp AD (2016) Reconstructing the effects of fishing on life-history evolution in North Sea plaice *Pleuronectes platessa*. 542:195–208  
 Monchy S, see Genitsaris S et al. (2016) 548:61–75  
 Montesdeoca-Esponda S, see Fernández-Urruzola I et al. (2016) 550:83–99  
 Montory JA, see Segura CJ et al. (2016) 543:187–199  
 Mooney TA, see Long MH et al. (2016) 550:111–119  
 Moore ME, see Berejikian BA et al. (2016) 543:21–35  
 Moore PJ, see Smale DA et al. (2016) 542:79–95  
 Morán XAG, see Álvarez E et al. (2016) 543:73–87  
 Morán XAG, see Mouriño-Carballido B et al. (2016) 543:1–19  
 Moreno-Marín F, see Villazán B et al. (2016) 545:109–121  
 Moreno-Valcárcel R, Oliva-Paterna FJ, Bevilacqua S, Terlizzi A, Fernández-Delgado C (2016) Long-term effects of tidal restriction on fish assemblages in east Atlantic coastal marshlands. 543:209–222  
 Morfin M, Bez N, Fromentin JM (2016) Habitats of ten demersal species in the Gulf of Lions and potential implications for spatial management. 547:219–232  
 Morgan A, see Byron C (2016) 550:249–270  
 Morgan SG, see Cornwell BH et al. (2016) 548:139–152  
 Morgan SG, see Wheeler SG et al. (2016) 550:191–206  
 Mortillaro JM, see Liénart C et al. (2016) 544:225–241  
 Motreuil S, see De Bruyn C et al. (2016) 546:163–171  
 Moura RL, see Pereira-Filho GH et al. (2015) 541:65–73  
 Mouriño-Carballido B, Hojas E, Cermeño P, Chouciño P, Fernández-Castro B, Latasa M, Marañón E, Morán XAG, Vidal M (2016) Nutrient supply controls picoplankton community structure during three contrasting seasons in the northwestern Mediterranean Sea. 543:1–19  
 Mundy CJ, see Brown TA et al. (2016) 546:17–29  
 Mundy CJ, see Elliott A et al. (2015) 541:91–104  
 Murrell JC, see Sargeant SL et al. (2016) 550:53–64  
 Musco L, see Gambi MC et al. (2016) 550:121–134
- N**
- Nakamura Y, see Beck HJ et al. (2016) 546:197–212  
 Nakayama SMM, see Watanuki Y et al. (2016) 546:263–269  
 Narvarte M, see Firstater FN et al. (2016) 550:101–110
- Navarro JM, see Segura CJ et al. (2016) 543:187–199  
 Naylor GJP, see Giles JL et al. (2016) 548:165–180  
 Neigel JE, see Cornwell BH et al. (2016) 548:139–152  
 Nejstgaard JC, see Ray JL et al. (2016) 542:63–77  
 Neves LM, see Pereira-Filho GH et al. (2015) 541:65–73  
 Neveu R, see Bouchoucha M et al. (2016) 547:193–209  
 Nieto-Cid M, see Teira E et al. (2016) 542:39–50  
 Nightingale PD, see Sargeant SL et al. (2016) 550:53–64  
 Nikolov M, see Steppe CN et al. (2016) 546:97–112  
 Nishibori N, see Liu Q et al. (2016) 544:93–105  
 Noad MJ, see Owen K et al. (2015) 541:231–244  
 Nogueira E, see Álvarez E et al. (2016) 543:73–87  
 Noren DP, see Senigaglia V et al. (2016) 542:251–263  
 North CA, see Lovvorn JR et al. (2016) 548:11–30  
 Notman GM, McGill RAR, Hawkins SJ, Burrows MT (2016) Macroalgae contribute to the diet of *Patella vulgata* from contrasting conditions of latitude and wave exposure in the UK. 549:113–123  
 Noyon M, see Puccinelli E et al. (2016) 543:37–54
- O**
- O'Brien KR, see Burford MA et al. (2016) 545:21–33  
 O'Connell TC, see Horswill C et al. (2016) 548:233–247  
 O'Riordan RM, see Cross ME et al. (2016) 549:99–112  
 Oberhänsli F, see Pouil S et al. (2016) 550:207–218  
 Ohashi K, see Béguer-Pon M et al. (2016) 549:183–198  
 Økland F, see Aldvén D et al. (2015) 541:151–163  
 Olesen M, see Pommer CD et al. (2016) 548:47–60  
 Oliva-Paterna FJ, see Moreno-Valcárcel R et al. (2016) 543:209–222  
 Olson RJ, see Brownlee EF et al. (2016) 550:65–81  
 Ortega L, Celentano E, Delgado E, Defeo O (2016) Climate change influences on abundance, individual size and body abnormalities in a sandy beach clam. 545:203–213  
 Ortiz N, Mangel JC, Wang J, Alfaro-Shigueto J, Pingo S, Jimenez A, Suarez T, Swimmer Y, Carvalho F, Godley BJ (2016) Reducing green turtle bycatch in small-scale fisheries using illuminated gillnets: the cost of saving a sea turtle. 545:251–259  
 Osma N, see Fernández-Urruzola I et al. (2016) 550:83–99  
 Ossoliński J, see Spivak AC (2016) 544:107–130  
 Otake T, see Liénart C et al. (2016) 544:225–241  
 Ovenden JR, see Giles JL et al. (2016) 548:165–180  
 Overy T, see Cambiè G et al. (2016) 546:213–223  
 Owen K, Warren JD, Noad MJ, Donnelly D, Goldizen AW, Dunlop RA (2015) Effect of prey type on the fine-scale feeding behaviour of migrating east Australian humpback whales. 541:231–244
- P**
- Packard TT, see Fernández-Urruzola I et al. (2016) 550:83–99  
 Pandolfi JM, see Prazeres M et al. (2016) 549:69–78  
 Paris CB, see Kough AS et al. (2016) 550:175–190  
 Paris F, see Passy P et al. (2016) 543:107–125  
 Parker-Stetter SL, see Hauser DDW et al. (2015) 541:245–264  
 Parker-Stetter SL, see Suryan RM et al. (2016) 549:199–215  
 Parry GD, Hirst AJ (2016) Decadal decline in demersal fish biomass coincident with a prolonged drought and the introduction of an exotic starfish. 544:37–52  
 Paschke KA, see Segura CJ et al. (2016) 543:187–199  
 Passow U, Laws EA (2015) Ocean acidification as one of multiple stressors: growth response of *Thalassiosira weissflogii* (diatom) under temperature and light stress.

- 541:75–90
- Passy P, Le Gendre R, Garnier J, Cugier P, Callens J, Paris F, Billen G, Riou P, Romero E (2016) Eutrophication modeling chain for improved management strategies to prevent algal blooms in the Bay of Seine. 543:107–125
- Patrício AR, Diez CE, van Dam RP, Godley BJ (2016) Novel insights into the dynamics of green turtle fibropapillomatosis. 547:247–255
- Paul VJ, see Ritson-Williams R et al. (2016) 548:127–138
- Peach KE, Koch MS, Blackwelder PL (2016) Effects of elevated  $p\text{CO}_2$  and irradiance on growth, photosynthesis and calcification in *Halimeda discoidea*. 544:143–158
- Pearson GA, see Teixeira S et al. (2016) 544:131–142
- Peat H, see Tarling GA et al. (2016) 547:61–78
- Pechenik JA, see Segura CJ et al. (2016) 543:187–199
- Pecuchet L, Törnroos A, Lindegren M (2016) Patterns and drivers of fish community assembly in a large marine ecosystem. 546:239–248
- Pehlke H, see Degen R et al. (2016) 546:1–16
- Pennetta A, see Calò A et al. (2016) 544:213–224
- Pereira GC, see Barbosa ACC et al. (2016) 543:201–208
- Pereira JG, see Diogo H (2016) 542:187–193
- Pereira-Filho GH, Veras PC, Francini-Filho RB, Moura RL, Pinheiro HT, Gibran FZ, Matheus Z, Neves LM, Amado-Filho GM (2015) Effects of the sand tilefish *Malacanthus plumieri* on the structure and dynamics of a rhodolith bed in the Fernando de Noronha Archipelago, tropical West Atlantic. 541:65–73
- Pérez J, see Prado P et al. (2016) 545:189–202
- Pérez-Ruzafa Á, see Calò A et al. (2016) 544:213–224
- Petit R, Avens L, Castilhos JC, Kinan PG, Bugoni L (2015) Age and growth of olive ridley sea turtles *Lepidochelys olivacea* in the main Brazilian nesting ground. 541:205–218
- Pettersen AK, see Torres G et al. (2016) 545:147–160
- Pettis HM, see Rolland RM et al. (2016) 542:265–282
- Phillips RA, see Horswill C et al. (2016) 548:233–247
- Phillips RA, see Rayner MJ et al. (2016) 549:217–229
- Phillis CC, see Johnson RC et al. (2016) 548:181–196
- Piccoli PM, see Conroy CW et al. (2015) 541:179–194
- Pichegru L, see van Eeden R et al. (2016) 543:257–271
- Pierre M, see Chevillot X et al. (2016) 549:137–151
- Pilditch CA, see Greenfield BL et al. (2016) 548:1–10
- Pinet P, see Legrand B et al. (2016) 550:235–248
- Pinfield R, see Culloch RM et al. (2016) 549:231–242
- Pingo S, see Ortiz N et al. (2016) 545:251–259
- Pinheiro HT, see Pereira-Filho GH et al. (2015) 541:65–73
- Planque B, see Siegelman-Charbit L (2016) 546:277–282
- Plumlee JD, Wells RJD (2016) Feeding ecology of three coastal shark species in the northwest Gulf of Mexico. 550:163–174
- Poland SJ, see Rudershausen PJ et al. (2016) 544:15–35
- Polito MJ, see Rosciano NG et al. (2016) 548:249–262
- Polovina JJ, see Choy CA et al. (2016) 549:9–25
- Polunin NVC, see Reid WDK et al. (2016) 542:13–24
- Pommer CD, Olesen M, Hansen JLS (2016) Impact and distribution of bottom trawl fishing on mud-bottom communities in the Kattegat. 548:47–60
- Poray AK, see Kroll IR et al. (2016) 543:173–186
- Potin G, see Legrand B et al. (2016) 550:235–248
- Pouil S, Warnau M, Oberhansli F, Teyssié JL, Bustamante P, Metian M (2016) Influence of food on the assimilation of essential elements (Co, Mn, and Zn) by turbot *Scophthalmus maximus*. 550:207–218
- Poulin M, see Brown TA et al. (2016) 546:17–29
- Poulin M, see Elliott A et al. (2015) 541:91–104
- Poulin R, see Thieltges DW (2016) 545:9–19
- Power M, see Stasko AD et al. (2016) 549:153–166
- Prado P, Roque A, Pérez J, Ibáñez C, Alcaraz C, Casals F, Caiola N (2016) Warming and acidification-mediated resilience to bacterial infection determine mortality of early *Ostrea edulis* life stages. 545:189–202
- Prazeres M, Uthicke S, Pandolfi JM (2016) Changing light levels induce photo-oxidative stress and alterations in shell density of *Amphistegina lobifera* (Foraminifera). 549:69–78
- Preciado I, see Lopez-Lopez L et al. (2015) 541:165–177
- Priddel D, see Rayner MJ et al. (2016) 549:217–229
- Prihartato PK, Irigoien X, Genton MG, Kaartvedt S (2016) Global effects of moon phase on nocturnal acoustic scattering layers. 544:65–75
- Prodöhl PA, see Cross ME et al. (2016) 549:99–112
- Puccinelli E, Noyon M, McQuaid CD (2016) Hierarchical effects of biogeography and upwelling shape the dietary signatures of benthic filter feeders. 543:37–54
- Puckett BJ, see Kroll IR et al. (2016) 543:173–186
- Puntilla R, see Anton A et al. (2016) 544:257–269

## Q

- Qiu Y, see Feng DQ et al. (2016) 544:169–182
- Queiroga H, see Rey F et al. (2016) 546:135–146
- Quesada AJ, Schoo KL, Bingham BL (2016) Effect of symbiotic state on the fatty acid composition of *Anthopleura elegantissima*. 545:175–187
- Quintana CO, see Vasquez-Cardenas D et al. (2016) 549:55–68

## R

- Ramos D, see Rey F et al. (2016) 546:135–146
- Ramsay AL, see Marriott AL et al. (2016) 546:183–195
- Ranjard L, see Rayner MJ et al. (2016) 549:217–229
- Ratcliffe N, see Horswill C et al. (2016) 548:233–247
- Ray JL, Skaar KS, Simonelli P, Larsen A, Sazhin A, Jakobsen HH, Nejtgaard JC, Troedsson C (2016) Molecular gut content analysis demonstrates that *Calanus* grazing on *Phaeocystis pouchetii* and *Skeletonema marinoi* is sensitive to bloom phase but not prey density. 542:63–77
- Raya Rey A, see Rosciano NG et al. (2016) 548:249–262
- Rayner MJ, Carlile N, Priddel D, Bretagnolle V, Miller MGR, Phillips RA, Ranjard L, Bury SJ, Torres LG (2016) Niche partitioning by three *Pterodroma* petrel species during non-breeding in the equatorial Pacific Ocean. 549:217–229
- Read M, see Udyawer V et al. (2016) 546:249–262
- Reich P, see Warry FY et al. (2016) 542:25–37
- Reid T, see van Eeden R et al. (2016) 543:257–271
- Reid WDK, Sweeting CJ, Wigham BD, McGill RAR, Polunin NVC (2016) Isotopic niche variability in macroconsumers of the East Scotia Ridge (Southern Ocean) hydrothermal vents: What more can we learn from an ellipse?. 542:13–24
- Reifel KM, see Graff JR et al. (2016) 542:51–62
- Reisinger RR, Gröcke DR, Lübcker N, McClymont EL, Hoelzel AR, de Bruyn PJN (2016) Variation in the diet of killer whales *Orcinus orca* at Marion Island, Southern Ocean. 549:263–274
- Reiss C, see Tarling GA et al. (2016) 547:61–78
- Reist J, see Stasko AD et al. (2016) 549:153–166
- Renner M, see Suryan RM et al. (2016) 549:199–215
- Ressler PH, see Suryan RM et al. (2016) 549:199–215

- Rey F, Silva Neto GM, Brandão C, Ramos D, Silva B, Rosa R, Queiroga H, Calado R (2016) Contrasting oceanographic conditions during larval development influence the benthic performance of a marine invertebrate with a bi-phasic life cycle. 546:135–146
- Ribeiro L, see Cartaxana P et al. (2016) 545:35–47
- Ricard D, Zimmermann F, Heino M (2016) Are negative intraspecific interactions important for recruitment dynamics? A case study of Atlantic fish stocks. 547:211–217
- Ricci SW, Eggleston DB, Bohnenstiehl DR, Lillis A (2016) Temporal soundscape patterns and processes in an estuarine reserve. 550:25–38
- Richard M, see Delgard ML et al. (2016) 543:55–71
- Richard PR, see Hauser DDW et al. (2015) 541:245–264
- Richards ZT, Ryan NM, Harvey ES, Garcia R, Hobbs JPA (2016) Diversity on the edge: non-linear patterns of coral community structure at an isolated oceanic island. 546:61–74
- Richlen ML, Zielinski O, Holinde L, Tillmann U, Cembella A, Lyu Y, Anderson DM (2016) Distribution of *Alexandrium fundyense* (Dinophyceae) cysts in Greenland and Iceland, with an emphasis on viability and growth in the Arctic. 547:33–46
- Riebesell U, see Czerny JMS et al. (2016) 545:49–62
- Riekenberg PM, Carney RS, Fry B (2016) Trophic plasticity of the methanotrophic mussel *Bathymodiolus childressi* in the Gulf of Mexico. 547:91–106
- Rigaud A, see Chevillot X et al. (2016) 549:137–151
- Rigaud T, see De Bruyn C et al. (2016) 546:163–171
- Riginos C, see Giles JL et al. (2016) 548:165–180
- Rijnsdorp AD, see Mollet FM et al. (2016) 542:195–208
- Rijnsdorp AD, see van Denderen PD et al. (2015) 541:31–43
- Ringwood AH, see Khan B (2016) 546:123–133
- Riou P, see Passy P et al. (2016) 543:107–125
- Ritson-Williams R, Arnold SN, Paul VJ (2016) Patterns of larval settlement preferences and post-settlement survival for seven Caribbean corals. 548:127–138
- Rivinoja P, see Aldvén D et al. (2015) 541:151–163
- Robbins J, see Lindsay RE et al. (2016) 548:263–275
- Robertson FC, Koski WR, Trites AW (2016) Behavioral responses affect distribution analyses of bowhead whales in the vicinity of seismic operations. 549:243–262
- Robichaud DA, see Matheson K et al. (2016) 548:31–45
- Robinson LA, see Clare DS et al. (2016) 547:149–161
- Rogers TL, Byrnes JE, Stachowicz JJ (2016) Native predators limit invasion of benthic invertebrate communities in Bodega Harbor, California, USA. 545:161–173
- Rolland RM, Schick RS, Pettis HM, Knowlton AR, Hamilton PK, Clark JS, Kraus SD (2016) Health of North Atlantic right whales *Eubalaena glacialis* over three decades: from individual health to demographic and population health trends. 542:265–282
- Romero E, see Passy P et al. (2016) 543:107–125
- Roodt-Wilding R, see Maduna SN et al. (2016) 544:183–196
- Roos PJ, see Hoeksema BW et al. (2015) 541:279
- Roque A, see Prado P et al. (2016) 545:189–202
- Rosa R, see Rey F et al. (2016) 546:135–146
- Rosciano NG, Polito MJ, Raya Rey A (2016) Do penguins share? Evidence of foraging niche segregation between but not within two sympatric, central-place foragers. 548:249–262
- Rose GA, see Matheson K et al. (2016) 548:31–45
- Ross DJ, see Smith TM et al. (2016) 542:97–108
- Rost B, see Eberlein T et al. (2016) 543:127–140
- Roy S, see Alou-Font E et al. (2016) 543:89–106
- Rudershausen PJ, Buckel JA, Dueker MA, Poland SJ, Hain E (2016) Comparison of fish and invertebrate assemblages among variably altered tidal creeks in a coastal landscape. 544:15–35
- Ruesink JL, see Yang S et al. (2016) 543:163–171
- Ruf T, see Schaffeld T et al. (2016) 547:257–272
- Russell AD, see Wheeler SG et al. (2016) 550:191–206
- Ryan NM, see Richards ZT et al. (2016) 546:61–74
- Ryan PG, see van Eeden R et al. (2016) 543:257–271
- Rykaczewski RR, see Grieve BD et al. (2016) 546:225–237

## S

- Saint-Paul U, see Shahraki M et al. (2016) 542:153–166
- Sakai K, see Evensen NR et al. (2015) 541:123–134
- Santana-Morales O, see Cartamil D et al. (2016) 548:153–163
- Santos R, see Georgiou D et al. (2016) 544:159–167
- Sargeant SL, Murrell JC, Nightingale PD, Dixon JL (2016) Seasonal variability in microbial methanol utilisation in coastal waters of the western English Channel. 550:53–64
- Saunders GW, see Longtin CM (2016) 543:153–162
- Saunders RA, Collins MA, Ward P, Stowasser G, Hill SL, Shreeve R, Tarling GA (2015) Predatory impact of the myctophid fish community on zooplankton in the Scotia Sea (Southern Ocean). 541:45–64
- Sautour B, see Chevillot X et al. (2016) 549:137–151
- Sayer MDJ, see Smale DA et al. (2016) 542:79–95
- Sazhin A, see Ray JL et al. (2016) 542:63–77
- Schaffar A, see Senigaglia V et al. (2016) 542:251–263
- Schaffeld T, Bräger S, Gallus A, Dähne M, Krügel K, Herrmann A, Jabbusch M, Ruf T, Verfuß UK, Benke H, Koblitz JC (2016) Diel and seasonal patterns in acoustic presence and foraging behaviour of free-ranging harbour porpoises. 547:257–272
- Scheibling RE, see Filbee-Dexter K et al. (2016) 543:141–152
- Schick RS, see Rolland RM et al. (2016) 542:265–282
- Schiel DR, Lilley SA, South PM, Coggins JHJ (2016) Decadal changes in sea surface temperature, wave forces and intertidal structure in New Zealand. 548:77–95
- Schiel DR, see Hickford MJH (2016) 548:197–207
- Schoo KL, see Quesada AJ et al. (2016) 545:175–187
- Schrack EC, see Freitas RF et al. (2016) 547:79–89
- Secor DH, see Conroy CW et al. (2015) 541:179–194
- Segura CJ, Pechenik JA, Montory JA, Navarro JM, Paschke KA, Cubillos VM, Chaparro OR (2016) The cost of brooding in an estuary: implications of declining salinity for gastropod females and their brooded embryos. 543:187–199
- Seminoff JA, see Crear DP et al. (2016) 548:219–232
- Semmens BX, see Bellquist L (2016) 547:1–18
- Senigaglia V, Christiansen F, Bejder L, Gendron D, Lundquist D, Noren DP, Schaffar A, Smith JC, Williams R, Martinez E, Stockin K, Lusseau D (2016) Meta-analyses of whale-watching impact studies: comparisons of cetacean responses to disturbance. 542:251–263
- Sergeev AF, see Zhadan PM et al. (2016) 550:147–161
- Serrão EA, see Teixeira S et al. (2016) 544:131–142
- Shahraki M, Saint-Paul U, Krumme U, Fry B (2016) Fish use of intertidal mangrove creeks at Qeshm Island, Iran. 542:153–166
- Sheaves M, Johnston R, Baker R (2016) Use of mangroves by fish: new insights from in-forest videos. 549:167–182
- Sheng J, see Béguet-Pon M et al. (2016) 549:183–198
- Sherman CDH, see Smith TM et al. (2016) 542:97–108
- Shivji MS, see Vaudo JJ et al. (2016) 547:163–175
- Shreeve R, see Saunders RA et al. (2015) 541:45–64
- Siegelman-Charbit L, Planque B (2016) Abundant meso-pelagic fauna at oceanic high latitudes. 546:277–282
- Silliman BR, see Freitas RF et al. (2016) 547:79–89

- Silva B, see Rey F et al. (2016) 546:135–146  
 Silva Neto GM, see Rey F et al. (2016) 546:135–146  
 Simonelli P, see Ray JL et al. (2016) 542:63–77  
 Simpfendorfer CA, see Chin A et al. (2016) 544:197–211  
 Simpfendorfer CA, see Udyawer V et al. (2016) 546:249–262  
 Simpson MS, see Anton A et al. (2016) 544:257–269  
 Skaar KS, see Ray JL et al. (2016) 542:63–77  
 Skov H, Heinänen S, Thaxter CB, Williams AE, Lohier S, Banks AN (2016) Real-time species distribution models for conservation and management of natural resources in marine environments. 542:221–234  
 Slaughter AM, Ignoffo TR, Kimmerer W (2016) Predation impact of *Acartiella sinensis*, an introduced predatory copepod in the San Francisco Estuary, USA. 547:47–60  
 Smale DA, Burrows MT, Evans AJ, King N, Sayer MDJ, Yunn ALE, Moore PJ (2016) Linking environmental variables with regional-scale variability in ecological structure and standing stock of carbon within UK kelp forests. 542:79–95  
 Smiley KM, Emmerson LM (2016) A matter of timing: Adélie penguin reproductive success in a seasonally varying environment. 542:235–249  
 Smith ADM, see Soler GA et al. (2016) 545:239–249  
 Smith JA, see Champion C et al. (2015) 541:1–14  
 Smith JC, see Senigaglia V et al. (2016) 542:251–263  
 Smith TM, York PH, Macreadie PI, Keough MJ, Ross DJ, Sherman CDH (2016) Recovery pathways from small-scale disturbance in a temperate Australian seagrass. 542:97–108  
 Snelgrove PVR, see Matheson K et al. (2016) 548:31–45  
 Sobrino C, see Teira E et al. (2016) 542:39–50  
 Soler GA, Thomson RJ, Stuart-Smith RD, Smith ADM, Edgar GJ (2016) Contributions of body size, habitat and taxonomy to predictions of temperate Australian fish diets. 545:239–249  
 Sorochan KA, Metaxas A (2015) Low predation rates on the larvae of three species of barnacles by the ctenophore *Pleurobrachia pileus*. 541:105–122  
 Sosa-Nishizaki O, see Cartamil D et al. (2016) 548:153–163  
 Sosik HM, see Brownlee EF et al. (2016) 550:65–81  
 Sotka EE, see Kollars NM et al. (2016) 545:135–145  
 South PM, see Schiel DR et al. (2016) 548:77–95  
 Spackeen JL, see Zhu Z et al. (2016) 550:39–51  
 Spencer M, see Clare DS et al. (2016) 547:149–161  
 Spies BT, Steele MA (2016) Effects of temperature and latitude on larval traits of two estuarine fishes in differing estuary types. 544:243–255  
 Spivak AC, Ossolinski J (2016) Limited effects of nutrient enrichment on bacterial carbon sources in salt marsh tidal creek sediments. 544:107–130  
 Stachowicz JJ, see Rogers TL et al. (2016) 545:161–173  
 Stasko AD, Swanson H, Majewski A, Atchison S, Reist J, Power M (2016) Influences of depth and pelagic subsidies on the size-based trophic structure of Beaufort Sea fish communities. 549:153–166  
 Steele MA, see Spies BT (2016) 544:243–255  
 Steppe CN, Fredriksson DW, Wallendorf L, Nikolov M, Mayer R (2016) Direct setting of *Crassostrea virginica* larvae in a tidal tributary: applications for shellfish restoration and aquaculture. 546:97–112  
 Stockin K, see Senigaglia V et al. (2016) 542:251–263  
 Stokesbury KDE, see Bethoney ND et al. (2016) 547:137–147  
 Stoner EW, see Freeman CJ et al. (2016) 544:281–286  
 Stowasser G, see Saunders RA et al. (2015) 541:45–64  
 Stuart-Smith RD, see Soler GA et al. (2016) 545:239–249  
 Su R, Lough JM, Sun D (2016) Variations in massive *Porites* growth rates at Hainan Island, northern South China Sea. 546:47–60  
 Suarez T, see Ortiz N et al. (2016) 545:251–259  
 Suchy KD, Avila TR, Dower JF, Bianchini A, Figueiredo GM (2016) Short-term variability in chitobiase-based planktonic crustacean production rates in a highly eutrophic tropical estuary. 545:77–89  
 Suchy KD, Dower JF, Varela DE, Lagunas MG (2016) Interannual variability in the relationship between *in situ* primary productivity and somatic crustacean productivity in a temperate fjord. 545:91–108  
 Sun D, see Su R et al. (2016) 546:47–60  
 Suryan RM, Kuletz KJ, Parker-Stetter SL, Ressler PH, Renner M, Horne JK, Farley EV, Labunski EA (2016) Temporal shifts in seabird populations and spatial coherence with prey in the southeastern Bering Sea. 549:199–215  
 Suthers IM, see Champion C et al. (2015) 541:1–14  
 Suydam RS, see Hauser DDW et al. (2015) 541:245–264  
 Swanson H, see Stasko AD et al. (2016) 549:153–166  
 Sweeting CJ, see Reid WDK et al. (2016) 542:13–24  
 Swimmer Y, see Ortiz N et al. (2016) 545:251–259
- ## T
- Tagarino A, see Lindsay RE et al. (2016) 548:263–275  
 Takekawa JY, see Janousek CN et al. (2016) 548:111–125  
 Targett TE, see Torre MP (2016) 548:209–218  
 Tarling GA, Hill S, Peat H, Fielding S, Reiss C, Atkinson A (2016) Growth and shrinkage in Antarctic krill *Euphausia superba* is sex-dependent. 547:61–78  
 Tarling GA, see Saunders RA et al. (2015) 541:45–64  
 Taylor MH, see Kluger LC et al. (2016) 547:121–135  
 Teira E, Hernández-Ruiz M, Barber-Lluch E, Sobrino C, Teixeira IG, Álvarez-Salgado XA, Nieto-Cid M, Martínez-García S, Figueiras FG, Fernández E (2016) Bacterioplankton responses to riverine and atmospheric inputs in a coastal upwelling system (Ría de Vigo, NW Spain). 542:39–50  
 Teixeira IG, see Teira E et al. (2016) 542:39–50  
 Teixeira S, Pearson GA, Candeias R, Madeira C, Valero M, Serrão EA (2016) Lack of fine-scale genetic structure and distant mating in natural populations of *Fucus vesiculosus*. 544:131–142  
 Telles AC, see Freitas RF et al. (2016) 547:79–89  
 Terlizzi A, see Bevilacqua S (2016) 547:19–32  
 Terlizzi A, see Moreno-Valcárcel R et al. (2016) 543:209–222  
 Teyssié JL, see Pouil S et al. (2016) 550:207–218  
 Thaxter CB, see Skov H et al. (2016) 542:221–234  
 Thieltes DW, Poulin R (2016) Food-web-based comparison of the drivers of helminth parasite species richness in coastal fish and bird definitive hosts. 545:9–19  
 Thieltes DW, see Waser AM et al. (2016) 545:215–225  
 Thompson AR, Hyde JR, Watson W, Chen DC, Guo LW (2016) Rockfish assemblage structure and spawning locations in southern California identified through larval sampling. 547:177–192  
 Thomson JR, see Warry FY et al. (2016) 542:25–37  
 Thomson RJ, see Soler GA et al. (2016) 545:239–249  
 Thorne KM, see Janousek CN et al. (2016) 548:111–125  
 Thrush SF, see Greenfield BL et al. (2016) 548:1–10  
 Tillmann U, see Richlen ML et al. (2016) 547:33–46  
 Tobin AJ, see Chin A et al. (2016) 544:197–211  
 Törnroos A, see Pecuchet L et al. (2016) 546:239–248  
 Torre MP, Targett TE (2016) Nekton assemblages along riprap-altered shorelines in Delaware Bay, USA: comparisons with adjacent beach. 548:209–218  
 Torres G, Giménez L, Pettersen AK, Bue M, Burrows MT, Jenkins SR (2016) Persistent and context-dependent

effects of the larval feeding environment on post-metamorphic performance through the adult stage. 545:147–160

Torres LG, see Rayner MJ et al. (2016) 549:217–229

Torres Silva E, see Kluger LC et al. (2016) 547:121–135

Towle EK, Baker AC, Langdon C (2016) Preconditioning to high CO<sub>2</sub> exacerbates the response of the Caribbean branching coral *Porites porites* to high temperature stress. 546:75–84

Trathan PN, see Horswill C et al. (2016) 548:233–247

Trathan PN, see Watanuki Y et al. (2016) 546:263–269

Triest L, see De Ryck DJR et al. (2016) 545:123–134

Trites AW, see Robertson FC et al. (2016) 549:243–262

Troedsson C, see Ray JL et al. (2016) 542:63–77

Tsukamoto K, see Liénart C et al. (2016) 544:225–241

## U

Udyawer V, Simpfendorfer CA, Read M, Hamann M, Heupel MR (2016) Exploring habitat selection in sea snakes using passive acoustic monitoring and Bayesian hierarchical models. 546:249–262

Uthicke S, see Prazeres M et al. (2016) 549:69–78

Uyà M, see Jenkins SR (2016) 547:273–286

## V

Vacquié-Garcia J, Guinet C, Dragon AC, Viviant M, El Ksabi N, Bailleul F (2015) Predicting prey capture rates of southern elephant seals from track and dive parameters. 541:265–277

Valdez D, see Burford MA et al. (2016) 545:21–33

Valero M, see Teixeira S et al. (2016) 544:131–142

van Dam RP, see Patrício AR et al. (2016) 547:247–255

Van de Waal DB, see Eberlein T et al. (2016) 543:127–140

van Denderen PD, Bolam SG, Hiddink JG, Jennings S, Kenny A, Rijnsdorp AD, van Kooten T (2015) Similar effects of bottom trawling and natural disturbance on composition and function of benthic communities across habitats. 541:31–43

van der Meer J, see Waser AM et al. (2016) 545:215–225

Van der Stocken T, see De Ryck DJR et al. (2016) 545:123–134

van der Ven RM, see De Ryck DJR et al. (2016) 545:123–134

van Eeden R, Reid T, Ryan PG, Pichegru L (2016) Fine-scale foraging cues for African penguins in a highly variable marine environment. 543:257–271

van Geel N, see Benjamins S et al. (2016) 549:275–288

van Kooten T, see van Denderen PD et al. (2015) 541:31–43

Varela DE, see Suchy KD et al. (2016) 545:91–108

Vartia S, see Cross ME et al. (2016) 549:99–112

Vaschenko MA, see Zhadan PM et al. (2016) 550:147–161

Vasquez-Cardenas D, Quintana CO, Meysman FJR, Kristensen E, Boschker HTS (2016) Species-specific effects of two bioturbating polychaetes on sediment chemoautotrophic bacteria. 549:55–68

Vaudo JJ, Wetherbee BM, Wood AD, Weng K, Howey-Jordan LA, Harvey GM, Shivji MS (2016) Vertical movements of shortfin mako sharks *Isurus oxyrinchus* in the western North Atlantic Ocean are strongly influenced by temperature. 547:163–175

Veras PC, see Pereira-Filho GH et al. (2015) 541:65–73

Verdoit-Jarraya M, see Bouchouca M et al. (2016) 547:193–209

Verfuß UK, see Schaffeld T et al. (2016) 547:257–272

Vergara JJ, see Villazán B et al. (2016) 545:109–121

Vermard Y, see Cormon X et al. (2016) 542:141–151

Vidal M, see Mouriño-Carballido B et al. (2016) 543:1–19

Villazán B, Brun FG, González-Ortiz V, Moreno-Marín F, Bouma TJ, Vergara JJ (2016) Flow velocity and light level drive non-linear response of seagrass *Zostera noltei* to ammonium enrichment. 545:109–121

Visser F, see Culloch RM et al. (2016) 549:231–242

Viviant M, see Vacquié-Garcia J et al. (2015) 541:265–277

Voss M, see Eberlein T et al. (2016) 543:127–140

## W

Wabnitz CCC, see Choy CA et al. (2016) 549:9–25

Wallendorf L, see Steppe CN et al. (2016) 546:97–112

Wang F, see Elliott A et al. (2015) 541:91–104

Wang J, see Ortiz N et al. (2016) 545:251–259

Wang L, see Gharouni A et al. (2015) 541:135–150

Wang W, see Feng DQ et al. (2016) 544:169–182

Wang X, see Feng DQ et al. (2016) 544:169–182

Ward DP, see Burford MA et al. (2016) 545:21–33

Ward P, see Saunders RA et al. (2015) 541:45–64

Warnau M, see Pouil S et al. (2016) 550:207–218

Warren JD, see Owen K et al. (2015) 541:231–244

Warry FY, Reich P, Woodland RJ, Thomson JR, Mac Nally R, Cook PLM (2016) Nitrogen stable isotope values of large-bodied consumers reflect urbanization of coastal catchments. 542:25–37

Waser AM, Goedknecht MA, Dekker R, McSweeney N, Witte JIJ, van der Meer J, Thielges DW (2016) Tidal elevation and parasitism: patterns of infection by the rhizocephalan parasite *Sacculina carcini* in shore crabs *Carcinus maenas*. 545:215–225

Watanabe S, see Liénart C et al. (2016) 544:225–241

Watanuki Y, Yamashita A, Ishizuka M, Ikenaka Y, Nakayama SMM, Ishii C, Yamamoto T, Ito M, Kuwae T, Trathan PN (2016) Feather mercury concentration in streaked shearwaters wintering in separate areas of southeast Asia. 546:263–269

Watmough J, see Gharouni A et al. (2015) 541:135–150

Watson W, see Thompson AR et al. (2016) 547:177–192

Watson WH III, Johnson SK, Whitworth CD, Chabot CC (2016) Rhythms of locomotion and seasonal changes in activity expressed by horseshoe crabs in their natural habitat. 542:109–121

Weber PK, see Johnson RC et al. (2016) 548:181–196

Wegner NC, see Cartamil D et al. (2016) 548:153–163

Weijerman M, see Choy CA et al. (2016) 549:9–25

Wells RJD, see Plumlee JD (2016) 550:163–174

Weng K, see Vaudo JJ et al. (2016) 547:163–175

Westberry TK, see Graff JR et al. (2016) 542:51–62

Wetherbee BM, see Vaudo JJ et al. (2016) 547:163–175

Whap T, see Jensen MP et al. (2016) 543:241–256

Wheeler SG, Russell AD, Fehrenbacher JS, Morgan SG (2016) Evaluating chemical signatures in a coastal upwelling region to reconstruct water mass associations of settlement-stage rockfishes. 550:191–206

White JW, see Easter EE (2016) 543:223–240

Whitworth CD, see Watson WH III et al. (2016) 542:109–121

Wigham BD, see Reid WDK et al. (2016) 542:13–24

Wikfors GH, see Keppel AG et al. (2016) 547:287

Williams AE, see Skov H et al. (2016) 542:221–234

Williams R, see Senigaglia V et al. (2016) 542:251–263

Wilson B, see Benjamins S et al. (2016) 549:275–288

Wintner SP, see Maduna SN et al. (2016) 544:183–196

Witte JIJ, see Waser AM et al. (2016) 545:215–225  
Wolff M, see Kluger LC et al. (2016) 547:121–135  
Wood AD, see Vaudo JJ et al. (2016) 547:163–175  
Woodland RJ, see Warry FY et al. (2016) 542:25–37  
Woodworth-Jefcoats PA, see Choy CA et al. (2016) 549:9–25  
Wraith J, see Cartamil D et al. (2016) 548:153–163  
Wright J, see Agnew P et al. (2015) 541:219–229

**X**

Xu K, see Zhu Z et al. (2016) 550:39–51

**Y**

Yamamoto T, see Watanuki Y et al. (2016) 546:263–269  
Yamashita A, see Watanuki Y et al. (2016) 546:263–269  
Yang S, HilleRisLambers J, Ruesink JL (2016) Reversal of intraspecific interactions by an ecosystem engineer leads to variable seedling success along a stress gradient. 543: 163–171

Yli-Rosti J, see Gagnon K et al. (2015) 541:15–30  
York PH, see Smith TM et al. (2016) 542:97–108  
Yunnie ALE, see Smale DA et al. (2016) 542:79–95

**Z**

Zakroff C, see Long MH et al. (2016) 550:111–119  
Zhadan PM, Vaschenko MA, Lobanov VB, Sergeev AF, Kotova SA (2016) Fine-scale temporal study of the influence of hydrobiological conditions on the spawning of the sea urchin *Strongylocentrotus intermedius*. 550: 147–161  
Zhang S, Liu H, Guo C, Harrison PJ (2016) Differential feeding and growth of *Noctiluca scintillans* on monospecific and mixed diets. 549:27–40  
Zhu Z, Xu K, Fu F, Spackeen JL, Bronk DA, Hutchins DA (2016) A comparative study of iron and temperature interactive effects on diatoms and *Phaeocystis antarctica* from the Ross Sea, Antarctica. 550:39–51  
Zielinski O, see Richlen ML et al. (2016) 547:33–46  
Zimmermann F, see Ricard D et al. (2016) 547:211–217