

## COMBINED AUTHOR AND TITLE INDEX

(Volumes 551 to 560, 2016)

## A

- Aarestrup K, see Schabetsberger R et al. (2016) 554:141–155
- Aarts G, von Benda-Beckmann AM, Lucke K, Sertlek HÖ, van Bemmelen R, Geelhoed SCV, Brasseur S, Scheidat M, Lam FPA, Slabbekoorn H, Kirkwood R (2016) Harbour porpoise movement strategy affects cumulative number of animals acoustically exposed to underwater explosions. 557:261–275
- Abesamis RA, see Nash KL et al. (2016) 554:129–140
- Agawin NSR, Ferriol P, Cryer C, Alcon E, Busquets A, Sintés E, Vidal C, Moyà G (2016) Significant nitrogen fixation activity associated with the phyllosphere of Mediterranean seagrass *Posidonia oceanica*: first report. 551:53–62
- Ahmed N, see Madigan DJ et al. (2016) 553:253–266
- Akins JL, see Hixon MA et al. (2016) 558:161–165
- Aksnes DL, see Norheim E et al. (2016) 551:45–52
- Albins MA, see Hixon MA et al. (2016) 558:161–165
- Albores-Barajas YV, see Soldatini C et al. (2016) 552:255–269
- Albuquerque R, see Gomes I et al. (2016) 552:159–176
- Alcon E, see Agawin NSR et al. (2016) 551:53–62
- Allen BJ, see LaScala-Gruenewald DE et al. (2016) 553:49–66
- Alós J, Tomas F, Terrados J, Verbruggen H, Ballesteros E (2016) Fast-spreading green beds of recently introduced *Halimeda incrassata* invade Mallorca island (NW Mediterranean Sea). 558:153–158
- Álvarez P, see García-Seoane E et al. (2016) 551:31–44
- Álvarez-Colombo G, see García-Seoane E et al. (2016) 551:31–44
- Ambrose WG Jr, see Åström EKL et al. (2016) 552:1–18
- Ameneiro J, Lubián LM, Sangrà P, Vázquez E (2016) Food-limited invertebrate larvae in the Southern Ocean: testing a paradigm. 554:71–80
- Amsler CD, see Schram JB et al. (2016) 554:81–97
- Amsler MO, see Brothers CJ et al. (2016) 553:155–162
- Andersen CP, see Johnson MG et al. (2016) 557:123–132
- Anderson ER, see Kindinger TL (2016) 558:247–253
- Anderson TW, see Sievers KT et al. (2016) 557:51–63
- Andrello M, see Rattray A et al. (2016) 553:1–11
- Andreotti S, Rutzen M, van der Walt S, Von der Heyden S, Henriques R, Mejer M, Oosthuizen H, Matthee CA (2016) An integrated mark-recapture and genetic approach to estimate the population size of white sharks in South Africa. 552:241–253
- Angel LP, Berlincourt M, Arnould JPY (2016) Pronounced inter-colony variation in the foraging ecology of Australasian gannets: influence of habitat differences. 556:261–272
- Angus RA, see Schram JB et al. (2016) 554:81–97
- Antunes C, see Dias E et al. (2016) 554:21–34
- Appeldoorn RS, see Harms-Tuohy CA et al. (2016) 558:181–191
- Archer SD, see Gilg IC et al. (2016) 555:13–27
- Arimitsu ML, Piatt JF, Mueter F (2016) Influence of glacier runoff on ecosystem structure in Gulf of Alaska fjords. 560:19–40
- Arnould JPY, see Angel LP et al. (2016) 556:261–272
- Arnould JPY, see Baylis AMM et al. (2016) 554:201–211
- Arnould JPY, see Waugh SM et al. (2016) 551:249–260
- Aronson RB, see Brothers CJ et al. (2016) 553:155–162
- Asjes A, González-Irusta JM, Wright PJ (2016) Age-related and seasonal changes in haddock *Melanogrammus aeglefinus* distribution: implications for spatial management. 553:203–217
- Asnaghi V, see Rattray A et al. (2016) 553:1–11
- Åström EKL, Carroll ML, Ambrose WG Jr, Carroll J (2016) Arctic cold seeps in marine methane hydrate environments: impacts on shelf macrobenthic community structure offshore Svalbard. 552:1–18
- Atkins S, Cantor M, Pillay N, Cliff G, Keith M, Parra GJ (2016) Net loss of endangered humpback dolphins: integrating residency, site fidelity, and bycatch in shark nets. 555:249–260
- Atkinson S, see Hutchinson E et al. (2016) 557:277–288
- Attard KM, Hancke K, Sejr MK, Glud RN (2016) Benthic primary production and mineralization in a High Arctic fjord: *in situ* assessments by aquatic eddy covariance. 554:35–50
- Avaro MG, see Zárate EV et al. (2016) 551:185–199

## B

- Babarro JMF, Vázquez E, Olabarria C (2016) Importance of phenotypic plastic traits on invasion success: response of *Xenostrobus securis* to the predatory dogwhelk *Nucella lapillus*. 560:185–198
- Baeta A, see Dolbeth M et al. (2016) 560:41–55
- Bahamon N, see Bernardello R et al. (2016) 559:21–34
- Baimukanov M, see Dmitrieva L et al. (2016) 554:241–256
- Baker CS, see Derville S et al. (2016) 551:261–275
- Baker JA, see Norrie CR et al. (2016) 559:89–102
- Balazs GH, see Christiansen F et al. (2016) 557:247–259
- Ballesteros E, see Alós J et al. (2016) 558:153–158
- Bănaru D, see Brosset P et al. (2016) 554:157–171
- Banas NS, Campbell RG (2016) Traits controlling body size in copepods: separating general constraints from species-specific strategies. 558:21–33
- Bandara K, Varpe Ø, Søreide JE, Wallenschus J, Berge J, Eiane K (2016) Seasonal vertical strategies in a high-Arctic coastal zooplankton community. 555:49–64
- Barco S, Law M, Drummond B, Koopman H, Trapani C, Reinheimer S, Rose S, Swingle WM, Williard A (2016) Loggerhead turtles killed by vessel and fishery interaction in Virginia, USA, are healthy prior to death. 555:221–234
- Barger CP, see Young RC et al. (2016) 556:251–259
- Barnay-Verdier S, see Ventura P et al. (2016) 559:257–263
- Barnes RSK, Hamylton S (2016) On the very edge: faunal and

- functional responses to the interface between benthic seagrass and unvegetated sand assemblages. 553:33–48
- Barr RJ, see Sievers KT et al. (2016) 557:51–63
- Batista H, see Garrido S et al. (2016) 559:131–145
- Baum JK, see McDevitt-Irwin JM et al. (2016) 557:133–143
- Bayer SR, Wahle RA, Jumars PA, Brady DC (2016) Measuring scallop fertilization success in the field: chamber design and tests. 551:141–154
- Baylina N, see Garrido S et al. (2016) 559:131–145
- Baylis AMM, Orben RA, Costa DP, Arnould JPY, Staniland IJ (2016) Sexual segregation in habitat use is smaller than expected in a highly dimorphic marine predator, the southern sea lion. 554:201–211
- Beck M, see Singer A et al. (2016) 551:13–30
- Belmaker J, see Zvuloni A (2016) 556:123–130
- Beltran RS, see Lübcker N et al. (2016) 559:243–255
- Ben-Hamadou R, see Garrido S et al. (2016) 559:131–145
- Benedetti-Cecchi L, see Rattray A et al. (2016) 553:1–11
- Benkwitt CE (2016) Invasive lionfish increase activity and foraging movements at greater local densities. 558:255–266
- Bentzen P, see Horne JB et al. (2016) 556:237–250
- Berg CW, see Kindt-Larsen L et al. (2016) 555:261–271
- Berge J, see Bandara K et al. (2016) 555:49–64
- Bergman JL, Dang BN, Tabatabaee MM, McGowan MM, Fong CR, Bittick SJ, Fong P (2016) Nutrients induce and herbivores maintain thallus toughness, a structural anti-herbivory defense in *Turbinaria ornata*. 559:35–43
- Bergmann M, see Meyer KS et al. (2016) 556:45–57
- Berlincourt M, see Angel LP et al. (2016) 556:261–272
- Bernal D, see Eddy C et al. (2016) 558:193–206
- Bernardello R, Serrano E, Coma R, Ribes M, Bahamon N (2016) A comparison of remote-sensing SST and *in situ* seawater temperature in near-shore habitats in the western Mediterranean Sea. 559:21–34
- Berry K, see Davidson AT et al. (2016) 552:93–113
- Berzins R, see Chambault P et al. (2016) 555:235–248
- Bessey C, Heithaus MR, Fourqurean JW, Gastrich KR, Burkholder DA (2016) Importance of teleost macrograzers to seagrass composition in a subtropical ecosystem with abundant populations of megagrazers and predators. 553:81–92
- Bester MN, see Lübcker N et al. (2016) 559:243–255
- Bester MN, see Wege M et al. (2016) 554:225–239
- Beszczynska-Möller A, see Trudnowska E et al. (2016) 560:1–18
- Bett BJ, see Durden JM et al. (2016) 552:61–70
- Bett BJ, see Durden JM et al. (2016) 552:71–79
- Bevilacqua S, see Rattray A et al. (2016) 553:1–11
- Biggs CR, Nemeth RS (2016) Spatial and temporal movement patterns of two snapper species at a multi-species spawning aggregation. 558:129–142
- Bilger W, see Pescheck F et al. (2016) 555:95–107
- Billett DSM, see Durden JM et al. (2016) 552:71–79
- Bittick SJ, see Bergman JL et al. (2016) 559:35–43
- Blachowiak-Samolyk K, see Trudnowska E et al. (2016) 560:1–18
- Bleich O, see Singer A et al. (2016) 551:13–30
- Bonola M, see Chambault P et al. (2016) 555:235–248
- Bouma TJ, see de los Santos CB et al. (2016) 551:81–94
- Bouma TJ, see Gillis LG et al. (2016) 551:107–115
- Bourdeix JH, see Brosset P et al. (2016) 554:157–171
- Boyce D, see Frank KT et al. (2016) 553:185–202
- Bracken MES, see LaScala-Gruenewald DE et al. (2016) 553:49–66
- Bradbury IR, see Horne JB et al. (2016) 556:237–250
- Bradley CJ, Longenecker K, Pyle RL, Popp BN (2016) Compound-specific isotopic analysis of amino acids reveals dietary changes in mesophotic coral-reef fish. 558:65–79
- Bradshaw CJA, see Izzo C et al. (2016) 556:195–207
- Brady DC, see Bayer SR et al. (2016) 551:141–154
- Brasseur S, see Aarts G et al. (2016) 557:261–275
- Brewster JD, Giraldo C, Swanson H, Walkusz W, Loewen TN, Reist JD, Stern GA, Loseto LL (2016) Ecological niche of coastal Beaufort Sea fishes defined by stable isotopes and fatty acids. 559:159–173
- Brierley AS, see Widmer CL et al. (2016) 559:73–88
- Brosset P, Le Bourg B, Costalago D, Bănanu D, Van Beveren E, Bourdeix JH, Fromentin JM, Ménard F, Saraux C (2016) Linking small pelagic dietary shifts with ecosystem changes in the Gulf of Lions. 554:157–171
- Brothers CJ, Smith KE, Amsler MO, Aronson RB, Singh H, McClintock JB (2016) Covering behavior of deep-water echinoids in Antarctica: possible response to predatory king crabs. 553:155–162
- Brumsack HJ, see Singer A et al. (2016) 551:13–30
- Brun FG, see de los Santos CB et al. (2016) 551:81–94
- Brunner EL, Prahlg FG, Hales B, Waldbusser GG (2016) A longitudinal study of Pacific oyster (*Crassostrea gigas*) larval development: isotope shifts during early shell formation reveal sub-lethal energetic stress. 555:109–123
- Buchan SJ, Quiñones RA (2016) First insights into the oceanographic characteristics of a blue whale feeding ground in northern Patagonia, Chile. 554:183–199
- Budge SM, see Oxtoby LE et al. (2016) 557:161–175
- Bulleri F, see Rattray A et al. (2016) 553:1–11
- Bulling M, see Sweet M et al. (2016) 551:171–183
- Burford MA, see Saeck EA et al. (2016) 552:81–92
- Burkholder DA, see Bessey C et al. (2016) 553:81–92
- Burton RS, see Gleason LU (2016) 556:143–159
- Busch DS, see McLaskey AK et al. (2016) 555:65–78
- Busquets A, see Agawin NSR et al. (2016) 551:53–62
- Byers JE, see Malek JC (2016) 556:131–141
- Byrne M, see Foo SA et al. (2016) 556:161–172

## C

- Cachera M, see Mille T et al. (2016) 555:167–184
- Caldeira C, see Garrido S et al. (2016) 559:131–145
- Calosi P, see Ventura P et al. (2016) 559:257–263
- Cambridge ML, see de los Santos CB et al. (2016) 551:81–94
- Campbell RG, see Banas NS (2016) 558:21–33
- Campen H, see Pescheck F et al. (2016) 555:95–107
- Canesi KL, Ryneerson TA (2016) Temporal variation of *Skeletonema* community composition from a long-term time series in Narragansett Bay identified using high-throughput DNA sequencing. 556:1–16
- Cannas R, see Frodella N et al. (2016) 554:99–113
- Cantor M, see Atkins S et al. (2016) 555:249–260
- Carbonara P, see Frodella N et al. (2016) 554:99–113
- Cariani A, see Frodella N et al. (2016) 554:99–113
- Carneiro APB, Manica A, Clay TA, Silk JRD, King M, Phillips RA (2016) Consistency in migration strategies and habitat preferences of brown skuas over two winters, a decade apart. 553:267–281
- Carr-Harris C, see Moore JW et al. (2016) 559:201–215
- Carroll J, see Åström EKL et al. (2016) 552:1–18
- Carroll ML, see Åström EKL et al. (2016) 552:1–18
- Casas MC, see Cleary AC et al. (2016) 552:115–129
- Castillo TR, see Han YS et al. (2016) 551:227–238
- Castro L, see González HE et al. (2016) 557:91–110
- Cebrian E, see Rattray A et al. (2016) 553:1–11
- Cebrian J, see Christiaen B et al. (2016) 557:111–121
- Celentano E, Defeo O (2016) Effects of climate on the mole

- crab *Emerita brasiliensis* on a dissipative beach in Uruguay. 552:211–222
- Chambault P, de Thoisy B, Kelle L, Berzins R, Bonola M, Delvaux H, Le Maho Y, Chevallier D (2016) Inter-nesting behavioural adjustments of green turtles to an estuarine habitat in French Guiana. 555:235–248
- Chauvel C, see Guinand B et al. (2016) 558:115–127
- Checkley DM Jr, see Shen SG et al. (2016) 553:173–183
- Chen F, see Shen SG et al. (2016) 553:173–183
- Chen Y, see McMahan MD et al. (2016) 557:177–187
- Chevallier D, see Chambault P et al. (2016) 555:235–248
- Chiang WC, see Madigan DJ et al. (2016) 553:253–266
- Chiantore M, see Rattray A et al. (2016) 553:1–11
- Choy CA, see Madigan DJ et al. (2016) 553:253–266
- Christiaen B, Lehrter JC, Goff J, Cebrian J (2016) Functional implications of changes in seagrass species composition in two shallow coastal lagoons. 557:111–121
- Christiansen F, Putman NF, Farman R, Parker DM, Rice MR, Polovina JJ, Balazs GH, Hays GC (2016) Spatial variation in directional swimming enables juvenile sea turtles to reach and remain in productive waters. 557:247–259
- Clark CW, Ellison WT, Southall BL, Hatch L, Van Parijs SM, Frankel A, Panirakis D (2016) (Corrigendum to Vol. 395: 201–222, 2009) 554:281
- Clark HR, Gobler CJ (2016) Diurnal fluctuations in CO<sub>2</sub> and dissolved oxygen concentrations do not provide a refuge from hypoxia and acidification for early-life-stage bivalves. 558:1–14
- Claudet J, see Rattray A et al. (2016) 553:1–11
- Clay TA, see Carneiro APB et al. (2016) 553:267–281
- Cleary AC, Durbin EG, Casas MC, Zhou M (2016) Winter distribution and size structure of Antarctic krill *Euphausia superba* populations in-shore along the West Antarctic Peninsula. 552:115–129
- Cliff G, see Atkins S et al. (2016) 555:249–260
- Cole AJ, see Hoang TC et al. (2016) 551:63–79
- Colin SP, see Nagata RM et al. (2016) 557:145–159
- Collin R, Ochoa I (2016) Influence of seasonal environmental variation on the reproduction of four tropical marine gastropods. 555:125–139
- Coma R, see Bernardello R et al. (2016) 559:21–34
- Condit R, see Lübcker N et al. (2016) 559:243–255
- Constantine R, see Derville S et al. (2016) 551:261–275
- Cordell JR, see Munsch SH et al. (2016) 557:1–15
- Costa DP, see Baylis AMM et al. (2016) 554:201–211
- Costa DP, see Fiechter J et al. (2016) 556:273–285
- Costa DP, see McHuron EA et al. (2016) 554:213–224
- Costalago D, see Brosset P et al. (2016) 554:157–171
- Costello JH, see Nagata RM et al. (2016) 557:145–159
- Cotter AM, see Dias E et al. (2016) 554:21–34
- Cowan DF, see McMahan MD et al. (2016) 557:177–187
- Cowen RK, see Greer AT et al. (2016) 551:1–12
- Crandall ED, see Selkoe KA et al. (2016) 554:1–19
- Cristóvão A, see Garrido S et al. (2016) 559:131–145
- Cryer C, see Agawin NSR et al. (2016) 551:53–62
- Cunning R, Ritson-Williams R, Gates RD (2016) Patterns of bleaching and recovery of *Montipora capitata* in Ka'ne'ohe Bay, Hawai'i, USA. 551:131–139
- D'Aloia CC, see Selkoe KA et al. (2016) 554:1–19
- Dahlgren CP, see Sherman KD et al. (2016) 554:263–280
- Dall'Olmo G, see Schabetsberger R et al. (2016) 554:141–155
- Dalton SJ, see Purcell SW et al. (2016) 551:201–214
- Dance MA, Rooker JR (2016) Stage-specific variability in habitat associations of juvenile red drum across a latitudinal gradient. 557:221–235
- Daneri G, see González HE et al. (2016) 557:91–110
- Dang BN, see Bergman JL et al. (2016) 559:35–43
- Daniels CJ, Poulton AJ, Young JR, Esposito M, Humphreys MP, Ribas-Ribas M, Tynan E, Tyrrell T (2016) Species-specific calcite production reveals *Coccolithus pelagicus* as the key calcifier in the Arctic Ocean. 555:29–47
- Danielsen NST, Hedeholm RB, Grønkjær P (2016) Seasonal changes in diet and lipid content of northern sand lance *Ammodytes dubius* on Fyllas Bank, West Greenland. 558:97–113
- Darnaude AM, see Guinand B et al. (2016) 558:115–127
- Davidson AT, McKinlay J, Westwood K, Thomson PG, van den Enden R, de Salas M, Wright S, Johnson R, Berry K (2016) Enhanced CO<sub>2</sub> concentrations change the structure of Antarctic marine microbial communities. 552:93–113
- Davidson AT, see Thomson PG et al. (2016) 554:51–69
- Davidson MI, Targett TE, Greco PA (2016) Evaluating the effects of diel-cycling hypoxia and pH on growth and survival of juvenile summer flounder *Paralichthys dentatus*. 556:223–235
- de Bruyn PJN, see Lübcker N et al. (2016) 559:243–255
- de Bruyn PJN, see Wege M et al. (2016) 554:225–239
- De Leo GA, see Elahi R et al. (2016) 560:147–158
- de los Santos CB, Onoda Y, Vergara JJ, Pérez-Lloréns JL, Bouma TJ, La Nafie YA, Cambridge ML, Brun FG (2016) A comprehensive analysis of mechanical and morphological traits in temperate and tropical seagrass species. 551:81–94
- de Pontual H, see Mille T et al. (2016) 555:167–184
- de Salas M, see Davidson AT et al. (2016) 552:93–113
- De Smet B, van Oevelen D, Vincx M, Vanaverbeke J, Soetaert K (2016) *Lanice conchilega* structures carbon flows in soft-bottom intertidal areas. 552:47–60
- de Thoisy B, see Chambault P et al. (2016) 555:235–248
- Defeo O, see Celentano E (2016) 552:211–222
- Delvaux H, see Chambault P et al. (2016) 555:235–248
- Deneudt K, see Huisman J et al. (2016) 554:257–262
- Denny MW, see LaScala-Gruenewald DE et al. (2016) 553:49–66
- Derville S, Constantine R, Baker CS, Oremus M, Torres LG (2016) Environmental correlates of nearshore habitat distribution by the Critically Endangered Māui dolphin. 551:261–275
- Deudero S, see Rattray A et al. (2016) 553:1–11
- Dias E, Morais P, Cotter AM, Antunes C, Hoffman JC (2016) Estuarine consumers utilize marine, estuarine and terrestrial organic matter and provide connectivity among these food webs. 554:21–34
- Díaz de Vivar ME, see Zárte EV et al. (2016) 551:185–199
- DiBacco C, see Lowen JB et al. (2016) 556:17–30
- Diéguez-Uribeondo J, see Rivas ML et al. (2016) 551:239–248
- Dijkstra JA, Simkanin C (2016) Intraspecific response of colonial ascidians to variable salinity stress in an era of global change. 551:215–225
- Dingle L, see Sheaves M et al. (2016) 556:31–43
- Dmitrieva L, Jüssi M, Jüssi I, Kasymbekov Y, Verevkin M, Baimukanov M, Wilson S, Goodman SJ (2016) Individual variation in seasonal movements and foraging strategies of a land-locked, ice-breeding pinniped. 554:241–256
- Dolbeth M, Vendel AL, Baeta A, Pessanha A, Patrício J (2016)

## D

Dahl KA, Patterson WF III, Snyder RA (2016) Experimental assessment of lionfish removals to mitigate reef fish community shifts on northern Gulf of Mexico artificial reefs. 558:207–221

Exploring ecosystem functioning in two Brazilian estuaries integrating fish diversity, species traits and food webs. 560:41–55

- Donayre S, see Riascos JM et al. (2016) 557:65–75  
 Donnellan SC, see Izzo C et al. (2016) 556:195–207  
 Doroff A, see Traiger SB et al. (2016) 560:73–86  
 Dorresteijn I, see Young RC et al. (2016) 556:251–259  
 Drew M, see Izzo C et al. (2016) 556:195–207  
 Driscoll NW, see Sievers KT et al. (2016) 557:51–63  
 Drummond B, see Barco S et al. (2016) 555:221–234  
 Duarte CM, see Ramajo L et al. (2016) 553:93–109  
 Dubert J, see Gomes I et al. (2016) 552:159–176  
 Duffy JE, see Miyashita LK et al. (2016) 559:13–20  
 Duffy JE, see Moore AFP (2016) 556:105–121  
 Dunn PH, Zarulli V, Levitis DA (2016) Beyond being eaten or swept away: ontogenetic transitions drive developmental mortality in marine barnacle larvae. 559:103–116  
 Dunphy BJ, see Norrie CR et al. (2016) 559:89–102  
 Durako MJ, see Hall MO et al. (2016) 560:243–249  
 Durbin EG, see Cleary AC et al. (2016) 552:115–129  
 Durden JM, Bett BJ, Horton T, Serpell-Stevens A, Morris KJ, Billett DSM, Ruhl HA (2016) Improving the estimation of deep-sea megabenthos biomass: dimension to wet weight conversions for abyssal invertebrates. 552:71–79  
 Durden JM, Bett BJ, Schoening T, Morris KJ, Nattkemper TW, Ruhl HA (2016) Comparison of image annotation data generated by multiple investigators for benthic ecology. 552:61–70  
 Dworjanyn SA, see Foo SA et al. (2016) 556:161–172  
 Dworjanyn SA, see Mos B (2016) 559:117–129

## E

- Eddy C, Pitt J, Morris JA Jr, Smith S, Goodbody-Gringley G, Bernal D (2016) Diet of invasive lionfish (*Pterois volitans* and *P. miles*) in Bermuda. 558:193–206  
 Edmunds PJ, Lasker HR (2016) Cryptic regime shift in benthic community structure on shallow reefs in St. John, US Virgin Islands. 559:1–12  
 Eggertsen L, Hammar L, Gullström M (2016) Effects of tidal current-induced flow on reef fish behaviour and function on a subtropical rocky reef. 559:175–192  
 Eiane K, see Bandara K et al. (2016) 555:49–64  
 Elahi R, Sebens KP, De Leo GA (2016) Ocean warming and the demography of declines in coral body size. 560:147–158  
 Ellis RD, Faletti ME (2016) Native grouper indirectly ameliorates the negative effects of invasive lionfish. 558:267–279  
 Emery KA, see Greiner JT et al. (2016) 551:95–105  
 Emler RB, see Pritchard CE et al. (2016) 560:159–171  
 Epherra L, see Zárata EV et al. (2016) 551:185–199  
 Ernande B, see Mille T et al. (2016) 555:167–184  
 Espinasse B, see Silberberger MJ et al. (2016) 555:79–93  
 Esposito M, see Daniels CJ et al. (2016) 555:29–47  
 Essington TE, see Sato M et al. (2016) 560:57–72  
 Evans J, see Rattray A et al. (2016) 553:1–11

## F

- Fabrizio MC, see Schloesser RW (2016) 557:207–219  
 Faletti ME, see Ellis RD (2016) 558:267–279  
 Farman R, see Christiansen F et al. (2016) 557:247–259  
 Farrell ED, see Frodella N et al. (2016) 554:99–113  
 Farrugia TJ, Goldman KJ, Tribuzio C, Seitz AC (2016) First use of satellite tags to examine movement and habitat use

of big skates *Beringraja binoculata* in the Gulf of Alaska. 556:209–221

- Ferguson AJP, Gruber RK, Orr M, Scanes P (2016) Morphological plasticity in *Zostera muelleri* across light, sediment, and nutrient gradients in Australian temperate coastal lakes. 556:91–104  
 Ferrier GA, see Zimmer RK et al. (2016) 560:199–206  
 Ferriol P, see Agawin NSR et al. (2016) 551:53–62  
 Fiechter J, Huckstadt LA, Rose KA, Costa DP (2016) A fully coupled ecosystem model to predict the foraging ecology of apex predators in the California Current. 556:273–285  
 Field JC, see Wells BK et al. (2016) 552:271–284  
 Fields DM, see Gilg IC et al. (2016) 555:13–27  
 Figurski JD, Freiwald J, Lonhart SI, Storlazzi CD (2016) Seasonal sediment dynamics shape temperate bedrock reef communities. 552:19–29  
 Filbrun JE, see Ransom JT et al. (2016) 558:143–152  
 Filippi DP, see Waugh SM et al. (2016) 551:249–260  
 Fiorentino F, see Frodella N et al. (2016) 554:99–113  
 Fisher NS, see Madigan DJ et al. (2016) 553:253–266  
 Floge SA, see Gilg IC et al. (2016) 555:13–27  
 Flores D, see Riascos JM et al. (2016) 557:65–75  
 Follesa MC, see Frodella N et al. (2016) 554:99–113  
 Fong CR, see Bergman JL et al. (2016) 559:35–43  
 Fong P, see Bergman JL et al. (2016) 559:35–43  
 Foo SA, Dworjanyn SA, Poore AGB, Harianto J, Byrne M (2016) Adaptive capacity of the sea urchin *Heliocidaris erythrogramma* to ocean change stressors: responses from gamete performance to the juvenile. 556:161–172  
 Forster S, see Morys C et al. (2016) 557:31–49  
 Forward RB Jr, see Welch JM et al. (2016) 553:147–153  
 Foster T, Gilmour JP (2016) Seeing red: Coral larvae are attracted to healthy-looking reefs. 559:65–71  
 Fotedar RK, see Hoang TC et al. (2016) 551:63–79  
 Fourqurean JW, see Bessey C et al. (2016) 553:81–92  
 Fox CJ, see Widmer CL et al. (2016) 559:73–88  
 Frank KT, Petrie B, Boyce D, Leggett WC (2016) Anomalous ecosystem dynamics following the apparent collapse of a keystone forage species. 553:185–202  
 Fraschetti S, see Rattray A et al. (2016) 553:1–11  
 Freiwald J, see Figurski JD et al. (2016) 552:19–29  
 Freund H, see Singer A et al. (2016) 551:13–30  
 Frey DL, Gagnon P (2016) Spatial dynamics of the green sea urchin *Strongylocentrotus droebachiensis* in food-depleted habitats. 552:223–240  
 Frodella N, Cannas R, Velonà A, Carbonara P, Farrell ED, Fiorentino F, Follesa MC, Garofalo G, Hemida F, Mancusi C, Stagioni M, Ungaro N, Serena F, Tinti F, Cariani A (2016) Population connectivity and phylogeography of the Mediterranean endemic skate *Raja polystigma* and evidence of its hybridization with the parapatric sibling *R. montagui*. 554:99–113  
 Fromentin JM, see Brosset P et al. (2016) 554:157–171  
 Fujita J, Zenimoto K, Iguchi A, Kai Y, Ueno M, Yamashita Y (2016) Comparative phylogeography to test for predictions of marine larval dispersal in three amphidromous shrimps. 560:105–120  
 Furla P, see Ventura P et al. (2016) 559:257–263  
 Furman BT, see Hall MO et al. (2016) 560:243–249  
 Furness RW, see Grecian WJ et al. (2016) 559:231–242

## G

- Gagnaire PA, see Guinand B et al. (2016) 558:115–127  
 Gagnon P, see Frey DL (2016) 552:223–240  
 Galindo O, see Riascos JM et al. (2016) 557:65–75



- García-Seoane E, Álvarez-Colombo G, Miquel J, Rodríguez JM, Guevara-Fletcher C, Álvarez P, Saborido-Rey F (2016) Acoustic detection of larval fish aggregations in Galician waters (NW Spain). 551:31–44
- Gardiner NM, Jones GP (2016) Habitat specialisation, site fidelity and sociality predict homing success in coral reef cardinalfish. 558:81–96
- Garofalo G, see Frodella N et al. (2016) 554:99–113
- Garrido S, Cristóvão A, Caldeira C, Ben-Hamadou R, Baylina N, Batista H, Saiz E, Peck MA, Ré P, Santos AMP (2016) Effect of temperature on the growth, survival, development and foraging behaviour of *Sardina pilchardus* larvae. 559:131–145
- Gastrich K, see Kiszka JJ et al. (2016) 560:237–242
- Gastrich KR, see Bessey C et al. (2016) 553:81–92
- Gates RD, see Cuning R et al. (2016) 551:131–139
- Geelhoed SCV, see Aarts G et al. (2016) 557:261–275
- Geimecke C, see Singer A et al. (2016) 551:13–30
- Geitner K, see Kindt-Larsen L et al. (2016) 555:261–271
- Geraldi NR, see Smyth AR et al. (2016) 560:173–183
- Gerstenmaier CE, Krueger-Hadfield SA, Sotka EE (2016) Genotypic diversity in a non-native ecosystem engineer has variable impacts on productivity. 556:79–89
- Gilg IC, Archer SD, Fløge SA, Fields DM, Vermont AL, Leavitt AH, Wilson WH, Martínez Martínez J (2016) Differential gene expression is tied to photochemical efficiency reduction in virally infected *Emiliana huxleyi*. 555:13–27
- Gillanders BM, see Izzo C et al. (2016) 556:195–207
- Gillis LG, Zimmer M, Bouma TJ (2016) Mangrove leaf transportation: Do mimic *Avicennia* and *Rhizophora* roots retain or donate leaves?. 551:107–115
- Gilmour JP, see Foster T (2016) 559:65–71
- Gimenez O, see Soldatini C et al. (2016) 552:255–269
- Giraldo C, see Brewster JD et al. (2016) 559:159–173
- Giri SJ, see Weinstein DK et al. (2016) 559:45–63
- Glaser SM, see Klein ES et al. (2016) 557:237–246
- Gleason LU, Burton RS (2016) Regional patterns of thermal stress and constitutive gene expression in the marine snail *Chlorostoma funebris* in northern and southern California. 556:143–159
- Gluchowska M, see Trudnowska E et al. (2016) 560:1–18
- Glud RN, see Attard KM et al. (2016) 554:35–50
- Gobler CJ, see Clark HR (2016) 558:1–14
- Goddard P, see Rooper CN et al. (2016) 551:117–130
- Goethals P, see Huisman J et al. (2016) 554:257–262
- Goff J, see Christiaen B et al. (2016) 557:111–121
- Goldman KJ, see Farrugia TJ et al. (2016) 556:209–221
- Gomes I, Peteiro LG, Albuquerque R, Nolasco R, Dubert J, Swearer SE, Queiroga H (2016) Wandering mussels: using natural tags to identify connectivity patterns among Marine Protected Areas. 552:159–176
- Gongol C, Savage C (2016) Spatial variation in rates of benthic denitrification and environmental controls in four New Zealand estuaries. 556:59–77
- González HE, Graeve M, Kattner G, Silva N, Castro L, Iriarte JL, Osmán L, Daneri G, Vargas CA (2016) Carbon flow through the pelagic food web in southern Chilean Patagonia: relevance of *Euphausia vallentini* as a key species. 557:91–110
- Gonzalez J, see Riascos JM et al. (2016) 557:65–75
- González-But JC, see Pérez-Matus A et al. (2016) 559:147–158
- González-Irusta JM, see Asjes A et al. (2016) 553:203–217
- Goodbody-Gringley G, see Eddy C et al. (2016) 558:193–206
- Goodman SJ, see Dmitrieva L et al. (2016) 554:241–256
- Gordon J, see Moore JW et al. (2016) 559:201–215
- Gorga CC, see Howell LN et al. (2016) 559:217–229
- Goschen WS, see Patrick P et al. (2016) 560:223–235
- Gottesfeld AS, see Moore JW et al. (2016) 559:201–215
- Grabiel M, see Morgan SG et al. (2016) 552:31–46
- Grabowski JH, see McMahan MD et al. (2016) 557:177–187
- Graeve M, see González HE et al. (2016) 557:91–110
- Graf G, see Morys C et al. (2016) 557:31–49
- Graham NAJ, see Nash KL et al. (2016) 554:129–140
- Granovitch AI, see Maltseva AL et al. (2016) 552:177–193
- Gravem SA, see Morgan SG et al. (2016) 552:31–46
- Grecay PA, see Davidson MI et al. (2016) 556:223–235
- Grecian WJ, Taylor GA, Loh G, McGill RAR, Miskelly CM, Phillips RA, Thompson DR, Furness RW (2016) Contrasting migratory responses of two closely related seabirds to long-term climate change. 559:231–242
- Green SJ, see Hixon MA et al. (2016) 558:161–165
- Greer AT, Woodson CB, Guigand CM, Cowen RK (2016) Larval fishes utilize Batesian mimicry as a survival strategy in the plankton. 551:1–12
- Gregory RS, see Horne JB et al. (2016) 556:237–250
- Greiner JT, Wilkinson GM, McGlathery KJ, Emery KA (2016) Sources of sediment carbon sequestered in restored seagrass meadows. 551:95–105
- Grishankov AV, see Maltseva AL et al. (2016) 552:177–193
- Grønkvær P, see Danielsen NST et al. (2016) 558:97–113
- Gruber RK, see Ferguson AJP et al. (2016) 556:91–104
- Guarnieri G, see Rattray A et al. (2016) 553:1–11
- Guevara-Fletcher C, see García-Seoane E et al. (2016) 551:31–44
- Guigand CM, see Greer AT et al. (2016) 551:1–12
- Guinand B, Chauvel C, Lechene M, Tournois J, Tsigenopoulos CS, Darnaude AM, McKenzie DJ, Gagnaire PA (2016) Candidate gene variation in gilthead sea bream reveals complex spatiotemporal selection patterns between marine and lagoon habitats. 558:115–127
- Gullström M, see Eggertsen L et al. (2016) 559:175–192

## H

- Hales B, see Brunner EL et al. (2016) 555:109–123
- Hall MO, Furman BT, Merello M, Durako MJ (2016) Recurrence of *Thalassia testudinum* seagrass die-off in Florida Bay, USA: initial observations. 560:243–249
- Hamel JF, see Verkaik K et al. (2016) 557:189–206
- Hammar L, see Eggertsen L et al. (2016) 559:175–192
- Hamylton S, see Barnes RSK (2016) 553:33–48
- Han YS, Lin YF, Wu CR, Iizuka Y, Castillo TR, Yambot IU, Mamalangkap MD, Yambot AV (2016) Biogeographic distribution of the eel *Anguilla luzonensis*: dependence upon larval duration and oceanic currents. 551:227–238
- Hancke K, see Attard KM et al. (2016) 554:35–50
- Hardie D, see Horne JB et al. (2016) 556:237–250
- Hariato J, see Foo SA et al. (2016) 556:161–172
- Harms-Tuohy CA, Schizas NV, Appeldoorn RS (2016) Use of DNA metabarcoding for stomach content analysis in the invasive lionfish *Pterois volitans* in Puerto Rico. 558:181–191
- Harris L, see Patrick P et al. (2016) 560:223–235
- Hausmann MF, see Young RC et al. (2016) 556:251–259
- Hays GC, see Christiansen F et al. (2016) 557:247–259
- Heaphy K, see Lagrue C et al. (2016) 553:111–123
- Hedeholm RB, see Danielsen NST et al. (2016) 558:97–113
- Hein SR, Jacobs MW (2016) Decorating behavior begins immediately after metamorphosis in the decorator crab *Oregonia gracilis*. 555:141–150
- Heithaus MR, see Bessey C et al. (2016) 553:81–92

- Heithaus MR, see Kiszka JJ et al. (2016) 560:237–242  
 Helmle KP, see Weinstein DK et al. (2016) 559:45–63  
 Hemida F, see Frodella N et al. (2016) 554:99–113  
 Henriques R, see Andreotti S et al. (2016) 552:241–253  
 Heppell SS, see Smith WD et al. (2016) 556:173–193  
 Hernandez FJ Jr, see Ransom JT et al. (2016) 558:143–152  
 Heupel MR, see Lédée EJI et al. (2016) 553:219–232  
 Hixon MA, Green SJ, Albins MA, Akins JL, Morris JA Jr (2016) Lionfish: a major marine invasion. 558:161–165  
 Hoang TC, Cole AJ, Fotedar RK, O'Leary MJ, Lomas MW, Roy S (2016) Seasonal changes in water quality and *Sargassum* biomass in southwest Australia. 551:63–79  
 Hoffman JC, see Dias E et al. (2016) 554:21–34  
 Hogan JD, see Palmer G et al. (2016) 558:223–234  
 Hoover-Miller A, see Hutchinson E et al. (2016) 557:277–288  
 Horne JB, Bradbury IR, Paterson IG, Hardie D, Hutchings J, Laurel BJ, Snelgrove PVR, Morris CJ, Gregory RS, Bentzen P (2016) Complex post-larval dispersal processes in Atlantic cod revealed by age-based genetics and relatedness analysis. 556:237–250  
 Horne JK, see Sato M et al. (2016) 560:57–72  
 Horton T, see Durden JM et al. (2016) 552:71–79  
 Howell LN, Reich KJ, Shaver DJ, Landry AM Jr, Gorga CC (2016) Ontogenetic shifts in diet and habitat of juvenile green sea turtles in the northwestern Gulf of Mexico. 559:217–229  
 Huckstadt LA, see Fiechter J et al. (2016) 556:273–285  
 Huff DD, see Wells BK et al. (2016) 552:271–284  
 Huisman J, Verhelst P, Deneudt K, Goethals P, Moens T, Nagelkerke LAJ, Nolting C, Reubens J, Schollemma PP, Winter HV, Mouton A (2016) Heading south or north: novel insights on European silver eel *Anguilla anguilla* migration in the North Sea. 554:257–262  
 Humphreys MP, see Daniels CJ et al. (2016) 555:29–47  
 Hutchings J, see Horne JB et al. (2016) 556:237–250  
 Hutchinson E, Atkinson S, Hoover-Miller A (2016) Growth and reproductive tracts from fetal to adult harbor seals in the Gulf of Alaska. 557:277–288  
 Huvaneers C, see Izzo C et al. (2016) 556:195–207

## I

- Iacarella JC, see McDevitt-Irwin JM et al. (2016) 557:133–143  
 Iacchei M, see Selkoe KA et al. (2016) 554:1–19  
 Iguchi A, see Fujita J et al. (2016) 560:105–120  
 Iizuka Y, see Han YS et al. (2016) 551:227–238  
 Iken K, see Oxtoby LE et al. (2016) 557:161–175  
 Ingeman KE (2016) Lionfish cause increased mortality rates and drive local extirpation of native prey. 558:235–245  
 Iriarte JL, see González HE et al. (2016) 557:91–110  
 Itoh T, Sakai O (2016) Open-ocean foraging ecology of southern bluefin tuna *Thunnus maccoyii* based on stomach contents. 555:203–219  
 Izzo C, Huvaneers C, Drew M, Bradshaw CJA, Donnellan SC, Gillanders BM (2016) Vertebral chemistry demonstrates movement and population structure of bronze whaler. 556:195–207

## J

- Jackson RL, see Stevens JL et al. (2016) 558:167–180  
 Jacobs MW, see Hein SR (2016) 555:141–150  
 Jarrold MD, see Ventura P et al. (2016) 559:257–263  
 Johnson MG, Andersen CP, Phillips DL, Kaldy JE (2016)

- Zostera marina* root demography in an intertidal estuarine environment measured using minirhizotron technology. 557:123–132  
 Johnson R, see Davidson AT et al. (2016) 552:93–113  
 Jones GP, see Gardiner NM (2016) 558:81–96  
 Jonsson B, Jonsson M, Jonsson N (2016) Optimal size at seaward migration in an anadromous salmonid. 559:193–200  
 Jonsson M, see Jonsson B et al. (2016) 559:193–200  
 Jonsson N, see Jonsson B et al. (2016) 559:193–200  
 Jordaan A, see Klein ES et al. (2016) 557:237–246  
 Jumars PA, see Bayer SR et al. (2016) 551:141–154  
 Jüssi I, see Dmitrieva L et al. (2016) 554:241–256  
 Jüssi M, see Dmitrieva L et al. (2016) 554:241–256

## K

- Kai Y, see Fujita J et al. (2016) 560:105–120  
 Kaiser R, see Schabetsberger R et al. (2016) 554:141–155  
 Kaldy JE, see Johnson MG et al. (2016) 557:123–132  
 Kasymbekov Y, see Dmitrieva L et al. (2016) 554:241–256  
 Kattner G, see González HE et al. (2016) 557:91–110  
 Kaufman L, see Klein ES et al. (2016) 557:237–246  
 Kawabe R, see Matsumoto S et al. (2016) 555:273–277  
 Keesing JK, see Liu D et al. (2016) 552:145–158  
 Keister JE, see McLaskey AK et al. (2016) 555:65–78  
 Keister JE, see Sato M et al. (2016) 560:57–72  
 Keith M, see Atkins S et al. (2016) 555:249–260  
 Kelle L, see Chambault P et al. (2016) 555:235–248  
 Keough MJ, see Wootton HF (2016) 560:121–133  
 Khalaman VV, Komendantov AY, Malavenda SS, Mikhaylova TA (2016) Algae versus animals in early fouling communities of the White Sea. 553:13–32  
 Kindinger TL (2016) Symmetrical effects of interspecific competition on congeneric coral-reef fishes. 555:1–11  
 Kindinger TL, Anderson ER (2016) Preferences of invasive lionfish and native grouper between congeneric prey fishes. 558:247–253  
 Kindt-Larsen L, Berg CW, Tougaard J, Sørensen TK, Geitner K, Northridge S, Sveegaard S, Larsen F (2016) Identification of high-risk areas for harbour porpoise *Phocoena phocoena* bycatch using remote electronic monitoring and satellite telemetry data. 555:261–271  
 King M, see Carneiro APB et al. (2016) 553:267–281  
 Kiørboe T (2016) Foraging mode and prey size spectra of suspension-feeding copepods and other zooplankton. 558:15–20  
 Kirkwood R, see Aarts G et al. (2016) 557:261–275  
 Kiszka JJ, Mourier J, Gastrich K, Heithaus MR (2016) Using unmanned aerial vehicles (UAVs) to investigate shark and ray densities in a shallow coral lagoon. 560:237–242  
 Kitagawa T, see Madigan DJ et al. (2016) 553:253–266  
 Kitaysky AS, see Young RC et al. (2016) 556:251–259  
 Klaus JS, see Weinstein DK et al. (2016) 559:45–63  
 Klein ES, Glaser SM, Jordaan A, Kaufman L, Rosenberg AA (2016) A complex past: historical and contemporary fisheries demonstrate nonlinear dynamics and a loss of determinism. 557:237–246  
 Klevjer TA, see Norheim E et al. (2016) 551:45–52  
 Komendantov AY, see Khalaman VV et al. (2016) 553:13–32  
 Konar B, see Traiger SB et al. (2016) 560:73–86  
 Koopman H, see Barco S et al. (2016) 555:221–234  
 Kröncke I, see Singer A et al. (2016) 551:13–30  
 Krueger-Hadfield SA, see Gerstenmaier CE et al. (2016) 556:79–89  
 Kwasniewski S, see Trudnowska E et al. (2016) 560:1–18

## L

- La Nafie YA, see de los Santos CB et al. (2016) 551:81–94  
 Ladah LB, see Valencia-Gasti JA (2016) 552:195–210  
 Lagos NA, see Ramajo L et al. (2016) 553:93–109  
 Lagrue C, Heaphy K, Presswell B, Poulin R (2016) Strong association between parasitism and phenotypic variation in a supralittoral amphipod. 553:111–123  
 Lam FPA, see Aarts G et al. (2016) 557:261–275  
 Lamb RW, see Pérez-Matus A et al. (2016) 559:147–158  
 Landry AM Jr, see Howell LN et al. (2016) 559:217–229  
 Lardies MA, see Ramajo L et al. (2016) 553:93–109  
 Larsen F, see Kindt-Larsen L et al. (2016) 555:261–271  
 LaScala-Gruenewald DE, Miller LP, Bracken MES, Allen BJ, Denny MW (2016) Quantifying the top-down effects of grazers on a rocky shore: selective grazing and the potential for competition. 553:49–66  
 Lasker HR, see Edmunds PJ (2016) 559:1–12  
 Lathlean JA, see Tagliarolo M et al. (2016) 558:51–63  
 Laurel BJ, see Horne JB et al. (2016) 556:237–250  
 Law M, see Barco S et al. (2016) 555:221–234  
 Le Bourg B, see Brosset P et al. (2016) 554:157–171  
 Le Maho Y, see Chambault P et al. (2016) 555:235–248  
 Leavitt AH, see Gilg IC et al. (2016) 555:13–27  
 Lechene M, see Guinand B et al. (2016) 558:115–127  
 Lédée EJI, Heupel MR, Tobin AJ, Mapleston A, Simpfendorfer CA (2016) Movement patterns of two carangid species in inshore habitats characterised using network analysis. 553:219–232  
 Leggett WC, see Frank KT et al. (2016) 553:185–202  
 Lehrter JC, see Christiaen B et al. (2016) 557:111–121  
 Lettmann KA, see Singer A et al. (2016) 551:13–30  
 Levitis DA, see Dunn PH et al. (2016) 559:103–116  
 Li L, see Sato M et al. (2016) 560:57–72  
 Liggins L, see Selkoe KA et al. (2016) 554:1–19  
 Lin YF, see Han YS et al. (2016) 551:227–238  
 Lipus AC, see Morgan SG et al. (2016) 552:31–46  
 Liu D, Peng Y, Keesing JK, Wang Y, Richard P (2016) Paleocological analyses to assess long-term environmental effects of pearl farming in Western Australia. 552:145–158  
 Lobov AA, see Maltseva AL et al. (2016) 552:177–193  
 Loewen TN, see Brewster JD et al. (2016) 559:159–173  
 Loh G, see Grecian WJ et al. (2016) 559:231–242  
 Lomas MW, see Hoang TC et al. (2016) 551:63–79  
 Longenecker K, see Bradley CJ et al. (2016) 558:65–79  
 Lonhart SI, see Figurski JD et al. (2016) 552:19–29  
 Loseto LL, see Brewster JD et al. (2016) 559:159–173  
 Lowen JB, McKindsey CW, Therriault TW, DiBacco C (2016) Effects of spatial resolution on predicting the distribution of aquatic invasive species in nearshore marine environments. 556:17–30  
 Lübcker N, Condit R, Beltran RS, de Bruyn PJN, Bester MN (2016) Vibrissal growth parameters of southern elephant seals *Mirounga leonina*: obtaining fine-scale, time-based stable isotope data. 559:243–255  
 Lubián LM, see Ameneiro J et al. (2016) 554:71–80  
 Lucke K, see Aarts G et al. (2016) 557:261–275  
 Lundquist CJ, see Norrie CR et al. (2016) 559:89–102  
 giant Pacific bluefin tuna at their primary spawning grounds. 553:253–266  
 Mahé K, see Mille T et al. (2016) 555:167–184  
 Maher L, see Thomson PG et al. (2016) 554:51–69  
 Maher M, see McLaskey AK et al. (2016) 555:65–78  
 Malavenda SS, see Khalaman VV et al. (2016) 553:13–32  
 Malecha P, see Rooper CN et al. (2016) 551:117–130  
 Malek JC, Byers JE (2016) Predator effects on host–parasite interactions in the eastern oyster *Crassostrea virginica*. 556:131–141  
 Maloney JM, see Sievers KT et al. (2016) 557:51–63  
 Maltseva AL, Varfolomeeva MA, Lobov AA, Mikhailova NA, Renaud PE, Grishankov AV, Volovik KY, Granovitch AI (2016) Measuring physiological similarity of closely related littorinid species: a proteomic insight. 552:177–193  
 Mamalangkap MD, see Han YS et al. (2016) 551:227–238  
 Mancusi C, see Frodella N et al. (2016) 554:99–113  
 Mangialajo L, see Rattray A et al. (2016) 553:1–11  
 Manica A, see Carneiro APB et al. (2016) 553:267–281  
 Mantua N, see Wells BK et al. (2016) 552:271–284  
 Mapleston A, see Lédée EJI et al. (2016) 553:219–232  
 Marco A, see Rivas ML et al. (2016) 551:239–248  
 Marcus L, Virtue P, Pethybridge HR, Meekan MG, Thums M, Nichols PD (2016) Intraspecific variability in diet and implied foraging ranges of whale sharks at Ningaloo Reef, Western Australia, from signature fatty acid analysis. 554:115–128  
 Márquez-Farías JF, see Smith WD et al. (2016) 556:173–193  
 Martínez Martínez J, see Gilg IC et al. (2016) 555:13–27  
 Massa B, see Soldatini C et al. (2016) 552:255–269  
 Matsumoto S, Yamamoto T, Kawabe R, Ohshimo S, Yoda K (2016) The Changjiang River discharge affects the distribution of foraging seabirds. 555:273–277  
 Matthee CA, see Andreotti S et al. (2016) 552:241–253  
 Mattone C, see Sheaves M et al. (2016) 556:31–43  
 McCaslin L, see Traiger SB et al. (2016) 560:73–86  
 McClanahan TR, Muthiga NA (2016) Similar impacts of fishing and environmental stress on calcifying organisms in Indian Ocean coral reefs. 560:87–103  
 McClintock JB, see Brothers CJ et al. (2016) 553:155–162  
 McClintock JB, see Schram JB et al. (2016) 554:81–97  
 McClure EC, see Nash KL et al. (2016) 554:129–140  
 McDevitt-Irwin JM, Iacarella JC, Baum JK (2016) Reassessing the nursery role of seagrass habitats from temperate to tropical regions: a meta-analysis. 557:133–143  
 McElhany P, see McLaskey AK et al. (2016) 555:65–78  
 McGill RAR, see Grecian WJ et al. (2016) 559:231–242  
 McGlathery KJ, see Greiner JT et al. (2016) 551:95–105  
 McGowan MM, see Bergman JL et al. (2016) 559:35–43  
 McHuron EA, Walcott SM, Zeligs J, Skrovan S, Costa DP, Reichmuth C (2016) Whisker growth dynamics in two North Pacific pinnipeds: implications for determining foraging ecology from stable isotope analysis. 554:213–224  
 McKenzie DJ, see Guinand B et al. (2016) 558:115–127  
 McKindsey CW, see Lowen JB et al. (2016) 556:17–30  
 McKinlay J, see Davidson AT et al. (2016) 552:93–113  
 McLaskey AK, Keister JE, McElhany P, Olson MB, Busch DS, Maher M, Winans AK (2016) Development of *Euphausia pacifica* (krill) larvae is impaired under  $p\text{CO}_2$  levels currently observed in the Northeast Pacific. 555:65–78  
 McMahan MD, Cowan DF, Chen Y, Sherwood GD, Grabowski JH (2016) Growth of juvenile American lobster *Homarus americanus* in a changing environment. 557:177–187  
 McQuaid CD, see Tagliarolo M et al. (2016) 558:51–63  
 Meekan MG, see Marcus L et al. (2016) 554:115–128

## M

- MacKenzie BR, see Tsoukali S et al. (2016) 555:151–165  
 Madigan DJ, Chiang WC, Wallsgrove NJ, Popp BN, Kitagawa T, Choy CA, Tallmon J, Ahmed N, Fisher NS, Sun CI (2016) Intrinsic tracers reveal recent foraging ecology of

- Ménard F, see Brosset P et al. (2016) 554:157–171  
 Mercier A, see Verkaik K et al. (2016) 557:189–206  
 Merello M, see Hall MO et al. (2016) 560:243–249  
 Merle PL, see Ventura P et al. (2016) 559:257–263  
 Meyer KS, Young CM, Sweetman AK, Taylor J, Soltwedel T, Bergmann M (2016) Rocky islands in a sea of mud: biotic and abiotic factors structuring deep-sea dropstone communities. 556:45–57  
 Meyer M, see Andreotti S et al. (2016) 552:241–253  
 Migotto AE, see Nagata RM et al. (2016) 557:145–159  
 Mikhailova NA, see Maltseva AL et al. (2016) 552:177–193  
 Mikhaylova TA, see Khalaman VV et al. (2016) 553:13–32  
 Millat G, see Singer A et al. (2016) 551:13–30  
 Mille T, Mahé K, Cachera M, Villanueva MC, de Pontual H, Ernande B (2016) Diet is correlated with otolith shape in marine fish. 555:167–184  
 Miller CA, Waldbusser GG (2016) A post-larval stage-based model of hard clam *Mercenaria mercenaria* development in response to multiple stressors: temperature and acidification severity. 558:35–49  
 Miller JA, see Smith WD et al. (2016) 556:173–193  
 Miller LP, see LaScala-Gruenewald DE et al. (2016) 553:49–66  
 Miller MJ, see Schabetsberger R et al. (2016) 554:141–155  
 Miner BG, see Morgan SG et al. (2016) 552:31–46  
 Miquel J, see García-Seoane E et al. (2016) 551:31–44  
 Miskelly CM, see Grecian WJ et al. (2016) 559:231–242  
 Miyashita LK, Richardson JP, Duffy JE (2016) Effects of predator richness and habitat heterogeneity on prey suppression in an estuarine food chain. 559:13–20  
 Moens T, see Huisman J et al. (2016) 554:257–262  
 Mohan J, Walther B (2016) Out of breath and hungry: natural tags reveal trophic resilience of Atlantic croaker to hypoxia exposure. 560:207–221  
 Møhl M, see Swalethorp R et al. (2016) 555:185–202  
 Moland E, see Nash KL et al. (2016) 554:129–140  
 Montalto V, see Tagliarolo M et al. (2016) 558:51–63  
 Moore AFP, Duffy JE (2016) Foundation species identity and trophic complexity affect experimental seagrass communities. 556:105–121  
 Moore JW, Gordon J, Carr-Harris C, Gottesfeld AS, Wilson SM, Russell JH (2016) Assessing estuaries as stopover habitats for juvenile Pacific salmon. 559:201–215  
 Morais P, see Dias E et al. (2016) 554:21–34  
 Morandini AC, see Nagata RM et al. (2016) 557:145–159  
 Morgan SG, Gravem SA, Lipus AC, Grabiell M, Miner BG (2016) Trait-mediated indirect interactions among residents of rocky shore tidepools. 552:31–46  
 Moriarty PE, see Sato M et al. (2016) 560:57–72  
 Morris CJ, see Horne JB et al. (2016) 556:237–250  
 Morris JA Jr, see Eddy C et al. (2016) 558:193–206  
 Morris JA Jr, see Hixon MA et al. (2016) 558:161–165  
 Morris KJ, see Durden JM et al. (2016) 552:61–70  
 Morris KJ, see Durden JM et al. (2016) 552:71–79  
 Morse B, Rochette R (2016) Movements and activity levels of juvenile American lobsters *Homarus americanus* in nature quantified using ultrasonic telemetry. 551:155–170  
 Morys C, Forster S, Graf G (2016) Variability of bioturbation in various sediment types and on different spatial scales in the southwestern Baltic Sea. 557:31–49  
 Mos B, Dworjanyn SA (2016) Early metamorphosis is costly and avoided by young, but physiologically competent, marine larvae. 559:117–129  
 Mourier J, see Kiszka JJ et al. (2016) 560:237–242  
 Mouton A, see Huisman J et al. (2016) 554:257–262  
 Moyà G, see Agawin NSR et al. (2016) 551:53–62  
 Mueter F, see Arimitsu ML et al. (2016) 560:19–40  
 Müller MN, Trull TW, Hallegraef GM (2016) (Corrigendum to Vol. 531:81–90, 2015) 551:283–284  
 Munday PL, see Pereira PHC (2016) 553:163–172  
 Munk P, see Swalethorp R et al. (2016) 555:185–202  
 Munsch SH, Cordell JR, Toft JD (2016) Fine-scale habitat use and behavior of a nearshore fish community: nursery functions, predation avoidance, and spatiotemporal habitat partitioning. 557:1–15  
 Muthiga NA, see McClanahan TR (2016) 560:87–103
- ## N
- Nagata RM, Morandini AC, Colin SP, Migotto AE, Costello JH (2016) Transitions in morphologies, fluid regimes, and feeding mechanisms during development of the medusa *Lychnorhiza lucerna*. 557:145–159  
 Nagelkerke LAJ, see Huisman J et al. (2016) 554:257–262  
 Nash KL, Abesamis RA, Graham NAJ, McClure EC, Moland E (2016) Drivers of herbivory on coral reefs: species, habitat and management effects. 554:129–140  
 Nattkemper TW, see Durden JM et al. (2016) 552:61–70  
 Nehls G, see Welcker J (2016) 554:173–182  
 Nemeth RS, see Biggs CR (2016) 558:129–142  
 Newton J, see Sato M et al. (2016) 560:57–72  
 Nichelmann L, see Pescheck F et al. (2016) 555:95–107  
 Nichols PD, see Marcus L et al. (2016) 554:115–128  
 Nielsen TG, see Swalethorp R et al. (2016) 555:185–202  
 Nolasco R, see Gomes I et al. (2016) 552:159–176  
 Nolting C, see Huisman J et al. (2016) 554:257–262  
 Norheim E, Klevjer TA, Aksnes DL (2016) Evidence for light-controlled migration amplitude of a sound scattering layer in the Norwegian Sea. 551:45–52  
 Norrie CR, Dunphy BJ, Baker JA, Lundquist CJ (2016) Local-scale variation in trace elemental fingerprints of the estuarine bivalve *Austrovenus stutchburyi* within and between estuaries. 559:89–102  
 Northridge S, see Kindt-Larsen L et al. (2016) 555:261–271
- ## O
- O'Brien DM, see Oxtoby LE et al. (2016) 557:161–175  
 O'Brien KR, see Saeck EA et al. (2016) 552:81–92  
 O'Leary MJ, see Hoang TC et al. (2016) 551:63–79  
 Ochoa I, see Collin R (2016) 555:125–139  
 Ohshimo S, see Matsumoto S et al. (2016) 555:273–277  
 Økland F, see Schabetsberger R et al. (2016) 554:141–155  
 Olabarria C, see Babarro JMF et al. (2016) 560:185–198  
 Olson JB, see Stevens JL et al. (2016) 558:167–180  
 Olson MB, see McLaskey AK et al. (2016) 555:65–78  
 Onoda Y, see de los Santos CB et al. (2016) 551:81–94  
 Oosthuizen H, see Andreotti S et al. (2016) 552:241–253  
 Orben RA, see Baylis AMM et al. (2016) 554:201–211  
 Oremus M, see Derville S et al. (2016) 551:261–275  
 Orr M, see Ferguson AJP et al. (2016) 556:91–104  
 Ortega-Cisneros K, Scharler UM, Whitfield AK (2016) Carbon and nitrogen system dynamics in three small South African estuaries, with particular emphasis on the influence of seasons, river flow and mouth state. 557:17–30  
 Osmán L, see González HE et al. (2016) 557:91–110  
 Overath RD, see Palmer G et al. (2016) 558:223–234  
 Oxtoby LE, Budge SM, Iken K, O'Brien DM, Wooller MJ (2016) Feeding ecologies of key bivalve and polychaete species in the Bering Sea as elucidated by fatty acid and compound-specific stable isotope analyses. 557:161–175



## P

- Palmer G, Hogan JD, Sterba-Boatwright BD, Overath RD (2016) Invasive lionfish *Pterois volitans* reduce the density but not the genetic diversity of a native reef fish. 558: 223–234
- Parker DM, see Christiansen F et al. (2016) 557:247–259
- Parker-Stetter SL, see Sato M et al. (2016) 560:57–72
- Parra GJ, see Atkins S et al. (2016) 555:249–260
- Paterson IG, see Horne JB et al. (2016) 556:237–250
- Patrício J, see Dolbeth M et al. (2016) 560:41–55
- Patrick SC, see Waugh SM et al. (2016) 551:249–260
- Patterson WF III, see Dahl KA et al. (2016) 558:207–221
- Patrick P, Strydom NA, Harris L, Goschen WS (2016) Predicting spawning locations and modelling the spatial extent of post hatch areas for fishes in a shallow coastal habitat in South Africa. 560:223–235
- Peck MA, see Garrido S et al. (2016) 559:131–145
- Pedersen EJ, see Stanley RRE et al. (2016) 553:125–146
- Peng Y, see Liu D et al. (2016) 552:145–158
- Pereira PHC, Munday PL (2016) Coral colony size and structure as determinants of habitat use and fitness of coral-dwelling fishes. 553:163–172
- Pérez-Lloréns JL, see de los Santos CB et al. (2016) 551: 81–94
- Pérez-Matus A, Sánchez F, González-But JC, Lamb RW (2016) Understory algae associations and predation risk influence broad-scale kelp habitat use in a temperate reef fish. 559:147–158
- Pescheck F, Campen H, Nichelmann L, Bilger W (2016) Relative sensitivity of DNA and photosystem II in *Ulva intestinalis* (Chlorophyta) under natural solar irradiation. 555: 95–107
- Pessanha A, see Dolbeth M et al. (2016) 560:41–55
- Peteiro LG, see Gomes I et al. (2016) 552:159–176
- Pethybridge HR, see Marcus L et al. (2016) 554:115–128
- Petrie B, see Frank KT et al. (2016) 553:185–202
- Phillips DL, see Johnson MG et al. (2016) 557:123–132
- Phillips RA, see Carneiro APB et al. (2016) 553:267–281
- Phillips RA, see Grecian WJ et al. (2016) 559:231–242
- Piatt JF, see Arimitsu ML et al. (2016) 560:19–40
- Piddocke TP, see Purcell SW et al. (2016) 551:201–214
- Piehler MF, see Smyth AR et al. (2016) 560:173–183
- Pillay N, see Atkins S et al. (2016) 555:249–260
- Pitt J, see Eddy C et al. (2016) 558:193–206
- Polovina JJ, see Christiansen F et al. (2016) 557:247–259
- Poore AGB, see Foo SA et al. (2016) 556:161–172
- Popp BN, see Bradley CJ et al. (2016) 558:65–79
- Popp BN, see Madigan DJ et al. (2016) 553:253–266
- Poulin R, see Lagrue C et al. (2016) 553:111–123
- Poulton AJ, see Daniels CJ et al. (2016) 555:29–47
- Prado L, see Ramajo L et al. (2016) 553:93–109
- Prahl FG, see Brunner EL et al. (2016) 555:109–123
- Presswell B, see Lagrue C et al. (2016) 553:111–123
- Pritchard CE, Rimler RN, Rumrill SS, Emler RB, Shanks AL (2016) Variation in larval supply and recruitment of *Ostrea lurida* in the Coos Bay estuary, Oregon, USA. 560: 159–171
- Puneeta P, Vijai D, Yamamoto J, Sakurai Y (2016) Male copulatory behavior interrupts Japanese flying squid *Todarodes pacificus* female spawning activity. 551:277–281
- Purcell SW, Piddocke TP, Dalton SJ, Wang YG (2016) Movement and growth of the coral reef holothuroids *Bohadschia argus* and *Thelenota ananas*. 551:201–214
- Puritz JB, see Selkoe KA et al. (2016) 554:1–19
- Putman NF, see Christiansen F et al. (2016) 557:247–259
- Pyle RL, see Bradley CJ et al. (2016) 558:65–79

## Q

- Queiroga H, see Gomes I et al. (2016) 552:159–176
- Quiñones RA, see Buchan SJ (2016) 554:183–199
- Quispe C, see Riascos JM et al. (2016) 557:65–75

## R

- Ramajo L, Prado L, Rodríguez-Navarro AB, Lardies MA, Duarte CM, Lagos NA (2016) Plasticity and trade-offs in physiological traits of intertidal mussels subjected to freshwater-induced environmental variation. 553:93–109
- Ransom JT, Filbrun JE, Hernandez FJ Jr (2016) Condition of larval Spanish mackerel *Scomberomorus maculatus* in relation to the *Deepwater Horizon* oil spill. 558:143–152
- Rattray A, Andreello M, Asnaghi V, Bevilacqua S, Bulleri F, Cebrían E, Chiantore M, Claudet J, Deudero S, Evans J, Frascchetti S, Guarnieri G, Mangialajo L, Schembri PJ, Terlizzi A, Benedetti-Cecchi L (2016) Geographic distance, water circulation and environmental conditions shape the biodiversity of Mediterranean rocky coasts. 553:1–11
- Ré P, see Garrido S et al. (2016) 559:131–145
- Reich KJ, see Howell LN et al. (2016) 559:217–229
- Reichmuth C, see McHuron EA et al. (2016) 554:213–224
- Reinheimer S, see Barco S et al. (2016) 555:221–234
- Reinsel KA, see Welch JM et al. (2016) 553:147–153
- Reiss H, see Silberberger MJ et al. (2016) 555:79–93
- Reist JD, see Brewster JD et al. (2016) 559:159–173
- Renaud PE, see Maltseva AL et al. (2016) 552:177–193
- Renaud PE, see Silberberger MJ et al. (2016) 555:79–93
- Reubens J, see Huisman J et al. (2016) 554:257–262
- Riascos JM, Uribe RA, Donayre S, Flores D, Galindo O, Quispe C, Gonzalez J (2016) Human footprints on benthic communities in marine reserves: a study case in the most productive upwelling system worldwide. 557:65–75
- Ribas-Ribas M, see Daniels CJ et al. (2016) 555:29–47
- Ribes M, see Bernardello R et al. (2016) 559:21–34
- Rice MR, see Christiansen F et al. (2016) 557:247–259
- Richard P, see Liu D et al. (2016) 552:145–158
- Richardson JP, see Miyashita LK et al. (2016) 559:13–20
- Rimler RN, see Pritchard CE et al. (2016) 560:159–171
- Ritson-Williams R, see Cunning R et al. (2016) 551:131–139
- Rivas ML, Santidrián Tomillo P, Diéguez-Urbeondo J, Marco A (2016) Potential effects of dune scarps caused by beach erosion on the nesting behavior of leatherback turtles. 551:239–248
- Rochette R, see Morse B (2016) 551:155–170
- Rodgers KL, Shears NT (2016) Modelling kelp forest primary production using *in situ* photosynthesis, biomass and light measurements. 553:67–79
- Rodolfo-Metalpa R, see Ventura P et al. (2016) 559:257–263
- Rodríguez JM, see García-Seoane E et al. (2016) 551:31–44
- Rodríguez-Navarro AB, see Ramajo L et al. (2016) 553:93–109
- Rooker JR, see Dance MA (2016) 557:221–235
- Rooper CN, Sigler MF, Goddard P, Malecha P, Towler R, Williams K, Wilborn R, Zimmermann M (2016) Validation and improvement of species distribution models for structure-forming invertebrates in the eastern Bering Sea with an independent survey. 551:117–130
- Rose KA, see Fiechter J et al. (2016) 556:273–285
- Rose S, see Barco S et al. (2016) 555:221–234
- Rosenberg AA, see Klein ES et al. (2016) 557:237–246
- Roy S, see Hoang TC et al. (2016) 551:63–79
- Ruhl HA, see Durden JM et al. (2016) 552:61–70
- Ruhl HA, see Durden JM et al. (2016) 552:71–79
- Rumrill SS, see Pritchard CE et al. (2016) 560:159–171

Russell JH, see Moore JW et al. (2016) 559:201–215  
 Rutzen M, see Andreotti S et al. (2016) 552:241–253  
 Rynearson TA, see Canesi KL (2016) 556:1–16

## S

- Saborido-Rey F, see García-Seoane E et al. (2016) 551:31–44  
 Saeck EA, O'Brien KR, Burford MA (2016) Nitrogen response of natural phytoplankton communities: a new indicator based on photosynthetic efficiency  $F_v/F_m$ . 552:81–92  
 Saiz E, see Garrido S et al. (2016) 559:131–145  
 Sakai O, see Itoh T (2016) 555:203–219  
 Sakurai Y, see Puneeta P et al. (2016) 551:277–281  
 Sánchez F, see Pérez-Matus A et al. (2016) 559:147–158  
 Sangrà P, see Ameneiro J et al. (2016) 554:71–80  
 Santidrián Tomillo P, see Rivas ML et al. (2016) 551:239–248  
 Santora JA, see Wells BK et al. (2016) 552:271–284  
 Santos AMP, see Garrido S et al. (2016) 559:131–145  
 Sarà G, see Tagliarolo M et al. (2016) 558:51–63  
 Saraux C, see Brosset P et al. (2016) 554:157–171  
 Sato M, Horne JK, Parker-Stetter SL, Essington TE, Keister JE, Moriarty PE, Li L, Newton J (2016) Impacts of moderate hypoxia on fish and zooplankton prey distributions in a coastal fjord. 560:57–72  
 Savage C, see Gongol C (2016) 556:59–77  
 Scanes P, see Ferguson AJP et al. (2016) 556:91–104  
 Scardino AJ, see Watson MG et al. (2016) 557:77–90  
 Schabetsberger R, Miller MJ, Dall'Olmo G, Kaiser R, Økland F, Watanabe S, Aarestrup K, Tsukamoto K (2016) Hydrographic features of anguillid spawning areas: potential signposts for migrating eels. 554:141–155  
 Scharler UM, see Ortega-Cisneros K et al. (2016) 557:17–30  
 Scheidat M, see Aarts G et al. (2016) 557:261–275  
 Schembri PJ, see Rattray A et al. (2016) 553:1–11  
 Schizas NV, see Harms-Tuohy CA et al. (2016) 558:181–191  
 Schloesser RW, Fabrizio MC (2016) Temporal dynamics of condition for estuarine fishes in their nursery habitats. 557:207–219  
 Schoening T, see Durden JM et al. (2016) 552:61–70  
 Schoenrock KM, see Schram JB et al. (2016) 554:81–97  
 Schollema PP, see Huisman J et al. (2016) 554:257–262  
 Schoppik DE, see Shen SG et al. (2016) 553:173–183  
 Schram JB, Schoenrock KM, McClintock JB, Amsler CD, Angus RA (2016) Seawater acidification more than warming presents a challenge for two Antarctic macroalgal-associated amphipods. 554:81–97  
 Schroeder ID, see Wells BK et al. (2016) 552:271–284  
 Schückel U, see Singer A et al. (2016) 551:13–30  
 Sebens KP, see Elahi R et al. (2016) 560:147–158  
 Seitz AC, see Farrugia TJ et al. (2016) 556:209–221  
 Sejr MK, see Attard KM et al. (2016) 554:35–50  
 Selkoe KA, D'Aloia CC, Crandall ED, Iacchei M, Liggins L, Puritz JB, von der Heyden S, Toonen RJ (2016) A decade of seascape genetics: contributions to basic and applied marine connectivity. 554:1–19  
 Serena F, see Frodella N et al. (2016) 554:99–113  
 Serpell-Stevens A, see Durden JM et al. (2016) 552:71–79  
 Serrano E, see Bernardello R et al. (2016) 559:21–34  
 Sertleik HÖ, see Aarts G et al. (2016) 557:261–275  
 Sewell MA, see Zárate EV et al. (2016) 551:185–199  
 Shanks AL, see Pritchard CE et al. (2016) 560:159–171  
 Sharifi A, see Weinstein DK et al. (2016) 559:45–63  
 Shaver DJ, see Howell LN et al. (2016) 559:217–229  
 Shears NT, see Rodgers KL (2016) 553:67–79  
 Sheaves M, Dingle L, Mattone C (2016) Biotic hotspots in mangrove-dominated estuaries: macro-invertebrate aggregation in unvegetated lower intertidal flats. 556:31–43  
 Shen SG, Chen F, Schoppik DE, Checkley DM Jr (2016) Otolith size and the vestibulo-ocular reflex of larvae of white seabass *Atractoscion nobilis* at high  $pCO_2$ . 553:173–183  
 Sherman KD, Dahlgren CP, Stevens JR, Tyler CR (2016) Integrating population biology into conservation management for endangered Nassau grouper *Epinephelus striatus*. 554:263–280  
 Sherwood GD, see McMahan MD et al. (2016) 557:177–187  
 Shimeta J, see Watson MG et al. (2016) 557:77–90  
 Sievers KT, Barr RJ, Maloney JM, Driscoll NW, Anderson TW (2016) Impact of habitat structure on fish populations in kelp forests at a seascape scale. 557:51–63  
 Sigler MF, see Rooper CN et al. (2016) 551:117–130  
 Silberberger MJ, Renaud PE, Espinasse B, Reiss H (2016) Spatial and temporal structure of the meroplankton community in a sub-Arctic shelf system. 555:79–93  
 Silk JRD, see Carneiro APB et al. (2016) 553:267–281  
 Silva N, see González HE et al. (2016) 557:91–110  
 Simkanin C, see Dijkstra JA (2016) 551:215–225  
 Simpendorfer CA, see Lédée EJI et al. (2016) 553:219–232  
 Singer A, Schückel U, Beck M, Bleich O, Brumsack HJ, Freund H, Geimecke C, Lettmann KA, Millat G, Staneva J, Vanselow A, Westphal H, Wolff JO, Wurpts A, Kröncke I (2016) Small-scale benthos distribution modelling in a North Sea tidal basin in response to climatic and environmental changes (1970s–2009). 551:13–30  
 Singh H, see Brothers CJ et al. (2016) 553:155–162  
 Sintes E, see Agawin NSR et al. (2016) 551:53–62  
 Skrovan S, see McHuron EA et al. (2016) 554:213–224  
 Slabbekoorn H, see Aarts G et al. (2016) 557:261–275  
 Smith KE, see Brothers CJ et al. (2016) 553:155–162  
 Smith S, see Eddy C et al. (2016) 558:193–206  
 Smith TB, see Weinstein DK et al. (2016) 559:45–63  
 Smith WD, Miller JA, Márquez-Farías JF, Heppell SS (2016) Elemental signatures reveal the geographic origins of a highly migratory shark: prospects for measuring population connectivity. 556:173–193  
 Smyth AR, Geraldini NR, Thompson SP, Piehler MF (2016) Biological activity exceeds biogenic structure in influencing sediment nitrogen cycling in experimental oyster reefs. 560:173–183  
 Snelgrove PVR, see Horne JB et al. (2016) 556:237–250  
 Snelgrove PVR, see Stanley RRE et al. (2016) 553:125–146  
 Snyder RA, see Dahl KA et al. (2016) 558:207–221  
 Soetaert K, see De Smet B et al. (2016) 552:47–60  
 Soldatini C, Albores-Barajas YV, Massa B, Gimenez O (2016) Forecasting ocean warming impacts on seabird demography: a case study on the European storm petrel. 552:255–269  
 Soltwedel T, see Meyer KS et al. (2016) 556:45–57  
 Søreide JE, see Bandara K et al. (2016) 555:49–64  
 Sørensen TK, see Kindt-Larsen L et al. (2016) 555:261–271  
 Sotka EE, see Gerstenmaier CE et al. (2016) 556:79–89  
 Stagioni M, see Frodella N et al. (2016) 554:99–113  
 Staneva J, see Singer A et al. (2016) 551:13–30  
 Staniland IJ, see Baylis AMM et al. (2016) 554:201–211  
 Stanley RRE, Pedersen EJ, Snelgrove PVR (2016) Biogeographic, ontogenetic, and environmental variability in larval behaviour of American lobster *Homarus americanus*. 553:125–146  
 Steller DL, see Tompkins PA (2016) 560:135–145  
 Sterba-Boatwright BD, see Palmer G et al. (2016) 558:223–234  
 Stern GA, see Brewster JD et al. (2016) 559:159–173  
 Stevens JL, Jackson RL, Olson JB (2016) Bacteria associated with lionfish (*Pterois volitans/miles* complex) exhibit

antibacterial activity against known fish pathogens. 558:167–180

Stevens JR, see Sherman KD et al. (2016) 554:263–280

Storzlazzi CD, see Figurski JD et al. (2016) 552:19–29

Strydom NA, see Patrick P et al. (2016) 560:223–235

Sun CI, see Madigan DJ et al. (2016) 553:253–266

Sveegaard S, see Kindt-Larsen L et al. (2016) 555:261–271

Swalethorp R, Nielsen TG, Thompson AR, Møhl M, Munk P (2016) Early life of an inshore population of West Greenlandic cod *Gadus morhua*: spatial and temporal aspects of growth and survival. 555:185–202

Swanson H, see Brewster JD et al. (2016) 559:159–173

Swearer SE, see Gomes I et al. (2016) 552:159–176

Sweet M, Bulling M, Williamson JE (2016) New disease outbreak affects two dominant sea urchin species associated with Australian temperate reefs. 551:171–183

Sweetman AK, see Meyer KS et al. (2016) 556:45–57

Swingle WM, see Barco S et al. (2016) 555:221–234

Sydemann WJ, see Wells BK et al. (2016) 552:271–284

## T

Szedlmayer ST, see Williams-Grove LJ (2016) 553:233–251

Tabatabaee MM, see Bergman JL et al. (2016) 559:35–43

Tagliarolo M, Montalto V, Sarà G, Lathlean JA, McQuaid CD (2016) Low temperature trumps high food availability to determine the distribution of intertidal mussels *Perna perna* in South Africa. 558:51–63

Tallmon J, see Madigan DJ et al. (2016) 553:253–266

Targett TE, see Davidson MI et al. (2016) 556:223–235

Tatsumi M, Wright JT (2016) Understory algae and low light reduce recruitment of the habitat-forming kelp *Ecklonia radiata*. 552:131–143

Taylor GA, see Grecian WJ et al. (2016) 559:231–242

Taylor GA, see Waugh SM et al. (2016) 551:249–260

Taylor J, see Meyer KS et al. (2016) 556:45–57

Terlizzi A, see Rattray A et al. (2016) 553:1–11

Terrados J, see Alós J et al. (2016) 558:153–158

Therriault TW, see Lowen JB et al. (2016) 556:17–30

Thompson AR, see Swalethorp R et al. (2016) 555:185–202

Thompson DR, see Grecian WJ et al. (2016) 559:231–242

Thompson SP, see Smyth AR et al. (2016) 560:173–183

Thomson PG, Davidson AT, Maher L (2016) Increasing CO<sub>2</sub> changes community composition of pico- and nano-sized protists and prokaryotes at a coastal Antarctic site. 554:51–69

Thomson PG, see Davidson AT et al. (2016) 552:93–113

Thums M, see Marcus L et al. (2016) 554:115–128

Tinti F, see Frodella N et al. (2016) 554:99–113

Tobin AJ, see Lédée EJI et al. (2016) 553:219–232

Toft JD, see Munsch SH et al. (2016) 557:1–15

Tomas F, see Alós J et al. (2016) 558:153–158

Tompkins PA, Steller DL (2016) Living carbonate habitats in temperate California (USA) waters: distribution, growth, and disturbance of Santa Catalina Island rhodoliths. 560:135–145

Toonen RJ, see Selkoe KA et al. (2016) 554:1–19

Torres LG, see Derville S et al. (2016) 551:261–275

Tosh CA, see Wege M et al. (2016) 554:225–239

Tougaard J, see Kindt-Larsen L et al. (2016) 555:261–271

Tournois J, see Guinand B et al. (2016) 558:115–127

Towler R, see Rooper CN et al. (2016) 551:117–130

Traiger SB, Konar B, Doroff A, McCaslin L (2016) Sea otters versus sea stars as major clam predators: evidence from foraging pits and shell litter. 560:73–86

Trapani C, see Barco S et al. (2016) 555:221–234

Tribuzio C, see Farrugia TJ et al. (2016) 556:209–221

Trudnowska E, Gluchowska M, Beszczynska-Möller A, Blachowiak-Samolyk K, Kwasniewski S (2016) Plankton patchiness in the Polar Front region of the West Spitsbergen Shelf. 560:1–18

Tsigenopoulos CS, see Guinand B et al. (2016) 558:115–127

Tsoukali S, Visser AW, MacKenzie BR (2016) Functional responses of North Atlantic fish eggs to increasing temperature. 555:151–165

Tsukamoto K, see Schabetsberger R et al. (2016) 554:141–155

Tyler CR, see Sherman KD et al. (2016) 554:263–280

Tynan E, see Daniels CJ et al. (2016) 555:29–47

Tyrrell T, see Daniels CJ et al. (2016) 555:29–47

## U

Ueno M, see Fujita J et al. (2016) 560:105–120

Ungaro N, see Frodella N et al. (2016) 554:99–113

Uribe RA, see Riascos JM et al. (2016) 557:65–75

## V

Valencia-Gasti JA, Ladah LB (2016) Synchronous settlement of barnacle larvae at small spatial scales correlates with both internal waves and onshore surface winds. 552:195–210

van Bemmelen R, see Aarts G et al. (2016) 557:261–275

Van Beveren E, see Brosset P et al. (2016) 554:157–171

van den Enden R, see Davidson AT et al. (2016) 552:93–113

van der Walt S, see Andreotti S et al. (2016) 552:241–253

van Oevelen D, see De Smet B et al. (2016) 552:47–60

Vanaverbeke J, see De Smet B et al. (2016) 552:47–60

Vanselow A, see Singer A et al. (2016) 551:13–30

Varfolomeeva MA, see Maltseva AL et al. (2016) 552:177–193

Vargas CA, see González HE et al. (2016) 557:91–110

Varpe Ø, see Bandara K et al. (2016) 555:49–64

Vázquez E, see Ameneiro J et al. (2016) 554:71–80

Vázquez E, see Babarro JMF et al. (2016) 560:185–198

Velonà A, see Frodella N et al. (2016) 554:99–113

Vendel AL, see Dolbeth M et al. (2016) 560:41–55

Ventura P, Jarrold MD, Merle PL, Barnay-Verdier S, Zamoum T, Rodolfo-Metalpa R, Calosi P, Furla P (2016) Resilience to ocean acidification: decreased carbonic anhydrase activity in sea anemones under high pCO<sub>2</sub> conditions. 559:257–263

Verbruggen H, see Alós J et al. (2016) 558:153–158

Verevkin M, see Dmitrieva L et al. (2016) 554:241–256

Vergara JJ, see de los Santos CB et al. (2016) 551:81–94

Verhelst P, see Huisman J et al. (2016) 554:257–262

Verkaik K, Hamel JF, Mercier A (2016) Carry-over effects of ocean acidification in a cold-water lecithotrophic holothuroid. 557:189–206

Vermont AI, see Gilg IC et al. (2016) 555:13–27

Vidal C, see Agawin NSR et al. (2016) 551:53–62

Vijai D, see Puneeta P et al. (2016) 551:277–281

Villanueva MC, see Mille T et al. (2016) 555:167–184

Vincx M, see De Smet B et al. (2016) 552:47–60

Virtue P, see Marcus L et al. (2016) 554:115–128

Visser AW, see Tsoukali S et al. (2016) 555:151–165

Volovik KY, see Maltseva AL et al. (2016) 552:177–193

Von Benda-Beckmann AM, see Aarts G et al. (2016) 557:261–275

Von der Heyden S, see Andreotti S et al. (2016) 552:241–253

Von der Heyden S, see Selkoe KA et al. (2016) 554:1–19

## W

- Waddell EE, see Welch JM et al. (2016) 553:147–153  
 Wahle RA, see Bayer SR et al. (2016) 551:141–154  
 Walcott SM, see McHuron EA et al. (2016) 554:213–224  
 Waldbusser GG, see Brunner EL et al. (2016) 555:109–123  
 Waldbusser GG, see Miller CA (2016) 558:35–49  
 Walkusz W, see Brewster JD et al. (2016) 559:159–173  
 Wallenschus J, see Bandara K et al. (2016) 555:49–64  
 Wallsgrove NJ, see Madigan DJ et al. (2016) 553:253–266  
 Walther B, see Mohan J (2016) 560:207–221  
 Wang Y, see Liu D et al. (2016) 552:145–158  
 Wang YG, see Purcell SW et al. (2016) 551:201–214  
 Watanabe S, see Schabetsberger R et al. (2016) 554:141–155  
 Watson MG, Scardino AJ, Zaluzniak L, Shimeta J (2016) Inhibition of invertebrate larval settlement by biofilm ciliates. 557:77–90  
 Waugh SM, Patrick SC, Filippi DP, Taylor GA, Arnould JPY (2016) Overlap between flesh-footed shearwater *Puffinus carneipes* foraging areas and commercial fisheries in New Zealand waters. 551:249–260  
 Waugh SM, Patrick SC, Filippi DP, Taylor GA, Arnould JPY (2016) (Corrigendum to Vol. 551:249–260, 216) 555:279  
 Wege M, Tosh CA, de Bruyn PJN, Bester MN (2016) Cross-seasonal foraging site fidelity of subantarctic fur seals: implications for marine conservation areas. 554:225–239  
 Weinstein DK, Sharifi A, Klaus JS, Smith TB, Giri SJ, Helmle KP (2016) Coral growth, bioerosion, and secondary accretion of living orbicellid corals from mesophotic reefs in the US Virgin Islands. 559:45–63  
 Welch JM, Reinsel KA, Waddell EE, Wright AJ, Forward RB Jr (2016) Chemical cues from adult fiddler crabs stimulate molting of conspecific megalopae: evidence from field-caught individuals. 553:147–153  
 Welcker J, Nehls G (2016) Displacement of seabirds by an offshore wind farm in the North Sea. 554:173–182  
 Wells BK, Santora JA, Schroeder ID, Mantua N, Sydeman WJ, Huff DD, Field JC (2016) Marine ecosystem perspectives on Chinook salmon recruitment: a synthesis of empirical and modeling studies from a California upwelling system. 552:271–284  
 Westphal H, see Singer A et al. (2016) 551:13–30  
 Westwood K, see Davidson AT et al. (2016) 552:93–113  
 Whitfield AK, see Ortega-Cisneros K et al. (2016) 557:17–30  
 Widmer CL, Fox CJ, Brierley AS (2016) Effects of temperature and salinity on four species of northeastern Atlantic scyphistomae (Cnidaria: Scyphozoa). 559:73–88  
 Wilborn R, see Rooper CN et al. (2016) 551:117–130  
 Wilkinson GM, see Greiner JT et al. (2016) 551:95–105  
 Williams K, see Rooper CN et al. (2016) 551:117–130  
 Williams-Grove LJ, Szedlmayer ST (2016) Acoustic positioning and movement patterns of red snapper, *Lutjanus campechanus*, around artificial reefs in the northern Gulf of Mexico. 553:233–251  
 Williamson JE, see Sweet M et al. (2016) 551:171–183  
 Williard A, see Barco S et al. (2016) 555:221–234  
 Wilson S, see Dmitrieva L et al. (2016) 554:241–256  
 Wilson SM, see Moore JW et al. (2016) 559:201–215  
 Wilson WH, see Gilg IC et al. (2016) 555:13–27  
 Winans AK, see McLaskey AK et al. (2016) 555:65–78  
 Winter HV, see Huisman J et al. (2016) 554:257–262  
 Wolff JO, see Singer A et al. (2016) 551:13–30  
 Woodson CB, see Greer AT et al. (2016) 551:1–12  
 Wooller MJ, see Oxtoby LE et al. (2016) 557:161–175  
 Wootton HF, Keough MJ (2016) Disturbance type and intensity combine to affect resilience of an intertidal community. 560:121–133  
 Wright AJ, see Welch JM et al. (2016) 553:147–153  
 Wright JT, see Tatsumi M (2016) 552:131–143  
 Wright PJ, see Asjes A et al. (2016) 553:203–217  
 Wright S, see Davidson AT et al. (2016) 552:93–113  
 Wu CR, see Han YS et al. (2016) 551:227–238  
 Wurpts A, see Singer A et al. (2016) 551:13–30

## Y

- Yamamoto J, see Puneeta P et al. (2016) 551:277–281  
 Yamamoto T, see Matsumoto S et al. (2016) 555:273–277  
 Yamashita Y, see Fujita J et al. (2016) 560:105–120  
 Yambot AV, see Han YS et al. (2016) 551:227–238  
 Yambot IU, see Han YS et al. (2016) 551:227–238  
 Yoda K, see Matsumoto S et al. (2016) 555:273–277  
 Young CM, see Meyer KS et al. (2016) 556:45–57  
 Young JR, see Daniels CJ et al. (2016) 555:29–47  
 Young RC, Barger CP, Dorresteijn I, Haussmann MF, Kitaysky AS (2016) Telomere length and environmental conditions predict stress levels but not parental investment in a long-lived seabird. 556:251–259

## Z

- Zaluzniak L, see Watson MG et al. (2016) 557:77–90  
 Zamoum T, see Ventura P et al. (2016) 559:257–263  
 Zárate EV, Díaz de Vivar ME, Avaro MG, Epherra L, Sewell MA (2016) Sex and reproductive cycle affect lipid and fatty acid profiles of gonads of *Arbacia dufruesii* (Echinodermata: Echinoidea). 551:185–199  
 Zarulli V, see Dunn PH et al. (2016) 559:103–116  
 Zeligs J, see McHuron EA et al. (2016) 554:213–224  
 Zenimoto K, see Fujita J et al. (2016) 560:105–120  
 Zhou M, see Cleary AC et al. (2016) 552:115–129  
 Zimmer CA, see Zimmer RK et al. (2016) 560:199–206  
 Zimmer M, see Gillis LG et al. (2016) 551:107–115  
 Zimmer RK, Ferrier GA, Zimmer CA (2016) KEYSTONEin: A glycoprotein cue drives predation on mussels and structures rocky intertidal communities. 560:199–206  
 Zimmermann M, see Rooper CN et al. (2016) 551:117–130  
 Zvuloni A, Belmaker J (2016) Estimating ecological count-based measures from the point-intercept method. 556:123–130