

## COMBINED AUTHOR AND TITLE INDEX

(Volumes 561 to 570, 2016–2017)

## A

- Aalto EA, Baskett ML (2017) Post-harvest recovery dynamics depend on predator specialization in size-selective fisheries. 564:127–143
- Abi-Ghanem C, see Mahfouz C et al. (2017) 563:249–259
- Abreu P, see Garcia AM et al. (2017) 567:17–28
- Acuña JL, see Pascual M et al. (2016) 561:189–201
- Adam O, see Cerchio S et al. (2016) 562:193–209
- Afán I, see Giménez J et al. (2017) 567:199–210
- Aguilar A, see Samarra FIP et al. (2017) 564:199–210
- Ainsworth CH, see Suprenand PM (2017) 569:37–54
- Ajemian MJ, see Flowers KI et al. (2016) 562:251–261
- Al-Hashmi KA, see Piontkovski SA et al. (2017) 566:67–78
- Al-Shaaibi A, see Piontkovski SA et al. (2017) 566:67–78
- Alava MNR, see Fidler RY et al. (2017) 570:187–202
- Albertsen CM, see Auger-Méthé M et al. (2017) 565:237–249
- Alfonsi E, see Decker C et al. (2017) 566:217–227
- Allman RJ, see Dzaugis MP et al. (2017) 565:149–162
- Amara R, see Mahfouz C et al. (2017) 563:249–259
- Andersen TJ, see Walpersdorf E et al. (2017) 566:49–65
- Andrianarivelo N, see Cerchio S et al. (2016) 562:193–209
- Archambault P, see Gaillard B et al. (2017) 567:139–156
- Arcos JM, see Cortés V et al. (2017) 565:1–16
- Arenas F, see Rodriguez S et al. (2016) 562:79–91
- Arnould JPY, see Hoskins AJ et al. (2017) 566:229–241
- Arnould JPY, see Knox TC et al. (2017) 566:243–256
- Arnould JPY, see Volpov BL et al. (2016) 562:221–236
- Artigas LF, see Breton E et al. (2017) 563:35–49
- Atwood TC, see Olson JW et al. (2017) 564:211–224
- Auger-Méthé M, Albertsen CM, Jonsen ID, Derocher AE, Lidgard DC, Studholme KR, Bowen WD, Crossin GT, Mills Flemming J (2017) Spatiotemporal modelling of marine movement data using Template Model Builder (TMB). 565:237–249
- Auth TD, see Daly EA et al. (2017) 566:169–182
- Avens L, see Lenz AJ et al. (2017) 568:191–201
- Aznar FJ, Míguez-Lozano R, Ruiz B, de Castro AB, Raga JA, Blanco C (2017) Long-term changes (1990–2012) in the diet of striped dolphins *Stenella coeruleoalba* from the western Mediterranean. 568:231–247
- B**
- Bailey DM, see Elliott SAM et al. (2017) 568:123–135
- Baird AH, see Tan CH et al. (2016) 561:147–153
- Båmstedt U, Wikner J (2016) (Erratum to Vol 561:17–29, 2016) 562:263
- Båmstedt U, Wikner J (2016) Mixing depth and allochthonous dissolved organic carbon: controlling factors of coastal trophic balance. 561:17–29
- Baptista M, see Couto A et al. (2017) 564:77–86
- Barbosa C, see Patrício AR et al. (2017) 569:215–225
- Barley SC, Meekan MG, Meeuwig JJ (2017) Species diversity, abundance, biomass, size and trophic structure of fish on coral reefs in relation to shark abundance. 565:163–179
- Barlow JP, see Keen EM et al. (2017) 567:211–233
- Barras C, see Maire O et al. (2016) 561:83–97
- Barras C, see Maire O et al. (2016) 562:264
- Barrett MM, see Larkin PD et al. (2017) 567:95–107
- Barrett N, see James LC et al. (2017) 565:35–52
- Barry SC, Jacoby CA, Frazer TK (2017) Environmental influences on growth and morphology of *Thalassia testudinum*. 570:57–70
- Barth JA, see Keller AA et al. (2017) 568:151–173
- Baskett ML, see Aalto EA (2017) 564:127–143
- Bassos-Hull K, see Flowers KI et al. (2016) 562:251–261
- Bastos R, see Garcia AM et al. (2017) 567:17–28
- Bateman DC, Bishop MJ (2017) The environmental context and traits of habitat-forming bivalves influence the magnitude of their ecosystem engineering. 563:95–110
- Bay LK, see Tan CH et al. (2016) 561:147–153
- Baylis AMM, see Knox TC et al. (2017) 566:243–256
- Beaugrand G, see Fluhr J et al. (2017) 563:1–11
- Becker SL, Finn JT, Danylchuk AJ, Pollock CG, Hillis-Starr Z, Lundgren I, Jordaan A (2016) Influence of detection history and analytic tools on quantifying spatial ecology of a predatory fish in a marine protected area. 562:147–161
- Beeharry SP, see Rodriguez-Tress P et al. (2017) 570:213–222
- Berger SA, see Segovia M et al. (2017) 565:17–33
- Berthelé O, see Brind'Amour A et al. (2016) 562:19–35
- Bertolini C, see Gerdali NR et al. (2017) 563:157–167
- Bhat S, see Lynghammar A et al. (2016) 562:123–134
- Bi R, Liu H (2017) Effects of variability among individuals on zooplankton population dynamics under environmental conditions. 564:9–28
- Bi R, Liu H (2017) (Erratum to Vol 564:9–28, 2017) 565:269
- Bigot JL, see Brosset P et al. (2017) 567:263
- Bishop MJ, see Bateman DC (2017) 563:95–110
- Bishop MJ, see Kenworthy JM et al. (2016) 562:37–51
- Black BA, see Dzaugis MP et al. (2017) 565:149–162
- Blanco C, see Aznar FJ et al. (2017) 568:231–247
- Blewett DA, Stevens PW, Carter J (2017) Ecological effects of river flooding on abundance and body condition of a large, euryhaline fish. 563:211–218
- Blicher ME, see Gaillard B et al. (2017) 567:139–156
- Bodmer MDV, Wheeler PM, Hendrix AM, Cesarano DN, East AS, Exton DA (2017) Interacting effects of temperature, habitat and phenotype on predator avoidance behaviour in *Diadema antillarum*: implications for restorative conser-

vation. 566:105–115

- Bonato S, see Breton E et al. (2017) 563:35–49
- Bonhommeau S, see Brosset P et al. (2017) 567:263
- Bonin MC, see Sambrook K et al. (2016) 561:203–215
- Borges-Martins M, see Lenz AJ et al. (2017) 568:191–201
- Borland HP, Schlacher TA, Gilby BL, Connolly RM, Yabsley NA, Olds AD (2017) Habitat type and beach exposure shape fish assemblages in the surf zones of ocean beaches. 570:203–211
- Borsa P, see Mendez L et al. (2017) 568:217–230
- Bost CA, see Shiomi K et al. (2016) 561:233–243
- Bouma TJ, see Lara M et al. (2016) 561:123–136
- Bourdeix JH, see Brosset P et al. (2017) 567:263
- Bourque JR, see Demopoulos AWJ et al. (2016) 561:51–68
- Bouveroux T, see Mahfouz C et al. (2017) 563:249–259
- Bowen WD, see Auger-Méthé M et al. (2017) 565:237–249
- Bradley D, Papastamatiou YP, Caselle JE (2017) No persistent behavioural effects of SCUBA diving on reef sharks. 567:173–184
- Bradley RW, see Johns ME et al. (2017) 564:187–197
- Bradshaw CJA, see Nagelkerken I et al. (2017) 568:137–150
- Breed GA, see Johns ME et al. (2017) 564:187–197
- Breton E, Christaki U, Bonato S, Didry M, Artigas LF (2017) Functional trait variation and nitrogen use efficiency in temperate coastal phytoplankton. 563:35–49
- Bridge TCL, see MacDonald C et al. (2016) 561:217–231
- Brind'Amour A, Rochet MJ, Ordines F, Hosack GR, Berthelé O, Mérigot B, Carbonara P, Follesa MC, Jadaud A, Lefkaditou E, Maiorano P, Peristeraki P, Mannini A, Rabiller M, Spedicato MT, Tserpes G, Trenkel VM (2016) Environmental drivers explain regional variation of changes in fish and invertebrate functional groups across the Mediterranean Sea from 1994 to 2012. 562:19–35
- Broderick AC, see Patrício AR et al. (2017) 569:215–225
- Brodeur RD, see Daly EA et al. (2017) 566:169–182
- Brooke SD, see Meyer KS et al. (2017) 566:17–29
- Brookes KL, see Williamson LD et al. (2017) 570:223–232
- Brosset P, Ménard F, Fromentin JM, Bonhommeau S, Ulses C, Bourdeix JH, Bigot JL, Van Beveren E, Roos D, Saraux C (2017) (Corrigendum to Vol 529:219–231, 2015) 567:263
- Brown TM, see Yurkowski DJ et al. (2016) 562:237–250
- Brown V, see Raymundo LJ et al. (2017) 564:47–55
- Bruford M, see Patrício AR et al. (2017) 569:215–225
- Bruno JF, see Cox C et al. (2017) 563:65–79
- Bryantseva YV, see Piontkovski SA et al. (2017) 566:67–78
- Buckel JA, see Ellis TA et al. (2017) 564:145–161
- Buckland A, see Hargreaves D et al. (2017) 564:175–186
- Burdick D, see Raymundo LJ et al. (2017) 564:47–55
- Burkholder DA, see Nowicki RJ et al. (2017) 567:79–93
- Burmester EM, Finnerty JR, Kaufman L, Rotjan RD (2017) Temperature and symbiosis affect lesion recovery in experimentally wounded, facultatively symbiotic temperate corals. 570:87–99
- Burrows JA, Johnston DW, Straley JM, Chenoweth EM, Ware C, Curtice C, DeRuiter SL, Friedlaender AS (2016) Prey density and depth affect the fine-scale foraging behavior of humpback whales *Megaptera novaeangliae* in Sitka Sound, Alaska, USA. 561:245–260
- Burrows MT, see Giménez L et al. (2017) 570:141–155
- Buxton RT, Galvan R, McKenna MF, White CL, Seher V (2017) Visitor noise at a nesting colony alters the behavior of a coastal seabird. 570:233–246
- Byers JE, see Pringle JM et al. (2017) 567:29–40
- Byrne M, see Smith AM et al. (2016) 561:1–16
- C**
- Cacabelos E, see Prestes ACL et al. (2017) 567:249–256
- Campbell K, see Pogorzelec NM et al. (2017) 569:77–88
- Camus PA, see Pérez-Matus A et al. (2017) 567:1–16
- Cañadas A, see Giménez J et al. (2017) 567:199–210
- Capello M, see Rodríguez-Tress P et al. (2017) 570:213–222
- Carbonara P, see Brind'Amour A et al. (2016) 562:19–35
- Cari I, see Quiroga E et al. (2016) 561:31–50
- Cari I, see Quiroga E et al. (2017) 564:241
- Carrasco SA, see Pérez-Matus A et al. (2017) 567:1–16
- Carreras C, see Patrício AR et al. (2017) 569:215–225
- Carter J, see Blewett DA et al. (2017) 563:211–218
- Casamitjana X, see Colomer J et al. (2017) 569:103–116
- Caselle JE, see Bradley D et al. (2017) 567:173–184
- Castillo JJ, see Giménez J et al. (2017) 567:199–210
- Castillo K, see Cox C et al. (2017) 563:65–79
- Castro de la Guardia L, Myers PG, Derocher AE, Lunn NJ, Terwisscha van Scheltinga AD (2017) Sea ice cycle in western Hudson Bay, Canada, from a polar bear perspective. 564:225–233
- Castro J, see Couto A et al. (2017) 564:77–86
- Catry P, see Patrício AR et al. (2017) 569:215–225
- Catry T, see Lourenço PM et al. (2017) 563:219–232
- Caurant F, see Monteiro SS et al. (2017) 563:233–247
- Cedeira J, see Monteiro SS et al. (2017) 563:233–247
- Cedeno T, see Zimmerman RC et al. (2017) 566:1–15
- Celebi B, see Zimmerman RC et al. (2017) 566:1–15
- Cerchio S, Trudelle L, Zerbini AN, Charrassin JB, Geyer Y, Mayer FX, Andrianarivelo N, Jung JL, Adam O, Rosenbaum HC (2016) Satellite telemetry of humpback whales off Madagascar reveals insights on breeding behavior and long-range movements within the southwest Indian Ocean. 562:193–209
- Cerny-Chipman EB, Sullivan JM, Menge BA (2017) Whelk predators exhibit limited population responses and community effects following disease-driven declines of the keystone predator *Pisaster ochraceus*. 570:15–28
- Cesarano DN, see Bodmer MDV et al. (2017) 566:105–115
- Chadwick NE, see O'Reilly EE (2017) 567:109–123
- Chai X, see Zhao X et al. (2017) 565:67–77
- Chapman DD, see Flowers KI et al. (2016) 562:251–261
- Charrassin JB, see Cerchio S et al. (2016) 562:193–209
- Chauvaud L, see De Cesare S et al. (2017) 567:157–172
- Chauvaud L, see Gaillard B et al. (2017) 567:139–156
- Che Z, see Zhao X et al. (2017) 565:67–77
- Chen L, Li C (2017) Different tolerances of jellyfish ephyrae (*Aurelia* sp. 1) and fish larvae (*Paralichthys olivaceus*) to nutrient limitations. 569:1–13
- Chenoweth EM, see Burrows JA et al. (2016) 561:245–260
- Cherel Y, Xavier JC, de Grissac S, Trouvé C, Weimerskirch H (2017) Feeding ecology, isotopic niche, and ingestion of fishery-related items of the wandering albatross *Diomedea exulans* at Kerguelen and Crozet Islands. 565:197–215
- Cherel Y, see Fauchald P et al. (2017) 568:203–215
- Chiba S, see Shinomiya Y et al. (2017) 570:157–171
- Chown SL, see Duffy GA (2017) 564:1–8
- Christaki U, see Breton E et al. (2017) 563:35–49
- Christiansen JS, see Lynghammar A et al. (2016) 562:123–134
- Church MJ, see Rii YM et al. (2016) 562:1–18
- Ciannelli L, see Keller AA et al. (2017) 568:151–173
- Ciofi C, see Patrício AR et al. (2017) 569:215–225
- Clackett S, see Yurkowski DJ et al. (2016) 562:237–250
- Clark DE, see Smith AM et al. (2016) 561:1–16

- Claudino MC, see Garcia AM et al. (2017) 567:17–28  
 Claudino MC, see Lanari M et al. (2017) 570:41–55  
 Clausius E, McMahon CR, Harcourt R, Hindell MA (2017) Effect of climate variability on weaning mass in a declining population of southern elephant seals *Mirounga leonina*. 568:249–260  
 Coelho MAG, Lasker HR (2016) Larval behavior and settlement dynamics of a ubiquitous Caribbean octocoral and its implications for dispersal. 561:109–121  
 Colin SP, see Corrales-Ugalde M et al. (2017) 568:101–110  
 Collins M, see Ellis CD et al. (2017) 563:123–137  
 Collins MA, see Saunders RA et al. (2017) 569:173–185  
 Colomer J, Soler M, Serra T, Casamitjana X, Oldham C (2017) Impact of anthropogenically created canopy gaps on wave attenuation in a *Posidonia oceanica* seagrass meadow. 569:103–116  
 Connan M, see Whitehead TO et al. (2017) 565:227–236  
 Connolly RM, see Borland HP et al. (2017) 570:203–211  
 Connolly RM, see Henderson CJ et al. (2017) 566:135–144  
 Copeman LA, Laurel BJ, Spencer M, Sremba A (2017) Temperature impacts on lipid allocation among juvenile gadid species at the Pacific Arctic–Boreal interface: an experimental laboratory approach. 566:183–198  
 Copertino MS, see Lanari M et al. (2017) 570:41–55  
 Cordes E, see Demopoulos AWJ et al. (2016) 561:51–68  
 Corrales-Ugalde M, Colin SP, Sutherland KR (2017) Nematocyst distribution corresponds to prey capture location in hydromedusae with different predation modes. 568:101–110  
 Correa F, see Garcia AM et al. (2017) 567:17–28  
 Cortés V, Arcos JM, González-Solís J (2017) Seabirds and demersal longliners in the northwestern Mediterranean: factors driving their interactions and bycatch rates. 565:1–16  
 Cossio A, see Reiss CS et al. (2017) 568:1–16  
 Costa DP, see Hoskins AJ et al. (2017) 566:229–241  
 Costa DP, see McHuron EA et al. (2017) 567:235–247  
 Couto A, Queiroz N, Relvas P, Baptista M, Furtado M, Castro J, Nunes M, Morikawa H, Rosa R (2017) Occurrence of basking shark *Cetorhinus maximus* in southern Portuguese waters: a two-decade survey. 564:77–86  
 Cox C, Valdivia A, McField M, Castillo K, Bruno JF (2017) Establishment of marine protected areas alone does not restore coral reef communities in Belize. 563:65–79  
 Crook DA, see Every SL et al. (2017) 565:181–196  
 Crossin GT, see Auger-Méthé M et al. (2017) 565:237–249  
 Cruz DO, see Parsons DF et al. (2016) 561:155–171  
 Cruz S, see Mendez L et al. (2017) 568:217–230  
 Cumming RA, Nikula R, Spencer HG, Waters JM (2016) Trans-Tasman genetic connectivity in the intertidal air-breathing slug *Onchidella nigricans*. 562:93–100  
 Curé C, see Sivle LD et al. (2016) 562:211–220  
 Curtice C, see Burrows JA et al. (2016) 561:245–260  
 Cvitković I, see Santelli A et al. (2017) 566:31–48
- D**
- Dagorn L, see Rodriguez-Tress P et al. (2017) 570:213–222  
 Daly EA, Brodeur RD, Auth TD (2017) Anomalous ocean conditions in 2015: impacts on spring Chinook salmon and their prey field. 566:169–182  
 Daniels CL, see Ellis CD et al. (2017) 563:123–137  
 Danylchuk AJ, see Becker SL et al. (2016) 562:147–161  
 de Castro AB, see Aznar FJ et al. (2017) 568:231–247  
 De Cesare S, Meziane T, Chauvaud L, Richard J, Sejr MK, Thébault J, Winkler G, Olivier F (2017) Dietary plasticity in the bivalve *Astarte moerchi* revealed by a multimarker study in two Arctic fjords. 567:157–172  
 de Grissac S, see Cherel Y et al. (2017) 565:197–215  
 de Grissac S, see Mendez L et al. (2017) 568:217–230  
 de Stephanis R, see Giménez J et al. (2017) 567:199–210  
 De Troch M, see Werbrouck E et al. (2017) 568:59–71  
 Decker C, Hassani S, Jezequel MD, Rault C, Dumas C, Méheust E, Alfonsi E, Jung JL (2017) Mitochondrial DNA reveals historical maternal lineages and a postglacial expansion of the grey seal in European waters. 566:217–227  
 Dell C, Hay ME (2016) Induced defence to grazing by vertebrate herbivores: uncommon or under-investigated?. 561:137–145  
 Demopoulos AWJ, Bourque JR, Cordes E, Stamler KM (2016) Impacts of the *Deepwater Horizon* oil spill on deep-sea coral-associated sediment communities. 561:51–68  
 Deregibus D, see Werbrouck E et al. (2017) 568:59–71  
 Derocher AE, see Auger-Méthé M et al. (2017) 565:237–249  
 Derocher AE, see Castro de la Guardia L et al. (2017) 564:225–233  
 DeRuiter SL, see Burrows JA et al. (2016) 561:245–260  
 Descamps S, see Fauchald P et al. (2017) 568:203–215  
 Descamps S, see Fluhr J et al. (2017) 563:1–11  
 Deshayes J, see McInnes AM et al. (2017) 569:187–203  
 Despalatović M, see Santelli A et al. (2017) 566:31–48  
 Diaz A, see Pogorzelec NM et al. (2017) 569:77–88  
 Diaz-Pulido G, see Kennedy EV et al. (2017) 569:129–144  
 Diaz-Pulido G, see Lewis B et al. (2017) 568:73–86  
 DiBacco C, see Lowen JB (2017) 570:173–186  
 Didry M, see Breton E et al. (2017) 563:35–49  
 Dieckmann GS, see Melbourne-Thomas J et al. (2016) 561:261  
 Dietrich KS, see Reiss CS et al. (2017) 568:1–16  
 Dietz R, see Yurkowski DJ et al. (2016) 562:237–250  
 Dillon EM, Norris RD, O’Dea A (2017) Dermal denticles as a tool to reconstruct shark communities. 566:117–134  
 Ding J, see Jin P et al. (2017) 568:47–58  
 Domingos A, see Galimany E et al. (2017) 564:57–66  
 Dominguez-Carrió C, see Pascual M et al. (2016) 561:189–201  
 Dorenbosch M, see Nagelkerken I et al. (2017) 568:137–150  
 Douglas DC, see Olson JW et al. (2017) 564:211–224  
 Drazen JC, see Sackett DK et al. (2017) 568:175–190  
 Ducatti C, see Garcia AM et al. (2017) 567:17–28  
 Duchêne JC, see Maire O et al. (2016) 561:83–97  
 Duchêne JC, see Maire O et al. (2016) 562:264  
 Duffy GA, Chown SL (2017) Explicitly integrating a third dimension in marine species distribution modelling. 564:1–8  
 Dumas C, see Decker C et al. (2017) 566:217–227  
 Duriez O, see Fluhr J et al. (2017) 563:1–11  
 Durner GM, see Olson JW et al. (2017) 564:211–224  
 Dussoo N, see Rodriguez-Tress P et al. (2017) 570:213–222  
 Dzaugis MP, Allman RJ, Black BA (2017) Importance of the spring transition in the northern Gulf of Mexico as inferred from marine fish biochronologies. 565:149–162

**E**

- Eads AR, Kennington WJ, Evans JP (2016) Interactive effects of ocean warming and acidification on sperm motility and fertilization in the mussel *Mytilus galloprovincialis*. 562:101–111

East AS, see Bodmer MDV et al. (2017) 566:105–115  
 Edmunds PJ, see Fan TY et al. (2017) 569:117–127  
 Egge JK, see Segovia M et al. (2017) 565:17–33  
 Eggett D, see Olson JW et al. (2017) 564:211–224  
 Ehn JK, see Pogorzelec NM et al. (2017) 569:77–88  
 Eira C, see Monteiro SS et al. (2017) 563:233–247  
 Elberling B, see Walpersdorf E et al. (2017) 566:49–65  
 Elliott SAM, Turrell WR, Heath MR, Bailey DM (2017) Juvenile gadoid habitat and ontogenetic shift observations using stereo-video baited cameras. 568:123–135  
 Ellis CD, Hodgson DJ, Daniels CL, Collins M, Griffiths AGF (2017) Population genetic structure in European lobsters: implications for connectivity, diversity and hatchery stocking. 563:123–137  
 Ellis TA, Buckel JA, Hightower JE (2017) Winter severity influences spotted seatrout mortality in a southeast US estuarine system. 564:145–161  
 Emmerson MC, see Gheraldi NR et al. (2017) 563:157–167  
 Erwin PM, see Marino CM et al. (2017) 565:53–66  
 Estevez A, see Giménez L et al. (2017) 570:141–155  
 Evans JP, see Eads AR et al. (2016) 562:101–111  
 Every SL, Pethybridge HR, Fulton CJ, Kyne PM, Crook DA (2017) Niche metrics suggest euryhaline and coastal elasmobranchs provide trophic connections among marine and freshwater biomes in northern Australia. 565:181–196  
 Exton DA, see Bodmer MDV et al. (2017) 566:105–115

## F

Fabi G, see Santelli A et al. (2017) 566:31–48  
 Fan TY, Hsieh YC, Lin KH, Kuo FW, Soong K, McRae CJ, Edmunds PJ, Fang LS (2017) Plasticity in lunar timing of larval release of two brooding pocilloporid corals in an internal tide-induced upwelling reef. 569:117–127  
 Fang LS, see Fan TY et al. (2017) 569:117–127  
 Fauchald P, Tarroux A, Tveraa T, Cherel Y, Ropert-Coudert Y, Kato A, Love OP, Varpe Ø, Descamps S (2017) Spring phenology shapes the spatial foraging behavior of Antarctic petrels. 568:203–215  
 Fayet AL, Shoji A, Freeman R, Perrins CM, Guilford T (2017) Within-pair similarity in migration route and female winter foraging effort predict pair breeding performance in a monogamous seabird. 569:243–252  
 Feldheim KA, see Flowers KI et al. (2016) 562:251–261  
 Ferguson SH, see Yurkowski DJ et al. (2016) 562:237–250  
 Fernández JA, see Segovia M et al. (2017) 565:17–33  
 Fernandez M, see Pérez-Matus A et al. (2017) 567:1–16  
 Fernández-Maldonado C, see Giménez J et al. (2017) 567:199–210  
 Ferreira M, see Monteiro SS et al. (2017) 563:233–247  
 Fevolden SE, see Lynghammar A et al. (2016) 562:123–134  
 Fidler RY, Turingan RG, White AT, Alava MNR (2017) Reef-wide beneficial shifts in fish population structure following establishment of marine protected areas in Philippine coral reefs. 570:187–202  
 Findlay CR, see Pogorzelec NM et al. (2017) 569:77–88  
 Finn JT, see Becker SL et al. (2016) 562:147–161  
 Finnerty JR, see Burmester EM et al. (2017) 570:87–99  
 Fischbach A, see Olson JW et al. (2017) 564:211–224  
 Fischer R, Giebel HA, Ptacnik R (2017) Identity of the limiting nutrient (N vs. P) affects the competitive success of mixotrophs. 563:51–63  
 Fisk AT, see Matley JK et al. (2017) 563:197–210

Fisk AT, see Yurkowski DJ et al. (2016) 562:237–250  
 Fitzsimmons MG, Rector ME, McKay DW, Storey AE (2017) High growth and low corticosterone in food-supplemented Atlantic puffin *Fratercula arctica* chicks under poor foraging conditions. 565:217–226  
 Flowers KI, Ajemian MJ, Bassos-Hull K, Feldheim KA, Hueter RE, Papastamatiou YP, Chapman DD (2016) A review of batoid philopatry, with implications for future research and population management. 562:251–261  
 Fluhr J, Strøm H, Pradel R, Duriez O, Beaugrand G, Descamps S (2017) Weakening of the subpolar gyre as a key driver of North Atlantic seabird demography: a case study with Brünnich's guillemots in Svalbard. 563:1–11  
 Follesa MC, see Brind'Amour A et al. (2016) 562:19–35  
 Forget F, see Rodriguez-Tress P et al. (2017) 570:213–222  
 Formia A, see Patrício AR et al. (2017) 569:215–225  
 Fourqurean JW, see Nowicki RJ et al. (2017) 567:79–93  
 Fox CH, Huettmann FH, Harvey GKA, Morgan KH, Robinson J, Williams R, Paquet PC (2017) Predictions from machine learning ensembles: marine bird distribution and density on Canada's Pacific coast. 566:199–216  
 Fox MD (2016) Biomass loss reduces growth and resource translocation in giant kelp *Macrocystis pyrifera*. 562:65–77  
 Franzè G, Lavrentyev PJ (2017) Microbial food web structure and dynamics across a natural temperature gradient in a productive polar shelf system. 569:89–102  
 Frazer TK, see Barry SC et al. (2017) 570:57–70  
 Freeman CJ, see Galimany E et al. (2017) 564:57–66  
 Freeman CJ, see Galimany E et al. (2017) 567:125–137  
 Freeman LA, Freeman SE (2016) Rapidly obtained ecosystem indicators from coral reef soundscapes. 561:69–82  
 Freeman R, see Fayet AL et al. (2017) 569:243–252  
 Freeman SE, see Freeman LA (2016) 561:69–82  
 Freestone AL, see Papacostas KJ et al. (2017) 565:251–268  
 Friedlaender AS, see Burrows JA et al. (2016) 561:245–260  
 Friedman A, see James LC et al. (2017) 565:35–52  
 Fromentin JM, see Brosset P et al. (2017) 567:263  
 Fuentes V, see Pascual M et al. (2016) 561:189–201  
 Fuhrmann MM, Pedersen T, Nilssen EM (2017) Trophic niche of the invasive red king crab *Paralithodes camtschaticus* in a benthic food web. 565:113–129  
 Fujisaki I, see Williard AS et al. (2017) 564:235–240  
 Fulton CJ, see Every SL et al. (2017) 565:181–196  
 Furtado M, see Couto A et al. (2017) 564:77–86

## G

Gaillard B, Meziane T, Tremblay R, Archambault P, Blicher ME, Chauvaud L, Rysgaard S, Olivier F (2017) Food resources of the bivalve *Astarte elliptica* in a sub-Arctic fjord: a multi-biomarker approach. 567:139–156  
 Galimany E, Freeman CJ, Lunt J, Domingos A, Sacks P, Walters L (2017) Feeding competition between the native oyster *Crassostrea virginica* and the invasive mussel *Mytella charruana*. 564:57–66  
 Galimany E, Lunt J, Freeman CJ, Reed S, Segura-García I, Paul VJ (2017) Feeding behavior of eastern oysters *Crassostrea virginica* and hard clams *Mercenaria mercenaria* in shallow estuaries. 567:125–137  
 Galvan R, see Buxton RT et al. (2017) 570:233–246  
 Gao K, see Jin P et al. (2017) 568:47–58  
 Garcia AM, Winemiller KO, Hoeninghaus DJ, Claudino MC,



- Bastos R, Correa F, Huckembeck S, Vieira J, Loebmann D, Abreu P, Ducatti C (2017) Hydrologic pulsing promotes spatial connectivity and food web subsidies in a subtropical coastal ecosystem. 567:17–28
- García-Gómez C, see Segovia M et al. (2017) 565:17–33
- García-Tiscar S, see Giménez J et al. (2017) 567:199–210
- Gelcich S, see Pérez-Matus A et al. (2017) 567:1–16
- Georgian SE, see Papacostas KJ et al. (2017) 565:251–268
- Geraldi NR, Bertolini C, Emmerson MC, Roberts D, Sigwart JD, O'Connor NE (2017) Aggregations of brittle stars can perform similar ecological roles as mussel reefs. 563:157–167
- Gerdes D, see Quiroga E et al. (2016) 561:31–50
- Gerdes D, see Quiroga E et al. (2017) 564:241
- Geslin E, see Maire O et al. (2016) 561:83–97
- Geslin E, see Maire O et al. (2016) 562:264
- Gestin T, see Maire O et al. (2016) 561:83–97
- Gestin T, see Maire O et al. (2016) 562:264
- Geyer Y, see Cerchio S et al. (2016) 562:193–209
- Gibb FM, see Régner T et al. (2017) 567:185–197
- Giebel HA, see Fischer R et al. (2017) 563:51–63
- Gihwala KN, Pillay D, Varughese M (2017) Differential impacts of foraging plasticity by greater flamingo *Phoenicopterus roseus* on intertidal soft sediments. 569:227–242
- Gilby BL, see Borland HP et al. (2017) 570:203–211
- Gilby BL, see Henderson CJ et al. (2017) 566:135–144
- Giménez J, Cañadas A, Ramírez F, Afán I, García-Tiscar S, Fernández-Maldonado C, Castillo JJ, de Stephanis R (2017) Intra- and interspecific niche partitioning in striped and common dolphins inhabiting the southwestern Mediterranean Sea. 567:199–210
- Giménez L, Torres G, Pettersen A, Burrows MT, Estevez A, Jenkins SR (2017) Scale-dependent natural variation in larval nutritional reserves in a marine invertebrate: implications for recruitment and cross-ecosystem coupling. 570:141–155
- Gimpel C, see Reiss CS et al. (2017) 568:1–16
- Gladstone-Gallagher RV, Needham HR, Lohrer AM, Lundquist CJ, Pilditch CA (2017) Site-dependent effects of bioturbator–detritus interactions alter soft-sediment ecosystem function. 569:145–161
- Glaspie CN, Seitz RD (2017) Role of habitat and predators in maintaining functional diversity of estuarine bivalves. 570:113–125
- Glud RN, see Walpersdorf E et al. (2017) 566:49–65
- Godley BJ, see Patino-Martinez J et al. (2017) 569:205–214
- Godley BJ, see Patrício AR et al. (2017) 569:215–225
- Godoy N, see Pérez-Matus A et al. (2017) 567:1–16
- González-Saldías R, see Quiroga E et al. (2016) 561:31–50
- González-Saldías R, see Quiroga E et al. (2017) 564:241
- González-Solís J, see Cortés V et al. (2017) 565:1–16
- Gordillo FJL, see Segovia M et al. (2017) 565:17–33
- Goschen WS, see McInnes AM et al. (2017) 569:187–203
- Goshima S, see Shinomiya Y et al. (2017) 570:157–171
- Gosnell JS, Spurgin K, Levine EA (2017) Caged oysters still get scared: Predator presence and density influence growth in oysters, but only at very close ranges. 568:111–122
- Gosselin LA, see Sandee SD et al. (2016) 562:53–63
- Gough KM, see Pogorzelec NM et al. (2017) 569:77–88
- Goundie ET, see Volpov BL et al. (2016) 562:221–236
- Graham EM, see Tan CH et al. (2016) 561:147–153
- Graham IM, see Williamson LD et al. (2017) 570:223–232
- Granadeiro JP, see Lourenço PM et al. (2017) 563:219–232
- Grati F, see Santelli A et al. (2017) 566:31–48
- Gray MW, Langdon CJ, Waldbusser GG, Hales B, Kramer S (2017) Mechanistic understanding of ocean acidification impacts on larval feeding physiology and energy budgets of the mussel *Mytilus californianus*. 563:81–94
- Greccay PA, see Lifavi DM et al. (2017) 564:163–174
- Grgicak-Mannion A, see Yurkowski DJ et al. (2016) 562:237–250
- Griffiths AGF, see Ellis CD et al. (2017) 563:123–137
- Grol MGG, see Nagelkerken I et al. (2017) 568:137–150
- Groom R, see Shimada T et al. (2016) 562:163–179
- Grottoli AG, see Tanaka Y et al. (2017) 570:101–112
- Guilford T, see Fayet AL et al. (2017) 569:243–252
- Guo C, see Zhao X et al. (2017) 565:67–77

## H

- Haavisto F, Koivikko R, Jormalainen V (2017) Defensive role of macroalgal phlorotannins: benefits and trade-offs under natural herbivory. 566:79–90
- Hales B, see Gray MW et al. (2017) 563:81–94
- Hall AG, see Williard AS et al. (2017) 564:235–240
- Hamann M, see Shimada T et al. (2016) 562:163–179
- Han J, Puthumana J, Lee MC, Kim S, Lee JS (2016) Different susceptibilities of the Antarctic and temperate copepods *Tigriopus kingsejongensis* and *T. japonicus* to ultraviolet (UV) radiation. 561:99–107
- Han Y, see Zhao X et al. (2017) 565:67–77
- Handrich Y, see Shiomi K et al. (2016) 561:233–243
- Hansen BU, see Walpersdorf E et al. (2017) 566:49–65
- Harada S, see Yasue N et al. (2016) 562:135–146
- Harcourt R, see Clausius E et al. (2017) 568:249–260
- Harcourt R, see Pascoe P et al. (2016) 562:181–192
- Hargreaves D, Buckland A, Sheaves M (2017) Trophic guild concept: factors affecting within-guild consistency for tropical estuarine fish. 564:175–186
- Harris CM, see Sivle LD et al. (2016) 562:211–220
- Harvey BP, Moore PJ (2017) Ocean warming and acidification prevent compensatory response in a predator to reduced prey quality. 563:111–122
- Harvey GKA, see Fox CH et al. (2017) 566:199–216
- Harwood LA, see Yurkowski DJ et al. (2016) 562:237–250
- Hashizume S, see Shinomiya Y et al. (2017) 570:157–171
- Hassani S, see Decker C et al. (2017) 566:217–227
- Hauser L, see McKeown NJ et al. (2017) 566:91–103
- Hay ME, see Dell C (2016) 561:137–145
- He R, see Pringle JM et al. (2017) 567:29–40
- Heath MR, see Elliott SAM et al. (2017) 568:123–135
- Hedgecock D, see Sun X (2017) 565:79–93
- Heithaus MR, see Nowicki RJ et al. (2017) 567:79–93
- Henderson CJ, Olds AD, Lee SY, Gilby BL, Maxwell PS, Connolly RM, Stevens T (2017) Marine reserves and seascape context shape fish assemblages in seagrass ecosystems. 566:135–144
- Hendrix AM, see Bodmer MDV et al. (2017) 566:105–115
- Hennicke J, see Mendez L et al. (2017) 568:217–230
- Henry F, see Mahfouz C et al. (2017) 563:249–259
- Herman PMJ, see Walles B et al. (2016) 562:113–122
- Heupel MR, see Matley JK et al. (2017) 563:197–210
- Hidaka K, see Hirai J et al. (2017) 564:99–113
- Hightower JE, see Ellis TA et al. (2017) 564:145–161
- Hill VJ, see Zimmerman RC et al. (2017) 566:1–15
- Hillis-Starr Z, see Becker SL et al. (2016) 562:147–161
- Hindell MA, see Clausius E et al. (2017) 568:249–260

- Hindell MA, see Pascoe P et al. (2016) 562:181–192  
 Hirai J, Hidaka K, Nagai S, Ichikawa T (2017) Molecular-based diet analysis of the early post-larvae of Japanese sardine *Sardinops melanostictus* and Pacific round herring *Etrumeus teres*. 564:99–113  
 Hodgson DJ, see Ellis CD et al. (2017) 563:123–137  
 Hoeinghaus DJ, see Garcia AM et al. (2017) 567:17–28  
 Honda H, see Sugimoto R et al. (2017) 563:25–33  
 Hong H, Li D, Lin W, Li W, Shi D (2017) Nitrogen nutritional condition affects the response of energy metabolism in diatoms to elevated carbon dioxide. 567:41–56  
 Horth L, see Wells S et al. (2017) 564:67–75  
 Hosack GR, see Brind'Amour A et al. (2016) 562:19–35  
 Hoskins AJ, Schumann N, Costa DP, Arnould JPY (2017) Foraging niche separation in sympatric temperate-latitude fur seal species. 566:229–241  
 Hsieh YC, see Fan TY et al. (2017) 569:117–127  
 Huckembeck S, see Garcia AM et al. (2017) 567:17–28  
 Huebert KB, see Nagelkerken I et al. (2017) 568:137–150  
 Hueter RE, see Flowers KI et al. (2016) 562:251–261  
 Huettmann FH, see Fox CH et al. (2017) 566:199–216  
 Humphries NE, Simpson SJ, Wearmouth VJ, Sims DW (2016) Two's company, three's a crowd: fine-scale habitat partitioning by depth among sympatric species of marine mesopredator. 561:173–187

## I

- Ichikawa T, see Hirai J et al. (2017) 564:99–113  
 Ikeda H, Mizota C, Uye S (2017) Bioenergetic characterization in *Aurelia aurita* (Cnidaria: Scyphozoa) polyps and application to natural polyp populations. 568:87–100  
 Iñiguez C, see Segovia M et al. (2017) 565:17–33

## J

- Jacoby CA, see Barry SC et al. (2017) 570:57–70  
 Jadaud A, see Brind'Amour A et al. (2016) 562:19–35  
 Jahncke J, see Johns ME et al. (2017) 564:187–197  
 James LC, Marzloff MP, Barrett N, Friedman A, Johnson CR (2017) Changes in deep reef benthic community composition across a latitudinal and environmental gradient in temperate Eastern Australia. 565:35–52  
 Jara ME, see Manríquez PH et al. (2017) 563:169–184  
 Jauniaux T, see Mahfouz C et al. (2017) 563:249–259  
 Jenkins SR, see Giménez L et al. (2017) 570:141–155  
 Jenkins SR, see Martins GM et al. (2017) 569:15–23  
 Jezequel MD, see Decker C et al. (2017) 566:217–227  
 Jin P, Ding J, Xing T, Riebesell U, Gao K (2017) High levels of solar radiation offset impacts of ocean acidification on calcifying and non-calcifying strains of *Emiliania huxleyi*. 568:47–58  
 Jinuntuya M, see Zimmerman RC et al. (2017) 566:1–15  
 Johansson K, see Magnhagen C et al. (2017) 564:115–125  
 Johns ME, Warzybok P, Bradley RW, Jahncke J, Lindberg M, Breed GA (2017) Age, timing, and a variable environment affect double brooding of a long-lived seabird. 564:187–197  
 Johnson CR, see James LC et al. (2017) 565:35–52  
 Johnston DW, see Burrows JA et al. (2016) 561:245–260  
 Jones CD, see Reiss CS et al. (2017) 568:1–16  
 Jones GP, see MacDonald C et al. (2016) 561:217–231  
 Jones GP, see Sambrook K et al. (2016) 561:203–215

- Jones R, see Shimada T et al. (2016) 562:163–179  
 Jonsen ID, see Auger-Méthé M et al. (2017) 565:237–249  
 Jordaan A, see Becker SL et al. (2016) 562:147–161  
 Jørgensen C, see Zimmermann F (2017) 563:185–195  
 Jormalainen V, see Haavisto F et al. (2017) 566:79–90  
 Jung JL, see Cerchio S et al. (2016) 562:193–209  
 Jung JL, see Decker C et al. (2017) 566:217–227

## K

- Kanamori M, see Shinomiya Y et al. (2017) 570:157–171  
 Karl DM, see Rii YM et al. (2016) 562:1–18  
 Kato A, see Fauchald P et al. (2017) 568:203–215  
 Kaufman L, see Burmester EM et al. (2017) 570:87–99  
 Keen EM, Wray J, Meuter H, Thompson KL, Barlow JP, Picard CR (2017) 'Whale wave': shifting strategies structure the complex use of critical fjord habitat by humpbacks. 567:211–233  
 Keller AA, Ciannelli L, Wakefield WW, Simon V, Barth JA, Pierce SD (2017) Species-specific responses of demersal fishes to near-bottom oxygen levels within the California Current large marine ecosystem. 568:151–173  
 Kelley CD, see Sackett DK et al. (2017) 568:175–190  
 Kennedy EV, Ordoñez A, Lewis BE, Diaz-Pulido G (2017) Comparison of recruitment tile materials for monitoring coralline algae responses to a changing climate. 569:129–144  
 Kennedy EV, see Lewis B et al. (2017) 568:73–86  
 Kennedy H, see Lanari M et al. (2017) 570:41–55  
 Kennington WJ, see Eads AR et al. (2016) 562:101–111  
 Kenworthy JM, Paterson DM, Bishop MJ (2016) Response of benthic assemblages to multiple stressors: comparative effects of nutrient enrichment and physical disturbance. 562:37–51  
 Kenworthy WJ, see Lefebvre LW et al. (2017) 564:29–45  
 Khalaf G, see Mahfouz C et al. (2017) 563:249–259  
 Kim S, see Han J et al. (2016) 561:99–107  
 Kitagawa K, see Sugimoto R et al. (2017) 563:25–33  
 Knox TC, Baylis AMM, Arnould JPY (2017) Habitat use and diving behaviour of male Australian fur seals. 566:243–256  
 Kobayashi S, see Sugimoto R et al. (2017) 563:25–33  
 Koivikko R, see Haavisto F et al. (2017) 566:79–90  
 Kramer S, see Gray MW et al. (2017) 563:81–94  
 Kruschel C, see Zubak I et al. (2017) 566:145–157  
 Kühl M, see Walpersdorf E et al. (2017) 566:49–65  
 Kuo FW, see Fan TY et al. (2017) 569:117–127  
 Kurle CM, McWhorter JK (2017) Spatial and temporal variability within marine isoscapes: implications for interpreting stable isotope data from marine systems. 568:31–45  
 Kvadsheim PH, see Sivle LD et al. (2016) 562:211–220  
 Kyne PM, see Every SL et al. (2017) 565:181–196

## L

- Lacerda M, see McInnes AM et al. (2017) 569:187–203  
 Lallemand J, see Mendez L et al. (2017) 568:217–230  
 Lam FPA, see Sivle LD et al. (2016) 562:211–220  
 Lamare MD, see Smith AM et al. (2016) 561:1–16  
 Lanari M, Kennedy H, Copertino MS, Wallner-Kersanach M, Claudino MC (2017) Dynamics of estuarine drift macroalgae: growth cycles and contributions to sediments in shallow areas. 570:41–55

- Langdon CJ, see Gray MW et al. (2017) 563:81–94
- Lapacek VA, see Raymundo LJ et al. (2017) 564:47–55
- Lara M, Bouma TJ, Peralta G, van Soelen J, Pérez-Lloréns JL (2016) Hydrodynamic effects of macrophyte microtopography: spatial consequences of interspecific benthic transitions. 561:123–136
- Larkin PD, Maloney TJ, Rubiano-Rincon S, Barrett MM (2017) A map-based approach to assessing genetic diversity, structure, and connectivity in the seagrass *Halodule wrightii*. 567:95–107
- Larsen A, see Segovia M et al. (2017) 565:17–33
- Lasker HR, see Coelho MAG (2016) 561:109–121
- Laurel BJ, see Copeman LA et al. (2017) 566:183–198
- Lavrentyev PJ, see Franzè G (2017) 569:89–102
- Lázaro FJ, see Segovia M et al. (2017) 565:17–33
- Lea MA, see Pascoe P et al. (2016) 562:181–192
- Lee JS, see Han J et al. (2016) 561:99–107
- Lee MC, see Han J et al. (2016) 561:99–107
- Lee MR, see Manríquez PH et al. (2017) 563:169–184
- Lee SY, see Henderson CJ et al. (2017) 566:135–144
- Lefebvre LW, Provancha JA, Slone DH, Kenworthy WJ (2017) Manatee grazing impacts on a mixed species seagrass bed. 564:29–45
- Lefkaditou E, see Brind'Amour A et al. (2016) 562:19–35
- Lenz AJ, Avens L, Borges-Martins M (2017) Age and growth of juvenile green turtles *Chelonia mydas* in the western South Atlantic Ocean. 568:191–201
- Levine EA, see Gosnell JS et al. (2017) 568:111–122
- Lewis B, Kennedy EV, Diaz-Pulido G (2017) Seasonal growth and calcification of a reef-building crustose coralline alga on the Great Barrier Reef. 568:73–86
- Lewis BE, see Kennedy EV et al. (2017) 569:129–144
- Li C, see Chen L (2017) 569:1–13
- Li D, see Hong H et al. (2017) 567:41–56
- Li W, see Hong H et al. (2017) 567:41–56
- Lidgard DC, see Auger-Méthé M et al. (2017) 565:237–249
- Lifavi DM, Targett TE, Grecey PA (2017) Effects of diel-cycling hypoxia and acidification on juvenile weakfish *Cynoscion regalis* growth, survival, and activity. 564:163–174
- Limpus C, see Shimada T et al. (2016) 562:163–179
- Lin KH, see Fan TY et al. (2017) 569:117–127
- Lin W, see Hong H et al. (2017) 567:41–56
- Lindberg M, see Johns ME et al. (2017) 564:187–197
- Lindström K, see Sohel S et al. (2017) 566:159–167
- Liu G, see Zhao X et al. (2017) 565:67–77
- Liu H, see Bi R (2017) 564:9–28
- Liu H, see Bi R (2017) 565:269
- Loebmann D, see Garcia AM et al. (2017) 567:17–28
- Lohrer AM, see Gladstone-Gallagher RV et al. (2017) 569:145–161
- Long DJ, see Papacostas KJ et al. (2017) 565:251–268
- Lopes RJ, see Lourenço PM et al. (2017) 563:219–232
- López A, see Monteiro SS et al. (2017) 563:233–247
- López-Legentil S, see Marino CM et al. (2017) 565:53–66
- Lorenzo MR, see Segovia M et al. (2017) 565:17–33
- Lourenço PM, Cattri T, Lopes RJ, Piersma T, Granadeiro JP (2017) Invisible trophic links? Quantifying the importance of non-standard food sources for key intertidal avian predators in the Eastern Atlantic. 563:219–232
- Love OP, see Fauchald P et al. (2017) 568:203–215
- Lowen JB, DiBacco C (2017) Distributional changes in a guild of non-indigenous tunicates in the NW Atlantic under high-resolution climate projections. 570:173–186
- Lundgren I, see Becker SL et al. (2016) 562:147–161
- Lundquist CJ, see Gladstone-Gallagher RV et al. (2017) 569:145–161
- Lunn NJ, see Castro de la Guardia L et al. (2017) 564:225–233
- Lunt J, Reustle J, Smee DL (2017) Wave energy and flow reduce the abundance and size of benthic species on oyster reefs. 569:25–36
- Lunt J, see Galimany E et al. (2017) 564:57–66
- Lunt J, see Galimany E et al. (2017) 567:125–137
- Lynghammer A, Præbel K, Bhat S, Fevolden SE, Christiansen JS (2016) Widespread physical mixing of starry ray from differentiated populations and life histories in the North Atlantic. 562:123–134

## M

- MacDonald C, Bridge TCL, Jones GP (2016) Depth, bay position and habitat structure as determinants of coral reef fish distributions: Are deep reefs a potential refuge? 561:217–231
- Magnhagen C, Johansson K, Sigray P (2017) Effects of motorboat noise on foraging behaviour in Eurasian perch and roach: a field experiment. 564:115–125
- Mahfouz C, Meziane T, Henry F, Abi-Ghanem C, Spitz J, Jauniaux T, Bouveroux T, Khalaf G, Amara R (2017) Multi-approach analysis to assess diet of harbour porpoises *Phocoena phocoena* in the southern North Sea. 563:249–259
- Maiorano P, see Brind'Amour A et al. (2016) 562:19–35
- Maire O, Barras C, Gestin T, Nardelli MP, Romero-Ramirez A, Duchêne JC, Geslin E (2016) How does macrofaunal bioturbation influence the vertical distribution of living benthic foraminifera? 561:83–97
- Maire O, Barras C, Gestin T, Nardelli MP, Romero-Ramirez A, Duchêne JC, Geslin E (2016) (Corrigendum to Vol 561: 83–97, 2015) 562:264
- Maldonado MT, see Segovia M et al. (2017) 565:17–33
- Maloney TJ, see Larkin PD et al. (2017) 567:95–107
- Mangel M, see McHuron EA et al. (2017) 567:235–247
- Mannini A, see Brind'Amour A et al. (2016) 562:19–35
- Manríquez PH, Torres R, Matson PG, Lee MR, Jara ME, Seguel ME, Sepúlveda F, Pereira L (2017) Effects of ocean warming and acidification on the early benthic ontogeny of an ecologically and economically important echinoderm. 563:169–184
- Mansilla R, see Quiroga E et al. (2016) 561:31–50
- Mansilla R, see Quiroga E et al. (2017) 564:241
- Marco A, see Patino-Martinez J et al. (2017) 569:205–214
- Marićeta B, see Santelli A et al. (2017) 566:31–48
- Marino CM, Pawlik JR, López-Legentil S, Erwin PM (2017) Latitudinal variation in the microbiome of the sponge *Ircinia campana* correlates with host haplotype but not anti-predatory chemical defense. 565:53–66
- Martín AP, see Rodriguez S et al. (2016) 562:79–91
- Martins GM, Matias MG, Moniz I, Rius C, Sanderson J, Neto AI, Jenkins SR (2017) Post-settlement dispersal ability determines structure of marine benthic metacommunities. 569:15–23
- Martins GM, see Prestes ACL et al. (2017) 567:249–256
- Marzloff MP, see James LC et al. (2017) 565:35–52
- Matias MG, see Martins GM et al. (2017) 569:15–23
- Matley JK, Tobin AJ, Simpfendorfer CA, Fisk AT, Heupel MR (2017) Trophic niche and spatio-temporal changes in the feeding ecology of two sympatric species of coral trout (*Plectropomus leopardus* and *P. laevis*). 563:197–210

- Matson PG, see Manríquez PH et al. (2017) 563:169–184
- Matsui Y, see Tanaka Y et al. (2017) 570:101–112
- Mattila J, see Sohel S et al. (2017) 566:159–167
- Mattlin RH, see Pascoe P et al. (2016) 562:181–192
- Mausz MA, see Segovia M et al. (2017) 565:17–33
- Maxwell PS, see Henderson CJ et al. (2017) 566:135–144
- Mayer FX, see Cerchio S et al. (2016) 562:193–209
- McClanahan TR (2017) Changes in coral sensitivity to thermal anomalies. 570:71–85
- McConaughy J, see Wells S et al. (2017) 564:67–75
- McField M, see Cox C et al. (2017) 563:65–79
- McHuron EA, Mangel M, Schwarz LK, Costa DP (2017) Energy and prey requirements of California sea lions under variable environmental conditions. 567:235–247
- McInnes AM, Ryan PG, Lacerda M, Deshayes J, Goschen WS, Pichegru L (2017) Small pelagic fish responses to fine-scale oceanographic conditions: implications for the endangered African penguin. 569:187–203
- McKay DW, see Fitzsimmons MG et al. (2017) 565:217–226
- McKenna MF, see Buxton RT et al. (2017) 570:233–246
- McKeown NJ, Hauser L, Shaw PW (2017) Microsatellite genotyping of brown crab *Cancer pagurus* reveals fine scale selection and 'non-chaotic' genetic patchiness within a high gene flow system. 566:91–103
- McMahon CR, see Clausius E et al. (2017) 568:249–260
- McMahon CR, see Pascoe P et al. (2016) 562:181–192
- McMullin RM, Wing SR, Wing LC, Shatova OA (2017) Trophic position of Antarctic ice fishes reflects food web structure along a gradient in sea ice persistence. 564:87–98
- McNeill JB, see Williard AS et al. (2017) 564:235–240
- McRae CJ, see Fan TY et al. (2017) 569:117–127
- McWhorter JK, see Kurle CM (2017) 568:31–45
- Meekan MG, see Barley SC et al. (2017) 565:163–179
- Meeuwig JJ, see Barley SC et al. (2017) 565:163–179
- Méheust E, see Decker C et al. (2017) 566:217–227
- Meiners KM, see Melbourne-Thomas J et al. (2016) 561:261
- Melbourne-Thomas J, Meiners KM, Mundy CJ, Schallenberg C, Tattersall KL, Dieckmann GS (2016) (Corrigendum to Vol 536:107–121, 2015) 561:261
- Ménard F, see Brosset P et al. (2017) 567:263
- Mendez L, Borsari P, Cruz S, de Grissac S, Hennenke J, Lallemand J, Prudon A, Weimerskirch H (2017) Geographical variation in the foraging behaviour of the pantropical red-footed booby. 568:217–230
- Méndez-Fernandez P, see Monteiro SS et al. (2017) 563:233–247
- Menge BA, see Cerny-Chipman EB et al. (2017) 570:15–28
- Mérigot B, see Brind'Amour A et al. (2016) 562:19–35
- Meuter H, see Keen EM et al. (2017) 567:211–233
- Meyer KS, Brooke SD, Sweetman AK, Wolf M, Young CM (2017) Invertebrate communities on historical shipwrecks in the western Atlantic: relation to islands. 566:17–29
- Meziane T, see De Cesare S et al. (2017) 567:157–172
- Meziane T, see Gaillard B et al. (2017) 567:139–156
- Meziane T, see Mahfouz C et al. (2017) 563:249–259
- Míguez-Lozano R, see Aznar FJ et al. (2017) 568:231–247
- Mikkelsen N, Pedersen T (2017) Invasive red king crabs feed on both spawned-out capelin and their eggs. 563:139–155
- Miller PJO, see Sivle LD et al. (2016) 562:211–220
- Miller R, see Raymundo LJ et al. (2017) 564:47–55
- Mills Flemming J, see Auger-Méthé M et al. (2017) 565:237–249
- Mitchell BG, see Reiss CS et al. (2017) 568:1–16
- Mizota C, see Ikeda H et al. (2017) 568:87–100
- Möller LM, see Zanardo N et al. (2017) 569:253–266
- Moniz I, see Martins GM et al. (2017) 569:15–23
- Monteiro SS, Caurant F, López A, Cedeira J, Ferreira M, Vinagada JV, Eira C, Méndez-Fernandez P (2017) Sympatric *Globicephala* species: feeding ecology and contamination status based on stable isotopes and trace elements. 563:233–247
- Montiel A, see Quiroga E et al. (2016) 561:31–50
- Montiel A, see Quiroga E et al. (2017) 564:241
- Moore PJ, see Harvey BP (2017) 563:111–122
- Morgan KH, see Fox CH et al. (2017) 566:199–216
- Morikawa H, see Couto A et al. (2017) 564:77–86
- Mundy CJ, see Melbourne-Thomas J et al. (2016) 561:261
- Mundy CJ, see Pogorzelec NM et al. (2017) 569:77–88
- Muñoz-Carpena R, see Nelson NG et al. (2017) 567:57–78
- Murray A, see Reiss CS et al. (2017) 568:1–16
- Myers PG, see Castro de la Guardia L et al. (2017) 564:225–233

## N

- Nagai S, see Hirai J et al. (2017) 564:99–113
- Nagelkerken I, Huebert KB, Serafy JE, Grol MGG, Dorenbosch M, Bradshaw CJA (2017) Highly localized replenishment of coral reef fish populations near nursery habitats. 568:137–150
- Nardelli MP, see Maire O et al. (2016) 561:83–97
- Nardelli MP, see Maire O et al. (2016) 562:264
- Navarrete SA, see Pérez-Matus A et al. (2017) 567:1–16
- Needham HR, see Gladstone-Gallagher RV et al. (2017) 569:145–161
- Neigel JE, see Sullivan TJ (2017) 565:95–111
- Nelson NG, Muñoz-Carpena R, Phelps EJ (2017) A novel quantile method reveals spatiotemporal shifts in phytoplankton biomass descriptors between bloom and non-bloom conditions in a subtropical estuary. 567:57–78
- Neto AI, see Martins GM et al. (2017) 569:15–23
- Neto AI, see Prestes ACL et al. (2017) 567:249–256
- Neubert MG, see Pascual M et al. (2016) 561:189–201
- Nikula R, see Cumming RA et al. (2016) 562:93–100
- Nilssen EM, see Fuhrmann MM et al. (2017) 565:113–129
- Nishi S, see Sugimoto R et al. (2017) 563:25–33
- Norris RD, see Dillon EM et al. (2017) 566:117–134
- Nowicki RJ, Thomson JA, Burkholder DA, Fourqurean JW, Heithaus MR (2017) Predicting seagrass recovery times and their implications following an extreme climate event. 567:79–93
- Nunes M, see Couto A et al. (2017) 564:77–86

## O

- O'Connor NE, see Gherardi NR et al. (2017) 563:157–167
- O'Dea A, see Dillon EM et al. (2017) 566:117–134
- O'Reilly EE, Chadwick NE (2017) Population dynamics of corkscrew sea anemones *Bartholomea annulata* in the Florida Keys. 567:109–123
- Ohsawa S, see Sugimoto R et al. (2017) 563:25–33
- Ojeda FP, see Pérez-Matus A et al. (2017) 567:1–16
- Olariaga A, see Pascual M et al. (2016) 561:189–201
- Oldham C, see Colomer J et al. (2017) 569:103–116
- Olds AD, see Borland HP et al. (2017) 570:203–211



- Olds AD, see Henderson CJ et al. (2017) 566:135–144  
 Oliveira AL, see Pombo M et al. (2017) 565:131–147  
 Olivier F, see De Cesare S et al. (2017) 567:157–172  
 Olivier F, see Gaillard B et al. (2017) 567:139–156  
 Olson JW, Rode KD, Eggett D, Smith TS, Wilson RR, Durner GM, Fischbach A, Atwood TC, Douglas DC (2017) Collar temperature sensor data reveal long-term patterns in southern Beaufort Sea polar bear den distribution on pack ice and land. 564:211–224  
 Ordines F, see Brind'Amour A et al. (2016) 562:19–35  
 Ordoñez A, see Kennedy EV et al. (2017) 569:129–144  
 Ortiz P, see Quiroga E et al. (2016) 561:31–50  
 Ortiz P, see Quiroga E et al. (2017) 564:241  
 Ospina-Alvarez A, see Pérez-Matus A et al. (2017) 567:1–16

## P

- Paiva VH, see Pereira JM et al. (2017) 567:257–262  
 Palma A, see Segovia M et al. (2017) 565:17–33  
 Papacostas KJ, Rielly-Carroll EW, Georgian SE, Long DJ, Princiotta SD, Quattrini AM, Reuter KE, Freestone AL (2017) Biological mechanisms of marine invasions. 565:251–268  
 Papastamatiou YP, see Bradley D et al. (2017) 567:173–184  
 Papastamatiou YP, see Flowers KI et al. (2016) 562:251–261  
 Pappalardo P, see Pringle JM et al. (2017) 567:29–40  
 Paquet PC, see Fox CH et al. (2017) 566:199–216  
 Pardo LM, see Pérez-Matus A et al. (2017) 567:1–16  
 Parra GJ, see Zanardo N et al. (2017) 569:253–266  
 Parsons DF, Suthers IM, Cruz DO, Smith JA (2016) Effects of habitat on fish abundance and species composition on temperate rocky reefs. 561:155–171  
 Pascoe P, Lea MA, Mattlin RH, McMahon CR, Harcourt R, Thompson D, Torres L, Vinette-Herrin K, Hindell MA (2016) Assessing the utility of two- and three-dimensional behavioural metrics in habitat usage models. 562:181–192  
 Pascual M, Neubert MG, Acuña JL, Solow AR, Dominguez-Carrió C, Salvador J, Olariaga A, Fuentes V (2016) Environmental drivers of salp *Thalia democratica* population dynamics from *in situ* observations. 561:189–201  
 Passadore C, see Zanardo N et al. (2017) 569:253–266  
 Paterson DM, see Kenworthy JM et al. (2016) 562:37–51  
 Patino-Martinez J, Godley BJ, Quiñones L, Marco A (2017) Impact of tropical forest logging on the reproductive success of leatherback turtles. 569:205–214  
 Patrício AR, Formia A, Barbosa C, Broderick AC, Bruford M, Carreras C, Catry P, Ciofi C, Regalla A, Godley BJ (2017) Dispersal of green turtles from Africa's largest rookery assessed through genetic markers. 569:215–225  
 Paul VJ, see Galimany E et al. (2017) 567:125–137  
 Pawlik JR, see Marino CM et al. (2017) 565:53–66  
 Pedersen T, see Fuhrmann MM et al. (2017) 565:113–129  
 Pedersen T, see Mikkelsen N (2017) 563:139–155  
 Pedrotti ML, see Rabouille S et al. (2017) 570:29–40  
 Pejrup M, see Walpersdorf E et al. (2017) 566:49–65  
 Peralta G, see Lara M et al. (2016) 561:123–136  
 Pereira JM, Paiva VH, Xavier JC (2017) Using seabirds to map the distribution of elusive pelagic cephalopod species. 567:257–262  
 Pereira L, see Manríquez PH et al. (2017) 563:169–184  
 Pérez-Lloréns JL, see Lara M et al. (2016) 561:123–136  
 Pérez-Matus A, Ospina-Alvarez A, Camus PA, Carrasco SA, Fernandez M, Gelcich S, Godoy N, Ojeda FP, Pardo LM, Rozbaczylo N, Subida MD, Thiel M, Wieters EA, Navarrete SA (2017) Temperate rocky subtidal reef community reveals human impacts across the entire food web. 567:1–16  
 Pérez-Santos I, see Quiroga E et al. (2016) 561:31–50  
 Pérez-Santos I, see Quiroga E et al. (2017) 564:241  
 Peristeraki P, see Brind'Amour A et al. (2016) 562:19–35  
 Perrins CM, see Fayet AL et al. (2017) 569:243–252  
 Pethybridge HR, see Every SL et al. (2017) 565:181–196  
 Pettersen A, see Giménez L et al. (2017) 570:141–155  
 Philips EJ, see Nelson NG et al. (2017) 567:57–78  
 Picard CR, see Keen EM et al. (2017) 567:211–233  
 Pichegru L, see McInnes AM et al. (2017) 569:187–203  
 Pierce SD, see Keller AA et al. (2017) 568:151–173  
 Piersma T, see Lourenço PM et al. (2017) 563:219–232  
 Pilditch CA, see Gladstone-Gallagher RV et al. (2017) 569:145–161  
 Pillay D, see Gihwala KN et al. (2017) 569:227–242  
 Pineda C, see Quiroga E et al. (2016) 561:31–50  
 Pineda C, see Quiroga E et al. (2017) 564:241  
 Piontkovski SA, Queste BY, Al-Hashmi KA, Al-Shaabi A, Bryantseva YV, Popova EA (2017) Subsurface algal blooms of the northwestern Arabian Sea. 566:67–78  
 Pogorzelec NM, Mundy CJ, Findlay CR, Campbell K, Diaz A, Ehn JK, Rysgaard S, Gough KM (2017) FTIR imaging analysis of cell content in sea-ice diatom taxa during a spring bloom in the lower Northwest Passage of the Canadian Arctic. 569:77–88  
 Pollock CG, see Becker SL et al. (2016) 562:147–161  
 Pombo M, Oliveira AL, Xavier LY, Siegle E, Turra A (2017) Natural drivers of distribution of ghost crabs *Ocypode quadrata* and the implications of estimates from burrows. 565:131–147  
 Popova EA, see Piontkovski SA et al. (2017) 566:67–78  
 Pradel R, see Fluhr J et al. (2017) 563:1–11  
 Præbel K, see Lynghammar A et al. (2016) 562:123–134  
 Pratchett MS, see Tan CH et al. (2016) 561:147–153  
 Prestes ACL, Cacabelos E, Neto AI, Martins GM (2017) Temporal stability in macroalgal assemblage standing stock despite high species turnover. 567:249–256  
 Princiotta SD, see Papacostas KJ et al. (2017) 565:251–268  
 Pringle JM, Byers JE, He R, Pappalardo P, Wares J (2017) Ocean currents and competitive strength interact to cluster benthic species range boundaries in the coastal ocean. 567:29–40  
 Proffitt CE (2017) Phytoplankton biomass in a subtropical estuary: drivers, blooms, and ecological functions assessed over space and time using structural equation modeling. 569:55–75  
 Provancha JA, see Lefebvre LW et al. (2017) 564:29–45  
 Prudor A, see Mendez L et al. (2017) 568:217–230  
 Ptacnik R, see Fischer R et al. (2017) 563:51–63  
 Punzo E, see Santelli A et al. (2017) 566:31–48  
 Puthumana J, see Han J et al. (2016) 561:99–107

## Q

- Quattrini AM, see Papacostas KJ et al. (2017) 565:251–268  
 Queiroz N, see Couto A et al. (2017) 564:77–86  
 Queste BY, see Piontkovski SA et al. (2017) 566:67–78  
 Quiñones L, see Patino-Martinez J et al. (2017) 569:205–214  
 Quiroga E, Ortiz P, González-Saldías R, Reid B, Tapia FJ,

- Pérez-Santos I, Rebolledo L, Mansilla R, Pineda C, Cari I, Salinas N, Montiel A, Gerdes D (2016) Seasonal benthic patterns in a glacial Patagonian fjord: the role of suspended sediment and terrestrial organic matter. 561:31–50
- Quiroga E, Ortiz P, González-Saldías R, Reid B, Tapia FJ, Pérez-Santos I, Rebolledo L, Mansilla R, Pineda C, Cari I, Salinas N, Montiel A, Gerdes D (2017) (Corrigendum to Vol 561:31–50, 2016) 564:241

## R

- Rabiller M, see Brind'Amour A et al. (2016) 562:19–35
- Rabouille S, Semedo Cabral G, Pedrotti ML (2017) Towards a carbon budget of the diazotrophic cyanobacterium *Crocosphaera*: effect of irradiance. 570:29–40
- Raftos DA, see Thompson JA et al. (2017) 570:127–139
- Raga JA, see Aznar FJ et al. (2017) 568:231–247
- Raicevich S, see Santelli A et al. (2017) 566:31–48
- Ramírez F, see Giménez J et al. (2017) 567:199–210
- Rault C, see Decker C et al. (2017) 566:217–227
- Ray JL, see Segovia M et al. (2017) 565:17–33
- Raymundo LJ, Burdick D, Lapacek VA, Miller R, Brown V (2017) Anomalous temperatures and extreme tides: Guam staghorn *Acropora* succumb to a double threat. 564:47–55
- Rebolledo L, see Quiroga E et al. (2016) 561:31–50
- Rebolledo L, see Quiroga E et al. (2017) 564:241
- Rector ME, see Fitzsimmons MG et al. (2017) 565:217–226
- Reed S, see Galimany E et al. (2017) 567:125–137
- Regalla A, see Patrício AR et al. (2017) 569:215–225
- Régnier T, Gibb FM, Wright PJ (2017) Importance of trophic mismatch in a winter-hatching species: evidence from lesser sandeel. 567:185–197
- Reid B, see Quiroga E et al. (2016) 561:31–50
- Reid B, see Quiroga E et al. (2017) 564:241
- Reiss CS, Cossio A, Santora JA, Dietrich KS, Murray A, Mitchell BG, Walsh J, Weiss EL, Gimpel C, Jones CD, Watters GM (2017) Overwinter habitat selection by Antarctic krill under varying sea-ice conditions: implications for top predators and fishery management. 568:1–16
- Relvas P, see Couto A et al. (2017) 564:77–86
- Reustle J, see Lunt J et al. (2017) 569:25–36
- Reuter KE, see Papacostas KJ et al. (2017) 565:251–268
- Richard J, see De Cesare S et al. (2017) 567:157–172
- Riebesell U, see Jin P et al. (2017) 568:47–58
- Rielly-Carroll EW, see Papacostas KJ et al. (2017) 565:251–268
- Rii YM, Karl DM, Church MJ (2016) Temporal and vertical variability in picophytoplankton primary productivity in the North Pacific Subtropical Gyre. 562:1–18
- Rius C, see Martins GM et al. (2017) 569:15–23
- Roberts D, see Geraldini NR et al. (2017) 563:157–167
- Robinson J, see Fox CH et al. (2017) 566:199–216
- Rochet MJ, see Brind'Amour A et al. (2016) 562:19–35
- Rode KD, see Olson JW et al. (2017) 564:211–224
- Rodríguez S, Martín AP, Sousa-Pinto I, Arenas F (2016) Biodiversity effects on macroalgal productivity: exploring the roles of richness, evenness and species traits. 562:79–91
- Rodríguez-Tress P, Capello M, Forget F, Soria M, Beeharry SP, Dussooa N, Dagorn L (2017) Associative behavior of yellowfin *Thunnus albacares*, skipjack *Katsuwonus pelamis*, and bigeye tuna *T. obesus* at anchored fish aggregating devices (FADs) off the coast of Mauritius. 570:213–222
- Romero-Ramírez A, see Maire O et al. (2016) 561:83–97
- Romero-Ramírez A, see Maire O et al. (2016) 562:264
- Roos D, see Brosset P et al. (2017) 567:263
- Ropert-Coudert Y, see Fauchald P et al. (2017) 568:203–215
- Ropert-Coudert Y, see Whitehead TO et al. (2017) 565:227–236
- Rosa R, see Couto A et al. (2017) 564:77–86
- Rosen DAS, see Volpov BL et al. (2016) 562:221–236
- Rosenbaum HC, see Cerchio S et al. (2016) 562:193–209
- Rosing-Asvid A, see Yurkowski DJ et al. (2016) 562:237–250
- Rotjan RD, see Burmester EM et al. (2017) 570:87–99
- Rozbaczylo N, see Pérez-Matus A et al. (2017) 567:1–16
- Rubiano-Rincon S, see Larkin PD et al. (2017) 567:95–107
- Ruble D, see Zimmerman RC et al. (2017) 566:1–15
- Ruiz B, see Aznar FJ et al. (2017) 568:231–247
- Ryan PG, see McInnes AM et al. (2017) 569:187–203
- Ryan PG, see Whitehead TO et al. (2017) 565:227–236
- Rysgaard S, see Gaillard B et al. (2017) 567:139–156
- Rysgaard S, see Pogorzelec NM et al. (2017) 569:77–88

## S

- Sackett DK, Kelley CD, Drazen JC (2017) Spilling over deep-water boundaries: evidence of spillover from two deepwater restricted fishing areas in Hawaii. 568:175–190
- Sacks P, see Galimany E et al. (2017) 564:57–66
- Sakai K, see Tanaka Y et al. (2017) 570:101–112
- Salinas N, see Quiroga E et al. (2016) 561:31–50
- Salinas N, see Quiroga E et al. (2017) 564:241
- Salvador J, see Pascual M et al. (2016) 561:189–201
- Samarra FIP, Vighi M, Aguilar A, Vikingsson GA (2017) Intra-population variation in isotopic niche in herring-eating killer whales off Iceland. 564:199–210
- Sambrook K, Jones GP, Bonin MC (2016) Life on the edge: Coral reef fishes exhibit strong responses to a habitat boundary. 561:203–215
- Sandee SD, Van Hamme JD, Gosselin LA (2016) Testing microbial pathogens as a cause of early juvenile mortality in wild populations of benthic invertebrates. 562:53–63
- Sanderson J, see Martins GM et al. (2017) 569:15–23
- Santelli A, Cvitković I, Despalatović M, Fabi G, Grati F, Maričeta B, Punzo E, Raicevich S, Strafella P, Spagnolo A, Tasseti AN, Scarcella G (2017) Spatial persistence of megazoobenthic assemblages in the Adriatic Sea. 566:31–48
- Santora JA, see Reiss CS et al. (2017) 568:1–16
- Saraux C, see Brosset P et al. (2017) 567:263
- Sato K, see Shiomi K et al. (2016) 561:233–243
- Saunders RA, Collins MA, Stowasser G, Tarling GA (2017) Southern Ocean mesopelagic fish communities in the Scotia Sea are sustained by mass immigration. 569:173–185
- Scarcella G, see Santelli A et al. (2017) 566:31–48
- Schallenberg C, see Melbourne-Thomas J et al. (2016) 561:261
- Schlacher TA, see Borland HP et al. (2017) 570:203–211
- Schultz ST, see Zubak I et al. (2017) 566:145–157
- Schumann N, see Hoskins AJ et al. (2017) 566:229–241
- Schwarz LK, see McHuron EA et al. (2017) 567:235–247
- Scott BE, see Williamson LD et al. (2017) 570:223–232
- Segovia M, Lorenzo MR, Maldonado MT, Larsen A, Berger SA, Tsagaraki TM, Lázaro FJ, Iñiguez C, García-Gómez C, Palma A, Mausz MA, Gordillo FJL, Fernández JA, Ray JL, Egge JK (2017) Iron availability modulates the effects

- of future CO<sub>2</sub> levels within the marine planktonic food web. 565:17–33
- Seguel ME, see Manríquez PH et al. (2017) 563:169–184
- Segura-García I, see Galimany E et al. (2017) 567:125–137
- Seher V, see Buxton RT et al. (2017) 570:233–246
- Seitz RD, see Glaspie CN (2017) 570:113–125
- Sejr MK, see De Cesare S et al. (2017) 567:157–172
- Semedo Cabral G, see Rabouille S et al. (2017) 570:29–40
- Semeniuk CAD, see Yurkowski DJ et al. (2016) 562:237–250
- Sepúlveda F, see Manríquez PH et al. (2017) 563:169–184
- Serafy JE, see Nagelkerken I et al. (2017) 568:137–150
- Serra T, see Colomer J et al. (2017) 569:103–116
- Shatova OA, see McMullin RM et al. (2017) 564:87–98
- Shatova OA, see Wing SR et al. (2017) 563:13–23
- Shaw PW, see McKeown NJ et al. (2017) 566:91–103
- Sheaves M, see Hargreaves D et al. (2017) 564:175–186
- Shi D, see Hong H et al. (2017) 567:41–56
- Shimada T, Jones R, Limpus C, Groom R, Hamann M (2016) Long-term and seasonal patterns of sea turtle home ranges in warm coastal foraging habitats: implications for conservation. 562:163–179
- Shinomiya Y, Chiba S, Kanamori M, Hashizume S, Yoshino K, Goshima S (2017) Importance of patch size variation for the population persistence of a decapod crustacean in sea-grass beds. 570:157–171
- Shiomi K, Sato K, Handrich Y, Bost CA (2016) Diel shift of king penguin swim speeds in relation to light intensity changes. 561:233–243
- Shoji A, see Fayet AL et al. (2017) 569:243–252
- Shoji J, see Sugimoto R et al. (2017) 563:25–33
- Siegle E, see Pombo M et al. (2017) 565:131–147
- Sigray P, see Magnhagen C et al. (2017) 564:115–125
- Sigwart JD, see Geraldini NR et al. (2017) 563:157–167
- Simon V, see Keller AA et al. (2017) 568:151–173
- Simpfendorfer CA, see Matley JK et al. (2017) 563:197–210
- Simpson SJ, see Humphries NE et al. (2016) 561:173–187
- Sims DW, see Humphries NE et al. (2016) 561:173–187
- Sivle LD, Wensveen PJ, Kvadsheim PH, Lam FPA, Visser F, Curé C, Harris CM, Tyack PL, Miller PJO (2016) Naval sonar disrupts foraging in humpback whales. 562:211–220
- Slone DH, see Lefebvre LW et al. (2017) 564:29–45
- Smaal AC, see Walles B et al. (2016) 562:113–122
- Smale DA, Wernberg T, Vanderklift MA (2017) Regional-scale variability in the response of benthic macroinvertebrate assemblages to a marine heatwave. 568:17–30
- Smee DL, see Lunt J et al. (2017) 569:25–36
- Smith AM, Clark DE, Lamare MD, Winter DJ, Byrne M (2016) Risk and resilience: variations in magnesium in echinoid skeletal calcite. 561:1–16
- Smith JA, see Parsons DF et al. (2016) 561:155–171
- Smith M, see Zimmerman RC et al. (2017) 566:1–15
- Smith TS, see Olson JW et al. (2017) 564:211–224
- Sohel S, Mattila J, Lindström K (2017) Effects of turbidity on prey choice of three-spined stickleback *Gasterosteus aculeatus*. 566:159–167
- Soler M, see Colomer J et al. (2017) 569:103–116
- Solow AR, see Pascual M et al. (2016) 561:189–201
- Soong K, see Fan TY et al. (2017) 569:117–127
- Soria M, see Rodriguez-Tress P et al. (2017) 570:213–222
- Sousa-Pinto I, see Rodriguez S et al. (2016) 562:79–91
- Spagnolo A, see Santelli A et al. (2017) 566:31–48
- Spedicato MT, see Brind'Amour A et al. (2016) 562:19–35
- Spencer HG, see Cumming RA et al. (2016) 562:93–100
- Spencer M, see Copeman LA et al. (2017) 566:183–198
- Spitz J, see Mahfouz C et al. (2017) 563:249–259
- Spurgin K, see Gosnell JS et al. (2017) 568:111–122
- Sremba A, see Copeman LA et al. (2017) 566:183–198
- Stachowicz JJ, see Whalen MA (2017) 570:1–13
- Stamler KM, see Demopoulos AWJ et al. (2016) 561:51–68
- Stevens PW, see Blewett DA et al. (2017) 563:211–218
- Stevens T, see Henderson CJ et al. (2017) 566:135–144
- Storey AE, see Fitzsimmons MG et al. (2017) 565:217–226
- Stow AJ, see Thompson JA et al. (2017) 570:127–139
- Stowasser G, see Saunders RA et al. (2017) 569:173–185
- Strafella P, see Santelli A et al. (2017) 566:31–48
- Straley JM, see Burrows JA et al. (2016) 561:245–260
- Strøm H, see Fluhr J et al. (2017) 563:1–11
- Studholme KR, see Auger-Méthé M et al. (2017) 565:237–249
- Subida MD, see Pérez-Matus A et al. (2017) 567:1–16
- Sugimoto R, Kitagawa K, Nishi S, Honda H, Yamada M, Kobayashi S, Shoji J, Ohsawa S, Taniguchi M, Tominaga O (2017) Phytoplankton primary productivity around submarine groundwater discharge in nearshore coasts. 563:25–33
- Sullivan JM, see Cerny-Chipman EB et al. (2017) 570:15–28
- Sullivan TJ, Neigel JE (2017) Misidentification of megalopae as a potential source of error in studies of population genetics and ecology of the blue crab *Callinectes sapidus*. 565:95–111
- Sun X, Hedgecock D (2017) Temporal genetic change in North American Pacific oyster populations suggests caution in seascape genetics analyses of high gene-flow species. 565:79–93
- Suprenand PM, Ainsworth CH (2017) Trophodynamic effects of climate change-induced alterations to primary production along the western Antarctic Peninsula. 569:37–54
- Sutherland KR, see Corrales-Ugalde M et al. (2017) 568:101–110
- Suthers IM, see Parsons DF et al. (2016) 561:155–171
- Suzuki A, see Tanaka Y et al. (2017) 570:101–112
- Sweetman AK, see Meyer KS et al. (2017) 566:17–29
- Swingle WM, see Zimmerman RC et al. (2017) 566:1–15

## T

- Takasuka A, see Yasue N et al. (2016) 562:135–146
- Tan CH, Pratchett MS, Bay LK, Graham EM, Baird AH (2016) Spatial and temporal variation in fecundity among populations of *Acropora millepora* on the Great Barrier Reef. 561:147–153
- Tanaka Y, Grotoli AG, Matsui Y, Suzuki A, Sakai K (2017) Effects of nitrate and phosphate availability on the tissues and carbonate skeleton of scleractinian corals. 570:101–112
- Taniguchi M, see Sugimoto R et al. (2017) 563:25–33
- Tapia FJ, see Quiroga E et al. (2016) 561:31–50
- Tapia FJ, see Quiroga E et al. (2017) 564:241
- Targett TE, see Lifavi DM et al. (2017) 564:163–174
- Tarling GA, see Saunders RA et al. (2017) 569:173–185
- Tarroux A, see Fauchald P et al. (2017) 568:203–215
- Tasseti AN, see Santelli A et al. (2017) 566:31–48
- Tattersall KL, see Melbourne-Thomas J et al. (2016) 561:261
- Terwisscha van Scheltinga AD, see Castro de la Guardia L et al. (2017) 564:225–233
- Thébault J, see De Cesare S et al. (2017) 567:157–172
- Thiel M, see Pérez-Matus A et al. (2017) 567:1–16
- Thompson D, see Pascoe P et al. (2016) 562:181–192

- Thompson JA, Stow AJ, Raftos DA (2017) Lack of genetic introgression between wild and selectively bred Sydney rock oysters *Saccostrea glomerata*. 570:127–139
- Thompson KL, see Keen EM et al. (2017) 567:211–233
- Thompson PM, see Williamson LD et al. (2017) 570:223–232
- Thomson JA, see Nowicki RJ et al. (2017) 567:79–93
- Tobin AJ, see Matley JK et al. (2017) 563:197–210
- Tominaga O, see Sugimoto R et al. (2017) 563:25–33
- Torres G, see Giménez L et al. (2017) 570:141–155
- Torres L, see Pascoe P et al. (2016) 562:181–192
- Torres R, see Manríquez PH et al. (2017) 563:169–184
- Tremblay R, see Gaillard B et al. (2017) 567:139–156
- Trenkel VM, see Brind'Amour A et al. (2016) 562:19–35
- Trites AW, see Volpov BL et al. (2016) 562:221–236
- Trouvé C, see Chérel Y et al. (2017) 565:197–215
- Trudelle L, see Cerchio S et al. (2016) 562:193–209
- Tsagaraki TM, see Segovia M et al. (2017) 565:17–33
- Tserpes G, see Brind'Amour A et al. (2016) 562:19–35
- Turingan RG, see Fidler RY et al. (2017) 570:187–202
- Turra A, see Pombo M et al. (2017) 565:131–147
- Turrell WR, see Elliott SAM et al. (2017) 568:123–135
- Tuttle LJ (2017) Direct and indirect effects of invasive lionfish on coral-reef cleaning mutualists. 569:163–172
- Tveraa T, see Fauchald P et al. (2017) 568:203–215
- Tyack PL, see Sivle LD et al. (2016) 562:211–220
- U**
- Ulses C, see Brosset P et al. (2017) 567:263
- Uye S, see Ikeda H et al. (2017) 568:87–100
- V**
- Valdivia A, see Cox C et al. (2017) 563:65–79
- Van Beveren E, see Brosset P et al. (2017) 567:263
- Van Gansbeke D, see Werbrouck E et al. (2017) 568:59–71
- Van Hale R, see Wing SR et al. (2017) 563:13–23
- Van Hamme JD, see Sandee SD et al. (2016) 562:53–63
- van Soelen J, see Lara M et al. (2016) 561:123–136
- Vanderklift MA, see Smale DA et al. (2017) 568:17–30
- Vanreusel A, see Werbrouck E et al. (2017) 568:59–71
- Varpe Ø, see Fauchald P et al. (2017) 568:203–215
- Varughese M, see Gihwala KN et al. (2017) 569:227–242
- Vieira J, see Garcia AM et al. (2017) 567:17–28
- Vighi M, see Samarra FIP et al. (2017) 564:199–210
- Vikingsson GA, see Samarra FIP et al. (2017) 564:199–210
- Vinette-Herrin K, see Pascoe P et al. (2016) 562:181–192
- Vingada JV, see Monteiro SS et al. (2017) 563:233–247
- Visser F, see Sivle LD et al. (2016) 562:211–220
- Volpov BL, Goundie ET, Rosen DAS, Arnould JPY, Trites AW (2016) Transiting to depth disrupts overall dynamic body acceleration and oxygen consumption rate in freely diving Steller sea lions. 562:221–236
- W**
- Wakefield WW, see Keller AA et al. (2017) 568:151–173
- Waldbusser GG, see Gray MW et al. (2017) 563:81–94
- Wallis B, Smaal AC, Herman PMJ, Ysebaert T (2016) Niche dimension differs among life-history stages of Pacific oysters in intertidal environments. 562:113–122
- Wallner-Kersanach M, see Lanari M et al. (2017) 570:41–55
- Walpersdorf E, Köhl M, Elberling B, Andersen TJ, Hansen BU, Pejrup M, Glud RN (2017) *In situ* oxygen dynamics and carbon turnover in an intertidal sediment (Skallingen, Denmark). 566:49–65
- Walsh J, see Reiss CS et al. (2017) 568:1–16
- Walters L, see Galimany E et al. (2017) 564:57–66
- Wang X, see Zhao X et al. (2017) 565:67–77
- Wang Y, see Zhao X et al. (2017) 565:67–77
- Ware C, see Burrows JA et al. (2016) 561:245–260
- Wares J, see Pringle JM et al. (2017) 567:29–40
- Warzybok P, see Johns ME et al. (2017) 564:187–197
- Waters JM, see Cumming RA et al. (2016) 562:93–100
- Watters GM, see Reiss CS et al. (2017) 568:1–16
- Wearmouth VJ, see Humphries NE et al. (2016) 561:173–187
- Weimerskirch H, see Chérel Y et al. (2017) 565:197–215
- Weimerskirch H, see Mendez L et al. (2017) 568:217–230
- Weiss EL, see Reiss CS et al. (2017) 568:1–16
- Wells S, McConaughy J, Horth L (2017) Multiple mating by females in the Chesapeake Bay blue crab *Callinectes sapidus* population. 564:67–75
- Wensveen PJ, see Sivle LD et al. (2016) 562:211–220
- Werbrouck E, Vanreusel A, Deregius D, Van Gansbeke D, De Troch M (2017) Antarctic harpacticoids exploit different trophic niches: a summer snapshot using fatty acid trophic markers (Potter Cove, King George Island). 568:59–71
- Wernberg T, see Smale DA et al. (2017) 568:17–30
- Whalen MA, Stachowicz JJ (2017) Suspension feeder diversity enhances community filtration rates in different flow environments. 570:1–13
- Wheeler PM, see Bodmer MDV et al. (2017) 566:105–115
- White AT, see Fidler RY et al. (2017) 570:187–202
- White CL, see Buxton RT et al. (2017) 570:233–246
- Whitehead TO, Connan M, Ropert-Coudert Y, Ryan PG (2017) Subtle but significant segregation in the feeding ecology of sympatric penguins during the critical pre-moult period. 565:227–236
- Wieters EA, see Pérez-Matus A et al. (2017) 567:1–16
- Wikner J, see Båmstedt U (2016) 561:17–29
- Wikner J, see Båmstedt U (2016) 562:263
- Williams R, see Fox CH et al. (2017) 566:199–216
- Williamson LD, Brookes KL, Scott BE, Graham IM, Thompson PM (2017) Diurnal variation in harbour porpoise detection—potential implications for management. 570:223–232
- Williard AS, Hall AG, Fujisaki I, McNeill JB (2017) Oceanic overwintering in juvenile green turtles *Chelonia mydas* from a temperate latitude foraging ground. 564:235–240
- Wilson RR, see Olson JW et al. (2017) 564:211–224
- Winemiller KO, see Garcia AM et al. (2017) 567:17–28
- Wing LC, see McMullin RM et al. (2017) 564:87–98
- Wing LC, see Wing SR et al. (2017) 563:13–23
- Wing SR, Wing LC, Shatova OA, Van Hale R (2017) Marine micronutrient vectors: seabirds, marine mammals and fishes ingest high concentrations of bioactive metals in the subantarctic island ecosystem. 563:13–23
- Wing SR, see McMullin RM et al. (2017) 564:87–98
- Winkler G, see De Cesare S et al. (2017) 567:157–172
- Winter DJ, see Smith AM et al. (2016) 561:1–16
- Wolf M, see Meyer KS et al. (2017) 566:17–29
- Wray J, see Keen EM et al. (2017) 567:211–233
- Wright PJ, see Régner T et al. (2017) 567:185–197
- Wu H, see Zhao X et al. (2017) 565:67–77



**X**

- Xavier JC, see Cherel Y et al. (2017) 565:197–215  
Xavier JC, see Pereira JM et al. (2017) 567:257–262  
Xavier LY, see Pombo M et al. (2017) 565:131–147  
Xing T, see Jin P et al. (2017) 568:47–58

**Y**

- Yabsley NA, see Borland HP et al. (2017) 570:203–211  
Yamada M, see Sugimoto R et al. (2017) 563:25–33  
Yasue N, Harada S, Takasuka A (2016) Seasonal variability in the development of Japanese anchovy during the transition from larval to juvenile stages. 562:135–146  
Yoshino K, see Shinomiya Y et al. (2017) 570:157–171  
Young CM, see Meyer KS et al. (2017) 566:17–29  
Ysebaert T, see Walles B et al. (2016) 562:113–122  
Yurkowski DJ, Semeniuk CAD, Harwood LA, Rosing-Asvid A, Dietz R, Brown TM, Clackett S, Grgicak-Mannion A, Fisk AT, Ferguson SH (2016) Influence of sea ice phenology on the movement ecology of ringed seals across their latitudinal range. 562:237–250

**Z**

- Zanardo N, Parra GJ, Passadore C, Möller LM (2017) Ensemble modelling of southern Australian bottlenose dolphin *Tursiops* sp. distribution reveals important habitats and their potential ecological function. 569:253–266  
Zerbini AN, see Cerchio S et al. (2016) 562:193–209  
Zhao X, Guo C, Han Y, Che Z, Wang Y, Wang X, Chai X, Wu H, Liu G (2017) Ocean acidification decreases mussel byssal attachment strength and induces molecular byssal responses. 565:67–77  
Zimmerman RC, Hill VJ, Jinuntuya M, Celebi B, Ruble D, Smith M, Cedeno T, Swingle WM (2017) Experimental impacts of climate warming and ocean carbonation on eelgrass *Zostera marina*. 566:1–15  
Zimmermann F, Jørgensen C (2017) Taking animal breeding into the wild: regulation of fishing gear can make fish stocks evolve higher productivity. 563:185–195  
Zubak I, Kruschel C, Schultz ST (2017) Predators structure fish communities in *Posidonia oceanica* meadows: meta-analysis of available data across the Mediterranean basin. 566:145–157