

COMBINED AUTHOR AND TITLE INDEX

(Volumes 571 to 580, 2017)

A

- Aars J, see Hamilton CD et al. (2017) 573:45–59
 Abbrecht M, see Regaudie-de-Gioux A et al. (2017) 573:61–72
 Abercrombie D, see Bond ME et al. (2017) 576:1–10
 Afán I, see Navarro J et al. (2017) 578:243–251
 Aksnes DL, see Beltrán-Heredia E et al. (2017) 571:59–64
 Aksnes DL, see Kaartvedt S et al. (2017) 574:259–263
 Al-Rshaidat MMD, see Tilstra A et al. (2017) 575:69–80
 Albert S, see Brown CJ et al. (2017) 576:55–68
 Albins MA, see Curtis JS et al. (2017) 573:215–228
 Alcaraz M, see Calbet A et al. (2017) 575:229
 Allen AA, see Spackeen JL et al. (2017) 577:49–65
 Allen AE, see Spackeen JL et al. (2017) 580:247
 Allyn AJ, see Powers KD et al. (2017) 574:211–226
 Alphin TD, see Hanke MH et al. (2017) 571:121–138
 Altieri AH, see Dunn RP et al. (2017) 577:33–47
 Altieri AH, see Staaterman E et al. (2017) 575:207–215
 Alves MAS, see Tardin RH et al. (2017) 576:89–103
 Anderson EJ, see Wheeler JD et al. (2017) 571:109–120
 André C, see Faust E et al. (2017) 575:95–105
 Andréfouët S, see Léopold M et al. (2017) 571:153–168
 Andreotti S, von der Heyden S, Henriques R, Rutzen M, Meijer M, Matthee CA (2017) Erring on the side of caution: Reply to Irion et al. (2017). 577:257–262
 Andriolo A, see Wedekin LL et al. (2017) 575:195–206
 Angelini C, see Persico EP et al. (2017) 580:57–68
 Anker-Nilssen T, see Bogdanova MI et al. (2017) 578:167–181
 Aoyama J, see Onda H et al. (2017) 575:119–136
 Aoyama J, see Onda H et al. (2017) 580:245
 Araujo G, see Stewart JD et al. (2017) 580:131–151
 Archambault P, see Mäkelä A et al. (2017) 572:1–18
 Ardyna M, see Simo-Matchim AG et al. (2017) 572:19–42
 Armitage CS, Husa V, Petelenz-Kurdziel EA, Sjøtun K (2017) Growth and competition in a warmer ocean: a field experiment with a non-native and two native habitat-building seaweeds. 573:85–99
 Armstrong EJ, see Hill RW et al. (2017) 576:27–41
 Arnould JPY, see Camprasse ECM et al. (2017) 578:183–196
 Arnould JPY, see Camprasse ECM et al. (2017) 578:227–242
 Aschettino JM, see Martien KK et al. (2017) 577:205–220
 Avila J, see Stewart JD et al. (2017) 580:131–151
 Azevedo EB, see Sampaio E et al. (2017) 575:31–42

B

- Babcock EA, see Bond ME et al. (2017) 576:1–10
 Babcock EA, see Tewfik A et al. (2017) 580:37–56
 Babcock RC, see Rogers JGD et al. (2017) 578:99–114
 Bachelier NM, Geraldí NR, Burton ML, Muñoz RC, Kellison GT (2017) Comparing relative abundance, lengths, and habitat of temperate reef fishes using simultaneous underwater visual census, video, and trap sampling. 574:141–155

- Bailey B, see Simonis AE et al. (2017) 577:221–235
 Baird RW, see Martien KK et al. (2017) 577:205–220
 Baird RW, see West KL et al. (2017) 574:227–242
 Baker DM, see Freeman CJ et al. (2017) 571:245–251
 Baker M, see Powers SP et al. (2017) 576:175–187
 Baker MC, see Powers SP et al. (2017) 576:189–202
 Baker MC, see Rouhani S et al. (2017) 576:111–124
 Baker MC, Steinhoff MA, Fricano GF (2017) Integrated effects of the *Deepwater Horizon* oil spill on nearshore ecosystems. 576:219–234
 Barber DG, see Hornby CA et al. (2017) 574:243–257
 Barberá C, Mallol S, Vergés A, Cabanellas-Reboredo M, Díaz D, Goñi R (2017) Maerl beds inside and outside a 25-year-old no-take area. 572:77–90
 Barbosa C, see Patrício AR et al. (2017) 577:189–203
 Barbraud C, see Michael PE et al. (2017) 579:185–199
 Barcelos e Ramos J, see Sampaio E et al. (2017) 575:31–42
 Barlow J, see Simonis AE et al. (2017) 577:221–235
 Barnett LAK, Hennessey SM, Essington TE, Shelton AO, Feist BE, Branch TA, McClure MM (2017) Getting to the bottom of fishery interactions with living habitats: spatiotemporal trends in disturbance of corals and sponges on the US west coast. 574:29–47
 Barrett RT, Erikstad KE, Reiertsen TK (2017) Ocean climate and egg investment in the black-legged kittiwake *Rissa tridactyla*. 579:129–137
 Barry JP, see Lord JP et al. (2017) 571:1–11
 Bartels E, see Ladd MC et al. (2017) 572:129–139
 Baumann-Pickering S, see Simonis AE et al. (2017) 577:221–235
 Bazzino Ferreri G, see Ramos JE et al. (2017) 572:179–192
 Beacham TD, see Freshwater C et al. (2017) 579:97–110
 Bec B, see Lagarde F et al. (2017) 578:1–17
 Bednarz VN, see Tilstra A et al. (2017) 575:69–80
 Belak CA, see Kough AS et al. (2017) 573:177–189
 Bell IP, see Hof CAM et al. (2017) 574:181–191
 Beltrán-Heredia E, Aksnes DL, Cao FJ (2017) Phytoplankton size scaling with nutrient concentration. 571:59–64
 Benedetti-Cecchi L, see Maggi E et al. (2017) 575:17–29
 Benkendorff K, see Tagliafico A et al. (2017) 573:129–141
 Benoit-Bird KJ, see Sato M (2017) 580:69–82
 Bernard I, see Lagarde F et al. (2017) 578:1–17
 Berry T, see Hardy N et al. (2017) 573:237–254
 Bertrand EM, see Spackeen JL et al. (2017) 577:49–65
 Bertrand EM, see Spackeen JL et al. (2017) 580:247
 Bester MN, see Lübcker N et al. (2017) 577:237–250
 Bethina DM, see Peterson CD et al. (2017) 579:81–96
 Beukema JJ, Dekker R, Drent J, van der Meer J (2017) Long-term changes in annual growth of bivalves in the Wadden Sea: influences of temperature, food, and abundance. 573:143–156
 Bilan M, see Dionísio G et al. (2017) 578:87–97
 Björnsson B, Burgos JM, Sólmundsson J, Ragnarsson SÁ, Jónsdóttir IG, Skúladóttir U (2017) Effects of cod and haddock abundance on the distribution and abundance of northern shrimp. 572:209–221

- Blewitt M, see Hardy N et al. (2017) 573:237–254
- Bock C, see Schmidt M et al. (2017) 571:183–191
- Bockelmann AC, see Brakel J et al. (2017) 571:97–108
- Bogdanova MI, Butler A, Wanless S, Moe B, Anker-Nilssen T, Frederiksen M, Boulinier T, Chivers LS, Christensen-Dalsgaard S, Descamps S, Harris MP, Newell M, Olsen B, Phillips RA, Shaw D, Steen H, Strøm H, Thórarinsson TL, Daunt F (2017) Multi-colony tracking reveals spatio-temporal variation in carry-over effects between breeding success and winter movements in a pelagic seabird. 578: 167–181
- Bograd SJ, see Santora JA et al. (2017) 580:205–220
- Bollache L, see van Bemmelen R et al. (2017) 578:197–211
- Boltovskoy D (2017) Seasonality in the vertical flux and species composition of Radiolaria Polycystina (Protista): patterns and drivers. 578:51–72
- Bond ME, see Delacy CR et al. (2017) 574:75–84
- Bond ME, Valentini-Albanese J, Babcock EA, Abercrombie D, Lamb NF, Miranda A, Pikitch EK, Chapman DD (2017) Abundance and size structure of a reef shark population within a marine reserve has remained stable for more than a decade. 576:1–10
- Bongiorni L, see Maggi E et al. (2017) 575:17–29
- Bonnet D, see Lagarde F et al. (2017) 578:1–17
- Bonnet-Lebrun AS, see Carneiro APB et al. (2017) 578: 151–166
- Bonzek CF, see Latour RJ et al. (2017) 579:1–17
- Booth AJ, see Irion DT et al. (2017) 577:251–255
- Booth JD, see Chiswell SM (2017) 576:69–87
- Borrat RM, see Calbet A et al. (2017) 575:229
- Bost CA, see Camprasse ECM et al. (2017) 578:183–196
- Bost CA, see Camprasse ECM et al. (2017) 578:227–242
- Botha JA, Rishworth GM, Thiebault A, Green DB, Pistorius PA (2017) Sex-specific foraging over space and time in Cape gannets during chick rearing. 579:157–167
- Boulinier T, see Bogdanova MI et al. (2017) 578:167–181
- Bouten W, see Navarro J et al. (2017) 578:243–251
- Braccini M, Rensing K, Langlois T, McAuley R (2017) Acoustic monitoring reveals the broad-scale movements of commercially important sharks. 577:121–129
- Braga ES, see Regaudie-de-Gioux A et al. (2017) 573:61–72
- Brakel J, Reusch TBH, Bockelmann AC (2017) Moderate virulence caused by the protist *Labyrinthula zosterae* in ecosystem foundation species *Zostera marina* under nutrient limitation. 571:97–108
- Bramanti L, see Viladrich N et al. (2017) 573:117–128
- Brancato MS, see Jones T et al. (2017) 579:111–127
- Branch TA, see Barnett LAK et al. (2017) 574:29–47
- Brandl SJ, see Rodemann JR (2017) 574:167–179
- Brandl SJ, see Staaterman E et al. (2017) 575:207–215
- Braun CD, see Skomal GB et al. (2017) 580:1–16
- Brenneis T, see Trimborn S et al. (2017) 578:35–50
- Bridge TCL, see Smallhorn-West PF et al. (2017) 576:43–53
- Broderick AC, see Patrício AR et al. (2017) 577:189–203
- Broell F, McCain JSP, Taggart CT (2017) Thermal time explains size-at-age variation in molluscs. 573:157–165
- Bronk DA, see Spackeen JL et al. (2017) 577:49–65
- Bronk DA, see Spackeen JL et al. (2017) 580:247
- Brooke MdeL, see Clay TA et al. (2017) 579:139–155
- Brooke S, see Demopoulos AWJ et al. (2017) 578:19–33
- Brooker RM, Sih TL, Dixson DL (2017) Contact with seaweed alters prey selectivity in a coral-feeding reef fish. 580: 239–244
- Brooks EJ, see Delacy CR et al. (2017) 574:75–84
- Brooks EJ, see Shipley ON et al. (2017) 579:233–238
- Brown CJ, Jupiter SD, Lin HY, Albert S, Klein C, Maina JM, Tulloch VJD, Wenger AS, Mumby PJ (2017) Habitat change mediates the response of coral reef fish populations to terrestrial run-off. 576:55–68
- Bunce M, see Hardy N et al. (2017) 573:237–254
- Burgos JM, see Björnsson B et al. (2017) 572:209–221
- Burkepile DE, see Ladd MC et al. (2017) 572:129–139
- Burns Perez VR, see Tewfik A et al. (2017) 580:37–56
- Burton ML, see Bacheler NM et al. (2017) 574:141–155
- Bustamante P, see Camprasse ECM et al. (2017) 578:183–196
- Bustamante P, see Camprasse ECM et al. (2017) 578:227–242
- Butler A, see Bogdanova MI et al. (2017) 578:167–181
- Byers JE, see Schutte VGW (2017) 573:15–23

C

- Cabanelas-Reboredo M, see Barberá C et al. (2017) 572:77–90
- Calado R, see Dionísio G et al. (2017) 578:87–97
- Calbet A, Isari S, Martínez RA, Saiz E, Garrido S, Peters J, Borrat RM, Alcaraz M (2017) (Erratum to Vol. 483:67–84, 2013) 575:229
- Cameron B, see Skilleter GA et al. (2017) 573:25–43
- Campbell HA, see Lyon BJ et al. (2017) 573:203–213
- Campbell JE, Sneed JM, Johnston L, Paul VJ (2017) Effects of ocean acidification and contact with the brown alga *Stylophodium zonale* on the settlement and early survival of the coral *Porites astreoides*. 577:67–77
- Camprasse ECM, Cherel Y, Arnould JPY, Hoskins AJ, Bustamante P, Bost CA (2017) Mate similarity in foraging Kerguelan shags: a combined bio-logging and stable isotope investigation. 578:183–196
- Camprasse ECM, Cherel Y, Bustamante P, Arnould JPY, Bost CA (2017) Intra- and inter-individual variation in the foraging ecology of a generalist subantarctic seabird, the gentoo penguin. 578:227–242
- Canfield DE, see Kumala L et al. (2017) 572:117–128
- Cao FJ, see Beltrán-Heredia E et al. (2017) 571:59–64
- Capocchi A, see Maggi E et al. (2017) 575:17–29
- Cardini U, see Tilstra A et al. (2017) 575:69–80
- Caretti ON, see Johnston CA (2017) 573:1–14
- Carlson PM, Davis K, Warner RR, Caselle JE (2017) Fine-scale spatial patterns of parrotfish herbivory are shaped by resource availability. 577:165–176
- Carlson PM, see Davis K et al. (2017) 577:149–164
- Carneiro APB, Bonnet-Lebrun AS, Manica A, Staniland IJ, Phillips RA (2017) Methods for detecting and quantifying individual specialisation in movement and foraging strategies of marine predators. 578:151–166
- Carstensen J, see Dähne M et al. (2017) 580:221–237
- Caselle JE, see Carlson PM et al. (2017) 577:165–176
- Caselle JE, see Davis K et al. (2017) 577:149–164
- Castagna A, see Regaudie-de-Gioux A et al. (2017) 573:61–72
- Castellano GC, see Rocha RM et al. (2017) 577:105–119
- Catry P, see Patrício AR et al. (2017) 577:189–203
- Cebrian J, see Powers SP et al. (2017) 576:107–110
- Chai X, see Peng C et al. (2017) 575:107–117
- Chaparro OR, see Pechenik JA et al. (2017) 572:165–178
- Chapman DD, see Bond ME et al. (2017) 576:1–10
- Chapman DD, see Delacy CR et al. (2017) 574:75–84
- Charrier G, see Faust E et al. (2017) 575:95–105
- Chateau O, see Léopold M et al. (2017) 571:153–168
- Cherel Y, see Camprasse ECM et al. (2017) 578:183–196
- Cherel Y, see Camprasse ECM et al. (2017) 578:227–242
- Chiantella C, see Lagarde F et al. (2017) 578:1–17

- Chisholm JH, see Skomal GB et al. (2017) 580:1–16
- Chiswell SM, Booth JD (2017) Evolution of long larval life in the Australasian rock lobster *Jasus edwardsii*. 576:69–87
- Chivers LS, see Bogdanova MI et al. (2017) 578:167–181
- Choy ES, Rosenberg B, Roth JD, Loseto LL (2017) Inter-annual variation in environmental factors affect the prey and body condition of beluga whales in the eastern Beaufort Sea. 579:213–225
- Christensen V, see Corrales X et al. (2017) 580:17–36
- Christensen-Dalsgaard S, see Bogdanova MI et al. (2017) 578:167–181
- Christiansen H, see Faust E et al. (2017) 575:95–105
- Christiansen JS (2017) No future for Euro-Arctic ocean fishes? 575:217–227
- Christidis L, see Tagliafico A et al. (2017) 573:129–141
- Chun Y, see Tardin RH et al. (2017) 576:89–103
- Ciotti AM, see Regaudie-de-Gioux A et al. (2017) 573:61–72
- Clarke C, see Muzaffar SB et al. (2017) 575:181–194
- Clay TA, Phillips RA, Manica A, Jackson HA, Brooke MdeL (2017) Escaping the oligotrophic gyre? The year-round movements, foraging behaviour and habitat preferences of Murphy's petrels. 579:139–155
- Clemesha RES, see Simonis AE et al. (2017) 577:221–235
- Cliff G, see Irion DT et al. (2017) 577:251–255
- Coleman MA, see Hardy N et al. (2017) 573:237–254
- Coll M, see Corrales X et al. (2017) 580:17–36
- Collins PW, see West KL et al. (2017) 574:227–242
- Connell SD, see Hardy N et al. (2017) 573:237–254
- Cook TR, see Muzaffar SB et al. (2017) 575:181–194
- Cornejo M, see Ruz PM et al. (2017) 571:83–96
- Corrales X, Coll M, Ofir E, Piroddi C, Goren M, Edelist D, Heymans JJ, Steenbeek J, Christensen V, Gal G (2017) Hindcasting the dynamics of an Eastern Mediterranean marine ecosystem under the impact of multiple stressors. 580:17–36
- Cosentino-Manning N, see Kenworthy WJ et al. (2017) 576:145–161
- Côté IM, see Howard BR et al. (2017) 577:93–103
- Cowden K, see Tagliafico A et al. (2017) 573:129–141
- Creed JC, see De Paula AF et al. (2017) 572:141–154
- Cronin H, see Kough AS et al. (2017) 573:177–189
- Crooks CJ, see Stump KL et al. (2017) 574:85–95
- Csep DJ, see Sigler MF et al. (2017) 571:233–243
- Curtis JS, Wall KR, Albins MA, Stallings CD (2017) Diet shifts in a native mesopredator across a range of invasive lionfish biomass. 573:215–228
- D**
- Dahlin JA, see Michel J et al. (2017) 576:203–218
- Dähne M, Tougaard J, Carstensen J, Rose A, Nabe-Nielsen J (2017) Bubble curtains attenuate noise from offshore wind farm construction and reduce temporary habitat loss for harbour porpoises. 580:221–237
- Dailianis T, see Katsanevakis S et al. (2017) 577:17–32
- Dal Bello M, see Maggi E et al. (2017) 575:17–29
- Dannecker D, see Giron-Nava A et al. (2017) 572:269–274
- Darnaude AM, see Sirot C et al. (2017) 575:137–152
- Daunt F, see Bogdanova MI et al. (2017) 578:167–181
- Daunt F, see Phillips RA et al. (2017) 578:117–150
- David C, see Schaafsma FL et al. (2017) 580:101–115
- Davis K, Carlson PM, Lowe CG, Warner RR, Caselle JE (2017) Parrotfish movement patterns vary with spatiotemporal scale. 577:149–164
- Davis K, see Carlson PM et al. (2017) 577:165–176
- de Bruyn PJN, see Lücker N et al. (2017) 577:237–250
- De Grissac S, see Michael PE et al. (2017) 579:185–199
- de los Santos CB, Godbold JA, Solan M (2017) Short-term growth and biomechanical responses of the temperate seagrass *Cymodocea nodosa* to CO₂ enrichment. 572:91–102
- De Paula AF, Fleury BG, Lages BG, Creed JC (2017) Experimental evaluation of the effects of management of invasive corals on native communities. 572:141–154
- de Rivera CE, see Turner BC et al. (2017) 574:13–27
- Deecke VB, see Rice A et al. (2017) 572:255–268
- Deis DR, see Zengel S et al. (2017) 576:135–144
- Dekker R, see Beukema JJ et al. (2017) 573:143–156
- Dekker R, see Jung AS et al. (2017) 579:37–53
- Delacy CR, Olsen A, Howey LA, Chapman DD, Brooks EJ, Bond ME (2017) Affordable and accurate stereo-video system for measuring dimensions underwater: a case study using oceanic whitetip sharks *Carcharhinus longimanus*. 574:75–84
- Delord K, see Michael PE et al. (2017) 579:185–199
- Demes K, see Schubert N (2017) 575:81–93
- Demopoulos AWJ, McClain-Counts J, Ross SW, Brooke S, Mienis F (2017) Food-web dynamics and isotopic niches in deep-sea communities residing in a submarine canyon and on the adjacent open slopes. 578:19–33
- Denley D, Metaxas A (2017) Lack of substrate specificity contributes to invasion success and persistence of *Membranipora membranacea* in the northwest Atlantic. 580:117–129
- Descamps S, see Bogdanova MI et al. (2017) 578:167–181
- Díaz D, see Barberá C et al. (2017) 572:77–90
- Dicken ML, see Irion DT et al. (2017) 577:251–255
- Diederich CM, see Pechenik JA et al. (2017) 572:165–178
- Dionísio G, Faleiro F, Bilan M, Rosa IC, Pimentel M, Serôdio J, Calado R, Rosa R (2017) Impact of climate change on the ontogenetic development of 'solar-powered' sea slugs. 578:87–97
- Dixson DL, see Brooker RM et al. (2017) 580:239–244
- Drent J, see Beukema JJ et al. (2017) 573:143–156
- Driggers WB III, see Peterson CD et al. (2017) 579:81–96
- Duan X, see Luo M et al. (2017) 577:1–15
- Dubois SF, see Pascal PY et al. (2017) 578:73–85
- Duffy JE, see Staaterman E et al. (2017) 575:207–215
- Dujon AM, see Stieglitz TC (2017) 571:139–152
- Dumas P, see Leopold M et al. (2017) 571:153–168
- Dunn RP, Altieri AH, Miller K, Yeager M, Hovel KA (2017) Coral identity and structural complexity drive habitat associations and demographic processes for an increasingly important Caribbean herbivore. 577:33–47
- Duong T, see Lee KA et al. (2017) 572:223–241
- Durant JM, Hjermann DØ (2017) Age-structure, harvesting and climate effects on population growth of Arctic-boreal fish stocks. 577:177–188
- Dwyer RG, see Lyon BJ et al. (2017) 573:203–213
- E**
- Easson CG, see Freeman CJ et al. (2017) 571:245–251
- Edelist D, see Corrales X et al. (2017) 580:17–36
- Edward A, see Hill RW et al. (2017) 576:27–41
- Eliason EJ, see Healy SJ et al. (2017) 577:131–147
- Elliott D, see Pierson JJ et al. (2017) 575:57–68
- Ellrich JA, see Sherker ZT et al. (2017) 573:167–175
- Emsbo-Mattingly SD, see Rouhani S et al. (2017) 576:111–124

- Engel MH, see Wedekin LL et al. (2017) 575:195–206
 Erikstad KE, see Barrett RT et al. (2017) 579:129–137
 Essington TE, see Barnett LAK et al. (2017) 574:29–47
 Etter RJ, see Glazier AE (2017) 577:79–91
 Eyre BD, see Riekenberg PM et al. (2017) 571:29–42

F

- Faleiro F, see Dionísio G et al. (2017) 578:87–97
 Farcas A, see Townhill BL et al. (2017) 580:191–204
 Faust E, André C, Meurling S, Kochmann J, Christiansen H, Jensen LF, Charrier G, Laugen AT, Strand Å (2017) Origin and route of establishment of the invasive Pacific oyster *Crassostrea gigas* in Scandinavia. 575:95–105
 Fegley SR, see Michel J et al. (2017) 576:203–218
 Feist BE, see Barnett LAK et al. (2017) 574:29–47
 Fernando D, see Stewart JD et al. (2017) 580:131–151
 Ferreira A, see Regaudie-de-Gioux A et al. (2017) 573:61–72
 Ferrier-Pagès C, see Viladrich N et al. (2017) 573:117–128
 Fiandrino A, see Lagarde F et al. (2017) 578:1–17
 Field JC, see Santora JA et al. (2017) 580:205–220
 Figueira W, see Hardy N et al. (2017) 573:237–254
 Finkel ZV, see Mutshinda CM et al. (2017) 576:11–25
 Fitchett MD, see Stump KL et al. (2017) 574:85–95
 Fleury BG, see De Paula AF et al. (2017) 572:141–154
 Flores H, see Schaafsma FL et al. (2017) 580:101–115
 Flores-Hernandez D, see Sirot C et al. (2017) 575:137–152
 Florn AM, see Hill RW et al. (2017) 576:27–41
 Fogarty MJ, see Perretti CT et al. (2017) 574:1–11
 Fontanini D, see Maggi E et al. (2017) 575:17–29
 Ford BM, Stewart BA, Roberts JD (2017) Species pools and habitat complexity define Western Australian marine fish community composition. 574:157–166
 Ford JKB, see Rice A et al. (2017) 572:255–268
 Forero MG, see Navarro J et al. (2017) 578:243–251
 Forero MG, see Rosas-Luis R et al. (2017) 573:191–201
 Forsberg K, see Stewart JD et al. (2017) 580:131–151
 Forster S, see Morys C et al. (2017) 579:19–36
 Franco-Cisterna B, see Ruz PM et al. (2017) 571:83–96
 Franklin AM, see Pechenik JA et al. (2017) 572:165–178
 Franklin CE, see Lyon BJ et al. (2017) 573:203–213
 Frederiksen M, see Bogdanova MI et al. (2017) 578:167–181
 Freeman CJ, Stoner EW, Easson CG, Matterson KO, Baker DM (2017) Variation in $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ values suggests a coupling of host and symbiont metabolism in the *Symbiodinium*–*Cassiopea* mutualism. 571:245–251
 Freire CA, see Rocha RM et al. (2017) 577:105–119
 Freshwater C, Trudel M, Beacham TD, Grant SCH, Johnson SC, Neville CEM, Tucker S, Juanes F (2017) Effects of density during freshwater and early marine rearing on juvenile sockeye salmon size, growth, and migration. 579:97–110
 Fricano GF, see Baker MC et al. (2017) 576:219–234
 Friedland KD, see Perretti CT et al. (2017) 574:1–11
 Frisk MG, see Shipley ON et al. (2017) 579:233–238
 Fujioka K, see Kitagawa T (2017) 571:253–257
 Furey NB, see Healy SJ et al. (2017) 577:131–147
 Furukawa S, see Hasegawa T et al. (2017) 573:101–115

G

- Gabriault H, see Léopold M et al. (2017) 571:153–168
 Gal G, see Corrales X et al. (2017) 580:17–36
 Gallo F, see Sampaio E et al. (2017) 575:31–42

- Garrido S, see Calbet A et al. (2017) 575:229
 Gartland J, see Latour RJ et al. (2017) 579:1–17
 Geggel A, see Powers SP et al. (2017) 576:175–187
 Gende SM, see Sigler MF et al. (2017) 571:233–243
 Gennari E, see Irion DT et al. (2017) 577:251–255
 Gerald NR, see Bacheler NM et al. (2017) 574:141–155
 Gerlach G, see Schmidt M et al. (2017) 571:183–191
 Germain M, see Jung AS et al. (2017) 579:37–53
 Gerovasileiou V, see Katsanevakis S et al. (2017) 577:17–32
 Gibson J, see Tewfik A et al. (2017) 580:37–56
 Gilg O, see van Bemmelen R et al. (2017) 578:197–211
 Gillanders BM, see Hardy N et al. (2017) 573:237–254
 Giron-Nava A, James CC, Johnson AF, Dannecker D, Kolody B, Lee A, Nagarkar M, Pao GM, Ye H, Johns DG, Sugihara G (2017) Quantitative argument for long-term ecological monitoring. 572:269–274
 Glazier AE, Etter RJ (2017) Genetic divergence across an oxygen minimum zone. 577:79–91
 Godbold JA, see de los Santos CB et al. (2017) 572:91–102
 Godley BJ, see Patricio AR et al. (2017) 577:189–203
 Goes J, see Zhu Y et al. (2017) 580:83–100
 Goetze E, see Jungbluth MJ et al. (2017) 572:57–76
 Goffette A, see Pascal PY et al. (2017) 578:73–85
 Goldsworthy SD, see Hardy N et al. (2017) 573:237–254
 Goñi R, see Barberá C et al. (2017) 572:77–90
 González-Solís J, see Phillips RA et al. (2017) 578:117–150
 González-Solís J, see Zajková Z et al. (2017) 579:169–183
 Goodison M, see Staaterman E et al. (2017) 575:207–215
 Goren M, see Corrales X et al. (2017) 580:17–36
 Gosselin M, see Simo-Matchim AG et al. (2017) 572:19–42
 Grabowski J, see Powers SP et al. (2017) 576:189–202
 Grabowski JH, Powers SP, Roman H, Rouhani S (2017) Potential impacts of the 2010 *Deepwater Horizon* oil spill on subtidal oysters in the Gulf of Mexico. 576:163–174
 Grabowski JH, see Powers SP et al. (2017) 576:175–187
 Graeve M, see Schaafsma FL et al. (2017) 580:101–115
 Grant SCH, see Freshwater C et al. (2017) 579:97–110
 Graves D, see Lord JP et al. (2017) 571:1–11
 Green DB, see Botha JA et al. (2017) 579:157–167
 Grémillet D, see Navarro J et al. (2017) 578:243–251
 Grønkjær P, see Sirot C et al. (2017) 575:137–152
 Gruber SH, see Stump KL et al. (2017) 574:85–95
 Gubiani R, see Muzaffar SB et al. (2017) 575:181–194
 Guinet C, see Jouma'a J et al. (2017) 573:255–268
 Guo C, see Peng C et al. (2017) 575:107–117
 Guttridge TL, see Stump KL et al. (2017) 574:85–95

H

- Haggarty DR, Lotterhos KE, Shurin JB (2017) Young-of-the-year recruitment does not predict the abundance of older age classes in black rockfish in Barkley Sound, British Columbia, Canada. 574:113–126
 Hahn S, see Krietsch J et al. (2017) 578:213–225
 Ham J, see Léopold M et al. (2017) 571:153–168
 Hamilton CD, Kovacs KM, Ims RA, Aars J, Strøm H, Lydersen C (2017) Spatial overlap among an Arctic predator, prey and scavenger in the marginal ice zone. 573:45–59
 Han Y, see Peng C et al. (2017) 575:107–117
 Hancock-Hanser BL, see Martien KK et al. (2017) 577:205–220
 Handley L, see Kenworthy WJ et al. (2017) 576:145–161
 Hanke MH, Posey MH, Alphin TD (2017) The influence of habitat characteristics on intertidal oyster *Crassostrea virginica* populations. 571:121–138

- Hansen J, see van Bemmelen R et al. (2017) 578:197–211
- Hanssen SA, see van Bemmelen R et al. (2017) 578:197–211
- Harcourt RG, see Lee KA et al. (2017) 572:223–241
- Hardge K, Peeken I, Neuhaus S, Krumpen T, Stoek T, Metfies K (2017) Sea ice origin and sea ice retreat as possible drivers of variability in Arctic marine protist composition. 571:43–57
- Hardy N, Berry T, Kelaher BP, Goldsworthy SD, Bunce M, Coleman MA, Gillanders BM, Connell SD, Blewitt M, Figueira W (2017) Assessing the trophic ecology of top predators across a recolonisation frontier using DNA metabarcoding of diets. 573:237–254
- Hare JA, see Perretti CT et al. (2017) 574:1–11
- Harris MP, see Bogdanova MI et al. (2017) 578:167–181
- Hasegawa T, Takatsuki N, Kawabata Y, Kawabe R, Nishihara GN, Ishimatsu A, Soyano K, Okamura K, Furukawa S, Yamada M, Shimoda M, Kinoshita T, Yamawaki N, Morii Y, Sakurada Y (2017) Continuous behavioral observation reveals the function of drifting seaweeds for *Seriola* spp. juveniles. 573:101–115
- Hassler CS, see Trimborn S et al. (2017) 578:35–50
- Haughey R, see Schofield G et al. (2017) 575:153–164
- Hawkes LA, see Patrício AR et al. (2017) 577:189–203
- Hayashi K, see Schulien JA et al. (2017) 572:43–56
- Hazen EL, see Santora JA et al. (2017) 580:205–220
- Healy SJ, Hinch SG, Porter AD, Rechisky EL, Welch DW, Eliason EJ, Lotto AG, Furey NB (2017) Route-specific movements and survival during early marine migration of hatchery steelhead *Oncorhynchus mykiss* smolts in coastal British Columbia. 577:131–147
- Heck KL Jr, see Powers SP et al. (2017) 576:107–110
- Hedger RD, Rikardsen AH, Strøm JF, Righton DA, Thorstad EB, Næsje TF (2017) Diving behaviour of Atlantic salmon at sea: effects of light regimes and temperature stratification. 574:127–140
- Helfrich KR, see Wheeler JD et al. (2017) 571:109–120
- Helyer J, Samhouri JF (2017) Fishing and environmental influences on estimates of unfished herbivorous fish biomass across the Hawaiian Archipelago. 575:1–15
- Hennessey SM, see Barnett LAK et al. (2017) 574:29–47
- Henriques R, see Andreotti S et al. (2017) 577:257–262
- Hepner ME, see Turner BC et al. (2017) 574:13–27
- Hester MW, see Powers SP et al. (2017) 576:189–202
- Hester MW, see Rouhani S et al. (2017) 576:111–124
- Heupel MR, see Schlaff AM et al. (2017) 571:169–181
- Hewitt AM, see Irion DT et al. (2017) 577:251–255
- Heymans JJ, see Corrales X et al. (2017) 580:17–36
- Hickey B, see Jones T et al. (2017) 579:111–127
- Hidalgo P, see Ruz PM et al. (2017) 571:83–96
- Hildebrand JA, see Rice A et al. (2017) 572:255–268
- Hildebrand JA, see Simonis AE et al. (2017) 577:221–235
- Hill MC, see Martien KK et al. (2017) 577:205–220
- Hill RW, Armstrong EJ, Florn AM, Li C, Walquist RW, Edward A (2017) Abundant betaines in giant clams (Tridacnidae) and western Pacific reef corals, including study of coral betaine acclimatization. 576:27–41
- Hinch SG, see Healy SJ et al. (2017) 577:131–147
- Hjermann DØ, see Durant JM (2017) 577:177–188
- Hobday AJ, see Michael PE et al. (2017) 579:185–199
- Hof CAM, Smallwood E, Meager J, Bell IP (2017) First citizen-science population abundance and growth rate estimates for green sea turtles *Chelonia mydas* foraging in the northern Great Barrier Reef, Australia. 574:181–191
- Hoover C, see Hornby CA et al. (2017) 574:243–257
- Hoppe CJM, see Trimborn S et al. (2017) 578:35–50
- Hornby CA, Iacobza J, Hoover C, Barber DG, Loseto LL (2017) Beluga whale *Delphinapterus leucas* late summer habitat use and support for foraging areas in the Canadian Beaufort Sea. 574:243–257
- Hoskins AJ, see Camprasse ECM et al. (2017) 578:183–196
- Hovel KA, see Dunn RP et al. (2017) 577:33–47
- Howard BR, Therriault TW, Côté IM (2017) Contrasting ecological impacts of native and non-native marine crabs: a global meta-analysis. 577:93–103
- Howey LA, see Delacy CR et al. (2017) 574:75–84
- Hu Y, see Luo M et al. (2017) 577:1–15
- Huang J, see Luo M et al. (2017) 577:1–15
- Huchin-Mian JP, see Shields JD et al. (2017) 573:73–84
- Husa V, see Armitage CS et al. (2017) 573:85–99
- Hutchins DA, see Spackeen JL et al. (2017) 577:49–65
- Hutchins DA, see Spackeen JL et al. (2017) 580:247
- Huvaneers C, see Lee KA et al. (2017) 572:223–241

I

- Iacobellis S, see Simonis AE et al. (2017) 577:221–235
- Iacobza J, see Hornby CA et al. (2017) 574:243–257
- Ikonen J, see Kauppi L et al. (2017) 572:193–207
- Ims RA, see Hamilton CD et al. (2017) 573:45–59
- Irion DT, Noble LR, Kock AA, Gennari E, Dicken ML, Hewitt AM, Towner AV, Booth AJ, Smale MJ, Cliff G (2017) Pessimistic assessment of white shark population status in South Africa: Comment on Andreotti et al. (2016). 577: 251–255
- Irwin AJ, see Mutshinda CM et al. (2017) 576:11–25
- Isari S, see Calbet A et al. (2017) 575:229
- Ishimatsu A, see Hasegawa T et al. (2017) 573:101–115
- Ishizaka J, see Zhu Y et al. (2017) 580:83–100

J

- Jackson HA, see Clay TA et al. (2017) 579:139–155
- Jadot C, see McClanahan TR (2017) 580:169–190
- James CC, see Giron-Nava A et al. (2017) 572:269–274
- Jensen KT, see Thyrring J et al. (2017) 574:65–74
- Jensen LF, see Faust E et al. (2017) 575:95–105
- Johns DG, see Giron-Nava A et al. (2017) 572:269–274
- Johnsen E, Rieucou G, Ona E, Skaret G (2017) Collective structures anchor massive schools of lesser sandeel to the seabed, increasing vulnerability to fishery. 573: 229–236
- Johnson AF, see Giron-Nava A et al. (2017) 572:269–274
- Johnson SC, see Freshwater C et al. (2017) 579:97–110
- Johnston CA, Caretti ON (2017) Mangrove expansion into temperate marshes alters habitat quality for recruiting *Callinectes* spp. 573:1–14
- Johnston L, see Campbell JE et al. (2017) 577:67–77
- Jones GP, see Smallhorn-West PF et al. (2017) 576:43–53
- Jones T, Parrish JK, Punt AE, Trainer VL, Kudela R, Lang J, Brancato MS, Odell A, Hickey B (2017) Mass mortality of marine birds in the Northeast Pacific caused by *Akashiwo sanguinea*. 579:111–127
- Jónsdóttir IG, see Björnsson B et al. (2017) 572:209–221
- Jouma'a J, Le Bras Y, Picard B, Guinet C (2017) Three-dimensional assessment of hunting strategies in a deep diving predator, southern elephant seal *Mirounga leonina*. 573: 255–268
- Juanes F, see Freshwater C et al. (2017) 579:97–110

- Jung AS, Dekker R, Germain M, Philippart CJM, Witte JJJ, van der Veer HW (2017) Long-term shifts in intertidal predator and prey communities in the Wadden Sea and consequences for food requirements and supply. 579:37–53
- Jungbluth MJ, Selph KE, Lenz PH, Goetze E (2017) Species-specific grazing and significant trophic impacts by two species of copepod nauplii, *Parvocalanus crassirostris* and *Bestiolina similis*. 572:57–76
- Jupiter SD, see Brown CJ et al. (2017) 576:55–68

K

- Kaartvedt S, Røstad A, Aksnes DL (2017) Changing weather causes behavioral responses in the lower mesopelagic. 574:259–263
- Katsanevakis S, Sini M, Dailianis T, Gerovasileiou V, Koukourouli N, Topouzelis K, Ragkousis M (2017) Identifying where vulnerable species occur in a data-poor context: combining satellite imaging and underwater occupancy surveys. 577:17–32
- Katselidis K, see Schofield G et al. (2017) 575:153–164
- Kauppi L, Norkko J, Ikonen J, Norkko A (2017) Seasonal variability in ecosystem functions: quantifying the contribution of invasive species to nutrient cycling in coastal ecosystems. 572:193–207
- Kawabata Y, see Hasegawa T et al. (2017) 573:101–115
- Kawabe R, see Hasegawa T et al. (2017) 573:101–115
- Kelaher BP, see Hardy N et al. (2017) 573:237–254
- Kelaher BP, see Tagliafico A et al. (2017) 573:129–141
- Kellison GT, see Bacheler NM et al. (2017) 574:141–155
- Kendrick GA, see Strydom S et al. (2017) 572:103–116
- Kenworthy WJ, Cosentino-Manning N, Handley L, Wild M, Rouhani S (2017) Seagrass response following exposure to Deepwater Horizon oil in the Chandeleur Islands, Louisiana (USA). 576:145–161
- Keren T, see Levy Y et al. (2017) 575:165–179
- Kimura S, see Onda H et al. (2017) 575:119–136
- Kimura S, see Onda H et al. (2017) 580:245
- Kinas PG, see Wedekin LL et al. (2017) 575:195–206
- Kinoshita T, see Hasegawa T et al. (2017) 573:101–115
- Kiszka JJ, see Martien KK et al. (2017) 577:205–220
- Kitagawa T, Fujioka K (2017) Rapid ontogenetic shift in juvenile Pacific bluefin tuna diet. 571:253–257
- Kitaysky AS, see Young RC et al. (2017) 578:253–261
- Klaassen R, see van Bemmelen R et al. (2017) 578:197–211
- Klein C, see Brown CJ et al. (2017) 576:55–68
- Koch PL, see Zupcic-Moore JR et al. (2017) 579:201–212
- Kochmann J, see Faust E et al. (2017) 575:95–105
- Kock AA, see Irion DT et al. (2017) 577:251–255
- Kohlbach D, see Schaafsma FL et al. (2017) 580:101–115
- Kolody B, see Giron-Nava A et al. (2017) 572:269–274
- Kopp M, see Krietsch J et al. (2017) 578:213–225
- Koslow JA, McMonagle H, Watson W (2017) Influence of climate on the biodiversity and community structure of fishes in the southern California Current. 571:193–206
- Kough AS, Cronin H, Skubel R, Belak CA, Stoner AW (2017) Efficacy of an established marine protected area at sustaining a queen conch *Lobatus gigas* population during three decades of monitoring. 573:177–189
- Koukourouli N, see Katsanevakis S et al. (2017) 577:17–32
- Kovacs KM, see Hamilton CD et al. (2017) 573:45–59
- Krietsch J, Hahn S, Kopp M, Phillips RA, Peter HU, Lisovski S (2017) Consistent variation in individual migration strategies of brown skuas. 578:213–225

- Krumpen T, see Hardge K et al. (2017) 571:43–57
- Kudela R, see Jones T et al. (2017) 579:111–127
- Kudela RM, see Schulien JA et al. (2017) 572:43–56
- Kumala L, Riisgård HU, Canfield DE (2017) Osculum dynamics and filtration activity in small single-osculum explants of the demosponge *Halichondria panicea*. 572:117–128
- Kunz KL, see Schmidt M et al. (2017) 571:183–191
- Kurczyn JA, see Ramos JE et al. (2017) 572:179–192
- Kurle CM, see Stewart JD et al. (2017) 580:131–151
- Kuroki M, see Onda H et al. (2017) 575:119–136
- Kuroki M, see Onda H et al. (2017) 580:245

L

- Ladd MC, Shantz AA, Bartels E, Burkepile DE (2017) Thermal stress reveals a genotype-specific tradeoff between growth and tissue loss in restored *Acropora cervicornis*. 572:129–139
- Lagarde F, Roque d'Orbcastel E, Ubertini M, Mortreux S, Bernard I, Fiandrino A, Chiantella C, Bec B, Roques C, Bonnet D, Miron G, Richard M, Povreau S, Lett C (2017) Recruitment of the Pacific oyster *Crassostrea gigas* in a shellfish-exploited Mediterranean lagoon: discovery, driving factors and a favorable environmental window. 578:1–17
- Lages BG, see De Paula AF et al. (2017) 572:141–154
- Laglera LM, see Trimborn S et al. (2017) 578:35–50
- Lamb NF, see Bond ME et al. (2017) 576:1–10
- Lang J, see Jones T et al. (2017) 579:111–127
- Lang J, see van Bemmelen R et al. (2017) 578:197–211
- Lange BA, see Schaafsma FL et al. (2017) 580:101–115
- Langlois T, see Braccini M et al. (2017) 577:121–129
- Latour RJ, Garland J, Bonzek CF (2017) Spatiotemporal trends and drivers of fish condition in Chesapeake Bay. 579:1–17
- Latour RJ, see Peterson CD et al. (2017) 579:81–96
- Laugen AT, see Faust E et al. (2017) 575:95–105
- Lavery PS, see Strydom S et al. (2017) 572:103–116
- Le Bras Y, see Jouma'a J et al. (2017) 573:255–268
- Leader N, see Levy Y et al. (2017) 575:165–179
- Lee A, see Giron-Nava A et al. (2017) 572:269–274
- Lee KA, Huveneers C, Duong T, Harcourt RG (2017) The ocean has depth: two- versus three-dimensional space use estimators in a demersal reef fish. 572:223–241
- Lenz PH, see Jungbluth MJ et al. (2017) 572:57–76
- Leo E, see Schmidt M et al. (2017) 571:183–191
- Léopold M, Chateau O, Gabriault H, Ham J, Andréfouët S, Raubani J, Dumas P (2017) Fish movements within community-managed fishery reserve networks: an acoustic survey of *Lethrinus harak* in Vanuatu. 571:153–168
- Lepoint G, see Pascal PY et al. (2017) 578:73–85
- Lessard S, see Simo-Matchim AG et al. (2017) 572:19–42
- Lett C, see Lagarde F et al. (2017) 578:1–17
- Levy Y, Keren T, Leader N, Weil G, Tchernov D, Rilov G, (2017) Spatiotemporal hotspots of habitat use by loggerhead (*Caretta caretta*) and green (*Chelonia mydas*) sea turtles in the Levant basin as tools for conservation. 575:165–179
- Lewis S, see Phillips RA et al. (2017) 578:117–150
- Li C, see Hill RW et al. (2017) 576:27–41
- Lin HY, see Brown CJ et al. (2017) 576:55–68
- Lisovski S, see Krietsch J et al. (2017) 578:213–225
- Litzow MA (2017) Indications of hysteresis and early warning signals of reduced community resilience during a Bering Sea cold anomaly. 571:13–28

- Liu G, see Peng C et al. (2017) 575:107–117
- Liu S, see Peng C et al. (2017) 575:107–117
- Liu S, see Xu Z et al. (2017) 571:65–81
- Liu Y, see Luo M et al. (2017) 577:1–15
- Lonergan NR, see Skilleter GA et al. (2017) 573:25–43
- Loor-Andrade P, see Rosas-Luis R et al. (2017) 573:191–201
- Lord JP, Barry JP, Graves D (2017) Impact of climate change on direct and indirect species interactions. 571:1–11
- Loseto LL, see Choy ES et al. (2017) 579:213–225
- Loseto LL, see Hornby CA et al. (2017) 574:243–257
- Lotterhos KE, see Haggarty DR et al. (2017) 574:113–126
- Lotterhos KE, see Markel RW et al. (2017) 574:97–111
- Lotto AG, see Healy SJ et al. (2017) 577:131–147
- Lowe CG, see Davis K et al. (2017) 577:149–164
- Lücker N, Reisinger RR, Oosthuizen WC, de Bruyn PJN, van Tonder A, Pistorius PA, Bester MN (2017) Low trophic level diet of juvenile southern elephant seals *Mirounga leonina* from Marion Island: a stable isotope investigation using vibrissal regrowths. 577:237–250
- Lucey SM, see Perretti CT et al. (2017) 574:1–11
- Luo E, see Wheeler JD et al. (2017) 571:109–120
- Luo M, Huang J, Tong C, Liu Y, Duan X, Hu Y (2017) Iron dynamics in a subtropical estuarine tidal marsh: effect of season and vegetation. 577:1–15
- Lydersen C, see Hamilton CD et al. (2017) 573:45–59
- Lyon BJ, Dwyer RG, Pillans RD, Campbell HA, Franklin CE (2017) Distribution, seasonal movements and habitat utilisation of an endangered shark, *Glyptis glyptis*, from northern Australia. 573:203–213
- M**
- Maggi E, Rindi L, Dal Bello M, Fontanini D, Capocchi A, Bon-giorni L, Benedetti-Cecchi L (2017) Spatio-temporal variability in Mediterranean rocky shore microphytobenthos. 575:17–29
- Maina JM, see Brown CJ et al. (2017) 576:55–68
- Mäkelä A, Witte U, Archambault P (2017) Ice algae versus phytoplankton: resource utilization by Arctic deep sea macrofauna revealed through isotope labelling experiments. 572:1–18
- Mallol S, see Barberá C et al. (2017) 572:77–90
- Mallory ML, see Pratte I et al. (2017) 572:243–254
- Manica A, see Carneiro APP et al. (2017) 578:151–166
- Manica A, see Clay TA et al. (2017) 579:139–155
- Marcondes MMC, see Wedekin LL et al. (2017) 575:195–206
- Markel RW, Lotterhos KE, Robinson CLK (2017) Temporal variability in the environmental and geographic predictors of spatial-recruitment in nearshore rockfishes. 574:97–111
- Marques A, see Patrício AR et al. (2017) 577:189–203
- Martien KK, Hancock-Hanser BL, Baird RW, Kiszka JJ, Aschettino JM, Oremus M, Hill MC (2017) Unexpected patterns of global population structure in melon-headed whales *Peponocephala electra*. 577:205–220
- Martin CW (2017) Avoidance of oil contaminated sediments by estuarine fishes. 576:125–134
- Martínez RA, see Calbet A et al. (2017) 575:229
- Martínez-Quitana A, see Viladrich N et al. (2017) 573:117–128
- Matsuno T, see Zhu Y et al. (2017) 580:83–100
- Matterson KO, see Freeman CJ et al. (2017) 571:245–251
- Matthee CA, see Andreotti S et al. (2017) 577:257–262
- McAuley R, see Braccini M et al. (2017) 577:121–129
- McBride RS, see Perretti CT et al. (2017) 574:1–11
- McCain JSP, see Broell F et al. (2017) 573:157–165
- McCarthy MD, see Zupcic-Moore JR et al. (2017) 579:201–212
- McClain-Counts J, see Demopoulos AWJ et al. (2017) 578:19–33
- McClanahan TR, Jadot C (2017) Managing coral reef fish community biomass is a priority for biodiversity conservation in Madagascar. 580:169–190
- McClure MM, see Barnett LAK et al. (2017) 574:29–47
- McGill RAR, see O'Hanlon NJ et al. (2017) 574:193–210
- McMahon K, see Strydom S et al. (2017) 572:103–116
- McMonagle H, see Koslow JA et al. (2017) 571:193–206
- McQuaid JB, see Spackeen JL et al. (2017) 577:49–65
- McQuaid JB, see Spackeen JL et al. (2017) 580:247
- Mead JG, see West KL et al. (2017) 574:227–242
- Meager J, see Hof CAM et al. (2017) 574:181–191
- Metaxas A, see Denley D (2017) 580:117–129
- Metaxas A, see Sorochan KA (2017) 579:55–66
- Metcalfe JD, see Townhill BL et al. (2017) 580:191–204
- Metfies K, see Hardge K et al. (2017) 571:43–57
- Meurling S, see Faust E et al. (2017) 575:95–105
- Meÿer M, see Andreotti S et al. (2017) 577:257–262
- Michael PE, Thomson R, Barbraud C, Delord K, De Grissac S, Hobday AJ, Strutton PG, Tuck GN, Weimerskirch H, Wilcox C (2017) Illegal fishing bycatch overshadows climate as a driver of albatross population decline. 579:185–199
- Michel J, Fegley SR, Dahlin JA, Wood C (2017) Oil spill response-related injuries on sand beaches: when shoreline treatment extends the impacts beyond the oil. 576:203–218
- Mienis F, see Demopoulos AWJ et al. (2017) 578:19–33
- Militão T, see Zajková Z et al. (2017) 579:169–183
- Miller K, see Dunn RP et al. (2017) 577:33–47
- Miller MJ, see Onda H et al. (2017) 575:119–136
- Miller MJ, see Onda H et al. (2017) 580:245
- Miller TJ, see Perretti CT et al. (2017) 574:1–11
- Miranda A, see Bond ME et al. (2017) 576:1–10
- Miron G, see Lagarde F et al. (2017) 578:1–17
- Miyake Y, see Onda H et al. (2017) 575:119–136
- Miyake Y, see Onda H et al. (2017) 580:245
- Moe B, see Bogdanova MI et al. (2017) 578:167–181
- Moe B, see van Bemmelen R et al. (2017) 578:197–211
- Montague CL, see Zengel S et al. (2017) 576:135–144
- Montory JA, see Pechenik JA et al. (2017) 572:165–178
- Morii Y, see Hasegawa T et al. (2017) 573:101–115
- Morreale SJ, see Robinson NJ et al. (2017) 571:221–232
- Morse RE, see Perretti CT et al. (2017) 574:1–11
- Mortreux S, see Lagarde F et al. (2017) 578:1–17
- Morys C, Powilleit M, Forster S (2017) Bioturbation in relation to the depth distribution of macrozoobenthos in the south-western Baltic Sea. 579:19–36
- Mouritsen KN (2017) Periwinkle regulation: parasitism and epibiosis are linked. 579:227–231
- Mullineaux LS, see Wheeler JD et al. (2017) 571:109–120
- Mumby PJ, see Brown CJ et al. (2017) 576:55–68
- Munday PL, see Smallhorn-West PF et al. (2017) 576:43–53
- Muñoz RC, see Bachelier NM et al. (2017) 574:141–155
- Murchie KJ, see Shipley ON et al. (2017) 579:233–238
- Mutshinda CM, Finkel ZV, Widdicombe CE, Irwin AJ (2017) Phytoplankton traits from long-term oceanographic time-series. 576:11–25
- Muzaffar SB, Clarke C, Whelan R, Gubiani R, Cook TR (2017) Short distance directional migration in the threatened Socotra cormorant: link to primary productivity and implications for conservation. 575:181–194

N

- Nabe-Nielsen J, see Dähne M et al. (2017) 580:221–237
 Næsje TF, see Hedger RD et al. (2017) 574:127–140
 Nagai T, see Tanaka M et al. (2017) 571:207–220
 Nagarkar M, see Giron-Nava A et al. (2017) 572:269–274
 Nager RG, see O'Hanlon NJ et al. (2017) 574:193–210
 Navarro J, Grémillet D, Ramirez FJ, Afán I, Bouten W, Forero MG (2017) Shifting individual habitat specialization of a successful predator living in anthropogenic landscapes. 578:243–251
 Navarro J, see Rosas-Luis R et al. (2017) 573:191–201
 Nel R, see Robinson NJ et al. (2017) 571:221–232
 Neuhaus S, see Hardge K et al. (2017) 571:43–57
 Neville CEM, see Freshwater C et al. (2017) 579:97–110
 Newell M, see Bogdanova MI et al. (2017) 578:167–181
 Nishihara GN, see Hasegawa T et al. (2017) 573:101–115
 Nixon Z, see Rouhani S et al. (2017) 576:111–124
 Nixon Z, see Zengel S et al. (2017) 576:135–144
 Noble LR, see Irion DT et al. (2017) 577:251–255
 Norkko A, see Kauppi L et al. (2017) 572:193–207
 Norkko J, see Kauppi L et al. (2017) 572:193–207
 Norman L, see Trimborn S et al. (2017) 578:35–50

O

- O'Brien L, see Perretti CT et al. (2017) 574:1–11
 O'Hanlon NJ, McGill RAR, Nager RG (2017) Increased use of intertidal resources benefits breeding success in a generalist gull species. 574:193–210
 O'Leary PA, see Shields JD et al. (2017) 573:73–84
 O'Shea OR, see Shipley ON et al. (2017) 579:233–238
 Oakes JM, see Riekenberg PM et al. (2017) 571:29–42
 Odell A, see Jones T et al. (2017) 579:111–127
 Oehrig J, see Powers SP et al. (2017) 576:175–187
 Oehrig J, see Rouhani S et al. (2017) 576:111–124
 Ofir E, see Corrales X et al. (2017) 580:17–36
 Ogburn MB, see Staaterman E et al. (2017) 575:207–215
 Okada T, see Tanaka M et al. (2017) 571:207–220
 Okamura K, see Hasegawa T et al. (2017) 573:101–115
 Olds A, see Skilleter GA et al. (2017) 573:25–43
 Oleson EM, see Rice A et al. (2017) 572:255–268
 Olsen A, see Delacy CR et al. (2017) 574:75–84
 Olsen B, see Bogdanova MI et al. (2017) 578:167–181
 Ona E, see Johnsen E et al. (2017) 573:229–236
 Onda H, Miller MJ, Takeshige A, Miyake Y, Kuroki M, Aoyama J, Kimura S (2017) Vertical distribution and assemblage structure of leptocephali in the North Equatorial Current region of the western Pacific. 575:119–136
 Onda H, Miller MJ, Takeshige A, Miyake Y, Kuroki M, Aoyama J, Kimura S (2017) (Erratum to Vol. 575:119–136, 2017) 580:245
 Oosthuizen WC, see Lübcker N et al. (2017) 577:237–250
 Orben RA, see Young RC et al. (2017) 578:253–261
 Oremus M, see Martien KK et al. (2017) 577:205–220

P

- Paladino FV, see Robinson NJ et al. (2017) 571:221–232
 Paliza O, see Zupcic-Moore JR et al. (2017) 579:201–212
 Panfilo J, see Sirot C et al. (2017) 575:137–152
 Pao GM, see Giron-Nava A et al. (2017) 572:269–274
 Papafitsoros K, see Schofield G et al. (2017) 575:153–164

- Paredes FJ, see Pechenik JA et al. (2017) 572:165–178
 Parrish JK, see Jones T et al. (2017) 579:111–127
 Parsons KT, see Peterson CD et al. (2017) 579:81–96
 Pascal PY, Dubois SF, Goffette A, Lepoint G (2017) Influences of geothermal sulfur bacteria on a tropical coastal food web. 578:73–85
 Patrício AR, Marques A, Barbosa C, Broderick AC, Godley BJ, Hawkes LA, Rebelo R, Regalla A, Catry P (2017) Balanced primary sex ratios and resilience to climate change in a major sea turtle population. 577:189–203
 Paul VJ, see Campbell JE et al. (2017) 577:67–77
 Peacock MB, see Schulien JA et al. (2017) 572:43–56
 Pechenik JA, Diederich CM, Chaparro OR, Montory JA, Paredes FJ, Franklin AM (2017) Differences in resource allocation to reproduction across the intertidal–subtidal gradient for two suspension-feeding marine gastropods: *Crepidula fornicata* and *Crepidula peruviana*. 572: 165–178
 Pedersen JB, see Sirot C et al. (2017) 575:137–152
 Peeken I, see Hardge K et al. (2017) 571:43–57
 Peng C, Zhao X, Liu S, Shi W, Han Y, Guo C, Peng X, Chai X, Liu G (2017) Ocean acidification alters the burrowing behaviour, $\text{Ca}^{2+}/\text{Mg}^{2+}$ -ATPase activity, metabolism, and gene expression of a bivalve species, *Sinonovacula constricta*. 575:107–117
 Peng X, see Peng C et al. (2017) 575:107–117
 Pennings SC, see Zengel S et al. (2017) 576:135–144
 Pereira JJ, see Perretti CT et al. (2017) 574:1–11
 Perissinotto R, see Rishworth GM et al. (2017) 580:153–167
 Perretti CT, Fogarty MJ, Friedland KD, Hare JA, Lucey SM, McBride RS, Miller TJ, Morse RE, O'Brien L, Pereira JJ, Smith LA, Wuenschel MJ (2017) Regime shifts in fish recruitment on the Northeast US Continental Shelf. 574: 1–11
 Pershing AJ, see Stamieszkin K et al. (2017) 575:43–56
 Persico EP, Sharp SJ, Angelini C (2017) Feral hog disturbance alters carbon dynamics in southeastern US salt marshes. 580:57–68
 Petelenz-Kurdziel EA, see Armitage CS et al. (2017) 573: 85–99
 Peter HU, see Krietsch J et al. (2017) 578:213–225
 Peters J, see Calbet A et al. (2017) 575:229
 Peterson CD, Parsons KT, Bethea DM, Driggers WB III, Latour RJ (2017) Community interactions and density dependence in the southeast United States coastal shark complex. 579:81–96
 Peterson CH, see Powers SP et al. (2017) 576:107–110
 Philippart CJM, see Jung AS et al. (2017) 579:37–53
 Phillips NE, see Rouchon AM (2017) 579:67–79
 Phillips RA, Lewis S, González-Solís J, Daunt F (2017) Causes and consequences of individual variability and specialization in foraging and migration strategies of seabirds. 578: 117–150
 Phillips RA, see Bogdanova MI et al. (2017) 578:167–181
 Phillips RA, see Carneiro APB et al. (2017) 578:151–166
 Phillips RA, see Clay TA et al. (2017) 579:139–155
 Phillips RA, see Krietsch J et al. (2017) 578:213–225
 Picard B, see Jouma'a J et al. (2017) 573:255–268
 Pierson JJ, Slater WCL, Elliott D, Roman MR (2017) Synergistic effects of seasonal deoxygenation and temperature truncate copepod vertical migration and distribution. 575: 57–68
 Pikitch EK, see Bond ME et al. (2017) 576:1–10
 Pilkington JF, see Rice A et al. (2017) 572:255–268
 Pillans RD, see Lyon BJ et al. (2017) 573:203–213

- Pimentel M, see Dionísio G et al. (2017) 578:87–97
- Pinnegar JK, see Townhill BL et al. (2017) 580:191–204
- Piroddi C, see Corrales X et al. (2017) 580:17–36
- Pistorius PA, see Botha JA et al. (2017) 579:157–167
- Pistorius PA, see Lübcker N et al. (2017) 577:237–250
- Pláganyi ÉE, see Rogers JGD et al. (2017) 578:99–114
- Ponzo A, see Stewart JD et al. (2017) 580:131–151
- Porter AD, see Healy SJ et al. (2017) 577:131–147
- Pörtner HO, see Schmidt M et al. (2017) 571:183–191
- Posey MH, see Hanke MH et al. (2017) 571:121–138
- Poulin M, see Simo-Matchim AG et al. (2017) 572:19–42
- Poulton NJ, see Stamieszkin K et al. (2017) 575:43–56
- Pouvreau S, see Lagarde F et al. (2017) 578:1–17
- Power M, see Shipley ON et al. (2017) 579:233–238
- Powers KD, Wiley DN, Allyn AJ, Welch LJ, Ronconi RA (2017) Movements and foraging habitats of great shearwaters *Puffinus gravis* in the Gulf of Maine. 574:211–226
- Powers SP, Grabowski JH, Roman H, Gegel A, Rouhani S, Oehrig J, Baker M (2017) Consequences of large-scale salinity alteration during the Deepwater Horizon oil spill on subtidal oyster populations. 576:175–187
- Powers SP, Peterson CH, Cebrian J, Heck KL Jr (2017) Response of nearshore ecosystems to the Deepwater Horizon oil spill. 576:107–110
- Powers SP, Rouhani S, Baker MC, Roman H, Grabowski J, Scyphers SB, Willis JM, Hester MW (2017) Ecosystem services are lost when facilitation between two ecosystem engineers is compromised by oil. 576:189–202
- Powers SP, see Grabowski JH et al. (2017) 576:163–174
- Powilleit M, see Morys C et al. (2017) 579:19–36
- Prado PI, see Wedekin LL et al. (2017) 575:195–206
- Pratte I, Robertson GJ, Mallory ML (2017) Four sympatrically nesting auks show clear resource segregation in their foraging environment. 572:243–254
- Punt AE, see Jones T et al. (2017) 579:111–127
- R**
- Ragkousis M, see Katsanevakis S et al. (2017) 577:17–32
- Ragnarsson SÁ, see Björnsson B et al. (2017) 572:209–221
- Raimondi P, see Schulien JA et al. (2017) 572:43–56
- Rambahiniarison JM, see Stewart JD et al. (2017) 580:131–151
- Ramirez FJ, see Navarro J et al. (2017) 578:243–251
- Ramos JE, Ramos-Rodríguez A, Bazzino Ferreri G, Kurczyn JA, Rivas D, Salinas-Zavala CA (2017) Characterization of the northermost spawning habitat of *Dosidicus gigas* with implications for its northwards range extension. 572:179–192
- Ramos-Miranda J, see Sirot C et al. (2017) 575:137–152
- Ramos-Rodríguez A, see Ramos JE et al. (2017) 572:179–192
- Rangel MS, see Tagliafico A et al. (2017) 573:129–141
- Raubani J, see Léopold M et al. (2017) 571:153–168
- Rebelo R, see Patrício AR et al. (2017) 577:189–203
- Rechisky EL, see Healy SJ et al. (2017) 577:131–147
- Regalla A, see Patrício AR et al. (2017) 577:189–203
- Regaudie-de-Cioux A, Castagna A, Ferreira A, Abbrecht M, Braga ES, Ciotti AM (2017) Influence of mixed upwelled waters on metabolic balance in a subtropical coastal ecosystem: São Sebastião Channel, southern Brazil. 573:61–72
- Reiertsen TK, see Barrett RT et al. (2017) 579:129–137
- Reisinger RR, see Lübcker N et al. (2017) 577:237–250
- Rensing K, see Braccini M et al. (2017) 577:121–129
- Reusch TBH, see Brakel J et al. (2017) 571:97–108
- Rice A, Deecke VB, Ford JKB, Pilkington JF, Oleson EM, Hildebrand JA, Širović A (2017) Spatial and temporal occurrence of killer whale ecotypes off the outer coast of Washington State, USA. 572:255–268
- Richard M, see Lagarde F et al. (2017) 578:1–17
- Riekenberg PM, Oakes JM, Eyre BD (2017) Uptake of dissolved organic and inorganic nitrogen in microalgae-dominated sediment: comparing dark and light *in situ* and *ex situ* additions of ¹⁵N. 571:29–42
- Rieucau G, see Johnsen E et al. (2017) 573:229–236
- Righton DA, see Hedger RD et al. (2017) 574:127–140
- Riisgård HU, see Kumala L et al. (2017) 572:117–128
- Rikardsen AH, see Hedger RD et al. (2017) 574:127–140
- Rilov G, see Levy Y et al. (2017) 575:165–179
- Rindi L, see Maggi E et al. (2017) 575:17–29
- Riquelme-Bugueño R, see Ruz PM et al. (2017) 571:83–96
- Rishworth GM, see Botha JA et al. (2017) 579:157–167
- Rishworth GM, Strydom NA, Perissinotto R (2017) Fishes associated with living stromatolite communities in peritidal pools: predators, recruits and ecological traps. 580:153–167
- Rivas D, see Ramos JE et al. (2017) 572:179–192
- Roberts JD, see Ford BM et al. (2017) 574:157–166
- Robertson GJ, see Pratte I et al. (2017) 572:243–254
- Robinson CLK, see Markel RW et al. (2017) 574:97–111
- Robinson NJ, Morreale SJ, Nel R, Paladino FV (2017) Movements and diving behaviour of inter-nesting leatherback turtles in an oceanographically dynamic habitat in South Africa. 571:221–232
- Roch MA, see Simonis AE et al. (2017) 577:221–235
- Rocha RM, Castellano GC, Freire CA (2017) Physiological tolerance as a tool to support invasion risk assessment of tropical ascidians. 577:105–119
- Rodemann JR, Brandl SJ (2017) Consumption pressure in coastal marine environments decreases with latitude and in artificial vs. natural habitats. 574:167–179
- Rogers JGD, Pláganyi ÉE, Babcock RC (2017) Aggregation, Allee effects and critical thresholds for the management of the crown-of-thorns starfish *Acanthaster planci*. 578:99–114
- Rohner CA, see Stewart JD et al. (2017) 580:131–151
- Roman H, see Grabowski JH et al. (2017) 576:163–174
- Roman H, see Powers SP et al. (2017) 576:175–187
- Roman H, see Powers SP et al. (2017) 576:189–202
- Roman MR, see Pierson JJ et al. (2017) 575:57–68
- Ronconi RA, see Powers KD et al. (2017) 574:211–226
- Roque d'orcastel E, see Lagarde F et al. (2017) 578:1–17
- Roques C, see Lagarde F et al. (2017) 578:1–17
- Rosa IC, see Dionísio G et al. (2017) 578:87–97
- Rosa R, see Dionísio G et al. (2017) 578:87–97
- Rosas-Luis R, Navarro J, Loor-Andrade P, Forero MG (2017) Feeding ecology and trophic relationships of pelagic sharks and billfishes coexisting in the central eastern Pacific Ocean. 573:191–201
- Rose A, see Dähne M et al. (2017) 580:221–237
- Rosenberg B, see Choy ES et al. (2017) 579:213–225
- Ross SW, see Demopoulos AWJ et al. (2017) 578:19–33
- Rossi GS, Tunnicliffe V (2017) Trade-offs in a high CO₂ habitat on a subsea volcano: condition and reproductive features of a bathymodioline mussel. 574:49–64
- Rossi S, see Viladrich N et al. (2017) 573:117–128
- Røstad A, see Kaartvedt S et al. (2017) 574:259–263
- Roth JD, see Choy ES et al. (2017) 579:213–225
- Rouchon AM, Phillips NE (2017) Short larval exposure to low level of copper has long-lasting latent effects on juvenile performance in the sea urchin *Echinus chloroticus*. 579:67–79

- Rouhani S, Baker MC, Steinhoff M, Zhang M, Oehrig J, Zelo IJ, Emsbo-Mattingly SD, Nixon Z, Willis JM, Hester MW (2017) Nearshore exposure to Deepwater Horizon oil. 576: 111–124
- Rouhani S, see Grabowski JH et al. (2017) 576:163–174
- Rouhani S, see Kenworthy WJ et al. (2017) 576:145–161
- Rouhani S, see Powers SP et al. (2017) 576:175–187
- Rouhani S, see Powers SP et al. (2017) 576:189–202
- Rudd D, see Tagliafico A et al. (2017) 573:129–141
- Ruiz-Cooley RI, see Zupcic-Moore JR et al. (2017) 579:201–212
- Rutherford N, see Zengel S et al. (2017) 576:135–144
- Rutzen M, see Andreotti S et al. (2017) 577:257–262
- Ruz PM, Hidalgo P, Riquelme-Bugueño R, Franco-Cisterna B, Cornejo M (2017) Vertical distribution of copepod eggs in the oxygen minimum zone off Mejillones Bay (23°S) in the Humboldt Current System. 571:83–96
- S**
- Saiz E, see Calbet A et al. (2017) 575:229
- Sakakura Y, see Hasegawa T et al. (2017) 573:101–115
- Sakuma KM, see Santora JA et al. (2017) 580:205–220
- Salinas-Zavala CA, see Ramos JE et al. (2017) 572:179–192
- Samhouri JF, see Helyer J (2017) 575:1–15
- Sampaio E, Gallo F, Schulz KG, Azevedo EB, Barcelos e Ramos J (2017) Phytoplankton interactions can alter species response to present and future CO₂ concentrations. 575:31–42
- Santora JA, Hazen EL, Schroeder ID, Bograd SJ, Sakuma KM, Field JC (2017) Impacts of ocean climate variability on biodiversity of pelagic forage species in an upwelling ecosystem. 580:205–220
- Santos-Echeandía J, see Trimborn S et al. (2017) 578:35–50
- Sato M, Benoit-Bird KJ (2017) Spatial variability of deep scattering layers shapes the Bahamian mesopelagic ecosystem. 580:69–82
- Schaafsma FL, Kohlbach D, David C, Lange BA, Graeve M, Flores H, van Franeker JA (2017) Spatio-temporal variability in the winter diet of larval and juvenile Antarctic krill, *Euphausia superba*, in ice-covered waters. 580: 101–115
- Scheffers SR, see Tagliafico A et al. (2017) 573:129–141
- Schlaff AM, Heupel MR, Udyawer V, Simpfendorfer CA (2017) Biological and environmental effects on activity space of a common reef shark on an inshore reef. 571: 169–181
- Schmidt M, Gerlach G, Leo E, Kunz KL, Swoboda S, Pörtner HO, Bock C, Storch D (2017) Impact of ocean warming and acidification on the behaviour of two co-occurring gadid species, *Boreogadus saida* and *Gadus morhua*, from Svalbard. 571:183–191
- Schmidt NM, see van Bemmelen R et al. (2017) 578:197–211
- Schofield G, Papafitsoros K, Haughey R, Katselidis K (2017) Aerial and underwater surveys reveal temporal variation in cleaning-station use by sea turtles at a temperate breeding area. 575:153–164
- Schroeder ID, see Santora JA et al. (2017) 580:205–220
- Schubert N, Demes K (2017) Phenotypic plasticity in the marine angiosperm *Halophila decipiens* (Hydrocharitaceae, Streptophyta). 575:81–93
- Schulien JA, Peacock MB, Hayashi K, Raimondi P, Kudela RM (2017) Phytoplankton and microbial abundance and bloom dynamics in the upwelling shadow of Monterey Bay, California, from 2006 to 2013. 572:43–56
- Schulz KG, see Sampaio E et al. (2017) 575:31–42
- Schutte VGW, Byers JE (2017) Variation in a simple trait of mangrove roots governs predator access to, and assemblage composition of, epibiotic sponges. 573:15–23
- Scrosati RA, see Sherker ZT et al. (2017) 573:167–175
- Scyphers SB, see Powers SP et al. (2017) 576:189–202
- Seemann J, see Staaterman E et al. (2017) 575:207–215
- Sejr MK, see Thyrring J et al. (2017) 572:155–164
- Sejr MK, see Thyrring J et al. (2017) 574:65–74
- Selph KE, see Jungbluth MJ et al. (2017) 572:57–76
- Semmens BX, see Stewart JD et al. (2017) 580:131–151
- Serôdio J, see Dionísio G et al. (2017) 578:87–97
- Shantz AA, see Ladd MC et al. (2017) 572:129–139
- Sharp SJ, see Persico EP et al. (2017) 580:57–68
- Shaw D, see Bogdanova MI et al. (2017) 578:167–181
- Shelton AO, see Barnett LAK et al. (2017) 574:29–47
- Sherker ZT, Ellrich JA, Scrosati RA (2017) Predator-induced shell plasticity in mussels hinders predation by drilling snails. 573:167–175
- Shi W, see Peng C et al. (2017) 575:107–117
- Shields JD, Huchin-Mian JP, O'Leary PA, Small HJ (2017) New insight into the transmission dynamics of the crustacean pathogen *Hematodinium perezi* (Dinoflagellata) using a novel sentinel methodology. 573:73–84
- Shimoda M, see Hasegawa T et al. (2017) 573:101–115
- Shipley ON, Murchie KJ, Frisk MG, Brooks EJ, O'Shea OR, Power M (2017) Low lipid and urea effects and inter-tissue comparisons of stable isotope signatures in three nearshore elasmobranchs. 579:233–238
- Shurin JB, see Haggarty DR et al. (2017) 574:113–126
- Sigler MF, Gende SM, Csepp DJ (2017) Association of foraging Steller sea lions with persistent prey hot spots in southeast Alaska. 571:233–243
- Sih TL, see Brooker RM et al. (2017) 580:239–244
- Silliman B, see Zengel S et al. (2017) 576:135–144
- Simão SM, see Tardin RH et al. (2017) 576:89–103
- Simo-Matchim AG, Gosselin M, Poulin M, Ardyna M, Lessard S (2017) Summer and fall distribution of phytoplankton in relation to environmental variables in Labrador fjords, with special emphasis on *Phaeocystis pouchetii*. 572: 19–42
- Simões-Lopes PC, see Wedekin LL et al. (2017) 575:195–206
- Simonis AE, Roch MA, Bailey B, Barlow J, Clemesha RES, Iacobellis S, Hildebrand JA, Baumann-Pickering S (2017) Lunar cycles affect common dolphin *Delphinus delphis* foraging in the Southern California Bight. 577: 221–235
- Simpfendorfer CA, see Schlaff AM et al. (2017) 571:169–181
- Simpson SD, see Townhill BL et al. (2017) 580:191–204
- Sini M, see Katsanevakis S et al. (2017) 577:17–32
- Sipler RE, see Spackeen JL et al. (2017) 577:49–65
- Sipler RE, see Spackeen JL et al. (2017) 580:247
- Sirot C, Grönkjaer P, Pedersen JB, Panfilo J, Zetina-Rejon M, Tripp-Valdez A, Ramos-Miranda J, Flores-Hernandez D, Sosa-Lopez A, Darnaude AM (2017) Using otolith organic matter to detect diet shifts in *Bardiella chrysoura*, during a period of environmental changes. 575:137–152
- Širović A, see Rice A et al. (2017) 572:255–268
- Sittler B, see van Bemmelen R et al. (2017) 578:197–211
- Sjøtun K, see Armitage CS et al. (2017) 573:85–99
- Skaret G, see Johnsen E et al. (2017) 573:229–236
- Skilleter GA, Loneragan NR, Olds A, Zharikov Y, Cameron B (2017) Connectivity between seagrass and mangroves influences nekton assemblages using nearshore habitats. 573:25–43

- Skomal GB, Braun CD, Chisholm JH, Thorrold SR (2017) Movements of the white shark *Carcharodon carcharias* in the North Atlantic Ocean. 580:1–16
- Skubel R, see Kough AS et al. (2017) 573:177–189
- Skúladóttir U, see Björnsson B et al. (2017) 572:209–221
- Slater WCL, see Pierson JJ et al. (2017) 575:57–68
- Smale MJ, see Irion DT et al. (2017) 577:251–255
- Small HJ, see Shields JD et al. (2017) 573:73–84
- Smallhorn-West PF, Bridge TCL, Munday PL, Jones GP (2017) Habitat morphology constrains the depth distribution and growth rate of a coral-associated reef fish. 576:43–53
- Smallwood E, see Hof CAM et al. (2017) 574:181–191
- Smith LA, see Perretti CT et al. (2017) 574:1–11
- Sneed JM, see Campbell JE et al. (2017) 577:67–77
- Solan M, see de los Santos CB et al. (2017) 572:91–102
- Sólmundsson J, see Björnsson B et al. (2017) 572:209–221
- Song G, see Xu Z et al. (2017) 571:65–81
- Sorochan KA, Metaxas A (2017) The effect of temperature on motility of the nauplius and cypris stages of the acorn barnacle *Semibalanus balanoides*. 579:55–66
- Sosa-Lopez A, see Sirot C et al. (2017) 575:137–152
- Soyano K, see Hasegawa T et al. (2017) 573:101–115
- Spackeen JL, Sipler RE, Xu K, Tatters AO, Walworth NG, Bertrand EM, McQuaid JB, Hutchins DA, Allen AA, Bronk DA (2017) Interactive effects of elevated temperature and CO₂ on nitrate, urea, and dissolved inorganic carbon uptake by a coastal California, USA, microbial community. 577:49–65
- Spackeen JL, Sipler RE, Xu K, Tatters AO, Walworth NG, Bertrand EM, McQuaid JB, Hutchins DA, Allen AE, Bronk DA (2017) (Corrigendum to Vol. 577:49–65, 2017) 580:247
- Staaterman E, Ogburn MB, Altieri AH, Brandl SJ, Whippo R, Seemann J, Goodison M, Duffy JE (2017) Bioacoustic measurements complement visual biodiversity surveys: preliminary evidence from four shallow marine habitats. 575: 207–215
- Stallings CD, see Curtis JS et al. (2017) 573:215–228
- Stamieszkin K, Poulton NJ, Pershing AJ (2017) Zooplankton grazing and egestion shifts particle size distribution in natural communities. 575:43–56
- Staniland IJ, see Carneiro APB et al. (2017) 578:151–166
- Starczak VR, see Wheeler JD et al. (2017) 571:109–120
- Statton J, see Strydom S et al. (2017) 572:103–116
- Steen H, see Bogdanova MI et al. (2017) 578:167–181
- Steenbeek J, see Corrales X et al. (2017) 580:17–36
- Steinhoff M, see Rouhani S et al. (2017) 576:111–124
- Steinhoff MA, see Baker MC et al. (2017) 576:219–234
- Stewart BA, see Ford BM et al. (2017) 574:157–166
- Stewart JD, Rohner CA, Araujo G, Avila J, Fernando D, Forsberg K, Ponzo A, Rambahiniarison JM, Kurle CM, Semmens BX (2017) Trophic overlap in mobulid rays: insights from stable isotope analysis. 580:131–151
- Stieglitz TC, Dujon AM (2017) A groundwater-fed coastal inlet as habitat for the Caribbean queen conch *Lobatus gigas*—an acoustic telemetry and space use analysis. 571: 139–152
- Stoeck T, see Hardge K et al. (2017) 571:43–57
- Stoner AW, see Kough AS et al. (2017) 573:177–189
- Stoner EW, see Freeman CJ et al. (2017) 571:245–251
- Storch D, see Schmidt M et al. (2017) 571:183–191
- Strand Å, see Faust E et al. (2017) 575:95–105
- Strindberg S, see Tewfik A et al. (2017) 580:37–56
- Strøm H, see Bogdanova MI et al. (2017) 578:167–181
- Strøm H, see Hamilton CD et al. (2017) 573:45–59
- Strøm JF, see Hedger RD et al. (2017) 574:127–140
- Strutton PG, see Michael PE et al. (2017) 579:185–199
- Strydom NA, see Rishworth GM et al. (2017) 580:153–167
- Strydom S, McMahon K, Kendrick GA, Statton J, Lavery PS (2017) Seagrass *Halophila ovalis* is affected by light quality across different life history stages. 572:103–116
- Stump KL, Crooks CJ, Fitchett MD, Gruber SH, Guttridge TL (2017) Hunted hunters: an experimental test of the effects of predation risk on juvenile lemon shark habitat use. 574: 85–95
- Suggett DJ, see Zhu Y et al. (2017) 580:83–100
- Sugihara G, see Giron-Nava A et al. (2017) 572:269–274
- Sukigara C, see Zhu Y et al. (2017) 580:83–100
- Swoboda S, see Schmidt M et al. (2017) 571:183–191

T

- Taggart CT, see Broell F et al. (2017) 573:157–165
- Tagliafico A, Rudd D, Rangel MS, Kelaher BP, Christidis L, Cowden K, Scheffers SR, Benkendorff K (2017) Lipid-enriched diets reduce the impacts of thermal stress in corals. 573:129–141
- Takatsuki N, see Hasegawa T et al. (2017) 573:101–115
- Takeshige A, see Onda H et al. (2017) 575:119–136
- Takeshige A, see Onda H et al. (2017) 580:245
- Tanaka M, Nagai T, Okada T, Yamazaki H (2017) Measurement of sardine-generated turbulence in a large tank. 571: 207–220
- Tardin RH, Chun Y, Simão SM, Alves MAS (2017) Modeling habitat use by Bryde's whale *Balaenoptera edeni* off southeastern Brazil. 576:89–103
- Tatters AO, see Spackeen JL et al. (2017) 577:49–65
- Tatters AO, see Spackeen JL et al. (2017) 580:247
- Tchernov D, see Levy Y et al. (2017) 575:165–179
- Tewfik A, Babcock EA, Gibson J, Burns Perez VR, Strindberg S (2017) Benefits of a replenishment zone revealed through trends in focal species at Glover's Atoll, Belize. 580:37–56
- Theriault TW, see Howard BR et al. (2017) 577:93–103
- Thiebault A, see Botha JA et al. (2017) 579:157–167
- Thomson R, see Michael PE et al. (2017) 579:185–199
- Thórarinsson TL, see Bogdanova MI et al. (2017) 578:167–181
- Thorrold SR, see Skomal GB et al. (2017) 580:1–16
- Thorstad EB, see Hedger RD et al. (2017) 574:127–140
- Thyrring J, Jensen KT, Sejr MK (2017) Gametogenesis of an intertidal population of *Mytilus trossulus* in NW Greenland: not a limitation for potential Arctic range expansion. 574:65–74
- Thyrring J, Tremblay R, Sejr MK (2017) Importance of ice algae and pelagic phytoplankton as food sources revealed by fatty acid trophic markers in a keystone species (*Mytilus trossulus*) from the High Arctic. 572:155–164
- Tilstra A, Bednarz VN, Cardini U, van Hoytema N, Al-Rshaidat MMD, Wild C (2017) Seasonality affects dinitrogen fixation associated with two common macroalgae from a coral reef in the northern Red Sea. 575:69–80
- Tong C, see Luo M et al. (2017) 577:1–15
- Topouzelis K, see Katsanevakis S et al. (2017) 577:17–32
- Tougaard J, see Dähne M et al. (2017) 580:221–237
- Towner AV, see Irion DT et al. (2017) 577:251–255
- Townhill BL, van der Molen J, Metcalfe JD, Simpson SD, Farcas A, Pinnegar JK (2017) Consequences of climate-induced low oxygen conditions for commercially important fish. 580:191–204
- Trainer VL, see Jones T et al. (2017) 579:111–127
- Tremblay R, see Thyrring J et al. (2017) 572:155–164

- Trimborn S, Brenneis T, Hoppe CJM, Laglera LM, Norman L, Santos-Echeandía J, Völkner C, Wolf-Gladrow D, Hassler CS (2017) Iron sources alter the response of Southern Ocean phytoplankton to ocean acidification. 578:35–50
- Tripathy SC, see Zhu Y et al. (2017) 580:83–100
- Tripp-Valdez A, see Sirot C et al. (2017) 575:137–152
- Trudel M, see Freshwater C et al. (2017) 579:97–110
- Tsounis G, see Viladrich N et al. (2017) 573:117–128
- Tuck GN, see Michael PE et al. (2017) 579:185–199
- Tucker S, see Freshwater C et al. (2017) 579:97–110
- Tulloch VJD, see Brown CJ et al. (2017) 576:55–68
- Tulp I, see van Bemmelen R et al. (2017) 578:197–211
- Tunnicliffe V, see Rossi GS (2017) 574:49–64
- Turner BC, de Rivera CE, Hepner ME (2017) Examining inducible defenses to novel predators across native and introduced populations. 574:13–27

U

- Ubertini M, see Lagarde F et al. (2017) 578:1–17
- Udyawer V, see Schlaff AM et al. (2017) 571:169–181

V

- Valentin-Albanese J, see Bond ME et al. (2017) 576:1–10
- van Bemmelen R, Moe B, Hanssen SA, Schmidt NM, Hansen J, Lang J, Sittler B, Bollache L, Tulp I, Klaassen R, Gilg O (2017) Flexibility in otherwise consistent non-breeding movements of a long-distance migratory seabird, the long-tailed skua. 578:197–211
- van der Meer J, see Beukema JJ et al. (2017) 573:143–156
- van der Molen J, see Townhill BL et al. (2017) 580:191–204
- van der Veer HW, see Jung AS et al. (2017) 579:37–53
- van Franeker JA, see Schaafsma FL et al. (2017) 580:101–115
- van Hoytema N, see Tilstra A et al. (2017) 575:69–80
- van Tonder A, see Lücker N et al. (2017) 577:237–250
- Vergés A, see Barberá C et al. (2017) 572:77–90
- Viladrich N, Bramanti L, Tsounis G, Martínez-Quitana A, Ferrier-Pagès C, Rossi S (2017) Variation of lipid and free fatty acid contents during larval release in two temperate octocorals according to their trophic strategy. 573:117–128
- Völkner C, see Trimborn S et al. (2017) 578:35–50
- von der Heyden S, see Andreotti S et al. (2017) 577:257–262

W

- Walker WA, see West KL et al. (2017) 574:227–242
- Wall KR, see Curtis JS et al. (2017) 573:215–228
- Walquist RW, see Hill RW et al. (2017) 576:27–41
- Walworth NG, see Spackeen JL et al. (2017) 577:49–65
- Walworth NG, see Spackeen JL et al. (2017) 580:247
- Wang S, see Zhu Y et al. (2017) 580:83–100
- Wanless S, see Bogdanova MI et al. (2017) 578:167–181
- Warner RR, see Carlson PM et al. (2017) 577:165–176
- Warner RR, see Davis K et al. (2017) 577:149–164
- Watson W, see Koslow JA et al. (2017) 571:193–206
- Weaver J, see Zengel S et al. (2017) 576:135–144
- Wedekin LL, Engel MH, Andriolo A, Prado PI, Zerbini AN, Marcondes MMC, Kinias PG, Simões-Lopes PC (2017) Running fast in the slow lane: rapid population growth of humpback whales after exploitation. 575:195–206
- Weil G, see Levy Y et al. (2017) 575:165–179

- Weimerskirch H, see Michael PE et al. (2017) 579:185–199
- Welch DW, see Healy SJ et al. (2017) 577:131–147
- Welch LJ, see Powers KD et al. (2017) 574:211–226
- Wenger AS, see Brown CJ et al. (2017) 576:55–68
- West KL, Walker WA, Baird RW, Mead JG, Collins PW (2017) Diet of Cuvier's beaked whales *Ziphius cavirostris* from the North Pacific and a comparison with their diet worldwide. 574:227–242
- Wheeler JD, Luo E, Helfrich KR, Anderson EJ, Starczak VR, Mullineaux LS (2017) Light stimulates swimming behavior of larval eastern oysters *Crassostrea virginica* in turbulent flow. 571:109–120
- Whelan R, see Muzaffar SB et al. (2017) 575:181–194
- Whippo R, see Staaterman E et al. (2017) 575:207–215
- Widdicombe CE, see Mutshinda CM et al. (2017) 576:11–25
- Wilcox C, see Michael PE et al. (2017) 579:185–199
- Wild C, see Tilstra A et al. (2017) 575:69–80
- Wild M, see Kenworthy WJ et al. (2017) 576:145–161
- Wiley DN, see Powers KD et al. (2017) 574:211–226
- Will AP, see Young RC et al. (2017) 578:253–261
- Willis JM, see Powers SP et al. (2017) 576:189–202
- Willis JM, see Rouhani S et al. (2017) 576:111–124
- Witte IJ, see Jung AS et al. (2017) 579:37–53
- Witte U, see Mäkelä A et al. (2017) 572:1–18
- Wolf-Gladrow D, see Trimborn S et al. (2017) 578:35–50
- Wood C, see Michel J et al. (2017) 576:203–218
- Wuenschel MJ, see Perretti CT et al. (2017) 574:1–11

X

- Xiang R, see Xu Z et al. (2017) 571:65–81
- Xu K, see Spackeen JL et al. (2017) 577:49–65
- Xu K, see Spackeen JL et al. (2017) 580:247
- Xu Z, Liu S, Xiang R, Song G (2017) Live benthic foraminifera in the Yellow Sea and the East China Sea: vertical distribution, nitrate storage, and potential denitrification. 571: 65–81

Y

- Yamada M, see Hasegawa T et al. (2017) 573:101–115
- Yamawaki N, see Hasegawa T et al. (2017) 573:101–115
- Yamazaki H, see Tanaka M et al. (2017) 571:207–220
- Ye H, see Giron-Navia A et al. (2017) 572:269–274
- Yeager M, see Dunn RP et al. (2017) 577:33–47
- Young RC, Orben RA, Will AP, Kitaysky AS (2017) Relationship between telomere dynamics and movement and behavior during winter in the thick-billed murre. 578: 253–261

Z

- Zajková Z, Militão T, González-Solís J (2017) Year-round movements of a small seabird and oceanic isotopic gradient in the tropical Atlantic. 579:169–183
- Zelo IJ, see Rouhani S et al. (2017) 576:111–124
- Zengel S, Weaver J, Pennings SC, Silliman B, Deis DR, Montague CL, Rutherford N, Nixon Z, Zimmerman AR (2017) Five years of Deepwater Horizon oil spill effects on marsh periwinkles *Littoraria irrorata*. 576:135–144
- Zerbini AN, see Wedekin LL et al. (2017) 575:195–206
- Zetina-Rejon M, see Sirot C et al. (2017) 575:137–152

- Zhang M, see Rouhani S et al. (2017) 576:111–124
- Zhao X, see Peng C et al. (2017) 575:107–117
- Zharikov Y, see Skilleter GA et al. (2017) 573:25–43
- Zhu Y, Ishizaka J, Tripathy SC, Wang S, Sukigara C, Goes J, Matsuno T, Suggett DJ (2017) Relationship between light, community composition and the electron requirement for carbon fixation in natural phytoplankton. 580:83–100
- Zimmerman AR, see Zengel S et al. (2017) 576:135–144
- Zupcic-Moore JR, Ruiz-Cooley RI, Paliza O, Koch PL, McCarthy MD (2017) Using stable isotopes to investigate foraging variation and habitat use of sperm whales from northern Peru. 579:201–212