

## COMBINED AUTHOR AND TITLE INDEX

(Volumes 591 to 600, 2018)

**A**

- Aarestrup K, see Kristensen ML et al. (2018) 599:209–224
- Abboud SS, Gómez Daglio L, Dawson MN (2018) A global estimate of genetic and geographic differentiation in macromedusae—implications for identifying the causes of jellyfish blooms. 591:199–216
- Able KW, see Nickerson KJ et al. (2018) 598:113–129
- Aburto-Oropeza O, see Ahern ALM et al. (2018) 592:159–179
- Aceves-Bueno E, Halpern BS (2018) Informing the design of territorial use rights in fisheries from marine protected area theory. 596:247–262
- Achuthankutty CT, see Karati KK et al. (2018) 597:79–98
- Acuña-Marrero D, Smith ANH, Salinas-de-León P, Harvey ES, Pawley MDM, Anderson MJ (2018) Spatial patterns of distribution and relative abundance of coastal shark species in the Galapagos Marine Reserve. 593:73–95
- Adam TC, Duran A, Fuchs CE, Roycroft MV, Rojas MC, Ruttenberg BI, Burkepile DE (2018) Comparative analysis of foraging behavior and bite mechanics reveals complex functional diversity among Caribbean parrotfishes. 597: 207–220
- Adams J, see Phillips EM et al. (2018) 594:245–261
- Adkison MD, see Siegel JE et al. (2018) 595:187–202
- Agüera A, see Lamare M et al. (2018) 598:99–112
- Aguirre-Villaseñor H, see Cruz-Acevedo E et al. (2018) 592: 225–242
- Ahern ALM, Gómez-Gutiérrez J, Aburto-Oropeza O, Saldíerna-Martínez RJ, Johnson AF, Harada AE, Sánchez-Uvera AR, Erisman B, Castro Arvizú DI, Burton RS (2018) DNA sequencing of fish eggs and larvae reveals high species diversity and seasonal changes in spawning activity in the southeastern Gulf of California. 592:159–179
- Ajani PA, see Larsson ME et al. (2018) 596:49–60
- Aleksa KT, Nero RW, Wiggert JD, Graham WM (2018) Descriptive density models of scyphozoan jellyfish in the northern Gulf of Mexico. 591:71–85
- Alemany F, see Reglero P et al. (2018) 594:231–243
- Alfaro-Lucas JM, Shimabukuro M, Ogata IV, Fujiwara Y, Sumida PYG (2018) Trophic structure and chemosynthesis contributions to heterotrophic fauna inhabiting an abyssal whale carcass. 596:1–12
- Algueró-Muñiz M, see Amorim K et al. (2018) 591:253–265
- Allen SK Jr, see Ben-Horin T et al. (2018) 594:107–117
- Almansa E, see Perales-Raya C et al. (2018) 598:247–259
- Alvarez-Berastegui D, see Reglero P et al. (2018) 594:231–243
- Alvarez-Fernandez S, see Amorim K et al. (2018) 591:253–265
- Álvarez-Salgado XA, see Otero J et al. (2018) 596:33–47
- Amerson A, see Christiansen F et al. (2018) 592:267–281
- Amorim K, Mattmüller RM, Algueró-Muñiz M, Meunier CL, Alvarez-Fernandez S, Boersma M, Morais P, Teodósio MA (2018) Winter river discharge may affect summer estuarine jellyfish blooms. 591:253–265
- Andersen NG, see Behrens JW et al. (2018) 599:201–208
- Anderson MJ, see Acuña-Marrero D et al. (2018) 593:73–95
- Anglès S, see Font-Muñoz JS et al. (2018) 594:51–63

- Aparicio-González A, see Reglero P et al. (2018) 594:231–243
- Archambault P, see Mäkelä A et al. (2018) 600:21–39
- Archambault P, see Stasko AD et al. (2018) 594:1–19
- Archer SK, Halliday WD, Riera A, Mouy X, Pine MK, Chu JWF, Dunham A, Juanes F (2018) First description of a glass sponge reef soundscape reveals fish calls and elevated sound pressure levels. 595:245–252
- Arnott SA, see Wang VH et al. (2018) 596:165–179
- Arnould JPY, see Jeanniard du Dot T et al. (2018) 600: 207–222
- Arrigo KR, see Brault EK et al. (2018) 593:29–45
- Asci SC, Langton RW, Stokesbury KDE (2018) Estimating similarity in benthic communities over decades and in areas open and closed to fishing in the central Gulf of Maine, USA. 595:15–26
- Askeland Johnsen I, see Halattunen E et al. (2018) 592: 243–256
- Aumack CF, see Purcell JE et al. (2018) 591:281–286
- Autio R, see Enberg S et al. (2018) 599:19–34
- Azevedo JMN, see Fernandez M et al. (2018) 595:217–231

**B**

- Baetscher DS, see Smith JG et al. (2018) 595:149–156
- Baird AH, see Precoda K et al. (2018) 594:85–94
- Baker E, see Murillo FJ et al. (2018) 597:115–135
- Baktoft H, see Kristensen ML et al. (2018) 599:209–224
- Bandelj V, see Carlucci R et al. (2018) 598:1–19
- Banta GT, see Knott KE et al. (2018) 592:129–140
- Barbasch TA, see Seymour JR et al. (2018) 594:193–201
- Barbraud C, see Passuni G et al. (2018) 597:231–242
- Barceló C, see Decker MB et al. (2018) 591:57–69
- Barrett CJ, see Laptikhovsky VV et al. (2018) 598:273–291
- Barrow J, Ford J, Day R, Morrongiello J (2018) Environmental drivers of growth and predicted effects of climate change on a commercially important fish, *Platycephalus laevigatus*. 598:201–212
- Barry C, see Bologna P et al. (2018) 591:217–227
- Barth JA, see Sato M et al. (2018) 595:171–186
- Bartolomé A, see Perales-Raya C et al. (2018) 598:247–259
- Basterretxea G, see Font-Muñoz JS et al. (2018) 594:51–63
- Baudry J, Dumont D, Schloss IR (2018) Turbulent mixing and phytoplankton life history: a Lagrangian versus Eulerian model comparison. 600:55–70
- Bay LK, see Quigley KM et al. (2018) 600:245–253
- Baylis AMM, Tierney M, Orben RA, Staniland IJ, Brickle P (2018) Geographic variation in the foraging behaviour of South American fur seals. 596:233–245
- Beauchard O, see Moerdijk-Poortvliet TCW et al. (2018) 592: 77–95
- Beazley L, see Murillo FJ et al. (2018) 597:115–135
- Beck IM, see Eriksen E et al. (2018) 591:87–100
- Behrens JW, Svendsen JC, Neuenfeldt S, Andersen NG, van Deurs M (2018) Individual variation in aerobic scope affects modeled vertical foraging migration in Atlantic cod

- Gadhus morhua*, but only in moderate hypoxia. 599: 201–208
- Bejder L, see Christiansen F et al. (2018) 592:267–281
- Bell SS, see Furman BT et al. (2018) 597:13–22
- Bellmann MA, see Brandt MJ et al. (2018) 596:213–232
- Ben-Horin T, Allen SK Jr, Small JM, Proestou DA (2018) Genetic variation in anti-parasite behavior in oysters. 594: 107–117
- Benfield MC, see Minello TJ (2018) 594:203–212
- Bennett MB, see Couturier LIE et al. (2018) 599:125–145
- Benoit HP, Swain DP, Hutchings JA, Knox D, Doniol-Valcroze T, Bourne CM (2018) Evidence for reproductive senescence in a broadly distributed harvested marine fish. 592: 207–224
- Benoit HP, see Tamdrari H et al. (2018) 596:95–112
- Benoit-Bird KJ, see Sato M et al. (2018) 595:171–186
- Berg P, see Volaric MP et al. (2018) 599:75–91
- Bernreuther M, Peters J, Möllmann C, Renz J, Dutz J, Herrmann JP, Temming A (2018) Trophic decoupling of mesozooplankton production and the pelagic planktivores sprat *Sprattus sprattus* and herring *Clupea harengus* in the Central Baltic Sea. 592:181–196
- Bertrand A, see Passuni G et al. (2018) 597:231–242
- Bertrand S, see Passuni G et al. (2018) 597:231–242
- Bezio N, Costello J, Perry E, Colin S (2018) Effects of capture surface morphology on feeding success of scyphomedusae: a comparative study. 596:83–93
- Bjørge A, see Pedersen T et al. (2018) 596:13–31
- Bjørn PA, see Halttunen E et al. (2018) 592:243–256
- Black BA, see van der Sleen P et al. (2018) 596:155–164
- Blanco E, see Reglero P et al. (2018) 594:231–243
- Blomster J, see Enberg S et al. (2018) 599:19–34
- Bluhm BA, see Stasko AD et al. (2018) 594:1–19
- Bode A, see Otero J et al. (2018) 596:33–47
- Boersma M, see Amorim K et al. (2018) 591:253–265
- Bograd SJ, see van der Sleen P et al. (2018) 596:155–164
- Bogstad B, see Eriksen E et al. (2018) 591:87–100
- Boldin B, see Hočevar S et al. (2018) 591:155–166
- Bologna P, Gaynor JJ, Meredith R, Restaino D, Barry C (2018) Stochastic event alters gelatinous zooplankton community structure: impacts of Hurricane Sandy in a Mid-Atlantic estuary. 591:217–227
- Boschker HTS, see Moerdijk-Poortvliet TCW et al. (2018) 592: 77–95
- Bouchon M, see Passuni G et al. (2018) 597:231–242
- Bourdages H, see Tamdrari H et al. (2018) 596:95–112
- Bourne CM, see Benoit HP et al. (2018) 592:207–224
- Boveng PL, see Breed GA et al. (2018) 600:223–237
- Brandt MJ, Dragon AC, Diederichs A, Bellmann MA, Wahl V, Piper W, Nabe-Nielsen J, Nehls G (2018) Disturbance of harbour porpoises during construction of the first seven offshore wind farms in Germany. 596:213–232
- Brault EK, Koch PL, McMahon KW, Broach KH, Rosenfield AP, Sauthoff W, Loeb VJ, Arrigo KR, Smith WO Jr (2018) Carbon and nitrogen zooplankton isoscapes in West Antarctica reflect oceanographic transitions. 593:29–45
- Breece MW, see Haulsee DE et al. (2018) 597:191–206
- Breed GA, Cameron MF, Ver Hoef JM, Boveng PL, Whiting A, Frost KJ (2018) Seasonal sea ice dynamics drive movement and migration of juvenile bearded seals *Erignathus barbatus*. 600:223–237
- Brereton A, Siddons J, Lewis DM (2018) Large-eddy simulation of subsurface phytoplankton dynamics: an optimum condition for chlorophyll patchiness induced by Langmuir circulations. 593:15–27
- Brêthes JC, see Tamdrari H et al. (2018) 596:95–112
- Briceño FA, Polymeropoulos ET, Fitzgibbon QP, Dambacher JM, Pecl GT (2018) Changes in metabolic rate of spiny lobster under predation risk. 598:71–84
- Brickle P, see Baylis AMM et al. (2018) 596:233–245
- Brierley AS, see Proud R et al. (2018) 598:35–48
- Broach KH, see Brault EK et al. (2018) 593:29–45
- Broderick AC, see Omeyer LCM et al. (2018) 596:199–211
- Brodeur RD, see Decker MB et al. (2018) 591:57–69
- Brodeur RD, see Friedman WR et al. (2018) 596:181–198
- Brodeur RD, see Sato M et al. (2018) 595:171–186
- Brooks MT, Coles VJ, Hood RR, Gower JFR (2018) Factors controlling the seasonal distribution of pelagic *Sargassum*. 599:1–18
- Brown C, see Pini-Fitzsimmons J et al. (2018) 600:99–110
- Brown LM, see Haulsee DE et al. (2018) 597:191–206
- Brun FG, see Jiménez-Ramos R et al. (2018) 599:49–64
- Bulleri F, Thiault L, Mills SC, Nugues MM, Eckert EM, Corno G, Claudet J (2018) Erect macroalgae influence epilithic bacterial assemblages and reduce coral recruitment. 597: 65–77
- Burek KE, O'Brien JM, Scheibling RE (2018) Wasted effort: recruitment and persistence of kelp on algal turf. 600:3–19
- Burkepile DE, see Adam TC et al. (2018) 597:207–220
- Burnell S, see Christiansen F et al. (2018) 592:267–281
- Burton RS, see Ahern ALM et al. (2018) 592:159–179
- Buston PM, see Seymour JR et al. (2018) 594:193–201
- Byrne M, see Graba-Landry A et al. (2018) 595:55–69
- Byrne M, see Lamare M et al. (2018) 598:99–112

## C

- Cagua EF, see Couturier LIE et al. (2018) 599:125–145
- Caldeira R, see Freitas C et al. (2018) 595:203–215
- Calder-Potts RN, Spicer JI, Calosi P, Findlay HS, Queirós AM, Widdicombe S (2018) Density-dependent responses of the brittlestar *Amphiura filiformis* to moderate hypoxia and consequences for nutrient fluxes. 594:175–191
- Caliman A, see Dalponti G et al. (2018) 597:39–46
- Calosi P, see Calder-Potts RN et al. (2018) 594:175–191
- Cameron MF, see Breed GA et al. (2018) 600:223–237
- Capezzuto F, see Carlucci R et al. (2018) 598:1–19
- Carlucci R, Bandelj V, Ricci P, Capezzuto F, Sion L, Maiorano P, Tursi A, Solidoro C, Libralato S (2018) Exploring spatio-temporal changes in the demersal and benthopelagic assemblages of the north-western Ionian Sea (central Mediterranean Sea). 598:1–19
- Carr MH, see Smith JG et al. (2018) 595:149–156
- Carvalho Rio J, see Hancock JM et al. (2018) 600:165–177
- Casas MC, see Cleary AC et al. (2018) 595:39–54
- Castillo R, see Passuni G et al. (2018) 597:231–242
- Castro Arvizú DI, see Ahern ALM et al. (2018) 592:159–179
- Ceriani SA, see Gillis AJ et al. (2018) 599:225–238
- Chai Y, see Dong J et al. (2018) 591:185–197
- Chaigneau A, see Passuni G et al. (2018) 597:231–242
- Chapman MG, see Liversage K (2018) 593:173–185
- Charlton C, see Christiansen F et al. (2018) 592:267–281
- Chenery SRN, see Hollyman PR et al. (2018) 598:261–272
- Chin A, see Martins APB et al. (2018) 595:253–267
- Chin J, see Lamare M et al. (2018) 598:99–112
- Cho KH, see La HS et al. (2018) 592:283–289
- Christiansen F, Vivier F, Charlton C, Ward R, Amerson A, Bur nell S, Bejder L (2018) Maternal body size and condition determine calf growth rates in southern right whales. 592: 267–281
- Chu JWF, see Archer SK et al. (2018) 595:245–252
- Cieciel KD, see Decker MB et al. (2018) 591:57–69
- Claudet J, see Bulleri F et al. (2018) 597:65–77

- Cleary AC, Durbin EG, Casas MC (2018) Feeding by Antarctic krill *Euphausia superba* in the West Antarctic Peninsula: differences between fjords and open waters. 595: 39–54
- Cliff J, see Doubleday ZA et al. (2018) 598:159–166
- Coetzee JC, see van der Sleen P et al. (2018) 596:155–164
- Coles VJ, see Brooks MT et al. (2018) 599:1–18
- Colin S, see Bezio N et al. (2018) 596:83–93
- Condon RH, see Fuentes VL et al. (2018) 591:3–5
- Condon RH, see Treble LM et al. (2018) 591:129–139
- Cope JM, see Keller AA et al. (2018) 599:181–200
- Copeman L, Ryer C, Spencer M, Ottmar M, Iseri P, Sremba A, Wells J, Parrish C (2018) Benthic enrichment by diatom-sourced lipid promotes growth and condition in juvenile Tanner crabs around Kodiak Island, Alaska. 597:161–178
- Cordeiro N, see Pires RFT et al. (2018) 591:241–251
- Corno G, see Bulleri F et al. (2018) 597:65–77
- Corry M, Harasti D, Gaston T, Mazumder D, Cresswell T, Moltschanivskyj N (2018) Functional role of the soft coral *Dendronephthya australis* in the benthic food web of temperate estuaries. 593:61–72
- Costello J, see Bezio N et al. (2018) 596:83–93
- Couturier LIE, Newman P, Jaine FRA, Bennett MB, Venables WN, Cagua EF, Townsend KA, Weeks SJ, Richardson AJ (2018) Variation in occupancy and habitat use of *Mobula alfredi* at a major aggregation site. 599:125–145
- Cowles TJ, see Sato M et al. (2018) 595:171–186
- Cox MJ, see Proud R et al. (2018) 598:35–48
- Cresswell T, see Corry M et al. (2018) 593:61–72
- Cruz-Acevedo E, Tolimieri N, Aguirre-Villaseñor H (2018) Deep-sea fish assemblages (300–2100 m) in the eastern Pacific off northern Mexico. 592:225–242
- D**
- Dalponti G, Guariento RD, Caliman A (2018) Hunting high or low: body size drives trophic position among and within marine predators. 597:39–46
- Dambacher JM, see Briceño FA et al. (2018) 598:71–84
- Darnaude AM, Hunter E (2018) Validation of otolith  $\delta^{18}\text{O}$  values as effective natural tags for shelf-scale geolocation of migrating fish. 598:167–185
- Daunt F, see St John Glew K et al. (2018) 599:239–251
- Daunt F, see Wanless S et al. (2018) 600:193–206
- Dawson MN, see Abboud SS et al. (2018) 591:199–216
- Day R, see Barrow J et al. (2018) 598:201–212
- de la Gándara F, see Reglero P et al. (2018) 594:231–243
- De Meester N, Van Daele T, Van Malderen J, Monteiro L, Van Colen C, Derycke S, Moens T (2018) Active and species-specific dispersal behaviour in a marine nematode cryptic species complex. 600:71–83
- Decker MB, Robinson KL, Dorji S, Cieciel KD, Barceló C, Ruzicka JJ, Brodeur RD (2018) Jellyfish and forage fish spatial overlap on the eastern Bering Sea shelf during periods of high and low jellyfish biomass. 591:57–69
- del Villar-Guerra D, see Kristensen ML et al. (2018) 599: 209–224
- Dellinger T, see Freitas C et al. (2018) 595:203–215
- Derycke S, see De Meester N et al. (2018) 600:71–83
- Desmond MJ, Suárez-Jiménez R, Nelson WA, Hepburn CD (2018) Epifaunal community structure within southern New Zealand kelp forests. 596:71–81
- Devillers R, see Gullage L et al. (2018) 593:275
- Dick JTA, see Vye SR et al. (2018) 594:39–50
- Diederichs A, see Brandt MJ et al. (2018) 596:213–232
- Dietz R, see Nielsen NH et al. (2018) 597:259–272
- Dippner JW, see Umbrecht J et al. (2018) 595:1–13
- Doblin MA, see Larsson ME et al. (2018) 596:49–60
- Doerr JC, Hill RL (2018) Spatial distribution, density, and habitat associations of queen conch *Strombus gigas* in St. Croix, US Virgin Islands. 594:119–133
- Dolgov A, see Eriksen E et al. (2018) 591:87–100
- Dong J, Wang B, Duan Y, Yoon WD, Wang A, Liu X, Li Y, Sun M, Chai Y (2018) Initial occurrence, ontogenetic distribution-shifts and advection of *Nemopilema nomurai* (Scyphozoa: Rhizostomeae) in Liaodong Bay, China, from 2005–2015. 591:185–197
- Dong Y, Li QP, Liu Z, Wu Z, Zhou W (2018) Size-dependent phytoplankton growth and grazing in the northern South China Sea. 599:35–47
- Doniol-Valcroze T, see Benoît HP et al. (2018) 592:207–224
- Donoghue C, see Gross C et al. (2018) 598:21–33
- Dorji S, see Decker MB et al. (2018) 591:57–69
- dos Santos A, see Pires RFT et al. (2018) 591:241–251
- Doubleday ZA, Cliff J, Izzo C, Gillanders BM (2018) Untapping the potential of sulfur isotope analysis in biominerals. 598:159–166
- Dragon AC, see Brandt MJ et al. (2018) 596:213–232
- Duan Y, see Dong J et al. (2018) 591:185–197
- Dubert J, see Pires RFT et al. (2018) 591:241–251
- Ducklow HW, see Kim H et al. (2018) 600:41–53
- Dumont D, see Baudry J et al. (2018) 600:55–70
- Dunham A, see Archer SK et al. (2018) 595:245–252
- Dunk A, see Johnson DW (2018) 593:97–109
- Durako MJ, see Furman BT et al. (2018) 597:13–22
- Duran A, see Adam TC et al. (2018) 597:207–220
- Durant JM, see Färber L et al. (2018) 600:141–150
- Durbin EG, see Cleary AC et al. (2018) 595:39–54
- Dutz J, see Bernreuther M et al. (2018) 592:181–196
- Dworjanyn SA, see Graba-Landry A et al. (2018) 595:55–69

**E**

- Eckert EM, see Bulleri F et al. (2018) 597:65–77
- Edinger E, see Gullage L et al. (2018) 593:275
- Edwards MS, see Gabara SS et al. (2018) 595:71–88
- Egea LG, see Jiménez-Ramos R et al. (2018) 599:49–64
- Eisner L, see Hunt GL Jr et al. (2018) 593:209–230
- Ekau W, see Vane K et al. (2018) 597:1–11
- Eléaume M, see Guillaumot C et al. (2018) 594:149–164
- Elias-Piera F, see Rossi S (2018) 596:143–153
- Emaus PA, see Halsband C et al. (2018) 591:267–279
- Emlet RB, see Valley JR (2018) 598:61–70
- Emmerson MC, see Vye SR et al. (2018) 594:39–50
- Enberg S, Majaneva M, Autio R, Blomster J, Rintala JM (2018) Phases of microalgal succession in sea ice and the water column in the Baltic Sea from autumn to spring. 599:19–34
- Eriksen E, Bogstad B, Dolgov A, Beck IM (2018) Cod diet as an indicator of Ctenophora abundance dynamics in the Barents Sea. 591:87–100
- Erikstad KE, see St John Glew K et al. (2018) 599:239–251
- Erisman B, see Ahern ALM et al. (2018) 592:159–179
- Escobar-Flores PC, O'Driscoll RL, Montgomery JC (2018) Predicting distribution and relative abundance of mid-trophic level organisms using oceanographic parameters and acoustic backscatter. 592:37–56
- Escobar-Flores PC, O'Driscoll RL, Montgomery JC (2018) Spatial and temporal distribution patterns of acoustic backscatter in the New Zealand sector of the Southern Ocean. 592:19–35
- Estrada M, see Nunes S et al. (2018) 592:57–75
- Everett JD, see Schilling HT et al. (2018) 598:187–199

**F**

- Färber L, Durant JM, Vindenes Y, Langangen Ø (2018) Increased early offspring growth can offset the costs of long-distance spawning migration in fish. 600:141–150
- Feng S, Lin J, Sun S, Zhang F, Li C (2018) Hyposalinity and incremental micro-zooplankton supply in early-developed *Nemopilema nomurai* polyp survival, growth, and podocyst reproduction. 591:117–128
- Feng S, Wang SW, Sun S, Zhang F, Zhang GT, Liu MT, Uye S (2018) Strobilation of three scyphozoans (*Aurelia coelurea*, *Nemopilema nomurai*, and *Rhopilema esculentum*) in the field at Jiaozhou Bay, China. 591:141–153
- Fernandez M, Yesson C, Gannier A, Miller PI, Azevedo JMN (2018) A matter of timing: how temporal scale selection influences cetacean ecological niche modelling. 595: 217–231
- Ferrá C, see Reglero P et al. (2018) 594:231–243
- Ferriol P, see Font-Muñoz JS et al. (2018) 594:51–63
- Field JC, see Friedman WR et al. (2018) 596:181–198
- Findlay HS, see Calder-Potts RN et al. (2018) 594:175–191
- Finstad B, see Halttunen E et al. (2018) 592:243–256
- Fisher B, see Milewski I et al. (2018) 598:85–97
- Fisher M, Hunter E (2018) Digital imaging techniques in otolith data capture, analysis and interpretation. 598: 213–231
- Fisher NS, see Madigan DJ et al. (2018) 597:221–230
- Fisher R, see Wilson P et al. (2018) 600:179–192
- Fitzgerald C, see Plough LV et al. (2018) 597:99–113
- Fitzgibbon QP, see Briceño FA et al. (2018) 598:71–84
- Fleishman AB, see Orben RA et al. (2018) 593:231–245
- Floeter J, see Lauerburg RAM et al. (2018) 594:213–230
- Folkvord A, see Reglero P et al. (2018) 594:231–243
- Font-Muñoz JS, Jordi A, Anglès S, Ferriol P, Garcés E, Basterretxea G (2018) Assessing phytoplankton community composition using combined pigment and particle size distribution analysis. 594:51–63
- Ford J, see Barrow J et al. (2018) 598:201–212
- Fowler MS, see Whitehouse LM (2018) 600:127–140
- Fox CH, Paquet PC, Reimchen TE (2018) Pacific herring spawn events influence nearshore subtidal and intertidal species. 595:157–169
- Fox DA, see Haulsee DE et al. (2018) 597:191–206
- Freitas C, Caldeira R, Reis J, Dellinger T (2018) Foraging behavior of juvenile loggerhead sea turtles in the open ocean: from Lévy exploration to area-restricted search. 595:203–215
- Frey PH, see Keller AA et al. (2018) 599:181–200
- Friedman WR, Santora JA, Schroeder ID, Huff DD, Brodeur RD, Field JC, Wells BK (2018) Environmental and geographic relationships among salmon forage assemblages along the continental shelf of the California Current. 596: 181–198
- Frost KJ, see Breed GA et al. (2018) 600:223–237
- Fry B, see Umbricht J et al. (2018) 595:1–13
- Fuchs CE, see Adam TC et al. (2018) 597:207–220
- Fuchs HL, Specht JA (2018) Evidence for diverse responses to viscosity in suspension-feeding bivalves: Reply to Riisgård & Larsen (2018). 596:267–270
- Fuentes MMPB, see Gillis AJ et al. (2018) 599:225–238
- Fuentes VL, Purcell JE, Condon RH, Lombard F, Lucas CH (2018) Jellyfish blooms: advances and challenges. 591:3–5
- Fuentes VL, see Tilves U et al. (2018) 591:101–116
- Fuhrmann MM, see Pedersen T et al. (2018) 596:13–31
- Fujiwara Y, see Alfaro-Lucas JM et al. (2018) 596:1–12
- Fukuwaka MA, see Muko S et al. (2018) 593:141–154
- Fuller WJ, see Omeyer LCM et al. (2018) 596:199–211

- Furman BT, Leone EH, Bell SS, Durako MJ, Hall MO (2018) Braun-Blanquet data in ANOVA designs: comparisons with percent cover and transformations using simulated data. 597:13–22

**G**

- Gaardsted F, see Halsband C et al. (2018) 591:267–279
- Gabara SS, Hamilton SL, Edwards MS, Steller DL (2018) Rhodolith structural loss decreases abundance, diversity, and stability of benthic communities at Santa Catalina Island, CA. 595:71–88
- Gagnon P, see Millar KR (2018) 594:65–83
- Galatius A, see Olsen MT et al. (2018) 595:233–243
- Gannier A, see Fernandez M et al. (2018) 595:217–231
- Garcés E, see Font-Muñoz JS et al. (2018) 594:51–63
- García-Fernández P, see Perales-Raya C et al. (2018) 598: 247–259
- García-Reyes M, see van der Sleen P et al. (2018) 596:155–164
- Gasbarro R, Wan D, Tunnicliffe V (2018) Composition and functional diversity of macrofaunal assemblages on vertical walls of a deep northeast Pacific fjord. 597:47–64
- Gasol JM, see Nunes S et al. (2018) 592:57–75
- Gaston T, see Corry M et al. (2018) 593:61–72
- Gaynor JJ, see Bologna P et al. (2018) 591:217–227
- Gestal C, see Perales-Raya C et al. (2018) 598:247–259
- Gillanders BM, see Doubleday ZA et al. (2018) 598:159–166
- Gillanders BM, see McMillan MN et al. (2018) 599:147–156
- Gillanders BM, see Schilling HT et al. (2018) 598:187–199
- Gillis AJ, Ceriani SA, Seminoff JA, Fuentes MMPB (2018) Foraging ecology and diet selection of juvenile green turtles in the Bahamas: insights from stable isotope analysis and prey mapping. 599:225–238
- Gjelland KØ, see Halttunen E et al. (2018) 592:243–256
- Glover KA, see Halttunen E et al. (2018) 592:243–256
- Godley BJ, see Omeyer LCM et al. (2018) 596:199–211
- Goetz KT, McDonald BI, Kooyman GL (2018) Habitat preference and dive behavior of non-breeding emperor penguins in the eastern Ross Sea, Antarctica. 593:155–171
- Goldstein J, Jürgensen C, Steiner UK, Riisgård HU (2018) Density-driven water exchange controls seasonal declines in jellyfish (*Aurelia aurita*) abundance in a shallow fjord system. 597:137–145
- Gómez-Chiarri M, see Green-Gavrieldis LA et al. (2018) 595: 27–37
- Gómez Daglio L, see Abboud SS et al. (2018) 591:199–216
- Gómez-Gutiérrez J, see Ahern ALM et al. (2018) 592:159–179
- Gower JFR, see Brooks MT et al. (2018) 599:1–18
- Graba-Landry A, Hoey AS, Matley JK, Sheppard-Brennand H, Poore AGB, Byrne M, Dworjanyn SA (2018) Ocean warming has greater and more consistent negative effects than ocean acidification on the growth and health of subtropical macroalgae. 595:55–69
- Graham WM, see Aleksa KT et al. (2018) 591:71–85
- Green-Gavrieldis LA, MacKechnie F, Thornber CS, Gómez-Chiarri M (2018) Bloom-forming macroalgae (*Ulva* spp.) inhibit the growth of co-occurring macroalgae and decrease eastern oyster larval survival. 595:27–37
- Grorud-Colvert K, see Ottmann D et al. (2018) 598:131–145
- Gross C, Donoghue C, Pruitt C, Ruesink JL (2018) Habitat use patterns and edge effects across a seagrass-unvegetated ecotone depend on species-specific behaviors and sampling methods. 598:21–33
- Grothues TM, see Nickerson KJ et al. (2018) 598:113–129
- Guariento RD, see Dalponti G et al. (2018) 597:39–46
- Guillaumot C, Martin A, Eléaume M, Saucède T (2018) Meth-

ods for improving species distribution models in data-poor areas: example of sub-Antarctic benthic species on the Kerguelen Plateau. 594:149–164  
 Guinet C, see Jeanniard du Dot T et al. (2018) 600:207–222  
 Gullage L, Devillers R, Edinger E (2018) (Corrigendum to Vol 582:57–77, 2017) 593:275

## H

Ha HK, see La HS et al. (2018) 592:283–289  
 Ha SY, see La HS et al. (2018) 592:283–289  
 Habeebrehman H, see Karati KK et al. (2018) 597:79–98  
 Hacker SD, see Reimer JN et al. (2018) 594:263–269  
 Hagerty ML, Reynolds N, Pineda J (2018) Constrained nearshore larval distributions and thermal stratification. 595:105–122  
 Halford AR, see Keesing JK et al. (2018) 597:179–190  
 Hall KC, see Keesing JK et al. (2018) 597:179–190  
 Hall MO, see Furman BT et al. (2018) 597:13–22  
 Halliday WD, see Archer SK et al. (2018) 595:245–252  
 Halpern BS, see Aceves-Bueno E (2018) 596:247–262  
 Halsband C, Majaneva S, Hosia A, Emaus PA, Gaardsted F, Zhou Q, Nøst OA, Renaud PE (2018) Jellyfish summer distribution, diversity and impact on fish farms in a Nordic fjord. 591:267–279  
 Halttunen E, Gjelland KØ, Glover KA, Askeland Johnsen I, Serra-Llinares RM, Skaala Ø, Nilsen R, Bjørn PA, Karlsen Ø, Finstad B, Skilbrei OT (2018) Migration of Atlantic salmon post-smolts in a fjord with high infestation pressure of salmon lice. 592:243–256  
 Hamabata T, Nishizawa H, Kawazu I, Kameda K, Kamezaki N, Hikida T (2018) Stock composition of green turtles *Chelonia mydas* foraging in the Ryukyu Archipelago differs with size class. 600:151–163  
 Hamilton SL, see Gabara SS et al. (2018) 595:71–88  
 Hamner WM, see Purcell JE et al. (2018) 591:1  
 Hancock JM, Vieira S, Jimenez V, Carvalho Rio J, Rebelo R (2018) Stable isotopes reveal dietary differences and site fidelity in juvenile green turtles foraging around São Tomé Island, West Central Africa. 600:165–177  
 Hannigan RE, see Osborne KL et al. (2018) 595:135–147  
 Hansen RG, see Nielsen NH et al. (2018) 597:259–272  
 Hanson JM, see Tamdrari H et al. (2018) 596:95–112  
 Harada AE, see Ahern ALM et al. (2018) 592:159–179  
 Harasti D, see Corry M et al. (2018) 593:61–72  
 Harcourt RG, see Lee KA et al. (2018) 599:157–179  
 Harianto J, see Lamare M et al. (2018) 598:99–112  
 Härkönen T, see Olsen MT et al. (2018) 595:233–243  
 Harms JH, see Keller AA et al. (2018) 599:181–200  
 Harris MP, see St John Glew K et al. (2018) 599:239–251  
 Harris MP, see Wanless S et al. (2018) 600:193–206  
 Harvey ES, see Acuña-Marrero D et al. (2018) 593:73–95  
 Hullsee DE, Breece MW, Brown LM, Wetherbee BM, Fox DA, Oliver MJ (2018) Spatial ecology of *Carcharias taurus* in the northwestern Mid-Atlantic coastal ocean. 597:191–206  
 Head MA, see Keller AA et al. (2018) 599:181–200  
 Heide-Jørgensen MP, see Nielsen NH et al. (2018) 597:259–272  
 Heins A, Sötje I, Holst S (2018) Assessment of investigation techniques for scyphozoan statoliths, with focus on early development of the jellyfish *Sanderia malayensis*. 591:37–56  
 Heiskanen S, see Knott KE et al. (2018) 592:129–140  
 Henschke N, Stock CA, Sarmiento JL (2018) Modeling population dynamics of scyphozoan jellyfish (*Aurelia* spp.) in the Gulf of Mexico. 591:167–183  
 Hepburn CD, see Desmond MJ et al. (2018) 596:71–81

Herrmann JP, see Berreuther M et al. (2018) 592:181–196  
 Hess JE, see Rechisky EL et al. (2018) 297:273–274  
 Heupel MR, see Martins APB et al. (2018) 595:253–267  
 Higuchi T, see Shirai K et al. (2018) 593:127–139  
 Hikida T, see Hamabata T et al. (2018) 600:151–163  
 Hill RL, see Doerr JC (2018) 594:119–133  
 Hjelset AM, see Pedersen T et al. (2018) 596:13–31  
 Hočevar S, Malej A, Boldin B, Purcell JE (2018) Seasonal fluctuations in population dynamics of *Aurelia aurita* polyps *in situ* with a modelling perspective. 591:155–166  
 Hoey AS, see Graba-Landry A et al. (2018) 595:55–69  
 Hollyman PR, Leng MJ, Chenery SRN, Laptikhovsky VV, Richardson CA (2018) Statoliths of the whelk *Buccinum undatum*: a novel age determination tool. 598:261–272  
 Hollyman PR, see Hunter E et al. (2018) 598:155–158  
 Hollyman PR, see Laptikhovsky VV et al. (2018) 598:273–291  
 Holmes K, see Schaub J et al. (2018) 591:29–36  
 Holst S, see Heins A et al. (2018) 591:37–56  
 Hood RR, see Brooks MT et al. (2018) 599:1–18  
 Hoogenboom MO, see Nicolet KJ et al. (2018) 594:95–106  
 Horne JK, see Phillips EM et al. (2018) 594:245–261  
 Hosia A, see Halsband C et al. (2018) 591:267–279  
 Houlihan E, see Meyer KS et al. (2018) 599:93–106  
 Huebert KB, Pätsch J, Hufnagl M, Kreus M, Peck MA (2018) Modeled larval fish prey fields and growth rates help predict recruitment success of cod and anchovy in the North Sea. 600:111–126  
 Huff DD, see Friedman WR et al. (2018) 596:181–198  
 Hufnagl M, see Huebert KB et al. (2018) 600:111–126  
 Hughes JM, see Schilling HT et al. (2018) 598:187–199  
 Hunt BPV, see Schaub J et al. (2018) 591:29–36  
 Hunt GL Jr, Renner M, Kuletz KJ, Salo S, Eisner L, Ressler PH, Ladd C, Santora JA (2018) Timing of sea-ice retreat affects the distribution of seabirds and their prey in the southeastern Bering Sea. 593:209–230  
 Hunt GL Jr, see Kitaysky AS (2018) 593:189–194  
 Hunter E, Laptikhovsky VV, Hollyman PR (2018) Innovative use of sclerochronology in marine resource management. 598:155–158  
 Hunter E, see Darnaude AM (2018) 598:167–185  
 Hunter E, see Fisher M (2018) 598:213–231  
 Huntington B, see Ottmann D et al. (2018) 598:131–145  
 Huserbråten MBO, see Thorbjørnsen SH et al. (2018) 595:123–133  
 Hutchings JA, see Benoît HP et al. (2018) 592:207–224  
 Huveneers C, see McMillan MN et al. (2018) 599:147–156

## I

Infantes E, see Pereda-Briones L et al. (2018) 593:47–59  
 Iseri P, see Copeman L et al. (2018) 597:161–178  
 Ishii H, see Suzuki KS et al. (2018) 591:229–239  
 Ito M, see Kokubun N et al. (2018) 593:195–208  
 Ivarjord T, see Pedersen T et al. (2018) 596:13–31  
 Izzo C, see Doubleday ZA et al. (2018) 598:159–166

## J

Jaine FRA, see Couturier LIE et al. (2018) 599:125–145  
 Jeanniard du Dot T, Trites AW, Arnould JPY, Speakman JR, Guinet C (2018) Trade-offs between foraging efficiency and pup feeding rate of lactating northern fur seals in a declining population. 600:207–222  
 Jimbo M, see Yamashita H et al. (2018) 592:119–128  
 Jimenez V, see Hancock JM et al. (2018) 600:165–177

- Jiménez-Ramos R, Egea LG, Vergara JJ, Brun FG (2018) Nutrient load and epiphytes are drivers of increased herbivory in seagrass communities. 599:49–64
- Johnson AF, see Ahern ALM et al. (2018) 592:159–179
- Johnson AJ, Statton J, Orth RJ, Kendrick GA (2018) A sediment bioturbator bottleneck to seedling recruitment for the seagrass *Posidonia australis*. 595:89–103
- Johnson DW, Dunk A (2018) A large-scale study of competition of two temperate reef fishes: temperature, functional diversity, and regional differences in dynamics. 593: 97–109
- Jordi A, see Font-Muñoz JS et al. (2018) 594:51–63
- Jørgensen LL, see Pedersen T et al. (2018) 596:13–31
- Juanes F, see Archer SK et al. (2018) 595:245–252
- Juhl AR, see Purcell JE et al. (2018) 591:281–286
- Jung J, see La HS et al. (2018) 592:283–289
- Jürgensen C, see Goldstein J et al. (2018) 597:137–145

## K

- Kacenas SE, Podolsky RD (2018) Density-dependent expression of plasticity in larval morphology: effects of actual and apparent competitors. 593:1–13
- Källgren E, see Pedersen T et al. (2018) 596:13–31
- Kameda K, see Hamabata T et al. (2018) 600:151–163
- Kamezaki N, see Hamabata T et al. (2018) 600:151–163
- Kang SH, see La HS et al. (2018) 592:283–289
- Karati KK, Vineetha G, Raveendran TV, Muraleedharan KR, Habeebrehman H, Philson KP, Achuthankutty CT (2018) River plume fronts and their implications for the biological production of the Bay of Bengal, Indian Ocean. 597:79–98
- Karelitz S, see Lamare M et al. (2018) 598:99–112
- Karlsen Ø, see Halattunen E et al. (2018) 592:243–256
- Katenka NV, see McLean EL et al. (2018) 596:113–126
- Kauffman TC, Martin CW, Valentine JF (2018) Hydrological alteration exacerbates the negative impacts of invasive Eurasian milfoil *Myriophyllum spicatum* by creating hypoxic conditions in a northern Gulf of Mexico estuary. 592:97–108
- Kawazu I, see Hamabata T et al. (2018) 600:151–163
- Keesing JK, Halford AR, Hall KC (2018) Mortality rates of small juvenile crown-of-thorns starfish *Acanthaster planci* on the Great Barrier Reef: implications for population size and larval settlement thresholds for outbreaks. 597: 179–190
- Keller AA, Frey PH, Wallace JR, Head MA, Wetzel CR, Cope JM, Harms JH (2018) Canary rockfishes *Sebastodes pinniger* return from the brink: catch, distribution and life history along the US west coast (Washington to California). 599: 181–200
- Kelly JP, Rothenbach CA, Weathers WW (2018) Echoes of numerical dependence: responses of wintering waterbirds to Pacific herring spawns. 597:243–257
- Kempf A, see Lauerburg RAM et al. (2018) 594:213–230
- Kenchington E, see Murillo FJ et al. (2018) 597:115–135
- Kendrick GA, see Johnson AJ et al. (2018) 595:89–103
- Kikuchi DM, see Kokubun N et al. (2018) 593:195–208
- Kim H, Lee DE, Ducklow HW (2018) Mixing regime-dependent causality between phytoplankton and bacteria in the subtropical North Atlantic Ocean ecosystem. 600:41–53
- Kingsford MJ, see Schlaefel JA et al. (2018) 591:287–302
- Kitaiskaia EV, see Kokubun N et al. (2018) 593:195–208
- Kitaiskaia EV, see Will AP et al. (2018) 593:261–274
- Kitano H, see Yasuda T et al. (2018) 598:147–151
- Kitaysky AS, Hunt GL Jr (2018) Seabird responses to a changing Bering Sea. 593:189–194

- Kitaysky AS, see Kokubun N et al. (2018) 593:195–208
- Kitaysky AS, see Orben RA et al. (2018) 593:231–245
- Kitaysky AS, see Will AP (2018) 593:247–260
- Kitaysky AS, see Will AP et al. (2018) 593:261–274
- Klein SG, see Treble LM et al. (2018) 591:129–139
- Knott KE, Thonig A, Heiskanen S, Winding Hansen B, Banta GT (2018) Seasonal variation in diversity of marine benthic invertebrates leads to a positive species–genetic diversity correlation (SGDC). 592:129–140
- Knott NA, see Pini-Fitzsimmons J et al. (2018) 600:99–110
- Knox D, see Benoît HP et al. (2018) 592:207–224
- Knudby A, see Murillo FJ et al. (2018) 597:115–135
- Knutsen H, see Thorbjørnsen SH et al. (2018) 595:123–133
- Knutsen JA, see Thorbjørnsen SH et al. (2018) 595:123–133
- Koch PL, see Brault EK et al. (2018) 593:29–45
- Kohno H, see Shirai K et al. (2018) 593:127–139
- Koike K, see Yamashita H et al. (2018) 592:119–128
- Kokubun N, Takahashi A, Paredes R, Young RC, Sato NN, Yamamoto T, Kikuchi DM, Kitaiskaia EV, Ito M, Watanuki Y, Will AP, Lauth R, Romano MD, Kitaysky AS (2018) Inter-annual climate variability affects foraging behavior and nutritional state of thick-billed murres breeding in the southeastern Bering Sea. 593:195–208
- Kokubun N, see Orben RA et al. (2018) 593:231–245
- Kooyman GL, see Goetz KT et al. (2018) 593:155–171
- Kotterba P, see Lauerburg RAM et al. (2018) 594:213–230
- Koyama F, see Shirai K et al. (2018) 593:127–139
- Kreus M, see Huebert KB et al. (2018) 600:111–126
- Kristensen ML, Righton D, del Villar-Guerra D, Baktoft H, Aarestrup K (2018) Temperature and depth preferences of adult sea trout *Salmo trutta* during the marine migration phase. 599:209–224
- Kröncke I, see Umbrecht J et al. (2018) 595:1–13
- Krüger L, Pereira JM, Ramírez I, Ramos JA, Paiva VH (2018) How the future climate may modulate the non-breeding distribution of a Vulnerable gadfly petrel. 599:253–266
- Kuletz KJ, see Hunt GL Jr et al. (2018) 593:209–230
- Kumakura E, see Suzuki KS et al. (2018) 591:229–239
- Kurota H, see Muko S et al. (2018) 593:141–154

## L

- La HS, Shimada K, Yang EJ, Cho KH, Ha SY, Jung J, Min JO, Kang SH, Ha HK (2018) Further evidence of diel vertical migration of copepods under Arctic sea ice during summer. 592:283–289
- Laczka OF, see Larsson ME et al. (2018) 596:49–60
- Ladd C, see Hunt GL Jr et al. (2018) 593:209–230
- Lamare M, Harianto J, Uthicke S, Agüera A, Karelitz S, Pecorino D, Chin J, Byrne M (2018) Larval thermal windows in native and hybrid *Pseudobolelia* progeny (Echinoidae) as potential drivers of the hybridization zone. 598: 99–112
- Lamont T, see van der Sleen P et al. (2018) 596:155–164
- Landry MR, see Taylor AG (2018) 592:1–17
- Langangen Ø, see Färber L et al. (2018) 600:141–150
- Langton RW, see Asci SC et al. (2018) 595:15–26
- Laptikhovsky VV, Barrett CJ, Hollyman PR (2018) From coral reefs to whale teeth: estimating mortality from natural accumulations of skeletal materials. 598:273–291
- Laptikhovsky VV, see Hollyman PR et al. (2018) 598: 261–272
- Laptikhovsky VV, see Hunter E et al. (2018) 598:155–158
- Larsen PS, see Riisgård HU (2018) 596:263–265
- Larsson ME, Laczka OF, Suthers IM, Ajani PA, Doblin MA (2018) Hitchhiking in the East Australian Current: rafting

- as a dispersal mechanism for harmful epibenthic dinoflagellates. 596:49–60
- Latas M, see Nunes S et al. (2018) 592:57–75
- Lauerburg RAM, Temming A, Pinnegar JK, Kotterba P, Sell AF, Kempf A, Floeter J (2018) Forage fish control population dynamics of North Sea whiting *Merlangius merlangus*. 594:213–230
- Lauth R, see Kokubun N et al. (2018) 593:195–208
- Le Guen C, see Proud R et al. (2018) 598:35–48
- Leclerc JC (2018) Patterns of spatial variability between contrasting substrata: a boulder-field study. 597:23–38
- Ledesma J, see Passuni G et al. (2018) 597:231–242
- Lee DE, see Kim H et al. (2018) 600:41–53
- Lee KA, Roughan M, Harcourt RG, Peddemors VM (2018) Environmental correlates of relative abundance of potentially dangerous sharks in nearshore areas, southeastern Australia. 599:157–179
- Lefcheck JS, see Richardson JP et al. (2018) 599:65–74
- Leng MJ, see Hollyman PR et al. (2018) 598:261–272
- Leone EH, see Furman BT et al. (2018) 597:13–22
- Lewis DM, see Brereton A et al. (2018) 593:15–27
- Li C, see Feng S et al. (2018) 591:117–128
- Li QP, see Dong Y et al. (2018) 599:35–47
- Li Y, see Dong J et al. (2018) 591:185–197
- Libralato S, see Carlucci R et al. (2018) 598:1–19
- Lin J, see Feng S et al. (2018) 591:117–128
- Lindstrøm U, see Pedersen T et al. (2018) 596:13–31
- Lirman D, see Santos RO et al. (2018) 594:21–38
- Liskow I, see Umbricht J et al. (2018) 595:1–13
- Liu MT, see Feng S et al. (2018) 591:141–153
- Liu X, see Dong J et al. (2018) 591:185–197
- Liu Z, see Dong Y et al. (2018) 599:35–47
- Liversage K, Chapman MG (2018) Coastal ecological engineering and habitat restoration: incorporating biologically diverse boulder habitat. 593:173–185
- Loeb VJ, see Brault EK et al. (2018) 593:29–45
- Logan RK, Lowe CG (2018) Residency and inter-reef connectivity of three gamefishes between natural reefs and a large mitigation artificial reef. 593:111–126
- Lombard F, see Fuentes VL et al. (2018) 591:3–5
- Lotze HK, see Milewski I et al. (2018) 598:85–97
- Loucks RH, see Milewski I et al. (2018) 598:85–97
- Low NHN, Micheli F (2018) Lethal and functional thresholds of hypoxia in two key benthic grazers. 594:165–173
- Lowe CG, see Logan RK (2018) 593:111–126
- Lu Y, see Schaub J et al. (2018) 591:29–36
- Lucas CH, see Fuentes VL et al. (2018) 591:3–5
- M**
- MacKechnie F, see Green-Gavrielidis LA et al. (2018) 595:27–37
- Madigan DJ, Snodgrass OE, Fisher NS (2018) From migrants to mossbacks: tracer- and tag-inferred habitat shifts in the California yellowtail *Seriola dorsalis*. 597:221–230
- Madin JS, see Precoda K et al. (2018) 594:85–94
- Madsen A, see Precoda K et al. (2018) 594:85–94
- Maiorano P, see Carlucci R et al. (2018) 598:1–19
- Majaneva M, see Enberg S et al. (2018) 599:19–34
- Majaneva S, see Halsband C et al. (2018) 591:267–279
- Majewski A, see Stasko AD et al. (2018) 594:1–19
- Mäkelä A, Witte U, Archambault P (2018) Short-term processing of ice algal- and phytoplankton-derived carbon by Arctic benthic communities revealed through isotope labelling experiments. 600:21–39
- Malej A, see Hočvar S et al. (2018) 591:155–166
- Malone D, see Smith JG et al. (2018) 595:149–156
- Maňko MK, see Purcell JE et al. (2018) 591:281–286
- Marraccini A, see Pires RFT et al. (2018) 591:241–251
- Martin A, see Guillaumot C et al. (2018) 594:149–164
- Martin CW, see Kauffmann TC et al. (2018) 592:97–108
- Martins APB, Heupel MR, Chin A, Simpfendorfer CA (2018) Batooid nurseries: definition, use and importance. 595:253–267
- Matley JK, see Graba-Landry A et al. (2018) 595:55–69
- Mattmüller RM, see Amorim K et al. (2018) 591:253–265
- Mazumder D, see Corry M et al. (2018) 593:61–72
- McCabe MK, Navarrete SA (2018) Reproductive investment in rocky intertidal mussels: spatiotemporal variability and environmental determinants. 599:107–124
- McCain JSP, see Milewski I et al. (2018) 598:85–97
- McDonald BI, see Goetz KT et al. (2018) 593:155–171
- McLean EL, Katenka NV, Seibel BA (2018) Decreased growth and increased shell disease in early benthic phase *Homarus americanus* in response to elevated CO<sub>2</sub>. 596:113–126
- McMahon KW, see Brault EK et al. (2018) 593:29–45
- McMillan MN, Huveneers C, Semmens JM, Gillanders BM (2018) Natural tags reveal populations of Conservation Dependent school shark use different pupping areas. 599:147–156
- McPhee MV, see Siegel JE et al. (2018) 595:187–202
- Meekan M, see Wilson P et al. (2018) 600:179–192
- Menge BA, see Reimer JN et al. (2018) 594:263–269
- Mercado-Molina AE, Ruiz-Díaz CP, Sabat AM (2018) Tissue loss rather than colony size determines the demographic fate of the branching coral *Acropora cervicornis*. 597:147–159
- Meredith R, see Bologna P et al. (2018) 591:217–227
- Meunier CL, see Amorim K et al. (2018) 591:253–265
- Meyer KS, Wheeler JD, Houlihan E, Mullineaux LS (2018) Desperate planktrophs: decreased settlement selectivity with age in competent eastern oyster *Crassostrea virginica* larvae. 599:93–106
- Michael KP, Shima JS (2018) Four-year decline in *Ostrea chilensis* recruits per spawner in Foveaux Strait, New Zealand, suggests a diminishing stock–recruitment relationship. 600:85–98
- Michaelsen C, see Pedersen T et al. (2018) 596:13–31
- Michel C, see Stasko AD et al. (2018) 594:1–19
- Micheli F, see Low NHN (2018) 594:165–173
- Milewski I, Loucks RH, Fisher B, Smith RE, McCain JSP, Lotze HK (2018) Sea-cage aquaculture impacts market and berried lobster (*Homarus americanus*) catches. 598:85–97
- Milisenda G, see Tilves U et al. (2018) 591:101–116
- Millar KR, Gagnon P (2018) Mechanisms of stability of rhodolith beds: sedimentological aspects. 594:65–83
- Miller MW, see Pausch RE et al. (2018) 592:109–117
- Miller PI, see Fernandez M et al. (2018) 595:217–231
- Miller TJ, see Rains SAM et al. (2018) 596:127–142
- Mills SC, see Bulleri F et al. (2018) 597:65–77
- Min JO, see La HS et al. (2018) 592:283–289
- Minello TJ, Benfield MC (2018) Effects of turbidity on feeding of southern flounder on estuarine prey. 594:203–212
- Mizerek T, see Precoda K et al. (2018) 594:85–94
- Moens T, see De Meester N et al. (2018) 600:71–83
- Moerdijk-Poortvliet TCW, Beauchard O, Stal LJ, Boschker HTS (2018) Production and consumption of extracellular polymeric substances in an intertidal diatom mat. 592:77–95
- Moginie BF, Shima JS (2018) Hatch date and growth rate drives reproductive success in nest-guarding males of a temperate reef fish. 592:197–206

- Moland E, see Thorbjørnsen SH et al. (2018) 595:123–133  
 Möllmann C, see Bernreuther M et al. (2018) 592:181–196  
 Moltschanivskyj N, see Corry M et al. (2018) 593:61–72  
 Monteiro L, see De Meester N et al. (2018) 600:71–83  
 Montgomery JC, see Escobar-Flores PC et al. (2018) 592:19–35  
 Montgomery JC, see Escobar-Flores PC et al. (2018) 592:37–56  
 Morais P, see Amorim K et al. (2018) 591:253–265  
 Morrongiello J, see Barrow J et al. (2018) 598:201–212  
 Mouy X, see Archer SK et al. (2018) 595:245–252  
 Muko S, Ohshima S, Kurota H, Yasuda T, Fukuwaka MA (2018) Long-term change in the distribution of Japanese sardine in the Sea of Japan during population fluctuations. 593:141–154  
 Mullineaux LS, see Meyer KS et al. (2018) 599:93–106  
 Murakami-Sugihara N, see Shirai K et al. (2018) 593:127–139  
 Muraleedharan KR, see Karati KK et al. (2018) 597:79–98  
 Murillo FJ, Kenchington E, Tompkins G, Beazley L, Baker E, Knudby A, Walkusz W (2018) Sponge assemblages and predicted archetypes in the eastern Canadian Arctic. 597:115–135

**N**

- Nabe-Nielsen J, see Brandt MJ et al. (2018) 596:213–232  
 Nagano N, see Yasuda T et al. (2018) 598:147–151  
 Nande M, see Perales-Raya C et al. (2018) 598:247–259  
 Nanjo K, see Shirai K et al. (2018) 593:127–139  
 Narum SR, see Rechisky EL et al. (2018) 297:273–274  
 Navarrete SA, see McCabe MK (2018) 599:107–124  
 Nehls G, see Brandt MJ et al. (2018) 596:213–232  
 Nehmer P, see Umbricht J et al. (2018) 595:1–13  
 Nelson WA, see Desmond MJ et al. (2018) 596:71–81  
 Nero RW, see Alekxa KT et al. (2018) 591:71–85  
 Neuenfeldt S, see Behrens JW et al. (2018) 599:201–208  
 Newell MA, see Wanless S et al. (2018) 600:193–206  
 Newman P, see Couturier LIE et al. (2018) 599:125–145  
 Nickerson KJ, Grothues TM, Able KW (2018) Sensitivity of a fish time-series analysis to guild construction: a case study of the Mullica River-Great Bay ecosystem. 598:113–129  
 Nicolet KJ, Hoogenboom MO, Pratchett MS, Willis BL (2018) Selective feeding by corallivorous fishes neither promotes nor reduces progression rates of black band disease. 594:95–106  
 Nielsen NH, Teilmann J, Svegaard S, Hansen RG, Sinding MHS, Dietz R, Heide-Jørgensen MP (2018) Oceanic movements, site fidelity and deep diving in harbour porpoises from Greenland show limited similarities to animals from the North Sea. 597:259–272  
 Niida Y, see Suzuki KS et al. (2018) 591:229–239  
 Nilsen R, see Halttunen E et al. (2018) 592:243–256  
 Nilssen EM, see Pedersen T et al. (2018) 596:13–31  
 Nilssen KT, see Pedersen T et al. (2018) 596:13–31  
 Nishizawa B, Sugawara T, Young LC, Vanderwerf EA, Yoda K, Watanuki Y (2018) Albatross-borne loggers show feeding on deep-sea squids: implications for the study of squid distributions. 592:257–265  
 Nishizawa H, see Hamabata T et al. (2018) 600:151–163  
 Nogata Y, see Suzuki KS et al. (2018) 591:229–239  
 Norrbom F, see Pedersen T et al. (2018) 596:13–31  
 Nøst OA, see Halsband C et al. (2018) 591:267–279  
 Nugues MM, see Bulleri F et al. (2018) 597:65–77  
 Nunes S, Latasa M, Gasol JM, Estrada M (2018) Seasonal and interannual variability of phytoplankton community structure in a Mediterranean coastal site. 592:57–75

**O**

- O'Brien JM, see Burek KE et al. (2018) 600:3–19  
 O'Connor NE, see Vye SR et al. (2018) 594:39–50  
 O'Driscoll RL, see Escobar-Flores PC et al. (2018) 592:19–35  
 O'Driscoll RL, see Escobar-Flores PC et al. (2018) 592:37–56  
 Ogata IV, see Alfaro-Lucas JM et al. (2018) 596:1–12  
 Ohshima S, see Muko S et al. (2018) 593:141–154  
 Okamoto K, see Shirai K et al. (2018) 593:127–139  
 Oliver MJ, see Haulsee DE et al. (2018) 597:191–206  
 Oliveros-Ramos R, see Passuni G et al. (2018) 597:231–242  
 Olsen EM, see Thorbjørnsen SH et al. (2018) 595:123–133  
 Olsen MT, Galatius A, Häkkinen T (2018) The history and effects of seal-fishery conflicts in Denmark. 595:233–243  
 Omeyer LCM, Fuller WJ, Godley BJ, Snape RTE, Broderick AC (2018) Determinate or indeterminate growth? Revisiting the growth strategy of sea turtles. 596:199–211  
 Orben RA, Kokubun N, Fleishman AB, Will AP, Yamamoto T, Shaffer SA, Paredes R, Takahashi A, Kitaysky AS (2018) Persistent annual migration patterns of a specialist seabird. 593:231–245  
 Orben RA, see Baylis AMM et al. (2018) 596:233–245  
 Orfila A, see Pereda-Briones L et al. (2018) 593:47–59  
 Ortega A, see Reglero P et al. (2018) 594:231–243  
 Orth RJ, see Johnson AJ et al. (2018) 595:89–103  
 Orth RJ, see Richardson JP et al. (2018) 599:65–74  
 Osborne KL, Hannigan RE, Poynton HC (2018) Differential copper toxicity in invasive and native ascidians of New England provides support for enhanced invader tolerance. 595:135–147  
 Otero J, Bode A, Alvarez-Salgado XA, Varela M (2018) Role of functional trait variability in the response of individual phytoplankton species to changing environmental conditions in a coastal upwelling zone. 596:33–47  
 Otero JJ, see Perales-Raya C et al. (2018) 598:247–259  
 Ottmann D, Grorud-Colvert K, Huntington B, Sponaugle S (2018) Interannual and regional variability in settlement of groundfishes to protected and fished nearshore waters of Oregon, USA. 598:131–145  
 Ottmar M, see Copeman L et al. (2018) 597:161–178

**P**

- Paiva VH, see Krüger L et al. (2018) 599:253–266  
 Pakhomov EA, see Schaub J et al. (2018) 591:29–36  
 Paquet PC, see Fox CH et al. (2018) 595:157–169  
 Paredes R, see Kokubun N et al. (2018) 593:195–208  
 Paredes R, see Orben RA et al. (2018) 593:231–245  
 Parrish C, see Copeman L et al. (2018) 597:161–178  
 Parrish CC, see Tilves U et al. (2018) 591:101–116  
 Passuni G, Barbraud C, Chaigneau A, Bertrand A, Oliveros-Ramos R, Ledesma J, Castillo R, Bouchon M, Bertrand S (2018) Long-term changes in the breeding seasonality of Peruvian seabirds and regime shifts in the Northern Humboldt Current System. 597:231–242  
 Pätsch J, see Huebert KB et al. (2018) 600:111–126  
 Pattiaratchi C, see Wilson P et al. (2018) 600:179–192  
 Paul AJ, Sommer U, Paul C, Riebesell U (2018) Baltic Sea diazotrophic cyanobacterium is negatively affected by acidification and warming. 598:49–60  
 Paul C, see Paul AJ et al. (2018) 598:49–60  
 Pausch RE, Williams DE, Miller MW (2018) Impacts of fragment genotype, habitat, and size on outplanted elkhorn coral success under thermal stress. 592:109–117  
 Pawley MDM, see Acuña-Marrero D et al. (2018) 593:73–95  
 Peck MA, Richardson K, Snelgrove P, Wilson R (2018) Marine

- Ecology Progress Series (MEPS) celebrates its 600th volume: Maintaining top quality in rapidly changing times. 600:1–2
- Peck MA, see Huebert KB et al. (2018) 600:111–126
- Peckol P, see Putnam AB (2018) 594:135–147
- Pecl GT, see Briceño FA et al. (2018) 598:71–84
- Pecorino D, see Lamare M et al. (2018) 598:99–112
- Peddemors VM, see Lee KA et al. (2018) 599:157–179
- Pedersen T, Fuhrmann MM, Lindstrøm U, Nilssen EM, Ivarjord T, Ramasco V, Jørgensen LL, Sundet JH, Sivertsen K, Källgren E, Hjelset AM, Michaelsen C, Systad G, Norrbom F, Svenning MA, Bjørge A, Steen H, Nilssen KT (2018) Effects of the invasive red king crab on food web structure and ecosystem properties in an Atlantic fjord. 596:13–31
- Pendoley K, see Wilson P et al. (2018) 600:179–192
- Perales-Raya C, Nande M, Roura A, Bartolomé A, Gestal C, Otero JJ, García-Fernández P, Almansa E (2018) Comparative study of age estimation in wild and cultured *Octopus vulgaris* paralarvae: effect of temperature and diet. 598: 247–259
- Pereda-Briones L, Infantes E, Orfila A, Tomas F, Terrados J (2018) Dispersal of seagrass propagules: interaction between hydrodynamics and substratum type. 593:47–59
- Pereira JM, see Krüger L et al. (2018) 599:253–266
- Perry E, see Bezio N et al. (2018) 596:83–93
- Peters J, see Bernreuther M et al. (2018) 592:181–196
- Peterson WT, see Sato M et al. (2018) 595:171–186
- Phillips EM, Horne JK, Adams J, Zamon JE (2018) Selective occupancy of a persistent yet variable coastal river plume by two seabird species. 594:245–261
- Philson KP, see Karati KK et al. (2018) 597:79–98
- Pierce SD, see Sato M et al. (2018) 595:171–186
- Pierson JJ, see Plough LV et al. (2018) 597:99–113
- Pine MK, see Archer SK et al. (2018) 595:245–252
- Pineda J, see Hagerty ML et al. (2018) 595:105–122
- Pini-Fitzsimmons J, Knott NA, Brown C (2018) Effects of food provisioning on site use in the short-tail stingray *Bathyrajah brevicaudata*. 600:99–110
- Pinnegar JK, see Lauerburg RAM et al. (2018) 594:213–230
- Piper W, see Brandt MJ et al. (2018) 596:213–232
- Pires RFT, Cordeiro N, Dubert J, Marraccini A, Relvas P, dos Santos A (2018) Untangling *Velella velella* (Cnidaria: Anthoathecatae) transport: a citizen science and oceanographic approach. 591:241–251
- Pitt KA, see Treble LM et al. (2018) 591:129–139
- Pittman SJ, see Santos RO et al. (2018) 594:21–38
- Plough LV, Fitzgerald C, Plummer A, Pierson JJ (2018) Reproductive isolation and morphological divergence between cryptic lineages of the copepod *Acartia tonsa* in Chesapeake Bay. 597:99–113
- Plummer A, see Plough LV et al. (2018) 597:99–113
- Podolsky RD, see Kacenas SE (2018) 593:1–13
- Polymeropoulos ET, see Briceño FA et al. (2018) 598:71–84
- Poore AGB, see Graba-Landry A et al. (2018) 595:55–69
- Popp BN, see Vane K et al. (2018) 597:1–11
- Porter AD, see Rechisky EL et al. (2018) 297:273–274
- Power M, see Stasko AD et al. (2018) 594:1–19
- Poynton HC, see Osborne KL et al. (2018) 595:135–147
- Pratchett MS, see Nicolet KJ et al. (2018) 594:95–106
- Prathep A, see Stankovic M et al. (2018) 596:61–70
- Precoda K, Baird AH, Madsen A, Mizerek T, Sommer B, Sun SN, Madin JS (2018) How does a widespread reef coral maintain a population in an isolated environment? 594: 85–94
- Proestou DA, see Ben-Horin T et al. (2018) 594:107–117
- Proud R, Cox MJ, Le Guen C, Brierley AS (2018) Fine-scale depth structure of pelagic communities throughout the global ocean based on acoustic sound scattering layers. 598:35–48
- Pruitt C, see Gross C et al. (2018) 598:21–33
- Purcell JE (2018) Successes and challenges in jellyfish ecology: examples from *Aequorea* spp. 591:7–27
- Purcell JE, Hamner WM, Welch DW (2018) In Memoriam Mary Needler Arai 591:1
- Purcell JE, Juhl AR, Mañko MK, Aumack CF (2018) Overwintering of gelatinous zooplankton in the coastal Arctic Ocean. 591:281–286
- Purcell JE, see Fuentes VL et al. (2018) 591:3–5
- Purcell JE, see Hočevar S et al. (2018) 591:155–166
- Putnam AB, Peckol P (2018) Asymmetric interference competition between herbivorous gastropods, introduced *Littorina littorea* and indigenous *L. obtusata*. 594:135–147

## Q

- Quayle L, see Schaub J et al. (2018) 591:29–36
- Queirós AM, see Calder-Potts RN et al. (2018) 594:175–191
- Quigley KM, Bay LK, Willis BL (2018) Leveraging new knowledge of *Symbiodinium* community regulation in corals for conservation and reef restoration. 600:245–253

## R

- Rains SAM, Wilberg MJ, Miller TJ (2018) Evaluation of fishery-induced sperm limitation in Chesapeake Bay blue crab using an individual-based model. 596:127–142
- Ramasco V, see Pedersen T et al. (2018) 596:13–31
- Ramírez I, see Krüger L et al. (2018) 599:253–266
- Ramos JA, see Krüger L et al. (2018) 599:253–266
- Rand PS (2018) Pacific herring response to surface predators in Prince William Sound, Alaska, USA. 600:239–244
- Rattanachot E, see Stankovic M et al. (2018) 596:61–70
- Raveendran TV, see Karati KK et al. (2018) 597:79–98
- Rebelo R, see Hancock JM et al. (2018) 600:165–177
- Rechisky EL, Welch DW, Porter AD, Hess JE, Narum SR (2018) (Corrigendum to Vol 496:159–180, 2014) 597:273–274
- Reglero P, Blanco E, Alemany F, Ferrá C, Alvarez-Berastegui D, Ortega A, de la Gándara F, Aparicio-González A, Folkvord A (2018) Vertical distribution of Atlantic bluefin tuna *Thunnus thynnus* and bonito *Sarda sarda* larvae is related to temperature preference. 594:231–243
- Reidenbach MA, see Volaric MP et al. (2018) 599:75–91
- Reimchen TE, see Fox CH et al. (2018) 595:157–169
- Reimer JN, Hacker SD, Menge BA, Ruggiero P (2018) Macrophyte wrack on sandy beaches of the US Pacific Northwest is linked to proximity of source habitat, ocean upwelling, and beach morphology. 594:263–269
- Reis J, see Freitas C et al. (2018) 595:203–215
- Reis-Santos P, see Schilling HT et al. (2018) 598:187–199
- Reist JD, see Stasko AD et al. (2018) 594:1–19
- Relvas P, see Pires RFT et al. (2018) 591:241–251
- Renaud PE, see Halsband C et al. (2018) 591:267–279
- Renner M, see Hunt GL Jr et al. (2018) 593:209–230
- Renz J, see Bernreuther M et al. (2018) 592:181–196
- Ressler PH, see Hunt GL Jr et al. (2018) 593:209–230
- Restaino D, see Bologna P et al. (2018) 591:217–227
- Reyns N, see Hagerty ML et al. (2018) 595:105–122
- Ricci P, see Carlucci R et al. (2018) 598:1–19
- Richardson AJ, see Couturier LIE et al. (2018) 599:125–145
- Richardson CA, see Hollyman PR et al. (2018) 598:261–272
- Richardson JP, Lefcheck JS, Orth RJ (2018) Warming temperatures alter the relative abundance and distribution of two

- co-occurring foundational seagrasses in Chesapeake Bay, USA. 599:65–74
- Richardson K, see Peck MA et al. (2018) 600:1–2
- Riebesell U, see Paul AJ et al. (2018) 598:49–60
- Riera A, see Archer SK et al. (2018) 595:245–252
- Righton D, see Kristensen ML et al. (2018) 599:209–224
- Riisgård HU, Larsen PS (2018) Thermal and viscous effects on ciliary suspension-feeding bivalves—no need for a new explanation: Comment on Specht & Fuchs (2018). 596: 263–265
- Riisgård HU, see Goldstein J et al. (2018) 597:137–145
- Rintala JM, see Enberg S et al. (2018) 599:19–34
- Robinson KL, see Decker MB et al. (2018) 591:57–69
- Rojas MC, see Adam TC et al. (2018) 597:207–220
- Romano MD, see Kokubun N et al. (2018) 593:195–208
- Rosenfield AP, see Brault EK et al. (2018) 593:29–45
- Rossi S, Elias-Piera F (2018) Trophic ecology of three echinoderms in deep waters of the Weddell Sea (Antarctica). 596: 143–153
- Rothenbach CA, see Kelly JP et al. (2018) 597:243–257
- Roughan M, see Lee KA et al. (2018) 599:157–179
- Roura A, see Perales-Raya C et al. (2018) 598:247–259
- Roycroft MV, see Adam TC et al. (2018) 597:207–220
- Ruesink JL, see Gross C et al. (2018) 598:21–33
- Ruggiero P, see Reimer JN et al. (2018) 594:263–269
- Ruiz-Díaz CP, see Mercado-Molina AE et al. (2018) 597: 147–159
- Ruttenberg BI, see Adam TC et al. (2018) 597:207–220
- Ruzicka JJ, see Decker MB et al. (2018) 591:57–69
- Ryer C, see Copeman L et al. (2018) 597:161–178
- Rykaczewski RR, see van der Sleen P et al. (2018) 596: 155–164
- S**
- Sabat AM, see Mercado-Molina AE et al. (2018) 597:147–159
- Sabatés A, see Tilves U et al. (2018) 591:101–116
- Saldierna-Martínez RJ, see Ahern ALM et al. (2018) 592: 159–179
- Salinas-de-León P, see Acuña-Marrero D et al. (2018) 593: 73–95
- Salo S, see Hunt GL Jr et al. (2018) 593:209–230
- Sánchez-Uvera AR, see Ahern ALM et al. (2018) 592:159–179
- Sano M, see Shirai K et al. (2018) 593:127–139
- Santora JA, see Friedman WR et al. (2018) 596:181–198
- Santora JA, see Hunt GL Jr et al. (2018) 593:209–230
- Santos RO, Lirman D, Pittman SJ, Serafy JE (2018) Spatial patterns of seagrasses and salinity regimes interact to structure marine faunal assemblages in a subtropical bay. 594:21–38
- Sarmiento JL, see Henschke N et al. (2018) 591:167–183
- Sato M, Barth JA, Benoit-Bird KJ, Pierce SD, Cowles TJ, Brodeur RD, Peterson WT (2018) Coastal upwelling fronts as a boundary for planktivorous fish distributions. 595: 171–186
- Sato NN, see Kokubun N et al. (2018) 593:195–208
- Saucède T, see Guillaumot C et al. (2018) 594:149–164
- Sauthoff W, see Brault EK et al. (2018) 593:29–45
- Scharf FS, see Wang VH et al. (2018) 596:165–179
- Schaub J, Hunt BPV, Pakhomov EA, Holmes K, Lu Y, Quayle L (2018) Using unmanned aerial vehicles (UAVs) to measure jellyfish aggregations. 591:29–36
- Scheibling RE, see Burek KE et al. (2018) 600:3–19
- Schilling HT, Reis-Santos P, Hughes JM, Smith JA, Everett JD, Stewart J, Gillanders BM, Suthers IM (2018) Evaluating estuarine nursery use and life history patterns of *Pomatomus saltatrix* in eastern Australia. 598:187–199
- Schlaefer JA, Wolanski E, Kingsford MJ (2018) Swimming behaviour can maintain localised jellyfish (*Chironex fleckeri*: Cubozoa) populations. 591:287–302
- Schloss IR, see Baudry J et al. (2018) 600:55–70
- Schroeder ID, see Friedman WR et al. (2018) 596:181–198
- Seeley ME, Walther BD (2018) Facultative oligohaline habitat use in a mobile fish inferred from scale chemistry. 598: 233–245
- Seibel BA, see McLean EL et al. (2018) 596:113–126
- Sell AF, see Lauerburg RAM et al. (2018) 594:213–230
- Seminoff JA, see Gillis AJ et al. (2018) 599:225–238
- Semmens JM, see McMillan MN et al. (2018) 599:147–156
- Serafy JE, see Santos RO et al. (2018) 594:21–38
- Serra-Llinares RM, see Halttunen E et al. (2018) 592:243–256
- Seymour JR, Barbasch TA, Buston PM (2018) Lunar cycles of reproduction in the clown anemonefish *Amphiprion percula*: individual-level strategies and population-level patterns. 594:193–201
- Shaffer SA, see Orben RA et al. (2018) 593:231–245
- Sheppard-Brennan H, see Graba-Landry A et al. (2018) 595: 55–69
- Shima JS, see Michael KP (2018) 600:85–98
- Shima JS, see Moginie BF (2018) 592:197–206
- Shimabukuro M, see Alfaro-Lucas JM et al. (2018) 596:1–12
- Shimada K, see La HS et al. (2018) 592:283–289
- Shinzato C, see Yamashita H et al. (2018) 592:119–128
- Shirai K, Koyama F, Murakami-Sugihara N, Nanjo K, Higuchi T, Kohno H, Wanabane Y, Okamoto K, Sano M (2018) Reconstruction of the salinity history associated with movements of mangrove fishes using otolith oxygen isotopic analysis. 593:127–139
- Siddons J, see Brereton A et al. (2018) 593:15–27
- Siegel JE, Adkison MD, McPhee MV (2018) Changing maturation reaction norms and the effects of growth history in Alaskan Chinook salmon. 595:187–202
- Simpfendorfer CA, see Martins APB et al. (2018) 595:253–267
- Sinding MHS, see Nielsen NH et al. (2018) 597:259–272
- Sion L, see Carlucci R et al. (2018) 598:1–19
- Sivertsen K, see Pedersen T et al. (2018) 596:13–31
- Skaala Ø, see Halttunen E et al. (2018) 592:243–256
- Skilbrei OT, see Halttunen E et al. (2018) 592:243–256
- Small JM, see Ben-Horin T et al. (2018) 594:107–117
- Smith ANH, see Acuña-Marrero D et al. (2018) 593:73–95
- Smith JA, see Schilling HT et al. (2018) 598:187–199
- Smith JG, Malone D, Baetscher DS, Carr MH (2018) Evaluation and application of BIOPOLE, a biopsy device for *in situ* non-lethal tissue extraction for fishes. 595:149–156
- Smith RE, see Milewski I et al. (2018) 598:85–97
- Smith WO Jr, see Brault EK et al. (2018) 593:29–45
- Snape RTE, see Omeyer LCM et al. (2018) 596:199–211
- Snelgrove P, see Peck MA et al. (2018) 600:1–2
- Snodgrass OE, see Madigan DJ et al. (2018) 597:221–230
- Solidoro C, see Carlucci R et al. (2018) 598:1–19
- Sommer B, see Precoda K et al. (2018) 594:85–94
- Sommer U, see Paul AJ et al. (2018) 598:49–60
- Sötje I, see Heins A et al. (2018) 591:37–56
- Speakman JR, see Jeanniard du Dot T et al. (2018) 600: 207–222
- Speakman JR, see Wanless S et al. (2018) 600:193–206
- Specht JA, see Fuchs HL (2018) 596:267–270
- Spencer M, see Copeman L et al. (2018) 597:161–178
- Spicer JI, see Calder-Potts RN et al. (2018) 594:175–191
- Sponaugle S, see Ottmann D et al. (2018) 598:131–145
- Sremba A, see Copeman L et al. (2018) 597:161–178
- St John Glew K, Wanless S, Harris MP, Daunt F, Erikstad KE, Strøm H, Trueman CN (2018) Moult location and diet of

- auks in the North Sea inferred from coupled light-based and isotope-based geolocation. 599:239–251
- Stal LJ, see Moerdijk-Poortvliet TCW et al. (2018) 592:77–95
- Staniland IJ, see Baylis AMM et al. (2018) 596:233–245
- Stankovic M, Tantipisanuh N, Rattanachot E, Prathee A (2018) Model-based approach for estimating biomass and organic carbon in tropical seagrass ecosystems. 596:61–70
- Stasko AD, Bluhm BA, Michel C, Archambault P, Majewski A, Reist JD, Swanson H, Power M (2018) Benthic-pelagic trophic coupling in an Arctic marine food web along vertical water mass and organic matter gradients. 594:1–19
- Statton J, see Johnson AJ et al. (2018) 595:89–103
- Steen H, see Pedersen T et al. (2018) 596:13–31
- Steiner UK, see Goldstein J et al. (2018) 597:137–145
- Steller DL, see Gabara SS et al. (2018) 595:71–88
- Stewart J, see Schilling HT et al. (2018) 598:187–199
- Stock CA, see Henschke N et al. (2018) 591:167–183
- Stokesbury KDE, see Asci SC et al. (2018) 595:15–26
- Strøm H, see St John Glew K et al. (2018) 599:239–251
- Su SN, see Precoda K et al. (2018) 594:85–94
- Suárez-Jiménez R, see Desmond MJ et al. (2018) 596:71–81
- Sugawara T, see Nishizawa B et al. (2018) 592:257–265
- Sumida PYG, see Alfaro-Lucas JM et al. (2018) 596:1–12
- Sun M, see Dong J et al. (2018) 591:185–197
- Sun S, see Feng S et al. (2018) 591:117–128
- Sun S, see Feng S et al. (2018) 591:141–153
- Sundet JH, see Pedersen T et al. (2018) 596:13–31
- Suthers IM, see Larsson ME et al. (2018) 596:49–60
- Suthers IM, see Schilling HT et al. (2018) 598:187–199
- Suzuki G, see Yamashita H et al. (2018) 592:119–128
- Suzuki KS, Niida Y, Tsubono T, Takimoto H, Kumakura E, Ishii H, Nogata Y (2018) Mechanisms underlying heterogeneous distribution of moon jellyfish *Aurelia aurita* s.l. across a sharp pycnocline. 591:229–239
- Suzuki T, see Umezawa Y et al. (2018) 592:141–158
- Sveegaard S, see Nielsen NH et al. (2018) 597:259–272
- Svendsen JC, see Behrens JW et al. (2018) 599:201–208
- Svenning MA, see Pedersen T et al. (2018) 596:13–31
- Swain DP, see Benoit HP et al. (2018) 592:207–224
- Swanson H, see Stasko AD et al. (2018) 594:1–19
- Sydeeman WJ, see van der Sleen P et al. (2018) 596:155–164
- Systad G, see Pedersen T et al. (2018) 596:13–31
- T**
- Takahashi A, see Kokubun N et al. (2018) 593:195–208
- Takahashi A, see Orben RA et al. (2018) 593:231–245
- Takeuchi S, see Umezawa Y et al. (2018) 592:141–158
- Takimoto H, see Suzuki KS et al. (2018) 591:229–239
- Tamaki A, see Umezawa Y et al. (2018) 592:141–158
- Tamdrari H, Benoit HP, Hanson JM, Bourdages H, Brêthes JC (2018) Environmental associations and assemblage structure of shrimp species in the Gulf of St. Lawrence (Canada) following dramatic increases in abundance. 596:95–112
- Tantipisanuh N, see Stankovic M et al. (2018) 596:61–70
- Tayasu I, see Umezawa Y et al. (2018) 592:141–158
- Taylor AG, Landry MR (2018) Phytoplankton biomass and size structure across trophic gradients in the southern California Current and adjacent ocean ecosystems. 592:1–17
- Teilmann J, see Nielsen NH et al. (2018) 597:259–272
- Temming A, see Bernreuther M et al. (2018) 592:181–196
- Temming A, see Lauerburg RAM et al. (2018) 594:213–230
- Teodósio MA, see Amorim K et al. (2018) 591:253–265
- Terrados J, see Pereda-Briones L et al. (2018) 593:47–59
- Thiault L, see Bulleri F et al. (2018) 597:65–77
- Thoms F, see Umbricht J et al. (2018) 595:1–13
- Thonig A, see Knott KE et al. (2018) 592:129–140
- Thorbjørnsen SH, Moland E, Huserbråten MBO, Knutsen JA, Knutsen H, Olsen EM (2018) Replicated marine protected areas (MPAs) support movement of larger, but not more, European lobsters to neighbouring fished areas. 595:123–133
- Thornber CS, see Green-Gavrielidis LA et al. (2018) 595:27–37
- Thums M, see Wilson P et al. (2018) 600:179–192
- Tierney M, see Baylis AMM et al. (2018) 596:233–245
- Tilves U, Fuentes VL, Milisenda G, Parrish CC, Vizzini S, Sabatés A (2018) Trophic interactions of the jellyfish *Pelezia noctiluca* in the NW Mediterranean: evidence from stable isotope signatures and fatty acid composition. 591:101–116
- Tolimieri N, see Cruz-Acevedo E et al. (2018) 592:225–242
- Tomas F, see Pereda-Briones L et al. (2018) 593:47–59
- Tompkins G, see Murillo FJ et al. (2018) 597:115–135
- Townsend KA, see Couturier LIE et al. (2018) 599:125–145
- Treble LM, Pitt KA, Klein SG, Condon RH (2018) Exposure to elevated  $p\text{CO}_2$  does not exacerbate reproductive suppression of *Aurelia aurita* jellyfish polyps in low oxygen environments. 591:129–139
- Trites AW, see Jeanniard du Dot T et al. (2018) 600:207–222
- Truman CN, see St John Glew K et al. (2018) 599:239–251
- Tsubono T, see Suzuki KS et al. (2018) 591:229–239
- Tunnicliffe V, see Gasbarro R et al. (2018) 597:47–64
- Turley BD, see van der Sleen P et al. (2018) 596:155–164
- Tursi A, see Carlucci R et al. (2018) 598:1–19
- U**
- Umbricht J, Dippner JW, Fry B, Kröncke I, Liskow I, Nehmer P, Thoms F, Voss M (2018) Correction of the isotopic composition ( $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$ ) of preserved Baltic and North Sea macrozoobenthos and their trophic interactions. 595:1–13
- Umezawa Y, Tamaki A, Suzuki T, Takeuchi S, Yoshimizu C, Tayasu I (2018) Phytoplankton as a principal diet for calanoid shrimp larvae in coastal waters, estimated from laboratory rearing and stable isotope analysis. 592:141–158
- Uthicke S, see Lamare M et al. (2018) 598:99–112
- Uye S, see Feng S et al. (2018) 591:141–153
- V**
- Valentine JF, see Kauffman TC et al. (2018) 592:97–108
- Valley JR, Emlet RB (2018) Predator-induced morphologies and cue specificity in veliger larvae of *Littorina scutulata*. 598:61–70
- Van Colen C, see De Meester N et al. (2018) 600:71–83
- Van Daele T, see De Meester N et al. (2018) 600:71–83
- van der Lingen CD, see van der Sleen P et al. (2018) 596:155–164
- van der Sleen P, Rykaczewski RR, Turley BD, Sydeeman WJ, García-Reyes M, Bograd SJ, van der Lingen CD, Coetzee JC, Lamont T, Black BA (2018) Non-stationary responses in anchovy (*Engraulis encrasicolus*) recruitment to coastal upwelling in the Southern Benguela. 596:155–164
- van Deurs M, see Behrens JW et al. (2018) 599:201–208
- Van Malderen J, see De Meester N et al. (2018) 600:71–83
- Vanderwerf EA, see Nishizawa B et al. (2018) 592:257–265
- Vane K, Wallsgrove NJ, Ekau W, Popp BN (2018) Reconstructing lifetime nitrogen baselines and trophic position of *Cynoscion acoupa* from  $\delta^{15}\text{N}$  values of amino acids in otoliths. 597:1–11

- Varela M, see Otero J et al. (2018) 596:33–47  
 Venables WN, see Couturier LIE et al. (2018) 599:125–145  
 Ver Hoef JM, see Breed GA et al. (2018) 600:223–237  
 Vergara JJ, see Jiménez-Ramos R et al. (2018) 599:49–64  
 Vieira S, see Hancock JM et al. (2018) 600:165–177  
 Vindenes Y, see Färber L et al. (2018) 600:141–150  
 Vineetha G, see Karati KK et al. (2018) 597:79–98  
 Vivier F, see Christiansen F et al. (2018) 592:267–281  
 Vizzini S, see Tilves U et al. (2018) 591:101–116  
 Volaric MP, Berg P, Reidenbach MA (2018) Oxygen metabolism of intertidal oyster reefs measured by aquatic eddy covariance. 599:75–91  
 Voss M, see Umbricht J et al. (2018) 595:1–13  
 Vye SR, Dick JTA, Emmerson MC, O'Connor NE (2018) Cumulative effects of an invasive species and nutrient enrichment on rock pool communities. 594:39–50

## W

- Wahl V, see Brandt MJ et al. (2018) 596:213–232  
 Walkusz W, see Murillo FJ et al. (2018) 597:115–135  
 Wallace JR, see Keller AA et al. (2018) 599:181–200  
 Walls-grove NJ, see Vane K et al. (2018) 597:1–11  
 Walther BD, see Seeley ME (2018) 598:233–245  
 Wan D, see Gasbarro R et al. (2018) 597:47–64  
 Wanabane Y, see Shirai K et al. (2018) 593:127–139  
 Wang A, see Dong J et al. (2018) 591:185–197  
 Wang B, see Dong J et al. (2018) 591:185–197  
 Wang SW, see Feng S et al. (2018) 591:141–153  
 Wang VH, White JW, Arnott SA, Scharf FS (2018) Population connectivity of southern flounder in the US South Atlantic revealed by otolith chemical analysis. 596: 165–179  
 Wanless S, Harris MP, Newell MA, Speakman JR, Daunt F (2018) Community-wide decline in the occurrence of lesser sandeels *Ammodytes marinus* in seabird chick diets at a North Sea colony. 600:193–206  
 Wanless S, see St John Glew K et al. (2018) 599:239–251  
 Ward R, see Christiansen F et al. (2018) 592:267–281  
 Watanuki Y, see Kokubun N et al. (2018) 593:195–208  
 Watanuki Y, see Nishizawa B et al. (2018) 592:257–265  
 Weathers WW, see Kelly JP et al. (2018) 597:243–257  
 Weeks SJ, see Couturier LIE et al. (2018) 599:125–145  
 Welch DW, see Purcell JE et al. (2018) 591:1  
 Welch DW, see Rechisky EL et al. (2018) 297:273–274  
 Wells BK, see Friedman WR et al. (2018) 596:181–198  
 Wells J, see Copeman L et al. (2018) 597:161–178  
 Wetherbee BM, see Haulsee DE et al. (2018) 597:191–206  
 Wetzel CR, see Keller AA et al. (2018) 599:181–200  
 Wheeler JD, see Meyer KS et al. (2018) 599:93–106  
 White JW, see Wang VH et al. (2018) 596:165–179  
 Whitehouse LM, Fowler MS (2018) Meta-analysis reveals that fisheries co-management alters socio-economic outcomes and resource well-being. 600:127–140  
 Whiting A, see Breed GA et al. (2018) 600:223–237

- Whiting S, see Wilson P et al. (2018) 600:179–192  
 Widdicombe S, see Calder-Potts RN et al. (2018) 594:175–191  
 Wiggert JD, see Alekxa KT et al. (2018) 591:71–85  
 Wilberg MJ, see Rains SAM et al. (2018) 596:127–142  
 Will AP, Kitaiskaia EV, Kitaysky AS (2018) Red-legged kittiwake feathers link food availability to environmental changes in the Bering Sea. 593:261–274  
 Will AP, Kitaysky AS (2018) Variability in trophic level and habitat use in response to environmental forcing: isotopic niche dynamics of breeding seabirds in the southeastern Bering Sea. 593:247–260  
 Will AP, see Kokubun N et al. (2018) 593:195–208  
 Will AP, see Orben RA et al. (2018) 593:231–245  
 Williams DE, see Pausch RE et al. (2018) 592:109–117  
 Willis BL, see Nicolet KJ et al. (2018) 594:95–106  
 Willis BL, see Quigley KM et al. (2018) 600:245–253  
 Wilson P, Thums M, Pattiaratchi C, Meekan M, Pendoley K, Fisher R, Whiting S (2018) Artificial light disrupts the nearshore dispersal of neonate flatback turtles *Natator depressus*. 600:179–192

- Wilson R, see Peck MA et al. (2018) 600:1–2  
 Winding Hansen B, see Knott KE et al. (2018) 592:129–140  
 Witte U, see Mäkelä A et al. (2018) 600:21–39  
 Wolanski E, see Schlaefer JA et al. (2018) 591:287–302  
 Wu Z, see Dong Y et al. (2018) 599:35–47

## Y

- Yamamoto T, see Kokubun N et al. (2018) 593:195–208  
 Yamamoto T, see Orben RA et al. (2018) 593:231–245  
 Yamashita H, Suzuki G, Shinzato C, Jimbo M, Koike K (2018) Symbiosis process between *Acropora* larvae and *Symbiodinium* differs even among closely related *Symbiodinium* types. 592:119–128  
 Yang EJ, see La HS et al. (2018) 592:283–289  
 Yasuda T, Nagano N, Kitano H (2018) Diel vertical migration of chub mackerel: preliminary evidence from a biologging study. 598:147–151  
 Yasuda T, see Muko S et al. (2018) 593:141–154  
 Yesson C, see Fernandez M et al. (2018) 595:217–231  
 Yoda K, see Nishizawa B et al. (2018) 592:257–265  
 Yoon WD, see Dong J et al. (2018) 591:185–197  
 Yoshimizu C, see Umezawa Y et al. (2018) 592:141–158  
 Young LC, see Nishizawa B et al. (2018) 592:257–265  
 Young RC, see Kokubun N et al. (2018) 593:195–208

## Z

- Zamon JE, see Phillips EM et al. (2018) 594:245–261  
 Zhang F, see Feng S et al. (2018) 591:117–128  
 Zhang F, see Feng S et al. (2018) 591:141–153  
 Zhang GT, see Feng S et al. (2018) 591:141–153  
 Zhou Q, see Halsband C et al. (2018) 591:267–279  
 Zhou W, see Dong Y et al. (2018) 599:35–47