

Corrigendum

Sea-cage aquaculture impacts market and berried lobster (*Homarus americanus*) catches

I. Milewski*, R. H. Loucks, B. Fisher, R. E. Smith, J. S. P. McCain, H. K. Lotze

Mar Ecol Prog Ser 598: 85–97, 2018, <https://doi.org/10.3354/meps12623>

*Corresponding author: milewski@nbnet.nb.ca

• In Fig. 1 there was an error in the labelling of the Lobster Fishing Areas. This has been corrected in Fig. 1 here.

• In Table 1 the number of trap hauls for 2007 was incorrect. This has been corrected in Table 1 here.

• In the section 'Materials and methods: Catch data' the first sentence was replaced for clarification:

'Fishers recorded catches of market and berried lobster for each trap hauled on log sheets during the last 2 wk of May in Port Mouton Bay for 11 yr (2007–2017).'

was changed to

'Fishers recorded catches of market and berried lobster for each trap hauled on log sheets during the last 2 wk of May in Port Mouton Bay since 2007. We used the 2007–2013 data as reported in Loucks et al. (2014) and added the 2014–2017 data for an 11 yr time period (2007–2017).'

Table 1. Number of boats and trap hauls for each survey year

Year	Boats	Trap hauls	Fish farm production stage
2007	7	5779	Feed
2008	12	5238	Feed
2009	15	10 230	Feed
2010	14	13 045	Fallow
2011	12	11 597	Fallow
2012	13	11 717	Fallow
2013	11	8558	Feed
2014	10	6957	Feed
2015	7	3914	Fallow
2016	8	5868	Fallow
2017	8	5865	Fallow




Fig. 1. (a) Lobster Fishing Areas (LFAs) of Nova Scotia, including the study area Port Mouton Bay (red square) in LFA 33. (b) The 5 traditional lobster fishing regions (1–5, red dashed lines) in Port Mouton Bay and the fish farm (black filled rectangle) near Spectacle Island

All corrections have been incorporated in the current online version of the article at <https://www.int-res.com/abstracts/meps/v598/p85-97/>