

The following supplement accompanies the article

Marine mammal–fisheries competition in contemporary harvested marine ecosystems

Dunja Jusufovski*, Camilo Saavedra, Anna Kuparinen

*Corresponding author: dunja.jusufovski@helsinki.fi

Marine Ecology Progress Series 627: 207–232 (2019)

Table S1. List of selected literature according to systematic categories.

Systematic category	Selected literature
Field observation methodology (incl. habitat modelling)	Castellini 2000 Watt et al. 2000 Huber et al. 2001 Kaschner et al. 2001 Laidre et al. 2001 Bearzi 2002 Bodkin et al. 2002 Bowen et al. 2002 Clapham et al. 2003 Kaschner 2004 Weise & Harvey 2005 SCANS 2006a, b Lonergan et al. 2007 Parrish et al. 2008 Bograd et al. 2010 Thomas et al. 2010 Alves et al. 2012 Cronin et al. 2012 Doniol-Valcroze et al. 2012 Hammond et al. 2013 Bailey et al. 2014 Gonzalvo et al. 2014 Oksanen et al. 2014 Wahlberg et al. 2014 Bauer et al. 2015 Linchant et al. 2015 Urian et al. 2015 Christie et al. 2016 Godwin et al. 2016 Johnson et al. 2016 Hammond et al. 2017 Vincent et al. 2017

Systematic category	Selected literature
Marine mammal dietary studies	Dellinger & Trillmich 1988 Pierce & Boyle 1991 Das et al. 2000 Folkow et al. 2000 Olsen & Holt 2001 de Oliveira Santos et al. 2002 Jarman et al. 2002 Kastelein et al. 2002 Laake et al. 2002 Santos et al. 2002 Sinclair & Zeppelin 2002 Haug et al. 2002 Estes et al. 2003 Evans et al. 2003 Levermann et al. 2003 Barros et al. 2004 Pierce et al. 2004 Iverson et al. 2004 Kaschner et al. 2004 Parsons et al. 2005 Bearzi et al. 2006 Kornev & Korneva 2006 Laidre & Jameson 2006 Mizroch & Rice 2006 Spitz et al. 2006 Beck et al. 2007 Lockyer 2007 Lundström et al. 2007 Tinker et al. 2007 Bluhm & Gradinger 2008 King et al. 2008 Sinclair et al. 2008 Tinker et al. 2008 Deagle et al. 2009 Dunshea 2009 Fernández et al. 2009 Finerty et al. 2009 Lee et al. 2009 Newsome et al. 2009 Bearzi et al. 2010 Lundström et al. 2010 Newsome et al. 2010 Fernández et al. 2011 Meissner et al. 2011 Piroddi et al. 2011 Huisamen et al. 2012 Mèndez-Fernandez et al. 2012 Newsome et al. 2012 Spitz et al. 2012

Systematic category	Selected literature
Marine mammal dietary studies (ctd.)	Waite et al. 2012 Deagle et al. 2013 Fortune et al. 2013 Larson et al. 2013 Rechsteiner et al. 2013 Tyrrell et al. 2013 Santos et al. 2013, 2014 Gladilina & Gol'din 2014 Konishi et al. 2014 Méheust et al. 2014 Meynier et al. 2014 Scheinin et al. 2014 van Bleijswijk et al. 2014 Dede et al. 2015 Elliott Smith et al. 2015 Hernandez-Milian et al. 2015 van Neer et al. 2015 Young et al. 2015 Franco-Trecu et al. 2017 Hui et al. 2017 Sepúlveda et al. 2017 Spitz et al. 2017
Modelling approaches	Bogstad et al. 1997 Stefánsson et al. 1997 Pauly et al. 2000 Schweder et al. 2000 Bjørge et al. 2002 Blanchard et al. 2002 Harvey et al. 2003 Mackinson et al. 2003 Read & Brownstein 2003 Harwood & McLaren 2004 Koen-Alonso & Yodzis 2004 Lewy & Vinther 2004 Williams et al. 2004 Koen-Alonso & Yodzis 2005 Tjelmeland & Lindstrøm 2005 Coll et al. 2006 Cornick et al. 2006 Guénette et al. 2006 Mori & Butterworth 2006 Morissette et al. 2006 Coll et al. 2007 Hansson et al. 2007 Österblom et al. 2007 Plagányi 2007 Cornejo-Donoso & Antezana 2008

Systematic category	Selected literature
Modelling approaches (ctd.)	Cerviño et al. 2009 Forcada et al. 2009 Lindstrøm et al. 2009 Howell & Bogstad 2010 Morissette et al. 2010a,b Travers et al. 2010 Link et al. 2011 Ainsworth et al. 2012 Lassalle et al. 2012 Morissette et al. 2012 Morzaria-Luna et al. 2012 Elvarsson 2013 Elvarsson et al. 2013 Goldsworthy et al. 2013 Ruzicka et al. 2013 Torres et al. 2013 Elvarsson 2014 Morissette & Brodie 2014 Plagányi et al. 2014 Prato et al. 2014 Saavedra et al. 2014 Smout et al. 2014 Forrest et al. 2015 ICES 2015 Piroddi et al. 2015 Smith et al. 2015 Houle et al. 2016 ICES 2016 Punt et al. 2016 Villasante et al. 2016 Bejarano et al. 2017 Beltran et al. 2017 Boyd et al. 2017 Goedegebuure et al. 2017 ICES 2017 Saavedra 2017 Sagarese et al. 2017
FIMA implications for fish availability and prey-predator dynamics	Pauly et al. 2002 Uusi-Heikkilä et al. 2008 Andersen & Brander 2009 Dunlop et al. 2009 Hutchings 2009 Etnier & Fowler 2010 Jørgensen et al. 2010 Zhou et al. 2010 Bolnick et al. 2011 Lankau & Strauss 2011

Systematic category	Selected literature
FIMA implications for fish availability and prey-predator dynamics	<p>Belgrano & Fowler 2013 Heino et al. 2013 Hidalgo et al. 2014 Huss et al. 2014 Kuparinen & Hutchings 2014 Laugen et al. 2014 Audzijonyte et al. 2015 Heino et al. 2015 Hutchings 2015 Johansson et al. 2015 Swain & Benoît 2015 Uusi-Heikkilä et al. 2015 Estes et al. 2016 Kuparinen et al. 2016 Twardek et al. 2017</p>
Marine mammal management associated with FIMA and EBFM objectives	<p>Fanshawe et al. 2003 Bearzi 2007 Jørgensen et al. 2007 Leslie & McLeod 2007 Ruckelshaus et al. 2008 Worm et al. 2009 Gleason et al. 2010 Pompa et al. 2011 Augé et al. 2012 Costa et al. 2012 Daura-Jorge et al. 2012 Chadès et al. 2012 Garcia et al. 2012 Gormley et al. 2012 Law et al. 2012 Wade et al. 2012 Bowen & Lidgard 2013 Fowler et al. 2013 Houle et al. 2013 Jacobsen et al. 2014 Lassen et al. 2014 Scales et al. 2014 Zappes et al. 2014 Bogstad et al. 2015 Burgess et al. 2016 Marshall et al. 2016 Papastavrou et al. 2017 Tromeur & Loeuille 2017</p>

LITERATURE CITED

- Ainsworth CH, Morzaria-Luna HN, Kaplan IC, Levin PS, Fulton EA (2012) Full compliance with harvest regulations yields ecological benefits: Northern Gulf of California case study. *J Appl Ecol* 49:63–72 <https://doi.org/10.1111/j.1365-2664.2011.02064.x>
- Alves LCPS, Zappes CA, Andriolo A (2012) Conflicts between river dolphins (Cetacea: Odontoceti) and fisheries in the Central Amazon: a path toward tragedy? *Zoologia* (Curitiba) 29:420–429 <https://doi.org/10.1590/S1984-46702012000500005>
- Andersen KH, Brander K (2009) Expected rate of fisheries-induced evolution is slow. *Proc Natl Acad Sci USA* 106:11657–11660 <https://doi.org/10.1073/pnas.0901690106>
- Audzijonyte A, Fulton EA, Kuparinen A (2015) The impacts of fish body size changes on stock recovery: a case study using an Australian marine ecosystem model. *ICES J Mar Sci* 72:782–792 <https://doi.org/10.1093/icesjms/fsu185>
- Augé AA, Moore AB, Chilvers BL (2012) Predicting interactions between recolonising marine mammals and fisheries: defining precautionary management. *Fish Manag Ecol* 19:426–433 <https://doi.org/10.1111/j.1365-2400.2012.00861.x>
- Bailey H, Hammond PS, Thompson PM (2014) Modelling harbour seal habitat by combining data from multiple tracking systems. *J Exp Mar Biol Ecol* 450:30–39 <https://doi.org/10.1016/j.jembe.2013.10.011>
- Barros NB, Jefferson TA, Parsons ECM (2004) Feeding Habits of Indo-Pacific Humpback Dolphins (*Sousa chinensis*) Stranded in Hong Kong. *Aquat Mamm* 30:179–188 <https://doi.org/10.1578/AM.30.1.2004.179>
- Bauer RK, Fromentin JM, Demarcq H, Brisset B, Bonhommeau S (2015) Co-Occurrence and Habitat Use of Fin Whales, Striped Dolphins and Atlantic Bluefin Tuna in the Northwestern Mediterranean Sea. *PLoS One* 10:e0139218 <https://doi.org/10.1371/journal.pone.0139218>
- Bearzi G (2002) Interactions between Cetaceans and Fisheries in the Mediterranean Sea. In: Notarbartolo di Sciara, G. (ed) Cetaceans of the Mediterranean and Black Seas: state of knowledge and conservation strategies. A report to the ACCOBAMS Secretariat, Monaco, February 2002. Section 9, p 1–20
- Bearzi G (2007) Marine conservation on paper. *Conserv Biol* 21:1–3 <https://doi.org/10.1111/j.1523-1739.2006.00635.x>
- Bearzi G, Politi E, Agazzi S, Azzellino A (2006) Prey depletion caused by overfishing and the decline of marine megafauna in eastern Ionian Sea coastal waters (central Mediterranean). *Biol Conserv* 127:373–382 <https://doi.org/10.1016/j.biocon.2005.08.017>
- Bearzi G, Agazzi S, Gonzalvo J, Bonizzoni S, Costa M, Petroselli A (2010) Biomass removal by dolphins and fisheries in a Mediterranean Sea coastal area: do dolphins have an ecological impact on fisheries? *Aquat Conserv* 20:549–559 <https://doi.org/10.1002/aqc.1123>
- Beck CA, Iverson SJ, Bowen WD, Blanchard W (2007) Sex differences in grey seal diet reflect seasonal variation in foraging behaviour and reproductive expenditure: evidence from quantitative fatty acid signature analysis. *J Anim Ecol* 76:490–502 <https://doi.org/10.1111/j.1365-2656.2007.01215.x>
- Bejarano AC, Wells RS, Costa DP (2017) Development of a bioenergetic model for estimating energy requirements and prey biomass consumption of the bottlenose dolphin *Tursiops truncatus*. *Ecol Model* 356:162–172 <https://doi.org/10.1016/j.ecolmodel.2017.05.001>

- Belgrano A, Fowler CW (2013) Evolution. How fisheries affect evolution. *Science* 342:1176–1177 <https://doi.org/10.1126/science.1245490>
- Beltran RS, Testa JW, Burns JM (2017) An agent-based bioenergetics model for predicting impacts of environmental change on a top marine predator, the Weddell seal. *Ecol Model* 351:36–50 <https://doi.org/10.1016/j.ecolmodel.2017.02.002>
- Bjørge A, Bekkby T, Bakkestuen V, Framstad E (2002) Interactions between harbour seals, *Phoca vitulina*, and fisheries in complex coastal waters explored by combined Geographic Information System (GIS) and energetics modelling. *ICES J Mar Sci* 59:29–42 <https://doi.org/10.1006/jmsc.2001.1137>
- Blanchard JL, Pinnegar JK, Mackinson S (2002) Exploring Marine Mammal-Fishery Interactions Using ‘Ecopath With Ecosim’: Modelling The Barents Sea Ecosystem. *Sci Ser Tech Rep, CEFAS Lowestoft*, 117:52p
- Bluhm BA, Gradinger R (2008) Regional variability in food availability for Arctic marine mammals. *Ecol Appl* 18:S77–S96 <https://doi.org/10.1890/06-0562.1>
- Bodkin JL, Ballachey BE, Dean TA, Fukuyama AK, Jewett SC, and others (2002) Sea otter population status and the process of recovery from the 1989 ‘Exxon Valdez’ oil spill. *Mar Ecol Prog Ser* 241:237–253 <https://doi.org/10.3354/meps241237>
- Bograd SJ, Block BA, Costa DP, Godley BJ (2010) Biologging technologies: new tools for conservation. *Endang Species Res* 10:1–7 <https://doi.org/10.3354/esr00269>
- Bogstad B, Hauge KH, Ulltang Ø (1997) MULTISPEC – A Multi-species Model for Fish and Marine Mammals in the Barents Sea. *J Northwest Atl Fish Sci* 22:317–341 <https://doi.org/10.2960/J.v22.a23>
- Bogstad B, Gjøsæter H, Haug T, Lindstrøm U (2015) A review of the battle for food in the Barents Sea: cod vs. marine mammals. *Front Ecol Evol* 3:29
- Bolnick DI, Amarasekare P, Araujo MS, Burger R, and others (2011) Why intraspecific trait variation matters in community ecology. *Trends Ecol Evol* 26:183–192 <https://doi.org/10.1016/j.tree.2011.01.009>
- Bowen WD, Lidgard D (2013) Marine mammal culling programs: review of effects on predator and prey populations. *Mammal Rev* 43:207–220 <https://doi.org/10.1111/j.1365-2907.2012.00217.x>
- Bowen WD, Tully D, Boness DJ, Bulheier BM, Marshall GJ (2002) Prey-dependent foraging tactics and prey profitability in a marine mammal. *Mar Ecol Prog Ser* 244:235–245 <https://doi.org/10.3354/meps244235>
- Burgess MG, Diekert FK, Jacobsen NS, Andersen KH, Gaines SD (2016) Remaining questions in the case for balanced harvesting. *Fish Fish* 17:1216–1226 <https://doi.org/10.1111/faf.12123>
- Boyd C, Grünbaum D, Hunt GL, Punt AE, Weimerskirch H, Bertrand S, Votier S (2017) Effects of variation in the abundance and distribution of prey on the foraging success of central place foragers. *J Appl Ecol* 54:1362–1372 <https://doi.org/10.1111/1365-2664.12832>
- Castellini M (2000) History of polar whaling: insight into the physiology of the great whales. *Comp Biochem Physiol A Mol Integr Physiol* 126:153–159 [https://doi.org/10.1016/S1095-6433\(00\)00209-9](https://doi.org/10.1016/S1095-6433(00)00209-9)
- Cerviño S, Cardador F, Howell D, Jardim E and others (2009) An age-length cannibal model for South hake with GADGET. WD 7, ICES WGHMM REPORT 2009, Copenhagen

<http://www.ices.dk/sites/pub/Publication Reports/Expert Group Report/acm/2009/WGHMM/Annex B Working Documents presented to the WGHMM 2009 meeting.pdf#search=An%20age-length%20cannibal%20model%20for%20South%20hake%20with%20GADGET%2E>

Chadès I, Curtis JMR, Martin TG (2012) Setting Realistic Recovery Targets for Two Interacting Endangered Species, Sea Otter and Northern Abalone. Conserv Biol 26:1016–1025 <https://doi.org/10.1111/j.1523-1739.2012.01951.x>

Christie KS, Gilbert SL, Brown CL, Hatfield M, Hanson L (2016) Unmanned aircraft systems in wildlife research: current and future applications of a transformative technology. Front Ecol Environ 14:241–251 <https://doi.org/10.1002/fee.1281>

Clapham PJ, Berggren P, Childerhouse S, Friday NA, Kasuya T, Kell L, and others (2003) Whaling as science. BioScience 53:210–212 [https://doi.org/10.1641/0006-3568\(2003\)053\[0210:WAS\]2.0.CO;2](https://doi.org/10.1641/0006-3568(2003)053[0210:WAS]2.0.CO;2)

Coll M, Palomera I, Tudela S, Sardà F (2006) Trophic flows, ecosystem structure and fishing impacts in the South Catalan Sea, Northwestern Mediterranean. J Mar Syst 59:63–96 <https://doi.org/10.1016/j.jmarsys.2005.09.001>

Coll M, Santojanni A, Palomera I, Tudela S, Arneri E (2007) An ecological model of the Northern and Central Adriatic Sea: Analysis of ecosystem structure and fishing impacts. J Mar Syst 67:119–154 <https://doi.org/10.1016/j.jmarsys.2006.10.002>

Cornejo-Donoso J, Antezana T (2008) Preliminary trophic model of the Antarctic Peninsula Ecosystem (Sub-area CCAMLR 48.1). Ecol Model 218:1–17 <https://doi.org/10.1016/j.ecolmodel.2008.06.011>

Cornick LA, Neill W, Grant WE (2006) Assessing competition between Steller sea lions and the commercial groundfishery in Alaska: A bioenergetics modelling approach. Ecol Model 199:107–114 <https://doi.org/10.1016/j.ecolmodel.2006.07.003>

Costa MEB, Le Pendu Y, Neto EMC (2012) Behaviour of *Sotalia guianensis* (van Beneden, 1864) (Cetacea, Delphinidae) and ethnoecological knowledge of artisanal fishermen from Canavieiras, Bahia, Brazil. J Ethnobiol Ethnomed 8:18 <https://doi.org/10.1186/1746-4269-8-18>

Cronin MA, Gerritsen HD, Reid DG (2012) Evidence of low spatial overlap between grey seals and a specific whitefish fishery off the west coast of Ireland. Biol Conserv 150:136–142 <https://doi.org/10.1016/j.biocon.2012.02.013>

Das K, Lepoint G, Loizeau V, Debacker V, Dauby P, Bouquegneau JM (2000) Tuna and Dolphin Associations in the North-east Atlantic: Evidence of Different Ecological Niches from Stable Isotope and Heavy Metal Measurements. Mar Pollut Bull 40:102–109 [https://doi.org/10.1016/S0025-326X\(99\)00178-2](https://doi.org/10.1016/S0025-326X(99)00178-2)

Daura-Jorge FG, Cantor M, Ingram SN, Lusseau D, Simoes-Lopes PC (2012) The structure of a bottlenose dolphin society is coupled to a unique foraging cooperation with artisanal fishermen. Biol Lett 8:702–705 <https://doi.org/10.1098/rsbl.2012.0174>

de Oliveira Santos MC, Rosso S, Aguiar dos Santos R, Bulizani Lugato SH, Bassoi M (2002) Insights on small cetacean feeding habits in southeastern Brazil. Aquat Mamm 28:38–45

Deagle BE, Kirkwood R, Jarman SN (2009) Analysis of Australian fur seal diet by pyrosequencing prey DNA in faeces. Mol Ecol 18:2022–2038 <https://doi.org/10.1111/j.1365-294X.2009.04158.x>

Deagle BE, Thomas AC, Shaffer AK, Trites AW, Jarman SN (2013) Quantifying sequence proportions in a DNA-based diet study using Ion Torrent amplicon sequencing: which counts count? Mol Ecol Resour 13:620–633 <https://doi.org/10.1111/1755-0998.12103>

- Dede A, Salman A, Tonay AM (2015) Stomach contents of by-caught striped dolphins (*Stenella coeruleoalba*) in the eastern Mediterranean Sea. J Mar Biol Assoc UK 96:869–875 <https://doi.org/10.1017/S0025315415001538>
- Dellinger T, Trillmich F (1988) Estimating diet composition from scat analysis in otariid seals (Otariidae): is it reliable? Can J Zool 66:1865–1870 <https://doi.org/10.1139/z88-269>
- Doniol-Valcroze T, Lesage V, Giard J, Michaud R (2012) Challenges in marine mammal habitat modelling: evidence of multiple foraging habitats from the identification of feeding events in blue whales. Endang Species Res 17:255–268 <https://doi.org/10.3354/esr00427>
- Dunlop ES, Baskett ML, Heino M, Dieckmann U (2009) Propensity of marine reserves to reduce the evolutionary effects of fishing in a migratory species. Evol Appl 2:371–393 <https://doi.org/10.1111/j.1752-4571.2009.00089.x>
- Dunshea G (2009) DNA-Based Diet Analysis for Any Predator. PLoS One 4:e5252 <https://doi.org/10.1371/journal.pone.0005252>
- Elliott Smith EA, Newsome SD, Estes JA, Tinker MT (2015) The cost of reproduction: differential resource specialization in female and male California sea otters. Oecologia 178:17–29 <https://doi.org/10.1007/s00442-014-3206-1>
- Elvarsson BP (2013) An implementation of the statistical framework Gadget for common minke whales in Icelandic waters. Status update on multispecies modeling effort. International Whaling Commission (IWC). SC/F13/SP7.
- Elvarsson BP (2014) Evaluating stock structure hypotheses using genetically determined close relatives: a simulation study on North Atlantic fin whales. ICES J Mar Sci 72:661–669 <https://doi.org/10.1093/icesjms/fsu140>
- Elvarsson BP, Víkingsson G, Stefánsson G (2013) An implementation of the statistical framework Gadget for common minke whales in Icelandic waters. International Whaling Commission (IWC). SC/65a/EM01.
- Estes JA, Riedman ML, Staedler MM, Tinker MT, Lyon BE (2003) Individual variation in prey selection by sea otters: patterns, causes and implications. J Anim Ecol 72:144–155 <https://doi.org/10.1046/j.1365-2656.2003.00690.x>
- Estes JA, Heithaus M, McCauley DJ, Rasher DB, Worm B (2016) Megafaunal Impacts on Structure and Function of Ocean Ecosystems. Annu Rev Environ Resour 41:83–116 <https://doi.org/10.1146/annurev-environ-110615-085622>
- Etnier MA, Fowler CW (2010) Size Selectivity in Marine Mammal Diets as a Guide to Evolutionarily Enlightened Fisheries Management. N Am J Fish Manage 30:588–603 <https://doi.org/10.1577/M09-086.1>
- Evans K, Hindell MA, Thiele D (2003) Body fat and condition in sperm whales, *Physeter macrocephalus*, from southern Australian waters. Comp Biochem Physiol A Mol Integr Physiol 134:847–862 [https://doi.org/10.1016/S1095-6433\(03\)00045-X](https://doi.org/10.1016/S1095-6433(03)00045-X)
- Fanshawe S, Vanblaricom GR, Shelly AA (2003) Restored Top Carnivores as Detriments to the Performance of Marine Protected Areas Intended for Fishery Sustainability: a Case Study with Red Abalones and Sea Otters. Conserv Biol 17:273–283 <https://doi.org/10.1046/j.1523-1739.2003.00432.x>
- Fernández R, Santos MB, Carrillo M, Tejedor M, Pierce GJ (2009) Stomach contents of cetaceans stranded in the Canary Islands 1996–2006. J Mar Biol Assoc UK 89:873–883 <https://doi.org/10.1017/S0025315409000290>

- Fernández R, García-Tiscar S, Santos MB, López A, Martínez-Cedeira JA, Newton J, Pierce GJ (2011) Stable isotope analysis in two sympatric populations of bottlenose dolphins *Tursiops truncatus*: evidence of resource partitioning? Mar Biol 158:1043–1055 <https://doi.org/10.1007/s00227-011-1629-3>
- Finerty SE, Wolt RC, Davis RW (2009) Summer activity pattern and Field Metabolic Rate of adult male sea otters (*Enhydra lutris*) in a soft sediment habitat in Alaska. J Exp Mar Biol Ecol 377:36–42 <https://doi.org/10.1016/j.jembe.2009.06.015>
- Folkow LP, Haug T, Nilssen KT, Nordoy ES (2000) Estimated food consumption of minke whales *Balaenoptera acutorostrata* in Northeast Atlantic waters in 1992–1995. NAMMCO Sci Publ 2:65–80 <https://doi.org/10.7557/3.2972>
- Forcada J, Malone D, Royle JA, Staniland IJ (2009) Modelling predation by transient leopard seals for an ecosystem-based management of Southern Ocean fisheries. Ecol Model 220:1513–1521 <https://doi.org/10.1016/j.ecolmodel.2009.03.020>
- Forrest RE, Savina M, Fulton EA, Pitcher TJ (2015) Do marine ecosystem models give consistent policy evaluations? A comparison of Atlantis and Ecosim. Fish Res 167:293–312 <https://doi.org/10.1016/j.fishres.2015.03.010>
- Fortune SME, Trites AW, Mayo CA, Rosen DAS, Hamilton PK (2013) Energetic requirements of North Atlantic right whales and the implications for species recovery. Mar Ecol Prog Ser 478:253–272 <https://doi.org/10.3354/meps10000>
- Fowler CW, Belgrano A, Casini M (2013) Holistic Fisheries Management: Combining Macroecology, Ecology, and Evolutionary Biology. Mar Fish Rev 75:1–36 https://doi.org/10.7755/MFR.75.1_2.1
- Franco-Trecu V, Drago M, Costa P, Dimitriadis C, Passadore C (2017) Trophic relationships in apex predators in an estuary system: A multiple-method approximation. J Exp Mar Biol Ecol 486:230–236 <https://doi.org/10.1016/j.jembe.2016.10.017>
- Garcia SM, Kolding J, Rice J, Rochet MJ, and others (2012) Conservation. Reconsidering the consequences of selective fisheries. Science 335:1045–1047 <https://doi.org/10.1126/science.1214594>
- Gladilina EV, Gol'din PE (2014) New Prey Fishes in Diet of Black Sea Bottlenose Dolphins, *Tursiops truncatus* (Mammalia, Cetacea). Vestn Zool 48:83–92 <https://doi.org/10.2478/vzoo-2014-0009>
- Gleason M, McCreary S, Miller-Henson M, Ugoretz J, and others (2010) Science-based and stakeholder-driven marine protected area network planning: A successful case study from north central California. Ocean Coast Manage 53:52–68 <https://doi.org/10.1016/j.ocecoaman.2009.12.001>
- Godwin EM, Noad MJ, Kniest E, Dunlop RA (2016) Comparing multiple sampling platforms for measuring the behavior of humpback whales (*Megaptera novaeangliae*). Mar Mamm Sci 32:268–286 <https://doi.org/10.1111/mms.12262>
- Goedegebuure M, Melbourne-Thomas J, Corney SP, Hindell MA, Constable AJ (2017) Beyond big fish: The case for more detailed representations of top predators in marine ecosystem models. Ecol Model 359:182–192 <https://doi.org/10.1016/j.ecolmodel.2017.04.004>
- Goldsworthy SD, Page B, Rogers PJ, Bulman C, and others (2013) Trophodynamics of the eastern Great Australian Bight ecosystem: Ecological change associated with the growth of Australia's largest fishery. Ecol Model 255:38–57 <https://doi.org/10.1016/j.ecolmodel.2013.01.006>

- Gonzalvo J, Giovos I, Moutopoulos DK (2014) Fishermen's perception on the sustainability of small-scale fisheries and dolphin-fisheries interactions in two increasingly fragile coastal ecosystems in western Greece. *Aquat Conserv* 25:91–106
<https://doi.org/10.1002/aqc.2444>
- Gormley AM, Slooten E, Dawson S, Barker RJ, Rayment W, du Fresne S, Bräger S (2012) First evidence that marine protected areas can work for marine mammals. *J Appl Ecol* 49:474–480 <https://doi.org/10.1111/j.1365-2664.2012.02121.x>
- Guénette S, Heymans SJ, Christensen V, Trites AW (2006) Ecosystem models show combined effects of fishing, predation, competition, and ocean productivity on Steller sea lions (*Eumetopias jubatus*) in Alaska. *Can J Fish Aquat Sci* 63:2495–2517
<https://doi.org/10.1139/f06-136>
- Hammond PS, Macleod K, Berggren P, Borchers DL, and others (2013) Cetacean abundance and distribution in European Atlantic shelf waters to inform conservation and management. *Biol Conserv* 164:107–122 <https://doi.org/10.1016/j.biocon.2013.04.010>
- Hammond PS, Lacey C, Gilles A, Viquerat S, and others (2017) Estimates of cetacean abundance in European Atlantic waters in summer 2016 from the SCANS-III aerial and shipboard surveys, Scotland, UK pp 40
- Hansson S, Hjerne O, Harvey C, Kitchell JF, Cox SP, Essington TE (2007) Managing Baltic Sea fisheries under contrasting production and predation regimes: ecosystem model analyses. *Ambio* 36:265–271 [https://doi.org/10.1579/0044-7447\(2007\)36\[265:MBSFUC\]2.0.CO;2](https://doi.org/10.1579/0044-7447(2007)36[265:MBSFUC]2.0.CO;2)
- Harvey C, Cox SP, Essington TE, Hansson S, Kitchell JF (2003) An ecosystem model of food web and fisheries interactions in the Baltic Sea. *ICES J Mar Sci* 60:939–950
[https://doi.org/10.1016/S1054-3139\(03\)00098-5](https://doi.org/10.1016/S1054-3139(03)00098-5)
- Harwood J, McLaren I (2004) Modelling interactions between marine mammals and fisheries: model structures, assumptions and data requirements CIESM Workshop Monographs n°25, Venice, p 37–42
- Haug T, Lindstrøm U, Nilssen KT (2002) Variations in Minke Whale (*Balaenoptera acutorostrata*) Diet and Body Condition in Response to Ecosystem Changes in the Barents Sea. *Sarsia* 87:409–422 <https://doi.org/10.1080/0036482021000155715>
- Heino M, Baulier L, Boukal DS, Ernande B, Johnston FD, and others (2013) Can fisheries-induced evolution shift reference points for fisheries management? *ICES J Mar Sci* 70:707–721 <https://doi.org/10.1093/icesjms/fst077>
- Heino M, Díaz Pauli B, Dieckmann U (2015) Fisheries-Induced Evolution. *Annu Rev Ecol Evol Syst* 46:461–480 <https://doi.org/10.1146/annurev-ecolsys-112414-054339>
- Hernandez-Milian G, Berrow S, Santos MB, Reid D, Rogan E (2015) Insights into the Trophic Ecology of Bottlenose Dolphins (*Tursiops truncatus*) in Irish Waters. *Aquat Mamm* 41:226–239 <https://doi.org/10.1578/AM.41.2.2015.226>
- Hidalgo M, Olsen EM, Ohlberger J, Saborido-Rey F, and others (2014) Contrasting evolutionary demography induced by fishing: the role of adaptive phenotypic plasticity. *Ecol Appl* 24:1101–1114 <https://doi.org/10.1890/12-1777.1>
- Houle JE, Andersen KH, Farnsworth KD, Reid DG (2013) Emerging asymmetric interactions between forage and predator fisheries impose management trade-offs. *J Fish Biol* 83:890–904

- Houle JE, de Castro F, Cronin MA, Farnsworth KD, and others (2016) Effects of seal predation on a modelled marine fish community and consequences for a commercial fishery. *J Appl Ecol* 53:54–63 <https://doi.org/10.1111/1365-2664.12548>
- Howell D, Bogstad B (2010) A combined Gadget/FLR model for management strategy evaluations of the Barents Sea fisheries. *ICES J Mar Sci* 67:1998–2004 <https://doi.org/10.1093/icesjms/fsq135>
- Huber HR, Jeffries SJ, Brown RF, DeLong RL, VanBlaricom GR (2001) Correcting aerial survey counts of harbor seals (*Phoca vitulina richardsi*) in Washington and Oregon. *Mar Mamm Sci* 17:276–293 <https://doi.org/10.1111/j.1748-7692.2001.tb01271.x>
- Hui TCY, Morita Y, Kobayashi Y, Mitani Y, Miyashita K (2017) Dietary analysis of harbour seals (*Phoca vitulina*) from faecal samples and overlap with fisheries in Erimo, Japan. *Mar Ecol* 38:1–12 <http://dx.doi.org/10.1111/maec.12431>
- Huisamen J, Kirkman SP, van der Lingen CD, Watson LH, and others (2012) Diet of the Cape fur seal *Arctocephalus pusillus pusillus* at the Robberg Peninsula, Plettenberg Bay, and implications for local fisheries. *Afr J Mar Sci* 34:431–441 <https://doi.org/10.2989/1814232X.2012.725524>
- Huss M, de Ross AM, Van Leeuwen A, Gårdmark A (2014) Facilitation of fisheries by natural predators depends on life history of shared prey. *Oikos* 123:1071–1080 <https://doi.org/10.1111/oik.00839>
- Hutchings JA (2009) Avoidance of fisheries-induced evolution: management implications for catch selectivity and limit reference points. *Evol Appl* 2:324–334 <https://doi.org/10.1111/j.1752-4571.2009.00085.x>
- Hutchings JA (2015) Thresholds for impaired species recovery. *Proc Biol Sci* 282:20150654 <https://doi.org/10.1098/rspb.2015.0654>
- ICES (2015) Report of the Working Group on Marine Mammal Ecology (WGMME), 9–12 February 2015, London, UK. ICES CM 2015/ACOM:25. pp 114 http://ices.dk/sites/pub/Publication_Reports/Expert_Group_Report/acm/2015/WGMME/wgmme_2015.pdf
- ICES (2016) Sec. 10 Hake in Divisions 8.c and 9.a (Southern stock) 10.1. In Report of the Working Group for the Bay of Biscay and the Iberian waters Ecoregion (WGBIE), Copenhagen, Denmark. ICES CM 2016/ACOM:12 pp 34 [http://ices.dk/sites/pub/Publication_Reports/Expert_Group_Report/acm/2016/WGBIE/01_WGBIE_Report - Report of the Working Group for the Bay of Biscay and the Iberian Waters Ecoregion \(WGBIE\).pdf](http://ices.dk/sites/pub/Publication_Reports/Expert_Group_Report/acm/2016/WGBIE/01_WGBIE_Report - Report of the Working Group for the Bay of Biscay and the Iberian Waters Ecoregion (WGBIE).pdf)
- ICES (2017) Interim Report of the Working Group on Multispecies Assessment Methods (WGSAM), San Sebastian, Spain. ICES CM 2017/SSGEPI:20, pp 395 <https://archimer.ifremer.fr/doc/00426/53772/54652.pdf>
- Iverson SJ, Field C, Don Bowen W, Blanchard W (2004) Quantitative Fatty Acid Signature Analysis: A New Method of Estimating Predator Diets. *Ecol Monogr* 74:211–235 <https://doi.org/10.1890/02-4105>
- Jacobsen NS, Gislason H, Andersen KH (2014) The consequences of balanced harvesting of fish communities. *Proc Biol Sci* 281:20132701 <https://doi.org/10.1098/rspb.2013.2701>
- Jarman SN, Gales NJ, Tierney M, Gill PC, Elliott NG (2002) A DNA-based method for identification of krill species and its application to analysing the diet of marine vertebrate predators. *Mol Ecol* 11:2679–2690 <https://doi.org/10.1046/j.1365-294X.2002.01641.x>

- Johansson J, Kristensen NP, Nilsson JÅ, Jonzén N (2015) The eco-evolutionary consequences of interspecific phenological asynchrony - a theoretical perspective. *Oikos* 124:102–112 <https://doi.org/10.1111/oik.01909>
- Johnson CM, Beckley LE, Kobryn H, Johnson GE, Kerr I, Payne R (2016) Crowdsourcing Modern and Historical Data Identifies Sperm Whale (*Physeter macrocephalus*) Habitat Offshore of South-Western Australia. *Front Mar Sci* 3:167 <https://doi.org/10.3389/fmars.2016.00167>
- Jørgensen C, Enberg K, Dunlop ES, Arlinghaus R, Boukal DS, and others (2007) Managing Evolving Fish Stocks. *Ecology* 318:1247–1248 [doi:10.1126/science.1148089](https://doi.org/10.1126/science.1148089)
- Jørgensen C, Taylor E, Fiksen Ø (2010) Modelling fishing-induced adaptations and consequences for natural mortality. *Can J Fish Aquat Sci* 67:1086–1097 <https://doi.org/10.1139/F10-049>
- Kaschner K (2004) Modelling and Mapping Resource Overlap between Marine Mammals and Fisheries on a Global Scale. University of British Columbia, Berkeley and Los Angeles, USA
- Kaschner K, Watson R, Christensen V, Trites AW, Pauly D (2001) Modeling and Mapping Trophic Overlap between Marine Mammals and Commercial Fisheries in the North Atlantic. In: Zeller D, Watson R, Pauly D (eds) *Fisheries impacts on North Atlantic ecosystems: catch, effort and national/regional data sets*. Fisheries Centre Research Reports Vol 9. University of British Columbia, Vancouver, C, p 35–45
- Kaschner K, Stergiou K, Weingartner G, Kumagai S (2004) Trophic levels of marine mammals and overlap in resource utilization between marine mammals and fisheries in the Mediterranean Sea. *CIESM Workshop Monographs* n°25, Venice, p 51–58
- Kastelein RA, Vaughan N, Walton S, Wiepkema PR (2002) Food intake and body measurements of Atlantic bottlenose dolphins (*Tursiops truncatus*) in captivity. *Mar Environ Res* 53:199–218 [https://doi.org/10.1016/S0141-1136\(01\)00123-4](https://doi.org/10.1016/S0141-1136(01)00123-4)
- King RA, Read DS, Traugott M, Symondson WO (2008) Molecular analysis of predation: a review of best practice for DNA-based approaches. *Mol Ecol* 17:947–963 <https://doi.org/10.1111/j.1365-294X.2007.03613.x>
- Koen-Alonso MM, Yodzis P (2004) Modelling food webs: a bioenergetic-allometric approach *CIESM Workshop Monographs* n°25, Venice, p 43–49
- Koen-Alonso MM, Yodzis P (2005) Multispecies modelling of some components of the marine community of northern and central Patagonia, Argentina. *Can J Fish Aquat Sci* 62:1490–1512 <https://doi.org/10.1139/f05-087>
- Konishi K, Hakamada T, Kiwada H, Kitakado T, Walløe L (2014) Decrease in stomach contents in the Antarctic minke whale (*Balaenoptera bonaerensis*) in the Southern Ocean. *Polar Biol* 37:205–215 <https://doi.org/10.1007/s00300-013-1424-3>
- Kornev SI, Korneva SM (2006) Some Criteria for Assessing the State and Dynamics of Sea Otter (*Enhydra lutris*) Populations in the Russian Part of the Species Range. *Russ J Ecol* 37:172–179 <https://doi.org/10.1134/S1067413606030052>
- Kuparinen A, Hutchings JA (2014) Increased natural mortality at low abundance can generate an Allee effect in a marine fish. *R Soc Open Sci* 1:140075 <https://doi.org/10.1098/rsos.140075>

- Kuparinen A, Boit A, Valdovinos FS, Lassaux H, Martinez ND (2016) Fishing-induced life-history changes degrade and destabilize harvested ecosystems. *Sci Rep* 6:22245 <https://doi.org/10.1038/srep22245>
- Laake JL, Browne P, DeLong RL, Huber HR (2002) Pinniped diet composition: a comparison of estimation models. *Fish Bull* 100:434–447
- Laidre KL, Jameson RJ (2006) Foraging Patterns And Prey Selection In An Increasing And Expanding Sea Otter Population. *J Mamm* 87:799–807 <https://doi.org/10.1644/05-MAMM-A-244R2.1>
- Laidre KL, Jameson RJ, DeMaster DP (2001) An estimation of carrying capacity for sea otters along the California coast. *Mar Mamm Sci* 17:294–309 <https://doi.org/10.1111/j.1748-7692.2001.tb01272.x>
- Lankau RA, Strauss SY (2011) Newly rare or newly common: evolutionary feedbacks through changes in population density and relative species abundance, and their management implications. *Evol Appl* 4:338–353 <https://doi.org/10.1111/j.1752-4571.2010.00173.x>
- Larson SD, Hoyt ZN, Eckert GL, Gill VA (2013) Impacts of sea otter (*Enhydra lutris*) predation on commercially important sea cucumbers (*Parastichopus californicus*) in southeast Alaska. *Can J Fish Aquat Sci* 70:1498–1507 <https://doi.org/10.1139/cjfas-2013-0025>
- Lassalle G, Gascuel D, Le Loc'h F, Lobry J, Pierce GJ, and others (2012) An ecosystem approach for the assessment of fisheries impacts on marine top predators: the Bay of Biscay case study. *ICES J Mar Sci* 69:925–938 <https://doi.org/10.1093/icesjms/fss049>
- Lassen H, Kelly C, Sissenwine M (2014) ICES advisory framework 1977–2012: from Fmax to precautionary approach and beyond. *ICES J Mar Sci* 71:166–172 <https://doi.org/10.1093/icesjms/fst146>
- Laugen AT, Engelhard GH, Whitlock R, Arlinghaus R, and others (2014) Evolutionary impact assessment: accounting for evolutionary consequences of fishing in an ecosystem approach to fisheries management. *Fish Fish* 15:65–96 <https://doi.org/10.1111/faf.12007>
- Law R, Plank MJ, Kolding J (2012) On balanced exploitation of marine ecosystems: results from dynamic size spectra. *ICES J Mar Sci* 69:602–614 <https://doi.org/10.1093/icesjms/fss031>
- Lee OA, Olivier P, Wolt R, Davis RW, Weltz F (2009) Aggregations of Sea Otters (*Enhydra lutris kenyoni*) Feeding on Fish Eggs and Kelp in Prince William Sound, Alaska. *Am Midl Nat* 161:401–405 <https://doi.org/10.1674/0003-0031-161.2.401>
- Leslie HM, McLeod KL (2007) Confronting the challenges of implementing marine ecosystem-based management. *Front Ecol Environ* 5:540–548 <https://doi.org/10.1890/060093>
- Levermann N, Galatius A, Ehlme G, Rysgaard S, Born EW (2003) Feeding behaviour of free-ranging walruses with notes on apparent dexterity of flipper use. *BMC Ecol* 3:9 <https://doi.org/10.1186/1472-6785-3-9>
- Lewy P, Vinther M (2004) A stochastic age-length-structured multispecies model applied to North Sea stocks. *ICES CM* 2004/ FF:20, 33 pp http://www.ices.dk/sites/pub/CM_Documents/2004/FF/FF2004.pdf
- Linchant J, Lisein J, Semeki J, Lejeune P, Vermeulen C (2015) Are unmanned aircraft systems (UASs) the future of wildlife monitoring? A review of accomplishments and challenges. *Mammal Rev* 45:239–252 <https://doi.org/10.1111/mam.12046>

- Lindstrøm U, Smout S, Howell D, Bogstad B (2009) Modelling multi-species interactions in the Barents Sea ecosystem with special emphasis on minke whales and their interactions with cod, herring and capelin. Deep Sea Res II 56:2068–2079
<https://doi.org/10.1016/j.dsr2.2008.11.017>
- Link JS, Bundy A, Overholtz WJ, Shackell N, and others (2011) Ecosystem-based fisheries management in the Northwest Atlantic. Fish Fish 12:152–170 <https://doi.org/10.1111/j.1467-2979.2011.00411.x>
- Lockyer C (2007) All creatures great and smaller: a study in cetacean life history energetics. J Mar Biol Assoc UK 87:1035–1045 <https://doi.org/10.1017/S0025315407054720>
- Lonergan M, Duck CD, Thompson D, Mackey BL, Cunningham L, Boyd IL (2007) Using sparse survey data to investigate the declining abundance of British harbour seals. J Zool (Lond) 271:261–269 <https://doi.org/10.1111/j.1469-7998.2007.00311.x>
- Lundström K, Hjerne O, Alexandersson K, Karlsson O (2007) Estimation of grey seal (*Halichoerus grypus*) diet composition in the Baltic Sea. NAMMCO Sci Publ 6:177–196 <https://doi.org/10.7557/3.2733>
- Lundström K, Hjerne O, Lunnerud SG, Karlsson O (2010) Understanding the diet composition of marine mammals: grey seals (*Halichoerus grypus*) in the Baltic Sea. ICES J Mar Sci 67:1230–1239 <https://doi.org/10.1093/icesjms/fsq022>
- Mackinson S, Blanchard JL, Pinnegar JK, Scott R (2003) Consequences of alternative functional response formulations interactions in models exploring whale-fishery. Mar Mamm Sci 19:661–681 <https://doi.org/10.1111/j.1748-7692.2003.tb01123.x>
- Marshall KN, Stier AC, Samhouri JF, Kelly RP, Ward EJ (2016) Conservation Challenges of Predator Recovery. Conserv Lett 9:70–78 <https://doi.org/10.1111/conl.12186>
- Méheust E, Alfonsi E, Le Méne P, Hassani S, Jung JL (2014) DNA barcoding for the identification of soft remains of prey in the stomach contents of grey seals (*Halichoerus grypus*) and harbour porpoises (*Phocoena phocoena*). Mar Biol Res 11:385–395 <https://doi.org/10.1080/17451000.2014.943240>
- Meissner AM, MacLeod CD, Richard P, Ridoux V, Pierce G (2011) Feeding ecology of striped dolphins, *Stenella coeruleoalba*, in the north-western Mediterranean Sea based on stable isotope analyses. J Mar Biol Assoc UK 92:1677–1687 <https://doi.org/10.1017/S0025315411001457>
- Mèndez-Fernandez P, Bustamante P, Bode A, Chouvelon T, and others (2012) Foraging ecology of five toothed whale species in the Northwest Iberian Peninsula, inferred using carbon and nitrogen isotope ratios. J Exp Mar Biol Ecol 413:150–158 <https://doi.org/10.1016/j.jembe.2011.12.007>
- Meynier L, Morel PCH, Chilvers BL, Mackenzie DDS, Duignan PJ, MacLatchey D (2014) Foraging diversity in lactating New Zealand sea lions: insights from qualitative and quantitative fatty acid analysis. Can J Fish Aquat Sci 71:984–991 <https://doi.org/10.1139/cjfas-2013-0479>
- Mizroch SA, Rice DW (2006) Have North Pacific killer whales switched prey species in response to depletion of the great whale populations? Mar Ecol Prog Ser 310:235–246 <https://doi.org/10.3354/meps310235>
- Mori M, Butterworth DS (2006) A first step towards modelling the krill–predator dynamics of the Antarctic ecosystem. CCAMLR Sci 13:217–277

- Morissette L, Brodie PF (2014) Assessing the trophic impacts of marine mammals: From metabolism to food web indices. Mar Mamm Sci 30:939–960
<https://doi.org/10.1111/mms.12118>
- Morissette L, Hammill MO, Savenkoff C (2006) The Trophic Role of Marine Mammals in the Northern Gulf of St. Lawrence. Mar Mamm Sci 22:74–103 <https://doi.org/10.1111/j.1748-7692.2006.00007.x>
- Morissette L, Kaschner K, Gerber LR (2010a) Ecosystem models clarify the trophic role of whales off Northwest Africa. Mar Ecol Prog Ser 404:289–302
<https://doi.org/10.3354/meps08443>
- Morissette L, Kaschner K, Gerber LR (2010b) ‘Whales eat fish’? Demystifying the myth in the Caribbean marine ecosystem. Fish Fish 11:388–404 <https://doi.org/10.1111/j.1467-2979.2010.00366.x>
- Morissette L, Christensen V, Pauly D (2012) Marine Mammal Impacts in Exploited Ecosystems: Would Large Scale Culling Benefit Fisheries? PLoS One 7:e43966
<https://doi.org/10.1371/journal.pone.0043966>
- Morzaria-Luna HN, Ainsworth CH, Kaplan IC, Levin PS, Fulton EA (2012) Exploring trade-offs between fisheries and conservation of the vaquita porpoise (*Phocoena sinus*) using an Atlantis ecosystem model. PLoS One 7:e42917 <https://doi.org/10.1371/journal.pone.0042917>
- Newsome SD, Tinker MT, Monson DH, Oftedal OT and others (2009) Using stable isotopes to investigate individual diet specialization in California sea otters (*Enhydra lutris nereis*). Ecology 90:961–974 <https://doi.org/10.1890/07-1812.1>
- Newsome SD, Bentall GB, Tinker MT, Oftedal OT, Ralls K, Estes JA, Fogel ML (2010) Variation in $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ diet-vibrissae trophic discrimination factors in a wild population of California sea otters. Ecol Appl 20:1744–1752 <https://doi.org/10.1890/09-1502.1>
- Newsome SD, Yeakel JD, Wheatley PV, Tinker MT (2012) Tools for quantifying isotopic niche space and dietary variation at the individual and population level. J Mamm 93:329–341 <https://doi.org/10.1644/11-MAMM-S-187.1>
- Oksanen SM, Ahola MP, Lehtonen E, Kunnasranta M (2014) Using movement data of Baltic grey seals to examine foraging-site fidelity: implications for seal-fishery conflict mitigation. Mar Ecol Prog Ser 507:297–308 <https://doi.org/10.3354/meps10846>
- Olsen E, Holt JC (2001) A note on common minke whale (*Balaenoptera acutorostrata*) diets in the Norwegian Sea and the North Sea. J Cetacean Res Manag 3:179–183
- Österblom H, Hansson S, Larsson U, Hjerne O, Wulff F, Elmgren R, Folke C (2007) Human-induced Trophic Cascades and Ecological Regime Shifts in the Baltic Sea. Ecosystems 10:877–889 <https://doi.org/10.1007/s10021-007-9069-0>
- Papastavrou V, Leaper R, Lavigne D (2017) Why management decisions involving marine mammals should include animal welfare. Mar Policy 79:19–24
<https://doi.org/10.1016/j.marpol.2017.02.001>
- Parrish FA, Marshal GJ, Buhleier B, Antonelis GA (2008) Foraging interactions between monk seals and large predatory fish in the Northwestern Hawaiian Islands. Endang Species Res 4:299–308 <https://doi.org/10.3354/esr00090>
- Parsons KM, Piertney SB, Middlemas SJ, Hammond PS, Armstrong JD (2005) DNA-based identification of salmonid prey species in seal faeces. J Zool (Lond) 266:275–281
<https://doi.org/10.1017/S0952836905006904>

- Pauly D, Christensen V, Waters C (2000) Ecopath, Ecosim, and Ecospace as tools for evaluating ecosystem impact of fisheries. ICES J Mar Sci 57:697–706
<https://doi.org/10.1006/jmsc.2000.0726>
- Pauly D, Christensen V, Guénette S, Pitcher TJ, and others (2002) Towards sustainability in world fisheries. Nature 418:689–695 <https://doi.org/10.1038/nature01017>
- Pierce GJ, Boyle PR (1991) A review of methods for diet analysis in piscivorous marine mammals. Oceanogr Mar Biol Annu Rev 29:409–486
- Pierce GJ, Santos MB, Learmonth JA, Mente E, Stowasser G (2004) Methods for dietary studies on marine mammals. In: Investigating the roles of cetaceans in marine ecosystems. CIESM Workshop Monographs n° 25, Venice, p 29–36
- Piroddi C, Bearzi G, Gonzalvo J, Christensen V (2011) From common to rare: The case of the Mediterranean common dolphin. Biol Conserv 144:2490–2498
<https://doi.org/10.1016/j.biocon.2011.07.003>
- Piroddi C, Coll M, Steenbeek J, Macias Moy D, Christensen V (2015) Modelling the Mediterranean marine ecosystem as a whole: addressing the challenge of complexity. Mar Ecol Prog Ser 533:47–65 <https://doi.org/10.3354/meps11387>
- Plagányi ÉE (2007) Models for an ecosystem approach to fisheries. FAO Fisheries Technical Paper. No. 477. Rome, FAO.
- Plagányi ÉE, Punt AE, Hillary R, Morello EB, and others (2014) Multispecies fisheries management and conservation: tactical applications using models of intermediate complexity. Fish Fish 15:1–22 <https://doi.org/10.1111/j.1467-2979.2012.00488.x>
- Pompa S, Ehrlich PR, Ceballos G (2011) Global distribution and conservation of marine mammals. Proc Natl Acad Sci USA 108:13600–13605
<https://doi.org/10.1073/pnas.1101525108>
- Prato G, Gascuel D, Valls A, Francour P (2014) Balancing complexity and feasibility in Mediterranean coastal food-web models: uncertainty and constraints. Mar Ecol Prog Ser 512:71–88 <https://doi.org/10.3354/meps10988>
- Punt AE, MacCall AD, Essington TE, Francis TB, and others (2016) Exploring the implications of the harvest control rule for Pacific sardine, accounting for predator dynamics: A MICE model. Ecol Model 337:79–95
<https://doi.org/10.1016/j.ecolmodel.2016.06.004>
- Read AJ, Brownstein CR (2003) Considering other consumers: Fisheries, predators, and Atlantic herring in the Gulf of Maine. Conserv Ecol 7:2 <https://doi.org/10.5751/ES-00474-070102>
- Rechsteiner EU, Rosen DA, Trites AW (2013) Seasonal Resting Metabolic Rate and Food Intake of Captive Pacific White-Sided Dolphins (*Lagenorhynchus obliquidens*). Aquat Mamm 39:241–252 <https://doi.org/10.1578/AM.39.3.2013.241>
- Ruckelshaus M, Klinger T, Knowlton N, Demaster DP (2008) Marine Ecosystem-based Management in Practice: Scientific and Governance Challenges. BioScience 58:53–63
<https://doi.org/10.1641/B580110>
- Ruzicka JJ, Steele JH, Ballerini T, Gaichas SK, Ainley DG (2013) Dividing up the pie: Whales, fish, and humans as competitors. Prog Oceanogr 116:207–219
<https://doi.org/10.1016/j.pocean.2013.07.009>

Saavedra C (2017) Multispecies population modelling of the common dolphin (*Delphinus delphis*), the bottlenose dolphin (*Tursiops truncatus*) and the southern stock of European hake (*Merluccius merluccius*), in Atlantic waters of the Iberian Peninsula. PhD dissertation, University of Vigo, Vigo, Spain

Saavedra C, Cabrero A, Cedeira J, Cerviño S, and others (2014) Including cetaceans in multi-species assessment models using strandings data: why, how and what can we do about it? In: Frontiers in Marine Science. Conference Abstract: IMMR | International Meeting on Marine Research 2014, Peniche, Portugal. pp 1

Sagarese SR, Lauretta MV, Walter JF (2017) Progress towards a next-generation fisheries ecosystem model for the northern Gulf of Mexico. *Ecol Model* 345:75–98
<https://doi.org/10.1016/j.ecolmodel.2016.11.001>

Santos MB, Pierce GJ, Hartmann MG, Smeenk C, and others (2002) Additional notes on stomach contents of sperm whales *Physeter macrocephalus* stranded in the north-east Atlantic. *J Mar Biol Assoc UK* 82:501–507 <https://doi.org/10.1017/S0025315402005787>

Santos MB, German I, Correia D, Read FL, and others (2013) Long-term variation in common dolphin diet in relation to prey abundance. *Mar Ecol Prog Ser* 481:249–268
<https://doi.org/10.3354/meps10233>

Santos MB, Saavedra C, Pierce GJ (2014) Quantifying the predation on sardine and hake by cetaceans in the Atlantic waters of the Iberian peninsula. *Deep Sea Res II* 106:232–244
<https://doi.org/10.1016/j.dsr2.2013.09.040>

Scales KL, Miller PI, Hawkes LA, Ingram SN, Sims DW, Votier SC, Punt A (2014) REVIEW: On the Front Line: frontal zones as priority at-sea conservation areas for mobile marine vertebrates. *J Appl Ecol* 51:1575–1583 <https://doi.org/10.1111/1365-2664.12330>

SCANS (2006a) Design-based abundance estimates from SCANS-II. In: Burt ML, Borchers DL, Samarra F (eds) Small Cetaceans in the European Atlantic and North Sea. Final Report to the European Commission under project LIFE04NAT/GB/000245. University of St. Andrews. 31

SCANS (2006b) Model-based abundance estimates from SCANS-II. In: Burt ML, Borchers DL, Paxton CGM (eds) Small Cetaceans in the European Atlantic and North Sea. Final Report to the European Commission under project LIFE04NAT/GB/000245. University of St. Andrews. 20

Scheinin AP, Kerem D, Lojen S, Liberzon J, Spanier E (2014) Resource partitioning between common bottlenose dolphin (*Tursiops truncatus*) and the Israeli bottom trawl fishery? Assessment by stomach contents and tissue stable isotopes analysis. *J Mar Biol Assoc UK* 94:1203–1220 <https://doi.org/10.1017/S0025315414001015>

Schweder T, Hagen GS, Hatlebakk E (2000) Direct and indirect effects of minke whale abundance on cod and herring fisheries: A scenario experiment for the Greater Barents Sea. *NAMMCO Sci Publ* 2:120–133

Sepúlveda M, Pavez G, Santos-Carvallo M, Balbontín C, Pequeño G, Newsome SD (2017) Spatial, temporal, age, and sex related variation in the diet of South American sea lions in southern Chile. *Mar Mamm Sci* 33:480–495 <https://doi.org/10.1111/mms.12379>

Sinclair EH, Zeppelin TK (2002) Seasonal and Spatial Differences in Diet in the Western Stock of Steller Sea Lions (*Eumetopias jubatus*). *J Mamm* 83:973–990
[https://doi.org/10.1644/1545-1542\(2002\)083<0973:SASDID>2.0.CO;2](https://doi.org/10.1644/1545-1542(2002)083<0973:SASDID>2.0.CO;2)

- Sinclair EH, Vlietstra LS, Johnson DS, Zeppelin TK, and others (2008) Patterns in prey use among fur seals and seabirds in the Pribilof Islands. *Deep Sea Res II* 55:1897–1918
<https://doi.org/10.1016/j.dsr2.2008.04.031>
- Smith MD, Fulton EA, Day RW (2015) Using an Atlantis model of the southern Benguela to explore the response of ecosystem indicators for fisheries management. *Environ Model Softw* 69:23–41 <https://doi.org/10.1016/j.envsoft.2015.03.002>
- Smout S, Rindorf A, Hammond PS, Harwood J, Matthiopoulos J (2014) Modelling prey consumption and switching by UK grey seals. *ICES J Mar Sci* 71:81–89
<https://doi.org/10.1093/icesjms/fst109>
- Spitz J, Rousseau Y, Ridoux V (2006) Diet overlap between harbour porpoise and bottlenose dolphin: An argument in favour of interference competition for food? *Estuar Coast Shelf Sci* 70:259–270 <https://doi.org/10.1016/j.ecss.2006.04.020>
- Spitz J, Trites AW, Becquet V, Brind'Amour A, Cherel Y, Galois R, Ridoux V (2012) Cost of living dictates what whales, dolphins and porpoises eat: the importance of prey quality on predator foraging strategies. *PLoS One* 7:e50096
<https://doi.org/10.1371/journal.pone.0050096>
- Spitz J, Ridoux V, Trites AW, Laran S, Authier M (2017) Prey consumption by cetaceans reveals the importance of energy-rich food webs in the Bay of Biscay. *Prog Oceanogr* 166:148–158 <https://doi.org/10.1016/j.pocean.2017.09.013>
- Stefánsson G, Sigurjónsson J, Þíkingsson G (1997) On Dynamic Interactions Between Some Fish Resources and Cetaceans off Iceland Based on a Simulation Model. *J Northwest Atl Fish Sci* 22:357–370 <https://doi.org/10.2960/J.v22.a25>
- Swain DP, Benoît HP (2015) Extreme increases in natural mortality prevent recovery of collapsed fish populations in a Northwest Atlantic ecosystem. *Mar Ecol Prog Ser* 519:165–182 <https://doi.org/10.3354/meps11012>
- Thomas L, Buckland ST, Rexstad EA, Laake JL, Strindberg S, and others (2010) Distance software: design and analysis of distance sampling surveys for estimating population size. *J Appl Ecol* 47:5–14 <https://doi.org/10.1111/j.1365-2664.2009.01737.x>
- Tinker MT, Bentall G, Estes JA (2008) Food limitation leads to behavioral diversification and dietary specialization in sea otter. *Proc Natl Acad Sci USA* 105:560–565
<https://doi.org/10.1073/pnas.0709263105>
- Tinker MT, Costa DP, Estes JA, Wieringa N (2007) Individual dietary specialization and dive behaviour in the California sea otter: Using archival time-depth data to detect alternative foraging strategies. *Deep Sea Res II* 54:330–342
<https://doi.org/10.1016/j.dsr2.2006.11.012>
- Tjelmeland S, Lindstrøm U (2005) An ecosystem element added to the assessment of Norwegian spring-spawning herring: implementing predation by minke whales. *ICES J Mar Sci* 62:285–294 <https://doi.org/10.1016/j.icesjms.2004.12.011>
- Torres MÁ, Coll M, Heymans JJ, Christensen V, Sobrino I (2013) Food-web structure of and fishing impacts on the Gulf of Cadiz ecosystem (South-western Spain). *Ecol Model* 265:26–44 <https://doi.org/10.1016/j.ecolmodel.2013.05.019>
- Travers M, Watermeyer K, Shannon LJ, Shin YJ (2010) Changes in food web structure under scenarios of overfishing in the southern Benguela: Comparison of the Ecosim and OSMOSE modelling approaches. *J Mar Syst* 79:101–111
<https://doi.org/10.1016/j.jmarsys.2009.07.005>

- Tromeur E, Loeuille N (2017) Balancing yield with resilience and conservation objectives in harvested predator-prey communities. *Oikos* 126:1780–1789
<https://doi.org/10.1111/oik.03985>
- Twardek WM, Elvidge CK, Wilson ADM, Algera DA, and others (2017) Do protected areas mitigate the effects of fisheries-induced evolution on parental care behaviour of a teleost fish? *Aquat Conserv* 27:789–796 <https://doi.org/10.1002/aqc.2718>
- Tyrrell LP, Newsome SD, Fogel ML, Viens M, Bowden R, Murray MJ (2013) Vibrissae growth rates and trophic discrimination factors in captive southern sea otters (*Enhydra lutris nereis*). *J Mamm* 94:331–338 <https://doi.org/10.1644/12-MAMM-A-035.1>
- Urian K, Gorgone A, Read A, Balmer B, and others (2015) Recommendations for photo-identification methods used in capture-recapture models with cetaceans. *Mar Mamm Sci* 31:298–321 <https://doi.org/10.1111/mms.12141>
- Usui-Heikkilä S, Wolter C, Klefth T, Arlinghaus R (2008) A behavioral perspective on fishing-induced evolution. *Trends Ecol Evol* 23:419–421
- Usui-Heikkilä S, Whiteley AR, Kuparinen A, Matsumura S, Venturelli PA, and others (2015) The evolutionary legacy of size-selective harvesting extends from genes to populations. *Evol Appl* 8:597–620 <https://doi.org/10.1111/eva.12268>
- van Bleijswijk JDL, Begeman L, Witte HJ, IJsseldijk LL, Brasseur SMJM, Gröne A, Leopold MF (2014) Detection of grey seal *Halichoerus grypus* DNA in attack wounds on stranded harbour porpoises *Phocoena phocoena*. *Mar Ecol Prog Ser* 513:277–281
<https://doi.org/10.3354/meps11004>
- van Neer A, Jensen LF, Siebert U (2015) Grey seal (*Halichoerus grypus*) predation on harbour seals (*Phoca vitulina*) on the island of Helgoland, Germany. *J Sea Res* 97:1–4
<https://doi.org/10.1016/j.seares.2014.11.006>
- Villasante S, Arreguín-Sánchez F, Heymans JJ, Libralato S, and others (2016) Modelling marine ecosystems using the Ecopath with Ecosim food web approach: New insights to address complex dynamics after 30 years of developments. *Ecol Model* 331:1–4
<https://doi.org/10.1016/j.ecolmodel.2016.04.017>
- Vincent C, Huon M, Caurant F, Dabin W, Deniau A, and others (2017) Grey and harbour seals in France: Distribution at sea, connectivity and trends in abundance at haulout sites. *Deep Sea Res II* 141:294–305 <https://doi.org/10.1016/j.dsr2.2017.04.004>
- Wade PR, Reeves RR, Mesnick SL (2012) Social and Behavioural Factors in Cetacean Responses to Overexploitation: Are Odontocetes Less “Resilient” Than Mysticetes? *J Mar Biol* 2012:1–15 <https://doi.org/10.1155/2012/567276>
- Wahlberg M, Westerberg H, Aarestrup K, Feunteun E, Gargan P, Righton D (2014) Evidence of marine mammal predation of the European eel (*Anguilla anguilla* L.) on its marine migration. *Deep Sea Res I* 86:32–38 <https://doi.org/10.1016/j.dsr.2014.01.003>
- Waite JN, Trumble SJ, Burkanov VN, Andrews RD (2012) Resource partitioning by sympatric Steller sea lions and northern fur seals as revealed by biochemical dietary analyses and satellite telemetry. *J Exp Mar Biol Ecol* 416-417:41–54
<https://doi.org/10.1016/j.jembe.2012.02.009>
- Watt J, Siniff DB, Estes JA (2000) Interdecadal patterns of population and dietary change in sea otters at Amchitka Island, Alaska. *Oecologia* 124:289–298
<https://doi.org/10.1007/s004420000373>

- Weise MJ, Harvey JT (2005) Impact of the California sea lion (*Zalophus californianus*) on salmon fisheries in Monterey Bay, California. Fish Bull 103:685–696
- Williams TM, Estes JA, Doak DF, Springer AM (2004) Killer appetites: Assessing the role of predators in ecological communities. Ecology 85:3373–3384 <https://doi.org/10.1890/03-0696>
- Worm B, Hilborn R, Baum JK, Branch TA, and others (2009) Rebuilding Global Fisheries. Science 325:578–585 <https://doi.org/10.1126/science.1173146>
- Young JW, Hunt BPV, Cook TR, Llopiz JK, and others (2015) The trophodynamics of marine top predators: Current knowledge, recent advances and challenges. Deep Sea Res II 113:170–187 <https://doi.org/10.1016/j.dsr2.2014.05.015>
- Zappes CA, Gatts CEN, Lodi LF, Simões-Lopes PC, and others (2014) Comparison of local knowledge about the bottlenose dolphin (*Tursiops truncatus* Montagu, 1821) in the Southwest Atlantic Ocean: New research needed to develop conservation management strategies. Ocean Coast Manage 98:120–129 <https://doi.org/10.1016/j.ocecoaman.2014.06.014>
- Zhou S, Smith AD, Punt AE, Richardson AJ, and others (2010) Ecosystem-based fisheries management requires a change to the selective fishing philosophy. Proc Natl Acad Sci USA 107:9485–9489 <https://doi.org/10.1073/pnas.0912771107>