

Table S1. Summary and frequency of behaviours displayed by Cory's Shearwaters *Calonectris borealis* when exposed to a novel object in the nest during the boldness tests.

Behaviour	Abbreviation	Mean \pm SD number of times birds displayed each behaviour	Maximum number of times a bird displayed the behaviour	Number of birds that displayed the behaviour
Pecking	Peck	0.20 \pm 0.87	10	21
Vocalization	Voc	0.02 \pm 0.14	1	6
Snapping	Snap	0.18 \pm 0.69	8	29
Standing	Stand	0.13 \pm 0.48	4	22
Swallowing	Swall	1.24 \pm 1.33	6	89
Move head	Head	1.20 \pm 1.18	6	97
Blinking	Blink	3.17 \pm 5.95	46	69
Twitching	Twitch	1.18 \pm 2.47	24	75
Open wings	Wing	0.08 \pm 0.34	3	16
Turn around	Turn	0.17 \pm 0.52	4	33
Shake head	Shake	0.43 \pm 0.94	7	49
Move away	Move	0.15 \pm 0.38	2	38
Open the bill	Bill	0.06 \pm 0.30	3	10
Inspecting the object	Insp	0.11 \pm 0.41	4	16
Excavating	Excav	0.01 \pm 0.08	1	2
Touching object	Touch	0.04 \pm 0.31	3	7
Egg accomodation	Egg	0.02 \pm 0.29	5	3

Literature Cited

Clarke KR (1993) Non-parametric multivariate analyses of changes in community structure. *Austral Ecol* 18:117–143

Krüger L, Pereira JM, Paiva VH, Ramos JA (2019) Personality influences foraging of a seabird under contrasting environmental conditions. *J Exp Mar Bio Ecol* 516:123–131