

Table S1. Atlantic cod diet composition, 2012–2019. Prey are described at a common level, the lowest practical identification level (LPIL), and the number of Atlantic cod with that prey item for each year of sampling (Years 1–7) and for all years combined (total) is given.

Atlantic Cod		# of Fish with Prey Item							
Taxon Description	Prey (LPIL)	Year							Total
		1	2	3	4	5	6	7	
Amphipod	Ampeliscidae				7				7
	Aoridae			1		1			2
	<i>Caprella penantis</i>			1					1
	Gammaridae	1		1	3				5
	Melitidae				1				1
	<i>Unciola</i> sp.				1				1
Bivalve	<i>Mytilus edulis</i>			1					1
	<i>Spisula solidissima</i>				1	1			2
Decapod	<i>Cancer borealis</i>	2		3					5
	<i>Cancer irroratus</i>	5	2						7
	<i>Cancer</i> sp.			1	16	15	1	4	37
	<i>Crangon septemspinosa</i>	2	1						3
	Decapoda	1							1
	<i>Gilvossius setimanus</i>							2	2
	<i>Hippolyte</i> sp.				2				2
	<i>Palaemonetes</i> sp.					1			1
	Pandalidae	2							2
Echinoderm	<i>Echinarachnius parma</i>						1		1
Fish	<i>Alosa mediocris</i>				2				2
	<i>Ammodytes americanus</i>				1	1	3	2	7
	<i>Anchoa mitchilli</i>	1							6
	<i>Centropristis striata</i>				2	2			4
	<i>Clupea harengus</i>	1							1
	Clupeidae					2			2
	Cottoidea				1				1
	<i>Decapterus</i> sp.					1			1
	<i>Menidia menidia</i>			1					1
	<i>Merluccius bilinearis</i>					2			2
	<i>Myoxocephalus scorpius</i>				1				1
	Osteichthyes	7	3	2	9	4			27
	<i>Peprilus triacanthus</i>				2	1			3
	<i>Pholis gunnellus</i>				1	1			2
	<i>Prionotus evolans</i>				1				1
	<i>Stenotomus chrysops</i>		1						1
	<i>Tautogolabrus adspersus</i>			2					2
	Unidentified fish remains						1	2	3
	<i>Urophycis chuss</i>			1					1
	<i>Urophycis</i> sp.				1	9		1	11
<i>Urophycis tenuis</i>				1	3			4	
Gastropod	<i>Euspira heros</i>				1				1
	<i>Urosalpinx cinera</i>				1			1	2
Isopod	<i>Politolana</i> sp.				10	2	2	1	15
Other Crustacea	Mysidaceae			2	16	15	2	5	40
Sea anemone	Actiniaria	1							1
	Cerianthidae					1			1
Squid	<i>Loligo pealei</i>				2				2
Unknown	Unidentified remains	2							2
Worm - Annelid	<i>Aphrodita aculeata</i>				1				1
	<i>Nereis succinea</i>			1		1			2
Total Stomachs		9	5	6	33	33	4	8	98

Table S2. Red hake diet composition, 2012-2019. Prey are described at a common level, the lowest practical identification level (LPIL), and the number of red hake with that prey item for each year of sampling (Years 1–7) and for all years combined (total) is given.

Red Hake		# of Fish with Prey Item							
Taxon Description	Prey (LPIL)	Year							Total
		1	2	3	4	5	6	7	
Amphipod	Ampeliscidae			2	4		1	10	17
	Amphipoda				1				1
	Aoridae			3	4	1	6	9	23
	<i>Caprella penantis</i>		1						1
	Gammaridae	6	8	2	8	1	7	5	37
	Melitidae				1				1
	<i>Unciola</i> sp.			1	3		3	3	10
Bivalve	<i>Mercenaria mercenaria</i>						1		1
	<i>Mytilus edulis</i>						1		1
	<i>Spisula solidissima</i>				1				1
Crustacean	Ostracoda				1				1
Decapod	<i>Axius serratus</i>		1						1
	<i>Cancer</i> sp.			1	5		3	6	15
	<i>Crangon septemspinosa</i>	10	9	2					21
	Decapoda	1							1
	<i>Gilvossius setimanus</i>				1		2	2	5
	<i>Hippolyte</i> sp.				1				1
	<i>Homarus americanus</i>	1							1
	<i>Palaemonetes</i> sp.		1	1					2
	Pandalidae		3	1					4
	Pasiphaeidae		3						3
Fish	<i>Ammodytes americanus</i>	1		1					2
	Osteichthyes		2	3		1			6
	<i>Pholis gunnellus</i>				1				1
	Unidentified fish remains						1		1
Gastropod	<i>Euspira heros</i>							1	1
Hydroid	Hydrozoa		1						1
Isopod	Isopoda		1						1
	<i>Politolana</i> sp.				2		1	1	4
Other Crustacea	<i>Heteromysis formosa</i>			2					2
	Mysidacae	2	1	14	22	3	21	37	100
	<i>Pagurus longicarpus</i>				1				1
	<i>Squilla empusa</i>		1						1
Sea Anemone	Actiniaria	1	1						2
Squid	<i>Loligo pealei</i>				1				1
Unknown	Unidentified remains		1		3	1		2	7
Worm – Annelid	<i>Nereis succinea</i>				3		1	5	9
	Polychaeta	2	2						4
Total Stomachs		13	24	20	26	7	28	50	168

Table S3. Silver hake diet composition, 2012–2019. Prey are described at a common level, the lowest practical identification level (LPIL), and the number of silver hake with that prey item for each year of sampling (Years 1–7) and for all years combined (total) is given.

Silver Hake		# of Fish with Prey Item							
Taxon Description	Prey (LPIL)	Year							Total
		1	2	3	4	5	6	7	
Amphipod	Ampeliscidae			1	8	13	21	46	89
	Amphipoda					1			1
	Aoridae			1	3		14	14	32
	Gammaridae	25	17	1	2	1	12	8	66
	Pleustidae						1	1	2
	<i>Unciola</i> sp.			1	1	3	3	10	18
Bivalve	<i>Mytilus edulis</i>						1		1
	<i>Spisula solidissima</i>				1				1
Decapod	<i>Axius serratus</i>	3							3
	<i>Cancer</i> sp.					1		2	3
	<i>Crangon septemspinosa</i>	67	13	4					84
	Decapoda	2							2
	<i>Hippolyte</i> sp.				2				2
	<i>Palaemonetes</i> sp.	9		1	1	1			13
	Pandalidae	10	7						20
	Thalassinoidea						1		1
Fish	<i>Alosa aestivalis</i>	4			1				5
	<i>Ammodytes americanus</i>	14		2	5	8	7	13	54
	<i>Centropristis striata</i>				1				1
	Clupeidae	1			2				3
	<i>Menidia menidia</i>	1		1			3		5
	<i>Merluccius bilinearis</i>	1							1
	<i>Myoxocephalus scorpius</i>							1	1
	Osteichthyes	18	1	8	7	4			40
	<i>Peprilus triacanthus</i>	2	1				2	3	8
	<i>Pholis gunnellus</i>						1		1
	<i>Prionotus carolinus</i>					1			1
	<i>Stenotomus chrysops</i>	1		1		2	3		7
	Unidentified fish remains						9	16	25
<i>Urophycis</i> sp.				2	1	1		4	
Isopod	<i>Chiridotea</i> sp.				1	1	1	1	4
	<i>Edotia</i> sp.						1		1
	Isopoda	5							5
Other Crustacea	<i>Heteromysis formosa</i>			4					4
	Mysidaceae	6		16	38	55	84	82	279
	<i>Squilla empusa</i>	1							1
Plant	Seaweed						2	2	
Squid	Cephalopoda	6							6
	<i>Loligo pealei</i>		1	1	4	2	9	5	22
	<i>Lolliguncula brevis</i>			1					1
Unknown	Unidentified remains	7		2	2	4	3	27	45
Worm-Annelid	<i>Nereis succinea</i>						1	1	2
	Polychaeta	1	1						2
Total Stomachs		117	30	35	51	84	124	183	624

Table S4. Spotted hake diet composition, 2012–2019. Prey are described at a common level, the lowest practical identification level (LPIL), and the number of spotted hake with that prey item for each year of sampling (Years 1–7) and for all years combined (total) is given.

Spotted Hake		# of Fish with Prey Item							
Taxon Description	Prey (LPIL)	Year							Total
		1	2	3	4	5	6	7	
Amphipod	Ampeliscidae			7	22	25	29	20	103
	Amphipoda		1			2			3
	Aoridae			2	10	12	12	6	42
	<i>Caprella penantis</i>		3	1		1			5
	Gammaridae	10	15	25	25	7	4	6	93
	Lysianassidae			1					1
	Pleustidae							1	1
	<i>Unciola</i> sp.			5	9	4	5	2	25
Bivalve	Bivalvia		1						1
	<i>Mercenaria mercenaria</i>				1				1
Decapod	<i>Cancer irroratus</i>			1					1
	<i>Cancer</i> sp.			6	5	5	1	4	21
	<i>Crangon septemspinosa</i>	7	5	2					14
	Decapoda			1					1
	<i>Gilvossius setimanus</i>							3	3
	<i>Palaemonetes</i> sp.	3		1		1			18
	Pandalidae		3						5
Fish	<i>Ammodytes americanus</i>	1				2	1	3	7
	Clupidae				1	1			2
	<i>Myoxocephalus scorpius</i>			1				1	2
	Osteichthyes	1	1	5		5			12
	<i>Peprilus triacanthus</i>							1	1
	<i>Prionotus carolinus</i>							1	1
	<i>Stenotomus chrysops</i>			1		1			2
	Unidentified fish remains						5	12	17
Gastropod	<i>Colus</i> sp.					2		2	4
	<i>Euspira heros</i>							2	2
	<i>Urosalpinx cinera</i>					2		1	3
Isopod	<i>Chiridotea</i> sp.							1	1
	Isopoda	3							3
	<i>Politolana</i> sp.				2	13	4	8	27
Other Crustacea	Crustacea			1					1
	Mysidaceae	1	10	32	49	54	46	56	248
	<i>Pagurus longicarpus</i>							1	1
	<i>Pagurus</i> sp.				1				1
	<i>Squilla empusa</i>			1					1
Sponge	Porifera						1		1
Squid	<i>Loligo pealei</i>		1	2		2	5	1	11
Unknown	Unidentified remains			4	2	7		3	16
Worm-Annelid	<i>Aphrodita aculeata</i>		3	1					4
	<i>Glycera</i> sp.			1					1
	<i>Nereis succinea</i>					1	1		2
	Polychaeta		1						1
Worm-Sipunculid	Sipuncula			1					1
Total Stomachs		19	30	50	68	81	64	80	392

Table S5. Summer flounder diet composition, 2012-2019. Prey are described at a common level, the lowest practical identification level (LPIL), and the number of summer flounder with that prey item for each year of sampling (Years 1–7) and for all years combined (total) is given.

Summer Flounder		# of Fish with Prey Item							
Taxon Description	Prey (LPIL)	Year							Total
		1	2	3	4	5	6	7	
Amphipod	Ampeliscidae			7			1		8
	Amphipoda	1				1			2
	Aoridae			1			2		3
	Gammaridae		1	2					3
	Melitidae			1					1
	Pleustidae			1					1
	<i>Unciola</i> sp.			7			1		8
Bivalve	Bivalvia			1					1
	<i>Mercenaria mercenaria</i>		1	1					2
	<i>Spisula solidissima</i>			1					1
Crustacean	Ostracoda			1					1
Decapod	<i>Cancer borealis</i>	4							4
	<i>Cancer irroratus</i>	13							13
	<i>Cancer</i> sp.	2	6	15	7	3		2	35
	<i>Crangon septemspinosa</i>	1	2						4
	<i>Gilvossius setimanus</i>					2			2
	<i>Homarus americanus</i>		1						1
	<i>Palaemonetes</i> sp.					1			1
	Pandalidae	2	1						3
Fish	<i>Alosa aestivalis</i>		1						1
	<i>Ammodytes americanus</i>		4	16	3	12	4	4	43
	Carangidae					2			2
	<i>Centropristis striata</i>					1			1
	<i>Clupea harengus</i>	1							1
	Clupeidae							1	1
	<i>Menidia menidia</i>		1						1
	Merlucciidae					1			1
	<i>Merluccius bilinearis</i>	3	1			2		1	7
	Osteichthyes	21	31	9	8	12			82
	<i>Peprilus triacanthus</i>	14	5	6	4	2	2		55
	Pleuronectidae				1				1
	<i>Prionotus evolans</i>	1							1
	<i>Pseudopleuronectes americanus</i>	1							1
	<i>Selar crumenophthalmus</i>			2					2
	<i>Stenotomus chrysops</i>	4	1	8		2	16	2	33
Unidentified fish remains						13	18	31	
<i>Urophycis</i> sp.							1	1	
Gastropod	<i>Urosalpinx cinera</i>			1					1
Isopod	Isopoda		1	1					2
	<i>Politolana</i> sp.					1			1
Other Crustacea	<i>Heteromysis formosa</i>			3					3
	Mysidacae		2	4	5	7	3	7	28
	<i>Pagurus longicarpus</i>	1							1
	<i>Squilla empusa</i>				1				1
Plant	Seaweed			5	1		1	1	8
Sea anemone	Actiniaria		2						2
Sponge	Porifera							1	1

Summer Flounder		# of Fish with Prey Item							
Taxon Description	Prey (LPIL)	Year							Total
		1	2	3	4	5	6	7	
Squid	<i>Cephalopoda</i>	14	3						21
	<i>Illex illecebrosus</i>				1				1
	<i>Loligo pealei</i>		11	20	13	12	9	8	74
	<i>Loliguncula brevis</i>			5					5
Unknown	Unidentified remains	3		18	3	4	21	5	54
Worm – Annelid	Annelida			1					1
	<i>Glycera</i> sp.			1		1			2
	<i>Lumbrineris</i> sp.					1			1
	<i>Nereis succinea</i>			12			1		13
	Polychaeta	1	1						2
Worm - Sipunculid	Sipuncula			1					1
Total Stomachs		69	58	95	39	59	68	47	435

Table S6. Winter flounder diet composition, 2012-2019. Prey are described at a common level, the lowest practical identification level (LPIL), and the number of winter flounder with that prey item for each year of sampling (Years 1-7) and for all years combined (total) is given.

Winter Flounder		# of Fish with Prey Item							
Taxon Description	Prey (LPIL)	Year							Total
		1	2	3	4	5	6	7	
Amphipod	Ampeliscidae			48	85	96	46	45	320
	Amphipoda	4	1	3	2	1			11
	Aoridae			25	18	27	26	14	111
	<i>Calliopius laeviusculus</i>					1			1
	<i>Caprella penantis</i>	2	8	7	6	2	6	4	35
	Gammaridae	93	74	44	65	28	19	8	331
	<i>Listriella</i> sp.			2					2
	Lysianassidae			2	2	1			5
	Melitidae			2	10	4			16
	Oridae			1					
	Photidae			2					2
	Pleustidae			8	23	12	7		50
<i>Unciola</i> sp.			56	96	114	68	82	416	
Bivalve	<i>Anadara ovalis</i>			1	7	12			20
	<i>Argopectan irradians</i>		1						1
	<i>Astarte undata</i>						2		2
	Bivalvia	11	6	3	2	2			24
	<i>Cerastoderma pinnulatum</i>	3		1	4	1	2		11
	<i>Cyclocardia borealis</i>	2							2
	<i>Ensis directus</i>					1	1		2
	<i>Gemma gemma</i>							1	1
	<i>Macoma balthica</i>	16	8						24
	<i>Mercenaria mercenaria</i>	7	1	6	13	2	2	5	36
	<i>Mya arenaria</i>	3						1	4
	<i>Mytilus edulis</i>			2		16	7	5	30
	<i>Pitar morrhuanus</i>				2	3	2	2	9
	<i>Spisula solidissima</i>		4	1	9	4	3	4	25
	<i>Tellina agilis</i>	7	1						8
	<i>Yoldia limatula</i>	2							2
Bryozoan	Bryozoa	7	1						8
Cnidaria	Cnidaria			4	3	9	3	2	20
Crustacean	Ostracoda			13					13
Decapod	<i>Cancer borealis</i>	3		2					5
	<i>Cancer irroratus</i>	22	29	6					57
	<i>Cancer</i> sp.	2	49	9	26	20	11	16	133
	<i>Carcinus maenas</i>				1				1
	<i>Crangon septemspinosa</i>	17	9	2					28
	Decapoda		2						2
	<i>Gilvossius setimanus</i>				12	1	1	1	15
	<i>Homarus americanus</i>	1							1
	<i>Palaemonetes</i> sp.	4			1				5
	Pandalidae	1	4	4					9
	Pasiphaeidae		3	2					5
	Thalassinioidea					3	3		6
	<i>Tumidotheres maculatus</i>				1				1
	<i>Uca</i> sp.						1		1

Winter Flounder		# of Fish with Prey Item							
Taxon Description	Prey (LPIL)	Year							Total
		1	2	3	4	5	6	7	
Echinoderm	<i>Arbacia punctulate</i>							1	1
	<i>Echinarachnius parma</i>	26	7	7	1	1		1	43
	<i>Eupentacta quinquesemita</i>	2							2
	Holothuroidea	1						1	2
Fish	<i>Ammodytes americanus</i>					4			4
	Osteichthyes	1	2	1	6				10
	<i>Peprilus triacanthus</i>			1					1
	<i>Stenotomus chrysops</i>					1			1
	Unidentified fish remains							1	1
	<i>Urophycis</i> sp.							1	1
Gastropod	<i>Astyris lunata</i>			5					5
	<i>Colus</i> sp.							1	1
	<i>Crepidula fornicate</i>		2	1	5		2	13	24
	<i>Doridella obscura</i>			2					2
	Gastropoda		2						2
	<i>Notoacmea testudinalis</i>			1					1
	Opisthobranch		25						25
	<i>Urosalpinx cinera</i>				5	2	2	1	10
Hydroid	<i>Campanularia</i> sp.	1							1
	Hydrozoa	6	8		1				15
Isopod	<i>Chiridotea</i> sp.			1	9	6	12	8	36
	<i>Edotia</i> sp.					3	1	2	6
	<i>Erichsonella attenuate</i>			1					1
	Idoteidae			1					1
	Isopoda	5	3		1				9
	<i>Politolana</i> sp.				6	3	4	3	16
Nudibranch	Nudibranch					1			1
Other Crustacea	<i>Balanus</i> sp.					1			1
	Crustacea		2			1			3
	Euphausiacea		1						1
	<i>Heteromysis formosa</i>			1					1
	Mysidacae	4	4	21	4	9	3	5	50
	<i>Pagurus longicarpus</i>				2		3	5	10
	<i>Pagurus</i> sp.			2		3			5
	<i>Squilla empusa</i>	2	3	7	1	3	2		18
Plant	Aghardellis			3	2				5
	<i>Heterosiphonia</i> sp.					2			2
	Rhodophyta						4		4
	Seaweed			25	6	5	14	17	67
Sea Anemone	Actiniaria	26	29	7	4				66
	Cerianthidae			2	18	10			30
	<i>Haloclava producta</i>					3			3
	Unidentified burrowing anemone						10	11	21
Sponge	Porifera					1	2	8	11
Squid	Cephalopoda	1							1
	<i>Loligo pealei</i>				1	3	1		5

Winter Flounder		# of Fish with Prey Item							
Taxon Description	Prey (LPIL)	Year							Total
		1	2	3	4	5	6	7	
Tunicate	<i>Ascidacea</i> sp.				2				2
	<i>Heterostigma</i> sp.				3				3
	<i>Molgula</i> sp.			4	1	7	8	5	25
	<i>Styela clava</i>					1			1
Unknown	Unidentified remains	23	8	47	50	48	55	53	284
Worm – Annelid	Annelida				3	3			6
	<i>Aphrodita aculeata</i>		2	1					3
	Arenicolidae	1				2	2		5
	<i>Cirriformia grandis</i>							2	2
	<i>Glycera</i> sp.	49	17	28		2			96
	<i>Harmothoe imbricata</i>					4			4
	<i>Lumbrineris</i> sp.			1	6	13	4	7	31
	<i>Nereis succinea</i>	16	13	67	91	81	80	93	441
	Orbiniidae					5			5
	<i>Owenia fusiformis</i>	1							1
	<i>Pherusa</i> sp.				1	2	11	1	15
Polychaeta	35	71	9		2	10	3	130	
Worm – Nematode	Nematoda	1							1
Worm – Nemertea	<i>Cerebratulus lacteus</i>	1		5					6
Worm - Sipunculid	Sipuncula			10					10
Total Stomachs		161	154	216	300	295	239	265	1,630

Table S7. Black sea bass diet composition, 2012-2019. Prey are described at a common level, the lowest practical identification level (LPIL), and the number of black sea bass with that prey item for Year 7 sampling.

Black Sea Bass		# of Fish with Prey Item							
Taxon Description	Prey (LPIL)	Year							Total
		1	2	3	4	5	6	7	
Amphipod	<i>Ampelisca</i> sp.							4	4
	<i>Aoridae</i>							7	7
	<i>Gammaridae</i>							2	2
	<i>Unciola</i> sp.							1	1
Bivalve	<i>Mercenaria mercenaria</i>							4	4
	<i>Mya arenaria</i>							1	1
	<i>Mytilus edulis</i>							1	1
	<i>Pitar morrhuanus</i>							2	2
	<i>Placopecten magellanicus</i>							1	1
Decapod	<i>Cancer</i> sp.							45	45
	<i>Gilvossius setimanus</i>							4	4
	Thalassinoidea							2	2
Fish	Unidentified fish remains							5	5
Gastropod	<i>Euspira heros</i>							10	10
	<i>Urosalpinx cinera</i>							2	2
Isopod	<i>Politolana</i> sp.							4	4
Other Crustacea	<i>Mysidaceae</i>							14	14
	<i>Pagurus longicarpus</i>							11	11
Sea Anemone	Unidentified burrowing anemone							3	3
Sponge	Porifera							1	1
Squid	<i>Loligo pealei</i>							4	4
Tunicate	<i>Molgula</i> sp.							2	2
	<i>Styela clava</i>							1	1
Unknown	Unidentified remains							13	13
Worm – Annelid	<i>Aphrodita aculeata</i>							7	7
	<i>Arenicolidae</i>							1	1
	<i>Cirriiformia grandis</i>							3	3
	<i>Lumbrineris</i> sp.							1	1
	<i>Nereis succinea</i>							4	4
	Polychaeta							2	2
Total Stomachs								110	110

Table S8. Haddock diet composition, 2012-2019. Prey are described at a common level, the lowest practical identification level (LPIL), and the number of haddock with that prey item for each year of sampling (Years 1-7) and for all years combined (total) is given.

Haddock		# of Fish with Prey Item							
Taxon Description	Prey (LPIL)	Year							Total
		1	2	3	4	5	6	7	
Amphipod	Ampeliscidae							3	3
	Gammaridae		4						4
Bivalve	<i>Argopectan irradians</i>		1						1
	<i>Mytilus edulis</i>							1	1
	<i>Spisula solidissima</i>							1	1
Decapod	<i>Cancer</i> sp.							1	1
	Pandalidae		1						1
	Pasiphaeidae		1						1
Gastropod	<i>Urosalpinx cinera</i>							1	1
Hydroid	Hydrozoa		1						1
Unknown	Unidentified remains		1						1
Worm – Annelid	<i>Nereis succinea</i>							2	2
	Polychaeta		2						2
Total Stomachs			6					4	10

Table S9. Windowpane diet composition, 2012-2019. Prey are described at a common level, the lowest practical identification level (LPIL), and the number of windowpane with that prey item for each year of sampling (Years 1-7) and for all years combined (total) is given.

Windowpane		# of Fish with Prey Item							
Taxon Description	Prey (LPIL)	Year							Total
		1	2	3	4	5	6	7	
Amphipod	Gammaridae	5							5
Bryozoan	Bryozoa	1							1
Decapod	<i>Crangon septemspinosa</i>	10							21
	<i>Palaemonetes</i> sp.	4							4
Fish	<i>Centropristis striata</i>	1							1
	Osteichthyes	1							1
Other Crustacea	Mysidaceae	2							2
Total Stomachs		12							12

Table S10. Yellowtail flounder diet composition, 2012-2019. Prey are described at a common level, the lowest practical identification level (LPIL), and the number of yellowtail flounder with that prey item for each year of sampling (Years 1-7) and for all years combined (total) is given.

Yellowtail Flounder		# of Fish with Prey Item							
Taxon Description	Prey (LPIL)	Year							Total
		1	2	3	4	5	6	7	
Amphipod	Ampeliscidae			4	6	4			14
	Gammaridae	10	2						12
Crustacean	Ostracoda			1					1
Decapod	<i>Cancer septemspinosa</i>		3						3
	Pandalidae		1						1
Worm-Annelid	<i>Glycera</i> sp.	3							3
	<i>Nereis succinea</i>	1							1
	Polychaeta	1							1
Total Stomachs		10	2	4	6	4			26