

Bycatch of protected species and other species of concern in US east coast commercial fisheries

Erika A. Zollett*

MRAG Americas, Inc., 65 Eastern Avenue, Unit B2C, Essex, Massachusetts 01929, USA

*Email: erika.zollett@mragamericas.com

Endangered Species Research 9: 49–59 (2009)

Supplement 1. Tables S1 to S7 are available at: www.int-res.com/articles/suppl/n009p049_app.xls. The literature cited in these tables is listed below

LITERATURE CITED

- Anonymous (2007) Northeast region standardized bycatch reporting methodology, an omnibus amendment to the fishery management plans of the Mid-Atlantic and New England Regional Fishery Management Councils. Prepared by the New England Fishery Management Council, Mid-Atlantic Fishery Management Council, National Marine Fisheries Service, and Northeast Regional Office
- ASMFC (Atlantic States Marine Fisheries Commission) (1999) Amendment 1 to the interstate fishery management plan for shad and river herring. Fishery Management Report No. 35 of the Atlantic States Marine Fisheries Commission, Washington, D.C.
- ASMFC (Atlantic States Marine Fisheries Commission) (2007) Special report to the ASMFC Atlantic Sturgeon Management Board: Estimation of Atlantic sturgeon bycatch in coastal Atlantic commercial fisheries of New England and the Mid-Atlantic. Atlantic States Marine Fisheries Commission, Washington, D.C.
- ASMFC (Atlantic States Marine Fisheries Commission) (2008) Draft amendment 2 to the interstate fishery management plan for shad and river herring for public comment (river herring management). Atlantic States Marine Fisheries Commission, Shad and River Herring Plan Development Team, Washington, DC
- ASSRT (Atlantic Sturgeon Status Review Team) (2007) Status review of the Atlantic sturgeon (*Acipenser oxyrinchus oxyrinchus*). Prepared by the Atlantic Sturgeon Status Review Team for the National Marine Fisheries Service, National Atmospheric and Atmospheric Administration, Northeast Regional Office, Gloucester, MA, February 23, 2007
- Baremore IE, Carlson JK, Hollensead LD, Bethea DM (2007) Catch and bycatch in U.S. Southeast gillnet fisheries, 2007. NOAA Tech Memo NMFS-SEFSC-565
- Borggaard D, Higgins J, Salvador G (2008) The Atlantic Large Whale Take Reduction Plan, an evolving plan to reduce the risk to North Atlantic large whales (right, humpback, and fin) posed by commercial trap/pot and gillnet fishing gear in the U.S. Atlantic Ocean. National Oceanic and Atmospheric Administration, Gloucester, MA.
- Cieri M, Nelson G, Armstrong M (2008) Estimates of river herring bycatch in the directed Atlantic herring fishery. Maine Department of Marine Resources and Massachusetts Division of Marine Fisheries
- Collins MR, Rogers SG, Smith TIJ (1996) Bycatch of sturgeons along the southern Atlantic coast of the USA. *N Am J Fish Manag* 16:24–29
- DFO (Fisheries and Oceans Canada) (2008) Proceedings of the Maritimes Region Science Advisory Process on the recovery potential assessment of cusk (*Brosme brosme*), 27–29 November 2008. DFO Can Sci Advis Sec Proceed Ser 2008/008, Dartmouth, Nova Scotia
- Epperly S, Avens L, Garrison L, Henwood T and others (2002) Analysis of sea turtle bycatch in the commercial shrimp fisheries of Southeast U.S. waters and the Gulf of Mexico. NOAA Tech Memo NMFS-SEFSC-490
- Epperly SP, Braun-McNeill J, Richards PM (2007) Trends in catch rates of sea turtles in North Carolina, USA. *Endang Species Res* 3:283–293
- Eyler SM, Skyeveland JE, Mangold MF, Welsh SA (2000) Distribution of sturgeons in candidate open water dredged material placement sites in the Potomac River (1998–2000). US Fish and Wildlife Service, Maryland Fisheries Resource Office, Annapolis, MD
- Fairfield CP, Garrison LP (2008) Estimated bycatch of marine mammals and sea turtles in the U.S. Atlantic pelagic longline fleet during 2007. NOAA Tech Memo NMFS-SEFSC-572
- Garrison LP (2003) Estimated bycatch of marine mammals and turtles in the U.S. Atlantic pelagic longline fleet during 2001–2002. NOAA Tech Memo NMFS-SEFSC-515
- Georges Bank Hook Sector Inc. and Cape Cod Commercial Hook Fishermen's Association (2007) Proposed agency action: approval of the Georges Bank cod hook sector operations plan, final environmental assessment. Georges Bank Hook Sector Inc., North Chatham, MA
- Hale LF, Gulak SJB, Carlson JK (2009) Characterization of the shark bottom longline fishery, 2008. NOAA Tech Memo NMFS-SEFSC-586
- Harrington JM, Myers RA, Rosenberg AA (2005) Wasted fishery resources: discarded by-catch in the USA. *Fish Fish* 6:350–361
- Keene KF, Beerkircher LR, Lee DW (2007) SEFSC Pelagic observer program data summary for 1992–2004. NOAA Tech Memo NMFS-SEFSC-562
- Keith C, Nitschke P (2008) Atlantic wolffish. Northeast Fisheries Science Center, Northeast Data Poor Stocks Working Group Meeting, Woods Hole, MA: 215–233
- Lee DS (2007) Species profiles of western North Atlantic seabirds. Draft report to NOAA Fisheries Service, Southeast Fisheries Science Center, Protected Resources and Biodiversity Division, Miami, FL
- Litwiler T (2001) Conservation plan for sea turtles, marine mammals, and the shortnose sturgeon in Maryland. Tech Rep FS-SCOL-01-2, Maryland Department of Natural Resources, Sarbanes Cooperative Oxford Laboratory, Oxford, MD

- Mansfield KL, Seney EE, Fagan MA, Musick JA, Frisch KL, Knowles AE (2002) An evaluation of interactions between sea turtles and pound net leaders in the Chesapeake Bay, VA. Final Report to National Marine Fisheries Service, Northeast Fisheries Science Center, Virginia Institute of Marine Science Gloucester Point, VA
- Manville AM (2005) Seabird and waterbird bycatch in fishing gear: next steps in dealing with a problem. USDA For Serv Gen Tech Rep PSW-GTR-191:1071–1082
- Merrick R, Haas H (2008) Analysis of Atlantic sea scallop (*Placopecten magellanicus*) fishery impacts on the North Atlantic population of loggerhead sea turtles (*Caretta caretta*). NOAA Tech Memo NMFS-NE-207
- Miller T, Muller R, O'Boyle B, Rosenberg A (2009) Report by the peer review panel for the Northeast Data Poor Stocks Working Group. Northeast Fisheries Science Center, Woods Hole, MA
- Morgan A, Cooper PW, Curtis T, Burgess GH (2009) Overview of the U.S. East Coast bottom longline shark fishery, 1994–2003. Mar Fish Rev 71(1): 23–38
- Morreale SJ, Standora EA (1998) Early life stage ecology of sea turtles in northeastern U.S. waters. NOAA Tech Memo NMFS-SEFSC-412
- Morreale SJ, Smith CF, Durham K, DiGiovanni R, Aguirre AA (2005) Assessing health, status, and trends in northeastern sea turtle populations, year end report Sept. 2002—Nov. 2004. NOAA Protected Resources Division, Gloucester, MA
- Murray KT (2004) Bycatch of sea turtles mid-Atlantic sea scallop (*Placopecten magellanicus*) dredge fishery during 2003. 2nd edition. Northeast Fisheries Science Center Ref Doc 04-11 Woods Hole, MA
- Murray KT (2005) Total bycatch estimate of loggerhead turtles (*Caretta caretta*) in the 2004 Atlantic sea scallop (*Placopecten magellanicus*) dredge fishery. Northeast Fisheries Science Center Ref Doc 05-12 Woods Hole, MA
- Murray KT (2006) Estimated average annual bycatch of loggerhead sea turtles (*Caretta caretta*) in U.S. Mid-Atlantic bottom otter trawl gear, 1996–2004. Northeast Fisheries Science Center Ref Doc 06-19 Woods Hole, MA
- Murray KT (2007) Estimated bycatch of loggerhead sea turtles (*Caretta caretta*) in U.S. mid-Atlantic scallop trawl gear, 2004–2005, and in sea scallop dredge gear, 2005. Northeast Fisheries Science Center Ref Doc 07-04
- NEFMC (New England Fishery Management Council) (1999) Final Atlantic herring fishery management plan. New England Fishery Management Council, Saugus, MA.
- Northeast Fisheries Science Center NEFSC (2009) Incidental Take Reports, 2007–2008. Northeast Fisheries Science Center Fisheries Sampling Branch, Northeast Fisheries Observer Program. Accessed March 26, 2009 at www.nefsc.noaa.gov/femad/fishsamp/fsb/
- NMFS (National Marine Fisheries Service) (2002) Endangered Species Act—Section 7: Consultation biological opinion. Shrimp trawling in the southeastern United States, under the sea turtle conservation regulations and as managed by the fishery management plans for shrimp in the South Atlantic and Gulf of Mexico. National Marine Fisheries Service, Southeast Region, St. Petersburg, FL
- NMFS (National Marine Fisheries Service) (2006) Final environmental assessment and regulatory impact review, regulatory flexibility act analysis of sea turtle conservation measures for the pound net fishery in Virginia waters of the Chesapeake Bay. National Marine Fisheries Service, National Oceanic and Atmospheric Administration, Silver Spring, MD
- NMFS (National Marine Fisheries Service) (2008) Final environmental assessment and regulatory impact review, regulatory flexibility act analysis of sea turtle conservation measures for the Atlantic sea scallop dredge fishery. National Marine Fisheries Service, National Oceanic and Atmospheric Administration Silver Spring, MD
- NMFS (National Marine Fisheries Service) (2009) Smalltooth sawfish recovery plan (*Pristis pectinata*). National Marine Fisheries Service, National Oceanic and Atmospheric Administration Silver Spring, MD
- NMFS & USFWS (National Marine Fisheries Service & US Fish and Wildlife Service) (2008) Recovery plan for the Northwest Atlantic population of the loggerhead sea turtle (*Caretta caretta*), 2nd revsn. National Marine Fisheries Service, Silver Spring, MD
- NOAA (1999) Taking of marine mammals incidental to commercial fishing operations; Atlantic Large Whale Take Reduction Plan regulations; final rule. US Dept of Commerce, 50 CFR Part 229. Fed Regist 64:7529–7556
- NOAA (2002a) Sea turtle conservation; restrictions to fishing activities; final rule. US Dept of Commerce, 50 CFR Part 223. Fed Regist 67:56931–56934
- NOAA (2002b) Sea turtle conservation; restrictions to fishing activities; final rule. US Dep of Commerce, 50 CFR Parts 222 and 223. Fed Regist 67:71895–71900
- NOAA (2002c) Endangered and threatened wildlife and plants; 12-month finding for a petition to list barndoor skate (*Dipturus laevis*) as threatened or endangered. National Oceanic and Atmospheric Administration, National Marine Fisheries Service. Fed Regist 67:61055–61061
- NOAA (2004) Atlantic highly migratory species (HMS); pelagic longline fishery; final rule. U.S. Dep of Commerce, 50 CFR Part 223 and 635. Fed Regist 69:40734–40758
- NOAA (2005) Stock assessment reports. NOAA National Marine Fisheries Service, Office of Protected Resources, Silver Spring, MD
- NOAA (2007a) Stock assessment reports. NOAA National Marine Fisheries Service, Office of Protected Resources, Silver Spring, MD
- NOAA (2007b) Species of concern. NOAA National Marine Fisheries Service, Office of Protected Resources, Silver Spring, MD
- NOAA (2008a) List of fisheries for 2009; final rule. US Dept of Commerce, 50 CFR Part 229. Fed Regist 73:73032–73076
- NOAA (2008b) Species of concern. NOAA National Marine Fisheries Service, Office of Protected Resources, Silver Spring, MD
- NOAA (2008c) Taking of marine mammals incidental to commercial fishing operations; Atlantic pelagic longline take reduction plan; proposed rule. US Dept of Commerce, 50 CFR Part 229. Fed Regist 73:35623–35631
- Passerotti MS, Carlson JK (2009) Catch and bycatch in US southeast gillnet fisheries, 2008. NOAA Tech Memo NMFS-SEFSC-583
- Sea Turtle Advisory Committee (2006) Sea turtle interactions with North Carolina fisheries. Review and recommendations to the North Carolina Marine Fisheries Commission. North Carolina Division of Marine Fisheries Morehead City, NC
- SEFSC (Southeast Fisheries Science Center) (2001) Stock assessments of loggerhead and leatherback sea turtles and an assessment of the impact of the pelagic longline fishery on the loggerhead and leatherback sea turtles of the western North Atlantic. US Dept of Commerce NOAA Tech Memo NMFS-SEFSC-455
- SEFSC (Southeast Fisheries Science Center) (2007) Estimated takes of protected species in the commercial directed

- shark bottom longline fishery 2006. NMFS Southeast Fisheries Science Center Contribution PRD-07/08-05
- Shepherd G, Miller T, Lipsky C, Armstrong J and others (2007) Special report to the ASMFC Atlantic sturgeon management board: estimation of Atlantic sturgeon bycatch in coastal Atlantic commercial fisheries of New England and the Mid-Atlantic. ASMFC and NMFS sponsored workshop report at NMFS NEFSC, Woods Hole, MA
- Skjveland JE, Welsh SA, Mangold MF, Eyler SM, Nachbar S (2000) A report of investigations and research on Atlantic and shortnose sturgeon in Maryland waters of the Chesapeake Bay (1996–2000). US Fish and Wildlife Service, Maryland Fisheries Resource Office, Annapolis, MD
- Soczek ML (2006) An analysis of seabird bycatch in New England commercial fisheries. MS thesis, Antioch University, Keene, NH
- Steve C, Gearhart J, Borggaard D, Sabo L, Hohn AA (2001) Characterization of North Carolina commercial fisheries with occasional interactions with marine mammals. NOAA Tech Memo NMFS-SEFSC-458
- Taylor K, Hendricks M, Patterson C, Winslow S (2008) Review of the Atlantic States Marine Fisheries Commission fishery management plan for shad and river herring (*Alosa* spp.) 2007. Atlantic States Marine Fisheries Commission, Shad & River Herring Plan Review Team Washington, DC
- Waring GT, Josephson E, Fairfield-Walsh CP, Maze-Foley K (eds) (2007) U.S. Atlantic and Gulf of Mexico marine mammal stock assessments 2007. NOAA Tech Memo NMFS NE 205
- Young N (2006) Guidelines for developing a potential biological removal (PBR) framework for managing sea turtle bycatch in the Pamlico Sound flounder gillnet fishery. MS thesis, Duke University, Durham, NC