

Satellite telemetry of marine megavertebrates: the coming of age of an experimental science

Kristen M. Hart^{1,2,*}, K. David Hyrenbach^{1,3}

¹Duke University Marine Laboratory, 135 Duke University Marine Lab Road, Beaufort, North Carolina 28516, USA

²Present address: US Geological Survey, Florida Integrated Science Center, 3205 College Avenue, Davie, Florida 33314, USA

³Present address: Marine Sciences, Hawaii Pacific University, 45–045 Kamehameha Highway, Kaneohe, Hawaii 96744, USA

Email: kristen_hart@usgs.gov

Endangered Species Research: 10: 9–20 (2009)

Supplement 1. Papers reviewed in the main article

- Bailleul FS, Luque S, Dubroca L, Arnould JPY, Guinet C (2005) Differences in foraging strategy and maternal behaviour between two sympatric fur seal species at the Crozet Islands. *Mar Ecol Prog Ser* 293:273–282
- Barlow KE, Croxall JP (2002) Seasonal and interannual variation in foraging range and habitat of macaroni penguins *Eudyptes chrysolophus* at South Georgia. *Mar Ecol Prog Ser* 232:291–304
- Barlow KE, Boyd IL, Croxall JP, Reid K, Staniland IJ, Brierley AS (2002) Are penguins and seals in competition for Antarctic krill at South Georgia? *Mar Biol* 140:205–213
- Beauplet G, Dubroca L, Guinet C, Cherel Y, Dabin W, Gagne C, Hindell M (2004) Foraging ecology of subantarctic fur seals *Arctocephalus tropicalis* breeding on Amsterdam Island: seasonal changes in relation to maternal characteristics and pup growth. *Mar Ecol Prog Ser* 273:211–225
- Bentivegna F (2002) Intra-Mediterranean migrations of loggerhead sea turtles *Caretta caretta* monitored by satellite telemetry. *Mar Biol* 141:795–800
- Bonadonna FM, Lea A, Dehorter O, Guinet C (2001) Foraging ground fidelity and route-choice tactics of a marine predator: the Antarctic fur seal *Arctocephalus gazelle*. *Mar Ecol Prog Ser* 223:287–297
- Bost CA, Georges JY, Guinet C, Cherel Y, Pütz K, Charrassin JB, Handrich Y, Zorn T, Lage J, LeMaho Y (1997) Foraging habitat and food intake of satellite-tracked king penguins during the austral summer at Crozet Archipelago. *Mar Ecol Prog Ser* 150:21–33
- Bost CA, Charrassin JB, Clerquin Y, Ropert-Coudert Y, LeMaho Y (2004) Exploitation of distant marginal ice zones by king penguins during winter. *Mar Ecol Prog Ser* 283:293–297
- Boyd IL, Staniland IJ, Martin AR (2002) Distribution of foraging by female Antarctic fur seals. *Mar Ecol Prog Ser* 242:285–294
- Cardona L, Revelles M, Carreras C, San Félix M, Gazo M, Aguilar A (2005) Western Mediterranean immature loggerhead turtles: habitat use in spring and summer assessed through satellite tracking and aerial surveys. *Mar Biol* 147:583–591
- Catard A, Weimerskirch H, Cherel Y (2000) Exploitation of distant Antarctic waters and close shelf-break waters by white-chinned petrels rearing chicks. *Mar Ecol Prog Ser* 194:249–261
- Catry P, Phillips RA, Phalan B, Silk JRD, Croxall JP (2004) Foraging strategies of grey-headed albatrosses *Thalassarche chrysostoma*: integration of movements activity and feeding events. *Mar Ecol Prog Ser* 280:261–273
- Chaloupka M, Parker D, Balazs G (2004) Modelling post-release mortality of loggerhead sea turtles exposed to the Hawaii-based pelagic longline fishery. *Mar Ecol Prog Ser* 280:285–293
- Charrassin JB, Bost CA (2001) Utilisation of the oceanic habitat by king penguins over the annual cycle. *Mar Ecol Prog Ser* 221:285–297
- Cheng IJ (2000) Post-nesting migrations of green turtles *Chelonia mydas* at Wan-An Island Penghu Archipelago Taiwan. *Mar Biol* 137:747–754
- Cherel Y, Weimerskirch H (1995) Seabirds as indicators of marine resources: Black-browed albatrosses feeding on ommastrephid squids in Kerguelen waters. *Mar Ecol Prog Ser* 129:295–300
- Cherel Y, Weimerskirch H, Trouvé C (2000) Food and feeding ecology of the neritic-slope forager black-browed albatross and its relationships with commercial fisheries in Kerguelen waters. *Mar Ecol Prog Ser* 207:183–199
- Chilvers BL, Wilkinson IS, Duignan PJ, Gemmill NJ (2005) Summer foraging areas for lactating New Zealand sea lions *Phocarctos hookeri*. *Mar Ecol Prog Ser* 304:235–247
- Clarke J, Kerry K, Fowler C, Lawless R, Eberhard S, Murphy R (2003) Post-fledging and winter migration of Adelie penguins *Pygoscelis adeliae* in the Mawson region of East Antarctica. *Mar Ecol Prog Ser* 248:267–278
- Clarke J, Emmerson LM, Otahal P (2006) Environmental conditions and life history constraints determine foraging range in breeding Adelie penguins. *Mar Ecol Prog Ser* 310:247–261
- Crocker DE, Costa DP, LeBoeuf BJ, Webb PM, Houser DS (2006) Impact of El Niño on the foraging behavior of female northern elephant seals. *Mar Ecol Prog Ser* 309:1–10
- Culik BM, LunaJorquera G (1997) Satellite tracking of Humboldt penguins *Spheniscus humboldti* in northern Chile. *Mar Biol* 128:547–556
- Culik B, Hennicke J, Martin T (2000) Humboldt penguins outmanoeuvring El Niño. *J Exp Biol* 203:2311–2322
- Eckert SA (2006) High-use oceanic areas for Atlantic leatherback sea turtles (*Dermodochelys coriacea*) as identified using satellite telemetered location and dive information. *Mar Biol* 149:1257–1267
- Gentry, R.L. and Kooyman, G.L. (Eds.) (1986) Fur seals - Maternal strategies on land and at sea. New Jersey, Princeton University Press
- Georges J-Y, Bonadonna F, Guinet C (2000) Foraging habitat and diving activity of lactating Subantarctic fur seals in relation to sea-surface temperatures at Amsterdam Island. *Mar Ecol Prog Ser* 196:291–304
- Girard C, Sudre J, Benhamou S, Roos D, Luschi P (2006) Homing in green turtles *Chelonia mydas*: oceanic currents act as a constraint rather than as an information source. *Mar Ecol Prog Ser* 322:281–289

- Gitschlag GR (1996) Migration and diving behavior of Kemp's ridley (Garman) sea turtles along the U.S. southeastern Atlantic coast. *J Exp Mar Biol Ecol* 205:115–135
- Godley BJ, Broderick AC, Glen F, Hays GC (2003) Post-nesting movements and submergence patterns of loggerhead marine turtles in the Mediterranean assessed by satellite tracking. *J Exp Mar Biol Ecol* 287:119–134
- Godley BJ, Lima EHSM, Akesson S, Broderick AC, Glen F, Godfrey MH, Luschi P, Hays GC (2003) Movement patterns of green turtles in Brazilian coastal waters described by satellite tracking and flipper tagging. *Mar Ecol Prog Ser* 253:279–288
- González-Solís J, Croxall JP, Wood AG (2000) Foraging partitioning between giant petrels *Macronectes* spp. and its relationship with breeding population changes at Bird Island South Georgia. *Mar Ecol Prog Ser* 204:279–288
- González-Solís J, Croxall JP, Briggs DR (2002) Activity patterns of giant petrels *Macronectes* spp. using different foraging strategies. *Mar Biol* 140:197–204
- Guinet C, Koudil M, Bost CA, Durbec JP, Georges JY, Mouchot MC, Jouventin P (1997) Foraging behaviour of satellite-tracked king penguins in relation to sea-surface temperatures obtained by satellite telemetry at Crozet Archipelago a study during three austral summers. *Mar Ecol Prog Ser* 150:11–20
- Guinet C, Dubroca L, Lea MA, Goldsworthy S, Chérel Y, Duhamel G, Bonadonna F, Donnay J-P (2001) Spatial distribution of foraging in female Antarctic fur seals *Arctocephalus gazella* in relation to oceanographic variables: a scale-dependent approach using geographic information systems. *Mar Ecol Prog Ser* 219:251–264
- Hamer KC, Phillips RA, Wanless S, Harris MP, Wood AG (2000) Foraging ranges diets and feeding locations of gannets *Morus bassanus* in the North Sea: evidence from satellite telemetry. *Mar Ecol Prog Ser* 200:257–264
- Hamer KC, Phillips RA, Hill JK, Wanless S, Wood AG (2001) Contrasting foraging strategies of gannets *Morus bassanus* at two North Atlantic colonies: foraging trip duration and foraging area fidelity. *Mar Ecol Prog Ser* 224:283–290
- Harcourt RG, Bradshaw CJA, Dickson K, Davis LS (2002) Foraging ecology of a generalist predator, the female New Zealand fur seal. *Mar Ecol Prog Ser* 227:11–24
- Hatase H, Takai N, Matsuzawa Y, Sakamoto W, Omuta K, Goto K, Arai N, Fujiwara T (2002) Size-related differences in feeding habitat use of adult female loggerhead turtles *Caretta caretta* around Japan determined by stable isotope analyses and satellite telemetry. *Mar Ecol Prog Ser* 233:273–281
- Hays GC, Luschi P, Papi F, del Seppia C, Marsh R (1999) Changes in behaviour during the inter-nesting period and post-nesting migration for Ascension Island green turtles. *Mar Ecol Prog Ser* 189:263–273
- Hays GC, Akesson S, Broderick AC, Glen F and others (2001) The diving behaviour of green turtles undertaking oceanic migration to and from Ascension Island: dive durations dive profiles and depth distribution. *J Exp Biol* 204:4093–4098
- Hays GC, Broderick AC, Glen F, Godley BJ, Nichols WJ (2001) The movements and submergence behaviour of male green turtles at Ascension Island. *Mar Biol* 139:395–399
- Hays GC, Broderick AC, Godley BJ, Luschi P, Nichols WJ (2003) Satellite telemetry suggests high levels of fishing-induced mortality in marine turtles. *Mar Ecol Prog Ser* 262:305–309
- Hedd A, Gales R, Brothers N (2001) Foraging strategies of shy albatross *Thalassarche cauta* breeding at Albatross Island Tasmania Australia. *Mar Ecol Prog Ser* 224:267–282
- Hughes GR, Luschi P, Mencacci R, Papi F (1998) The 7000 km oceanic journey of a leatherback turtle tracked by satellite. *J Exp Mar Biol Ecol* 229:209–217
- Hull CL, Hindell MA, Michael K (1997) Foraging zones of royal penguins during the breeding season and their association with oceanographic features. *Mar Ecol Prog Ser* 153:217–228
- Hyrenbach KD, Fernández P, Anderson DJ (2002) Oceanographic habitats of two sympatric North Pacific albatrosses during the breeding season. *Mar Ecol Prog Ser* 233:283–301
- James MC, Eckert SA, Myers RM (2005) Migratory and reproductive movements of male leatherback turtles (*Dermodochelys coriacea*). *Mar Biol* 147:845–853
- James MC, Davenport D, Hays GC (2006) Expanded thermal niche for a diving vertebrate: a leatherback turtle diving into near-freezing water. *J Exp Mar Biol Ecol* 335:221–226
- Johnston DW, Westgate AJ, Read AJ (2005) Effects of fine-scale oceanographic features on the distribution and movements of harbour porpoises *Phocoena phocoena* in the Bay of Fundy. *Mar Ecol Prog Ser* 295:279–293
- Jouventin P, Capdeville D, Cuenot-Chaillet F, Boiteau C (1994) Exploitation of Pelagic Resources by a nonflying seabird: satellite tracking of the king penguin throughout the breeding cycle. *Mar Ecol Prog Ser* 106:11–19
- Kirkwood R, Robertson G (1997) Seasonal change in the foraging ecology of emperor penguins on the Mawson Coast, Antarctica. *Mar Ecol Prog Ser* 156:205–223
- Klomp NI, Schultz MA (2000) Short-tailed shearwaters breeding in Australia forage in Antarctic waters. *Mar Ecol Prog Ser* 194:307–310
- Kooyman GL, Hunke EC, Ackley SF, van Dam RP, Robertson G (2000) Moulting of the emperor penguin: travel location and habitat selection. *Mar Ecol Prog Ser* 204:269–277
- Kooyman GL, Siniff DB, Stirling I, Bengtson JL (2004) Moulting habitat pre- and post-moulting diet and post-moulting travel of Ross Sea emperor penguins. *Mar Ecol Prog Ser* 267:281–290
- Laidre KL, Heide-Jørgensen MP, Dietz R, Hobbs RC, Jørgensen OA (2003) Deep-diving by narwhals *Monodon monoceros*: differences in foraging behavior between wintering areas? *Mar Ecol Prog Ser* 261:269–281
- Laidre KL, Heide-Jørgensen MP, Logsdon ML, Hobbs RC, Heagerty P, Dietz R, Jørgensen OA, Treble MA (2004) Seasonal narwhal habitat associations in the high Arctic. *Mar Biol* 145:821–831
- Lea M-A, Guinet C, Chérel Y, Duhamel G, Dubroca L, Pruvost P, Hindell M (2006) Impacts of climatic anomalies on provisioning strategies of a Southern Ocean predator. *Mar Ecol Prog Ser* 310:77–94
- LeBoeuf BJ, Crocker DE, Garyson J, Gedamke J, Webb PM, Blackwell SB, Costa DP (2000) Respiration and heart rate at the surface between dives in northern elephant seals. *J Exp Biol* 203:3265–3274
- Lescroel A, Bost C-A (2005) Foraging under contrasting oceanographic conditions: the gentoo penguin at Kerguelen Archipelago. *Mar Ecol Prog Ser* 302:245–261
- Luschi P, Hughes GR, Mencacci R, De Bernardi E, Sale A, Broker R, Bouwer M, Papi F (2003) Satellite tracking of migrating loggerhead sea turtles *Caretta caretta* displaced in the open sea. *Mar Biol* 143:793–801
- Lynnes A, Reid K, Croxall J, Trathan P (2002) Conflict or co-existence? Foraging distribution and competition for prey between Adelie and chinstrap penguins. *Mar Biol* 141:1165–1174
- Mouritsen H, Huyvaert KP, Frost BJ, Anderson DJ (2003) Waved albatrosses can navigate with strong magnets attached to their head. *J Exp Biol* 206:4155–4166
- Nel DC, Lutjeharms JRE, Pakhomov EA, Ansonge IJ, Ryan PG, Klages NTW (2001) Exploitation of mesoscale oceanographic

- graphic features by grey-headed albatross *Thalassarche chrysostoma* in the southern Indian Ocean. *Mar Ecol Prog Ser* 217:15–26
- Nicholls DG, Robertson CJR, Prince PA, Murray MD, Walker KJ, Elliott GP (2002) Foraging niches of three *Diomedea* albatrosses. *Mar Ecol Prog Ser* 231:269–277
- Page B, McKenzie J, Sumner MD, Coyne M, Goldsworthy SD (2006) Spatial separation of foraging habitats among New Zealand fur seals. *Mar Ecol Prog Ser* 323:263–279
- Papi F, Liew HC, Luschi P, Chan EH (1995) Long-range migratory travel of a green turtle tracked by satellite: evidence for navigational ability in the open sea. *Mar Biol* 122:171–175
- Papi F, Luschi P, Crosio E, Hughes GR (1997) Satellite tracking experiments on the navigational ability and migratory behaviour of the loggerhead turtle *Caretta caretta*. *Mar Biol* 129:215–220
- Papi F, Luschi P, Akesson S, Capogrossi S, Hays GC (2000) Open-sea migration of magnetically disturbed sea turtles. *J Exp Biol* 203:3435–3443
- Phillips RA, Silk JRD, Croxall JP, Afanasyev V, Briggs DR (2004) Accuracy of geolocation estimates for flying seabirds. *Mar Ecol Prog Ser* 266:265–272
- Phillips RA, Silk JRD, Croxall JP (2005) Foraging and provisioning strategies of the light-mantled sooty albatross at South Georgia: competition and co-existence with sympatric pelagic predators. *Mar Ecol Prog Ser* 285:259–270
- Pinaud D, Cherel Y, Weimerskirch H (2005) Effect of environmental variability on habitat selection diet provisioning behaviour and chick growth in yellow-nosed albatrosses. *Mar Ecol Prog Ser* 298:295–304
- Pütz K, Ingham RJ, Smith JG, Lüthi BH (2002) Winter dispersal of rockhopper penguins *Eudyptes chrysocome* from the Falkland Islands and its implications for conservation. *Mar Ecol Prog Ser* 240:273–284
- Read AJ, Westgate AJ (1997) Monitoring the movements of harbour porpoises *Phocoena phocoena* with satellite telemetry. *Mar Biol* 1302:315–322
- Rodary D, Bonneau W, Le Maho Y, Bost CA (2000) Benthic diving in male emperor penguins *Aptenodytes forsteri* foraging in winter. *Mar Ecol Prog Ser* 207:171–181
- Rodhouse PG, Prince PA, Trathan PN, Hatfield EMC, Watkins JL, Bone DG, Murphy EJ, White MG (1996) Cephalopods and mesoscale oceanography at the Antarctic Polar Front: satellite tracked predators locate pelagic trophic interactions. *Mar Ecol Prog Ser* 136:37–50
- Sale A, Luschi P, Mencacci R, Lambardi P, Hughes GR, Hays GC, Benvenuti S, Papi F (2006) Long-term monitoring of leatherback turtle diving behaviour during oceanic movements. *J Exp Mar Biol Ecol* 328:197–210
- Shaffer SA, Tremblay Y, Awkerman JA, Henry RW, Teo SLH, Anderson DL, Croll DA, Block BA, Costa DP (2005) Comparison of light- and SST-based geolocation with satellite telemetry in free-ranging albatrosses. *Mar Biol* 147: 833–843
- Sheppard JK, Preen AR, Marsh H, Lawler IR, Whiting SD, Jones RE (2006) Movement heterogeneity of dugongs *Dugong dugon* (Müller) over large spatial scales. *J Exp Mar Biol Ecol* 334:64–83
- Staniland IJ, Reid K, Boyd IL (2004) Comparing individual and spatial influences on foraging behaviour in Antarctic fur seals *Arctocephalus gazella*. *Mar Ecol Prog Ser* 275: 263–274
- Thompson D, Moss SEW, Lovell P (2003) Foraging behaviour of South American fur seals *Arctocephalus australis*: extracting fine scale foraging behaviour from satellite tracks. *Mar Ecol Prog Ser* 260:285–296
- Trathan PN, Green C, Tanton J, Peat H, Poncet J, Morton A (2006) Foraging dynamics of macaroni penguins *Eudyptes chrysolophus* at South Georgia during brood-guard. *Mar Ecol Prog Ser* 323:239–251
- Tremblay Y, Shaffer SA, Fowler SL, Kuhn CE, McDonald BI, Weise MJ, Bost C-A, Weimerskirch H, Crocker DE, Goebel ME, Costa DP (2006) Interpolation of animal tracking data in a fluid environment. *J Exp Biol* 209:128–140
- Troëng S, Evans DR, Harrison E, Lagueux CJ (2005) Migration of green turtles *Chelonia mydas* from Tortuguero, Costa Rica. *Mar Biol* 148:435–447
- Waugh SM, Weimerskirch H, Cherel Y, Shankar U, Prince PA, Sagar PM (1999) Exploitation of the marine environment by two sympatric albatrosses in the Pacific Southern Ocean. *Mar Ecol Prog Ser* 177:243–254
- Weimerskirch H, Wilson RP, Guinet C, Koudil M (1995) Use of seabirds to monitor sea-surface temperatures and to validate satellite remote-sensing measurements in the southern-ocean. *Mar Ecol Prog Ser* 126:299–303
- Weimerskirch H, Wilson RP, Lys P (1997) Activity pattern of foraging in the wandering albatross: a marine predator with two modes of prey searching. *Mar Ecol Prog Ser* 151: 245–254
- Weimerskirch H, Le Corre M, Jaquemet S, Potier M, Marsac F (2004) Foraging strategy of a top predator in tropical waters: great frigatebirds in the Mozambique Channel. *Mar Ecol Prog Ser* 275:297–308
- Weimerskirch H, Le Corre M, Jaquemet S, Marsac F (2005) Foraging strategy of a tropical seabird: the red-footed booby in a dynamic marine environment. *Mar Ecol Prog Ser* 288:251–261
- Wienecke BC, Robertson G (1997) Foraging space of emperor penguins *Aptenodytes forsteri* in Antarctic shelf waters in winter. *Mar Ecol Prog Ser* 159:249–263
- Xavier JC, Croxall JP, Trathan PN, Wood AG (2003) Feeding strategies and diets of breeding grey-headed and wandering albatrosses at South Georgia. *Mar Biol* 143:221–232
- Zerbini AN, Andriolo A, Heide-Jørgensen MP, Pizzorno JL, Maia YG, VanBlaricom GR, DeMaster DP, Simões-Lopes PC, Moreira S, Bethlem C (2006) Satellite-monitored movements of humpback whales *Megaptera novaeangliae* in the southwest Atlantic Ocean. *Mar Ecol Prog Ser* 313:295–304