

Fig. S1. Estimated standard ellipses showing isotopic niches of roseate terns (pink) and common terns (black) nesting on Eastern Egg Rock in 2018 (A) and 2019 (B).




Fig. S2. Estimated standard ellipses showing isotopic niches for the eggshells of roseate terns (pink) and common terns (black) nesting on Jenny Island in 2018 (A) and 2019 (B).




Fig. S3. Estimated standard ellipses showing isotopic niches for the eggshells of roseate terns (pink) and common terns (black) nesting on Stratton Island in 2018 (A) and 2019 (B).




Fig. S4. Estimated standard ellipses showing isotopic niches for the eggshells of roseate terns (pink) and common terns (black) nesting on the White and Seavey Island complex in 2018 (A) and 2019 (B).




Fig. S5. Estimated standard ellipses showing isotopic niches for the eggshells of roseate terns (pink) and common terns (black) nesting on South Monomoy Island in 2018 (A) and 2019 (B). The “x” in 2019 is an extreme outlier removed from the analysis. The dotted line in 2019 is the standard ellipse for common terns with the outlier included.




Fig. S6. Estimated standard ellipses showing isotopic niches for the eggshells of roseate terns (pink) and common terns (black) nesting on Bird Island in 2018 (A) and 2019 (B).




Fig. S7. Estimated standard ellipses showing isotopic niches for the eggshells of roseate terns (pink) and common terns (black) nesting on Penikese Island in 2018 (A) and 2019 (B).




Fig. S8. Estimated standard ellipses showing niches for the eggshells of roseate terns (pink) and common terns (black) nesting on Ram Island in 2018 (A) and 2019 (B). The “x” in 2018 an extreme outlier removed from the analysis. The dotted line in 2018 is the standard ellipse for roseate terns with the outlier included.




Fig. S9. Estimated standard ellipses showing isotopic niches for the eggshells of roseate terns (pink) and common terns (black) nesting on Great Gull Island in 2018 (A) and 2019 (B).




Fig. S10. Estimated standard ellipses showing isotopic niches for the eggshells of roseate terns (pink) and common terns (black) nesting on Faulkner Island NWR in 2018 (A) and 2019 (B).